

General Information

Vehicle Identification Number:

Owner name: _____

Address: _____

Phone: _____

Selling dealer name: _____

Address: _____

Phone: _____

Your satisfaction is our #1 goal. If you have questions or concerns about your vehicle, we suggest you follow these steps:

1. Contact your Sales Representative or Service Advisor at your selling / servicing dealership.
2. If the inquiry or concern remains unresolved, contact the Sales Manager or Service Manager at the dealership.
3. If the inquiry or concern cannot be resolved at the dealership level, please contact the Ford Customer Assistance Center.

In the US, contact:

Ford Motor Company
Customer Assistance Center
300 Renaissance Center
PO Box 43360
Detroit, MI 48243
1-800-392-3673 (FORD)

TDD for the hearing impaired: 1-800-232-5952

In Canada, contact:

Customer Assistance Centre
Ford Motor Company of Canada, Limited
PO Box 2000
Oakville, Ontario L6J 5E4
1-800-565-3673 (FORD)

General Information

Outside the US or Canada, contact:

Ford Motor Company
Worldwide Export Operations
1555 Fairlane Drive
Fairlane Business Park #3
Allen Park, Michigan 48101 USA
Telephone: (313) 594-4857
Fax: (313) 390-0804

Contents

General Maintenance Information	4
What Maintenance Schedule Do You Follow?	5
Normal Schedule	6
Severe Duty Service	15
Owner Maintenance Checks	31

Maintenance Schedule and Record

Maximum Oil Change Interval... Normal Schedule: 5,000 miles (8,000 km) or 6 months, whichever occurs first. Severe Duty Schedule: 3,000 miles (5,000 km) or 3 months, whichever occurs first. See appropriate Schedule.

GENERAL MAINTENANCE INFORMATION

The required scheduled maintenance services listed in this guide are considered essential to the proper operation, safety, and performance of your Ford Motor Company vehicle. We recommend that you also perform the Owner Maintenance Checks listed. These services are matters of day-to-day care that are also important to the proper operation of your vehicle. The recommended lubricants, fluids, and service parts conforming to Ford Specifications are available from your Ford or Lincoln Mercury dealer.

This guide gives you a place to record the services that are performed on your vehicle so that you can keep a record of when parts should be checked or replaced. Give your *Service Guide* to your Ford or Lincoln-Mercury service manager.

Maintenance: An investment

Maintenance is an investment that will pay dividends in the form of improved reliability, durability, and resale value.

To assure the durability of your vehicle and its emission control systems, it is necessary that scheduled maintenance be performed at the designated intervals.

Ford strongly recommends the use of genuine Ford replacement parts. If other than Ford or Motorcraft parts or Ford authorized remanufactured parts are used for maintenance replacement or for the service of components affecting emission control, the non-Ford parts should be equivalent to genuine Ford Motor Company parts in performance and durability. It is the owner's responsibility to determine the equivalency of such parts. Please consult your *Warranty Guide* for complete warranty information.

NO COST PCV VALVE REPLACEMENT

The PCV valve is a critical emission component. Your dealer will replace the valve at no cost at 60,000 miles (96,000 kilometers), except in Canada and California.

Maintenance Schedule and Record

PRE-DELIVERY SERVICE CHECK

☐ Pre-Delivery Service Inspection Completed

DEALER AUTHORIZATION

Date: _____

Mileage: _____

WHAT MAINTENANCE SCHEDULE DO YOU FOLLOW?

Normal Schedule

Follow the Normal Schedule for most normal everyday driving conditions.

Severe Duty Schedule

Follow the Severe Duty Schedule if your driving habits **FREQUENTLY** include one or more of the following conditions:

- ☐ Towing a trailer or using a car-top carrier.
- ☐ Operating in severe dust conditions.
- ☐ Extensive idling, such as police, taxi or door-to-door delivery service.
- ☐ Short trips of less than 10 miles (16 km) when outside temperatures remain below 0°F (-18°C).

Normal Schedule

Items for Emission Control Service are shown in italics.

For items marked with a number in parentheses such as (1), see footnote at the end of this section.

REGULAR MAINTENANCE INTERVALS FOR THE NORMAL SCHEDULE

5,000 MILES (8,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

10,000 MILES (16,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

15,000 MILES (24,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (24,000 km) or 12 months.
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Normal Schedule

20,000 MILES (32,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

25,000 MILES (40,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Normal Schedule

30,000 MILES (48,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Replace air cleaner filter.*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (24,000 km) or 12 months.*
- ☐ *Check clutch pedal operation (if equipped).*
- ☐ *Inspect exhaust heat shield(s).*
- ☐ *Inspect halfshaft dust boots.*
- ☐ *Inspect front and rear brakes.*
- ☐ *Inspect brake lines, hoses, and connections.*
- ☐ *Inspect bolts and nuts on chassis and body.*
- ☐ *Inspect front suspension ball joints.*
- ☐ *Inspect steering operation and linkage.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

35,000 MILES (56,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Normal Schedule

40,000 MILES (64,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

45,000 MILES (72,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (24,000 km) or 12 months.*
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

50,000 MILES (80,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Change engine coolant initially at 50,000 miles (80,000 km) or 48 months. Thereafter, change engine coolant every 30,000 miles (48,000 km) or 36 months.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Normal Schedule

55,000 MILES (88,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

60,000 MILES (96,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

☐ *Inspect accessory drive belt(s).*

☐ *Replace air cleaner filter.*

☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (24,000 km) or 12 months.*

☐ *Replace the PCV valve.(1)*

☐ *Check clutch pedal operation (if equipped).*

☐ *Inspect exhaust heat shield(s).*

☐ *Inspect halfshaft dust boots.*

☐ *Inspect front and rear brakes.*

☐ *Inspect brake lines, hoses, and connections.*

☐ *Inspect bolts and nuts on chassis and body.*

☐ *Inspect front suspension ball joints.*

☐ *Inspect steering operation and linkage.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Normal Schedule

65,000 MILES (104,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

70,000 MILES (112,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

75,000 MILES (120,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

80,000 MILES (128,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter*
- ☐ *Change engine coolant every 30,000 miles (48,000 km) or 36 months.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Normal Schedule

85,000 MILES (136,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

90,000 MILES (144,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

☐ *Inspect accessory drive belt(s).*

☐ *Replace air cleaner filter.*

☐ *Check clutch pedal operation (if equipped).*

☐ *Inspect exhaust heat shield(s).*

☐ *Inspect halfshaft dust boots.*

☐ *Inspect front and rear brakes.*

☐ *Inspect brake lines, hoses, and connections.*

☐ *Inspect bolts and nuts on chassis and body.*

☐ *Inspect front suspension ball joints.*

☐ *Inspect steering operation and linkage.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Normal Schedule

95,000 MILES (152,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

100,000 MILES (160,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Replace spark plugs.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

105,000 MILES (168,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (24,000 km) or 12 months.*
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Normal Schedule

110,000 MILES (176,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Change engine coolant every 30,000 miles (48,000 km) or 36 months.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

115,000 MILES (184,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

120,000 MILES (192,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filters.*
- ☐ *Inspect accessory drive belt(s).*
- ☐ *Replace air cleaner filter.*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (24,000 km) or 12 months.*
- ☐ *Replace the PCV valve.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

(1) The PCV valve is a critical emission component. Your dealer will replace the valve at no cost at 60,000 miles (96,000 kilometers), except in Canada and California.

Severe Duty Schedule

Items for Emission Control Service are shown in italics.

For items marked with a number in parentheses such as (1), see footnote at the end of this section.

MAINTENANCE INTERVALS FOR SEVERE DUTY SCHEDULE

3,000 MILES (5,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

6,000 MILES (10,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

9,000 MILES (15,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

12,000 MILES (20,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

15,000 MILES (25,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.*
- ☐ *Rotate tires and adjust air pressure.*
- ☐ *Inspect disc brake pads and rotors.*
- ☐ *Inspect bolts and nuts on chassis and body.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

18,000 MILES (30,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

21,000 MILES (35,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

24,000 MILES (40,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

27,000 MILES (45,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

30,000 MILES (50,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Replace air cleaner filter. (1)*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.*
- ☐ *Inspect disc brake pads and rotors.*
- ☐ *Inspect bolts and nuts on chassis and body.*
- ☐ *Check clutch pedal operation (if equipped).*
- ☐ *Inspect exhaust heat shield(s).*
- ☐ *Inspect halfshaft dust boots.*
- ☐ *Inspect front and rear brakes.*
- ☐ *Inspect brake lines, hoses, and connections.*
- ☐ *Inspect front suspension ball joints.*
- ☐ *Inspect steering operation and linkage.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

33,000 MILES (55,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

36,000 MILES (60,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

39,000 MILES (65,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

42,000 MILES (70,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

45,000 MILES (75,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.*
- ☐ *Inspect disc brake pads and rotors.*
- ☐ *Inspect bolts and nuts on chassis and body.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

48,000 MILES (80,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Change engine coolant initially at 48,000 miles (80,000 km) or 48 months. Thereafter, change engine coolant every 30,000 miles (50,000 km) or 36 months.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

51,000 MILES (85,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

54,000 MILES (90,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

57,000 MILES (95,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

60,000 MILES (100,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Inspect accessory drive belts.*
- ☐ *Replace air cleaner filter. (1)*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.*
- ☐ *Replace the PCV valve. (2)*
- ☐ *Rotate tires and adjust air pressure.*
- ☐ *Inspect disc brake pads and rotors.*
- ☐ *Inspect bolts and nuts on chassis and body.*
- ☐ *Check clutch pedal operation (if equipped).*
- ☐ *Inspect exhaust heat shield(s).*
- ☐ *Inspect halfshaft dust boots.*
- ☐ *Inspect front and rear brakes.*
- ☐ *Inspect brake lines, hoses, and connections.*
- ☐ *Inspect front suspension ball joints.*
- ☐ *Inspect steering operation and linkage.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

63,000 MILES (105,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

66,000 MILES (110,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

69,000 MILES (115,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

72,000 MILES (120,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

75,000 MILES (125,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.*
- ☐ *Inspect disc brake pads and rotors.*
- ☐ *Inspect bolts and nuts on chassis and body.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

78,000 MILES (130,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Change engine coolant every 30,000 miles (50,000 km) or 36 months.*
- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

81,000 MILES (135,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

84,000 MILES (140,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

87,000 MILES (145,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

- ☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

90,000 MILES (150,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Inspect accessory drive belts.*
- ☐ *Replace air cleaner filter. (1)*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.*
- ☐ *Inspect disc brake pads and rotors.*
- ☐ *Inspect bolts and nuts on chassis and body.*
- ☐ *Check clutch pedal operation (if equipped).*
- ☐ *Inspect exhaust heat shield(s).*
- ☐ *Inspect halfshaft dust boots.*
- ☐ *Inspect front and rear brakes.*
- ☐ *Inspect brake lines, hoses, and connections.*
- ☐ *Inspect front suspension ball joints.*
- ☐ *Inspect steering operation and linkage.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

93,000 MILES (155,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

96,000 MILES (160,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

99,000 MILES (165,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

☐ *Replace spark plugs.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

102,000 MILES (170,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

105,000 MILES (175,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.*
- ☐ *Rotate tires and adjust air pressure.*
- ☐ *Inspect disc brake pads and rotors.*
- ☐ *Inspect bolts and nuts on chassis and body.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

108,000 MILES (180,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Change engine coolant every 30,000 miles (50,000 km) or 36 months.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

111,000 MILES (185,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

114,000 MILES (189,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

☐ *Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

117,000 MILES (190,000 KILOMETERS)

☐ *Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

Severe Duty Schedule

120,000 MILES (200,000 KILOMETERS)

- ☐ *Change engine oil and replace oil filter.*
- ☐ *Inspect accessory drive belts.*
- ☐ *Replace air cleaner filter. (1)*
- ☐ *Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles, (25,000 km) or 12 months.*
- ☐ *Replace the PCV valve.*
- ☐ *Inspect disc brake pads and rotors.*
- ☐ *Inspect bolts and nuts on chassis and body.*
- ☐ *Check clutch pedal operation (if equipped).*
- ☐ *Inspect exhaust heat shield(s).*
- ☐ *Inspect halfshaft dust boots.*
- ☐ *Inspect front and rear brakes.*
- ☐ *Inspect brake lines, hoses, and connections.*
- ☐ *Inspect front suspension ball joints.*
- ☐ *Inspect steering operation and linkage.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

(1) If operating in severe dust, more frequent intervals may be required. Consult your Ford or Lincoln-Mercury Dealer.

(2) The PCV valve is a critical emission component. Your dealer will replace the valve at no cost at 60,000 miles (96,000 kilometers), except in Canada and California.

Owner maintenance checks

Listed below are vehicle maintenance checks and inspections that should be performed by the owner or qualified service technician at the indicated intervals. Service information and supporting specifications are provided in the *Owner Guide*.

Any adverse conditions should be brought to the attention of your dealer or qualified service technician for expert service advice as soon as possible.

The owner maintenance checks are generally not covered by warranties and you may be charged for labor, parts, and lubricants used.

WHEN YOU STOP FOR FUEL:

- ☐ Check the engine oil level.
- ☐ Check the windshield wiper fluid level.
- ☐ Look for low or underinflated tires.

WHILE OPERATING YOUR VEHICLE:

- ☐ Note any changes in the sound or the exhaust or any smell of exhaust fumes in the vehicle.
- ☐ Check for vibrations in the steering wheel. Notice any increased steering effort or looseness in the steering wheel, or change in its straight ahead position.
- ☐ Notice if the vehicle constantly turns slightly or “pulls” to one side when traveling on smooth, level road.
- ☐ When stopping, listen and check for strange sounds, pulling to one side, increased brake pedal travel, or “hard to push” brake pedal.
- ☐ If any slipping or changes in the operation of your transaxle occurs, check the transaxle fluid level.
- ☐ Check automatic transaxle park function.
- ☐ Check parking brake.
- ☐ Verify proper  and  bulb check response when starting your vehicle.

Owner maintenance checks

AT LEAST MONTHLY:

- ☐ Check coolant level in the coolant recovery reservoir.
- ☐ Check operation of lamps, horn, turn signals, windshield wipers and washer, and hazard warning flasher.
- ☐ Check for fluid leaks by inspecting the surface beneath your vehicle for oil, coolant, or other fluid drips. Clean water from the air conditioning system is normal.

AT LEAST TWICE A YEAR:

- ☐ Check the power steering reservoir fluid level.
- ☐ Check the fluid level in the clutch master cylinder.
- ☐ Check radiator, heater, and air conditioning hoses for leaks or damage.
- ☐ Check for worn tires.
- ☐ Clean body and door drain holes.
- ☐ Flush complete underside of vehicle.
- ☐ Inspect underbody components for damage.
- ☐ Check parking brake system.
- ☐ Check headlamp alignment.
- ☐ Check seat and shoulder belt webbing, buckles, and release mechanisms.
- ☐ Inspect seatback latches for proper operation.
- ☐ Check air pressure in spare tire.
- ☐ Check windshield washer spray and wiper operation. Clean wiper blades thoroughly with a clean cloth dampened in washer fluid.

Owner maintenance checks

AT LEAST ONCE A YEAR:

- ☐ Inspect air conditioning system and A/C compressor operation (if equipped).
- ☐ Lubricate door, hood, and liftgate hinges and checks.
- ☐ Lubricate door, hood, and liftgate locks and latches.
- ☐ Lubricate door rubber weatherstrips.
- ☐ Clean battery and terminals, check electrolyte level on low maintenance battery.