
General Information

Vehicle Identification Number (VIN):

Owner Name: _____

Address: _____

Phone: _____

Selling Dealer Name: _____

Address: _____

Phone: _____

If you live in the U.S. and have questions or concerns that the dealership cannot answer, contact:

Ford Motor Company
Customer Assistance Center
300 Renaissance Center
P.O. Box 43360
Detroit, MI 48243
1-800-392-3673 (FORD)
TDD for the hearing impaired: 1-800-232-5952

If you live in Canada, contact:

Customer Assistance Centre
Ford Motor Company of Canada, Limited
P.O. Box 2000
Oakville, Ontario L6J 5E4
1-800-565-3673 (FORD)

If you live outside the U.S. or Canada, contact:

FORD MOTOR COMPANY
WORLDWIDE EXPORT OPERATIONS
1555 Fairlane Drive
Fairlane Business Park #3
Allen Park, Michigan 48101 U.S.A.
Telephone: (313) 594-4857
Fax: (313) 390-0804

Table of Contents

Maintenance Schedule and Record	3
General Maintenance Information	3
Maintenance: An investment	4
What Maintenance Schedule Do You Follow?	5
Normal Schedule	6
Severe Duty Schedule	17
Owner Maintenance Checks	33

All rights reserved. Reproduction by any means, electronic or mechanical, including photocopying, recording, or by any information storage or retrieval system or translation in whole or part is not permitted without written authorization from Ford Motor Company.

Copyright © 1996 Ford Motor Company

Maintenance Schedule and Record

Maximum Oil Change Interval. . .

Normal Schedule: 5,000 miles (8,000 km) or 6 months, whichever occurs first.

Severe Duty Schedule: 3,000 miles (5,000 km) or 3 months

See appropriate Schedule.

General Maintenance Information

The required Scheduled Maintenance Services listed in this booklet are considered essential to the proper operation, safety and performance of your Ford Motor Company vehicle. We recommend that you also perform the Owner Maintenance Checks listed. These services are matters of day-to-day care that are also important to the proper operation of your vehicle. The recommended lubricants, fluids and service parts conforming to Ford Specifications are available from your dealer.

This booklet gives you a place to record the services that are performed on your vehicle so that you can keep a record of when parts should be checked or replaced. Give your *Maintenance Schedule* booklet to the dealer service manager.

Maintenance: An investment

An investment which will pay dividends in the form of improved reliability, durability, and resale value.

To assure the durability of your vehicle and its emission control systems, it is necessary that scheduled maintenance be performed at the designated intervals.

Ford strongly recommends the use of genuine Ford replacement parts. If other than Ford or Motorcraft parts or Ford authorized remanufactured parts are used for maintenance replacements or for the service of components affecting emission control, such non-Ford parts should be equivalent to genuine Ford Motor Company parts in performance and durability. It is the owner's responsibility to determine the equivalency of such parts. Please consult your warranty booklet for complete warranty information.

PRE-DELIVERY CHECK

Pre-Delivery Service Inspection Completed

DEALER AUTHORIZATION

Date: _____

Mileage: _____

What Maintenance Schedule Do You Follow?

Normal Schedule

Follow the Normal Schedule for most normal everyday driving conditions.

Severe Duty Schedule

Follow the Severe Duty Schedule if your driving habits **FREQUENTLY** include one or more of the following conditions:

- Using a car-top carrier.
- Operating in severe dust conditions.
- Extensive idling, such as police, taxi or door-to-door delivery service.
- Short trips of **less** than 10 miles (16 km) when outside temperatures remain below 0°F (-18°C).

Normal Schedule

NOTE: Items for Emission Control Service are shown in this type style.

For items marked with a number in parentheses such as (1), see footnote at the end of this section.

Regular Maintenance Intervals for the Normal Schedule

5,000 MILES (8,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

10,000 MILES (16,000 Kilometers)

- Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

15,000 MILES (24,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

20,000 MILES (32,000 Kilometers)

- Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

25,000 MILES (40,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

30,000 MILES (48,000 Kilometers)

- Change engine oil and replace oil filter.*
- Replace spark plugs.*
- Inspect accessory drive belt(s).*
- Replace air cleaner filter.*
- Check idle speed. (2)*

- Inspect engine cooling system, hoses, and clamps; and check coolant strength every 30,000 miles (48,000 km) or 36 months.*
- Inspect fuel lines and hoses. (1)*
- Change automatic transaxle fluid (2.5L engine vehicles only).
- Inspect exhaust heat shield(s).
- Inspect halfshaft dust boots.
- Inspect front and rear brakes.
- Inspect brake lines, hoses and connections.
- Inspect bolts and nuts on chassis and body.
- Inspect front suspension ball joints.
- Inspect steering operation and linkage.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

35,000 MILES (56,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

8 Normal Schedule

40,000 MILES (64,000 Kilometers)

Change engine oil and replace oil filter.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

45,000 MILES (72,000 Kilometers)

Change engine oil and replace oil filter.

Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

50,000 MILES (80,000 Kilometers)

Change engine oil and replace oil filter.

Change engine coolant initially at 50,000 miles (80,000 km) or 48 months. Thereafter, change engine coolant every 30,000 miles (48,000 km) or 36 months.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

55,000 MILES (88,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

60,000 MILES (96,000 Kilometers)

- Change engine oil and replace oil filter.*
- Replace spark plugs.*
- Inspect accessory drive belt(s).*
- Replace air cleaner filter.*
- Check idle speed. (2)*
- Inspect engine cooling system, hoses, and clamps; and check coolant strength every 30,000 miles (48,000 km) or 36 months.*
- Replace camshaft drive belt. (2)*
- Replace fuel filter (Recommended but not required for California vehicles).*
- Inspect fuel lines and hoses. (2)*
- Inspect evaporative fuel hose and tube for emissions. (1)*
- Change automatic transaxle fluid (2.5L engine vehicles only).*
- Inspect exhaust heat shield(s).*
- Inspect halfshaft dust boots.*

10 Normal Schedule

- Inspect front and rear brakes.
- Inspect brake lines, hoses and connections.
- Inspect bolts and nuts on chassis and body.
- Inspect front suspension ball joints.
- Inspect steering operation and linkage.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

65,000 MILES (104,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

70,000 MILES (112,000 Kilometers)

- Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

75,000 MILES (120,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

80,000 MILES (128,000 Kilometers)

- Change engine oil and replace oil filter.*
- Change engine coolant every 30,000 miles
(48,000 km) or 36 months.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

85,000 MILES (136,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

90,000 MILES (144,000 Kilometers)

- Change engine oil and replace oil filter.*
- Replace spark plugs.*
- Inspect accessory drive belt(s).*
- Replace air cleaner filter.*
- Check idle speed. (2)*
- Inspect engine cooling system, hoses, and clamps; and check coolant strength every 30,000 miles (48,000 km) or 36 months.*
- Inspect camshaft drive belt (California vehicles only). (1)*
- Inspect fuel lines and hoses. (1)*
- Change automatic transaxle fluid (2.5L engine vehicles only).*
- Inspect exhaust heat shield(s).*
- Inspect halfshaft dust boots.*
- Inspect front and rear brakes.*
- Inspect brake lines, hoses and connections.*
- Inspect bolts and nuts on chassis and body.*
- Inspect front suspension ball joints.*
- Inspect steering operation and linkage.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

95,000 MILES (152,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

100,000 MILES (160,000 Kilometers)

- Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

105,000 MILES (168,000 Kilometers)

- Change engine oil and replace oil filter.*
- Replace camshaft drive belt (California vehicles only).*
- Inspect fuel hoses (California vehicles only).*
- Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

110,000 MILES (176,000 Kilometers)

- Change engine oil and replace oil filter.*
- Change engine coolant every 30,000 miles (48,000 km) or 36 months.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

115,000 MILES (184,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

120,000 MILES (192,000 Kilometers)

- Change engine oil and replace oil filter.*
- Replace spark plugs.*
- Inspect accessory drive belt(s).*
- Replace air cleaner filter.*
- Check idle speed.*
- Inspect engine cooling system, hoses, and clamps; and check coolant strength every 30,000 miles (48,000 km) or 36 months.*

- Replace camshaft drive belt (non-California vehicles only).*
- Replace fuel filter.*
- Inspect fuel lines and hoses.*
- Inspect evaporative fuel hose and tube for emissions.*
- Change automatic transaxle fluid (2.5L engine vehicles only).
- Inspect exhaust heat shield(s).
- Inspect halfshaft dust boots.
- Inspect front and rear brakes.
- Inspect brake lines, hoses and connections.
- Inspect bolts and nuts on chassis and body.
- Inspect front suspension ball joints.
- Inspect steering operation and linkage.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

- (1) This item is not required to be performed, however, Ford recommends that you perform maintenance on this item in order to achieve best vehicle operation. Failure to perform this recommended maintenance will not invalidate the emissions warranty or manufacturer's recall liability.
- (2) This item is required for all states except California. However, Ford recommends performing an inspection on California vehicles. Failure to perform this recommended maintenance on California vehicles will not invalidate the emissions warranty or manufacturer's recall liability.

Severe Duty Schedule

NOTE: Items for Emission Control Service are shown in this type style.

For items marked with a number in parentheses such as (1), see footnote at the end of this section.

Maintenance Intervals for Severe Duty Schedule

3,000 MILES (5,000 Kilometers)

Change engine oil and replace oil filter.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

6,000 MILES (10,000 Kilometers)

Change engine oil and replace oil filter.

Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

9,000 MILES (15,000 Kilometers)

Change engine oil and replace oil filter.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

12,000 MILES (20,000 Kilometers)

Change engine oil and replace oil filter.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

15,000 MILES (25,000 Kilometers)

Change engine oil and replace oil filter.

Inspect air cleaner filter. (1)

Inspect disc brake pads and rotors.

Inspect bolts and nuts on chassis and body.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

18,000 MILES (30,000 Kilometers)

Change engine oil and replace oil filter.

Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

18 Severe Duty Schedule

21,000 MILES (35,000 Kilometers)

- Change engine oil and replace oil filter.*
- Change automatic transaxle fluid (2.5L engine vehicles only).*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

24,000 MILES (40,000 Kilometers)

- Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

27,000 MILES (45,000 Kilometers)

- Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

30,000 MILES (50,000 Kilometers)

- Change engine oil and replace oil filter.*
- Replace spark plugs.*
- Inspect accessory drive belt(s).*
- Replace air cleaner filter.*
- Check idle speed. (3)*

- Inspect engine cooling system, hoses, and clamps; and check coolant strength every 30,000 miles (50,000 km) or 36 months.*
- Inspect fuel lines and hoses. (1)*
- Change automatic transaxle fluid (2.0L engine vehicles only).
- Inspect exhaust heat shield(s).
- Inspect halfshaft dust boots.
- Inspect front and rear brakes.
- Inspect brake lines, hoses and connections.
- Inspect bolts and nuts on chassis and body.
- Inspect front suspension ball joints.
- Inspect steering operation and linkage.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

33,000 MILES (55,000 Kilometers)

- Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

36,000 MILES (60,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

39,000 MILES (65,000 Kilometers)

- Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

42,000 MILES (70,000 Kilometers)

- Change engine oil and replace oil filter.*
- Change automatic transaxle fluid (2.5L engine vehicles only).

DEALER AUTHORIZATION

Date: _____

Mileage: _____

45,000 MILES (75,000 Kilometers)

- Change engine oil and replace oil filter.*
- Inspect air cleaner filter. (1)*
- Inspect disc brake pads and rotors.*
- Inspect bolts and nuts on chassis and body.*

DEALER AUTHORIZATION

Date: _____
Mileage: _____

48,000 MILES (80,000 Kilometers)

- Change engine oil and replace oil filter.*
- Change engine coolant initially at 48,000 miles (80,000 km) or 48 months. Thereafter, change engine coolant every 30,000 miles (50,000 km) or 36 months.*

DEALER AUTHORIZATION

Date: _____
Mileage: _____

51,000 MILES (85,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____
Mileage: _____

54,000 MILES (90,000 Kilometers)

Change engine oil and replace oil filter.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

57,000 MILES (95,000 Kilometers)

Change engine oil and replace oil filter.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

60,000 MILES (100,000 Kilometers)

Change engine oil and replace oil filter.

Replace spark plugs.

Inspect accessory drive belt(s).

Replace air cleaner filter.

Check idle speed. (3)

*Inspect engine cooling system, hoses, and clamps;
and check coolant strength every 30,000 miles
(50,000 km) or 36 months.*

Replace camshaft drive belt. (3)

*Replace fuel filter (Recommended but not required
for California vehicles).*

- Inspect fuel lines and hoses. (3)*
- Inspect evaporative fuel hose and tube for emissions. (1)*
- Change automatic transaxle fluid (2.0L engine vehicles only).
- Inspect exhaust heat shield(s).
- Inspect halfshaft dust boots.
- Inspect front and rear brakes.
- Inspect brake lines, hoses and connections.
- Inspect bolts and nuts on chassis and body.
- Inspect front suspension ball joints.
- Inspect steering operation and linkage.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

63,000 MILES (105,000 Kilometers)

- Change engine oil and replace oil filter.*
- Change automatic transaxle fluid (2.5L engine vehicles only).

DEALER AUTHORIZATION

Date: _____

Mileage: _____

66,000 MILES (110,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

69,000 MILES (115,000 Kilometers)

- Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

72,000 MILES (120,000 Kilometers)

- Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

75,000 MILES (125,000 Kilometers)

- Change engine oil and replace oil filter.*
- Inspect air cleaner filter. (1)*
- Inspect disc brake pads and rotors.
- Inspect bolts and nuts on chassis and body.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

78,000 MILES (130,000 Kilometers)

- Change engine oil and replace oil filter.*
- Change engine coolant every 30,000 miles (50,000 km) or 36 months.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

81,000 MILES (135,000 Kilometers)

- Change engine oil and replace oil filter.*
- Rotate tires and adjust air pressure.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

84,000 MILES (140,000 Kilometers)

- Change engine oil and replace oil filter.*
- Change automatic transaxle fluid (2.5L engine vehicles only).*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

87,000 MILES (145,000 Kilometers)

- Change engine oil and replace oil filter.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

90,000 MILES (150,000 Kilometers)

- Change engine oil and replace oil filter.*
- Replace spark plugs.*
- Inspect accessory drive belt(s).*
- Replace air cleaner filter.*
- Check idle speed. (3)*
- Inspect engine cooling system, hoses, and clamps; and check coolant strength every 30,000 miles (50,000 km) or 36 months.*
- Inspect camshaft drive belt (California vehicles only). (1)*
- Inspect fuel lines and hoses. (1)*
- Change automatic transaxle fluid (2.0L engine vehicles only).*
- Inspect exhaust heat shield(s).*
- Inspect halfshaft dust boots.*
- Inspect front and rear brakes.*
- Inspect brake lines, hoses and connections.*
- Inspect bolts and nuts on chassis and body.*
- Inspect front suspension ball joints.*
- Inspect steering operation and linkage.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

93,000 MILES (155,000 Kilometers)

Change engine oil and replace oil filter.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

96,000 MILES (160,000 Kilometers)

Change engine oil and replace oil filter.

Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

99,000 MILES (165,000 Kilometers)

Change engine oil and replace oil filter.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

102,000 MILES (170,000 Kilometers)

Change engine oil and replace oil filter.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

105,000 MILES (175,000 Kilometers)

- Change engine oil and replace oil filter.*
- Inspect air cleaner filter. (1)*
- Replace camshaft drive belt (California vehicles only).*
- Inspect fuel hoses (California vehicles only).*
- Change automatic transaxle fluid (2.5L engine vehicles only).*
- Inspect disc brake pads and rotors.*
- Inspect bolts and nuts on chassis and body.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

108,000 MILES (180,000 Kilometers)

- Change engine oil and replace oil filter.*
- Change engine coolant every 30,000 miles (50,000 km) or 36 months.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

111,000 MILES (185,000 Kilometers)

Change engine oil and replace oil filter.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

114,000 MILES (190,000 Kilometers)

Change engine oil and replace oil filter.

Rotate tires and adjust air pressure.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

117,000 MILES (195,000 Kilometers)

Change engine oil and replace oil filter.

DEALER AUTHORIZATION

Date: _____

Mileage: _____

120,000 MILES (200,000 Kilometers)

- Change engine oil and replace oil filter.*
- Replace spark plugs.*
- Inspect accessory drive belt(s).*
- Replace air cleaner filter.*
- Check idle speed.*
- Inspect engine cooling system, hoses, and clamps; and check coolant strength every 30,000 miles (50,000 km) or 36 months.*
- Replace camshaft drive belt (non-California vehicles only).*
- Replace fuel filter.*
- Inspect fuel lines and hoses.*
- Inspect evaporative fuel hose and tube for emissions. (1)*
- Change automatic transaxle fluid (2.0L engine vehicles only).*
- Inspect exhaust heat shield(s).*
- Inspect halfshaft dust boots.*
- Inspect front and rear brakes.*
- Inspect brake lines, hoses and connections.*
- Inspect bolts and nuts on chassis and body.*
- Inspect front suspension ball joints.*
- Inspect steering operation and linkage.*

DEALER AUTHORIZATION

Date: _____

Mileage: _____

- (1) This item is not required to be performed, however, Ford recommends that you perform maintenance on this item in order to achieve best vehicle operation. Failure to perform this recommended maintenance will not invalidate the emissions warranty or manufacturer's recall liability.
- (2) Change automatic transaxle fluid if your driving habits frequently include one or more of the following conditions:
Operation during hot weather (above 90°F, 32°C), carrying heavy loads or driving in hilly terrain.
Police, taxi or door-to-door delivery service.
- (3) This item is required for all states except California. However, Ford recommends performing an inspection on California vehicles. Failure to perform this recommended maintenance on California vehicles will not invalidate the emissions warranty or manufacturer's recall liability.

Owner Maintenance Checks

The following lists are vehicle checks and inspections that should be performed by the owner or qualified service technician at the frequencies indicated to help ensure safe, dependable operation of your vehicle.

Any adverse conditions should be brought to the attention of your dealer or qualified service technician for service advice as soon as possible.

These Owner Maintenance Checks are generally not covered by warranties and you may be charged for labor, parts and lubricants used.

When You Stop for Fuel:

- Check the engine oil level.
- Check the windshield washer fluid level.
- Look for low or under-inflated tires.

While Operating Your Vehicle:

- Note any changes in the sound of the exhaust or any smell of exhaust fumes in the vehicle.
- Check for vibrations in the steering wheel. Notice any increased steering effort or looseness in the steering wheel.
- Notice if your vehicle constantly turns slightly or “pulls” to one side of the road.
- When stopping, listen and check for strange sounds, **pulling to one side**, increased brake pedal travel or “hard to push” brake pedal.

- If any slipping or changes in the operation of your transaxle occur, check the transaxle fluid level.
- Check automatic transaxle P (PARK) function.
- Check parking brake.
- Check for fluid leaks under your vehicle (water dripping from the air conditioning system after use is normal).
- Check warning lights and gauges.

At least monthly:

- Check coolant level in the coolant recovery reservoir.
- Check the operation of all exterior lamps, including the brakelamps, turn signals and hazard warning flashers.

**At least twice a year:
(i.e., every Spring and Fall)**

- Check radiator, heater and air-conditioning hoses for leaks or damage.
- Check the power steering fluid level.
- Check windshield washer spray and wiper operation. Clean wiper blades with clean cloth dampened with washer fluid.
- Check for worn tires and loose wheel lug nuts.
- Check muffler, exhaust pipes, shields and clamps.
- Check headlamp alignment.
- Check the lap-shoulder belts for wear and function.
- Check air pressure in spare tire.

At least once a year:

- Lubricate all hinges, checks, latches and all outside key locks.
- Lubricate door rubber weatherstrips.
- Clean the body water drain holes.
- Check the air conditioning system before the warm weather season.
- Check the brake fluid level.
- Clean the battery connections.
- Lubricate the transaxle controls and linkage.
- Check manual transaxle fluid level.
- Check automatic transaxle fluid level.
- Check cooling system, coolant, hoses and clamps.

If any concerns are noted, bring them to the attention of your dealer or qualified service technician as soon as possible.