FORD PICKUP
TRUCKS

2010 MODEL YEAR CONSUMER INFORMATION



Truck-Camper Loading

WARNING

Failure to observe the enclosed recommendations could affect the durability, ride quality and safe handling of the vehicle and could result in a vehicle accident and personal injuries.

Additional copies of this brochure can be obtained at FMCDealer.com on the Ford intranet.

TABLE OF CONTENTS

CONSUMER INFORMATION REGULATIONS i

EXAMPLE PAGE..... ii

F-150 HD (4X2)

REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 1
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 2

F-150 HD (4X4)

REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 3
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 4

F-250 (4X2)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 5, 6
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 7, 8
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 9, 10
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 11, 12
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 13, 14

F-250 (4X4)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 15, 16
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 17, 18
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 19, 20
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 21, 22
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 23, 24

F-350 (4X2) SRW (17" Tires/Wheels, Std GVWR)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 25
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 26
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 27, 28
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 29, 30
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 31, 32

F-350 (4X4) SRW (17" Tires/Wheels, Std GVWR)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 33, 34
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 35, 36
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 37, 38
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 39, 40
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 41, 42

F-350 (4X2) SRW (17" Tires/Wheels, Opt 9,900 lb GVWR)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 43
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 44
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 45, 46
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 47, 48
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 49, 50

F-350 (4X4) SRW (17" Tires/Wheels, Opt 9,900 lb GVWR)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 51, 52
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 53, 54
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 55, 56
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 57, 58
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 59, 60

F-350 (4X2) SRW (17" Tires/Wheels, Opt 10,000 lb GVWR)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 61
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 62
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 63, 64
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 65, 66
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 67, 68

F-350 (4X4) SRW (17" Tires/Wheels, Opt 10,000 lb GVWR)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 69, 70
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 71, 72
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 73, 74
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 75, 76
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 77, 78

F-350 (4X2) SRW (18" Tires/Wheels, Std GVWR)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 79, 80
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 81, 92
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 83, 84
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 85, 86
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 87, 88

F-350 (4X4) SRW (18" Tires/Wheels, Std GVWR)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 89, 90
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 91, 92
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 93, 94
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 95, 96
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 97, 98

F-350 (4X2) SRW (18" Tires/Wheels, Opt 9,900 lb GVWR)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 99, 100
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 101, 102
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 103, 104
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 105, 106
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 107, 108

F-350 (4X4) SRW (18" Tires/Wheels, Opt 9,900 lb GVWR)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 109, 110
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 111, 112
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 113, 114
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 115, 116
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 117, 118

F-350 (4X2) SRW (18” Tires/Wheels, Opt 10,000 lb GVWR)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 119, 120
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 121, 122
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 123, 124
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 125, 126
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 127, 128

F-350 (4X4) SRW (18” Tires/Wheels, Opt 10,000 lb GVWR)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 129, 130
SUPER CAB — 141.8 IN (3602 mm) WHEELBASE 131, 132
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 133, 134
CREW CAB — 156. 2 IN (3967 mm) WHEELBASE 135, 136
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 137, 138

F-350 (4X2) DRW
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 139, 140
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 141, 142
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 143, 144

F-350 (4X4) DRW
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 145, 146
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 147, 148
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 149, 150

F-450 (4X2) DRW
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 151

F-450 (4X4) DRW
CREW CAB — 172.4 IN (4379 mm) WHEELBASE 152

CONSUMER INFORMATION REGULATIONS

This information is furnished in accordance with the Consumer Information Regulations of the National Highway Traffic Safety Administration, as applicable, by way of the vehicle Owner's Manual or a separate document supplied with the truck. It includes information to determine Cargo Weight Rating and Longitudinal Center of Gravity Zone for any selected F-Series pickup as equipped with factory-installed options.

F-150 TRUCKS ARE RECOMMENDED FOR CARRYING SLIDE-IN CAMPERS ONLY WHEN EQUIPPED WITH HEAVY DUTY PAYLOAD PACKAGE (8200 LB GVWR).

F-250, F-350 AND F-450 TRUCKS ARE RECOMMENDED FOR CARRYING SLIDE-IN CAMPERS ONLY WHEN EQUIPPED WITH OPTIONAL CAMPER PACKAGE.

Model	Cab Type	Wheelbase (inches)	GVWR (pounds)
F-150 HD 4X2	Regular Cab	144.5	8200
F-150 HD 4X2	Super Cab	163.0	8200
F-150 HD 4X4	Regular Cab	144.5	8200
F-150 HD 4X4	Super Cab	163.0	8200
F-250/F-350	All	All	All
F-450	Crew Cab	172.4	14500

NOTES:

SLIDE-IN CAMPER USAGE IS NOT RECOMMENDED ON THE FOLLOWING: Explorer Sport Trac, Ranger and F-150 SuperCrew.

THIS PAMPHLET COVERS F-150, F-250, F-350 (8200-13,000 GVWRS) AND F-450 (14,500 GVWR).

LOADING INSTRUCTIONS

Secure loose items to prevent weight shifts that could affect the balance of your vehicle. When the truck camper is loaded, drive onto a scale and weigh the front and the rear wheels separately to determine the axle loads. Individual axle loads should not exceed either of the Gross Axle Weight Ratings (GAWR). The total of the axle loads should not exceed the Gross Vehicle Weight Rating (GVWR). These ratings are given on the vehicle certification label that is located on the left side of the vehicle, normally the dash, hinge pillar, door latch post, or door edge next to the driver. If weight ratings are exceeded, move or remove items to bring all weights below the ratings.

NOTE: All fuel and water tanks should be full and all passengers should be in the truck when it is weighed.



HOW TO DETERMINE MAXIMUM CARGO WEIGHT RATING AND LONGITUDINAL CENTER OF GRAVITY ZONE

This procedure should be followed to determine the Cargo Weight Rating and Center of Gravity Zone for a truck as equipped with factory-installed options. There is a set of tables applicable to each vehicle recommended for carrying a slide-in camper. The first table in each set lists the weight distribution of available optional equipment, and the second table is used to determine the Cargo Weight Rating and the Center of Gravity Zone of the selected vehicle.

STEP ONE – Locate the Option Table in the set that matches the Model, Cab Type, Wheelbase and Gross Vehicle Weight Rating (GVWR) of the vehicle for which you wish to determine the Cargo Weight Rating and the Center of Gravity Zone. Select those options with which you wish to equip your vehicle. Options that are not listed in the Option Table need not be considered in your calculations since they either are not physically compatible when a slide-in camper is installed (e.g., spare tire carrier located in the pickup box) or have only a minor weight effect, which is already included in the Vehicle Loading Data Table.

STEP TWO – Total (add or subtract as indicated) the front and rear weight columns separately as shown in the example. Note: If the vehicle is to be equipped with any SPECIAL ORDER OPTIONS (other than paint or trim), add an additional 20 lbs. to the front and 10 lbs. to the rear total option weights.

STEP THREE – Look at the Vehicle Loading Data Table next to the Option Table on which you indicated the desired options. Find the row of Option Weights – Columns II and III, that most closely represents but exceeds each of the total front and rear option weights found in step number two. *In some cases there may exist more than one row of option weights – Columns II and III, which will fit a particular vehicle. In these cases use the row with the smaller front GAWR (Column I). This row of figures establishes the pickup's Cargo Weight Rating – Column IV, and Center of Gravity Zone Limits – Columns V and VI.

* If either of your calculated front and rear option weights are greater than the maximums listed in the Table (Columns II and III), you have exceeded the option weight capacity for the vehicle selected. See your dealership for applicable option limitations.

NOTE: Vehicle configurations covered in this manual for which F-Series Camper Package is available should not be used for carrying a slide-in camper unless equipped with the Camper Package. Camper package is standard on F-150 Heavy Duty (HD) and optional on all other F-Series configurations in this manual.

DEFINITIONS – Slide-in camper means a structure with a roof, floor and sides for the purpose of providing shelter for people, and designed to be mounted on and removable from the cargo box area of a truck by the user.

PROPER TRUCK AND CAMPER MATCH

Using the A and B dimensions found in the proper Vehicle Loading Data Table, the required Center of Gravity for a slide-in camper must fall within this zone as shown in the following illustration. The Center of Gravity of the camper is determined by the camper manufacturer and is indicated in literature accompanying campers manufactured after October 1, 1973.

When the truck is used to carry a slide-in camper, the total cargo load of the truck consists of the manufacturer's camper weight figure; the weight of installed additional camper equipment not included in the manufacturer's camper weight figure, the weight of camper cargo, and the weight of the passengers* in the camper. The total cargo load should not exceed the truck's cargo weight rating and the camper's center of gravity should fall within the truck's recommended Center of Gravity Zone when installed.

***WARNING –** Passengers should be allowed to ride ONLY in seats with proper occupant restraint systems. Persons who are not properly restrained in designated seating positions are much more likely to suffer bodily injury in the event of a collision.

The Cargo Weight Rating and Longitudinal Center of Gravity Location Zone established by this folder are two important factors that have a direct influence on the handling and braking of a truck-camper combination. In addition, other factors such as road and wind conditions, height of camper load and condition of the tires also influence a vehicle's handling and braking. All factors must be considered and reasonable care must be exercised when operating a truck-camper vehicle. Ford offers many options that enhance a vehicle for camper usage. For optimum performance and enjoyment it is suggested that you equip your vehicle with those options specifically intended for camper hauling.

EXAMPLE: F-150 HD (4X2) REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE

OPTION TABLE			VEHICLE LOADING DATA 8200 lbs. (3721 kg) GVWR						VEHICLE LOADING DATA 8200 lbs. (3721 kg) GVWR					
OPTION DESCRIPTION	FRONT(lb)	REAR(lb)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZON LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZON LIMITS REAR (B) (in)
			I	II	III	IV	V	VI	I	II	III	IV	V	VI
LIGHTS														
Daytime Running Lights	add 1	add 0	3750	0	0	2627	70.9	51.7						
Fog Lamps	add 8	sub 2		0	30	2597	71.2	51.9						
				0	60	2567	71.6	52.0						
RADIOS				0	90	2537	72.0	52.1						
AM/FM Cassette/CD	add 1	add 0		0	120	2507	72.3	52.3						
AM/FM Cassette/6 CD Changer	add 1	add 0		0	150	2477	72.7	52.4						
6 Disc CD Changer w/Audiophile System	add 10	add 8		30	0	2597	69.6	50.2						
				30	30	2567	69.9	50.3						
SEATS				30	60	2537	70.3	50.4						
Less Lumbar Support - Driver	sub 2	add 0		30	90	2507	70.6	50.5						
Lumbar Support - Passenger	add 2	add 0		30	120	2477	71.0	50.7						
				30	150	2447	71.3	50.8						
FLOOR COVERINGS				60	0	2567	68.2	48.6						
Carpet Floor Covering	add 2	add 0		60	30	2537	68.5	48.7						
Floor Mats - Carpet	add 3	add 1		60	60	2507	68.9	48.8						
Floor Mats - Rubber	add 7	add 4		60	90	2477	69.2	48.9						
				60	120	2447	69.6	49.0						
CONSOLE				60	150	2417	69.9	49.1						
Overhead Console	add 2	add 0		90	0	2537	66.8	47.0						
				90	30	2507	67.1	47.1						
GLASS				90	60	2477	67.5	47.2						
Sliding Rear Window	add 2	add 2		90	90	2447	67.8	47.2						
Backlight w/Defroster	add 1	add 0		90	120	2417	68.1	47.3						
				90	150	2387	68.5	47.4						
COMFORT/CONVENIENCE				120	0	2507	65.4	45.3						
Cab Steps - Black	add 28	add 19		120	30	2477	65.7	45.4						
Cab Steps - Bright	add 20	add 13		120	60	2447	66.0	45.5						
Electrochromatic Rearview Mirror	add 1	add 0		120	90	2417	66.3	45.5						
Power Mirrors	add 4	add 0		120	120	2387	66.7	45.6						
Power/Heated/Signal Mirrors	add 4	add 1		120	150	2357	67.0	45.6						
Speed Control	add 1	add 0		150	0	2477	64.0	43.7						
Keyless Entry	add 2	add 2		150	30	2447	64.3	43.7						
				150	60	2417	64.5	43.7						
BUMPERS				150	90	2387	64.8	43.8						
Chrome Front Bumper	add 3	sub 1		150	120	2357	65.2	43.8						
				150	150	2327	65.5	43.8						
FUNCTIONAL														
Engine Block Heater	add 2	add 0												
Front License Plate Bracket	add 1	add 0												
Power Adjustable Pedals	add 3	add 2												
Extended Range Fuel Tank	add 21	add 37												
Reverse Sensing System	add 0	add 1												
Power Windows/Locks	add 1	add 1												
Rear Cargo Storage Unit	add 4	add 6												
AXLES														
Limited Slip Axle	add 0	add 6												
PACKAGES														
Trailer Tow	sub 11	add 51												
TRIM VERSIONS														
XLT Trim	add 8	add 16												
Tutone Paint	add 2	add 2												
Total Option Weight														

Note: Be careful not to double count. Each option should only be added once.

Choose 60 lbs (front) and 120 lbs (rear) which most closely represents and exceeds the 53 lbs front option weight and the 96 lbs rear option weight.

Total Option Weight Front = 53 lbs / Rear = 96 lbs

EXAMPLE

Enter the Cargo Weight Rating and the A and B dimensions from the appropriate table in the box below and retain this folder for future reference.

"Cargo Weight Rating" means the value specified by the manufacturer as the cargo-carrying capacity, in pounds, of a vehicle, exclusive of the weight of the occupants (in the vehicle), computed as 150 pounds times the number of designated seating positions.

	Our Example	Your Truck
Cargo Weight Rating	2447 lbs	_____ pounds
Center of Gravity Zone of Dimensions		
A.	69.6 inches	_____ inches
B.	49.0 inches	_____ inches



F-150 HD (4 X 2) REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE

OPTION TABLE				
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
LIGHTS				
Daytime Running Lights				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM Cassette/CD	add	1	add	0
AM/FM Cassette/6 CD Changer	add	1	add	0
FLOOR COVERINGS				
Carpet Floor Covering	add	2	add	0
Floor Mats - Carpet	add	3	add	1
Floor Mats - Rubber	add	2	add	1
GLASS				
Sliding Rear Window	add	2	add	2
COMFORT/CONVENIENCE				
Cab Steps - Black	add	27	add	18
Cab Steps - Bright	add	22	add	15
Box Access Steps	add	14	add	46
Power Mirrors	add	4	add	0
Power/Heated/Signal Mirrors	add	4	add	1
Manual Trailer Tow Mirrors	add	5	add	2
Power Trailer Tow Mirrors	add	8	add	4
Speed Control	add	1	add	0
Keyless Entry	add	2	add	2
BUMPERS				
Chrome Front Bumper	add	3	sub	1
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	3	add	2
Extended Range Fuel Tank	add	22	add	38
Power Windows/Locks	add	1	add	1
PACKAGES				
Trailer Tow	sub	11	add	51
TRIM VERSIONS				
XLT Trim	add	8	add	16
Tutone Paint	add	1	add	1
Total Option Weight				

Note: Be careful not to double count, each option should only be added once.

VEHICLE LOADING DATA
8200 lb (3721 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
3750	0	0	2627	67.6	48.5
	0	50	2577	68.2	48.6
	0	100	2527	68.7	48.8
	0	150	2477	69.3	49.0
	0	200	2427	69.9	49.1
	50	0	2577	65.4	45.8
	50	50	2527	65.9	45.9
	50	100	2477	66.4	46.0
	50	150	2427	66.9	46.1
	50	200	2377	67.4	46.3
	100	0	2527	63.0	43.1
	100	50	2477	63.4	43.1
	100	100	2427	63.9	43.2
	100	150	2377	64.4	43.2
	100	200	2327	64.9	43.3
	140	0	2487	61.0	42.2
	140	50	2437	61.4	42.2
	140	100	2387	61.9	42.2
	140	150	2337	62.3	42.2
	140	200	2287	62.8	42.2

VEHICLE LOADING DATA
8200 lb (3721 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-150 HD (4 X 2) SUPER CAB — 163.0 IN (4143 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
LIGHTS				
Daytime Running Lights	add	1	add	0
Fog Lamps	add	2	add	0
RADIOS				
AM/FM Cassette/CD	add	1	add	0
AM/FM Cassette/6 CD Changer	add	1	add	0
FLOOR COVERINGS				
Carpet Floor Covering	add	3	add	1
Floor Mats - Carpet	add	4	add	2
Floor Mats - Rubber	add	3	add	1
CONSOLE				
Mini Overhead Console	add	2	add	0
Overhead Console	add	7	add	1
Standalone Floor Console	sub	10	sub	6
Flow Through Floor Console	sub	7	sub	3
GLASS				
Sliding Rear Window	add	2	add	2
Power Sliding Rear Window	add	4	add	3
COMFORT/CONVENIENCE				
Tubular Cab Steps - Black	add	25	add	28
Tubular Cab Steps - Bright	add	20	add	23
Platform Style Running Boards	add	18	add	21
Box Access Steps	add	14	add	46
Power Mirrors	add	4	add	0
Power/Heated/Signal Mirrors	add	4	add	1
Manual Trailer Tow Mirrors	add	5	add	2
Power Trailer Tow Mirrors	add	8	add	4
Speed Control	add	1	add	0
Keyless Entry	add	2	add	2
Power Driver Seat	add	5	add	3
BUMPERS				
Chrome Front Bumper	add	3	sub	1
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	3	add	2
Extended Range Fuel Tank	add	22	add	38
Power Windows/Locks	add	2	add	1
Moonroof	add	18	add	16
PACKAGES				
Trailer Tow	sub	10	add	50
TRIM VERSIONS				
XLT Trim	add	16	add	18
Tutone Paint	add	1	add	1
Total Option Weight				

Note: Be careful not to double count, each option should only be added once.

VEHICLE LOADING DATA
8200 lb (3721 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
3750	0	0	1795	48.1	42.2
	0	50	1745	48.3	42.2
	0	100	1695	48.5	42.2
	0	150	1645	48.8	42.2
	0	200	1595	49.0	42.2
	0	250	1545	49.3	42.2

VEHICLE LOADING DATA
8200 lb (3721 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4050	50	0	1745	71.7	42.2
	50	50	1695	72.6	42.2
	50	100	1645	73.5	42.2
	50	150	1595	74.6	42.2
	50	200	1545	75.7	42.2
	50	250	1495	76.8	42.2
	100	0	1695	67.8	42.2
	100	50	1645	68.6	42.2
	100	100	1595	69.5	42.2
	100	150	1545	70.4	42.2
	100	200	1495	71.4	42.2
	100	250	1445	72.4	42.2
	140	0	1655	64.5	42.2
	140	50	1605	65.2	42.2
	140	100	1555	66.0	42.2
	140	150	1505	66.8	42.2
	140	200	1455	67.7	42.2
	140	250	1405	68.7	42.2

F-150 HD (4 X 4) REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE

OPTION TABLE				
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
LIGHTS				
Daytime Running Lights	add	1	add	0
Fog Lamps	add	2	add	0
RADIOS				
AM/FM Cassette/CD	add	1	add	0
AM/FM Cassette/6 CD Changer	add	1	add	0
FLOOR COVERINGS				
Carpet Floor Covering	add	2	add	0
Floor Mats - Carpet	add	3	add	1
Floor Mats - Rubber	add	2	add	1
GLASS				
Sliding Rear Window	add	2	add	2
COMFORT/CONVENIENCE				
Cab Steps - Black	add	27	add	18
Cab Steps - Bright	add	22	add	15
Box Access Steps	add	14	add	46
Power Mirrors	add	4	add	0
Power/Heated/Signal Mirrors	add	4	add	1
Manual Trailer Tow Mirrors	add	5	add	2
Power Trailer Tow Mirrors	add	8	add	4
Speed Control	add	1	add	0
Keyless Entry	add	2	add	2
BUMPERS				
Chrome Front Bumper	add	3	sub	1
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	3	add	2
Power Windows/Locks	add	1	add	1
PACKAGES				
Trailer Tow	sub	11	add	51
TRIM VERSIONS				
XLT Trim	add	8	add	16
Tutone Paint	add	1	add	1
4x4 OPTIONS				
Skid Plates	add	21	add	13
Total Option Weight				

Note: Be careful not to double count, each option should only be added once.

VEHICLE LOADING DATA
8200 lb (3721 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
Without Snow Plow Package					
4050	0	0	2326	75.0	42.2
	0	50	2276	75.8	42.2
	0	100	2226	76.6	42.2
	0	150	2176	77.4	42.2
	0	200	2126	78.3	42.2
	50	0	2276	72.6	42.2
	50	50	2226	73.3	42.2
	50	100	2176	74.1	42.2
	50	150	2126	74.9	42.2
	50	200	2076	75.7	42.2
	100	0	2226	70.1	42.2
	100	50	2176	70.8	42.2
	100	100	2126	71.5	42.2
	100	150	2076	72.2	42.2
	100	200	2026	73.0	42.2
	140	0	2186	68.0	42.2
	140	50	2136	68.6	42.2
	140	100	2086	69.3	42.2
	140	150	2036	70.0	42.2
	140	200	1986	70.7	42.2

VEHICLE LOADING DATA
8200 lb (3721 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
With Snow Plow Package					
4300	0	0	2326	90.6	42.2
	0	50	2276	91.7	42.2
	0	100	2226	92.8	42.2
	0	150	2176	94.0	42.2
	0	200	2126	95.3	42.2
	50	0	2276	88.5	42.2
	50	50	2226	89.6	42.2
	50	100	2176	90.7	42.2
	50	150	2126	91.9	42.2
	50	200	2076	93.1	42.2
	100	0	2226	86.3	42.2
	100	50	2176	87.4	42.2
	100	100	2126	88.5	42.2
	100	150	2076	89.6	42.2
	100	200	2026	90.8	42.2
	140	0	2186	84.5	42.2
	140	50	2136	85.5	42.2
	140	100	2086	86.6	42.2
	140	150	2036	87.7	42.2
	140	200	1986	88.9	42.2

F-150 HD (4 X 4) SUPER CAB — 163.0 IN (4143 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 8200 lb (3721 kg) GVWR						VEHICLE LOADING DATA 8200 lb (3721 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
									FRONT	REAR					FRONT	REAR
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
LIGHTS					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Daytime Running Lights	add	1	add	0	*Without Snow Plow Package*						*With Snow Plow Package*					
Fog Lamps	add	2	add	0	4050	0	0	1491	58.0	42.2	4300	0	0	1491	85.3	42.2
						0	50	1441	58.6	42.2		0	50	1441	86.9	42.2
RADIOS						0	100	1391	59.2	42.2		0	100	1391	88.5	42.2
AM/FM Cassette/CD	add	1	add	0		0	150	1341	59.9	42.2		0	150	1341	90.3	42.2
AM/FM Cassette/6 CD Changer	add	1	add	0		0	200	1291	60.7	42.2		0	200	1291	92.2	42.2
						50	0	1441	53.0	42.2		50	0	1441	81.2	42.2
FLOOR COVERINGS						50	50	1391	53.4	42.2		50	50	1391	82.7	42.2
Carpet Floor Covering	add	3	add	1		50	100	1341	53.9	42.2		50	100	1341	84.2	42.2
Floor Mats - Carpet	add	4	add	2		50	150	1291	54.4	42.2		50	150	1291	85.9	42.2
Floor Mats - Rubber	add	3	add	1		50	200	1241	54.9	42.2		50	200	1241	87.7	42.2
						100	0	1391	47.5	42.2		100	0	1391	76.8	42.2
CONSOLE						100	50	1341	47.8	42.2		100	50	1341	78.2	42.2
Mini Overhead Console	add	2	add	0		100	100	1291	48.0	42.2		100	100	1291	79.6	42.2
Overhead Console	add	7	add	1		100	150	1241	48.3	42.2		100	150	1241	81.2	42.2
Standalone Floor Console	sub	10	sub	6		100	200	1191	48.7	42.2		100	200	1191	82.9	42.2
Flow Through Floor Console	sub	7	sub	3		140	0	1351	42.9	42.2		140	0	1351	73.1	42.2
						140	50	1301	43.0	42.2		140	50	1301	74.3	42.2
GLASS						140	100	1251	43.1	42.2		140	100	1251	75.6	42.2
Sliding Rear Window	add	2	add	2		140	150	1201	43.2	42.2		140	150	1201	77.1	42.2
Power Sliding Rear Window	add	4	add	3		140	200	1151	43.3	42.2		140	200	1151	78.7	42.2
COMFORT/CONVENIENCE																
Tubular Cab Steps - Black	add	25	add	28												
Tubular Cab Steps - Bright	add	20	add	23												
Platform Style Running Bards	add	18	add	21												
Box Access Steps	add	14	add	46												
Power Mirrors	add	4	add	0												
Power/Heated/Signal Mirrors	add	4	add	1												
Manual Trailer Tow Mirrors	add	5	add	2												
Power Trailer Tow Mirrors	add	8	add	4												
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
Power Driver Seat	add	5	add	3												
BUMPERS																
Chrome Front Bumper	add	3	sub	1												
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	3	add	2												
Power Windows/Locks	add	2	add	1												
Moonroof	add	18	add	16												
PACKAGES																
Trailer Tow	sub	10	add	50												
TRIM VERSIONS																
XLT Trim	add	16	add	18												
Tutone Paint	add	1	add	1												
4x4 OPTIONS																
Skid Plates	add	21	add	13												
Total Option Weight																

Note: Be careful not to double count, each option should only be added once.

F- 250 (4 X 2) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 8800 lb (3992 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9000 lb (4082 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package	add	0	add	33	3950	-50	-50	2797	74.0	44.7	4100	-50	-50	2864	73.8	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	3950	-50	0	2747	74.5	44.7	4100	-50	0	2814	74.2	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	3950	-50	50	2697	75.0	44.7	4100	-50	50	2764	74.7	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	3950	-50	100	2647	75.5	44.7	4100	-50	100	2714	75.2	44.7
Full Wheel Covers	add	4	add	4	3950	0	-50	2747	72.0	44.7	4100	0	-50	2814	71.8	44.7
Limited-Slip Rear Axle	add	0	add	5	3950	0	0	2697	72.4	44.7	4100	0	0	2764	72.2	44.7
Skid Plates (4x4 only)		n.a.		n.a.	3950	0	50	2647	72.9	44.7	4100	0	50	2714	72.7	44.7
Stabilizer Package	add	2	add	26	3950	0	100	2597	73.4	44.7	4100	0	100	2664	73.2	44.7
Stepgate	sub	10	add	50	3950	0	150	2547	73.9	44.7	4100	0	150	2614	73.6	44.7
Spray-In Bedliner	add	1	add	19	3950	50	0	2647	70.3	44.7	4100	50	0	2714	70.2	44.7
					3950	50	50	2597	70.7	44.7	4100	50	50	2664	70.6	44.7
WHEELS & TIRES					3950	50	100	2547	71.2	44.7	4100	50	100	2614	71.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	3950	50	150	2497	71.7	44.7	4100	50	150	2564	71.5	44.7
18" Steel Wheels	add	10	add	17	3950	50	200	2447	72.1	44.7	4100	50	200	2514	71.9	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4100	100	0	2597	76.0	44.7	4250	100	0	2664	75.7	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4100	100	50	2547	76.6	44.7	4250	100	50	2614	76.3	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4100	100	100	2497	77.1	44.7	4250	100	100	2564	76.8	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4100	100	150	2447	77.7	44.7	4250	100	150	2514	77.4	44.7
LT245/75R17E A/T	add	0	add	0	4100	100	200	2397	78.4	44.7	4250	100	200	2464	78.0	44.7
LT265/70R17E A/T	add	9	add	13	4100	150	50	2497	74.4	44.7	4250	150	50	2564	74.1	44.7
LT275/65R18E A/S	add	17	add	27	4100	150	100	2447	74.9	44.7	4250	150	100	2514	74.7	44.7
LT275/70R18E A/S	add	17	add	27	4100	150	150	2397	75.5	44.7	4250	150	150	2464	75.2	44.7
LT275/70R18E A/T	add	17	add	27	4100	150	200	2347	76.1	44.7	4250	150	200	2414	75.8	44.7
LT275/65R20E A/T	add	33	add	33	4100	150	250	2297	76.7	44.7	4250	150	250	2364	76.4	44.7
					4100	150	300	2247	77.4	44.7	4250	150	300	2314	77.0	44.7
SEATING					4100	200	50	2447	72.1	44.7	4250	200	50	2514	71.9	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4100	200	100	2397	72.7	44.7	4250	200	100	2464	72.4	44.7
Front Bucket Seats	add	9	add	6	4100	200	150	2347	73.2	44.7	4250	200	150	2414	72.9	44.7
Front Captain's Chairs	add	11	add	10	4100	200	200	2297	73.7	44.7	4250	200	200	2364	73.5	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4100	200	250	2247	74.3	44.7	4250	200	250	2314	74.0	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4100	200	300	2197	74.9	44.7	4250	200	300	2264	74.6	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4250	250	100	2347	79.0	44.7	4400	250	100	2414	78.6	44.7
Power 6-Way Driver's Seat	add	3	add	1	4250	250	150	2297	79.7	44.7	4400	250	150	2364	79.3	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4250	250	200	2247	80.4	44.7	4400	250	200	2314	79.9	44.7
Heated Seats	add	3	add	1	4250	250	250	2197	81.1	44.7	4400	250	250	2264	80.6	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4250	250	300	2147	81.9	44.7	4400	250	300	2214	81.4	44.7
					4250	250	350	2097	82.7	44.7	4400	250	350	2164	82.2	44.7
INTERIOR																
Air Conditioning	add	44	sub	3												
AM/FM/CD	add	3	add	3												
AM/FM/CDx6	add	5	add	2												
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	2												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	17	add	12												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 2) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package	add	0	add	33
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9400 lb (4263 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4700	-50	-50	2483	72.5	44.7
4700	-50	0	2433	73.0	44.7
4700	-50	50	2383	73.5	44.7
4700	-50	100	2333	74.0	44.7
4850	0	-50	2433	78.6	44.7
4850	0	0	2383	79.2	44.7
4850	0	50	2333	79.9	44.7
4850	0	100	2283	80.6	44.7
4850	0	150	2233	81.3	44.7
4850	50	0	2333	77.0	44.7
4850	50	50	2283	77.6	44.7
4850	50	100	2233	78.3	44.7
4850	50	150	2183	79.0	44.7
4850	100	0	2283	74.6	44.7
4850	100	50	2233	75.2	44.7
4850	100	100	2183	75.8	44.7
4850	100	150	2133	76.5	44.7
4850	100	200	2083	77.2	44.7
5000	150	50	2183	82.1	44.7
5000	150	100	2133	82.9	44.7
5000	150	150	2083	83.8	44.7
5000	150	200	2033	84.6	44.7
5000	150	250	1983	85.6	44.7
5000	150	300	1933	86.5	44.7
5000	200	50	2133	79.7	44.7
5000	200	100	2083	80.5	44.7
5000	200	150	2033	81.3	44.7
5000	200	200	1983	82.1	44.7
5000	200	250	1933	83.0	44.7
5000	200	300	1883	83.9	44.7
5000	250	100	2033	77.9	44.7
5000	250	150	1983	78.7	44.7
5000	250	200	1933	79.5	44.7
5000	250	250	1883	80.3	44.7
5000	250	300	1833	81.2	44.7
5000	250	350	1783	82.1	44.7
5250	300	100	1983	92.5	44.7
5250	300	150	1933	93.6	44.7
5250	300	200	1883	94.9	44.7
5250	300	250	1833	96.1	44.7
5250	300	300	1783	97.0	44.7
5250	300	350	1733	97.0	44.7
5250	300	400	1683	97.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-250 (4 X 2) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9000 lb (4082 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9200 lb (4172 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package	add	0	add	33	4100	-50	-50	2330	74.6	44.7	4100	-50	-50	2396	65.7	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4100	-50	0	2280	75.2	44.7	4100	-50	0	2346	66.1	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4100	-50	50	2230	75.8	44.7	4100	-50	50	2296	66.5	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4100	-50	100	2180	76.4	44.7	4100	-50	100	2246	66.9	44.7
Full Wheel Covers	add	4	add	4	4100	0	-50	2280	72.0	44.7	4250	0	-50	2346	72.1	44.7
Limited-Slip Rear Axle	add	0	add	5	4100	0	0	2230	72.6	44.7	4250	0	0	2296	72.7	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4100	0	50	2180	73.2	44.7	4250	0	50	2246	73.2	44.7
Stabilizer Package	add	2	add	26	4100	0	100	2130	73.7	44.7	4250	0	100	2196	73.8	44.7
Stepgate	sub	10	add	50	4100	0	150	2080	74.4	44.7	4250	0	150	2146	74.4	44.7
Spray-In Bedliner	add	0	add	16	4100	50	0	2180	69.9	44.7	4250	50	0	2246	70.1	44.7
					4100	50	50	2130	70.4	44.7	4250	50	50	2196	70.6	44.7
WHEELS & TIRES					4100	50	100	2080	71.0	44.7	4250	50	100	2146	71.1	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4100	50	150	2030	71.5	44.7	4250	50	150	2096	71.7	44.7
18" Steel Wheels	add	10	add	17	4100	50	200	1980	72.1	44.7	4250	50	200	2046	72.2	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4250	100	0	2130	77.1	44.7	4250	100	0	2196	67.4	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4250	100	50	2080	77.8	44.7	4250	100	50	2146	67.8	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4250	100	100	2030	78.5	44.7	4250	100	100	2096	68.3	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4250	100	150	1980	79.3	44.7	4250	100	150	2046	68.8	44.7
LT245/75R17E A/T	add	0	add	0	4250	100	200	1930	80.1	44.7	4250	100	200	1996	69.3	44.7
LT265/70R17E A/T	add	9	add	13	4250	150	50	2030	75.0	44.7	4400	150	50	2096	75.0	44.7
LT275/65R18E A/S	add	17	add	27	4250	150	100	1980	75.7	44.7	4400	150	100	2046	75.7	44.7
LT275/70R18E A/S	add	17	add	27	4250	150	150	1930	76.4	44.7	4400	150	150	1996	76.4	44.7
LT275/70R18E A/T	add	17	add	27	4250	150	200	1880	77.2	44.7	4400	150	200	1946	77.1	44.7
LT275/65R20E A/T	add	33	add	33	4250	150	250	1830	78.0	44.7	4400	150	250	1896	77.9	44.7
					4250	150	300	1780	78.8	44.7	4400	150	300	1846	78.7	44.7
SEATING					4250	200	50	1980	72.1	44.7	4400	200	50	2046	72.2	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4250	200	100	1930	72.8	44.7	4400	200	100	1996	72.9	44.7
Front Bucket Seats	add	9	add	6	4250	200	150	1880	73.4	44.7	4400	200	150	1946	73.5	44.7
Front Captain's Chairs	add	11	add	10	4250	200	200	1830	74.1	44.7	4400	200	200	1896	74.2	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4250	200	250	1780	74.9	44.7	4400	200	250	1846	74.9	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4250	200	300	1730	75.6	44.7	4400	200	300	1796	75.6	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4400	250	100	1880	81.0	44.7	4400	250	100	1946	69.9	44.7
Power 6-Way Driver's Seat	add	3	add	1	4400	250	150	1830	81.0	44.7	4400	250	150	1896	70.4	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4400	250	200	1780	81.0	44.7	4400	250	200	1846	71.0	44.7
Heated Seats	add	3	add	1	4400	250	250	1730	81.0	44.7	4400	250	250	1796	71.7	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4400	250	300	1680	81.0	44.7	4400	250	300	1746	72.4	44.7
					4400	250	350	1630	81.0	44.7	4400	250	350	1696	73.1	44.7
INTERIOR																
Air Conditioning	add	44	sub	3												
AM/FM/CD	add	3	add	3												
AM/FM/CDx6	add	5	add	2												
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 2) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package	add	0	add	33
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9600 lb (4354 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	1952	71.4	44.7
4850	-50	0	1902	72.0	44.7
4850	-50	50	1852	72.7	44.7
4850	-50	100	1802	73.3	44.7
5000	0	-50	1902	79.5	44.7
5000	0	0	1852	80.3	44.7
5000	0	50	1802	81.0	44.7
5000	0	100	1752	81.0	44.7
5000	0	150	1702	81.0	44.7
5000	50	0	1802	77.3	44.7
5000	50	50	1752	78.1	44.7
5000	50	100	1702	79.0	44.7
5000	50	150	1652	80.0	44.7
5000	50	200	1602	81.0	44.7
5000	100	0	1752	74.1	44.7
5000	100	50	1702	74.8	44.7
5000	100	100	1652	75.7	44.7
5000	100	150	1602	76.5	44.7
5000	100	200	1552	77.5	44.7
5250	150	50	1652	81.0	44.7
5250	150	100	1602	81.0	44.7
5250	150	150	1552	81.0	44.7
5250	150	200	1502	81.0	44.7
5250	150	250	1452	81.0	44.7
5250	150	300	1402	81.0	44.7
5250	200	50	1602	81.0	44.7
5250	200	100	1552	81.0	44.7
5250	200	150	1502	81.0	44.7
5250	200	200	1452	81.0	44.7
5250	200	250	1402	81.0	44.7
5250	200	300	1352	81.0	44.7
5250	250	100	1502	81.0	44.7
5250	250	150	1452	81.0	44.7
5250	250	200	1402	81.0	44.7
5250	250	250	1352	81.0	44.7
5250	250	300	1302	81.0	44.7
5250	250	350	1252	81.0	44.7
5250	300	100	1452	81.0	44.7
5250	300	150	1402	81.0	44.7
5250	300	200	1352	81.0	44.7
5250	300	250	1302	81.0	44.7
5250	300	300	1252	81.0	44.7
5250	300	350	1202	81.0	44.7
5250	300	400	1152	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-250 (4 X 2) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9200 lb (4172 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9400 lb (4263 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	4250	-50	-50	2375	75.7	44.7	4400	-50	-50	2440	75.8	44.7
Camper Package	add	0	add	33	4250	-50	0	2325	76.3	44.7	4400	-50	0	2390	76.3	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4250	-50	50	2275	76.9	44.7	4400	-50	50	2340	77.0	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4250	-50	100	2225	77.5	44.7	4400	-50	100	2290	77.6	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	0	-50	2325	83.1	44.7	4550	0	-50	2390	83.0	44.7
Full Wheel Covers	add	4	add	4	4400	0	0	2275	83.8	44.7	4550	0	0	2340	83.7	44.7
Limited-Slip Rear Axle	add	0	add	5	4400	0	50	2225	84.6	44.7	4550	0	50	2290	84.5	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4400	0	100	2175	85.5	44.7	4550	0	100	2240	85.3	44.7
Stabilizer Package	add	2	add	26	4400	0	150	2125	86.4	44.7	4550	0	150	2190	86.2	44.7
Stepgate	sub	10	add	50	4400	50	0	2225	81.1	44.7	4550	50	0	2290	81.0	44.7
Spray-In Bedliner	add	1	add	19	4400	50	50	2175	81.8	44.7	4550	50	50	2240	81.8	44.7
					4400	50	100	2125	82.6	44.7	4550	50	100	2190	82.6	44.7
WHEELS & TIRES																
17" Window Aluminum Wheels	sub	23	sub	23	4400	50	150	2075	83.5	44.7	4550	50	150	2140	83.4	44.7
18" Steel Wheels	add	10	add	17	4400	50	200	2025	84.4	44.7	4550	50	200	2090	84.2	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4400	100	0	2175	78.2	44.7	4550	100	0	2240	78.3	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4400	100	50	2125	78.9	44.7	4550	100	50	2190	78.9	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4400	100	100	2075	79.7	44.7	4550	100	100	2140	79.7	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4400	100	150	2025	80.5	44.7	4550	100	150	2090	80.4	44.7
LT245/75R17E A/T	add	0	add	0	4400	100	200	1975	81.3	44.7	4550	100	200	2040	81.2	44.7
LT265/70R17E A/T	add	9	add	13	4550	150	50	2075	87.3	44.7	4700	150	50	2140	87.1	44.7
LT275/65R18E A/S	add	17	add	27	4550	150	100	2025	88.3	44.7	4700	150	100	2090	88.0	44.7
LT275/70R18E A/S	add	17	add	27	4550	150	150	1975	89.3	44.7	4700	150	150	2040	89.0	44.7
LT275/70R18E A/T	add	17	add	27	4550	150	200	1925	90.4	44.7	4700	150	200	1990	90.0	44.7
LT275/65R20E A/T	add	33	add	33	4550	150	250	1875	91.5	44.7	4700	150	250	1940	91.1	44.7
					4550	150	300	1825	92.7	44.7	4700	150	300	1890	92.2	44.7
SEATING					4550	200	50	2025	84.4	44.7	4700	200	50	2090	84.2	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4550	200	100	1975	85.3	44.7	4700	200	100	2040	85.1	44.7
Front Bucket Seats	add	9	add	6	4550	200	150	1925	86.3	44.7	4700	200	150	1990	86.0	44.7
Front Captain's Chairs	add	11	add	10	4550	200	200	1875	87.3	44.7	4700	200	200	1940	87.0	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4550	200	250	1825	88.4	44.7	4700	200	250	1890	88.1	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4550	200	300	1775	89.5	44.7	4700	200	300	1840	89.2	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4550	250	100	1925	82.2	44.7	4700	250	100	1990	82.1	44.7
Power 6-Way Driver's Seat	add	3	add	1	4550	250	150	1875	83.1	44.7	4700	250	150	1940	83.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4550	250	200	1825	84.0	44.7	4700	250	200	1890	83.9	44.7
Heated Seats	add	3	add	1	4550	250	250	1775	85.1	44.7	4700	250	250	1840	84.9	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4550	250	300	1725	86.1	44.7	4700	250	300	1790	85.9	44.7
					4550	250	350	1675	87.3	44.7	4700	250	350	1740	87.0	44.7
INTERIOR																
Air Conditioning	add	44	sub	3												
AM/FM/CD	add	3	add	3												
AM/FM/CDx6	add	5	add	2												
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 2) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package	add	0	add	33
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9800 lb (4444 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	2028	93.0	44.7
5250	-50	0	1978	94.2	44.7
5250	-50	50	1928	95.4	44.7
5250	-50	100	1878	96.6	44.7
5250	0	-50	1978	90.2	44.7
5250	0	0	1928	91.3	44.7
5250	0	50	1878	92.4	44.7
5250	0	100	1828	93.7	44.7
5250	0	150	1778	94.9	44.7
5250	50	0	1878	88.2	44.7
5250	50	50	1828	89.3	44.7
5250	50	100	1778	90.5	44.7
5250	50	150	1728	91.7	44.7
5250	100	0	1828	85.0	44.7
5250	100	50	1778	86.1	44.7
5250	100	100	1728	87.2	44.7
5250	100	150	1678	88.3	44.7
5250	100	200	1628	89.6	44.7
5250	150	50	1728	82.6	44.7
5250	150	100	1678	83.6	44.7
5250	150	150	1628	84.7	44.7
5250	150	200	1578	85.9	44.7
5250	150	250	1528	87.1	44.7
5250	150	300	1478	88.5	44.7
5250	200	50	1678	78.9	44.7
5250	200	100	1628	79.9	44.7
5250	200	150	1578	80.9	44.7
5250	200	200	1528	82.0	44.7
5250	200	250	1478	83.1	44.7
5250	200	300	1428	84.4	44.7
5250	250	100	1578	75.9	44.7
5250	250	150	1528	76.8	44.7
5250	250	200	1478	77.8	44.7
5250	250	250	1428	78.8	44.7
5250	250	300	1378	80.0	44.7
5250	250	350	1328	81.2	44.7
5250	300	100	1528	71.6	44.7
5250	300	150	1478	72.4	44.7
5250	300	200	1428	73.3	44.7
5250	300	250	1378	74.2	44.7
5250	300	300	1328	75.2	44.7
5250	300	350	1278	76.3	44.7
5250	300	400	1228	77.4	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-250 (4 X 2) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9200 lb (4172 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9400 lb (4263 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	4100	-50	-50	2319	68.4	44.7	4250	-50	-50	2392	68.9	44.7
Camper Package	add	0	add	33	4100	-50	0	2269	68.8	44.7	4250	-50	0	2342	69.4	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4100	-50	50	2219	69.3	44.7	4250	-50	50	2292	69.8	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4100	-50	100	2169	69.8	44.7	4250	-50	100	2242	70.3	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4250	0	-50	2269	75.7	44.7	4400	0	-50	2342	76.0	44.7
Full Wheel Covers	add	4	add	4	4250	0	0	2219	76.3	44.7	4400	0	0	2292	76.6	44.7
Limited-Slip Rear Axle	add	0	add	5	4250	0	50	2169	77.0	44.7	4400	0	50	2242	77.3	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4250	0	100	2119	77.7	44.7	4400	0	100	2192	78.0	44.7
Stabilizer Package	add	2	add	26	4250	0	150	2069	78.4	44.7	4400	0	150	2142	78.7	44.7
Stepgate	sub	10	add	50	4250	50	0	2169	73.4	44.7	4400	50	0	2242	73.8	44.7
Spray-In Bedliner	add	0	add	16	4250	50	50	2119	74.0	44.7	4400	50	50	2192	74.4	44.7
					4250	50	100	2069	74.6	44.7	4400	50	100	2142	75.0	44.7
WHEELS & TIRES																
17" Window Aluminum Wheels	sub	23	sub	23	4250	50	150	2019	75.3	44.7	4400	50	150	2092	75.7	44.7
18" Steel Wheels	add	10	add	17	4250	50	200	1969	76.0	44.7	4400	50	200	2042	76.3	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4250	100	0	2119	70.3	44.7	4400	100	0	2192	70.8	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4250	100	50	2069	70.8	44.7	4400	100	50	2142	71.4	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4250	100	100	2019	71.4	44.7	4400	100	100	2092	71.9	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4250	100	150	1969	72.0	44.7	4400	100	150	2042	72.5	44.7
LT245/75R17E A/T	add	0	add	0	4250	100	200	1919	72.6	44.7	4400	100	200	1992	73.1	44.7
LT265/70R17E A/T	add	9	add	13	4400	150	50	2019	79.1	44.7	4550	150	50	2092	79.4	44.7
LT275/65R18E A/S	add	17	add	27	4400	150	100	1969	79.9	44.7	4550	150	100	2042	80.2	44.7
LT275/70R18E A/S	add	17	add	27	4400	150	150	1919	80.8	44.7	4550	150	150	1992	81.0	44.7
LT275/70R18E A/T	add	17	add	27	4400	150	200	1869	81.0	44.7	4550	150	200	1942	81.0	44.7
LT275/65R20E A/T	add	33	add	33	4400	150	250	1819	81.0	44.7	4550	150	250	1892	81.0	44.7
					4400	150	300	1769	81.0	44.7	4550	150	300	1842	81.0	44.7
SEATING					4400	200	50	1969	76.0	44.7	4550	200	50	2042	76.3	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4400	200	100	1919	76.7	44.7	4550	200	100	1992	77.0	44.7
Front Bucket Seats	add	9	add	6	4400	200	150	1869	77.5	44.7	4550	200	150	1942	77.8	44.7
Front Captain's Chairs	add	11	add	10	4400	200	200	1819	78.3	44.7	4550	200	200	1892	78.6	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4400	200	250	1769	79.1	44.7	4550	200	250	1842	79.4	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	4400	200	300	1719	80.0	44.7	4550	200	300	1792	80.3	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4400	250	100	1869	73.3	44.7	4550	250	100	1942	73.8	44.7
Power 6-Way Driver's Seat	add	3	add	1	4400	250	150	1819	74.0	44.7	4550	250	150	1892	74.5	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4400	250	200	1769	74.7	44.7	4550	250	200	1842	75.2	44.7
Heated Seats	add	3	add	1	4400	250	250	1719	75.5	44.7	4550	250	250	1792	75.9	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4400	250	300	1669	76.3	44.7	4550	250	300	1742	76.7	44.7
					4400	250	350	1619	77.2	44.7	4550	250	350	1692	77.6	44.7
INTERIOR					4550	300	100	1819	81.0	44.7	4700	300	100	1892	81.0	44.7
Air Conditioning	add	44	sub	3	4550	300	150	1769	81.0	44.7	4700	300	150	1842	81.0	44.7
AM/FM/CD	add	3	add	3	4550	300	200	1719	81.0	44.7	4700	300	200	1792	81.0	44.7
AM/FM/CDx6	add	5	add	2	4550	300	250	1669	81.0	44.7	4700	300	250	1742	81.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4550	300	300	1619	81.0	44.7	4700	300	300	1692	81.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4550	300	350	1569	81.0	44.7	4700	300	350	1642	81.0	44.7
Satellite Radio	add	2	add	1	4550	350	100	1769	79.1	44.7	4700	350	100	1842	79.4	44.7
DVD Entertainment System	add	4	add	3	4550	350	150	1719	80.0	44.7	4700	350	150	1792	80.3	44.7
All Weather Floor Mats	add	6	add	4	4550	350	200	1669	81.0	44.7	4700	350	200	1742	81.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4550	350	250	1619	81.0	44.7	4700	350	250	1692	81.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	4550	350	300	1569	81.0	44.7	4700	350	300	1642	81.0	44.7
Power Windows & Door Locks	add	15	add	6	4550	350	350	1519	81.0	44.7	4700	350	350	1592	81.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	4550	350	400	1469	81.0	44.7	4700	350	400	1542	81.0	44.7
					4550	350	450	1419	81.0	44.7	4700	350	450	1492	81.0	44.7
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 2) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package	add	0	add	33
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9800 lb (4444 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5000	-50	-50	1979	75.7	44.7
5000	-50	0	1929	76.4	44.7
5000	-50	50	1879	77.1	44.7
5000	-50	100	1829	77.9	44.7
5000	0	-50	1929	72.3	44.7
5000	0	0	1879	73.0	44.7
5000	0	50	1829	73.7	44.7
5000	0	100	1779	74.4	44.7
5000	0	150	1729	75.1	44.7
5250	50	0	1829	81.0	44.7
5250	50	50	1779	81.0	44.7
5250	50	100	1729	81.0	44.7
5250	50	150	1679	81.0	44.7
5250	50	200	1629	81.0	44.7
5250	100	0	1779	81.0	44.7
5250	100	50	1729	81.0	44.7
5250	100	100	1679	81.0	44.7
5250	100	150	1629	81.0	44.7
5250	100	200	1579	81.0	44.7
5250	150	50	1679	81.0	44.7
5250	150	100	1629	81.0	44.7
5250	150	150	1579	81.0	44.7
5250	150	200	1529	81.0	44.7
5250	150	250	1479	81.0	44.7
5250	150	300	1429	81.0	44.7
5250	200	50	1629	81.0	44.7
5250	200	100	1579	81.0	44.7
5250	200	150	1529	81.0	44.7
5250	200	200	1479	81.0	44.7
5250	200	250	1429	81.0	44.7
5250	200	300	1379	81.0	44.7
5250	250	100	1529	78.7	44.7
5250	250	150	1479	79.7	44.7
5250	250	200	1429	80.9	44.7
5250	250	250	1379	81.0	44.7
5250	250	300	1329	81.0	44.7
5250	250	350	1279	81.0	44.7
5250	300	100	1479	74.5	44.7
5250	300	150	1429	75.4	44.7
5250	300	200	1379	76.4	44.7
5250	300	250	1329	77.5	44.7
5250	300	300	1279	78.6	44.7
5250	300	350	1229	79.9	44.7
5250	300	400	1179	81.0	44.7
5250	300	100	1479	74.5	44.7
5250	300	150	1429	75.4	44.7
5250	300	200	1379	76.4	44.7
5250	300	250	1329	77.5	44.7
5250	300	300	1279	78.6	44.7
5250	300	350	1229	79.9	44.7
5250	350	100	1429	69.9	44.7
5250	350	150	1379	70.7	44.7
5250	350	200	1329	71.6	44.7
5250	350	250	1279	72.5	44.7
5250	350	300	1229	73.5	44.7
5250	350	350	1179	74.6	44.7
5250	350	400	1129	75.8	44.7
5250	350	450	1079	77.0	44.7
5250	350	500	1029	78.5	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-250 (4 X 2) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9400 lb (4263 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9600 lb (4354 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4400	-50	-50	2400	80.3	44.7	4550	-50	-50	2467	80.7	44.7
Camper Package	add	0	add	33	4400	-50	0	2350	81.0	44.7	4550	-50	0	2417	81.4	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	50	2300	81.8	44.7	4550	-50	50	2367	82.1	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4400	-50	100	2250	82.5	44.7	4550	-50	100	2317	82.8	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	0	-50	2350	77.4	44.7	4550	0	-50	2417	77.8	44.7
Full Wheel Covers	add	4	add	4	4400	0	0	2300	78.0	44.7	4550	0	0	2367	78.5	44.7
Limited-Slip Rear Axle	add	0	add	5	4400	0	50	2250	78.7	44.7	4550	0	50	2317	79.1	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4400	0	100	2200	79.4	44.7	4550	0	100	2267	79.8	44.7
Stabilizer Package	add	2	add	26	4400	0	150	2150	80.1	44.7	4550	0	150	2217	80.5	44.7
Stepgate	sub	10	add	50	4550	50	0	2250	86.3	44.7	4700	50	0	2317	86.6	44.7
Spray-In Bedliner	add	1	add	19	4550	50	50	2200	87.2	44.7	4700	50	50	2267	87.4	44.7
					4550	50	100	2150	88.1	44.7	4700	50	100	2217	88.3	44.7
WHEELS & TIRES					4550	50	150	2100	89.1	44.7	4700	50	150	2167	89.2	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4550	50	200	2050	90.1	44.7	4700	50	200	2117	90.2	44.7
18" Steel Wheels	add	10	add	17	4550	100	0	2200	83.3	44.7	4700	100	0	2267	83.6	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4550	100	50	2150	84.1	44.7	4700	100	50	2217	84.4	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4550	100	100	2100	85.0	44.7	4700	100	100	2167	85.3	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4550	100	150	2050	85.9	44.7	4700	100	150	2117	86.1	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4550	100	200	2000	86.8	44.7	4700	100	200	2067	87.1	44.7
LT245/75R17E A/T	add	0	add	0	4550	150	50	2100	80.9	44.7	4700	150	50	2167	81.3	44.7
LT265/70R17E A/T	add	9	add	13	4550	150	100	2050	81.7	44.7	4700	150	100	2117	82.1	44.7
LT275/65R18E A/S	add	17	add	27	4550	150	150	2000	82.5	44.7	4700	150	150	2067	82.9	44.7
LT275/70R18E A/S	add	17	add	27	4550	150	200	1950	83.4	44.7	4700	150	200	2017	83.8	44.7
LT275/70R18E A/T	add	17	add	27	4550	150	250	1900	84.3	44.7	4700	150	250	1967	84.7	44.7
LT275/65R20E A/T	add	33	add	33	4550	150	300	1850	85.3	44.7	4700	150	300	1917	85.6	44.7
					4700	200	50	2050	90.1	44.7	4850	200	50	2117	90.2	44.7
SEATING					4700	200	100	2000	91.1	44.7	4850	200	100	2067	91.2	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4700	200	150	1950	92.2	44.7	4850	200	150	2017	92.3	44.7
Front Bucket Seats	add	9	add	6	4700	200	200	1900	93.4	44.7	4850	200	200	1967	93.4	44.7
Front Captain's Chairs	add	11	add	10	4700	200	250	1850	94.6	44.7	4850	200	250	1917	94.6	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4700	200	300	1800	95.9	44.7	4850	200	300	1867	95.9	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	4700	250	100	1950	87.8	44.7	4850	250	100	2017	88.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4700	250	150	1900	88.9	44.7	4850	250	150	1967	89.1	44.7
Power 6-Way Driver's Seat	add	3	add	1	4700	250	200	1850	90.0	44.7	4850	250	200	1917	90.1	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4700	250	250	1800	91.1	44.7	4850	250	250	1867	91.3	44.7
Heated Seats	add	3	add	1	4700	250	300	1750	92.4	44.7	4850	250	300	1817	92.4	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4700	250	350	1700	93.7	44.7	4850	250	350	1767	93.7	44.7
					4700	300	100	1900	84.3	44.7	4850	300	100	1967	84.7	44.7
INTERIOR					4700	300	150	1850	85.3	44.7	4850	300	150	1917	85.6	44.7
Air Conditioning	add	44	sub	3	4700	300	200	1800	86.4	44.7	4850	300	200	1867	86.6	44.7
AM/FM/CD	add	3	add	3	4700	300	250	1750	87.5	44.7	4850	300	250	1817	87.7	44.7
AM/FM/CDx6	add	5	add	2	4700	300	300	1700	88.6	44.7	4850	300	300	1767	88.8	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4700	300	350	1650	89.8	44.7	4850	300	350	1717	90.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4850	350	100	1850	94.6	44.7	5000	350	100	1917	94.6	44.7
Satellite Radio	add	2	add	1	4850	350	150	1800	95.9	44.7	5000	350	150	1867	95.9	44.7
DVD Entertainment System	add	4	add	3	4850	350	200	1750	97.0	44.7	5000	350	200	1817	97.0	44.7
All Weather Floor Mats	add	6	add	4	4850	350	250	1700	97.0	44.7	5000	350	250	1767	97.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4850	350	300	1650	97.0	44.7	5000	350	300	1717	97.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	4850	350	350	1600	97.0	44.7	5000	350	350	1667	97.0	44.7
Power Windows & Door Locks	add	15	add	6	4850	350	400	1550	97.0	44.7	5000	350	400	1617	97.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	4850	350	450	1500	97.0	44.7	5000	350	450	1567	97.0	44.7
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 2) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package	add	0	add	33
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	1954	89.2	44.7
5250	-50	0	1904	90.3	44.7
5250	-50	50	1854	91.5	44.7
5250	-50	100	1804	92.7	44.7
5250	0	-50	1904	85.8	44.7
5250	0	0	1854	86.8	44.7
5250	0	50	1804	87.9	44.7
5250	0	100	1754	89.0	44.7
5250	0	150	1704	90.2	44.7
5250	50	0	1804	83.1	44.7
5250	50	50	1754	84.1	44.7
5250	50	100	1704	85.2	44.7
5250	50	150	1654	86.3	44.7
5250	50	200	1604	87.5	44.7
5250	100	0	1754	79.2	44.7
5250	100	50	1704	80.1	44.7
5250	100	100	1654	81.1	44.7
5250	100	150	1604	82.1	44.7
5250	100	200	1554	83.2	44.7
5250	150	50	1654	75.9	44.7
5250	150	100	1604	76.8	44.7
5250	150	150	1554	77.7	44.7
5250	150	200	1504	78.7	44.7
5250	150	250	1454	79.7	44.7
5250	150	300	1404	80.9	44.7
5250	200	50	1604	71.4	44.7
5250	200	100	1554	72.1	44.7
5250	200	150	1504	72.9	44.7
5250	200	200	1454	73.8	44.7
5250	200	250	1404	74.7	44.7
5250	200	300	1354	75.7	44.7
5250	250	100	1504	67.2	44.7
5250	250	150	1454	67.9	44.7
5250	250	200	1404	68.6	44.7
5250	250	250	1354	69.3	44.7
5250	250	300	1304	70.2	44.7
5250	250	350	1254	71.0	44.7
5250	300	100	1454	61.9	44.7
5250	300	150	1404	62.4	44.7
5250	300	200	1354	63.0	44.7
5250	300	250	1304	63.6	44.7
5250	300	300	1254	64.2	44.7
5250	300	350	1204	64.8	44.7
5250	300	400	1154	65.6	44.7
5250	300	100	1454	61.9	44.7
5250	300	150	1404	62.4	44.7
5250	300	200	1354	63.0	44.7
5250	300	250	1304	63.6	44.7
5250	300	300	1254	64.2	44.7
5250	300	350	1204	64.8	44.7
5250	350	100	1404	56.3	44.7
5250	350	150	1354	56.6	44.7
5250	350	200	1304	56.9	44.7
5250	350	250	1254	57.3	44.7
5250	350	300	1204	57.7	44.7
5250	350	350	1154	58.1	44.7
5250	350	400	1104	58.6	44.7
5250	350	450	1054	59.1	44.7
5250	350	500	1004	59.6	44.7

VEHICLE LOADING DATA
6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	2054	87.2	44.7
5250	-50	0	2004	88.2	44.7
5250	-50	50	1954	89.2	44.7
5250	-50	100	1904	90.3	44.7
5250	0	-50	2004	83.9	44.7
5250	0	0	1954	84.8	44.7
5250	0	50	1904	85.8	44.7
5250	0	100	1854	86.8	44.7
5250	0	150	1804	87.9	44.7
5250	50	0	1904	81.3	44.7
5250	50	50	1854	82.2	44.7
5250	50	100	1804	83.1	44.7
5250	50	150	1754	84.1	44.7
5250	50	200	1704	85.2	44.7
5250	100	0	1854	77.5	44.7
5250	100	50	1804	78.3	44.7
5250	100	100	1754	79.2	44.7
5250	100	150	1704	80.1	44.7
5250	100	200	1654	81.1	44.7
5250	150	50	1754	74.3	44.7
5250	150	100	1704	75.1	44.7
5250	150	150	1654	75.9	44.7
5250	150	200	1604	76.8	44.7
5250	150	250	1554	77.7	44.7
5250	150	300	1504	78.7	44.7
5250	200	50	1704	70.0	44.7
5250	200	100	1654	70.7	44.7
5250	200	150	1604	71.4	44.7
5250	200	200	1554	72.1	44.7
5250	200	250	1504	72.9	44.7
5250	200	300	1454	73.8	44.7
5250	250	100	1604	66.0	44.7
5250	250	150	1554	66.6	44.7
5250	250	200	1504	67.2	44.7
5250	250	250	1454	67.9	44.7
5250	250	300	1404	68.6	44.7
5250	250	350	1354	69.3	44.7
5250	300	100	1554	61.0	44.7
5250	300	150	1504	61.5	44.7
5250	300	200	1454	61.9	44.7
5250	300	250	1404	62.4	44.7
5250	300	300	1354	63.0	44.7
5250	300	350	1304	63.6	44.7
5250	300	400	1254	64.2	44.7
5250	300	100	1554	61.0	44.7
5250	300	150	1504	61.5	44.7
5250	300	200	1454	61.9	44.7
5250	300	250	1404	62.4	44.7
5250	300	300	1354	63.0	44.7
5250	300	350	1304	63.6	44.7
5250	350	100	1504	55.7	44.7
5250	350	150	1454	56.0	44.7
5250	350	200	1404	56.3	44.7
5250	350	250	1354	56.6	44.7
5250	350	300	1304	56.9	44.7
5250	350	350	1254	57.3	44.7
5250	350	400	1204	57.7	44.7
5250	350	450	1154	58.1	44.7
5250	350	500	1104	58.6	44.7

F-250 (4 X 4) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9000 lb (4082 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9200 lb (4172 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	4400	-50	-50	2578	80.6	44.7	4800	-50	-50	2645	93.6	44.7
Camper Package	add	0	add	33	4400	-50	0	2528	81.2	44.7	4800	-50	0	2595	94.5	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	50	2478	81.9	44.7	4800	-50	50	2545	95.4	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4400	-50	100	2428	82.6	44.7	4800	-50	100	2495	96.3	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	0	-50	2528	78.5	44.7	4800	0	-50	2595	91.8	44.7
Full Wheel Covers	add	4	add	4	4400	0	0	2478	79.1	44.7	4800	0	0	2545	92.7	44.7
Limited-Slip Rear Axle	add	0	add	5	4400	0	50	2428	79.8	44.7	4800	0	50	2495	93.6	44.7
Skid Plates (4x4 only)	add	20	add	25	4400	0	100	2378	80.5	44.7	4800	0	100	2445	94.5	44.7
Stabilizer Package	add	2	add	26	4400	0	150	2328	81.2	44.7	4800	0	150	2395	95.5	44.7
Stepgate	sub	10	add	50	4400	50	0	2428	77.0	44.7	4800	50	0	2495	90.8	44.7
Spray-In Bedliner	add	1	add	19	4400	50	50	2378	77.6	44.7	4800	50	50	2445	91.7	44.7
					4400	50	100	2328	78.2	44.7	4800	50	100	2395	92.6	44.7
WHEELS & TIRES																
17" Window Aluminum Wheels	sub	23	sub	23	4400	50	150	2278	78.9	44.7	4800	50	150	2345	93.6	44.7
18" Steel Wheels	add	10	add	17	4400	50	200	2228	79.6	44.7	4800	50	200	2295	94.6	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4800	100	0	2378	97.0	44.7	4800	100	0	2445	88.9	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4800	100	50	2328	97.0	44.7	4800	100	50	2395	89.8	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4800	100	100	2278	97.0	44.7	4800	100	100	2345	90.7	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4800	100	150	2228	97.0	44.7	4800	100	150	2295	91.6	44.7
LT245/75R17E A/T	add	0	add	0	4800	100	200	2178	97.0	44.7	4800	100	200	2245	92.6	44.7
LT265/70R17E A/T	add	9	add	13	4800	150	50	2278	96.9	44.7	4800	150	50	2345	87.8	44.7
LT275/65R18E A/S	add	17	add	27	4800	150	100	2228	97.0	44.7	4800	150	100	2295	88.6	44.7
LT275/70R18E A/S	add	17	add	27	4800	150	150	2178	97.0	44.7	4800	150	150	2245	89.5	44.7
LT275/70R18E A/T	add	17	add	27	4800	150	200	2128	97.0	44.7	4800	150	200	2195	90.5	44.7
LT275/65R20E A/T	add	33	add	33	4800	150	250	2078	97.0	44.7	4800	150	250	2145	91.5	44.7
					4800	150	300	2028	97.0	44.7	4800	150	300	2095	92.5	44.7
SEATING					4800	200	50	2228	95.0	44.7	4800	200	50	2295	85.6	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4800	200	100	2178	96.0	44.7	4800	200	100	2245	86.5	44.7
Front Bucket Seats	add	9	add	6	4800	200	150	2128	97.0	44.7	4800	200	150	2195	87.4	44.7
Front Captain's Chairs	add	11	add	10	4800	200	200	2078	97.0	44.7	4800	200	200	2145	88.3	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4800	200	250	2028	97.0	44.7	4800	200	250	2095	89.2	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4800	200	300	1978	97.0	44.7	4800	200	300	2045	90.3	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4800	250	100	2128	93.9	44.7	4800	250	100	2195	84.2	44.7
Power 6-Way Driver's Seat	add	3	add	1	4800	250	150	2078	95.1	44.7	4800	250	150	2145	85.1	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4800	250	200	2028	96.2	44.7	4800	250	200	2095	86.0	44.7
Heated Seats	add	3	add	1	4800	250	250	1978	97.0	44.7	4800	250	250	2045	86.9	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4800	250	300	1928	97.0	44.7	4800	250	300	1995	87.9	44.7
					4800	250	350	1878	97.0	44.7	4800	250	350	1945	88.9	44.7
INTERIOR					4800	300	400	1778	97.0	44.7	4800	300	400	1845	87.4	44.7
Air Conditioning	add	44	sub	3	4800	300	100	2078	91.8	44.7	4800	300	100	2145	81.9	44.7
AM/FM/CD	add	3	add	3	4800	300	150	2028	92.8	44.7	4800	300	150	2095	82.7	44.7
AM/FM/CDx6	add	5	add	2	4800	300	200	1978	94.0	44.7	4800	300	200	2045	83.6	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.	4800	300	250	1928	95.2	44.7	4800	300	250	1995	84.5	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.	4800	300	300	1878	96.4	44.7	4800	300	300	1945	85.4	44.7
Satellite Radio	add	2	add	1	4800	300	350	1828	97.0	44.7	4800	300	350	1895	86.4	44.7
DVD Entertainment System	add	4	add	3	4800	300	400	1778	97.0	44.7	4800	300	400	1845	87.4	44.7
All Weather Floor Mats	add	3	add	2												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	17	add	12												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 4) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package	add	0	add	33
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	25
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9600 lb (4354 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	2245	82.9	44.7
5200	-50	0	2195	83.7	44.7
5200	-50	50	2145	84.5	44.7
5200	-50	100	2095	85.4	44.7
5200	0	-50	2195	80.6	44.7
5200	0	0	2145	81.3	44.7
5200	0	50	2095	82.1	44.7
5200	0	100	2045	83.0	44.7
5200	0	150	1995	83.8	44.7
5600	50	0	2095	97.0	44.7
5600	50	50	2045	97.0	44.7
5600	50	100	1995	97.0	44.7
5600	50	150	1945	97.0	44.7
5600	50	200	1895	97.0	44.7
5600	100	0	2045	97.0	44.7
5600	100	50	1995	97.0	44.7
5600	100	100	1945	97.0	44.7
5600	100	150	1895	97.0	44.7
5600	100	200	1845	97.0	44.7
5600	150	50	1945	97.0	44.7
5600	150	100	1895	97.0	44.7
5600	150	150	1845	97.0	44.7
5600	150	200	1795	97.0	44.7
5600	150	250	1745	97.0	44.7
5600	150	300	1695	97.0	44.7
5600	200	50	1895	97.0	44.7
5600	200	100	1845	97.0	44.7
5600	200	150	1795	97.0	44.7
5600	200	200	1745	97.0	44.7
5600	200	250	1695	97.0	44.7
5600	200	300	1645	97.0	44.7
5600	250	100	1795	97.0	44.7
5600	250	150	1745	97.0	44.7
5600	250	200	1695	97.0	44.7
5600	250	250	1645	97.0	44.7
5600	250	300	1595	97.0	44.7
5600	250	350	1545	97.0	44.7
5600	300	100	1745	96.8	44.7
5600	300	150	1695	97.0	44.7
5600	300	200	1645	97.0	44.7
5600	300	250	1595	97.0	44.7
5600	300	300	1545	97.0	44.7
5600	300	350	1495	97.0	44.7
5600	300	400	1445	97.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-250 (4 X 4) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9200 lb (4172 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9400 lb (4263 kg) GVWR					
	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
OPTION DESCRIPTION									FRONT	REAR					FRONT	REAR
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4800	-50	-50	2108	81.0	44.7	4800	-50	-50	2175	81.0	44.7
Camper Package	add	0	add	33	4800	-50	0	2058	81.0	44.7	4800	-50	0	2125	81.0	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	50	2008	81.0	44.7	4800	-50	50	2075	81.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	100	1958	81.0	44.7	4800	-50	100	2025	81.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	-50	2058	81.0	44.7	4800	0	-50	2125	81.0	44.7
Full Wheel Covers	add	4	add	4	4800	0	0	2008	81.0	44.7	4800	0	0	2075	81.0	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	50	1958	81.0	44.7	4800	0	50	2025	81.0	44.7
Skid Plates (4x4 only)	add	18	add	18	4800	0	100	1908	81.0	44.7	4800	0	100	1975	81.0	44.7
Stabilizer Package	add	2	add	26	4800	0	150	1858	81.0	44.7	4800	0	150	1925	81.0	44.7
Stepgate	sub	10	add	50	4800	50	0	1958	81.0	44.7	4800	50	0	2025	81.0	44.7
Spray-In Bedliner	add	0	add	16	4800	50	50	1908	81.0	44.7	4800	50	50	1975	81.0	44.7
					4800	50	100	1858	81.0	44.7	4800	50	100	1925	81.0	44.7
WHEELS & TIRES					4800	50	150	1808	81.0	44.7	4800	50	150	1875	81.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4800	50	200	1758	81.0	44.7	4800	50	200	1825	81.0	44.7
18" Steel Wheels	add	10	add	17	4800	100	0	1908	81.0	44.7	4800	100	0	1975	81.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4800	100	50	1858	81.0	44.7	4800	100	50	1925	81.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4800	100	100	1808	81.0	44.7	4800	100	100	1875	81.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4800	100	150	1758	81.0	44.7	4800	100	150	1825	81.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4800	100	200	1708	81.0	44.7	4800	100	200	1775	81.0	44.7
LT245/75R17E A/T	add	0	add	0	4800	150	50	1808	81.0	44.7	4800	150	50	1875	79.2	44.7
LT265/70R17E A/T	add	9	add	13	4800	150	100	1758	81.0	44.7	4800	150	100	1825	80.1	44.7
LT275/65R18E A/S	add	17	add	27	4800	150	150	1708	81.0	44.7	4800	150	150	1775	81.0	44.7
LT275/70R18E A/S	add	17	add	27	4800	150	200	1658	81.0	44.7	4800	150	200	1725	81.0	44.7
LT275/70R18E A/T	add	17	add	27	4800	150	250	1608	81.0	44.7	4800	150	250	1675	81.0	44.7
LT275/65R20E A/T	add	33	add	33	4800	150	300	1558	81.0	44.7	4800	150	300	1625	81.0	44.7
					4800	200	50	1758	81.0	44.7	5200	200	50	1825	81.0	44.7
SEATING					4800	200	100	1708	81.0	44.7	5200	200	100	1775	81.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4800	200	150	1658	81.0	44.7	5200	200	150	1725	81.0	44.7
Front Bucket Seats	add	9	add	6	4800	200	200	1608	81.0	44.7	5200	200	200	1675	81.0	44.7
Front Captain's Chairs	add	11	add	10	4800	200	250	1558	81.0	44.7	5200	200	250	1625	81.0	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4800	200	300	1508	81.0	44.7	5200	200	300	1575	81.0	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4800	250	100	1658	81.0	44.7	5200	250	100	1725	81.0	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4800	250	150	1608	81.0	44.7	5200	250	150	1675	81.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	4800	250	200	1558	81.0	44.7	5200	250	200	1625	81.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4800	250	250	1508	81.0	44.7	5200	250	250	1575	81.0	44.7
Heated Seats	add	3	add	1	4800	250	300	1458	81.0	44.7	5200	250	300	1525	81.0	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4800	250	350	1408	81.0	44.7	5200	250	350	1475	81.0	44.7
					5200	300	100	1608	81.0	44.7	5200	300	100	1675	81.0	44.7
INTERIOR					5200	300	150	1558	81.0	44.7	5200	300	150	1625	81.0	44.7
Air Conditioning	add	44	sub	3	5200	300	200	1508	81.0	44.7	5200	300	200	1575	81.0	44.7
AM/FM/CD	add	3	add	3	5200	300	250	1458	81.0	44.7	5200	300	250	1525	81.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	300	1408	81.0	44.7	5200	300	300	1475	81.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	350	1358	81.0	44.7	5200	300	350	1425	81.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	400	1308	81.0	44.7	5200	300	400	1375	81.0	44.7
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 4) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package	add	0	add	33
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	18	add	18
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9800 lb (4444 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	1715	81.0	44.7
5600	-50	0	1665	81.0	44.7
5600	-50	50	1615	81.0	44.7
5600	-50	100	1565	81.0	44.7
5600	0	-50	1665	81.0	44.7
5600	0	0	1615	81.0	44.7
5600	0	50	1565	81.0	44.7
5600	0	100	1515	81.0	44.7
5600	0	150	1465	81.0	44.7
5600	50	0	1565	81.0	44.7
5600	50	50	1515	81.0	44.7
5600	50	100	1465	81.0	44.7
5600	50	150	1415	81.0	44.7
5600	50	200	1365	81.0	44.7
5600	100	0	1515	81.0	44.7
5600	100	50	1465	81.0	44.7
5600	100	100	1415	81.0	44.7
5600	100	150	1365	81.0	44.7
5600	100	200	1315	81.0	44.7
5600	150	50	1415	81.0	44.7
5600	150	100	1365	81.0	44.7
5600	150	150	1315	81.0	44.7
5600	150	200	1265	81.0	44.7
5600	150	250	1215	81.0	44.7
5600	150	300	1165	81.0	44.7
5600	200	50	1365	81.0	44.7
5600	200	100	1315	81.0	44.7
5600	200	150	1265	81.0	44.7
5600	200	200	1215	81.0	44.7
5600	200	250	1165	81.0	44.7
5600	200	300	1115	81.0	44.7
5600	250	100	1265	81.0	44.7
5600	250	150	1215	81.0	44.7
5600	250	200	1165	81.0	44.7
5600	250	250	1115	81.0	44.7
5600	250	300	1065	81.0	44.7
5600	250	350	1015	81.0	44.7
6000	300	100	1215	81.0	44.7
6000	300	150	1165	81.0	44.7
6000	300	200	1115	81.0	44.7
6000	300	250	1065	81.0	44.7
6000	300	300	1015	81.0	44.7
6000	300	350	965	81.0	44.7
6000	300	400	915	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-250 (4 X 4) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9400 lb (4263 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9600 lb (4354 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4800	-50	-50	2153	90.9	44.7	5200	-50	-50	2221	97.0	44.7
Camper Package	add	0	add	33	4800	-50	0	2103	91.9	44.7	5200	-50	0	2171	97.0	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	50	2053	92.9	44.7	5200	-50	50	2121	97.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	100	2003	94.1	44.7	5200	-50	100	2071	97.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	-50	2103	88.1	44.7	5200	0	-50	2171	97.0	44.7
Full Wheel Covers	add	4	add	4	4800	0	0	2053	89.1	44.7	5200	0	0	2121	97.0	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	50	2003	90.1	44.7	5200	0	50	2071	97.0	44.7
Skid Plates (4x4 only)	add	24	add	21	4800	0	100	1953	91.2	44.7	5200	0	100	2021	97.0	44.7
Stabilizer Package	add	2	add	26	4800	0	150	1903	92.4	44.7	5200	0	150	1971	97.0	44.7
Stepgate	sub	10	add	50	4800	50	0	2003	86.2	44.7	5200	50	0	2071	97.0	44.7
Spray-In Bedliner	add	1	add	19	4800	50	50	1953	87.2	44.7	5200	50	50	2021	97.0	44.7
					4800	50	100	1903	88.2	44.7	5200	50	100	1971	97.0	44.7
WHEELS & TIRES					4800	50	150	1853	89.3	44.7	5200	50	150	1921	97.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4800	50	200	1803	90.4	44.7	5200	50	200	1871	97.0	44.7
18" Steel Wheels	add	10	add	17	5200	100	0	1953	97.0	44.7	5200	100	0	2021	97.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	5200	100	50	1903	97.0	44.7	5200	100	50	1971	97.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	5200	100	100	1853	97.0	44.7	5200	100	100	1921	97.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5200	100	150	1803	97.0	44.7	5200	100	150	1871	97.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5200	100	200	1753	97.0	44.7	5200	100	200	1821	97.0	44.7
LT245/75R17E A/T	add	0	add	0	5200	150	50	1853	97.0	44.7	5200	150	50	1921	97.0	44.7
LT265/70R17E A/T	add	9	add	13	5200	150	100	1803	97.0	44.7	5200	150	100	1871	97.0	44.7
LT275/65R18E A/S	add	17	add	27	5200	150	150	1753	97.0	44.7	5200	150	150	1821	97.0	44.7
LT275/70R18E A/S	add	17	add	27	5200	150	200	1703	97.0	44.7	5200	150	200	1771	97.0	44.7
LT275/70R18E A/T	add	17	add	27	5200	150	250	1653	97.0	44.7	5200	150	250	1721	97.0	44.7
LT275/65R20E A/T	add	33	add	33	5200	150	300	1603	97.0	44.7	5200	150	300	1671	97.0	44.7
					5200	200	50	1803	97.0	44.7	5200	200	50	1871	97.0	44.7
SEATING					5200	200	100	1753	97.0	44.7	5200	200	100	1821	97.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	150	1703	97.0	44.7	5200	200	150	1771	97.0	44.7
Front Bucket Seats	add	9	add	6	5200	200	200	1653	97.0	44.7	5200	200	200	1721	97.0	44.7
Front Captain's Chairs	add	11	add	10	5200	200	250	1603	97.0	44.7	5200	200	250	1671	97.0	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	5200	200	300	1553	97.0	44.7	5200	200	300	1621	97.0	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	5200	250	100	1703	97.0	44.7	5200	250	100	1771	96.5	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	5200	250	150	1653	97.0	44.7	5200	250	150	1721	97.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	200	1603	97.0	44.7	5200	250	200	1671	97.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	250	1553	97.0	44.7	5200	250	250	1621	97.0	44.7
Heated Seats	add	3	add	1	5200	250	300	1503	97.0	44.7	5200	250	300	1571	97.0	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	5200	250	350	1453	97.0	44.7	5200	250	350	1521	97.0	44.7
					5200	300	100	1653	97.0	44.7	5200	300	100	1721	93.3	44.7
INTERIOR					5200	300	150	1603	97.0	44.7	5200	300	150	1671	94.7	44.7
Air Conditioning	add	44	sub	3	5200	300	200	1553	97.0	44.7	5200	300	200	1621	96.1	44.7
AM/FM/CD	add	3	add	3	5200	300	250	1503	97.0	44.7	5200	300	250	1571	97.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	300	1453	97.0	44.7	5200	300	300	1521	97.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	350	1403	97.0	44.7	5200	300	350	1471	97.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	400	1353	97.0	44.7	5200	300	400	1421	97.0	44.7
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 4) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 6.4L Diesel Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.4L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package	add	0	add	33	5600	-50	-50	1691	97.0	44.7	5600	-50	-50	1791	96.4	44.7
Dual Alternator (Diesel Engines only)	add	21	add	0	5600	-50	0	1641	97.0	44.7	5600	-50	0	1741	97.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	5600	-50	50	1591	97.0	44.7	5600	-50	50	1691	97.0	44.7
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1	5600	-50	100	1541	97.0	44.7	5600	-50	100	1641	97.0	44.7
Full Wheel Covers	add	4	add	4	5600	0	-50	1641	96.0	44.7	5600	0	-50	1741	93.2	44.7
Limited-Slip Rear Axle	add	0	add	5	5600	0	0	1591	97.0	44.7	5600	0	0	1691	94.6	44.7
Skid Plates (4x4 only)	add	24	add	21	5600	0	50	1541	97.0	44.7	5600	0	50	1641	96.0	44.7
Stabilizer Package	add	2	add	26	5600	0	100	1491	97.0	44.7	5600	0	100	1591	97.0	44.7
Stepgate	sub	10	add	50	5600	0	150	1441	97.0	44.7	5600	0	150	1541	97.0	44.7
Spray-In Bedliner	add	1	add	19	6000	50	0	1541	97.0	44.7	6000	50	0	1641	97.0	44.7
					6000	50	50	1491	97.0	44.7	6000	50	50	1591	97.0	44.7
WHEELS & TIRES					6000	50	100	1441	97.0	44.7	6000	50	100	1541	97.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	6000	50	150	1391	97.0	44.7	6000	50	150	1491	97.0	44.7
18" Steel Wheels	add	10	add	17	6000	50	200	1341	97.0	44.7	6000	50	200	1441	97.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	6000	100	0	1491	97.0	44.7	6000	100	0	1591	97.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	6000	100	50	1441	97.0	44.7	6000	100	50	1541	97.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	6000	100	100	1391	97.0	44.7	6000	100	100	1491	97.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	6000	100	150	1341	97.0	44.7	6000	100	150	1441	97.0	44.7
LT245/75R17E A/T	add	0	add	0	6000	100	200	1291	97.0	44.7	6000	100	200	1391	97.0	44.7
LT265/70R17E A/T	add	9	add	13	6000	150	50	1391	97.0	44.7	6000	150	50	1491	97.0	44.7
LT275/65R18E A/S	add	17	add	27	6000	150	100	1341	97.0	44.7	6000	150	100	1441	97.0	44.7
LT275/70R18E A/S	add	17	add	27	6000	150	150	1291	97.0	44.7	6000	150	150	1391	97.0	44.7
LT275/70R18E A/T	add	17	add	27	6000	150	200	1241	97.0	44.7	6000	150	200	1341	97.0	44.7
LT275/65R20E A/T	add	33	add	33	6000	150	250	1191	97.0	44.7	6000	150	250	1291	97.0	44.7
					6000	150	300	1141	97.0	44.7	6000	150	300	1241	97.0	44.7
SEATING					6000	200	50	1341	97.0	44.7	6000	200	50	1441	97.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	6000	200	100	1291	97.0	44.7	6000	200	100	1391	97.0	44.7
Front Bucket Seats	add	9	add	6	6000	200	150	1241	97.0	44.7	6000	200	150	1341	97.0	44.7
Front Captain's Chairs	add	11	add	10	6000	200	200	1191	97.0	44.7	6000	200	200	1291	97.0	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	6000	200	250	1141	97.0	44.7	6000	200	250	1241	97.0	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	6000	200	300	1091	97.0	44.7	6000	200	300	1191	97.0	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	6000	250	100	1241	97.0	44.7	6000	250	100	1341	97.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	6000	250	150	1191	97.0	44.7	6000	250	150	1291	97.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	6000	250	200	1141	97.0	44.7	6000	250	200	1241	97.0	44.7
Heated Seats	add	3	add	1	6000	250	250	1091	97.0	44.7	6000	250	250	1191	97.0	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	6000	250	300	1041	97.0	44.7	6000	250	300	1141	97.0	44.7
					6000	250	350	991	97.0	44.7	6000	250	350	1091	97.0	44.7
INTERIOR					6000	300	100	1191	97.0	44.7	6000	300	100	1291	97.0	44.7
Air Conditioning	add	44	sub	3	6000	300	150	1141	97.0	44.7	6000	300	150	1241	97.0	44.7
AM/FM/CD	add	3	add	3	6000	300	200	1091	97.0	44.7	6000	300	200	1191	97.0	44.7
AM/FM/CDx6	add	5	add	2	6000	300	250	1041	97.0	44.7	6000	300	250	1141	97.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	6000	300	300	991	97.0	44.7	6000	300	300	1091	97.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	6000	300	350	941	97.0	44.7	6000	300	350	1041	97.0	44.7
Satellite Radio	add	2	add	1	6000	300	400	891	97.0	44.7	6000	300	400	991	97.0	44.7
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 4) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9400 lb (4263 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9600 lb (4354 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4800	-50	-50	2092	81.0	44.7	4800	-50	-50	2166	81.0	44.7
Camper Package	add	0	add	33	4800	-50	0	2042	81.0	44.7	4800	-50	0	2116	81.0	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	50	1992	81.0	44.7	4800	-50	50	2066	81.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	100	1942	81.0	44.7	4800	-50	100	2016	81.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	-50	2042	81.0	44.7	4800	0	-50	2116	80.7	44.7
Full Wheel Covers	add	4	add	4	4800	0	0	1992	81.0	44.7	4800	0	0	2066	81.0	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	50	1942	81.0	44.7	4800	0	50	2016	81.0	44.7
Skid Plates (4x4 only)	add	20	add	16	4800	0	100	1892	81.0	44.7	4800	0	100	1966	81.0	44.7
Stabilizer Package	add	2	add	26	4800	0	150	1842	81.0	44.7	4800	0	150	1916	81.0	44.7
Stepgate	sub	10	add	50	4800	50	0	1942	81.0	44.7	5200	50	0	2016	81.0	44.7
Spray-In Bedliner	add	0	add	16	4800	50	50	1892	81.0	44.7	5200	50	50	1966	81.0	44.7
					4800	50	100	1842	81.0	44.7	5200	50	100	1916	81.0	44.7
WHEELS & TIRES					4800	50	150	1792	81.0	44.7	5200	50	150	1866	81.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4800	50	200	1742	81.0	44.7	5200	50	200	1816	81.0	44.7
18" Steel Wheels	add	10	add	17	4800	100	0	1892	81.0	44.7	5200	100	0	1966	81.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4800	100	50	1842	81.0	44.7	5200	100	50	1916	81.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4800	100	100	1792	81.0	44.7	5200	100	100	1866	81.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4800	100	150	1742	81.0	44.7	5200	100	150	1816	81.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4800	100	200	1692	81.0	44.7	5200	100	200	1766	81.0	44.7
LT245/75R17E A/T	add	0	add	0	4800	150	50	1792	81.0	44.7	5200	150	50	1866	81.0	44.7
LT265/70R17E A/T	add	9	add	13	4800	150	100	1742	81.0	44.7	5200	150	100	1816	81.0	44.7
LT275/65R18E A/S	add	17	add	27	4800	150	150	1692	81.0	44.7	5200	150	150	1766	81.0	44.7
LT275/70R18E A/S	add	17	add	27	4800	150	200	1642	81.0	44.7	5200	150	200	1716	81.0	44.7
LT275/70R18E A/T	add	17	add	27	4800	150	250	1592	81.0	44.7	5200	150	250	1666	81.0	44.7
LT275/65R20E A/T	add	33	add	33	4800	150	300	1542	81.0	44.7	5200	150	300	1616	81.0	44.7
SEATING					5200	200	50	1742	81.0	44.7	5200	200	50	1816	81.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	100	1692	81.0	44.7	5200	200	100	1766	81.0	44.7
Front Bucket Seats	add	9	add	6	5200	200	150	1642	81.0	44.7	5200	200	150	1716	81.0	44.7
Front Captain's Chairs	add	11	add	10	5200	200	200	1592	81.0	44.7	5200	200	200	1666	81.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	200	250	1542	81.0	44.7	5200	200	250	1616	81.0	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	5200	200	300	1492	81.0	44.7	5200	200	300	1566	81.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	250	100	1642	81.0	44.7	5200	250	100	1716	81.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	150	1592	81.0	44.7	5200	250	150	1666	81.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	200	1542	81.0	44.7	5200	250	200	1616	81.0	44.7
Heated Seats	add	3	add	1	5200	250	250	1492	81.0	44.7	5200	250	250	1566	81.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	250	300	1442	81.0	44.7	5200	250	300	1516	81.0	44.7
					5200	250	350	1392	81.0	44.7	5200	250	350	1466	81.0	44.7
INTERIOR					5200	300	100	1592	81.0	44.7	5200	300	100	1666	81.0	44.7
Air Conditioning	add	44	sub	3	5200	300	150	1542	81.0	44.7	5200	300	150	1616	81.0	44.7
AM/FM/CD	add	3	add	3	5200	300	200	1492	81.0	44.7	5200	300	200	1566	81.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	250	1442	81.0	44.7	5200	300	250	1516	81.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	300	1392	81.0	44.7	5200	300	300	1466	81.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	350	1342	81.0	44.7	5200	300	350	1416	81.0	44.7
Satellite Radio	add	2	add	1	5200	350	100	1542	81.0	44.7	5200	350	100	1616	81.0	44.7
DVD Entertainment System	add	4	add	3	5200	350	150	1492	81.0	44.7	5200	350	150	1566	81.0	44.7
All Weather Floor Mats	add	6	add	4	5200	350	200	1442	81.0	44.7	5200	350	200	1516	81.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5200	350	250	1392	81.0	44.7	5200	350	250	1466	81.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5200	350	300	1342	81.0	44.7	5200	350	300	1416	81.0	44.7
Power Windows & Door Locks	add	15	add	6	5200	350	350	1292	81.0	44.7	5200	350	350	1366	81.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	5200	350	400	1242	81.0	44.7	5200	350	400	1316	81.0	44.7
					5200	350	450	1192	81.0	44.7	5200	350	450	1266	81.0	44.7
					5200	350	500	1142	81.0	44.7	5200	350	500	1216	81.0	44.7
EXTERIOR					5200	400	100	1492	81.0	44.7	5200	400	100	1566	81.0	44.7
Body Side Moldings - Body Color	add	2	add	1	5200	400	150	1442	81.0	44.7	5200	400	150	1516	81.0	44.7
Bumpers - Chrome	add	7	sub	3	5200	400	200	1392	81.0	44.7	5200	400	200	1466	81.0	44.7
Cab Steps - Platform	add	27	add	20	5200	400	250	1342	81.0	44.7	5200	400	250	1416	81.0	44.7
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27	5200	400	300	1292	81.0	44.7	5200	400	300	1366	81.0	44.7
Cab Steps - 4" Tubular	add	20	add	15	5200	400	350	1242	81.0	44.7	5200	400	350	1316	81.0	44.7
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19	5200	400	400	1192	81.0	44.7	5200	400	400	1266	81.0	44.7
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27	5200	400	450	1142	81.0	44.7	5200	400	450	1216	81.0	44.7
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3	5200	400	500	1092	81.0	44.7	5200	400	500	1166	81.0	44.7
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 4) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 6.4L Diesel Engine 9900 lb (4490kg) GVWR						VEHICLE LOADING DATA 6.4L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	5600	-50	-50	1636	81.0	44.7	5600	-50	-50	1736	81.0	44.7
Camper Package	add	0	add	33	5600	-50	0	1586	81.0	44.7	5600	-50	0	1686	81.0	44.7
Dual Alternator (Diesel Engines only)	add	21	add	0	5600	-50	50	1536	81.0	44.7	5600	-50	50	1636	81.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	5600	0	-50	1586	81.0	44.7	5600	0	-50	1686	81.0	44.7
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1	5600	0	0	1536	81.0	44.7	5600	0	0	1636	81.0	44.7
Full Wheel Covers	add	4	add	4	5600	0	50	1486	81.0	44.7	5600	0	50	1586	81.0	44.7
Limited-Slip Rear Axle	add	0	add	5	5600	0	100	1436	81.0	44.7	5600	0	100	1536	81.0	44.7
Skid Plates (4x4 only)	add	20	add	16	5600	0	150	1386	81.0	44.7	5600	0	150	1486	81.0	44.7
Stabilizer Package	add	2	add	26	5600	50	0	1486	81.0	44.7	5600	50	0	1586	81.0	44.7
Stepgate	sub	10	add	50	5600	50	50	1436	81.0	44.7	5600	50	50	1536	81.0	44.7
Spray-In Bedliner	add	0	add	16	5600	50	100	1386	81.0	44.7	5600	50	100	1486	81.0	44.7
WHEELS & TIRES					5600	100	0	1486	81.0	44.7	5600	100	0	1586	81.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	5600	50	150	1336	81.0	44.7	5600	50	150	1436	81.0	44.7
18" Steel Wheels	add	10	add	17	5600	50	200	1286	81.0	44.7	5600	50	200	1386	81.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	5600	100	0	1436	81.0	44.7	5600	100	0	1536	81.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	5600	100	50	1386	81.0	44.7	5600	100	50	1486	81.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5600	100	100	1336	81.0	44.7	5600	100	100	1436	81.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5600	100	150	1286	81.0	44.7	5600	100	150	1386	81.0	44.7
LT245/75R17E A/T	add	0	add	0	5600	100	200	1236	81.0	44.7	5600	100	200	1336	81.0	44.7
LT265/70R17E A/T	add	9	add	13	6000	150	50	1336	81.0	44.7	6000	150	50	1436	81.0	44.7
LT275/65R18E A/S	add	17	add	27	6000	150	100	1286	81.0	44.7	6000	150	100	1386	81.0	44.7
LT275/70R18E A/S	add	17	add	27	6000	150	150	1236	81.0	44.7	6000	150	150	1336	81.0	44.7
LT275/70R18E A/T	add	17	add	27	6000	150	200	1186	81.0	44.7	6000	150	200	1286	81.0	44.7
LT275/65R20E A/T	add	33	add	33	6000	150	250	1136	81.0	44.7	6000	150	250	1236	81.0	44.7
SEATING					6000	150	300	1086	81.0	44.7	6000	150	300	1186	81.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	6000	200	50	1286	81.0	44.7	6000	200	50	1386	81.0	44.7
Front Bucket Seats	add	9	add	6	6000	200	100	1236	81.0	44.7	6000	200	100	1336	81.0	44.7
Front Captain's Chairs	add	11	add	10	6000	200	150	1186	81.0	44.7	6000	200	150	1286	81.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	6000	200	200	1136	81.0	44.7	6000	200	200	1236	81.0	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	6000	200	250	1086	81.0	44.7	6000	200	250	1186	81.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	6000	200	300	1036	81.0	44.7	6000	200	300	1136	81.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	6000	250	100	1186	81.0	44.7	6000	250	100	1286	81.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	6000	250	150	1136	81.0	44.7	6000	250	150	1236	81.0	44.7
Heated Seats	add	3	add	1	6000	250	200	1086	81.0	44.7	6000	250	200	1186	81.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	6000	250	250	1036	81.0	44.7	6000	250	250	1136	81.0	44.7
INTERIOR					6000	250	300	986	81.0	44.7	6000	250	300	1086	81.0	44.7
Air Conditioning	add	44	sub	3	6000	250	350	936	81.0	44.7	6000	250	350	1036	81.0	44.7
AM/FM/CD	add	3	add	3	6000	300	100	1136	81.0	44.7	6000	300	100	1236	81.0	44.7
AM/FM/CDx6	add	5	add	2	6000	300	150	1086	81.0	44.7	6000	300	150	1186	81.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	6000	300	200	1036	81.0	44.7	6000	300	200	1136	81.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	6000	300	250	986	81.0	44.7	6000	300	250	1086	81.0	44.7
Satellite Radio	add	2	add	1	6000	300	300	936	81.0	44.7	6000	300	300	1036	81.0	44.7
DVD Entertainment System	add	4	add	3	6000	300	350	886	81.0	44.7	6000	300	350	986	81.0	44.7
All Weather Floor Mats	add	6	add	4	6000	300	400	836	81.0	44.7	6000	300	400	936	81.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	6000	300	450	786	81.0	44.7	6000	300	450	886	81.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	6000	300	500	686	81.0	44.7	6000	300	500	786	81.0	44.7
Power Windows & Door Locks	add	15	add	6	6000	350	100	1086	81.0	44.7	6000	350	100	1186	81.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	6000	350	150	1036	81.0	44.7	6000	350	150	1136	81.0	44.7
EXTERIOR					6000	350	200	986	81.0	44.7	6000	350	200	1086	81.0	44.7
Body Side Moldings - Body Color	add	2	add	1	6000	350	250	936	81.0	44.7	6000	350	250	1036	81.0	44.7
Bumpers - Chrome	add	7	sub	3	6000	350	300	886	81.0	44.7	6000	350	300	986	81.0	44.7
Cab Steps - Platform	add	27	add	20	6000	350	350	836	81.0	44.7	6000	350	350	936	81.0	44.7
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27	6000	350	400	786	81.0	44.7	6000	350	400	886	81.0	44.7
Cab Steps - 4" Tubular	add	20	add	15	6000	350	450	736	81.0	44.7	6000	350	450	836	81.0	44.7
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19	6000	350	500	686	81.0	44.7	6000	350	500	786	81.0	44.7
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27	6000	400	100	1036	81.0	44.7	6000	400	100	1136	81.0	44.7
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3	6000	400	150	986	81.0	44.7	6000	400	150	1086	81.0	44.7
Mirrors - Power Glass, Manual Telescoping	add	11	add	3	6000	400	200	936	81.0	44.7	6000	400	200	1036	81.0	44.7
Mirrors - Power Glass, Power Telescoping	add	11	add	3	6000	400	250	886	81.0	44.7	6000	400	250	986	81.0	44.7
Moonroof - Power Sliding (C/Cab only)	add	29	add	22	6000	400	300	836	81.0	44.7	6000	400	300	936	81.0	44.7
Pickup Box Mat	add	-1	add	51	6000	400	350	786	81.0	44.7	6000	400	350	886	81.0	44.7
Sliding Rear Window - Manual	add	3	add	1	6000	400	400	736	81.0	44.7	6000	400	400	836	81.0	44.7
Sliding Rear Window - Power	add	4	add	3	6000	400	450	686	81.0	44.7	6000	400	450	786	81.0	44.7
					6000	400	500	636	81.0	44.7	6000	400	500	736	81.0	44.7
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 4) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9600 lb (4354 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9800 lb (4444 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package	add	0	add	33	5200	-50	-50	2181	97.0	44.7	5200	-50	-50	2247	97.0	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	5200	-50	0	2131	97.0	44.7	5200	-50	0	2197	97.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	5200	-50	50	2081	97.0	44.7	5200	-50	50	2147	97.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	5200	-50	100	2031	97.0	44.7	5200	-50	100	2097	97.0	44.7
Full Wheel Covers	add	4	add	4	5200	0	-50	2131	97.0	44.7	5200	0	-50	2197	97.0	44.7
Limited-Slip Rear Axle	add	0	add	5	5200	0	0	2081	97.0	44.7	5200	0	0	2147	97.0	44.7
Skid Plates (4x4 only)	add	25	add	20	5200	0	50	2031	97.0	44.7	5200	0	50	2097	97.0	44.7
Stabilizer Package	add	2	add	26	5200	0	100	1981	97.0	44.7	5200	0	100	2047	97.0	44.7
Stepgate	sub	10	add	50	5200	0	150	1931	97.0	44.7	5200	0	150	1997	97.0	44.7
Spray-In Bedliner	add	1	add	19	5200	50	0	2031	97.0	44.7	5200	50	0	2097	97.0	44.7
					5200	50	50	1981	97.0	44.7	5200	50	50	2047	97.0	44.7
WHEELS & TIRES					5200	50	100	1931	97.0	44.7	5200	50	100	1997	97.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	5200	50	150	1881	97.0	44.7	5200	50	150	1947	97.0	44.7
18" Steel Wheels	add	10	add	17	5200	50	200	1831	97.0	44.7	5200	50	200	1897	97.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	5200	100	0	1981	97.0	44.7	5200	100	0	2047	97.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	5200	100	50	1931	97.0	44.7	5200	100	50	1997	97.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5200	100	100	1881	97.0	44.7	5200	100	100	1947	97.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5200	100	150	1831	97.0	44.7	5200	100	150	1897	97.0	44.7
LT245/75R17E A/T	add	0	add	0	5200	100	200	1781	97.0	44.7	5200	100	200	1847	97.0	44.7
LT265/70R17E A/T	add	9	add	13	5200	150	50	1881	97.0	44.7	5200	150	50	1947	96.1	44.7
LT275/65R18E A/S	add	17	add	27	5200	150	100	1831	97.0	44.7	5200	150	100	1897	97.0	44.7
LT275/70R18E A/S	add	17	add	27	5200	150	150	1781	97.0	44.7	5200	150	150	1847	97.0	44.7
LT275/70R18E A/T	add	17	add	27	5200	150	200	1731	97.0	44.7	5200	150	200	1797	97.0	44.7
LT275/65R20E A/T	add	33	add	33	5200	150	250	1681	97.0	44.7	5200	150	250	1747	97.0	44.7
					5200	150	300	1631	97.0	44.7	5200	150	300	1697	97.0	44.7
SEATING					5200	200	50	1831	97.0	44.7	5200	200	50	1897	92.8	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	100	1781	97.0	44.7	5200	200	100	1847	94.1	44.7
Front Bucket Seats	add	9	add	6	5200	200	150	1731	97.0	44.7	5200	200	150	1797	95.3	44.7
Front Captain's Chairs	add	11	add	10	5200	200	200	1681	97.0	44.7	5200	200	200	1747	96.7	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	200	250	1631	97.0	44.7	5200	200	250	1697	97.0	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	5200	200	300	1581	97.0	44.7	5200	200	300	1647	97.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	250	100	1731	97.0	44.7	5600	250	100	1797	97.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	150	1681	97.0	44.7	5600	250	150	1747	97.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	200	1631	97.0	44.7	5600	250	200	1697	97.0	44.7
Heated Seats	add	3	add	1	5200	250	250	1581	97.0	44.7	5600	250	250	1647	97.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	250	300	1531	97.0	44.7	5600	250	300	1597	97.0	44.7
					5200	250	350	1481	97.0	44.7	5600	250	350	1547	97.0	44.7
INTERIOR					5200	300	100	1681	97.0	44.7	5600	300	100	1747	97.0	44.7
Air Conditioning	add	44	sub	3	5200	300	150	1631	97.0	44.7	5600	300	150	1697	97.0	44.7
AM/FM/CD	add	3	add	3	5200	300	200	1581	97.0	44.7	5600	300	200	1647	97.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	250	1531	97.0	44.7	5600	300	250	1597	97.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	300	1481	97.0	44.7	5600	300	300	1547	97.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	350	1431	97.0	44.7	5600	300	350	1497	97.0	44.7
Satellite Radio	add	2	add	1	5600	350	100	1631	97.0	44.7	5600	350	100	1697	97.0	44.7
DVD Entertainment System	add	4	add	3	5600	350	150	1581	97.0	44.7	5600	350	150	1647	97.0	44.7
All Weather Floor Mats	add	6	add	4	5600	350	200	1531	97.0	44.7	5600	350	200	1597	97.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5600	350	250	1481	97.0	44.7	5600	350	250	1547	97.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5600	350	300	1431	97.0	44.7	5600	350	300	1497	97.0	44.7
Power Windows & Door Locks	add	15	add	6	5600	350	350	1381	97.0	44.7	5600	350	350	1447	97.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	5600	350	400	1331	97.0	44.7	5600	350	400	1397	97.0	44.7
					5600	350	450	1281	97.0	44.7	5600	350	450	1347	97.0	44.7
					5600	350	500	1231	97.0	44.7	5600	350	500	1297	97.0	44.7
EXTERIOR					5600	400	100	1581	97.0	44.7	5600	400	100	1647	97.0	44.7
Body Side Moldings - Body Color	add	2	add	1	5600	400	150	1531	97.0	44.7	5600	400	150	1597	97.0	44.7
Bumpers - Chrome	add	7	sub	3	5600	400	200	1481	97.0	44.7	5600	400	200	1547	97.0	44.7
Cab Steps - Platform	add	27	add	20	5600	400	250	1431	97.0	44.7	5600	400	250	1497	97.0	44.7
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27	5600	400	300	1381	97.0	44.7	5600	400	300	1447	97.0	44.7
Cab Steps - 4" Tubular	add	20	add	15	5600	400	350	1331	97.0	44.7	5600	400	350	1397	97.0	44.7
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19	5600	400	400	1281	97.0	44.7	5600	400	400	1347	97.0	44.7
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27	5600	400	450	1231	97.0	44.7	5600	400	450	1297	97.0	44.7
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3	5600	400	500	1181	97.0	44.7	5600	400	500	1247	97.0	44.7
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-250 (4 X 4) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 6.4L Diesel Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.4L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	6000	-50	-50	1517	97.0	44.7	6000	-50	-50	1617	97.0	44.7
Camper Package	add	0	add	33	6000	-50	0	1467	97.0	44.7	6000	-50	0	1567	97.0	44.7
Dual Alternator (Diesel Engines only)	add	21	add	0	6000	-50	50	1417	97.0	44.7	6000	-50	50	1517	97.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	6000	-50	100	1367	97.0	44.7	6000	-50	100	1467	97.0	44.7
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1	6000	0	-50	1467	97.0	44.7	6000	0	-50	1567	97.0	44.7
Full Wheel Covers	add	4	add	4	6000	0	0	1417	97.0	44.7	6000	0	0	1517	97.0	44.7
Limited-Slip Rear Axle	add	0	add	5	6000	0	50	1367	97.0	44.7	6000	0	50	1467	97.0	44.7
Skid Plates (4x4 only)	add	25	add	20	6000	0	100	1317	97.0	44.7	6000	0	100	1417	97.0	44.7
Stabilizer Package	add	2	add	26	6000	0	150	1267	97.0	44.7	6000	0	150	1367	97.0	44.7
Stepgate	sub	10	add	50	6000	50	0	1367	97.0	44.7	6000	50	0	1467	97.0	44.7
Spray-In Bedliner	add	1	add	19	6000	50	50	1317	97.0	44.7	6000	50	50	1417	97.0	44.7
					6000	50	100	1267	97.0	44.7	6000	50	100	1367	97.0	44.7
WHEELS & TIRES					6000	50	150	1217	97.0	44.7	6000	50	150	1317	97.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	6000	50	200	1167	97.0	44.7	6000	50	200	1267	97.0	44.7
18" Steel Wheels	add	10	add	17	6000	100	0	1317	97.0	44.7	6000	100	0	1417	97.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	6000	100	50	1267	97.0	44.7	6000	100	50	1367	97.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	6000	100	100	1217	97.0	44.7	6000	100	100	1317	97.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	6000	100	150	1167	97.0	44.7	6000	100	150	1267	97.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	6000	100	200	1117	97.0	44.7	6000	100	200	1217	97.0	44.7
LT245/75R17E A/T	add	0	add	0	6000	150	50	1217	97.0	44.7	6000	150	50	1317	97.0	44.7
LT265/70R17E A/T	add	9	add	13	6000	150	100	1167	97.0	44.7	6000	150	100	1267	97.0	44.7
LT275/65R18E A/S	add	17	add	27	6000	150	150	1117	97.0	44.7	6000	150	150	1217	97.0	44.7
LT275/70R18E A/S	add	17	add	27	6000	150	200	1067	97.0	44.7	6000	150	200	1167	97.0	44.7
LT275/70R18E A/T	add	17	add	27	6000	150	250	1017	97.0	44.7	6000	150	250	1117	97.0	44.7
LT275/65R20E A/T	add	33	add	33	6000	150	300	967	97.0	44.7	6000	150	300	1067	97.0	44.7
					6000	200	50	1167	97.0	44.7	6000	200	50	1267	97.0	44.7
SEATING					6000	200	100	1117	97.0	44.7	6000	200	100	1217	97.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	6000	200	150	1067	97.0	44.7	6000	200	150	1167	97.0	44.7
Front Bucket Seats	add	9	add	6	6000	200	200	1017	97.0	44.7	6000	200	200	1117	97.0	44.7
Front Captain's Chairs	add	11	add	10	6000	200	250	967	97.0	44.7	6000	200	250	1067	97.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	6000	200	300	917	97.0	44.7	6000	200	300	1017	97.0	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	6000	250	100	1067	97.0	44.7	6000	250	100	1167	97.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	6000	250	150	1017	97.0	44.7	6000	250	150	1117	97.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	6000	250	200	967	97.0	44.7	6000	250	200	1067	97.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	6000	250	250	917	97.0	44.7	6000	250	250	1017	97.0	44.7
Heated Seats	add	3	add	1	6000	250	300	867	97.0	44.7	6000	250	300	967	97.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	6000	250	350	817	97.0	44.7	6000	250	350	917	97.0	44.7
					6000	300	100	1017	97.0	44.7	6000	300	100	1117	97.0	44.7
INTERIOR					6000	300	150	967	97.0	44.7	6000	300	150	1067	97.0	44.7
Air Conditioning	add	44	sub	3	6000	300	200	917	97.0	44.7	6000	300	200	1017	97.0	44.7
AM/FM/CD	add	3	add	3	6000	300	250	867	97.0	44.7	6000	300	250	967	97.0	44.7
AM/FM/CDx6	add	5	add	2	6000	300	300	817	97.0	44.7	6000	300	300	917	97.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	6000	300	350	767	97.0	44.7	6000	300	350	867	97.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	6000	300	400	717	97.0	44.7	6000	300	400	817	97.0	44.7
Satellite Radio	add	2	add	1	6000	300	100	1017	97.0	44.7	6000	300	100	1117	97.0	44.7
DVD Entertainment System	add	4	add	3	6000	300	150	967	97.0	44.7	6000	300	150	1067	97.0	44.7
All Weather Floor Mats	add	6	add	4	6000	300	200	917	97.0	44.7	6000	300	200	1017	97.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	6000	300	250	867	97.0	44.7	6000	300	250	967	97.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	6000	300	300	817	97.0	44.7	6000	300	300	917	97.0	44.7
Power Windows & Door Locks	add	15	add	6	6000	300	350	767	97.0	44.7	6000	300	350	867	97.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	6000	350	100	967	97.0	44.7	6000	350	100	1067	97.0	44.7
					6000	350	150	917	97.0	44.7	6000	350	150	1017	97.0	44.7
					6000	350	200	867	97.0	44.7	6000	350	200	967	97.0	44.7
EXTERIOR					6000	350	250	817	97.0	44.7	6000	350	250	917	97.0	44.7
Body Side Moldings - Body Color	add	2	add	1	6000	350	300	767	97.0	44.7	6000	350	300	867	97.0	44.7
Bumpers - Chrome	add	7	sub	3	6000	350	350	717	97.0	44.7	6000	350	350	817	97.0	44.7
Cab Steps - Platform	add	27	add	20	6000	350	400	667	97.0	44.7	6000	350	400	767	97.0	44.7
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27	6000	350	450	617	97.0	44.7	6000	350	450	717	97.0	44.7
Cab Steps - 4" Tubular	add	20	add	15	6000	350	500	567	97.0	44.7	6000	350	500	667	97.0	44.7
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19	6000	400	100	917	97.0	44.7	6000	400	100	1017	97.0	44.7
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27	6000	400	150	867	97.0	44.7	6000	400	150	967	97.0	44.7
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3	6000	400	200	817	97.0	44.7	6000	400	200	917	97.0	44.7
Mirrors - Power Glass, Manual Telescoping	add	11	add	3	6000	400	250	767	97.0	44.7	6000	400	250	867	97.0	44.7
Mirrors - Power Glass, Power Telescoping	add	11	add	3	6000	400	300	717	97.0	44.7	6000	400	300	817	97.0	44.7
Moonroof - Power Sliding (C/Cab only)	add	29	add	22	6000	400	350	667	97.0	44.7	6000	400	350	767	97.0	44.7
Pickup Box Mat	add	2	add	60	6000	400	400	617	97.0	44.7	6000	400	400	717	97.0	44.7
Sliding Rear Window - Manual	add	3	add	1	6000	400	450	567	97.0	44.7	6000	400	450	667	97.0	44.7
Sliding Rear Window - Power	add	4	add	3	6000	400	500	517	97.0	44.7	6000	400	500	617	97.0	44.7
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Std GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 10200 lb (4626 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	3219	73.3	44.7
4850	-50	0	3169	73.7	44.7
4850	-50	50	3119	74.1	44.7
4850	-50	100	3069	74.5	44.7
4850	0	-50	3169	71.5	44.7
4850	0	0	3119	71.9	44.7
4850	0	50	3069	72.3	44.7
4850	0	100	3019	72.7	44.7
4850	0	150	2969	73.1	44.7
4850	50	0	3069	70.0	44.7
4850	50	50	3019	70.4	44.7
4850	50	100	2969	70.8	44.7
4850	50	150	2919	71.2	44.7
4850	50	200	2869	71.6	44.7
5000	100	0	3019	74.9	44.7
5000	100	50	2969	75.4	44.7
5000	100	100	2919	75.9	44.7
5000	100	150	2869	76.4	44.7
5000	100	200	2819	76.9	44.7
5000	150	50	2919	73.5	44.7
5000	150	100	2869	74.0	44.7
5000	150	150	2819	74.4	44.7
5000	150	200	2769	74.9	44.7
5000	150	250	2719	75.4	44.7
5000	150	300	2669	75.9	44.7
5000	200	50	2869	71.6	44.7
5000	200	100	2819	72.0	44.7
5000	200	150	2769	72.4	44.7
5000	200	200	2719	72.9	44.7
5000	200	250	2669	73.4	44.7
5000	200	300	2619	73.8	44.7
5250	250	100	2769	82.3	44.7
5250	250	150	2719	83.0	44.7
5250	250	200	2669	83.6	44.7
5250	250	250	2619	84.3	44.7
5250	250	300	2569	85.0	44.7
5250	250	350	2519	85.8	44.7
5250	300	100	2719	80.4	44.7
5250	300	150	2669	81.1	44.7
5250	300	200	2619	81.7	44.7
5250	300	250	2569	82.4	44.7
5250	300	300	2519	83.0	44.7
5250	300	350	2469	83.8	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (17" Wheel/Tire, Std GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

VEHICLE LOADING DATA

6.4L Diesel Engine 10400 lb (4717 kg) GVWR

VEHICLE LOADING DATA

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	2720	64.8	44.7
4850	-50	0	2670	65.1	44.7
4850	-50	50	2620	65.4	44.7
4850	-50	100	2570	65.8	44.7
5000	0	-50	2670	70.4	44.7
5000	0	0	2620	70.9	44.7
5000	0	50	2570	71.3	44.7
5000	0	100	2520	71.8	44.7
5000	0	150	2470	72.2	44.7
5000	50	0	2570	68.5	44.7
5000	50	50	2520	69.0	44.7
5000	50	100	2470	69.4	44.7
5000	50	150	2420	69.8	44.7
5000	50	200	2370	70.3	44.7
5000	100	0	2520	66.1	44.7
5000	100	50	2470	66.5	44.7
5000	100	100	2420	66.9	44.7
5000	100	150	2370	67.3	44.7
5000	100	200	2320	67.7	44.7
5250	150	50	2420	78.6	44.7
5250	150	100	2370	79.3	44.7
5250	150	150	2320	79.9	44.7
5250	150	200	2270	80.6	44.7
5250	150	250	2220	81.0	44.7
5250	150	300	2170	81.0	44.7
5250	200	50	2370	76.3	44.7
5250	200	100	2320	76.9	44.7
5250	200	150	2270	77.5	44.7
5250	200	200	2220	78.2	44.7
5250	200	250	2170	78.9	44.7
5250	200	300	2120	79.6	44.7
5250	250	100	2270	74.4	44.7
5250	250	150	2220	75.0	44.7
5250	250	200	2170	75.6	44.7
5250	250	250	2120	76.3	44.7
5250	250	300	2070	77.0	44.7
5250	250	350	2020	77.7	44.7
5250	300	100	2220	71.8	44.7
5250	300	150	2170	72.4	44.7
5250	300	200	2120	72.9	44.7
5250	300	250	2070	73.5	44.7
5250	300	300	2020	74.2	44.7
5250	300	350	1970	74.8	44.7

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (17" Wheel/Tire, Std GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10100 lb (4580 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10200 lb (4626 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	4250	-50	-50	3211	68.4	48.2	4400	-50	-50	3176	69.3	46.4
Camper Package		n.a.		n.a.	4250	-50	0	3161	68.7	48.2	4400	-50	0	3126	69.6	46.4
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4250	-50	50	3111	69.1	48.3	4400	-50	50	3076	70.0	46.4
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4250	-50	100	3061	69.4	48.3	4400	-50	100	3026	70.4	46.3
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	0	-50	3161	73.7	45.8	4550	0	-50	3126	74.7	44.7
Full Wheel Covers	add	4	add	4	4400	0	0	3111	74.2	45.7	4550	0	0	3076	75.1	44.7
Limited-Slip Rear Axle	add	0	add	5	4400	0	50	3061	74.6	45.7	4550	0	50	3026	75.6	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4400	0	100	3011	75.0	45.6	4550	0	100	2976	76.0	44.7
Stabilizer Package	add	2	add	26	4400	0	150	2961	75.5	45.6	4550	0	150	2926	76.5	44.7
Stepgate	sub	10	add	50	4400	50	0	3061	72.0	44.7	4550	50	0	3026	73.0	44.7
Spray-In Bedliner	add	1	add	19	4400	50	50	3011	72.4	44.7	4550	50	50	2976	73.4	44.7
					4400	50	100	2961	72.8	44.7	4550	50	100	2926	73.8	44.7
WHEELS & TIRES					4400	50	150	2911	73.3	44.7	4550	50	150	2876	74.3	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4400	50	200	2861	73.7	44.7	4550	50	200	2826	74.7	44.7
18" Steel Wheels	add	10	add	17	4400	100	0	3011	69.8	44.7	4550	100	0	2976	70.7	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4400	100	50	2961	70.2	44.7	4550	100	50	2926	71.1	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4400	100	100	2911	70.5	44.7	4550	100	100	2876	71.5	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4400	100	150	2861	70.9	44.7	4550	100	150	2826	71.9	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4400	100	200	2811	71.3	44.7	4550	100	200	2776	72.4	44.7
LT245/75R17E A/T	add	0	add	0	4550	150	50	2911	76.0	44.7	4700	150	50	2876	77.0	44.7
LT265/70R17E A/T	add	9	add	13	4550	150	100	2861	76.5	44.7	4700	150	100	2826	77.5	44.7
LT275/65R18E A/S	add	17	add	27	4550	150	150	2811	77.0	44.7	4700	150	150	2776	78.1	44.7
LT275/70R18E A/S	add	17	add	27	4550	150	200	2761	77.5	44.7	4700	150	200	2726	78.6	44.7
LT275/70R18E A/T	add	17	add	27	4550	150	250	2711	78.0	44.7	4700	150	250	2676	79.2	44.7
LT275/65R20E A/T	add	33	add	33	4550	150	300	2661	78.6	44.7	4700	150	300	2626	79.8	44.7
					4550	200	50	2861	73.7	44.7	4700	200	50	2826	74.7	44.7
SEATING					4550	200	100	2811	74.2	44.7	4700	200	100	2776	75.2	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4550	200	150	2761	74.6	44.7	4700	200	150	2726	75.7	44.7
Front Bucket Seats	add	9	add	6	4550	200	200	2711	75.1	44.7	4700	200	200	2676	76.2	44.7
Front Captain's Chairs	add	11	add	10	4550	200	250	2661	75.6	44.7	4700	200	250	2626	76.8	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4550	200	300	2611	76.2	44.7	4700	200	300	2576	77.4	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4550	250	100	2761	71.8	44.7	4700	250	100	2726	72.8	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4550	250	150	2711	72.2	44.7	4700	250	150	2676	73.3	44.7
Power 6-Way Driver's Seat	add	3	add	1	4550	250	200	2661	72.7	44.7	4700	250	200	2626	73.8	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4550	250	250	2611	73.1	44.7	4700	250	250	2576	74.3	44.7
Heated Seats	add	3	add	1	4550	250	300	2561	73.6	44.7	4700	250	300	2526	74.8	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4550	250	350	2511	74.2	44.7	4700	250	350	2476	75.4	44.7
					4700	300	100	2711	78.0	44.7	4850	300	100	2676	79.2	44.7
INTERIOR					4700	300	150	2661	78.6	44.7	4850	300	150	2626	79.8	44.7
Air Conditioning	add	44	sub	3	4700	300	200	2611	79.2	44.7	4850	300	200	2576	80.4	44.7
AM/FM/CD	add	3	add	3	4700	300	250	2561	79.8	44.7	4850	300	250	2526	81.1	44.7
AM/FM/CDx6	add	5	add	2	4700	300	300	2511	80.4	44.7	4850	300	300	2476	81.7	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4700	300	350	2461	81.1	44.7	4850	300	350	2426	82.4	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Std GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10600 lb (4807 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	2795	80.7	44.7
5250	-50	0	2745	81.3	44.7
5250	-50	50	2695	81.9	44.7
5250	-50	100	2645	82.6	44.7
5250	0	-50	2745	78.4	44.7
5250	0	0	2695	79.0	44.7
5250	0	50	2645	79.6	44.7
5250	0	100	2595	80.2	44.7
5250	0	150	2545	80.8	44.7
5250	50	0	2645	76.6	44.7
5250	50	50	2595	77.1	44.7
5250	50	100	2545	77.7	44.7
5250	50	150	2495	78.3	44.7
5250	50	200	2445	78.9	44.7
5250	100	0	2595	74.1	44.7
5250	100	50	2545	74.6	44.7
5250	100	100	2495	75.1	44.7
5250	100	150	2445	75.7	44.7
5250	100	200	2395	76.3	44.7
5250	150	50	2495	72.0	44.7
5250	150	100	2445	72.5	44.7
5250	150	150	2395	73.0	44.7
5250	150	200	2345	73.5	44.7
5250	150	250	2295	74.1	44.7
5250	150	300	2245	74.7	44.7
5250	200	50	2445	69.2	44.7
5250	200	100	2395	69.7	44.7
5250	200	150	2345	70.2	44.7
5250	200	200	2295	70.6	44.7
5250	200	250	2245	71.1	44.7
5250	200	300	2195	71.7	44.7
5250	250	100	2345	66.8	44.7
5250	250	150	2295	67.2	44.7
5250	250	200	2245	67.6	44.7
5250	250	250	2195	68.1	44.7
5250	250	300	2145	68.5	44.7
5250	250	350	2095	69.0	44.7
5250	300	100	2295	63.8	44.7
5250	300	150	2245	64.1	44.7
5250	300	200	2195	64.5	44.7
5250	300	250	2145	64.9	44.7
5250	300	300	2095	65.3	44.7
5250	300	350	2045	65.7	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (17" Wheel/Tire, Std GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10100 lb (4580 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10200 lb (4626 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4100	-50	-50	3155	63.0	50.1	4250	-50	-50	3127	64.0	48.5
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4100	-50	0	3105	63.2	50.1	4250	-50	0	3077	64.2	48.5
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4100	-50	50	3055	63.4	50.1	4250	-50	50	3027	64.5	48.5
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4100	-50	100	3005	63.7	50.2	4250	-50	100	2977	64.8	48.5
Full Wheel Covers	add	4	add	4	4250	0	-50	3105	68.2	47.6	4400	0	-50	3077	69.3	46.0
Limited-Slip Rear Axle	add	0	add	5	4250	0	0	3055	68.6	47.6	4400	0	0	3027	69.7	45.9
Skid Plates (4x4 only)		n.a.		n.a.	4250	0	50	3005	68.9	47.6	4400	0	50	2977	70.0	45.9
Stabilizer Package	add	2	add	26	4250	0	100	2955	69.3	47.6	4400	0	100	2927	70.4	45.9
Stepgate	sub	10	add	50	4250	0	150	2905	69.6	47.6	4400	0	150	2877	70.8	45.8
Spray-In Bedliner	add	0	add	16	4250	50	0	3005	66.3	45.0	4400	50	0	2977	67.4	44.7
					4250	50	50	2955	66.6	44.9	4400	50	50	2927	67.7	44.7
WHEELS & TIRES					4250	50	100	2905	66.9	44.9	4400	50	100	2877	68.1	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4250	50	150	2855	67.3	44.8	4400	50	150	2827	68.4	44.7
18" Steel Wheels	add	10	add	17	4250	50	200	2805	67.6	44.8	4400	50	200	2777	68.8	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4250	100	0	2955	64.0	44.7	4400	100	0	2927	65.1	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4250	100	50	2905	64.2	44.7	4400	100	50	2877	65.4	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4250	100	100	2855	64.5	44.7	4400	100	100	2827	65.7	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4250	100	150	2805	64.8	44.7	4400	100	150	2777	66.0	44.7
LT245/75R17E A/T	add	0	add	0	4250	100	200	2755	65.1	44.7	4400	100	200	2727	66.3	44.7
LT265/70R17E A/T	add	9	add	13	4400	150	50	2855	70.0	44.7	4550	150	50	2827	71.2	44.7
LT275/65R18E A/S	add	17	add	27	4400	150	100	2805	70.4	44.7	4550	150	100	2777	71.6	44.7
LT275/70R18E A/S	add	17	add	27	4400	150	150	2755	70.8	44.7	4550	150	150	2727	72.1	44.7
LT275/70R18E A/T	add	17	add	27	4400	150	200	2705	71.2	44.7	4550	150	200	2677	72.5	44.7
LT275/65R20E A/T	add	33	add	33	4400	150	250	2655	71.7	44.7	4550	150	250	2627	73.0	44.7
					4400	150	300	2605	72.1	44.7	4550	150	300	2577	73.5	44.7
SEATING					4400	200	50	2805	67.6	44.7	4550	200	50	2777	68.8	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4400	200	100	2755	68.0	44.7	4550	200	100	2727	69.2	44.7
Front Bucket Seats	add	9	add	6	4400	200	150	2705	68.3	44.7	4550	200	150	2677	69.6	44.7
Front Captain's Chairs	add	11	add	10	4400	200	200	2655	68.7	44.7	4550	200	200	2627	70.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4400	200	250	2605	69.1	44.7	4550	200	250	2577	70.4	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	4400	200	300	2555	69.5	44.7	4550	200	300	2527	70.9	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4400	250	100	2705	65.4	44.7	4550	250	100	2677	66.7	44.7
Power 6-Way Driver's Seat	add	3	add	1	4400	250	150	2655	65.8	44.7	4550	250	150	2627	67.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4400	250	200	2605	66.1	44.7	4550	250	200	2577	67.4	44.7
Heated Seats	add	3	add	1	4400	250	250	2555	66.5	44.7	4550	250	250	2527	67.8	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4400	250	300	2505	66.8	44.7	4550	250	300	2477	68.2	44.7
					4400	250	350	2455	67.2	44.7	4550	250	350	2427	68.6	44.7
INTERIOR					4550	300	100	2655	71.7	44.7	4700	300	100	2627	73.0	44.7
Air Conditioning	add	44	sub	3	4550	300	150	2605	72.1	44.7	4700	300	150	2577	73.5	44.7
AM/FM/CD	add	3	add	3	4550	300	200	2555	72.6	44.7	4700	300	200	2527	74.0	44.7
AM/FM/CDx6	add	5	add	2	4550	300	250	2505	73.1	44.7	4700	300	250	2477	74.5	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4550	300	300	2455	73.6	44.7	4700	300	300	2427	75.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4550	300	350	2405	74.1	44.7	4700	300	350	2377	75.6	44.7
Satellite Radio	add	2	add	1	4550	300	400	2355	74.7	44.7	4700	300	400	2327	76.2	44.7
DVD Entertainment System	add	4	add	3	4550	350	100	2605	69.1	44.7	4700	350	100	2577	70.4	44.7
All Weather Floor Mats	add	6	add	4	4550	350	150	2555	69.5	44.7	4700	350	150	2527	70.9	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4550	350	200	2505	70.0	44.7	4700	350	200	2477	71.3	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	4550	350	250	2455	70.4	44.7	4700	350	250	2427	71.8	44.7
Power Windows & Door Locks	add	15	add	6	4550	350	300	2405	70.9	44.7	4700	350	300	2377	72.3	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	4550	350	350	2355	71.4	44.7	4700	350	350	2327	72.9	44.7
					4550	350	400	2305	71.9	44.7	4700	350	400	2277	73.4	44.7
					4550	350	450	2255	72.4	44.7	4700	350	450	2227	74.0	44.7
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Std GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10600 lb (4807 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5000	-50	-50	2746	68.0	44.7
5000	-50	0	2696	68.3	44.7
5000	-50	50	2646	68.7	44.7
5000	-50	100	2596	69.1	44.7
5000	0	-50	2696	65.4	44.7
5000	0	0	2646	65.8	44.7
5000	0	50	2596	66.1	44.7
5000	0	100	2546	66.5	44.7
5000	0	150	2496	66.8	44.7
5250	50	0	2596	78.2	44.7
5250	50	50	2546	78.7	44.7
5250	50	100	2496	79.4	44.7
5250	50	150	2446	80.0	44.7
5250	50	200	2396	80.7	44.7
5250	100	0	2546	75.7	44.7
5250	100	50	2496	76.2	44.7
5250	100	100	2446	76.8	44.7
5250	100	150	2396	77.4	44.7
5250	100	200	2346	78.0	44.7
5250	150	50	2446	73.6	44.7
5250	150	100	2396	74.2	44.7
5250	150	150	2346	74.7	44.7
5250	150	200	2296	75.3	44.7
5250	150	250	2246	75.9	44.7
5250	150	300	2196	76.5	44.7
5250	200	50	2396	70.9	44.7
5250	200	100	2346	71.4	44.7
5250	200	150	2296	71.9	44.7
5250	200	200	2246	72.4	44.7
5250	200	250	2196	73.0	44.7
5250	200	300	2146	73.6	44.7
5250	250	100	2296	68.5	44.7
5250	250	150	2246	69.0	44.7
5250	250	200	2196	69.4	44.7
5250	250	250	2146	69.9	44.7
5250	250	300	2096	70.5	44.7
5250	250	350	2046	71.0	44.7
5250	300	100	2246	65.5	44.7
5250	300	150	2196	65.9	44.7
5250	300	200	2146	66.3	44.7
5250	300	250	2096	66.7	44.7
5250	300	300	2046	67.2	44.7
5250	300	350	1996	67.7	44.7
5250	300	400	1946	68.2	44.7
5250	350	100	2196	62.3	44.7
5250	350	150	2146	62.7	44.7
5250	350	200	2096	63.0	44.7
5250	350	250	2046	63.4	44.7
5250	350	300	1996	63.8	44.7
5250	350	350	1946	64.2	44.7
5250	350	400	1896	64.6	44.7
5250	350	450	1846	65.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (17" Wheel/Tire, Std GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10200 lb (4626 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10400 lb (4717 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4400	-50	-50	3136	72.7	47.4	4550	-50	-50	3203	73.2	51.1
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	0	3086	73.1	47.4	4550	-50	0	3153	73.6	51.2
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4400	-50	50	3036	73.6	47.4	4550	-50	50	3103	74.0	51.2
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	-50	100	2986	74.0	47.4	4550	-50	100	3053	74.4	51.3
Full Wheel Covers	add	4	add	4	4550	0	-50	3086	78.7	44.7	4550	0	-50	3153	70.9	48.4
Limited-Slip Rear Axle	add	0	add	5	4550	0	0	3036	79.2	44.7	4550	0	0	3103	71.2	48.4
Skid Plates (4x4 only)		n.a.		n.a.	4550	0	50	2986	79.8	44.7	4550	0	50	3053	71.6	48.4
Stabilizer Package	add	2	add	26	4550	0	100	2936	80.3	44.7	4550	0	100	3003	72.0	48.5
Stepgate	sub	10	add	50	4550	0	150	2886	80.9	44.7	4550	0	150	2953	72.4	48.5
Spray-In Bedliner	add	1	add	19	4550	50	0	2986	76.9	44.7	4700	50	0	3053	77.3	45.6
					4550	50	50	2936	77.4	44.7	4700	50	50	3003	77.7	45.6
WHEELS & TIRES					4550	50	100	2886	77.9	44.7	4700	50	100	2953	78.2	45.5
17" Window Aluminum Wheels	sub	23	sub	23	4550	50	150	2836	78.4	44.7	4700	50	150	2903	78.8	45.5
18" Steel Wheels	add	10	add	17	4550	50	200	2786	79.0	44.7	4700	50	200	2853	79.3	45.5
18" Forged Aluminum Wheels	sub	25	sub	14	4550	100	0	2936	74.4	44.7	4700	100	0	3003	74.9	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4550	100	50	2886	74.9	44.7	4700	100	50	2953	75.3	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4550	100	100	2836	75.4	44.7	4700	100	100	2903	75.8	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4550	100	150	2786	75.9	44.7	4700	100	150	2853	76.3	44.7
LT245/75R17E A/T	add	0	add	0	4550	100	200	2736	76.4	44.7	4700	100	200	2803	76.8	44.7
LT265/70R17E A/T	add	9	add	13	4700	150	50	2836	81.4	44.7	4700	150	50	2903	72.8	44.7
LT275/65R18E A/S	add	17	add	27	4700	150	100	2786	82.0	44.7	4700	150	100	2853	73.3	44.7
LT275/70R18E A/S	add	17	add	27	4700	150	150	2736	82.7	44.7	4700	150	150	2803	73.7	44.7
LT275/70R18E A/T	add	17	add	27	4700	150	200	2686	83.3	44.7	4700	150	200	2753	74.2	44.7
LT275/65R20E A/T	add	33	add	33	4700	150	250	2636	84.0	44.7	4700	150	250	2703	74.7	44.7
					4700	150	300	2586	84.7	44.7	4700	150	300	2653	75.2	44.7
SEATING					4700	200	50	2786	79.0	44.7	4850	200	50	2853	79.3	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4700	200	100	2736	79.5	44.7	4850	200	100	2803	79.9	44.7
Front Bucket Seats	add	9	add	6	4700	200	150	2686	80.1	44.7	4850	200	150	2753	80.5	44.7
Front Captain's Chairs	add	11	add	10	4700	200	200	2636	80.7	44.7	4850	200	200	2703	81.1	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4700	200	250	2586	81.4	44.7	4850	200	250	2653	81.7	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	4700	200	300	2536	82.0	44.7	4850	200	300	2603	82.3	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4700	250	100	2686	76.9	44.7	4850	250	100	2753	77.3	44.7
Power 6-Way Driver's Seat	add	3	add	1	4700	250	150	2636	77.4	44.7	4850	250	150	2703	77.9	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4700	250	200	2586	78.0	44.7	4850	250	200	2653	78.4	44.7
Heated Seats	add	3	add	1	4700	250	250	2536	78.6	44.7	4850	250	250	2603	79.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4700	250	300	2486	79.2	44.7	4850	250	300	2553	79.6	44.7
					4700	250	350	2436	79.9	44.7	4850	250	350	2503	80.3	44.7
INTERIOR					4850	300	100	2636	84.0	44.7	4850	300	100	2703	74.7	44.7
Air Conditioning	add	44	sub	3	4850	300	150	2586	84.7	44.7	4850	300	150	2653	75.2	44.7
AM/FM/CD	add	3	add	3	4850	300	200	2536	85.4	44.7	4850	300	200	2603	75.7	44.7
AM/FM/CDx6	add	5	add	2	4850	300	250	2486	86.2	44.7	4850	300	250	2553	76.2	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4850	300	300	2436	86.9	44.7	4850	300	300	2503	76.8	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4850	300	350	2386	87.8	44.7	4850	300	350	2453	77.4	44.7
Satellite Radio	add	2	add	1	4850	300	400	2336	88.6	44.7	4850	300	400	2403	78.0	44.7
DVD Entertainment System	add	4	add	3	4850	350	100	2586	81.4	44.7	5000	350	100	2653	81.7	44.7
All Weather Floor Mats	add	6	add	4	4850	350	150	2536	82.0	44.7	5000	350	150	2603	82.3	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4850	350	200	2486	82.7	44.7	5000	350	200	2553	83.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	4850	350	250	2436	83.4	44.7	5000	350	250	2503	83.7	44.7
Power Windows & Door Locks	add	15	add	6	4850	350	300	2386	84.1	44.7	5000	350	300	2453	84.4	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	4850	350	350	2336	84.9	44.7	5000	350	350	2403	85.2	44.7
					4850	350	400	2286	85.7	44.7	5000	350	400	2353	86.0	44.7
					4850	350	450	2236	86.6	44.7	5000	350	450	2303	86.8	44.7
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Std GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10800 lb (4898 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	2823	76.7	44.7
5250	-50	0	2773	77.2	44.7
5250	-50	50	2723	77.7	44.7
5250	-50	100	2673	78.3	44.7
5250	0	-50	2773	74.1	44.7
5250	0	0	2723	74.5	44.7
5250	0	50	2673	75.0	44.7
5250	0	100	2623	75.6	44.7
5250	0	150	2573	76.1	44.7
5250	50	0	2673	71.8	44.7
5250	50	50	2623	72.3	44.7
5250	50	100	2573	72.7	44.7
5250	50	150	2523	73.2	44.7
5250	50	200	2473	73.7	44.7
5250	100	0	2623	69.0	44.7
5250	100	50	2573	69.4	44.7
5250	100	100	2523	69.8	44.7
5250	100	150	2473	70.3	44.7
5250	100	200	2423	70.7	44.7
5250	150	50	2523	66.4	44.7
5250	150	100	2473	66.8	44.7
5250	150	150	2423	67.2	44.7
5250	150	200	2373	67.6	44.7
5250	150	250	2323	68.0	44.7
5250	150	300	2273	68.4	44.7
5250	200	50	2473	63.3	44.7
5250	200	100	2423	63.6	44.7
5250	200	150	2373	63.9	44.7
5250	200	200	2323	64.3	44.7
5250	200	250	2273	64.6	44.7
5250	200	300	2223	65.0	44.7
5250	250	100	2373	60.3	44.7
5250	250	150	2323	60.6	44.7
5250	250	200	2273	60.8	44.7
5250	250	250	2223	61.1	44.7
5250	250	300	2173	61.4	44.7
5250	250	350	2123	61.8	44.7
5250	300	100	2323	56.9	44.7
5250	300	150	2273	57.1	44.7
5250	300	200	2223	57.3	44.7
5250	300	250	2173	57.5	44.7
5250	300	300	2123	57.7	44.7
5250	300	350	2073	57.9	44.7
5250	300	400	2023	58.2	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Std GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10100 lb (4580 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10200 lb (4626 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	4400	-50	-50	3613	71.2	50.0	4800	-50	-50	3580	81.6	48.8
Camper Package		n.a.		n.a.	4400	-50	0	3563	71.5	50.0	4800	-50	0	3530	82.1	48.8
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	50	3513	71.9	50.1	4800	-50	50	3480	82.6	48.8
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4400	-50	100	3463	72.2	50.1	4800	-50	100	3430	83.1	48.8
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	0	-50	3563	69.6	48.1	4800	0	-50	3530	80.2	46.8
Full Wheel Covers	add	4	add	4	4400	0	0	3513	69.9	48.1	4800	0	0	3480	80.6	46.8
Limited-Slip Rear Axle	add	0	add	5	4400	0	50	3463	70.2	48.1	4800	0	50	3430	81.1	46.8
Skid Plates (4x4 only)	add	20	add	25	4400	0	100	3413	70.6	48.1	4800	0	100	3380	81.6	46.8
Stabilizer Package	add	2	add	26	4400	0	150	3363	70.9	48.1	4800	0	150	3330	82.1	46.8
Stepgate	sub	10	add	50	4800	50	0	3463	84.1	46.1	4800	50	0	3430	79.1	44.8
Spray-In Bedliner	add	1	add	19	4800	50	50	3413	84.6	46.1	4800	50	50	3380	79.6	44.7
					4800	50	100	3363	85.2	46.1	4800	50	100	3330	80.1	44.7
WHEELS & TIRES					4800	50	150	3313	85.7	46.0	4800	50	150	3280	80.6	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4800	50	200	3263	86.3	46.0	4800	50	200	3230	81.1	44.7
18" Steel Wheels	add	10	add	17	4800	100	0	3413	82.6	44.7	4800	100	0	3380	77.6	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4800	100	50	3363	83.1	44.7	4800	100	50	3330	78.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4800	100	100	3313	83.7	44.7	4800	100	100	3280	78.5	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4800	100	150	3263	84.2	44.7	4800	100	150	3230	78.9	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4800	100	200	3213	84.8	44.7	4800	100	200	3180	79.4	44.7
LT245/75R17E A/T	add	0	add	0	4800	150	50	3313	81.6	44.7	4800	150	50	3280	76.4	44.7
LT265/70R17E A/T	add	9	add	13	4800	150	100	3263	82.1	44.7	4800	150	100	3230	76.8	44.7
LT275/65R18E A/S	add	17	add	27	4800	150	150	3213	82.6	44.7	4800	150	150	3180	77.3	44.7
LT275/70R18E A/S	add	17	add	27	4800	150	200	3163	83.2	44.7	4800	150	200	3130	77.7	44.7
LT275/70R18E A/T	add	17	add	27	4800	150	250	3113	83.8	44.7	4800	150	250	3080	78.2	44.7
LT275/65R20E A/T	add	33	add	33	4800	150	300	3063	84.3	44.7	4800	150	300	3030	78.7	44.7
					4800	200	50	3263	80.0	44.7	4800	200	50	3230	74.7	44.7
SEATING					4800	200	100	3213	80.5	44.7	4800	200	100	3180	75.1	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4800	200	150	3163	81.0	44.7	4800	200	150	3130	75.6	44.7
Front Bucket Seats	add	9	add	6	4800	200	200	3113	81.6	44.7	4800	200	200	3080	76.0	44.7
Front Captain's Chairs	add	11	add	10	4800	200	250	3063	82.1	44.7	4800	200	250	3030	76.5	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4800	200	300	3013	82.7	44.7	4800	200	300	2980	77.0	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4800	250	100	3163	78.9	44.7	4800	250	100	3130	73.4	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4800	250	150	3113	79.4	44.7	4800	250	150	3080	73.8	44.7
Power 6-Way Driver's Seat	add	3	add	1	4800	250	200	3063	79.9	44.7	4800	250	200	3030	74.2	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4800	250	250	3013	80.4	44.7	4800	250	250	2980	74.7	44.7
Heated Seats	add	3	add	1	4800	250	300	2963	81.0	44.7	4800	250	300	2930	75.1	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4800	250	350	2913	81.5	44.7	4800	250	350	2880	75.6	44.7
					4800	300	400	2813	80.3	44.7	5200	300	400	2780	93.8	44.7
INTERIOR					4800	300	100	3113	77.2	44.7	5200	300	100	3080	89.4	44.7
Air Conditioning	add	44	sub	3	4800	300	150	3063	77.6	44.7	5200	300	150	3030	90.0	44.7
AM/FM/CD	add	3	add	3	4800	300	200	3013	78.1	44.7	5200	300	200	2980	90.7	44.7
AM/FM/CDx6	add	5	add	2	4800	300	250	2963	78.6	44.7	5200	300	250	2930	91.5	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.	4800	300	300	2913	79.2	44.7	5200	300	300	2880	92.2	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.	4800	300	350	2863	79.7	44.7	5200	300	350	2830	93.0	44.7
Satellite Radio	add	2	add	1	4800	300	400	2813	80.3	44.7	5200	300	400	2780	93.8	44.7
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	2												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	17	add	12												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (17" Wheel/Tire, Std GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	25
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10600 lb (4807 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	3183	72.6	44.7
5200	-50	0	3133	73.0	44.7
5200	-50	50	3083	73.4	44.7
5200	-50	100	3033	73.9	44.7
5600	0	-50	3133	88.3	44.7
5600	0	0	3083	89.0	44.7
5600	0	50	3033	89.7	44.7
5600	0	100	2983	90.4	44.7
5600	0	150	2933	91.1	44.7
5600	50	0	3033	87.4	44.7
5600	50	50	2983	88.1	44.7
5600	50	100	2933	88.8	44.7
5600	50	150	2883	89.5	44.7
5600	50	200	2833	90.2	44.7
5600	100	0	2983	85.8	44.7
5600	100	50	2933	86.4	44.7
5600	100	100	2883	87.1	44.7
5600	100	150	2833	87.8	44.7
5600	100	200	2783	88.5	44.7
5600	150	50	2883	84.7	44.7
5600	150	100	2833	85.4	44.7
5600	150	150	2783	86.1	44.7
5600	150	200	2733	86.7	44.7
5600	150	250	2683	87.5	44.7
5600	150	300	2633	88.2	44.7
5600	200	50	2833	83.0	44.7
5600	200	100	2783	83.6	44.7
5600	200	150	2733	84.2	44.7
5600	200	200	2683	84.9	44.7
5600	200	250	2633	85.6	44.7
5600	200	300	2583	86.4	44.7
5600	250	100	2733	81.7	44.7
5600	250	150	2683	82.4	44.7
5600	250	200	2633	83.0	44.7
5600	250	250	2583	83.7	44.7
5600	250	300	2533	84.4	44.7
5600	250	350	2483	85.1	44.7
5600	300	100	2683	79.8	44.7
5600	300	150	2633	80.4	44.7
5600	300	200	2583	81.1	44.7
5600	300	250	2533	81.7	44.7
5600	300	300	2483	82.4	44.7
5600	300	350	2433	83.1	44.7
5600	300	400	2383	83.8	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Std GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

VEHICLE LOADING DATA
5.4L Gasoline Engine 10200 lb (4626 kg) GVWR

VEHICLE LOADING DATA
6.8L Gasoline Engine 10400 lb (4717 kg) GVWR

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	18	add	18
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

5.4L Gasoline Engine 10200 lb (4626 kg) GVWR							6.8L Gasoline Engine 10400 lb (4717 kg) GVWR					
FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI	I	II	III	IV	V	VI
4800	-50	-50	3043	81.0	44.7	4800	-50	-50	3111	75.9	45.8
4800	-50	0	2993	81.0	44.7	4800	-50	0	3061	76.3	45.8
4800	-50	50	2943	81.0	44.7	4800	-50	50	3011	76.8	45.7
4800	-50	100	2893	81.0	44.7	4800	-50	100	2961	77.3	45.7
4800	0	-50	2993	81.0	44.7	4800	0	-50	3061	74.0	44.7
4800	0	0	2943	81.0	44.7	4800	0	0	3011	74.5	44.7
4800	0	50	2893	81.0	44.7	4800	0	50	2961	74.9	44.7
4800	0	100	2843	81.0	44.7	4800	0	100	2911	75.4	44.7
4800	0	150	2793	81.0	44.7	4800	0	150	2861	75.9	44.7
4800	50	0	2893	79.7	44.7	4800	50	0	2961	72.5	44.7
4800	50	50	2843	80.2	44.7	4800	50	50	2911	72.9	44.7
4800	50	100	2793	80.8	44.7	4800	50	100	2861	73.4	44.7
4800	50	150	2743	81.0	44.7	4800	50	150	2811	73.8	44.7
4800	50	200	2693	81.0	44.7	4800	50	200	2761	74.3	44.7
4800	100	0	2843	77.7	44.7	4800	100	0	2911	70.5	44.7
4800	100	50	2793	78.3	44.7	4800	100	50	2861	70.9	44.7
4800	100	100	2743	78.8	44.7	4800	100	100	2811	71.3	44.7
4800	100	150	2693	79.4	44.7	4800	100	150	2761	71.7	44.7
4800	100	200	2643	80.0	44.7	4800	100	200	2711	72.2	44.7
4800	150	50	2743	76.2	44.7	4800	150	50	2811	68.8	44.7
4800	150	100	2693	76.8	44.7	4800	150	100	2761	69.2	44.7
4800	150	150	2643	77.3	44.7	4800	150	150	2711	69.6	44.7
4800	150	200	2593	77.9	44.7	4800	150	200	2661	70.0	44.7
4800	150	250	2543	78.5	44.7	4800	150	250	2611	70.4	44.7
4800	150	300	2493	79.1	44.7	4800	150	300	2561	70.8	44.7
4800	200	50	2693	74.1	44.7	5200	200	50	2761	81.0	44.7
4800	200	100	2643	74.6	44.7	5200	200	100	2711	81.0	44.7
4800	200	150	2593	75.1	44.7	5200	200	150	2661	81.0	44.7
4800	200	200	2543	75.7	44.7	5200	200	200	2611	81.0	44.7
4800	200	250	2493	76.2	44.7	5200	200	250	2561	81.0	44.7
4800	200	300	2443	76.8	44.7	5200	200	300	2511	81.0	44.7
4800	250	100	2593	72.4	44.7	5200	250	100	2661	81.0	44.7
4800	250	150	2543	72.9	44.7	5200	250	150	2611	81.0	44.7
4800	250	200	2493	73.4	44.7	5200	250	200	2561	81.0	44.7
4800	250	250	2443	73.9	44.7	5200	250	250	2511	81.0	44.7
4800	250	300	2393	74.5	44.7	5200	250	300	2461	81.0	44.7
4800	250	350	2343	75.0	44.7	5200	250	350	2411	81.0	44.7
5200	300	100	2543	81.0	44.7	5200	300	100	2611	81.0	44.7
5200	300	150	2493	81.0	44.7	5200	300	150	2561	81.0	44.7
5200	300	200	2443	81.0	44.7	5200	300	200	2511	81.0	44.7
5200	300	250	2393	81.0	44.7	5200	300	250	2461	81.0	44.7
5200	300	300	2343	81.0	44.7	5200	300	300	2411	81.0	44.7
5200	300	350	2293	81.0	44.7	5200	300	350	2361	81.0	44.7
5200	300	400	2243	81.0	44.7	5200	300	400	2311	81.0	44.7

F-350 (4 X 4) SRW (17" Wheel/Tire, Std GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	18	add	18
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10800 lb (4898 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	2684	81.0	44.7
5600	-50	0	2634	81.0	44.7
5600	-50	50	2584	81.0	44.7
5600	-50	100	2534	81.0	44.7
5600	0	-50	2634	81.0	44.7
5600	0	0	2584	81.0	44.7
5600	0	50	2534	81.0	44.7
5600	0	100	2484	81.0	44.7
5600	0	150	2434	81.0	44.7
5600	50	0	2534	81.0	44.7
5600	50	50	2484	81.0	44.7
5600	50	100	2434	81.0	44.7
5600	50	150	2384	81.0	44.7
5600	50	200	2334	81.0	44.7
5600	100	0	2484	79.5	44.7
5600	100	50	2434	80.1	44.7
5600	100	100	2384	80.8	44.7
5600	100	150	2334	81.0	44.7
5600	100	200	2284	81.0	44.7
5600	150	50	2384	77.8	44.7
5600	150	100	2334	78.5	44.7
5600	150	150	2284	79.1	44.7
5600	150	200	2234	79.8	44.7
5600	150	250	2184	80.6	44.7
5600	150	300	2134	81.0	44.7
5600	200	50	2334	75.4	44.7
5600	200	100	2284	76.0	44.7
5600	200	150	2234	76.7	44.7
5600	200	200	2184	77.3	44.7
5600	200	250	2134	78.0	44.7
5600	200	300	2084	78.7	44.7
5600	250	100	2234	73.5	44.7
5600	250	150	2184	74.1	44.7
5600	250	200	2134	74.7	44.7
5600	250	250	2084	75.3	44.7
5600	250	300	2034	76.0	44.7
5600	250	350	1984	76.7	44.7
6000	300	100	2184	81.0	44.7
6000	300	150	2134	81.0	44.7
6000	300	200	2084	81.0	44.7
6000	300	250	2034	81.0	44.7
6000	300	300	1984	81.0	44.7
6000	300	350	1934	81.0	44.7
6000	300	400	1884	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Std GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	24	add	21
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
5.4L Gasoline Engine 10400 lb (4717 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4800	-50	-50	3089	77.8	44.7
4800	-50	0	3039	78.3	44.7
4800	-50	50	2989	78.8	44.7
4800	-50	100	2939	79.4	44.7
4800	0	-50	3039	75.7	44.7
4800	0	0	2989	76.2	44.7
4800	0	50	2939	76.7	44.7
4800	0	100	2889	77.2	44.7
4800	0	150	2839	77.7	44.7
5200	50	0	2939	95.5	44.7
5200	50	50	2889	96.3	44.7
5200	50	100	2839	97.0	44.7
5200	50	150	2789	97.0	44.7
5200	100	0	2889	93.6	44.7
5200	100	50	2839	94.4	44.7
5200	100	100	2789	95.2	44.7
5200	100	150	2739	96.1	44.7
5200	100	200	2689	97.0	44.7
5200	150	50	2789	92.4	44.7
5200	150	100	2739	93.2	44.7
5200	150	150	2689	94.0	44.7
5200	150	200	2639	94.9	44.7
5200	150	250	2589	95.8	44.7
5200	150	300	2539	96.8	44.7
5200	200	50	2739	90.3	44.7
5200	200	100	2689	91.1	44.7
5200	200	150	2639	91.9	44.7
5200	200	200	2589	92.8	44.7
5200	200	250	2539	93.7	44.7
5200	200	300	2489	94.6	44.7
5200	250	100	2639	88.9	44.7
5200	250	150	2589	89.7	44.7
5200	250	200	2539	90.5	44.7
5200	250	250	2489	91.4	44.7
5200	250	300	2439	92.3	44.7
5200	250	350	2389	93.2	44.7
5200	300	100	2589	86.7	44.7
5200	300	150	2539	87.4	44.7
5200	300	200	2489	88.2	44.7
5200	300	250	2439	89.1	44.7
5200	300	300	2389	89.9	44.7
5200	300	350	2339	90.8	44.7
5200	300	400	2289	91.8	44.7

VEHICLE LOADING DATA
6.8L Gasoline Engine 10600 lb (4807 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	3156	90.2	47.1
5200	-50	0	3106	90.8	47.1
5200	-50	50	3056	91.5	47.1
5200	-50	100	3006	92.3	47.1
5200	0	-50	3106	88.3	44.7
5200	0	0	3056	89.0	44.7
5200	0	50	3006	89.6	44.7
5200	0	100	2956	90.3	44.7
5200	0	150	2906	91.1	44.7
5200	50	0	3006	87.0	44.7
5200	50	50	2956	87.7	44.7
5200	50	100	2906	88.4	44.7
5200	50	150	2856	89.1	44.7
5200	50	200	2806	89.8	44.7
5200	100	0	2956	85.0	44.7
5200	100	50	2906	85.6	44.7
5200	100	100	2856	86.3	44.7
5200	100	150	2806	87.0	44.7
5200	100	200	2756	87.7	44.7
5200	150	50	2856	83.5	44.7
5200	150	100	2806	84.2	44.7
5200	150	150	2756	84.8	44.7
5200	150	200	2706	85.5	44.7
5200	150	250	2656	86.2	44.7
5200	150	300	2606	87.0	44.7
5200	200	50	2806	81.4	44.7
5200	200	100	2756	82.0	44.7
5200	200	150	2706	82.6	44.7
5200	200	200	2656	83.2	44.7
5200	200	250	2606	83.9	44.7
5200	200	300	2556	84.6	44.7
5200	250	100	2706	79.7	44.7
5200	250	150	2656	80.3	44.7
5200	250	200	2606	80.9	44.7
5200	250	250	2556	81.5	44.7
5200	250	300	2506	82.2	44.7
5200	250	350	2456	82.9	44.7
5600	300	100	2656	97.0	44.7
5600	300	150	2606	97.0	44.7
5600	300	200	2556	97.0	44.7
5600	300	250	2506	97.0	44.7
5600	300	300	2456	97.0	44.7
5600	300	350	2406	97.0	44.7
5600	300	400	2356	97.0	44.7

F-350 (4 X 4) SRW (17" Wheel/Tire, Std GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	24	add	21
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 11000 lb (4989 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	2759	77.7	44.7
5600	-50	0	2709	78.3	44.7
5600	-50	50	2659	78.9	44.7
5600	-50	100	2609	79.5	44.7
6000	0	-50	2709	97.0	44.7
6000	0	0	2659	97.0	44.7
6000	0	50	2609	97.0	44.7
6000	0	100	2559	97.0	44.7
6000	0	150	2509	97.0	44.7
6000	50	0	2609	97.0	44.7
6000	50	50	2559	97.0	44.7
6000	50	100	2509	97.0	44.7
6000	50	150	2459	97.0	44.7
6000	50	200	2409	97.0	44.7
6000	100	0	2559	95.5	44.7
6000	100	50	2509	96.5	44.7
6000	100	100	2459	97.0	44.7
6000	100	150	2409	97.0	44.7
6000	100	200	2359	97.0	44.7
6000	150	50	2459	94.2	44.7
6000	150	100	2409	95.2	44.7
6000	150	150	2359	96.2	44.7
6000	150	200	2309	97.0	44.7
6000	150	250	2259	97.0	44.7
6000	150	300	2209	97.0	44.7
6000	200	50	2409	91.9	44.7
6000	200	100	2359	92.9	44.7
6000	200	150	2309	93.8	44.7
6000	200	200	2259	94.9	44.7
6000	200	250	2209	95.9	44.7
6000	200	300	2159	97.0	44.7
6000	250	100	2309	90.4	44.7
6000	250	150	2259	91.4	44.7
6000	250	200	2209	92.3	44.7
6000	250	250	2159	93.4	44.7
6000	250	300	2109	94.4	44.7
6000	250	350	2059	95.6	44.7
6000	300	100	2259	87.9	44.7
6000	300	150	2209	88.8	44.7
6000	300	200	2159	89.7	44.7
6000	300	250	2109	90.7	44.7
6000	300	300	2059	91.7	44.7
6000	300	350	2009	92.8	44.7
6000	300	400	1959	94.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Std GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10400 lb (4717 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10600 lb (4807 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	4800	-50	-50	3028	80.2	46.1	4800	-50	-50	3102	72.8	49.7
Camper Package		n.a.		n.a.	4800	-50	0	2978	80.7	46.1	4800	-50	0	3052	73.2	49.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	50	2928	81.0	46.1	4800	-50	50	3002	73.7	49.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	100	2878	81.0	46.0	4800	-50	100	2952	74.1	49.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	-50	2978	78.1	44.7	4800	0	-50	3052	70.7	47.1
Full Wheel Covers	add	4	add	4	4800	0	0	2928	78.6	44.7	4800	0	0	3002	71.1	47.1
Limited-Slip Rear Axle	add	0	add	5	4800	0	50	2878	79.2	44.7	4800	0	50	2952	71.4	47.1
Skid Plates (4x4 only)	add	20	add	16	4800	0	100	2828	79.7	44.7	4800	0	100	2902	71.8	47.1
Stabilizer Package	add	2	add	26	4800	0	150	2778	80.3	44.7	4800	0	150	2852	72.3	47.1
Stepgate	sub	10	add	50	4800	50	0	2878	76.4	44.7	5200	50	0	2952	81.0	44.7
Spray-In Bedliner	add	0	add	16	4800	50	50	2828	76.9	44.7	5200	50	50	2902	81.0	44.7
					4800	50	100	2778	77.5	44.7	5200	50	100	2852	81.0	44.7
WHEELS & TIRES					4800	50	150	2728	78.0	44.7	5200	50	150	2802	81.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4800	50	200	2678	78.6	44.7	5200	50	200	2752	81.0	44.7
18" Steel Wheels	add	10	add	17	4800	100	0	2828	74.2	44.7	5200	100	0	2902	81.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4800	100	50	2778	74.7	44.7	5200	100	50	2852	81.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4800	100	100	2728	75.1	44.7	5200	100	100	2802	81.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4800	100	150	2678	75.7	44.7	5200	100	150	2752	81.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4800	100	200	2628	76.2	44.7	5200	100	200	2702	81.0	44.7
LT245/75R17E A/T	add	0	add	0	4800	150	50	2728	72.3	44.7	5200	150	50	2802	81.0	44.7
LT265/70R17E A/T	add	9	add	13	4800	150	100	2678	72.7	44.7	5200	150	100	2752	81.0	44.7
LT275/65R18E A/S	add	17	add	27	4800	150	150	2628	73.2	44.7	5200	150	150	2702	81.0	44.7
LT275/70R18E A/S	add	17	add	27	4800	150	200	2578	73.7	44.7	5200	150	200	2652	81.0	44.7
LT275/70R18E A/T	add	17	add	27	4800	150	250	2528	74.2	44.7	5200	150	250	2602	81.0	44.7
LT275/65R20E A/T	add	33	add	33	4800	150	300	2478	74.7	44.7	5200	150	300	2552	81.0	44.7
					5200	200	50	2678	81.0	44.7	5200	200	50	2752	81.0	44.7
SEATING					5200	200	100	2628	81.0	44.7	5200	200	100	2702	81.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	150	2578	81.0	44.7	5200	200	150	2652	81.0	44.7
Front Bucket Seats	add	9	add	6	5200	200	200	2528	81.0	44.7	5200	200	200	2602	81.0	44.7
Front Captain's Chairs	add	11	add	10	5200	200	250	2478	81.0	44.7	5200	200	250	2552	81.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	200	300	2428	81.0	44.7	5200	200	300	2502	81.0	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	5200	250	100	2578	81.0	44.7	5200	250	100	2652	81.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	250	150	2528	81.0	44.7	5200	250	150	2602	81.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	200	2478	81.0	44.7	5200	250	200	2552	81.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	250	2428	81.0	44.7	5200	250	250	2502	81.0	44.7
Heated Seats	add	3	add	1	5200	250	300	2378	81.0	44.7	5200	250	300	2452	81.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	250	350	2328	81.0	44.7	5200	250	350	2402	81.0	44.7
					5200	300	100	2528	81.0	44.7	5200	300	100	2602	80.6	44.7
INTERIOR					5200	300	150	2478	81.0	44.7	5200	300	150	2552	81.0	44.7
Air Conditioning	add	44	sub	3	5200	300	200	2428	81.0	44.7	5200	300	200	2502	81.0	44.7
AM/FM/CD	add	3	add	3	5200	300	250	2378	81.0	44.7	5200	300	250	2452	81.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	300	2328	81.0	44.7	5200	300	300	2402	81.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	350	2278	81.0	44.7	5200	300	350	2352	81.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	350	100	2478	81.0	44.7	5200	350	100	2552	78.2	44.7
Satellite Radio	add	2	add	1	5200	350	150	2428	81.0	44.7	5200	350	150	2502	78.8	44.7
DVD Entertainment System	add	4	add	3	5200	350	200	2378	81.0	44.7	5200	350	200	2452	79.4	44.7
All Weather Floor Mats	add	6	add	4	5200	350	250	2328	81.0	44.7	5200	350	250	2402	80.1	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5200	350	300	2278	81.0	44.7	5200	350	300	2352	80.8	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5200	350	350	2228	81.0	44.7	5200	350	350	2302	81.0	44.7
Power Windows & Door Locks	add	15	add	6	5200	350	400	2178	81.0	44.7	5200	350	400	2252	81.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	5200	400	100	2428	81.0	44.7	5200	400	100	2502	75.7	44.7
					5200	400	150	2378	81.0	44.7	5200	400	150	2452	76.2	44.7
					5200	400	200	2328	81.0	44.7	5200	400	200	2402	76.8	44.7
EXTERIOR					5200	400	250	2278	81.0	44.7	5200	400	250	2352	77.4	44.7
Body Side Moldings - Body Color	add	2	add	1	5200	400	300	2228	81.0	44.7	5200	400	300	2302	78.1	44.7
Bumpers - Chrome	add	7	sub	3	5200	400	350	2178	81.0	44.7	5200	400	350	2252	78.7	44.7
Cab Steps - Platform	add	27	add	20	5200	400	400	2128	81.0	44.7	5200	400	400	2202	79.4	44.7
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27	5200	400	450	2078	81.0	44.7	5200	400	450	2152	80.2	44.7
Cab Steps - 4" Tubular	add	20	add	15	5200	400	500	2028	81.0	44.7	5200	400	500	2102	80.9	44.7
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (17" Wheel/Tire, Std GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	16
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 11000 lb (4989 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	2704	80.8	44.7
5600	-50	0	2654	81.0	44.7
5600	-50	50	2604	81.0	44.7
5600	-50	100	2554	81.0	44.7
5600	0	-50	2654	78.5	44.7
5600	0	0	2604	79.1	44.7
5600	0	50	2554	79.7	44.7
5600	0	100	2504	80.3	44.7
5600	0	150	2454	81.0	44.7
5600	50	0	2554	76.6	44.7
5600	50	50	2504	77.2	44.7
5600	50	100	2454	77.8	44.7
5600	50	150	2404	78.4	44.7
5600	100	0	2504	74.1	44.7
5600	100	50	2454	74.6	44.7
5600	100	100	2404	75.2	44.7
5600	100	150	2354	75.8	44.7
5600	100	200	2304	76.4	44.7
6000	150	50	2404	81.0	44.7
6000	150	100	2354	81.0	44.7
6000	150	150	2304	81.0	44.7
6000	150	200	2254	81.0	44.7
6000	150	250	2204	81.0	44.7
6000	150	300	2154	81.0	44.7
6000	200	50	2354	81.0	44.7
6000	200	100	2304	81.0	44.7
6000	200	150	2254	81.0	44.7
6000	200	200	2204	81.0	44.7
6000	200	250	2154	81.0	44.7
6000	200	300	2104	81.0	44.7
6000	250	100	2254	81.0	44.7
6000	250	150	2204	81.0	44.7
6000	250	200	2154	81.0	44.7
6000	250	250	2104	81.0	44.7
6000	250	300	2054	81.0	44.7
6000	250	350	2004	81.0	44.7
6000	300	100	2204	81.0	44.7
6000	300	150	2154	81.0	44.7
6000	300	200	2104	81.0	44.7
6000	300	250	2054	81.0	44.7
6000	300	300	2004	81.0	44.7
6000	300	350	1954	81.0	44.7
6000	300	400	1904	81.0	44.7
6000	350	100	2154	81.0	44.7
6000	350	150	2104	81.0	44.7
6000	350	200	2054	81.0	44.7
6000	350	250	2004	81.0	44.7
6000	350	300	1954	81.0	44.7
6000	350	350	1904	81.0	44.7
6000	350	400	1854	81.0	44.7
6000	400	100	2104	81.0	44.7
6000	400	150	2054	81.0	44.7
6000	400	200	2004	81.0	44.7
6000	400	250	1954	81.0	44.7
6000	400	300	1904	81.0	44.7
6000	400	350	1854	81.0	44.7
6000	400	400	1804	81.0	44.7
6000	400	450	1754	81.0	44.7
6000	400	500	1704	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Std GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10600 lb (4807 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10800 lb (4898 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	5200	-50	-50	3116	96.0	48.4	5200	-50	-50	3183	88.2	52.5
Dual Alternator (Diesel Engines only)		n.a.		n.a.	5200	-50	0	3066	96.8	48.4	5200	-50	0	3133	88.9	52.6
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	5200	-50	50	3016	97.0	48.4	5200	-50	50	3083	89.6	52.6
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	5200	-50	100	2966	97.0	48.4	5200	-50	100	3033	90.2	52.7
Full Wheel Covers	add	4	add	4	5200	0	-50	3066	93.9	45.6	5200	0	-50	3133	86.1	49.8
Limited-Slip Rear Axle	add	0	add	5	5200	0	0	3016	94.7	45.5	5200	0	0	3083	86.8	49.8
Skid Plates (4x4 only)	add	25	add	20	5200	0	50	2966	95.5	45.5	5200	0	50	3033	87.4	49.9
Stabilizer Package	add	2	add	26	5200	0	100	2916	96.3	45.4	5200	0	100	2983	88.1	49.9
Stepgate	sub	10	add	50	5200	0	150	2866	97.0	45.4	5200	0	150	2933	88.7	49.9
Spray-In Bedliner	add	1	add	19	5200	50	0	2966	92.6	44.7	5200	50	0	3033	84.6	47.0
					5200	50	50	2916	93.4	44.7	5200	50	50	2983	85.2	47.0
WHEELS & TIRES					5200	50	100	2866	94.1	44.7	5200	50	100	2933	85.8	47.0
17" Window Aluminum Wheels	sub	23	sub	23	5200	50	150	2816	95.0	44.7	5200	50	150	2883	86.5	47.0
18" Steel Wheels	add	10	add	17	5200	50	200	2766	95.8	44.7	5200	50	200	2833	87.1	47.0
18" Forged Aluminum Wheels	sub	25	sub	14	5200	100	0	2916	90.4	44.7	5200	100	0	2983	82.3	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	5200	100	50	2866	91.1	44.7	5200	100	50	2933	82.9	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5200	100	100	2816	91.9	44.7	5200	100	100	2883	83.5	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5200	100	150	2766	92.7	44.7	5200	100	150	2833	84.1	44.7
LT245/75R17E A/T	add	0	add	0	5200	100	200	2716	93.5	44.7	5200	100	200	2783	84.7	44.7
LT265/70R17E A/T	add	9	add	13	5200	150	50	2816	88.8	44.7	5200	150	50	2883	80.5	44.7
LT275/65R18E A/S	add	17	add	27	5200	150	100	2766	89.6	44.7	5200	150	100	2833	81.1	44.7
LT275/70R18E A/S	add	17	add	27	5200	150	150	2716	90.4	44.7	5200	150	150	2783	81.6	44.7
LT275/70R18E A/T	add	17	add	27	5200	150	200	2666	91.1	44.7	5200	150	200	2733	82.3	44.7
LT275/65R20E A/T	add	33	add	33	5200	150	250	2616	92.0	44.7	5200	150	250	2683	82.9	44.7
					5200	150	300	2566	92.8	44.7	5200	150	300	2633	83.6	44.7
SEATING					5200	200	50	2766	86.5	44.7	5600	200	50	2833	97.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	100	2716	87.2	44.7	5600	200	100	2783	97.0	44.7
Front Bucket Seats	add	9	add	6	5200	200	150	2666	87.9	44.7	5600	200	150	2733	97.0	44.7
Front Captain's Chairs	add	11	add	10	5200	200	200	2616	88.7	44.7	5600	200	200	2683	97.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	200	250	2566	89.5	44.7	5600	200	250	2633	97.0	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	5200	200	300	2516	90.3	44.7	5600	200	300	2583	97.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	250	100	2666	84.7	44.7	5600	250	100	2733	97.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	150	2616	85.4	44.7	5600	250	150	2683	97.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	200	2566	86.1	44.7	5600	250	200	2633	97.0	44.7
Heated Seats	add	3	add	1	5200	250	250	2516	86.9	44.7	5600	250	250	2583	97.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	250	300	2466	87.7	44.7	5600	250	300	2533	97.0	44.7
					5200	250	350	2416	88.5	44.7	5600	250	350	2483	97.0	44.7
INTERIOR					5200	300	100	2616	82.1	44.7	5600	300	100	2683	97.0	44.7
Air Conditioning	add	44	sub	3	5200	300	150	2566	82.8	44.7	5600	300	150	2633	97.0	44.7
AM/FM/CD	add	3	add	3	5200	300	200	2516	83.4	44.7	5600	300	200	2583	97.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	250	2466	84.2	44.7	5600	300	250	2533	97.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	300	2416	84.9	44.7	5600	300	300	2483	97.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	350	2366	85.7	44.7	5600	300	350	2433	97.0	44.7
Satellite Radio	add	2	add	1	5600	350	100	2566	97.0	44.7	5600	350	100	2633	96.7	44.7
DVD Entertainment System	add	4	add	3	5600	350	150	2516	97.0	44.7	5600	350	150	2583	97.0	44.7
All Weather Floor Mats	add	6	add	4	5600	350	200	2466	97.0	44.7	5600	350	200	2533	97.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5600	350	250	2416	97.0	44.7	5600	350	250	2483	97.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5600	350	300	2366	97.0	44.7	5600	350	300	2433	97.0	44.7
Power Windows & Door Locks	add	15	add	6	5600	350	350	2316	97.0	44.7	5600	350	350	2383	97.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	5600	350	400	2266	97.0	44.7	5600	350	400	2333	97.0	44.7
					5600	400	100	2516	97.0	44.7	5600	400	100	2583	94.3	44.7
					5600	400	150	2466	97.0	44.7	5600	400	150	2533	95.2	44.7
EXTERIOR					5600	400	200	2416	97.0	44.7	5600	400	200	2483	96.1	44.7
Body Side Moldings - Body Color	add	2	add	1	5600	400	250	2366	97.0	44.7	5600	400	250	2433	97.0	44.7
Bumpers - Chrome	add	7	sub	3	5600	400	300	2316	97.0	44.7	5600	400	300	2383	97.0	44.7
Cab Steps - Platform	add	27	add	20	5600	400	350	2266	97.0	44.7	5600	400	350	2333	97.0	44.7
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27	5600	400	400	2216	97.0	44.7	5600	400	400	2283	97.0	44.7
Cab Steps - 4" Tubular	add	20	add	15	5600	400	450	2166	97.0	44.7	5600	400	450	2233	97.0	44.7
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19	5600	400	500	2116	97.0	44.7	5600	400	500	2183	97.0	44.7
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (17" Wheel/Tire, Std GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	25	add	20
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 11200 lb (5079 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
6000	-50	-50	2786	97.0	44.7
6000	-50	0	2736	97.0	44.7
6000	-50	50	2686	97.0	44.7
6000	-50	100	2636	97.0	44.7
6000	0	-50	2736	97.0	44.7
6000	0	0	2686	97.0	44.7
6000	0	50	2636	97.0	44.7
6000	0	100	2586	97.0	44.7
6000	0	150	2536	97.0	44.7
6000	50	0	2636	95.8	44.7
6000	50	50	2586	96.7	44.7
6000	50	100	2536	97.0	44.7
6000	50	150	2486	97.0	44.7
6000	50	200	2436	97.0	44.7
6000	100	0	2586	93.4	44.7
6000	100	50	2536	94.2	44.7
6000	100	100	2486	95.2	44.7
6000	100	150	2436	96.1	44.7
6000	100	200	2386	97.0	44.7
6000	150	50	2486	91.7	44.7
6000	150	100	2436	92.6	44.7
6000	150	150	2386	93.5	44.7
6000	150	200	2336	94.5	44.7
6000	150	250	2286	95.5	44.7
6000	150	300	2236	96.6	44.7
6000	200	50	2436	89.1	44.7
6000	200	100	2386	89.9	44.7
6000	200	150	2336	90.8	44.7
6000	200	200	2286	91.8	44.7
6000	200	250	2236	92.7	44.7
6000	200	300	2186	93.8	44.7
6000	250	100	2336	87.1	44.7
6000	250	150	2286	88.0	44.7
6000	250	200	2236	88.9	44.7
6000	250	250	2186	89.8	44.7
6000	250	300	2136	90.8	44.7
6000	250	350	2086	91.8	44.7
6000	300	100	2286	84.2	44.7
6000	300	150	2236	85.0	44.7
6000	300	200	2186	85.9	44.7
6000	300	250	2136	86.8	44.7
6000	300	300	2086	87.7	44.7
6000	300	350	2036	88.7	44.7
6000	300	400	1986	89.7	44.7
6000	300	100	2286	84.2	44.7
6000	300	150	2236	85.0	44.7
6000	300	200	2186	85.9	44.7
6000	300	250	2136	86.8	44.7
6000	300	300	2086	87.7	44.7
6000	300	350	2036	88.7	44.7
6000	350	100	2236	81.2	44.7
6000	350	150	2186	81.9	44.7
6000	350	200	2136	82.7	44.7
6000	350	250	2086	83.6	44.7
6000	350	300	2036	84.4	44.7
6000	350	350	1986	85.4	44.7
6000	350	400	1936	86.3	44.7
6000	400	100	2186	78.0	44.7
6000	400	150	2136	78.7	44.7
6000	400	200	2086	79.4	44.7
6000	400	250	2036	80.2	44.7
6000	400	300	1986	81.0	44.7
6000	400	350	1936	81.9	44.7
6000	400	400	1886	82.8	44.7
6000	400	450	1836	83.7	44.7
6000	400	500	1786	84.7	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	2919	75.9	44.7
4850	-50	0	2869	76.4	44.7
4850	-50	50	2819	76.9	44.7
4850	-50	100	2769	77.4	44.7
4850	0	-50	2869	74.0	44.7
4850	0	0	2819	74.4	44.7
4850	0	50	2769	74.9	44.7
4850	0	100	2719	75.4	44.7
4850	0	150	2669	75.9	44.7
4850	50	0	2769	72.4	44.7
4850	50	50	2719	72.9	44.7
4850	50	100	2669	73.4	44.7
4850	50	150	2619	73.8	44.7
4850	50	200	2569	74.4	44.7
5000	100	0	2719	77.9	44.7
5000	100	50	2669	78.5	44.7
5000	100	100	2619	79.1	44.7
5000	100	150	2569	79.7	44.7
5000	100	200	2519	80.3	44.7
5000	150	50	2619	76.5	44.7
5000	150	100	2569	77.0	44.7
5000	150	150	2519	77.6	44.7
5000	150	200	2469	78.2	44.7
5000	150	250	2419	78.8	44.7
5000	150	300	2369	79.5	44.7
5000	200	50	2569	74.4	44.7
5000	200	100	2519	74.9	44.7
5000	200	150	2469	75.4	44.7
5000	200	200	2419	76.0	44.7
5000	200	250	2369	76.6	44.7
5000	200	300	2319	77.2	44.7
5250	250	100	2469	86.5	44.7
5250	250	150	2419	87.3	44.7
5250	250	200	2369	88.2	44.7
5250	250	250	2319	89.0	44.7
5250	250	300	2269	89.9	44.7
5250	250	350	2219	90.9	44.7
5250	300	100	2419	84.5	44.7
5250	300	150	2369	85.3	44.7
5250	300	200	2319	86.1	44.7
5250	300	250	2269	86.9	44.7
5250	300	300	2219	87.8	44.7
5250	300	350	2169	88.7	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 6.4L Diesel Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4850	-50	-50	2220	68.6	44.7						
Camper Package		n.a.		n.a.	4850	-50	0	2170	69.1	44.7						
Dual Alternator (Diesel Engines only)	add	21	add	0	4850	-50	50	2120	69.6	44.7						
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4850	-50	100	2070	70.1	44.7						
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1	5000	0	-50	2170	75.6	44.7						
Full Wheel Covers	add	4	add	4	5000	0	0	2120	76.3	44.7						
Limited-Slip Rear Axle	add	0	add	5	5000	0	50	2070	77.0	44.7						
Skid Plates (4x4 only)		n.a.		n.a.	5000	0	100	2020	77.7	44.7						
Stabilizer Package	add	2	add	26	5000	0	150	1970	78.4	44.7						
Stepgate	sub	10	add	50	5000	50	0	2070	73.5	44.7						
Spray-In Bedliner	add	0	add	16	5000	50	50	2020	74.2	44.7						
					5000	50	100	1970	74.8	44.7						
WHEELS & TIRES					5000	50	150	1920	75.5	44.7						
17" Window Aluminum Wheels	sub	23	sub	23	5000	50	200	1870	76.3	44.7						
18" Steel Wheels	add	10	add	17	5000	100	0	2020	70.7	44.7						
18" Forged Aluminum Wheels	sub	25	sub	14	5000	100	50	1970	71.2	44.7						
18" Cast Aluminum Wheels	sub	9	sub	9	5000	100	100	1920	71.9	44.7						
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5000	100	150	1870	72.5	44.7						
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5000	100	200	1820	73.2	44.7						
LT245/75R17E A/T	add	0	add	0	5250	150	50	1920	81.0	44.7						
LT265/70R17E A/T	add	9	add	13	5250	150	100	1870	81.0	44.7						
LT275/65R18E A/S	add	17	add	27	5250	150	150	1820	81.0	44.7						
LT275/70R18E A/S	add	17	add	27	5250	150	200	1770	81.0	44.7						
LT275/70R18E A/T	add	17	add	27	5250	150	250	1720	81.0	44.7						
LT275/65R20E A/T	add	33	add	33	5250	150	300	1670	81.0	44.7						
					5250	200	50	1870	81.0	44.7						
SEATING					5250	200	100	1820	81.0	44.7						
Front Bench Seat - 40/20/40	add	30	add	23	5250	200	150	1770	81.0	44.7						
Front Bucket Seats	add	9	add	6	5250	200	200	1720	81.0	44.7						
Front Captain's Chairs	add	11	add	10	5250	200	250	1670	81.0	44.7						
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	5250	200	300	1620	81.0	44.7						
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	5250	250	100	1770	81.0	44.7						
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	5250	250	150	1720	81.0	44.7						
Power 6-Way Driver's Seat	add	3	add	1	5250	250	200	1670	81.0	44.7						
Power 6-Way Passenger's Seat	add	3	add	1	5250	250	250	1620	81.0	44.7						
Heated Seats	add	3	add	1	5250	250	300	1570	81.0	44.7						
Less Second Row Bench (S/Cab only)	sub	23	sub	62	5250	250	350	1520	81.0	44.7						
					5250	300	100	1720	78.8	44.7						
INTERIOR					5250	300	150	1670	79.7	44.7						
Air Conditioning	add	44	sub	3	5250	300	200	1620	80.7	44.7						
AM/FM/CD	add	3	add	3	5250	300	250	1570	81.0	44.7						
AM/FM/CDx6	add	5	add	2	5250	300	300	1520	81.0	44.7						
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5250	300	350	1470	81.0	44.7						
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4250	-50	-50	3011	69.8	44.7	4400	-50	-50	2876	71.5	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4250	-50	0	2961	70.2	44.7	4400	-50	0	2826	71.9	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4250	-50	50	2911	70.5	44.7	4400	-50	50	2776	72.4	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4250	-50	100	2861	70.9	44.7	4400	-50	100	2726	72.8	44.7
Full Wheel Covers	add	4	add	4	4400	0	-50	2961	75.5	44.7	4550	0	-50	2826	77.5	44.7
Limited-Slip Rear Axle	add	0	add	5	4400	0	0	2911	76.0	44.7	4550	0	0	2776	78.1	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4400	0	50	2861	76.5	44.7	4550	0	50	2726	78.6	44.7
Stabilizer Package	add	2	add	26	4400	0	100	2811	77.0	44.7	4550	0	100	2676	79.2	44.7
Stepgate	sub	10	add	50	4400	0	150	2761	77.5	44.7	4550	0	150	2626	79.8	44.7
Spray-In Bedliner	add	1	add	19	4400	50	0	2861	73.7	44.7	4550	50	0	2726	75.7	44.7
					4400	50	50	2811	74.2	44.7	4550	50	50	2676	76.2	44.7
WHEELS & TIRES					4400	50	100	2761	74.6	44.7	4550	50	100	2626	76.8	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4400	50	150	2711	75.1	44.7	4550	50	150	2576	77.4	44.7
18" Steel Wheels	add	10	add	17	4400	50	200	2661	75.6	44.7	4550	50	200	2526	77.9	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4400	100	0	2811	71.3	44.7	4550	100	0	2676	73.3	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4400	100	50	2761	71.8	44.7	4550	100	50	2626	73.8	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4400	100	100	2711	72.2	44.7	4550	100	100	2576	74.3	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4400	100	150	2661	72.7	44.7	4550	100	150	2526	74.8	44.7
LT245/75R17E A/T	add	0	add	0	4400	100	200	2611	73.1	44.7	4550	100	200	2476	75.4	44.7
LT265/70R17E A/T	add	9	add	13	4550	150	50	2711	78.0	44.7	4700	150	50	2576	80.4	44.7
LT275/65R18E A/S	add	17	add	27	4550	150	100	2661	78.6	44.7	4700	150	100	2526	81.1	44.7
LT275/70R18E A/S	add	17	add	27	4550	150	150	2611	79.2	44.7	4700	150	150	2476	81.7	44.7
LT275/70R18E A/T	add	17	add	27	4550	150	200	2561	79.8	44.7	4700	150	200	2426	82.4	44.7
LT275/65R20E A/T	add	33	add	33	4550	150	250	2511	80.4	44.7	4700	150	250	2376	83.2	44.7
					4550	150	300	2461	81.1	44.7	4700	150	300	2326	83.9	44.7
SEATING					4550	200	50	2661	75.6	44.7	4700	200	50	2526	77.9	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4550	200	100	2611	76.2	44.7	4700	200	100	2476	78.5	44.7
Front Bucket Seats	add	9	add	6	4550	200	150	2561	76.7	44.7	4700	200	150	2426	79.2	44.7
Front Captain's Chairs	add	11	add	10	4550	200	200	2511	77.3	44.7	4700	200	200	2376	79.8	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4550	200	250	2461	77.9	44.7	4700	200	250	2326	80.5	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4550	200	300	2411	78.5	44.7	4700	200	300	2276	81.2	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4550	250	100	2561	73.6	44.7	4700	250	100	2426	75.9	44.7
Power 6-Way Driver's Seat	add	3	add	1	4550	250	150	2511	74.2	44.7	4700	250	150	2376	76.5	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4550	250	200	2461	74.7	44.7	4700	250	200	2326	77.1	44.7
Heated Seats	add	3	add	1	4550	250	250	2411	75.2	44.7	4700	250	250	2276	77.8	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4550	250	300	2361	75.8	44.7	4700	250	300	2226	78.4	44.7
					4550	250	350	2311	76.4	44.7	4700	250	350	2176	79.1	44.7
INTERIOR					4700	300	100	2511	80.4	44.7	4850	300	100	2376	83.2	44.7
Air Conditioning	add	44	sub	3	4700	300	150	2461	81.1	44.7	4850	300	150	2326	83.9	44.7
AM/FM/CD	add	3	add	3	4700	300	200	2411	81.8	44.7	4850	300	200	2276	84.7	44.7
AM/FM/CDx6	add	5	add	2	4700	300	250	2361	82.5	44.7	4850	300	250	2226	85.5	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4700	300	300	2311	83.3	44.7	4850	300	300	2176	86.4	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4700	300	350	2261	84.0	44.7	4850	300	350	2126	87.3	44.7
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 6.4L Diesel Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	5250	-50	-50	2095	91.7	44.7						
Dual Alternator (Diesel Engines only)	add	21	add	0	5250	-50	0	2045	92.7	44.7						
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	5250	-50	50	1995	93.9	44.7						
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1	5250	-50	100	1945	95.0	44.7						
Full Wheel Covers	add	4	add	4	5250	0	-50	2045	88.9	44.7						
Limited-Slip Rear Axle	add	0	add	5	5250	0	0	1995	89.9	44.7						
Skid Plates (4x4 only)		n.a.		n.a.	5250	0	50	1945	91.0	44.7						
Stabilizer Package	add	2	add	26	5250	0	100	1895	92.1	44.7						
Stepgate	sub	10	add	50	5250	0	150	1845	93.3	44.7						
Spray-In Bedliner	add	1	add	19	5250	50	0	1945	86.9	44.7						
					5250	50	50	1895	88.0	44.7						
WHEELS & TIRES					5250	50	100	1845	89.0	44.7						
17" Window Aluminum Wheels	sub	23	sub	23	5250	50	150	1795	90.2	44.7						
18" Steel Wheels	add	10	add	17	5250	50	200	1745	91.4	44.7						
18" Forged Aluminum Wheels	sub	25	sub	14	5250	100	0	1895	83.8	44.7						
18" Cast Aluminum Wheels	sub	9	sub	9	5250	100	50	1845	84.8	44.7						
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5250	100	100	1795	85.8	44.7						
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5250	100	150	1745	86.9	44.7						
LT245/75R17E A/T	add	0	add	0	5250	100	200	1695	88.0	44.7						
LT265/70R17E A/T	add	9	add	13	5250	150	50	1795	81.4	44.7						
LT275/65R18E A/S	add	17	add	27	5250	150	100	1745	82.3	44.7						
LT275/70R18E A/S	add	17	add	27	5250	150	150	1695	83.4	44.7						
LT275/70R18E A/T	add	17	add	27	5250	150	200	1645	84.4	44.7						
LT275/65R20E A/T	add	33	add	33	5250	150	250	1595	85.6	44.7						
					5250	150	300	1545	86.8	44.7						
SEATING					5250	200	50	1745	77.8	44.7						
Front Bench Seat - 40/20/40	add	30	add	23	5250	200	100	1695	78.7	44.7						
Front Bucket Seats	add	9	add	6	5250	200	150	1645	79.6	44.7						
Front Captain's Chairs	add	11	add	10	5250	200	200	1595	80.6	44.7						
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	5250	200	250	1545	81.7	44.7						
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	5250	200	300	1495	82.8	44.7						
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	5250	250	100	1645	74.8	44.7						
Power 6-Way Driver's Seat	add	3	add	1	5250	250	150	1595	75.7	44.7						
Power 6-Way Passenger's Seat	add	3	add	1	5250	250	200	1545	76.6	44.7						
Heated Seats	add	3	add	1	5250	250	250	1495	77.5	44.7						
Less Second Row Bench (S/Cab only)	sub	23	sub	62	5250	250	300	1445	78.6	44.7						
					5250	250	350	1395	79.7	44.7						
INTERIOR					5250	300	100	1595	70.7	44.7						
Air Conditioning	add	44	sub	3	5250	300	150	1545	71.5	44.7						
AM/FM/CD	add	3	add	3	5250	300	200	1495	72.3	44.7						
AM/FM/CDx6	add	5	add	2	5250	300	250	1445	73.1	44.7						
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5250	300	300	1395	74.0	44.7						
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5250	300	350	1345	75.0	44.7						
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4100	-50	-50	2955	64.0	44.7	4250	-50	-50	2827	65.7	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4100	-50	0	2905	64.2	44.7	4250	-50	0	2777	66.0	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4100	-50	50	2855	64.5	44.7	4250	-50	50	2727	66.3	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4100	-50	100	2805	64.8	44.7	4250	-50	100	2677	66.7	44.7
Full Wheel Covers	add	4	add	4	4250	0	-50	2905	69.6	44.7	4400	0	-50	2777	71.6	44.7
Limited-Slip Rear Axle	add	0	add	5	4250	0	0	2855	70.0	44.7	4400	0	0	2727	72.1	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4250	0	50	2805	70.4	44.7	4400	0	50	2677	72.5	44.7
Stabilizer Package	add	2	add	26	4250	0	100	2755	70.8	44.7	4400	0	100	2627	73.0	44.7
Stepgate	sub	10	add	50	4250	0	150	2705	71.2	44.7	4400	0	150	2577	73.5	44.7
Spray-In Bedliner	add	0	add	16	4250	50	0	2805	67.6	44.7	4400	50	0	2677	69.6	44.7
					4250	50	50	2755	68.0	44.7	4400	50	50	2627	70.0	44.7
WHEELS & TIRES					4250	50	100	2705	68.3	44.7	4400	50	100	2577	70.4	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4250	50	150	2655	68.7	44.7	4400	50	150	2527	70.9	44.7
18" Steel Wheels	add	10	add	17	4250	50	200	2605	69.1	44.7	4400	50	200	2477	71.3	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4250	100	0	2755	65.1	44.7	4400	100	0	2627	67.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4250	100	50	2705	65.4	44.7	4400	100	50	2577	67.4	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4250	100	100	2655	65.8	44.7	4400	100	100	2527	67.8	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4250	100	150	2605	66.1	44.7	4400	100	150	2477	68.2	44.7
LT245/75R17E A/T	add	0	add	0	4250	100	200	2555	66.5	44.7	4400	100	200	2427	68.6	44.7
LT265/70R17E A/T	add	9	add	13	4400	150	50	2655	71.7	44.7	4550	150	50	2527	74.0	44.7
LT275/65R18E A/S	add	17	add	27	4400	150	100	2605	72.1	44.7	4550	150	100	2477	74.5	44.7
LT275/70R18E A/S	add	17	add	27	4400	150	150	2555	72.6	44.7	4550	150	150	2427	75.0	44.7
LT275/70R18E A/T	add	17	add	27	4400	150	200	2505	73.1	44.7	4550	150	200	2377	75.6	44.7
LT275/65R20E A/T	add	33	add	33	4400	150	250	2455	73.6	44.7	4550	150	250	2327	76.2	44.7
					4400	150	300	2405	74.1	44.7	4550	150	300	2277	76.8	44.7
SEATING					4400	200	50	2605	69.1	44.7	4550	200	50	2477	71.3	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4400	200	100	2555	69.5	44.7	4550	200	100	2427	71.8	44.7
Front Bucket Seats	add	9	add	6	4400	200	150	2505	70.0	44.7	4550	200	150	2377	72.3	44.7
Front Captain's Chairs	add	11	add	10	4400	200	200	2455	70.4	44.7	4550	200	200	2327	72.9	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4400	200	250	2405	70.9	44.7	4550	200	250	2277	73.4	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	4400	200	300	2355	71.4	44.7	4550	200	300	2227	74.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4400	250	100	2505	66.8	44.7	4550	250	100	2377	69.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	4400	250	150	2455	67.2	44.7	4550	250	150	2327	69.5	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4400	250	200	2405	67.6	44.7	4550	250	200	2277	70.0	44.7
Heated Seats	add	3	add	1	4400	250	250	2355	68.0	44.7	4550	250	250	2227	70.5	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4400	250	300	2305	68.5	44.7	4550	250	300	2177	71.0	44.7
					4400	250	350	2255	68.9	44.7	4550	250	350	2127	71.5	44.7
INTERIOR					4550	300	100	2455	73.6	44.7	4700	300	100	2327	76.2	44.7
Air Conditioning	add	44	sub	3	4550	300	150	2405	74.1	44.7	4700	300	150	2277	76.8	44.7
AM/FM/CD	add	3	add	3	4550	300	200	2355	74.7	44.7	4700	300	200	2227	77.5	44.7
AM/FM/CDx6	add	5	add	2	4550	300	250	2305	75.3	44.7	4700	300	250	2177	78.2	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4550	300	300	2255	75.9	44.7	4700	300	300	2127	78.9	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4550	300	350	2205	76.5	44.7	4700	300	350	2077	79.6	44.7
Satellite Radio	add	2	add	1	4550	300	400	2155	77.2	44.7	4700	300	400	2027	80.4	44.7
DVD Entertainment System	add	4	add	3	4550	350	100	2405	70.9	44.7	4700	350	100	2277	73.4	44.7
All Weather Floor Mats	add	6	add	4	4550	350	150	2355	71.4	44.7	4700	350	150	2227	74.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4550	350	200	2305	71.9	44.7	4700	350	200	2177	74.6	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	4550	350	250	2255	72.4	44.7	4700	350	250	2127	75.2	44.7
Power Windows & Door Locks	add	15	add	6	4550	350	300	2205	73.0	44.7	4700	350	300	2077	75.9	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	4550	350	350	2155	73.5	44.7	4700	350	350	2027	76.5	44.7
					4550	350	400	2105	74.1	44.7	4700	350	400	1977	77.3	44.7
					4550	350	450	2055	74.8	44.7	4700	350	450	1927	78.0	44.7
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5000	-50	-50	2046	74.8	44.7
5000	-50	0	1996	75.5	44.7
5000	-50	50	1946	76.2	44.7
5000	-50	100	1896	76.9	44.7
5000	0	-50	1996	71.6	44.7
5000	0	0	1946	72.2	44.7
5000	0	50	1896	72.8	44.7
5000	0	100	1846	73.5	44.7
5000	0	150	1796	74.2	44.7
5250	50	0	1896	81.0	44.7
5250	50	50	1846	81.0	44.7
5250	50	100	1796	81.0	44.7
5250	50	150	1746	81.0	44.7
5250	100	0	1846	81.0	44.7
5250	100	50	1796	81.0	44.7
5250	100	100	1746	81.0	44.7
5250	100	150	1696	81.0	44.7
5250	100	200	1646	81.0	44.7
5250	150	50	1746	81.0	44.7
5250	150	100	1696	81.0	44.7
5250	150	150	1646	81.0	44.7
5250	150	200	1596	81.0	44.7
5250	150	250	1546	81.0	44.7
5250	150	300	1496	81.0	44.7
5250	200	50	1696	80.4	44.7
5250	200	100	1646	81.0	44.7
5250	200	150	1596	81.0	44.7
5250	200	200	1546	81.0	44.7
5250	200	250	1496	81.0	44.7
5250	200	300	1446	81.0	44.7
5250	250	100	1596	77.5	44.7
5250	250	150	1546	78.5	44.7
5250	250	200	1496	79.5	44.7
5250	250	250	1446	80.6	44.7
5250	250	300	1396	81.0	44.7
5250	250	350	1346	81.0	44.7
5250	300	100	1546	73.4	44.7
5250	300	150	1496	74.3	44.7
5250	300	200	1446	75.2	44.7
5250	300	250	1396	76.1	44.7
5250	300	300	1346	77.2	44.7
5250	300	350	1296	78.3	44.7
5250	300	400	1246	79.5	44.7
5250	350	100	1496	69.0	44.7
5250	350	150	1446	69.8	44.7
5250	350	200	1396	70.6	44.7
5250	350	250	1346	71.4	44.7
5250	350	300	1296	72.3	44.7
5250	350	350	1246	73.3	44.7
5250	350	400	1196	74.3	44.7
5250	350	450	1146	75.5	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4400	-50	-50	2836	75.4	44.7	4550	-50	-50	2703	77.9	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	0	2786	75.9	44.7	4550	-50	0	2653	78.4	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4400	-50	50	2736	76.4	44.7	4550	-50	50	2603	79.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	-50	100	2686	76.9	44.7	4550	-50	100	2553	79.6	44.7
Full Wheel Covers	add	4	add	4	4550	0	-50	2786	82.0	44.7	4550	0	-50	2653	75.2	44.7
Limited-Slip Rear Axle	add	0	add	5	4550	0	0	2736	82.7	44.7	4550	0	0	2603	75.7	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4550	0	50	2686	83.3	44.7	4550	0	50	2553	76.2	44.7
Stabilizer Package	add	2	add	26	4550	0	100	2636	84.0	44.7	4550	0	100	2503	76.8	44.7
Stepgate	sub	10	add	50	4550	0	150	2586	84.7	44.7	4550	0	150	2453	77.4	44.7
Spray-In Bedliner	add	1	add	19	4550	50	0	2686	80.1	44.7	4700	50	0	2553	83.0	44.7
					4550	50	50	2636	80.7	44.7	4700	50	50	2503	83.7	44.7
WHEELS & TIRES					4550	50	100	2586	81.4	44.7	4700	50	100	2453	84.4	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4550	50	150	2536	82.0	44.7	4700	50	150	2403	85.2	44.7
18" Steel Wheels	add	10	add	17	4550	50	200	2486	82.7	44.7	4700	50	200	2353	86.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4550	100	0	2636	77.4	44.7	4700	100	0	2503	80.3	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4550	100	50	2586	78.0	44.7	4700	100	50	2453	80.9	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4550	100	100	2536	78.6	44.7	4700	100	100	2403	81.6	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4550	100	150	2486	79.2	44.7	4700	100	150	2353	82.3	44.7
LT245/75R17E A/T	add	0	add	0	4550	100	200	2436	79.9	44.7	4700	100	200	2303	83.1	44.7
LT265/70R17E A/T	add	9	add	13	4700	150	50	2536	85.4	44.7	4700	150	50	2403	78.0	44.7
LT275/65R18E A/S	add	17	add	27	4700	150	100	2486	86.2	44.7	4700	150	100	2353	78.6	44.7
LT275/70R18E A/S	add	17	add	27	4700	150	150	2436	86.9	44.7	4700	150	150	2303	79.3	44.7
LT275/70R18E A/T	add	17	add	27	4700	150	200	2386	87.8	44.7	4700	150	200	2253	80.0	44.7
LT275/65R20E A/T	add	33	add	33	4700	150	250	2336	88.6	44.7	4700	150	250	2203	80.7	44.7
					4700	150	300	2286	89.5	44.7	4700	150	300	2153	81.5	44.7
SEATING					4700	200	50	2486	82.7	44.7	4850	200	50	2353	86.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4700	200	100	2436	83.4	44.7	4850	200	100	2303	86.8	44.7
Front Bucket Seats	add	9	add	6	4700	200	150	2386	84.1	44.7	4850	200	150	2253	87.7	44.7
Front Captain's Chairs	add	11	add	10	4700	200	200	2336	84.9	44.7	4850	200	200	2203	88.6	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4700	200	250	2286	85.7	44.7	4850	200	250	2153	89.5	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	4700	200	300	2236	86.6	44.7	4850	200	300	2103	90.5	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4700	250	100	2386	80.5	44.7	4850	250	100	2253	83.8	44.7
Power 6-Way Driver's Seat	add	3	add	1	4700	250	150	2336	81.2	44.7	4850	250	150	2203	84.7	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4700	250	200	2286	82.0	44.7	4850	250	200	2153	85.5	44.7
Heated Seats	add	3	add	1	4700	250	250	2236	82.7	44.7	4850	250	250	2103	86.4	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4700	250	300	2186	83.5	44.7	4850	250	300	2053	87.3	44.7
					4700	250	350	2136	84.4	44.7	4850	250	350	2003	88.3	44.7
INTERIOR					4850	300	100	2336	88.6	44.7	4850	300	100	2203	80.7	44.7
Air Conditioning	add	44	sub	3	4850	300	150	2286	89.5	44.7	4850	300	150	2153	81.5	44.7
AM/FM/CD	add	3	add	3	4850	300	200	2236	90.4	44.7	4850	300	200	2103	82.3	44.7
AM/FM/CDx6	add	5	add	2	4850	300	250	2186	91.4	44.7	4850	300	250	2053	83.1	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4850	300	300	2136	92.4	44.7	4850	300	300	2003	84.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4850	300	350	2086	93.5	44.7	4850	300	350	1953	84.9	44.7
Satellite Radio	add	2	add	1	4850	300	400	2036	94.6	44.7	4850	300	400	1903	85.9	44.7
DVD Entertainment System	add	4	add	3	4850	350	100	2286	85.7	44.7	5000	350	100	2153	89.5	44.7
All Weather Floor Mats	add	6	add	4	4850	350	150	2236	86.6	44.7	5000	350	150	2103	90.5	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4850	350	200	2186	87.5	44.7	5000	350	200	2053	91.5	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	4850	350	250	2136	88.4	44.7	5000	350	250	2003	92.6	44.7
Power Windows & Door Locks	add	15	add	6	4850	350	300	2086	89.4	44.7	5000	350	300	1953	93.8	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	4850	350	350	2036	90.4	44.7	5000	350	350	1903	95.0	44.7
					4850	350	400	1986	91.4	44.7	5000	350	400	1853	96.2	44.7
					4850	350	450	1936	92.6	44.7	5000	350	450	1803	97.0	44.7
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	1923	90.1	44.7
5250	-50	0	1873	91.2	44.7
5250	-50	50	1823	92.4	44.7
5250	-50	100	1773	93.7	44.7
5250	0	-50	1873	86.6	44.7
5250	0	0	1823	87.7	44.7
5250	0	50	1773	88.8	44.7
5250	0	100	1723	90.0	44.7
5250	0	150	1673	91.2	44.7
5250	50	0	1773	83.9	44.7
5250	50	50	1723	85.0	44.7
5250	50	100	1673	86.1	44.7
5250	50	150	1623	87.3	44.7
5250	50	200	1573	88.5	44.7
5250	100	0	1723	80.0	44.7
5250	100	50	1673	80.9	44.7
5250	100	100	1623	81.9	44.7
5250	100	150	1573	83.0	44.7
5250	100	200	1523	84.2	44.7
5250	150	50	1623	76.6	44.7
5250	150	100	1573	77.5	44.7
5250	150	150	1523	78.5	44.7
5250	150	200	1473	79.6	44.7
5250	150	250	1423	80.7	44.7
5250	150	300	1373	81.9	44.7
5250	200	50	1573	72.1	44.7
5250	200	100	1523	72.9	44.7
5250	200	150	1473	73.7	44.7
5250	200	200	1423	74.6	44.7
5250	200	250	1373	75.6	44.7
5250	200	300	1323	76.6	44.7
5250	250	100	1473	67.8	44.7
5250	250	150	1423	68.5	44.7
5250	250	200	1373	69.3	44.7
5250	250	250	1323	70.1	44.7
5250	250	300	1273	71.0	44.7
5250	250	350	1223	71.9	44.7
5250	300	100	1423	62.5	44.7
5250	300	150	1373	63.0	44.7
5250	300	200	1323	63.6	44.7
5250	300	250	1273	64.2	44.7
5250	300	300	1223	64.9	44.7
5250	300	350	1173	65.6	44.7
5250	300	400	1123	66.4	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	25
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
5.4L Gasoline Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4400	-50	-50	3413	72.6	44.7
4400	-50	0	3363	72.9	44.7
4400	-50	50	3313	73.3	44.7
4400	-50	100	3263	73.7	44.7
4400	0	-50	3363	70.9	44.7
4400	0	0	3313	71.3	44.7
4400	0	50	3263	71.6	44.7
4400	0	100	3213	72.0	44.7
4400	0	150	3163	72.4	44.7
4800	50	0	3263	86.3	44.7
4800	50	50	3213	86.9	44.7
4800	50	100	3163	87.5	44.7
4800	50	150	3113	88.2	44.7
4800	100	0	3213	84.8	44.7
4800	100	50	3163	85.4	44.7
4800	100	100	3113	86.0	44.7
4800	100	150	3063	86.6	44.7
4800	100	200	3013	87.2	44.7
4800	150	50	3113	83.8	44.7
4800	150	100	3063	84.3	44.7
4800	150	150	3013	85.0	44.7
4800	150	200	2963	85.6	44.7
4800	150	250	2913	86.2	44.7
4800	150	300	2863	86.9	44.7
4800	200	50	3063	82.1	44.7
4800	200	100	3013	82.7	44.7
4800	200	150	2963	83.3	44.7
4800	200	200	2913	83.9	44.7
4800	200	250	2863	84.5	44.7
4800	200	300	2813	85.2	44.7
4800	250	100	2963	81.0	44.7
4800	250	150	2913	81.5	44.7
4800	250	200	2863	82.1	44.7
4800	250	250	2813	82.7	44.7
4800	250	300	2763	83.4	44.7
4800	250	350	2713	84.0	44.7
4800	300	400	2613	82.8	44.7
4800	300	100	2913	79.2	44.7
4800	300	150	2863	79.7	44.7
4800	300	200	2813	80.3	44.7
4800	300	250	2763	80.9	44.7
4800	300	300	2713	81.5	44.7
4800	300	350	2663	82.1	44.7
4800	300	400	2613	82.8	44.7

VEHICLE LOADING DATA
6.8L Gasoline Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4800	-50	-50	3280	84.7	44.7
4800	-50	0	3230	85.3	44.7
4800	-50	50	3180	85.9	44.7
4800	-50	100	3130	86.5	44.7
4800	0	-50	3230	83.2	44.7
4800	0	0	3180	83.7	44.7
4800	0	50	3130	84.3	44.7
4800	0	100	3080	84.9	44.7
4800	0	150	3030	85.5	44.7
4800	50	0	3130	82.1	44.7
4800	50	50	3080	82.7	44.7
4800	50	100	3030	83.3	44.7
4800	50	150	2980	83.8	44.7
4800	50	200	2930	84.5	44.7
4800	100	0	3080	80.5	44.7
4800	100	50	3030	81.0	44.7
4800	100	100	2980	81.5	44.7
4800	100	150	2930	82.1	44.7
4800	100	200	2880	82.7	44.7
4800	150	50	2980	79.2	44.7
4800	150	100	2930	79.8	44.7
4800	150	150	2880	80.3	44.7
4800	150	200	2830	80.9	44.7
4800	150	250	2780	81.5	44.7
4800	150	300	2730	82.1	44.7
4800	200	50	2930	77.4	44.7
4800	200	100	2880	78.0	44.7
4800	200	150	2830	78.5	44.7
4800	200	200	2780	79.0	44.7
4800	200	250	2730	79.6	44.7
4800	200	300	2680	80.2	44.7
4800	250	100	2830	76.1	44.7
4800	250	150	2780	76.6	44.7
4800	250	200	2730	77.1	44.7
4800	250	250	2680	77.7	44.7
4800	250	300	2630	78.2	44.7
4800	250	350	2580	78.8	44.7
5200	300	400	2480	97.0	44.7
5200	300	100	2780	93.8	44.7
5200	300	150	2730	94.7	44.7
5200	300	200	2680	95.5	44.7
5200	300	250	2630	96.5	44.7
5200	300	300	2580	97.0	44.7
5200	300	350	2530	97.0	44.7
5200	300	400	2480	97.0	44.7

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	25
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	2483	79.6	44.7
5200	-50	0	2433	80.3	44.7
5200	-50	50	2383	81.0	44.7
5200	-50	100	2333	81.7	44.7
5600	0	-50	2433	97.0	44.7
5600	0	0	2383	97.0	44.7
5600	0	50	2333	97.0	44.7
5600	0	100	2283	97.0	44.7
5600	0	150	2233	97.0	44.7
5600	50	0	2333	97.0	44.7
5600	50	50	2283	97.0	44.7
5600	50	100	2233	97.0	44.7
5600	50	150	2183	97.0	44.7
5600	50	200	2133	97.0	44.7
5600	100	0	2283	97.0	44.7
5600	100	50	2233	97.0	44.7
5600	100	100	2183	97.0	44.7
5600	100	150	2133	97.0	44.7
5600	100	200	2083	97.0	44.7
5600	150	50	2183	96.5	44.7
5600	150	100	2133	97.0	44.7
5600	150	150	2083	97.0	44.7
5600	150	200	2033	97.0	44.7
5600	150	250	1983	97.0	44.7
5600	150	300	1933	97.0	44.7
5600	200	50	2133	94.5	44.7
5600	200	100	2083	95.6	44.7
5600	200	150	2033	96.8	44.7
5600	200	200	1983	97.0	44.7
5600	200	250	1933	97.0	44.7
5600	200	300	1883	97.0	44.7
5600	250	100	2033	93.4	44.7
5600	250	150	1983	94.6	44.7
5600	250	200	1933	95.8	44.7
5600	250	250	1883	97.0	44.7
5600	250	300	1833	97.0	44.7
5600	250	350	1783	97.0	44.7
5600	300	100	1983	91.1	44.7
5600	300	150	1933	92.2	44.7
5600	300	200	1883	93.4	44.7
5600	300	250	1833	94.6	44.7
5600	300	300	1783	95.9	44.7
5600	300	350	1733	97.0	44.7
5600	300	400	1683	97.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4800	-50	-50	2743	81.0	44.7	4800	-50	-50	2611	81.0	44.7
Camper Package		n.a.		n.a.	4800	-50	0	2693	81.0	44.7	4800	-50	0	2561	81.0	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	50	2643	81.0	44.7	4800	-50	50	2511	81.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	100	2593	81.0	44.7	4800	-50	100	2461	81.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	-50	2693	81.0	44.7	4800	0	-50	2561	79.1	44.7
Full Wheel Covers	add	4	add	4	4800	0	0	2643	81.0	44.7	4800	0	0	2511	79.8	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	50	2593	81.0	44.7	4800	0	50	2461	80.4	44.7
Skid Plates (4x4 only)	add	18	add	18	4800	0	100	2543	81.0	44.7	4800	0	100	2411	81.0	44.7
Stabilizer Package	add	2	add	26	4800	0	150	2493	81.0	44.7	4800	0	150	2361	81.0	44.7
Stepgate	sub	10	add	50	4800	50	0	2593	81.0	44.7	4800	50	0	2461	77.5	44.7
Spray-In Bedliner	add	0	add	16	4800	50	50	2543	81.0	44.7	4800	50	50	2411	78.1	44.7
					4800	50	100	2493	81.0	44.7	4800	50	100	2361	78.8	44.7
WHEELS & TIRES					4800	50	150	2443	81.0	44.7	4800	50	150	2311	79.4	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4800	50	200	2393	81.0	44.7	4800	50	200	2261	80.1	44.7
18" Steel Wheels	add	10	add	17	4800	100	0	2543	81.0	44.7	4800	100	0	2411	75.2	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4800	100	50	2493	81.0	44.7	4800	100	50	2361	75.8	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4800	100	100	2443	81.0	44.7	4800	100	100	2311	76.4	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4800	100	150	2393	81.0	44.7	4800	100	150	2261	77.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4800	100	200	2343	81.0	44.7	4800	100	200	2211	77.7	44.7
LT245/75R17E A/T	add	0	add	0	4800	150	50	2443	79.7	44.7	4800	150	50	2311	73.3	44.7
LT265/70R17E A/T	add	9	add	13	4800	150	100	2393	80.4	44.7	4800	150	100	2261	73.9	44.7
LT275/65R18E A/S	add	17	add	27	4800	150	150	2343	81.0	44.7	4800	150	150	2211	74.5	44.7
LT275/70R18E A/S	add	17	add	27	4800	150	200	2293	81.0	44.7	4800	150	200	2161	75.1	44.7
LT275/70R18E A/T	add	17	add	27	4800	150	250	2243	81.0	44.7	4800	150	250	2111	75.7	44.7
LT275/65R20E A/T	add	33	add	33	4800	150	300	2193	81.0	44.7	4800	150	300	2061	76.4	44.7
					4800	200	50	2393	77.4	44.7	5200	200	50	2261	81.0	44.7
SEATING					4800	200	100	2343	78.0	44.7	5200	200	100	2211	81.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4800	200	150	2293	78.7	44.7	5200	200	150	2161	81.0	44.7
Front Bucket Seats	add	9	add	6	4800	200	200	2243	79.4	44.7	5200	200	200	2111	81.0	44.7
Front Captain's Chairs	add	11	add	10	4800	200	250	2193	80.1	44.7	5200	200	250	2061	81.0	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4800	200	300	2143	80.9	44.7	5200	200	300	2011	81.0	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4800	250	100	2293	75.6	44.7	5200	250	100	2161	81.0	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4800	250	150	2243	76.2	44.7	5200	250	150	2111	81.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	4800	250	200	2193	76.9	44.7	5200	250	200	2061	81.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4800	250	250	2143	77.6	44.7	5200	250	250	2011	81.0	44.7
Heated Seats	add	3	add	1	4800	250	300	2093	78.3	44.7	5200	250	300	1961	81.0	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4800	250	350	2043	79.0	44.7	5200	250	350	1911	81.0	44.7
					5200	300	100	2243	81.0	44.7	5200	300	100	2111	81.0	44.7
INTERIOR					5200	300	150	2193	81.0	44.7	5200	300	150	2061	81.0	44.7
Air Conditioning	add	44	sub	3	5200	300	200	2143	81.0	44.7	5200	300	200	2011	81.0	44.7
AM/FM/CD	add	3	add	3	5200	300	250	2093	81.0	44.7	5200	300	250	1961	81.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	300	2043	81.0	44.7	5200	300	300	1911	81.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	350	1993	81.0	44.7	5200	300	350	1861	81.0	44.7
Satellite Radio	add	2	add	1	5200	300	400	1943	81.0	44.7	5200	300	400	1811	81.0	44.7
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	18	add	18
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	1784	81.0	44.7
5600	-50	0	1734	81.0	44.7
5600	-50	50	1684	81.0	44.7
5600	-50	100	1634	81.0	44.7
5600	0	-50	1734	81.0	44.7
5600	0	0	1684	81.0	44.7
5600	0	50	1634	81.0	44.7
5600	0	100	1584	81.0	44.7
5600	0	150	1534	81.0	44.7
5600	50	0	1634	81.0	44.7
5600	50	50	1584	81.0	44.7
5600	50	100	1534	81.0	44.7
5600	50	150	1484	81.0	44.7
5600	100	0	1584	81.0	44.7
5600	100	50	1534	81.0	44.7
5600	100	100	1484	81.0	44.7
5600	100	150	1434	81.0	44.7
5600	100	200	1384	81.0	44.7
5600	150	50	1484	81.0	44.7
5600	150	100	1434	81.0	44.7
5600	150	150	1384	81.0	44.7
5600	150	200	1334	81.0	44.7
5600	150	250	1284	81.0	44.7
5600	150	300	1234	81.0	44.7
5600	200	50	1434	81.0	44.7
5600	200	100	1384	81.0	44.7
5600	200	150	1334	81.0	44.7
5600	200	200	1284	81.0	44.7
5600	200	250	1234	81.0	44.7
5600	200	300	1184	81.0	44.7
5600	250	100	1334	81.0	44.7
5600	250	150	1284	81.0	44.7
5600	250	200	1234	81.0	44.7
5600	250	250	1184	81.0	44.7
5600	250	300	1134	81.0	44.7
5600	250	350	1084	81.0	44.7
6000	300	100	1284	81.0	44.7
6000	300	150	1234	81.0	44.7
6000	300	200	1184	81.0	44.7
6000	300	250	1134	81.0	44.7
6000	300	300	1084	81.0	44.7
6000	300	350	1034	81.0	44.7
6000	300	400	984	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	24	add	21
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
5.4L Gasoline Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4800	-50	-50	2589	83.6	44.7
4800	-50	0	2539	84.3	44.7
4800	-50	50	2489	85.0	44.7
4800	-50	100	2439	85.8	44.7
4800	0	-50	2539	81.2	44.7
4800	0	0	2489	81.9	44.7
4800	0	50	2439	82.6	44.7
4800	0	100	2389	83.3	44.7
4800	0	150	2339	84.1	44.7
5200	50	0	2439	97.0	44.7
5200	50	50	2389	97.0	44.7
5200	50	100	2339	97.0	44.7
5200	50	150	2289	97.0	44.7
5200	50	200	2239	97.0	44.7
5200	100	0	2389	97.0	44.7
5200	100	50	2339	97.0	44.7
5200	100	100	2289	97.0	44.7
5200	100	150	2239	97.0	44.7
5200	100	200	2189	97.0	44.7
5200	150	50	2289	97.0	44.7
5200	150	100	2239	97.0	44.7
5200	150	150	2189	97.0	44.7
5200	150	200	2139	97.0	44.7
5200	150	250	2089	97.0	44.7
5200	150	300	2039	97.0	44.7
5200	200	50	2239	97.0	44.7
5200	200	100	2189	97.0	44.7
5200	200	150	2139	97.0	44.7
5200	200	200	2089	97.0	44.7
5200	200	250	2039	97.0	44.7
5200	200	300	1989	97.0	44.7
5200	250	100	2139	97.0	44.7
5200	250	150	2089	97.0	44.7
5200	250	200	2039	97.0	44.7
5200	250	250	1989	97.0	44.7
5200	250	300	1939	97.0	44.7
5200	250	350	1889	97.0	44.7
5200	300	100	2089	96.0	44.7
5200	300	150	2039	97.0	44.7
5200	300	200	1989	97.0	44.7
5200	300	250	1939	97.0	44.7
5200	300	300	1889	97.0	44.7
5200	300	350	1839	97.0	44.7
5200	300	400	1789	97.0	44.7

VEHICLE LOADING DATA
6.8L Gasoline Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	2456	97.0	44.7
5200	-50	0	2406	97.0	44.7
5200	-50	50	2356	97.0	44.7
5200	-50	100	2306	97.0	44.7
5200	0	-50	2406	97.0	44.7
5200	0	0	2356	97.0	44.7
5200	0	50	2306	97.0	44.7
5200	0	100	2256	97.0	44.7
5200	0	150	2206	97.0	44.7
5200	50	0	2306	97.0	44.7
5200	50	50	2256	97.0	44.7
5200	50	100	2206	97.0	44.7
5200	50	150	2156	97.0	44.7
5200	50	200	2106	97.0	44.7
5200	100	0	2256	96.5	44.7
5200	100	50	2206	97.0	44.7
5200	100	100	2156	97.0	44.7
5200	100	150	2106	97.0	44.7
5200	100	200	2056	97.0	44.7
5200	150	50	2156	95.1	44.7
5200	150	100	2106	96.2	44.7
5200	150	150	2056	97.0	44.7
5200	150	200	2006	97.0	44.7
5200	150	250	1956	97.0	44.7
5200	150	300	1906	97.0	44.7
5200	200	50	2106	92.5	44.7
5200	200	100	2056	93.6	44.7
5200	200	150	2006	94.7	44.7
5200	200	200	1956	95.9	44.7
5200	200	250	1906	97.0	44.7
5200	200	300	1856	97.0	44.7
5200	250	100	2006	90.8	44.7
5200	250	150	1956	91.9	44.7
5200	250	200	1906	93.0	44.7
5200	250	250	1856	94.2	44.7
5200	250	300	1806	95.5	44.7
5200	250	350	1756	96.9	44.7
5600	300	100	1956	97.0	44.7
5600	300	150	1906	97.0	44.7
5600	300	200	1856	97.0	44.7
5600	300	250	1806	97.0	44.7
5600	300	300	1756	97.0	44.7
5600	300	350	1706	97.0	44.7
5600	300	400	1656	97.0	44.7

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	24	add	21
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	1659	97.0	44.7
5600	-50	0	1609	97.0	44.7
5600	-50	50	1559	97.0	44.7
5600	-50	100	1509	97.0	44.7
6000	0	-50	1609	97.0	44.7
6000	0	0	1559	97.0	44.7
6000	0	50	1509	97.0	44.7
6000	0	100	1459	97.0	44.7
6000	0	150	1409	97.0	44.7
6000	50	0	1509	97.0	44.7
6000	50	50	1459	97.0	44.7
6000	50	100	1409	97.0	44.7
6000	50	150	1359	97.0	44.7
6000	100	0	1459	97.0	44.7
6000	100	50	1409	97.0	44.7
6000	100	100	1359	97.0	44.7
6000	100	150	1309	97.0	44.7
6000	100	200	1259	97.0	44.7
6000	150	50	1359	97.0	44.7
6000	150	100	1309	97.0	44.7
6000	150	150	1259	97.0	44.7
6000	150	200	1209	97.0	44.7
6000	150	250	1159	97.0	44.7
6000	150	300	1109	97.0	44.7
6000	200	50	1309	97.0	44.7
6000	200	100	1259	97.0	44.7
6000	200	150	1209	97.0	44.7
6000	200	200	1159	97.0	44.7
6000	200	250	1109	97.0	44.7
6000	200	300	1059	97.0	44.7
6000	250	100	1209	97.0	44.7
6000	250	150	1159	97.0	44.7
6000	250	200	1109	97.0	44.7
6000	250	250	1059	97.0	44.7
6000	250	300	1009	97.0	44.7
6000	250	350	959	97.0	44.7
6000	300	100	1159	97.0	44.7
6000	300	150	1109	97.0	44.7
6000	300	200	1059	97.0	44.7
6000	300	250	1009	97.0	44.7
6000	300	300	959	97.0	44.7
6000	300	350	909	97.0	44.7
6000	300	400	859	97.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4800	-50	-50	2528	81.0	44.7	4800	-50	-50	2402	80.1	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	0	2478	81.0	44.7	4800	-50	0	2352	80.8	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	50	2428	81.0	44.7	4800	-50	50	2302	81.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	-50	100	2378	81.0	44.7	4800	-50	100	2252	81.0	44.7
Full Wheel Covers	add	4	add	4	4800	0	-50	2478	81.0	44.7	4800	0	-50	2352	77.4	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	0	2428	81.0	44.7	4800	0	0	2302	78.1	44.7
Skid Plates (4x4 only)	add	20	add	16	4800	0	50	2378	81.0	44.7	4800	0	50	2252	78.7	44.7
Stabilizer Package	add	2	add	26	4800	0	100	2328	81.0	44.7	4800	0	100	2202	79.4	44.7
Stepgate	sub	10	add	50	4800	0	150	2278	81.0	44.7	4800	0	150	2152	80.2	44.7
Spray-In Bedliner	add	0	add	16	4800	50	0	2378	81.0	44.7	5200	50	0	2252	81.0	44.7
					4800	50	50	2328	81.0	44.7	5200	50	50	2202	81.0	44.7
WHEELS & TIRES					4800	50	100	2278	81.0	44.7	5200	50	100	2152	81.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4800	50	150	2228	81.0	44.7	5200	50	150	2102	81.0	44.7
18" Steel Wheels	add	10	add	17	4800	50	200	2178	81.0	44.7	5200	50	200	2052	81.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4800	100	0	2328	79.8	44.7	5200	100	0	2202	81.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4800	100	50	2278	80.5	44.7	5200	100	50	2152	81.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4800	100	100	2228	81.0	44.7	5200	100	100	2102	81.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4800	100	150	2178	81.0	44.7	5200	100	150	2052	81.0	44.7
LT245/75R17E A/T	add	0	add	0	4800	100	200	2128	81.0	44.7	5200	100	200	2002	81.0	44.7
LT265/70R17E A/T	add	9	add	13	4800	150	50	2228	77.7	44.7	5200	150	50	2102	81.0	44.7
LT275/65R18E A/S	add	17	add	27	4800	150	100	2178	78.4	44.7	5200	150	100	2052	81.0	44.7
LT275/70R18E A/S	add	17	add	27	4800	150	150	2128	79.1	44.7	5200	150	150	2002	81.0	44.7
LT275/70R18E A/T	add	17	add	27	4800	150	200	2078	79.9	44.7	5200	150	200	1952	81.0	44.7
LT275/65R20E A/T	add	33	add	33	4800	150	250	2028	80.7	44.7	5200	150	250	1902	81.0	44.7
					4800	150	300	1978	81.0	44.7	5200	150	300	1852	81.0	44.7
SEATING					5200	200	50	2178	81.0	44.7	5200	200	50	2052	81.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	100	2128	81.0	44.7	5200	200	100	2002	81.0	44.7
Front Bucket Seats	add	9	add	6	5200	200	150	2078	81.0	44.7	5200	200	150	1952	81.0	44.7
Front Captain's Chairs	add	11	add	10	5200	200	200	2028	81.0	44.7	5200	200	200	1902	81.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	200	250	1978	81.0	44.7	5200	200	250	1852	81.0	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	5200	200	300	1928	81.0	44.7	5200	200	300	1802	81.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	250	100	2078	81.0	44.7	5200	250	100	1952	81.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	150	2028	81.0	44.7	5200	250	150	1902	81.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	200	1978	81.0	44.7	5200	250	200	1852	81.0	44.7
Heated Seats	add	3	add	1	5200	250	250	1928	81.0	44.7	5200	250	250	1802	81.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	250	300	1878	81.0	44.7	5200	250	300	1752	81.0	44.7
					5200	250	350	1828	81.0	44.7	5200	250	350	1702	81.0	44.7
INTERIOR					5200	300	100	2028	81.0	44.7	5200	300	100	1902	81.0	44.7
Air Conditioning	add	44	sub	3	5200	300	150	1978	81.0	44.7	5200	300	150	1852	81.0	44.7
AM/FM/CD	add	3	add	3	5200	300	200	1928	81.0	44.7	5200	300	200	1802	81.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	250	1878	81.0	44.7	5200	300	250	1752	81.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	300	1828	81.0	44.7	5200	300	300	1702	81.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	350	1778	81.0	44.7	5200	300	350	1652	81.0	44.7
Satellite Radio	add	2	add	1	5200	350	100	1978	81.0	44.7	5200	350	100	1852	81.0	44.7
DVD Entertainment System	add	4	add	3	5200	350	150	1928	81.0	44.7	5200	350	150	1802	81.0	44.7
All Weather Floor Mats	add	6	add	4	5200	350	200	1878	81.0	44.7	5200	350	200	1752	81.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5200	350	250	1828	81.0	44.7	5200	350	250	1702	81.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5200	350	300	1778	81.0	44.7	5200	350	300	1652	81.0	44.7
Power Windows & Door Locks	add	15	add	6	5200	350	350	1728	81.0	44.7	5200	350	350	1602	81.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	5200	350	400	1678	81.0	44.7	5200	350	400	1552	81.0	44.7
					5200	400	100	1928	81.0	44.7	5200	400	100	1802	81.0	44.7
					5200	400	150	1878	81.0	44.7	5200	400	150	1752	81.0	44.7
EXTERIOR					5200	400	200	1828	81.0	44.7	5200	400	200	1702	81.0	44.7
Body Side Moldings - Body Color	add	2	add	1	5200	400	250	1778	81.0	44.7	5200	400	250	1652	81.0	44.7
Bumpers - Chrome	add	7	sub	3	5200	400	300	1728	81.0	44.7	5200	400	300	1602	81.0	44.7
Cab Steps - Platform	add	27	add	20	5200	400	350	1678	81.0	44.7	5200	400	350	1552	81.0	44.7
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27	5200	400	400	1628	81.0	44.7	5200	400	400	1502	81.0	44.7
Cab Steps - 4" Tubular	add	20	add	15	5200	400	450	1578	81.0	44.7	5200	400	450	1452	81.0	44.7
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19	5200	400	500	1528	81.0	44.7	5200	400	500	1402	81.0	44.7
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	16
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	1604	81.0	44.7
5600	-50	0	1554	81.0	44.7
5600	-50	50	1504	81.0	44.7
5600	-50	100	1454	81.0	44.7
5600	0	-50	1554	81.0	44.7
5600	0	0	1504	81.0	44.7
5600	0	50	1454	81.0	44.7
5600	0	100	1404	81.0	44.7
5600	0	150	1354	81.0	44.7
5600	50	0	1454	81.0	44.7
5600	50	50	1404	81.0	44.7
5600	50	100	1354	81.0	44.7
5600	50	150	1304	81.0	44.7
5600	50	200	1254	81.0	44.7
5600	100	0	1404	81.0	44.7
5600	100	50	1354	81.0	44.7
5600	100	100	1304	81.0	44.7
5600	100	150	1254	81.0	44.7
5600	100	200	1204	81.0	44.7
6000	150	50	1304	81.0	44.7
6000	150	100	1254	81.0	44.7
6000	150	150	1204	81.0	44.7
6000	150	200	1154	81.0	44.7
6000	150	250	1104	81.0	44.7
6000	150	300	1054	81.0	44.7
6000	200	50	1254	81.0	44.7
6000	200	100	1204	81.0	44.7
6000	200	150	1154	81.0	44.7
6000	200	200	1104	81.0	44.7
6000	200	250	1054	81.0	44.7
6000	200	300	1004	81.0	44.7
6000	250	100	1154	81.0	44.7
6000	250	150	1104	81.0	44.7
6000	250	200	1054	81.0	44.7
6000	250	250	1004	81.0	44.7
6000	250	300	954	81.0	44.7
6000	250	350	904	81.0	44.7
6000	300	100	1104	81.0	44.7
6000	300	150	1054	81.0	44.7
6000	300	200	1004	81.0	44.7
6000	300	250	954	81.0	44.7
6000	300	300	904	81.0	44.7
6000	300	350	854	81.0	44.7
6000	300	400	804	81.0	44.7
6000	300	150	1054	81.0	44.7
6000	300	200	1004	81.0	44.7
6000	300	250	954	81.0	44.7
6000	300	300	904	81.0	44.7
6000	300	350	854	81.0	44.7
6000	300	400	804	81.0	44.7
6000	350	100	1054	81.0	44.7
6000	350	150	1004	81.0	44.7
6000	350	200	954	81.0	44.7
6000	350	250	904	81.0	44.7
6000	350	300	854	81.0	44.7
6000	350	350	804	81.0	44.7
6000	350	400	754	81.0	44.7
6000	400	100	1004	81.0	44.7
6000	400	150	954	81.0	44.7
6000	400	200	904	81.0	44.7
6000	400	250	854	81.0	44.7
6000	400	300	804	81.0	44.7
6000	400	350	754	81.0	44.7
6000	400	400	704	81.0	44.7
6000	400	450	654	81.0	44.7
6000	400	500	604	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	25	add	20
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
5.4L Gasoline Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	2416	97.0	44.7
5200	-50	0	2366	97.0	44.7
5200	-50	50	2316	97.0	44.7
5200	-50	100	2266	97.0	44.7
5200	0	-50	2366	97.0	44.7
5200	0	0	2316	97.0	44.7
5200	0	50	2266	97.0	44.7
5200	0	100	2216	97.0	44.7
5200	0	150	2166	97.0	44.7
5200	50	0	2266	97.0	44.7
5200	50	50	2216	97.0	44.7
5200	50	100	2166	97.0	44.7
5200	50	150	2116	97.0	44.7
5200	50	200	2066	97.0	44.7
5200	100	0	2216	97.0	44.7
5200	100	50	2166	97.0	44.7
5200	100	100	2116	97.0	44.7
5200	100	150	2066	97.0	44.7
5200	100	200	2016	97.0	44.7
5200	150	50	2116	97.0	44.7
5200	150	100	2066	97.0	44.7
5200	150	150	2016	97.0	44.7
5200	150	200	1966	97.0	44.7
5200	150	250	1916	97.0	44.7
5200	150	300	1866	97.0	44.7
5200	200	50	2066	97.0	44.7
5200	200	100	2016	97.0	44.7
5200	200	150	1966	97.0	44.7
5200	200	200	1916	97.0	44.7
5200	200	250	1866	97.0	44.7
5200	200	300	1816	97.0	44.7
5200	250	100	1966	97.0	44.7
5200	250	150	1916	97.0	44.7
5200	250	200	1866	97.0	44.7
5200	250	250	1816	97.0	44.7
5200	250	300	1766	97.0	44.7
5200	250	350	1716	97.0	44.7
5200	300	100	1916	94.6	44.7
5200	300	150	1866	95.8	44.7
5200	300	200	1816	97.0	44.7
5200	300	250	1766	97.0	44.7
5200	300	300	1716	97.0	44.7
5200	300	350	1666	97.0	44.7
5600	350	100	1866	97.0	44.7
5600	350	150	1816	97.0	44.7
5600	350	200	1766	97.0	44.7
5600	350	250	1716	97.0	44.7
5600	350	300	1666	97.0	44.7
5600	350	350	1616	97.0	44.7
5600	350	400	1566	97.0	44.7
5600	400	100	1816	97.0	44.7
5600	400	150	1766	97.0	44.7
5600	400	200	1716	97.0	44.7
5600	400	250	1666	97.0	44.7
5600	400	300	1616	97.0	44.7
5600	400	350	1566	97.0	44.7
5600	400	400	1516	97.0	44.7
5600	400	450	1466	97.0	44.7
5600	400	500	1416	97.0	44.7

VEHICLE LOADING DATA
6.8L Gasoline Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	2283	97.0	44.7
5200	-50	0	2233	97.0	44.7
5200	-50	50	2183	97.0	44.7
5200	-50	100	2133	97.0	44.7
5200	0	-50	2233	97.0	44.7
5200	0	0	2183	97.0	44.7
5200	0	50	2133	97.0	44.7
5200	0	100	2083	97.0	44.7
5200	0	150	2033	97.0	44.7
5200	50	0	2133	97.0	44.7
5200	50	50	2083	97.0	44.7
5200	50	100	2033	97.0	44.7
5200	50	150	1983	97.0	44.7
5200	50	200	1933	97.0	44.7
5200	100	0	2083	97.0	44.7
5200	100	50	2033	97.0	44.7
5200	100	100	1983	97.0	44.7
5200	100	150	1933	97.0	44.7
5200	100	200	1883	97.0	44.7
5200	150	50	1983	95.2	44.7
5200	150	100	1933	96.5	44.7
5200	150	150	1883	97.0	44.7
5200	150	200	1833	97.0	44.7
5200	150	250	1783	97.0	44.7
5200	150	300	1733	97.0	44.7
5600	200	50	1933	97.0	44.7
5600	200	100	1883	97.0	44.7
5600	200	150	1833	97.0	44.7
5600	200	200	1783	97.0	44.7
5600	200	250	1733	97.0	44.7
5600	200	300	1683	97.0	44.7
5600	250	100	1833	97.0	44.7
5600	250	150	1783	97.0	44.7
5600	250	200	1733	97.0	44.7
5600	250	250	1683	97.0	44.7
5600	250	300	1633	97.0	44.7
5600	250	350	1583	97.0	44.7
5600	300	100	1783	97.0	44.7
5600	300	150	1733	97.0	44.7
5600	300	200	1683	97.0	44.7
5600	300	250	1633	97.0	44.7
5600	300	300	1583	97.0	44.7
5600	300	350	1533	97.0	44.7
5600	350	100	1733	97.0	44.7
5600	350	150	1683	97.0	44.7
5600	350	200	1633	97.0	44.7
5600	350	250	1583	97.0	44.7
5600	350	300	1533	97.0	44.7
5600	350	350	1483	97.0	44.7
5600	350	400	1433	97.0	44.7
5600	400	100	1683	97.0	44.7
5600	400	150	1633	97.0	44.7
5600	400	200	1583	97.0	44.7
5600	400	250	1533	97.0	44.7
5600	400	300	1483	97.0	44.7
5600	400	350	1433	97.0	44.7
5600	400	400	1383	97.0	44.7
5600	400	450	1333	97.0	44.7
5600	400	500	1283	97.0	44.7

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

VEHICLE LOADING DATA
6.4L Diesel Engine 9900 lb (4490 kg) GVWR

VEHICLE LOADING DATA

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	25	add	20
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
6000	-50	-50	1486	97.0	44.7
6000	-50	0	1436	97.0	44.7
6000	-50	50	1386	97.0	44.7
6000	-50	100	1336	97.0	44.7
6000	0	-50	1436	97.0	44.7
6000	0	0	1386	97.0	44.7
6000	0	50	1336	97.0	44.7
6000	0	100	1286	97.0	44.7
6000	0	150	1236	97.0	44.7
6000	50	0	1336	97.0	44.7
6000	50	50	1286	97.0	44.7
6000	50	100	1236	97.0	44.7
6000	50	150	1186	97.0	44.7
6000	50	200	1136	97.0	44.7
6000	100	0	1286	97.0	44.7
6000	100	50	1236	97.0	44.7
6000	100	100	1186	97.0	44.7
6000	100	150	1136	97.0	44.7
6000	100	200	1086	97.0	44.7
6000	150	50	1186	97.0	44.7
6000	150	100	1136	97.0	44.7
6000	150	150	1086	97.0	44.7
6000	150	200	1036	97.0	44.7
6000	150	250	986	97.0	44.7
6000	150	300	936	97.0	44.7
6000	200	50	1136	97.0	44.7
6000	200	100	1086	97.0	44.7
6000	200	150	1036	97.0	44.7
6000	200	200	986	97.0	44.7
6000	200	250	936	97.0	44.7
6000	200	300	886	97.0	44.7
6000	250	100	1036	97.0	44.7
6000	250	150	986	97.0	44.7
6000	250	200	936	97.0	44.7
6000	250	250	886	97.0	44.7
6000	250	300	836	97.0	44.7
6000	250	350	786	97.0	44.7
6000	300	100	986	97.0	44.7
6000	300	150	936	97.0	44.7
6000	300	200	886	97.0	44.7
6000	300	250	836	97.0	44.7
6000	300	300	786	97.0	44.7
6000	300	350	736	97.0	44.7
6000	300	400	686	97.0	44.7
6000	300	100	986	97.0	44.7
6000	300	150	936	97.0	44.7
6000	300	200	886	97.0	44.7
6000	300	250	836	97.0	44.7
6000	300	300	786	97.0	44.7
6000	300	350	736	97.0	44.7
6000	350	100	936	97.0	44.7
6000	350	150	886	97.0	44.7
6000	350	200	836	97.0	44.7
6000	350	250	786	97.0	44.7
6000	350	300	736	97.0	44.7
6000	350	350	686	97.0	44.7
6000	350	400	636	97.0	44.7
6000	400	100	886	97.0	44.7
6000	400	150	836	97.0	44.7
6000	400	200	786	97.0	44.7
6000	400	250	736	97.0	44.7
6000	400	300	686	97.0	44.7
6000	400	350	636	97.0	44.7
6000	400	400	586	97.0	44.7
6000	400	450	536	97.0	44.7
6000	400	500	486	97.0	44.7

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	3019	74.9	44.7
4850	-50	0	2969	75.4	44.7
4850	-50	50	2919	75.9	44.7
4850	-50	100	2869	76.4	44.7
4850	0	-50	2969	73.1	44.7
4850	0	0	2919	73.5	44.7
4850	0	50	2869	74.0	44.7
4850	0	100	2819	74.4	44.7
4850	0	150	2769	74.9	44.7
4850	50	0	2869	71.6	44.7
4850	50	50	2819	72.0	44.7
4850	50	100	2769	72.4	44.7
4850	50	150	2719	72.9	44.7
4850	50	200	2669	73.4	44.7
5000	100	0	2819	76.9	44.7
5000	100	50	2769	77.4	44.7
5000	100	100	2719	77.9	44.7
5000	100	150	2669	78.5	44.7
5000	100	200	2619	79.1	44.7
5000	150	50	2719	75.4	44.7
5000	150	100	2669	75.9	44.7
5000	150	150	2619	76.5	44.7
5000	150	200	2569	77.0	44.7
5000	150	250	2519	77.6	44.7
5000	150	300	2469	78.2	44.7
5000	200	50	2669	73.4	44.7
5000	200	100	2619	73.8	44.7
5000	200	150	2569	74.4	44.7
5000	200	200	2519	74.9	44.7
5000	200	250	2469	75.4	44.7
5000	200	300	2419	76.0	44.7
5250	250	100	2569	85.0	44.7
5250	250	150	2519	85.8	44.7
5250	250	200	2469	86.5	44.7
5250	250	250	2419	87.3	44.7
5250	250	300	2369	88.2	44.7
5250	250	350	2319	89.0	44.7
5250	300	100	2519	83.0	44.7
5250	300	150	2469	83.8	44.7
5250	300	200	2419	84.5	44.7
5250	300	250	2369	85.3	44.7
5250	300	300	2319	86.1	44.7
5250	300	350	2269	86.9	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 6.4L Diesel Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4850	-50	-50	2320	67.7	44.7						
Dual Alternator (Diesel Engines only)	add	21	add	0	4850	-50	0	2270	68.2	44.7						
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4850	-50	50	2220	68.6	44.7						
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1	4850	-50	100	2170	69.1	44.7						
Full Wheel Covers	add	4	add	4	5000	0	-50	2270	74.4	44.7						
Limited-Slip Rear Axle	add	0	add	5	5000	0	0	2220	75.0	44.7						
Skid Plates (4x4 only)		n.a.		n.a.	5000	0	50	2170	75.6	44.7						
Stabilizer Package	add	2	add	26	5000	0	100	2120	76.3	44.7						
Stepgate	sub	10	add	50	5000	0	150	2070	77.0	44.7						
Spray-In Bedliner	add	0	add	16	5000	50	0	2170	72.4	44.7						
					5000	50	50	2120	72.9	44.7						
WHEELS & TIRES					5000	50	100	2070	73.5	44.7						
17" Window Aluminum Wheels	sub	23	sub	23	5000	50	150	2020	74.2	44.7						
18" Steel Wheels	add	10	add	17	5000	50	200	1970	74.8	44.7						
18" Forged Aluminum Wheels	sub	25	sub	14	5000	100	0	2120	69.6	44.7						
18" Cast Aluminum Wheels	sub	9	sub	9	5000	100	50	2070	70.1	44.7						
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5000	100	100	2020	70.7	44.7						
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5000	100	150	1970	71.2	44.7						
LT245/75R17E A/T	add	0	add	0	5000	100	200	1920	71.9	44.7						
LT265/70R17E A/T	add	9	add	13	5250	150	50	2020	81.0	44.7						
LT275/65R18E A/S	add	17	add	27	5250	150	100	1970	81.0	44.7						
LT275/70R18E A/S	add	17	add	27	5250	150	150	1920	81.0	44.7						
LT275/70R18E A/T	add	17	add	27	5250	150	200	1870	81.0	44.7						
LT275/65R20E A/T	add	33	add	33	5250	150	250	1820	81.0	44.7						
					5250	150	300	1770	81.0	44.7						
SEATING					5250	200	50	1970	81.0	44.7						
Front Bench Seat - 40/20/40	add	30	add	23	5250	200	100	1920	81.0	44.7						
Front Bucket Seats	add	9	add	6	5250	200	150	1870	81.0	44.7						
Front Captain's Chairs	add	11	add	10	5250	200	200	1820	81.0	44.7						
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	5250	200	250	1770	81.0	44.7						
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	5250	200	300	1720	81.0	44.7						
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	5250	250	100	1870	80.1	44.7						
Power 6-Way Driver's Seat	add	3	add	1	5250	250	150	1820	81.0	44.7						
Power 6-Way Passenger's Seat	add	3	add	1	5250	250	200	1770	81.0	44.7						
Heated Seats	add	3	add	1	5250	250	250	1720	81.0	44.7						
Less Second Row Bench (S/Cab only)	sub	23	sub	62	5250	250	300	1670	81.0	44.7						
					5250	250	350	1620	81.0	44.7						
INTERIOR					5250	300	100	1820	77.1	44.7						
Air Conditioning	add	44	sub	3	5250	300	150	1770	77.9	44.7						
AM/FM/CD	add	3	add	3	5250	300	200	1720	78.8	44.7						
AM/FM/CDx6	add	5	add	2	5250	300	250	1670	79.7	44.7						
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5250	300	300	1620	80.7	44.7						
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5250	300	350	1570	81.0	44.7						
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
									FRONT	REAR					FRONT	REAR
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4250	-50	-50	3111	69.1	44.7	4400	-50	-50	2976	70.7	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4250	-50	0	3061	69.4	44.7	4400	-50	0	2926	71.1	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4250	-50	50	3011	69.8	44.7	4400	-50	50	2876	71.5	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4250	-50	100	2961	70.2	44.7	4400	-50	100	2826	71.9	44.7
Full Wheel Covers	add	4	add	4	4400	0	-50	3061	74.6	44.7	4550	0	-50	2926	76.5	44.7
Limited-Slip Rear Axle	add	0	add	5	4400	0	0	3011	75.0	44.7	4550	0	0	2876	77.0	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4400	0	50	2961	75.5	44.7	4550	0	50	2826	77.5	44.7
Stabilizer Package	add	2	add	26	4400	0	100	2911	76.0	44.7	4550	0	100	2776	78.1	44.7
Stepgate	sub	10	add	50	4400	0	150	2861	76.5	44.7	4550	0	150	2726	78.6	44.7
Spray-In Bedliner	add	1	add	19	4400	50	0	2961	72.8	44.7	4550	50	0	2826	74.7	44.7
					4400	50	50	2911	73.3	44.7	4550	50	50	2776	75.2	44.7
WHEELS & TIRES					4400	50	100	2861	73.7	44.7	4550	50	100	2726	75.7	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4400	50	150	2811	74.2	44.7	4550	50	150	2676	76.2	44.7
18" Steel Wheels	add	10	add	17	4400	50	200	2761	74.6	44.7	4550	50	200	2626	76.8	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4400	100	0	2911	70.5	44.7	4550	100	0	2776	72.4	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4400	100	50	2861	70.9	44.7	4550	100	50	2726	72.8	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4400	100	100	2811	71.3	44.7	4550	100	100	2676	73.3	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4400	100	150	2761	71.8	44.7	4550	100	150	2626	73.8	44.7
LT245/75R17E A/T	add	0	add	0	4400	100	200	2711	72.2	44.7	4550	100	200	2576	74.3	44.7
LT265/70R17E A/T	add	9	add	13	4550	150	50	2811	77.0	44.7	4700	150	50	2676	79.2	44.7
LT275/65R18E A/S	add	17	add	27	4550	150	100	2761	77.5	44.7	4700	150	100	2626	79.8	44.7
LT275/70R18E A/S	add	17	add	27	4550	150	150	2711	78.0	44.7	4700	150	150	2576	80.4	44.7
LT275/70R18E A/T	add	17	add	27	4550	150	200	2661	78.6	44.7	4700	150	200	2526	81.1	44.7
LT275/65R20E A/T	add	33	add	33	4550	150	250	2611	79.2	44.7	4700	150	250	2476	81.7	44.7
					4550	150	300	2561	79.8	44.7	4700	150	300	2426	82.4	44.7
SEATING					4550	200	50	2761	74.6	44.7	4700	200	50	2626	76.8	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4550	200	100	2711	75.1	44.7	4700	200	100	2576	77.4	44.7
Front Bucket Seats	add	9	add	6	4550	200	150	2661	75.6	44.7	4700	200	150	2526	77.9	44.7
Front Captain's Chairs	add	11	add	10	4550	200	200	2611	76.2	44.7	4700	200	200	2476	78.5	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4550	200	250	2561	76.7	44.7	4700	200	250	2426	79.2	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4550	200	300	2511	77.3	44.7	4700	200	300	2376	79.8	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4550	250	100	2661	72.7	44.7	4700	250	100	2526	74.8	44.7
Power 6-Way Driver's Seat	add	3	add	1	4550	250	150	2611	73.1	44.7	4700	250	150	2476	75.4	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4550	250	200	2561	73.6	44.7	4700	250	200	2426	75.9	44.7
Heated Seats	add	3	add	1	4550	250	250	2511	74.2	44.7	4700	250	250	2376	76.5	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4550	250	300	2461	74.7	44.7	4700	250	300	2326	77.1	44.7
					4550	250	350	2411	75.2	44.7	4700	250	350	2276	77.8	44.7
INTERIOR					4700	300	100	2611	79.2	44.7	4850	300	100	2476	81.7	44.7
Air Conditioning	add	44	sub	3	4700	300	150	2561	79.8	44.7	4850	300	150	2426	82.4	44.7
AM/FM/CD	add	3	add	3	4700	300	200	2511	80.4	44.7	4850	300	200	2376	83.2	44.7
AM/FM/CDx6	add	5	add	2	4700	300	250	2461	81.1	44.7	4850	300	250	2326	83.9	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4700	300	300	2411	81.8	44.7	4850	300	300	2276	84.7	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4700	300	350	2361	82.5	44.7	4850	300	350	2226	85.5	44.7
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 6.4L Diesel Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	5250	-50	-50	2195	89.7	44.7						
Dual Alternator (Diesel Engines only)	add	21	add	0	5250	-50	0	2145	90.6	44.7						
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	5250	-50	50	2095	91.7	44.7						
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1	5250	-50	100	2045	92.7	44.7						
Full Wheel Covers	add	4	add	4	5250	0	-50	2145	87.0	44.7						
Limited-Slip Rear Axle	add	0	add	5	5250	0	0	2095	87.9	44.7						
Skid Plates (4x4 only)		n.a.		n.a.	5250	0	50	2045	88.9	44.7						
Stabilizer Package	add	2	add	26	5250	0	100	1995	89.9	44.7						
Stepgate	sub	10	add	50	5250	0	150	1945	91.0	44.7						
Spray-In Bedliner	add	1	add	19	5250	50	0	2045	85.0	44.7						
					5250	50	50	1995	85.9	44.7						
WHEELS & TIRES					5250	50	100	1945	86.9	44.7						
17" Window Aluminum Wheels	sub	23	sub	23	5250	50	150	1895	88.0	44.7						
18" Steel Wheels	add	10	add	17	5250	50	200	1845	89.0	44.7						
18" Forged Aluminum Wheels	sub	25	sub	14	5250	100	0	1995	82.0	44.7						
18" Cast Aluminum Wheels	sub	9	sub	9	5250	100	50	1945	82.9	44.7						
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5250	100	100	1895	83.8	44.7						
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5250	100	150	1845	84.8	44.7						
LT245/75R17E A/T	add	0	add	0	5250	100	200	1795	85.8	44.7						
LT265/70R17E A/T	add	9	add	13	5250	150	50	1895	79.6	44.7						
LT275/65R18E A/S	add	17	add	27	5250	150	100	1845	80.5	44.7						
LT275/70R18E A/S	add	17	add	27	5250	150	150	1795	81.4	44.7						
LT275/70R18E A/T	add	17	add	27	5250	150	200	1745	82.3	44.7						
LT275/65R20E A/T	add	33	add	33	5250	150	250	1695	83.4	44.7						
					5250	150	300	1645	84.4	44.7						
SEATING					5250	200	50	1845	76.2	44.7						
Front Bench Seat - 40/20/40	add	30	add	23	5250	200	100	1795	77.0	44.7						
Front Bucket Seats	add	9	add	6	5250	200	150	1745	77.8	44.7						
Front Captain's Chairs	add	11	add	10	5250	200	200	1695	78.7	44.7						
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	5250	200	250	1645	79.6	44.7						
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	5250	200	300	1595	80.6	44.7						
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	5250	250	100	1745	73.3	44.7						
Power 6-Way Driver's Seat	add	3	add	1	5250	250	150	1695	74.0	44.7						
Power 6-Way Passenger's Seat	add	3	add	1	5250	250	200	1645	74.8	44.7						
Heated Seats	add	3	add	1	5250	250	250	1595	75.7	44.7						
Less Second Row Bench (S/Cab only)	sub	23	sub	62	5250	250	300	1545	76.6	44.7						
					5250	250	350	1495	77.5	44.7						
INTERIOR					5250	300	100	1695	69.4	44.7						
Air Conditioning	add	44	sub	3	5250	300	150	1645	70.0	44.7						
AM/FM/CD	add	3	add	3	5250	300	200	1595	70.7	44.7						
AM/FM/CDx6	add	5	add	2	5250	300	250	1545	71.5	44.7						
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5250	300	300	1495	72.3	44.7						
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5250	300	350	1445	73.1	44.7						
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4100	-50	-50	3055	63.4	45.0	4250	-50	-50	2927	65.1	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4100	-50	0	3005	63.7	45.0	4250	-50	0	2877	65.4	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4100	-50	50	2955	64.0	44.9	4250	-50	50	2827	65.7	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4100	-50	100	2905	64.2	44.9	4250	-50	100	2777	66.0	44.7
Full Wheel Covers	add	4	add	4	4250	0	-50	3005	68.9	44.7	4400	0	-50	2877	70.8	44.7
Limited-Slip Rear Axle	add	0	add	5	4250	0	0	2955	69.3	44.7	4400	0	0	2827	71.2	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4250	0	50	2905	69.6	44.7	4400	0	50	2777	71.6	44.7
Stabilizer Package	add	2	add	26	4250	0	100	2855	70.0	44.7	4400	0	100	2727	72.1	44.7
Stepgate	sub	10	add	50	4250	0	150	2805	70.4	44.7	4400	0	150	2677	72.5	44.7
Spray-In Bedliner	add	0	add	16	4250	50	0	2905	66.9	44.7	4400	50	0	2777	68.8	44.7
					4250	50	50	2855	67.3	44.7	4400	50	50	2727	69.2	44.7
WHEELS & TIRES					4250	50	100	2805	67.6	44.7	4400	50	100	2677	69.6	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4250	50	150	2755	68.0	44.7	4400	50	150	2627	70.0	44.7
18" Steel Wheels	add	10	add	17	4250	50	200	2705	68.3	44.7	4400	50	200	2577	70.4	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4250	100	0	2855	64.5	44.7	4400	100	0	2727	66.3	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4250	100	50	2805	64.8	44.7	4400	100	50	2677	66.7	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4250	100	100	2755	65.1	44.7	4400	100	100	2627	67.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4250	100	150	2705	65.4	44.7	4400	100	150	2577	67.4	44.7
LT245/75R17E A/T	add	0	add	0	4250	100	200	2655	65.8	44.7	4400	100	200	2527	67.8	44.7
LT265/70R17E A/T	add	9	add	13	4400	150	50	2755	70.8	44.7	4550	150	50	2627	73.0	44.7
LT275/65R18E A/S	add	17	add	27	4400	150	100	2705	71.2	44.7	4550	150	100	2577	73.5	44.7
LT275/70R18E A/S	add	17	add	27	4400	150	150	2655	71.7	44.7	4550	150	150	2527	74.0	44.7
LT275/70R18E A/T	add	17	add	27	4400	150	200	2605	72.1	44.7	4550	150	200	2477	74.5	44.7
LT275/65R20E A/T	add	33	add	33	4400	150	250	2555	72.6	44.7	4550	150	250	2427	75.0	44.7
					4400	150	300	2505	73.1	44.7	4550	150	300	2377	75.6	44.7
SEATING					4400	200	50	2705	68.3	44.7	4550	200	50	2577	70.4	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4400	200	100	2655	68.7	44.7	4550	200	100	2527	70.9	44.7
Front Bucket Seats	add	9	add	6	4400	200	150	2605	69.1	44.7	4550	200	150	2477	71.3	44.7
Front Captain's Chairs	add	11	add	10	4400	200	200	2555	69.5	44.7	4550	200	200	2427	71.8	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4400	200	250	2505	70.0	44.7	4550	200	250	2377	72.3	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	4400	200	300	2455	70.4	44.7	4550	200	300	2327	72.9	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4400	250	100	2605	66.1	44.7	4550	250	100	2477	68.2	44.7
Power 6-Way Driver's Seat	add	3	add	1	4400	250	150	2555	66.5	44.7	4550	250	150	2427	68.6	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4400	250	200	2505	66.8	44.7	4550	250	200	2377	69.0	44.7
Heated Seats	add	3	add	1	4400	250	250	2455	67.2	44.7	4550	250	250	2327	69.5	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4400	250	300	2405	67.6	44.7	4550	250	300	2277	70.0	44.7
					4400	250	350	2355	68.0	44.7	4550	250	350	2227	70.5	44.7
INTERIOR					4550	300	100	2555	72.6	44.7	4700	300	100	2427	75.0	44.7
Air Conditioning	add	44	sub	3	4550	300	150	2505	73.1	44.7	4700	300	150	2377	75.6	44.7
AM/FM/CD	add	3	add	3	4550	300	200	2455	73.6	44.7	4700	300	200	2327	76.2	44.7
AM/FM/CDx6	add	5	add	2	4550	300	250	2405	74.1	44.7	4700	300	250	2277	76.8	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4550	300	300	2355	74.7	44.7	4700	300	300	2227	77.5	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4550	300	350	2305	75.3	44.7	4700	300	350	2177	78.2	44.7
Satellite Radio	add	2	add	1	4550	300	400	2255	75.9	44.7	4700	300	400	2127	78.9	44.7
DVD Entertainment System	add	4	add	3	4550	350	100	2505	70.0	44.7	4700	350	100	2377	72.3	44.7
All Weather Floor Mats	add	6	add	4	4550	350	150	2455	70.4	44.7	4700	350	150	2327	72.9	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4550	350	200	2405	70.9	44.7	4700	350	200	2277	73.4	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	4550	350	250	2355	71.4	44.7	4700	350	250	2227	74.0	44.7
Power Windows & Door Locks	add	15	add	6	4550	350	300	2305	71.9	44.7	4700	350	300	2177	74.6	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	4550	350	350	2255	72.4	44.7	4700	350	350	2127	75.2	44.7
					4550	350	400	2205	73.0	44.7	4700	350	400	2077	75.9	44.7
					4550	350	450	2155	73.5	44.7	4700	350	450	2027	76.5	44.7
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5000	-50	-50	2146	73.6	44.7
5000	-50	0	2096	74.2	44.7
5000	-50	50	2046	74.8	44.7
5000	-50	100	1996	75.5	44.7
5000	0	-50	2096	70.5	44.7
5000	0	0	2046	71.0	44.7
5000	0	50	1996	71.6	44.7
5000	0	100	1946	72.2	44.7
5000	0	150	1896	72.8	44.7
5250	50	0	1996	81.0	44.7
5250	50	50	1946	81.0	44.7
5250	50	100	1896	81.0	44.7
5250	50	150	1846	81.0	44.7
5250	100	0	1946	81.0	44.7
5250	100	50	1896	81.0	44.7
5250	100	100	1846	81.0	44.7
5250	100	150	1796	81.0	44.7
5250	100	200	1746	81.0	44.7
5250	150	50	1846	81.0	44.7
5250	150	100	1796	81.0	44.7
5250	150	150	1746	81.0	44.7
5250	150	200	1696	81.0	44.7
5250	150	250	1646	81.0	44.7
5250	150	300	1596	81.0	44.7
5250	200	50	1796	78.6	44.7
5250	200	100	1746	79.4	44.7
5250	200	150	1696	80.4	44.7
5250	200	200	1646	81.0	44.7
5250	200	250	1596	81.0	44.7
5250	200	300	1546	81.0	44.7
5250	250	100	1696	75.8	44.7
5250	250	150	1646	76.6	44.7
5250	250	200	1596	77.5	44.7
5250	250	250	1546	78.5	44.7
5250	250	300	1496	79.5	44.7
5250	250	350	1446	80.6	44.7
5250	300	100	1646	71.9	44.7
5250	300	150	1596	72.6	44.7
5250	300	200	1546	73.4	44.7
5250	300	250	1496	74.3	44.7
5250	300	300	1446	75.2	44.7
5250	300	350	1396	76.1	44.7
5250	300	400	1346	77.2	44.7
5250	350	100	1596	67.7	44.7
5250	350	150	1546	68.4	44.7
5250	350	200	1496	69.0	44.7
5250	350	250	1446	69.8	44.7
5250	350	300	1396	70.6	44.7
5250	350	350	1346	71.4	44.7
5250	350	400	1296	72.3	44.7
5250	350	450	1246	73.3	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4400	-50	-50	2936	74.4	44.7	4550	-50	-50	2803	76.8	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	0	2886	74.9	44.7	4550	-50	0	2753	77.3	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4400	-50	50	2836	75.4	44.7	4550	-50	50	2703	77.9	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	-50	100	2786	75.9	44.7	4550	-50	100	2653	78.4	44.7
Full Wheel Covers	add	4	add	4	4550	0	-50	2886	80.9	44.7	4550	0	-50	2753	74.2	44.7
Limited-Slip Rear Axle	add	0	add	5	4550	0	0	2836	81.4	44.7	4550	0	0	2703	74.7	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4550	0	50	2786	82.0	44.7	4550	0	50	2653	75.2	44.7
Stabilizer Package	add	2	add	26	4550	0	100	2736	82.7	44.7	4550	0	100	2603	75.7	44.7
Stepgate	sub	10	add	50	4550	0	150	2686	83.3	44.7	4550	0	150	2553	76.2	44.7
Spray-In Bedliner	add	1	add	19	4550	50	0	2786	79.0	44.7	4700	50	0	2653	81.7	44.7
					4550	50	50	2736	79.5	44.7	4700	50	50	2603	82.3	44.7
WHEELS & TIRES					4550	50	100	2686	80.1	44.7	4700	50	100	2553	83.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4550	50	150	2636	80.7	44.7	4700	50	150	2503	83.7	44.7
18" Steel Wheels	add	10	add	17	4550	50	200	2586	81.4	44.7	4700	50	200	2453	84.4	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4550	100	0	2736	76.4	44.7	4700	100	0	2603	79.0	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4550	100	50	2686	76.9	44.7	4700	100	50	2553	79.6	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4550	100	100	2636	77.4	44.7	4700	100	100	2503	80.3	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4550	100	150	2586	78.0	44.7	4700	100	150	2453	80.9	44.7
LT245/75R17E A/T	add	0	add	0	4550	100	200	2536	78.6	44.7	4700	100	200	2403	81.6	44.7
LT265/70R17E A/T	add	9	add	13	4700	150	50	2636	84.0	44.7	4700	150	50	2503	76.8	44.7
LT275/65R18E A/S	add	17	add	27	4700	150	100	2586	84.7	44.7	4700	150	100	2453	77.4	44.7
LT275/70R18E A/S	add	17	add	27	4700	150	150	2536	85.4	44.7	4700	150	150	2403	78.0	44.7
LT275/70R18E A/T	add	17	add	27	4700	150	200	2486	86.2	44.7	4700	150	200	2353	78.6	44.7
LT275/65R20E A/T	add	33	add	33	4700	150	250	2436	86.9	44.7	4700	150	250	2303	79.3	44.7
					4700	150	300	2386	87.8	44.7	4700	150	300	2253	80.0	44.7
SEATING					4700	200	50	2586	81.4	44.7	4850	200	50	2453	84.4	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4700	200	100	2536	82.0	44.7	4850	200	100	2403	85.2	44.7
Front Bucket Seats	add	9	add	6	4700	200	150	2486	82.7	44.7	4850	200	150	2353	86.0	44.7
Front Captain's Chairs	add	11	add	10	4700	200	200	2436	83.4	44.7	4850	200	200	2303	86.8	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4700	200	250	2386	84.1	44.7	4850	200	250	2253	87.7	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	4700	200	300	2336	84.9	44.7	4850	200	300	2203	88.6	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4700	250	100	2486	79.2	44.7	4850	250	100	2353	82.3	44.7
Power 6-Way Driver's Seat	add	3	add	1	4700	250	150	2436	79.9	44.7	4850	250	150	2303	83.1	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4700	250	200	2386	80.5	44.7	4850	250	200	2253	83.8	44.7
Heated Seats	add	3	add	1	4700	250	250	2336	81.2	44.7	4850	250	250	2203	84.7	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4700	250	300	2286	82.0	44.7	4850	250	300	2153	85.5	44.7
					4700	250	350	2236	82.7	44.7	4850	250	350	2103	86.4	44.7
INTERIOR					4850	300	100	2436	86.9	44.7	4850	300	100	2303	79.3	44.7
Air Conditioning	add	44	sub	3	4850	300	150	2386	87.8	44.7	4850	300	150	2253	80.0	44.7
AM/FM/CD	add	3	add	3	4850	300	200	2336	88.6	44.7	4850	300	200	2203	80.7	44.7
AM/FM/CDx6	add	5	add	2	4850	300	250	2286	89.5	44.7	4850	300	250	2153	81.5	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4850	300	300	2236	90.4	44.7	4850	300	300	2103	82.3	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4850	300	350	2186	91.4	44.7	4850	300	350	2053	83.1	44.7
Satellite Radio	add	2	add	1	4850	300	400	2136	92.4	44.7	4850	300	400	2003	84.0	44.7
DVD Entertainment System	add	4	add	3	4850	350	100	2386	84.1	44.7	5000	350	100	2253	87.7	44.7
All Weather Floor Mats	add	6	add	4	4850	350	150	2336	84.9	44.7	5000	350	150	2203	88.6	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4850	350	200	2286	85.7	44.7	5000	350	200	2153	89.5	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	4850	350	250	2236	86.6	44.7	5000	350	250	2103	90.5	44.7
Power Windows & Door Locks	add	15	add	6	4850	350	300	2186	87.5	44.7	5000	350	300	2053	91.5	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	4850	350	350	2136	88.4	44.7	5000	350	350	2003	92.6	44.7
					4850	350	400	2086	89.4	44.7	5000	350	400	1953	93.8	44.7
					4850	350	450	2036	90.4	44.7	5000	350	450	1903	95.0	44.7
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	2023	88.0	44.7
5250	-50	0	1973	89.0	44.7
5250	-50	50	1923	90.1	44.7
5250	-50	100	1873	91.2	44.7
5250	0	-50	1973	84.6	44.7
5250	0	0	1923	85.6	44.7
5250	0	50	1873	86.6	44.7
5250	0	100	1823	87.7	44.7
5250	0	150	1773	88.8	44.7
5250	50	0	1873	82.0	44.7
5250	50	50	1823	82.9	44.7
5250	50	100	1773	83.9	44.7
5250	50	150	1723	85.0	44.7
5250	100	0	1823	78.2	44.7
5250	100	50	1773	79.1	44.7
5250	100	100	1723	80.0	44.7
5250	100	150	1673	80.9	44.7
5250	100	200	1623	81.9	44.7
5250	150	50	1723	75.0	44.7
5250	150	100	1673	75.8	44.7
5250	150	150	1623	76.6	44.7
5250	150	200	1573	77.5	44.7
5250	150	250	1523	78.5	44.7
5250	150	300	1473	79.6	44.7
5250	200	50	1673	70.6	44.7
5250	200	100	1623	71.3	44.7
5250	200	150	1573	72.1	44.7
5250	200	200	1523	72.9	44.7
5250	200	250	1473	73.7	44.7
5250	200	300	1423	74.6	44.7
5250	250	100	1573	66.6	44.7
5250	250	150	1523	67.2	44.7
5250	250	200	1473	67.8	44.7
5250	250	250	1423	68.5	44.7
5250	250	300	1373	69.3	44.7
5250	250	350	1323	70.1	44.7
5250	300	100	1523	61.5	44.7
5250	300	150	1473	62.0	44.7
5250	300	200	1423	62.5	44.7
5250	300	250	1373	63.0	44.7
5250	300	300	1323	63.6	44.7
5250	300	350	1273	64.2	44.7
5250	300	400	1223	64.9	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL					4400	-50	-50	3513	71.9	46.2	4800	-50	-50	3380	83.6	44.7
Bed Extender	sub	2	add	23	4400	-50	0	3463	72.2	46.1	4800	-50	0	3330	84.2	44.7
Camper Package		n.a.		n.a.	4400	-50	50	3413	72.6	46.1	4800	-50	50	3280	84.7	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	100	3363	72.9	46.1	4800	-50	100	3230	85.3	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4400	0	-50	3463	70.2	44.7	4800	0	-50	3330	82.1	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	0	0	3413	70.6	44.7	4800	0	0	3280	82.6	44.7
Full Wheel Covers	add	4	add	4	4400	0	50	3363	70.9	44.7	4800	0	50	3230	83.2	44.7
Limited-Slip Rear Axle	add	0	add	5	4400	0	100	3313	71.3	44.7	4800	0	100	3180	83.7	44.7
Skid Plates (4x4 only)	add	20	add	25	4400	0	150	3263	71.6	44.7	4800	0	150	3130	84.3	44.7
Stabilizer Package	add	2	add	26	4800	50	0	3363	85.2	44.7	4800	50	0	3230	81.1	44.7
Stepgate	sub	10	add	50	4800	50	50	3313	85.7	44.7	4800	50	50	3180	81.6	44.7
Spray-In Bedliner	add	1	add	19	4800	50	100	3263	86.3	44.7	4800	50	100	3130	82.1	44.7
WHEELS & TIRES					4800	50	150	3213	86.9	44.7	4800	50	150	3080	82.7	44.7
17" Window Aluminum Wheels	sub	23	sub	23	4800	50	200	3163	87.5	44.7	4800	50	200	3030	83.3	44.7
18" Steel Wheels	add	10	add	17	4800	100	0	3313	83.7	44.7	4800	100	0	3180	79.4	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4800	100	50	3263	84.2	44.7	4800	100	50	3130	79.9	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4800	100	100	3213	84.8	44.7	4800	100	100	3080	80.5	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4800	100	150	3163	85.4	44.7	4800	100	150	3030	81.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4800	100	200	3113	86.0	44.7	4800	100	200	2980	81.5	44.7
LT245/75R17E A/T	add	0	add	0	4800	150	50	3213	82.6	44.7	4800	150	50	3080	78.2	44.7
LT265/70R17E A/T	add	9	add	13	4800	150	100	3163	83.2	44.7	4800	150	100	3030	78.7	44.7
LT275/65R18E A/S	add	17	add	27	4800	150	150	3113	83.8	44.7	4800	150	150	2980	79.2	44.7
LT275/70R18E A/S	add	17	add	27	4800	150	200	3063	84.3	44.7	4800	150	200	2930	79.8	44.7
LT275/70R18E A/T	add	17	add	27	4800	150	250	3013	85.0	44.7	4800	150	250	2880	80.3	44.7
LT275/65R20E A/T	add	33	add	33	4800	150	300	2963	85.6	44.7	4800	150	300	2830	80.9	44.7
SEATING					4800	200	50	3163	81.0	44.7	4800	200	50	3030	76.5	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4800	200	100	3113	81.6	44.7	4800	200	100	2980	77.0	44.7
Front Bucket Seats	add	9	add	6	4800	200	150	3063	82.1	44.7	4800	200	150	2930	77.4	44.7
Front Captain's Chairs	add	11	add	10	4800	200	200	3013	82.7	44.7	4800	200	200	2880	78.0	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4800	200	250	2963	83.3	44.7	4800	200	250	2830	78.5	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4800	200	300	2913	83.9	44.7	4800	200	300	2780	79.0	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4800	250	100	3063	79.9	44.7	4800	250	100	2930	75.1	44.7
Power 6-Way Driver's Seat	add	3	add	1	4800	250	150	3013	80.4	44.7	4800	250	150	2880	75.6	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4800	250	200	2963	81.0	44.7	4800	250	200	2830	76.1	44.7
Heated Seats	add	3	add	1	4800	250	250	2913	81.5	44.7	4800	250	250	2780	76.6	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4800	250	300	2863	82.1	44.7	4800	250	300	2730	77.1	44.7
INTERIOR					4800	250	350	2813	82.7	44.7	4800	250	350	2680	77.7	44.7
Air Conditioning	add	44	sub	3	4800	300	400	2713	81.5	44.7	5200	300	400	2580	97.0	44.7
AM/FM/CD	add	3	add	3	4800	300	100	3013	78.1	44.7	5200	300	100	2880	92.2	44.7
AM/FM/CDx6	add	5	add	2	4800	300	150	2963	78.6	44.7	5200	300	150	2830	93.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.	4800	300	200	2913	79.2	44.7	5200	300	200	2780	93.8	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.	4800	300	250	2863	79.7	44.7	5200	300	250	2730	94.7	44.7
Satellite Radio	add	2	add	1	4800	300	300	2813	80.3	44.7	5200	300	300	2680	95.5	44.7
DVD Entertainment System	add	4	add	3	4800	300	350	2763	80.9	44.7	5200	300	350	2630	96.5	44.7
All Weather Floor Mats	add	3	add	2	4800	300	400	2713	81.5	44.7	5200	300	400	2580	97.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	17	add	12												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 6.4L Diesel Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	5200	-50	-50	2583	78.4	44.7						
Dual Alternator (Diesel Engines only)	add	21	add	0	5200	-50	0	2533	79.0	44.7						
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	5200	-50	50	2483	79.6	44.7						
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1	5200	-50	100	2433	80.3	44.7						
Full Wheel Covers	add	4	add	4	5600	0	-50	2533	97.0	44.7						
Limited-Slip Rear Axle	add	0	add	5	5600	0	0	2483	97.0	44.7						
Skid Plates (4x4 only)	add	20	add	25	5600	0	50	2433	97.0	44.7						
Stabilizer Package	add	2	add	26	5600	0	100	2383	97.0	44.7						
Stepgate	sub	10	add	50	5600	0	150	2333	97.0	44.7						
Spray-In Bedliner	add	1	add	19	5600	50	0	2433	97.0	44.7						
					5600	50	50	2383	97.0	44.7						
WHEELS & TIRES					5600	50	100	2333	97.0	44.7						
17" Window Aluminum Wheels	sub	23	sub	23	5600	50	150	2283	97.0	44.7						
18" Steel Wheels	add	10	add	17	5600	50	200	2233	97.0	44.7						
18" Forged Aluminum Wheels	sub	25	sub	14	5600	100	0	2383	95.3	44.7						
18" Cast Aluminum Wheels	sub	9	sub	9	5600	100	50	2333	96.4	44.7						
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5600	100	100	2283	97.0	44.7						
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5600	100	150	2233	97.0	44.7						
LT245/75R17E A/T	add	0	add	0	5600	100	200	2183	97.0	44.7						
LT265/70R17E A/T	add	9	add	13	5600	150	50	2283	94.4	44.7						
LT275/65R18E A/S	add	17	add	27	5600	150	100	2233	95.5	44.7						
LT275/70R18E A/S	add	17	add	27	5600	150	150	2183	96.5	44.7						
LT275/70R18E A/T	add	17	add	27	5600	150	200	2133	97.0	44.7						
LT275/65R20E A/T	add	33	add	33	5600	150	250	2083	97.0	44.7						
					5600	150	300	2033	97.0	44.7						
SEATING					5600	200	50	2233	92.4	44.7						
Front Bench Seat - 40/20/40	add	30	add	23	5600	200	100	2183	93.4	44.7						
Front Bucket Seats	add	9	add	6	5600	200	150	2133	94.5	44.7						
Front Captain's Chairs	add	11	add	10	5600	200	200	2083	95.6	44.7						
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	5600	200	250	2033	96.8	44.7						
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	5600	200	300	1983	97.0	44.7						
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	5600	250	100	2133	91.3	44.7						
Power 6-Way Driver's Seat	add	3	add	1	5600	250	150	2083	92.3	44.7						
Power 6-Way Passenger's Seat	add	3	add	1	5600	250	200	2033	93.4	44.7						
Heated Seats	add	3	add	1	5600	250	250	1983	94.6	44.7						
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5600	250	300	1933	95.8	44.7						
					5600	250	350	1883	97.0	44.7						
INTERIOR					5600	300	100	2083	89.0	44.7						
Air Conditioning	add	44	sub	3	5600	300	150	2033	90.0	44.7						
AM/FM/CD	add	3	add	3	5600	300	200	1983	91.1	44.7						
AM/FM/CDx6	add	5	add	2	5600	300	250	1933	92.2	44.7						
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.	5600	300	300	1883	93.4	44.7						
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.	5600	300	350	1833	94.6	44.7						
Satellite Radio	add	2	add	1	5600	300	400	1783	95.9	44.7						
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	2												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	17	add	12												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	4800	-50	-50	2843	81.0	44.7	4800	-50	-50	2711	80.0	44.7
Camper Package		n.a.		n.a.	4800	-50	0	2793	81.0	44.7	4800	-50	0	2661	80.6	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	50	2743	81.0	44.7	4800	-50	50	2611	81.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	100	2693	81.0	44.7	4800	-50	100	2561	81.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	-50	2793	81.0	44.7	4800	0	-50	2661	78.0	44.7
Full Wheel Covers	add	4	add	4	4800	0	0	2743	81.0	44.7	4800	0	0	2611	78.5	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	50	2693	81.0	44.7	4800	0	50	2561	79.1	44.7
Skid Plates (4x4 only)	add	18	add	18	4800	0	100	2643	81.0	44.7	4800	0	100	2511	79.8	44.7
Stabilizer Package	add	2	add	26	4800	0	150	2593	81.0	44.7	4800	0	150	2461	80.4	44.7
Stepgate	sub	10	add	50	4800	50	0	2693	81.0	44.7	4800	50	0	2561	76.4	44.7
Spray-In Bedliner	add	0	add	16	4800	50	50	2643	81.0	44.7	4800	50	50	2511	76.9	44.7
					4800	50	100	2593	81.0	44.7	4800	50	100	2461	77.5	44.7
WHEELS & TIRES																
17" Window Aluminum Wheels	sub	23	sub	23	4800	50	150	2543	81.0	44.7	4800	50	150	2411	78.1	44.7
18" Steel Wheels	add	10	add	17	4800	50	200	2493	81.0	44.7	4800	50	200	2361	78.8	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	4800	100	0	2643	80.0	44.7	4800	100	0	2511	74.1	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	4800	100	50	2593	80.6	44.7	4800	100	50	2461	74.6	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	4800	100	100	2543	81.0	44.7	4800	100	100	2411	75.2	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	4800	100	150	2493	81.0	44.7	4800	100	150	2361	75.8	44.7
LT245/75R17E A/T	add	0	add	0	4800	100	200	2443	81.0	44.7	4800	100	200	2311	76.4	44.7
LT265/70R17E A/T	add	9	add	13	4800	150	50	2543	78.5	44.7	4800	150	50	2411	72.3	44.7
LT275/65R18E A/S	add	17	add	27	4800	150	100	2493	79.1	44.7	4800	150	100	2361	72.8	44.7
LT275/70R18E A/S	add	17	add	27	4800	150	150	2443	79.7	44.7	4800	150	150	2311	73.3	44.7
LT275/70R18E A/T	add	17	add	27	4800	150	200	2393	80.4	44.7	4800	150	200	2261	73.9	44.7
LT275/65R20E A/T	add	33	add	33	4800	150	250	2343	81.0	44.7	4800	150	250	2211	74.5	44.7
					4800	150	300	2293	81.0	44.7	4800	150	300	2161	75.1	44.7
SEATING					4800	200	50	2493	76.2	44.7	5200	200	50	2361	81.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4800	200	100	2443	76.8	44.7	5200	200	100	2311	81.0	44.7
Front Bucket Seats	add	9	add	6	4800	200	150	2393	77.4	44.7	5200	200	150	2261	81.0	44.7
Front Captain's Chairs	add	11	add	10	4800	200	200	2343	78.0	44.7	5200	200	200	2211	81.0	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4800	200	250	2293	78.7	44.7	5200	200	250	2161	81.0	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4800	200	300	2243	79.4	44.7	5200	200	300	2111	81.0	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4800	250	100	2393	74.5	44.7	5200	250	100	2261	81.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	4800	250	150	2343	75.0	44.7	5200	250	150	2211	81.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4800	250	200	2293	75.6	44.7	5200	250	200	2161	81.0	44.7
Heated Seats	add	3	add	1	4800	250	250	2243	76.2	44.7	5200	250	250	2111	81.0	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4800	250	300	2193	76.9	44.7	5200	250	300	2061	81.0	44.7
					4800	250	350	2143	77.6	44.7	5200	250	350	2011	81.0	44.7
INTERIOR					5200	300	100	2343	81.0	44.7	5200	300	100	2211	81.0	44.7
Air Conditioning	add	44	sub	3	5200	300	150	2293	81.0	44.7	5200	300	150	2161	81.0	44.7
AM/FM/CD	add	3	add	3	5200	300	200	2243	81.0	44.7	5200	300	200	2111	81.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	250	2193	81.0	44.7	5200	300	250	2061	81.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	300	2143	81.0	44.7	5200	300	300	2011	81.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	350	2093	81.0	44.7	5200	300	350	1961	81.0	44.7
Satellite Radio	add	2	add	1	5200	300	400	2043	81.0	44.7	5200	300	400	1911	81.0	44.7
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	18	add	18
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	1884	81.0	44.7
5600	-50	0	1834	81.0	44.7
5600	-50	50	1784	81.0	44.7
5600	-50	100	1734	81.0	44.7
5600	0	-50	1834	81.0	44.7
5600	0	0	1784	81.0	44.7
5600	0	50	1734	81.0	44.7
5600	0	100	1684	81.0	44.7
5600	0	150	1634	81.0	44.7
5600	50	0	1734	81.0	44.7
5600	50	50	1684	81.0	44.7
5600	50	100	1634	81.0	44.7
5600	50	150	1584	81.0	44.7
5600	100	0	1684	81.0	44.7
5600	100	50	1634	81.0	44.7
5600	100	100	1584	81.0	44.7
5600	100	150	1534	81.0	44.7
5600	100	200	1484	81.0	44.7
5600	150	50	1584	81.0	44.7
5600	150	100	1534	81.0	44.7
5600	150	150	1484	81.0	44.7
5600	150	200	1434	81.0	44.7
5600	150	250	1384	81.0	44.7
5600	150	300	1334	81.0	44.7
5600	200	50	1534	81.0	44.7
5600	200	100	1484	81.0	44.7
5600	200	150	1434	81.0	44.7
5600	200	200	1384	81.0	44.7
5600	200	250	1334	81.0	44.7
5600	200	300	1284	81.0	44.7
5600	250	100	1434	81.0	44.7
5600	250	150	1384	81.0	44.7
5600	250	200	1334	81.0	44.7
5600	250	250	1284	81.0	44.7
5600	250	300	1234	81.0	44.7
5600	250	350	1184	81.0	44.7
6000	300	100	1384	81.0	44.7
6000	300	150	1334	81.0	44.7
6000	300	200	1284	81.0	44.7
6000	300	250	1234	81.0	44.7
6000	300	300	1184	81.0	44.7
6000	300	350	1134	81.0	44.7
6000	300	400	1084	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4800	-50	-50	2689	82.3	44.7	5200	-50	-50	2556	97.0	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	0	2639	82.9	44.7	5200	-50	0	2506	97.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	50	2589	83.6	44.7	5200	-50	50	2456	97.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	-50	100	2539	84.3	44.7	5200	-50	100	2406	97.0	44.7
Full Wheel Covers	add	4	add	4	4800	0	-50	2639	79.9	44.7	5200	0	-50	2506	97.0	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	0	2589	80.6	44.7	5200	0	0	2456	97.0	44.7
Skid Plates (4x4 only)	add	24	add	21	4800	0	50	2539	81.2	44.7	5200	0	50	2406	97.0	44.7
Stabilizer Package	add	2	add	26	4800	0	100	2489	81.9	44.7	5200	0	100	2356	97.0	44.7
Stepgate	sub	10	add	50	4800	0	150	2439	82.6	44.7	5200	0	150	2306	97.0	44.7
Spray-In Bedliner	add	1	add	19	5200	50	0	2539	97.0	44.7	5200	50	0	2406	96.8	44.7
					5200	50	50	2489	97.0	44.7	5200	50	50	2356	97.0	44.7
WHEELS & TIRES					5200	50	100	2439	97.0	44.7	5200	50	100	2306	97.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	5200	50	150	2389	97.0	44.7	5200	50	150	2256	97.0	44.7
18" Steel Wheels	add	10	add	17	5200	50	200	2339	97.0	44.7	5200	50	200	2206	97.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	5200	100	0	2489	97.0	44.7	5200	100	0	2356	94.5	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	5200	100	50	2439	97.0	44.7	5200	100	50	2306	95.5	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5200	100	100	2389	97.0	44.7	5200	100	100	2256	96.5	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5200	100	150	2339	97.0	44.7	5200	100	150	2206	97.0	44.7
LT245/75R17E A/T	add	0	add	0	5200	100	200	2289	97.0	44.7	5200	100	200	2156	97.0	44.7
LT265/70R17E A/T	add	9	add	13	5200	150	50	2389	97.0	44.7	5200	150	50	2256	93.0	44.7
LT275/65R18E A/S	add	17	add	27	5200	150	100	2339	97.0	44.7	5200	150	100	2206	94.0	44.7
LT275/70R18E A/S	add	17	add	27	5200	150	150	2289	97.0	44.7	5200	150	150	2156	95.1	44.7
LT275/70R18E A/T	add	17	add	27	5200	150	200	2239	97.0	44.7	5200	150	200	2106	96.2	44.7
LT275/65R20E A/T	add	33	add	33	5200	150	250	2189	97.0	44.7	5200	150	250	2056	97.0	44.7
					5200	150	300	2139	97.0	44.7	5200	150	300	2006	97.0	44.7
SEATING					5200	200	50	2339	97.0	44.7	5200	200	50	2206	90.5	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	100	2289	97.0	44.7	5200	200	100	2156	91.5	44.7
Front Bucket Seats	add	9	add	6	5200	200	150	2239	97.0	44.7	5200	200	150	2106	92.5	44.7
Front Captain's Chairs	add	11	add	10	5200	200	200	2189	97.0	44.7	5200	200	200	2056	93.6	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	5200	200	250	2139	97.0	44.7	5200	200	250	2006	94.7	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	5200	200	300	2089	97.0	44.7	5200	200	300	1956	95.9	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	5200	250	100	2239	96.3	44.7	5200	250	100	2106	88.7	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	150	2189	97.0	44.7	5200	250	150	2056	89.7	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	200	2139	97.0	44.7	5200	250	200	2006	90.8	44.7
Heated Seats	add	3	add	1	5200	250	250	2089	97.0	44.7	5200	250	250	1956	91.9	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	5200	250	300	2039	97.0	44.7	5200	250	300	1906	93.0	44.7
					5200	250	350	1989	97.0	44.7	5200	250	350	1856	94.2	44.7
INTERIOR					5200	300	100	2189	93.8	44.7	5600	300	100	2056	97.0	44.7
Air Conditioning	add	44	sub	3	5200	300	150	2139	94.8	44.7	5600	300	150	2006	97.0	44.7
AM/FM/CD	add	3	add	3	5200	300	200	2089	96.0	44.7	5600	300	200	1956	97.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	250	2039	97.0	44.7	5600	300	250	1906	97.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	300	1989	97.0	44.7	5600	300	300	1856	97.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	350	1939	97.0	44.7	5600	300	350	1806	97.0	44.7
Satellite Radio	add	2	add	1	5200	300	400	1889	97.0	44.7	5600	300	400	1756	97.0	44.7
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	24	add	21
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	1759	94.7	44.7
5600	-50	0	1709	96.1	44.7
5600	-50	50	1659	97.0	44.7
5600	-50	100	1609	97.0	44.7
6000	0	-50	1709	97.0	44.7
6000	0	0	1659	97.0	44.7
6000	0	50	1609	97.0	44.7
6000	0	100	1559	97.0	44.7
6000	0	150	1509	97.0	44.7
6000	50	0	1609	97.0	44.7
6000	50	50	1559	97.0	44.7
6000	50	100	1509	97.0	44.7
6000	50	150	1459	97.0	44.7
6000	100	0	1559	97.0	44.7
6000	100	50	1509	97.0	44.7
6000	100	100	1459	97.0	44.7
6000	100	150	1409	97.0	44.7
6000	100	200	1359	97.0	44.7
6000	150	50	1459	97.0	44.7
6000	150	100	1409	97.0	44.7
6000	150	150	1359	97.0	44.7
6000	150	200	1309	97.0	44.7
6000	150	250	1259	97.0	44.7
6000	150	300	1209	97.0	44.7
6000	200	50	1409	97.0	44.7
6000	200	100	1359	97.0	44.7
6000	200	150	1309	97.0	44.7
6000	200	200	1259	97.0	44.7
6000	200	250	1209	97.0	44.7
6000	200	300	1159	97.0	44.7
6000	250	100	1309	97.0	44.7
6000	250	150	1259	97.0	44.7
6000	250	200	1209	97.0	44.7
6000	250	250	1159	97.0	44.7
6000	250	300	1109	97.0	44.7
6000	250	350	1059	97.0	44.7
6000	300	100	1259	97.0	44.7
6000	300	150	1209	97.0	44.7
6000	300	200	1159	97.0	44.7
6000	300	250	1109	97.0	44.7
6000	300	300	1059	97.0	44.7
6000	300	350	1009	97.0	44.7
6000	300	400	959	97.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	16
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
5.4L Gasoline Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4800	-50	-50	2628	81.0	44.7
4800	-50	0	2578	81.0	44.7
4800	-50	50	2528	81.0	44.7
4800	-50	100	2478	81.0	44.7
4800	0	-50	2578	81.0	44.7
4800	0	0	2528	81.0	44.7
4800	0	50	2478	81.0	44.7
4800	0	100	2428	81.0	44.7
4800	0	150	2378	81.0	44.7
4800	50	0	2478	81.0	44.7
4800	50	50	2428	81.0	44.7
4800	50	100	2378	81.0	44.7
4800	50	150	2328	81.0	44.7
4800	50	200	2278	81.0	44.7
4800	100	0	2428	78.5	44.7
4800	100	50	2378	79.2	44.7
4800	100	100	2328	79.8	44.7
4800	100	150	2278	80.5	44.7
4800	100	200	2228	81.0	44.7
4800	150	50	2328	76.5	44.7
4800	150	100	2278	77.1	44.7
4800	150	150	2228	77.7	44.7
4800	150	200	2178	78.4	44.7
4800	150	250	2128	79.1	44.7
4800	150	300	2078	79.9	44.7
5200	200	50	2278	81.0	44.7
5200	200	100	2228	81.0	44.7
5200	200	150	2178	81.0	44.7
5200	200	200	2128	81.0	44.7
5200	200	250	2078	81.0	44.7
5200	200	300	2028	81.0	44.7
5200	250	100	2178	81.0	44.7
5200	250	150	2128	81.0	44.7
5200	250	200	2078	81.0	44.7
5200	250	250	2028	81.0	44.7
5200	250	300	1978	81.0	44.7
5200	250	350	1928	81.0	44.7
5200	300	100	2128	81.0	44.7
5200	300	150	2078	81.0	44.7
5200	300	200	2028	81.0	44.7
5200	300	250	1978	81.0	44.7
5200	300	300	1928	81.0	44.7
5200	300	350	1878	81.0	44.7
5200	350	100	2078	81.0	44.7
5200	350	150	2028	81.0	44.7
5200	350	200	1978	81.0	44.7
5200	350	250	1928	81.0	44.7
5200	350	300	1878	81.0	44.7
5200	350	350	1828	81.0	44.7
5200	350	400	1778	81.0	44.7
5200	400	100	2028	81.0	44.7
5200	400	150	1978	81.0	44.7
5200	400	200	1928	81.0	44.7
5200	400	250	1878	81.0	44.7
5200	400	300	1828	81.0	44.7
5200	400	350	1778	81.0	44.7
5200	400	400	1728	81.0	44.7
5200	400	450	1678	81.0	44.7
5200	400	500	1628	81.0	44.7

VEHICLE LOADING DATA
6.8L Gasoline Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4800	-50	-50	2502	78.8	44.7
4800	-50	0	2452	79.4	44.7
4800	-50	50	2402	80.1	44.7
4800	-50	100	2352	80.8	44.7
4800	0	-50	2452	76.2	44.7
4800	0	0	2402	76.8	44.7
4800	0	50	2352	77.4	44.7
4800	0	100	2302	78.1	44.7
4800	0	150	2252	78.7	44.7
5200	50	0	2352	81.0	44.7
5200	50	50	2302	81.0	44.7
5200	50	100	2252	81.0	44.7
5200	50	150	2202	81.0	44.7
5200	50	200	2152	81.0	44.7
5200	100	0	2302	81.0	44.7
5200	100	50	2252	81.0	44.7
5200	100	100	2202	81.0	44.7
5200	100	150	2152	81.0	44.7
5200	100	200	2102	81.0	44.7
5200	150	50	2202	81.0	44.7
5200	150	100	2152	81.0	44.7
5200	150	150	2102	81.0	44.7
5200	150	200	2052	81.0	44.7
5200	150	250	2002	81.0	44.7
5200	150	300	1952	81.0	44.7
5200	200	50	2152	81.0	44.7
5200	200	100	2102	81.0	44.7
5200	200	150	2052	81.0	44.7
5200	200	200	2002	81.0	44.7
5200	200	250	1952	81.0	44.7
5200	200	300	1902	81.0	44.7
5200	250	100	2052	81.0	44.7
5200	250	150	2002	81.0	44.7
5200	250	200	1952	81.0	44.7
5200	250	250	1902	81.0	44.7
5200	250	300	1852	81.0	44.7
5200	250	350	1802	81.0	44.7
5200	300	100	2002	81.0	44.7
5200	300	150	1952	81.0	44.7
5200	300	200	1902	81.0	44.7
5200	300	250	1852	81.0	44.7
5200	300	300	1802	81.0	44.7
5200	300	350	1752	81.0	44.7
5200	350	100	1952	81.0	44.7
5200	350	150	1902	81.0	44.7
5200	350	200	1852	81.0	44.7
5200	350	250	1802	81.0	44.7
5200	350	300	1752	81.0	44.7
5200	350	350	1702	81.0	44.7
5200	350	400	1652	81.0	44.7
5200	400	100	1902	81.0	44.7
5200	400	150	1852	81.0	44.7
5200	400	200	1802	81.0	44.7
5200	400	250	1752	81.0	44.7
5200	400	300	1702	81.0	44.7
5200	400	350	1652	81.0	44.7
5200	400	400	1602	81.0	44.7
5200	400	450	1552	81.0	44.7
5200	400	500	1502	81.0	44.7

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

VEHICLE LOADING DATA
6.4L Diesel Engine 10000 lb (4535 kg) GVWR

VEHICLE LOADING DATA

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	5600	-50	-50	1704	81.0	44.7						
Dual Alternator (Diesel Engines only)	add	21	add	0	5600	-50	0	1654	81.0	44.7						
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	5600	-50	50	1604	81.0	44.7						
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1	5600	-50	100	1554	81.0	44.7						
Full Wheel Covers	add	4	add	4	5600	0	-50	1654	81.0	44.7						
Limited-Slip Rear Axle	add	0	add	5	5600	0	0	1604	81.0	44.7						
Skid Plates (4x4 only)	add	20	add	16	5600	0	50	1554	81.0	44.7						
Stabilizer Package	add	2	add	26	5600	0	100	1504	81.0	44.7						
Stepgate	sub	10	add	50	5600	0	150	1454	81.0	44.7						
Spray-In Bedliner	add	0	add	16	5600	50	0	1554	81.0	44.7						
					5600	50	50	1504	81.0	44.7						
WHEELS & TIRES					5600	50	100	1454	81.0	44.7						
17" Window Aluminum Wheels	sub	23	sub	23	5600	50	150	1404	81.0	44.7						
18" Steel Wheels	add	10	add	17	5600	50	200	1354	81.0	44.7						
18" Forged Aluminum Wheels	sub	25	sub	14	5600	100	0	1504	81.0	44.7						
18" Cast Aluminum Wheels	sub	9	sub	9	5600	100	50	1454	81.0	44.7						
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5600	100	100	1404	81.0	44.7						
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5600	100	150	1354	81.0	44.7						
LT245/75R17E A/T	add	0	add	0	5600	100	200	1304	81.0	44.7						
LT265/70R17E A/T	add	9	add	13	6000	150	50	1404	81.0	44.7						
LT275/65R18E A/S	add	17	add	27	6000	150	100	1354	81.0	44.7						
LT275/70R18E A/S	add	17	add	27	6000	150	150	1304	81.0	44.7						
LT275/70R18E A/T	add	17	add	27	6000	150	200	1254	81.0	44.7						
LT275/65R20E A/T	add	33	add	33	6000	150	250	1204	81.0	44.7						
					6000	150	300	1154	81.0	44.7						
SEATING					6000	200	50	1354	81.0	44.7						
Front Bench Seat - 40/20/40	add	30	add	23	6000	200	100	1304	81.0	44.7						
Front Bucket Seats	add	9	add	6	6000	200	150	1254	81.0	44.7						
Front Captain's Chairs	add	11	add	10	6000	200	200	1204	81.0	44.7						
Quad Captain's Chairs (C/Cab only)	add	34	add	37	6000	200	250	1154	81.0	44.7						
Rear Load Floor Seat (C/Cab only)	add	28	add	47	6000	200	300	1104	81.0	44.7						
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	6000	250	100	1254	81.0	44.7						
Power 6-Way Driver's Seat	add	3	add	1	6000	250	150	1204	81.0	44.7						
Power 6-Way Passenger's Seat	add	3	add	1	6000	250	200	1154	81.0	44.7						
Heated Seats	add	3	add	1	6000	250	250	1104	81.0	44.7						
Less Second Row Bench (S/Cab only)		n.a.		n.a.	6000	250	300	1054	81.0	44.7						
					6000	250	350	1004	81.0	44.7						
INTERIOR					6000	300	100	1204	81.0	44.7						
Air Conditioning	add	44	sub	3	6000	300	150	1154	81.0	44.7						
AM/FM/CD	add	3	add	3	6000	300	200	1104	81.0	44.7						
AM/FM/CDx6	add	5	add	2	6000	300	250	1054	81.0	44.7						
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	6000	300	300	1004	81.0	44.7						
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	6000	300	350	954	81.0	44.7						
Satellite Radio	add	2	add	1	6000	300	400	904	81.0	44.7						
DVD Entertainment System	add	4	add	3	6000	300	100	1204	81.0	44.7						
All Weather Floor Mats	add	6	add	4	6000	300	150	1154	81.0	44.7						
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	6000	300	200	1104	81.0	44.7						
Power Adj. Accelerator & Brake Pedals	add	4	add	3	6000	300	250	1054	81.0	44.7						
Power Windows & Door Locks	add	15	add	6	6000	300	300	1004	81.0	44.7						
Speed Control/Tilt Steering Wheel	add	3	add	1	6000	300	350	954	81.0	44.7						
					6000	300	400	904	81.0	44.7						
					6000	350	100	1154	81.0	44.7						
EXTERIOR					6000	350	150	1104	81.0	44.7						
Body Side Moldings - Body Color	add	2	add	1	6000	350	200	1054	81.0	44.7						
Bumpers - Chrome	add	7	sub	3	6000	350	250	1004	81.0	44.7						
Cab Steps - Platform	add	27	add	20	6000	350	300	954	81.0	44.7						
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27	6000	350	350	904	81.0	44.7						
Cab Steps - 4" Tubular	add	20	add	15	6000	350	400	854	81.0	44.7						
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19	6000	400	100	1104	81.0	44.7						
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27	6000	400	150	1054	81.0	44.7						
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3	6000	400	200	1004	81.0	44.7						
Mirrors - Power Glass, Manual Telescoping	add	11	add	3	6000	400	250	954	81.0	44.7						
Mirrors - Power Glass, Power Telescoping	add	11	add	3	6000	400	300	904	81.0	44.7						
Moonroof - Power Sliding (C/Cab only)	add	29	add	22	6000	400	350	854	81.0	44.7						
Pickup Box Mat	add	-1	add	51	6000	400	400	804	81.0	44.7						
Sliding Rear Window - Manual	add	3	add	1	6000	400	450	754	81.0	44.7						
Sliding Rear Window - Power	add	4	add	3	6000	400	500	704	81.0	44.7						
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	5200	-50	-50	2516	97.0	44.7	5200	-50	-50	2383	97.0	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	5200	-50	0	2466	97.0	44.7	5200	-50	0	2333	97.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	5200	-50	50	2416	97.0	44.7	5200	-50	50	2283	97.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	5200	-50	100	2366	97.0	44.7	5200	-50	100	2233	97.0	44.7
Full Wheel Covers	add	4	add	4	5200	0	-50	2466	97.0	44.7	5200	0	-50	2333	97.0	44.7
Limited-Slip Rear Axle	add	0	add	5	5200	0	0	2416	97.0	44.7	5200	0	0	2283	97.0	44.7
Skid Plates (4x4 only)	add	25	add	20	5200	0	50	2366	97.0	44.7	5200	0	50	2233	97.0	44.7
Stabilizer Package	add	2	add	26	5200	0	100	2316	97.0	44.7	5200	0	100	2183	97.0	44.7
Stepgate	sub	10	add	50	5200	0	150	2266	97.0	44.7	5200	0	150	2133	97.0	44.7
Spray-In Bedliner	add	1	add	19	5200	50	0	2366	97.0	44.7	5200	50	0	2233	97.0	44.7
					5200	50	50	2316	97.0	44.7	5200	50	50	2183	97.0	44.7
WHEELS & TIRES					5200	50	100	2266	97.0	44.7	5200	50	100	2133	97.0	44.7
17" Window Aluminum Wheels	sub	23	sub	23	5200	50	150	2216	97.0	44.7	5200	50	150	2083	97.0	44.7
18" Steel Wheels	add	10	add	17	5200	50	200	2166	97.0	44.7	5200	50	200	2033	97.0	44.7
18" Forged Aluminum Wheels	sub	25	sub	14	5200	100	0	2316	97.0	44.7	5200	100	0	2183	94.9	44.7
18" Cast Aluminum Wheels	sub	9	sub	9	5200	100	50	2266	97.0	44.7	5200	100	50	2133	96.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9	5200	100	100	2216	97.0	44.7	5200	100	100	2083	97.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0	5200	100	150	2166	97.0	44.7	5200	100	150	2033	97.0	44.7
LT245/75R17E A/T	add	0	add	0	5200	100	200	2116	97.0	44.7	5200	100	200	1983	97.0	44.7
LT265/70R17E A/T	add	9	add	13	5200	150	50	2216	97.0	44.7	5200	150	50	2083	93.0	44.7
LT275/65R18E A/S	add	17	add	27	5200	150	100	2166	97.0	44.7	5200	150	100	2033	94.1	44.7
LT275/70R18E A/S	add	17	add	27	5200	150	150	2116	97.0	44.7	5200	150	150	1983	95.2	44.7
LT275/70R18E A/T	add	17	add	27	5200	150	200	2066	97.0	44.7	5200	150	200	1933	96.5	44.7
LT275/65R20E A/T	add	33	add	33	5200	150	250	2016	97.0	44.7	5200	150	250	1883	97.0	44.7
					5200	150	300	1966	97.0	44.7	5200	150	300	1833	97.0	44.7
SEATING					5200	200	50	2166	97.0	44.7	5600	200	50	2033	97.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	100	2116	97.0	44.7	5600	200	100	1983	97.0	44.7
Front Bucket Seats	add	9	add	6	5200	200	150	2066	97.0	44.7	5600	200	150	1933	97.0	44.7
Front Captain's Chairs	add	11	add	10	5200	200	200	2016	97.0	44.7	5600	200	200	1883	97.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	200	250	1966	97.0	44.7	5600	200	250	1833	97.0	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	5200	200	300	1916	97.0	44.7	5600	200	300	1783	97.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	250	100	2066	95.3	44.7	5600	250	100	1933	97.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	150	2016	96.5	44.7	5600	250	150	1883	97.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	200	1966	97.0	44.7	5600	250	200	1833	97.0	44.7
Heated Seats	add	3	add	1	5200	250	250	1916	97.0	44.7	5600	250	250	1783	97.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	250	300	1866	97.0	44.7	5600	250	300	1733	97.0	44.7
					5200	250	350	1816	97.0	44.7	5600	250	350	1683	97.0	44.7
INTERIOR					5200	300	100	2016	92.2	44.7	5600	300	100	1883	97.0	44.7
Air Conditioning	add	44	sub	3	5200	300	150	1966	93.4	44.7	5600	300	150	1833	97.0	44.7
AM/FM/CD	add	3	add	3	5200	300	200	1916	94.6	44.7	5600	300	200	1783	97.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	250	1866	95.8	44.7	5600	300	250	1733	97.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	300	1816	97.0	44.7	5600	300	300	1683	97.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	350	1766	97.0	44.7	5600	300	350	1633	97.0	44.7
Satellite Radio	add	2	add	1	5600	350	100	1966	97.0	44.7	5600	350	100	1833	97.0	44.7
DVD Entertainment System	add	4	add	3	5600	350	150	1916	97.0	44.7	5600	350	150	1783	97.0	44.7
All Weather Floor Mats	add	6	add	4	5600	350	200	1866	97.0	44.7	5600	350	200	1733	97.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5600	350	250	1816	97.0	44.7	5600	350	250	1683	97.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5600	350	300	1766	97.0	44.7	5600	350	300	1633	97.0	44.7
Power Windows & Door Locks	add	15	add	6	5600	350	350	1716	97.0	44.7	5600	350	350	1583	97.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	5600	350	400	1666	97.0	44.7	5600	350	400	1533	97.0	44.7
					5600	400	100	1916	97.0	44.7	5600	400	100	1783	97.0	44.7
					5600	400	150	1866	97.0	44.7	5600	400	150	1733	97.0	44.7
EXTERIOR					5600	400	200	1816	97.0	44.7	5600	400	200	1683	97.0	44.7
Body Side Moldings - Body Color	add	2	add	1	5600	400	250	1766	97.0	44.7	5600	400	250	1633	97.0	44.7
Bumpers - Chrome	add	7	sub	3	5600	400	300	1716	97.0	44.7	5600	400	300	1583	97.0	44.7
Cab Steps - Platform	add	27	add	20	5600	400	350	1666	97.0	44.7	5600	400	350	1533	97.0	44.7
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27	5600	400	400	1616	97.0	44.7	5600	400	400	1483	97.0	44.7
Cab Steps - 4" Tubular	add	20	add	15	5600	400	450	1566	97.0	44.7	5600	400	450	1433	97.0	44.7
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19	5600	400	500	1516	97.0	44.7	5600	400	500	1383	97.0	44.7
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (17" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

VEHICLE LOADING DATA
6.4L Diesel Engine 10000 lb (4535 kg) GVWR

VEHICLE LOADING DATA

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	25	add	20
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels	sub	23	sub	23
18" Steel Wheels	add	10	add	17
18" Forged Aluminum Wheels	sub	25	sub	14
18" Cast Aluminum Wheels	sub	9	sub	9
20" Brushed Aluminum Wheels (KR)	sub	15	sub	9
20" Brushed Aluminum Wheels (Harley)	sub	6	sub	0
LT245/75R17E A/T	add	0	add	0
LT265/70R17E A/T	add	9	add	13
LT275/65R18E A/S	add	17	add	27
LT275/70R18E A/S	add	17	add	27
LT275/70R18E A/T	add	17	add	27
LT275/65R20E A/T	add	33	add	33
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
6000	-50	-50	1586	97.0	44.7
6000	-50	0	1536	97.0	44.7
6000	-50	50	1486	97.0	44.7
6000	-50	100	1436	97.0	44.7
6000	0	-50	1536	97.0	44.7
6000	0	0	1486	97.0	44.7
6000	0	50	1436	97.0	44.7
6000	0	100	1386	97.0	44.7
6000	0	150	1336	97.0	44.7
6000	50	0	1436	97.0	44.7
6000	50	50	1386	97.0	44.7
6000	50	100	1336	97.0	44.7
6000	50	150	1286	97.0	44.7
6000	50	200	1236	97.0	44.7
6000	100	0	1386	97.0	44.7
6000	100	50	1336	97.0	44.7
6000	100	100	1286	97.0	44.7
6000	100	150	1236	97.0	44.7
6000	100	200	1186	97.0	44.7
6000	150	50	1286	97.0	44.7
6000	150	100	1236	97.0	44.7
6000	150	150	1186	97.0	44.7
6000	150	200	1136	97.0	44.7
6000	150	250	1086	97.0	44.7
6000	150	300	1036	97.0	44.7
6000	200	50	1236	97.0	44.7
6000	200	100	1186	97.0	44.7
6000	200	150	1136	97.0	44.7
6000	200	200	1086	97.0	44.7
6000	200	250	1036	97.0	44.7
6000	200	300	986	97.0	44.7
6000	250	100	1136	97.0	44.7
6000	250	150	1086	97.0	44.7
6000	250	200	1036	97.0	44.7
6000	250	250	986	97.0	44.7
6000	250	300	936	97.0	44.7
6000	250	350	886	97.0	44.7
6000	300	100	1086	97.0	44.7
6000	300	150	1036	97.0	44.7
6000	300	200	986	97.0	44.7
6000	300	250	936	97.0	44.7
6000	300	300	886	97.0	44.7
6000	300	350	836	97.0	44.7
6000	300	400	786	97.0	44.7
6000	300	100	1086	97.0	44.7
6000	300	150	1036	97.0	44.7
6000	300	200	986	97.0	44.7
6000	300	250	936	97.0	44.7
6000	300	300	886	97.0	44.7
6000	300	350	836	97.0	44.7
6000	350	100	1036	97.0	44.7
6000	350	150	986	97.0	44.7
6000	350	200	936	97.0	44.7
6000	350	250	886	97.0	44.7
6000	350	300	836	97.0	44.7
6000	350	350	786	97.0	44.7
6000	350	400	736	97.0	44.7
6000	400	100	986	97.0	44.7
6000	400	150	936	97.0	44.7
6000	400	200	886	97.0	44.7
6000	400	250	836	97.0	44.7
6000	400	300	786	97.0	44.7
6000	400	350	736	97.0	44.7
6000	400	400	686	97.0	44.7
6000	400	450	636	97.0	44.7
6000	400	500	586	97.0	44.7

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Std GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10100 lb (4580 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10100 lb (4580 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	3950	-50	-50	3928	65.5	60.3	4100	-50	-50	3797	66.0	55.3
Camper Package		n.a.		n.a.	3950	-50	0	3878	65.7	60.5	4100	-50	0	3747	66.2	55.4
Dual Alternator (Diesel Engines only)		n.a.		n.a.	3950	-50	50	3828	65.9	60.7	4100	-50	50	3697	66.5	55.5
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	3950	-50	100	3778	66.2	60.8	4100	-50	100	3647	66.7	55.6
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4100	0	-50	3878	69.2	58.7	4250	0	-50	3747	69.9	53.5
Full Wheel Covers	add	4	add	4	4100	0	0	3828	69.5	58.9	4250	0	0	3697	70.2	53.6
Limited-Slip Rear Axle	add	0	add	5	4100	0	50	3778	69.8	59.0	4250	0	50	3647	70.5	53.7
Skid Plates (4x4 only)		n.a.		n.a.	4100	0	100	3728	70.1	59.2	4250	0	100	3597	70.8	53.8
Stabilizer Package	add	2	add	26	4100	0	150	3678	70.4	59.3	4250	0	150	3547	71.1	53.9
Stepgate	sub	10	add	50	4100	50	0	3778	68.0	57.2	4250	50	0	3647	68.6	51.8
Spray-In Bedliner	add	1	add	19	4100	50	50	3728	68.2	57.3	4250	50	50	3597	68.9	51.9
					4100	50	100	3678	68.5	57.4	4250	50	100	3547	69.2	51.9
WHEELS & TIRES					4100	50	150	3628	68.8	57.6	4250	50	150	3497	69.5	52.0
17" Window Aluminum Wheels		n.a.		n.a.	4100	50	200	3578	69.1	57.7	4250	50	200	3447	69.8	52.0
18" Steel Wheels		n.a.		n.a.	4100	100	0	3728	66.4	55.5	4250	100	0	3597	67.0	50.0
18" Forged Aluminum Wheels	sub	32	sub	32	4100	100	50	3678	66.7	55.6	4250	100	50	3547	67.3	50.0
18" Cast Aluminum Wheels	sub	23	sub	23	4100	100	100	3628	66.9	55.7	4250	100	100	3497	67.6	50.0
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4100	100	150	3578	67.2	55.8	4250	100	150	3447	67.8	50.1
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4100	100	200	3528	67.5	55.9	4250	100	200	3397	68.1	50.1
LT245/75R17E A/T		n.a.		n.a.	4250	150	50	3628	70.7	53.8	4400	150	50	3497	71.5	48.1
LT265/70R17E A/T		n.a.		n.a.	4250	150	100	3578	71.0	53.9	4400	150	100	3447	71.8	48.1
LT275/65R18E A/S		n.a.		n.a.	4250	150	150	3528	71.3	54.0	4400	150	150	3397	72.2	48.1
LT275/70R18E A/S	add	2	add	3	4250	150	200	3478	71.7	54.1	4400	150	200	3347	72.5	48.1
LT275/70R18E A/T	add	0	add	0	4250	150	250	3428	72.0	54.1	4400	150	250	3297	72.9	48.1
LT275/65R20E A/T	add	15	add	15	4250	150	300	3378	72.4	54.2	4400	150	300	3247	73.3	48.1
					4250	200	50	3578	69.1	52.0	4400	200	50	3447	69.8	46.1
SEATING					4250	200	100	3528	69.4	52.0	4400	200	100	3397	70.2	46.1
Front Bench Seat - 40/20/40	add	30	add	23	4250	200	150	3478	69.7	52.1	4400	200	150	3347	70.5	46.0
Front Bucket Seats	add	9	add	6	4250	200	200	3428	70.0	52.1	4400	200	200	3297	70.8	46.0
Front Captain's Chairs	add	11	add	10	4250	200	250	3378	70.4	52.2	4400	200	250	3247	71.2	46.0
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4250	200	300	3328	70.7	52.3	4400	200	300	3197	71.5	45.9
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4250	250	100	3478	67.7	50.1	4400	250	100	3347	68.4	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4250	250	150	3428	68.0	50.1	4400	250	150	3297	68.8	44.7
Power 6-Way Driver's Seat	add	3	add	1	4250	250	200	3378	68.3	50.2	4400	250	200	3247	69.1	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4250	250	250	3328	68.6	50.2	4400	250	250	3197	69.4	44.7
Heated Seats	add	3	add	1	4250	250	300	3278	69.0	50.2	4400	250	300	3147	69.7	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4250	250	350	3228	69.3	50.3	4400	250	350	3097	70.1	44.7
INTERIOR																
Air Conditioning	add	44	sub	3												
AM/FM/CD	add	3	add	3												
AM/FM/CDx6	add	5	add	2												
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	2												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	17	add	12												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Std GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10600 lb (4807 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	3514	70.5	44.7
4850	-50	0	3464	70.8	44.7
4850	-50	50	3414	71.1	44.7
4850	-50	100	3364	71.5	44.7
4850	0	-50	3464	68.8	44.7
4850	0	0	3414	69.1	44.7
4850	0	50	3364	69.4	44.7
4850	0	100	3314	69.8	44.7
4850	0	150	3264	70.1	44.7
4850	50	0	3364	67.4	44.7
4850	50	50	3314	67.7	44.7
4850	50	100	3264	68.0	44.7
4850	50	150	3214	68.3	44.7
4850	50	200	3164	68.6	44.7
5000	100	0	3314	71.8	44.7
5000	100	50	3264	72.2	44.7
5000	100	100	3214	72.6	44.7
5000	100	150	3164	73.0	44.7
5000	100	200	3114	73.4	44.7
5000	150	50	3214	70.4	44.7
5000	150	100	3164	70.8	44.7
5000	150	150	3114	71.2	44.7
5000	150	200	3064	71.5	44.7
5000	150	250	3014	71.9	44.7
5000	150	300	2964	72.3	44.7
5000	200	50	3164	68.6	44.7
5000	200	100	3114	69.0	44.7
5000	200	150	3064	69.3	44.7
5000	200	200	3014	69.7	44.7
5000	200	250	2964	70.0	44.7
5000	200	300	2914	70.4	44.7
5250	250	100	3064	78.3	44.7
5250	250	150	3014	78.8	44.7
5250	250	200	2964	79.3	44.7
5250	250	250	2914	79.8	44.7
5250	250	300	2864	80.4	44.7
5250	250	350	2814	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Std GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10100 lb (4580 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10200 lb (4625 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4100	-50	-50	3260	65.3	52.4	4250	-50	-50	3227	66.1	50.8
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4100	-50	0	3210	65.6	52.5	4250	-50	0	3177	66.4	50.9
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4100	-50	50	3160	65.9	52.5	4250	-50	50	3127	66.7	50.9
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4100	-50	100	3110	66.2	52.6	4250	-50	100	3077	67.0	50.9
Full Wheel Covers	add	4	add	4	4100	0	-50	3210	63.4	50.2	4250	0	-50	3177	64.1	48.6
Limited-Slip Rear Axle	add	0	add	5	4100	0	0	3160	63.6	50.3	4250	0	0	3127	64.4	48.6
Skid Plates (4x4 only)		n.a.		n.a.	4100	0	50	3110	63.9	50.3	4250	0	50	3077	64.7	48.6
Stabilizer Package	add	2	add	26	4100	0	100	3060	64.2	50.4	4250	0	100	3027	64.9	48.7
Stepgate	sub	10	add	50	4100	0	150	3010	64.4	50.4	4250	0	150	2977	65.2	48.7
Spray-In Bedliner	add	0	add	16	4100	50	0	3110	61.6	48.0	4250	50	0	3077	62.4	46.3
					4100	50	50	3060	61.8	48.0	4250	50	50	3027	62.6	46.3
WHEELS & TIRES					4100	50	100	3010	62.1	48.0	4250	50	100	2977	62.9	46.3
17" Window Aluminum Wheels		n.a.		n.a.	4100	50	150	2960	62.3	48.0	4250	50	150	2927	63.1	46.3
18" Steel Wheels		n.a.		n.a.	4100	50	200	2910	62.6	48.0	4250	50	200	2877	63.4	46.2
18" Forged Aluminum Wheels	sub	32	sub	32	4250	100	0	3060	66.5	45.7	4400	100	0	3027	67.3	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4250	100	50	3010	66.8	45.7	4400	100	50	2977	67.6	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4250	100	100	2960	67.1	45.7	4400	100	100	2927	68.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4250	100	150	2910	67.4	45.6	4400	100	150	2877	68.3	44.7
LT245/75R17E A/T		n.a.		n.a.	4250	100	200	2860	67.8	45.6	4400	100	200	2827	68.7	44.7
LT265/70R17E A/T		n.a.		n.a.	4250	150	50	2960	64.7	44.7	4400	150	50	2927	65.5	44.7
LT275/65R18E A/S		n.a.		n.a.	4250	150	100	2910	65.0	44.7	4400	150	100	2877	65.8	44.7
LT275/70R18E A/S	add	2	add	3	4250	150	150	2860	65.3	44.7	4400	150	150	2827	66.2	44.7
LT275/70R18E A/T	add	0	add	0	4250	150	200	2810	65.6	44.7	4400	150	200	2777	66.5	44.7
LT275/65R20E A/T	add	15	add	15	4250	150	250	2760	65.9	44.7	4400	150	250	2727	66.8	44.7
					4250	150	300	2710	66.3	44.7	4400	150	300	2677	67.2	44.7
SEATING					4250	200	50	2910	62.6	44.7	4400	200	50	2877	63.4	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4250	200	100	2860	62.8	44.7	4400	200	100	2827	63.7	44.7
Front Bucket Seats	add	9	add	6	4250	200	150	2810	63.1	44.7	4400	200	150	2777	63.9	44.7
Front Captain's Chairs	add	11	add	10	4250	200	200	2760	63.4	44.7	4400	200	200	2727	64.2	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4250	200	250	2710	63.7	44.7	4400	200	250	2677	64.5	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4250	200	300	2660	63.9	44.7	4400	200	300	2627	64.9	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4400	250	100	2810	68.1	44.7	4550	250	100	2777	69.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	4400	250	150	2760	68.5	44.7	4550	250	150	2727	69.4	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4400	250	200	2710	68.9	44.7	4550	250	200	2677	69.8	44.7
Heated Seats	add	3	add	1	4400	250	250	2660	69.3	44.7	4550	250	250	2627	70.3	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4400	250	300	2610	69.7	44.7	4550	250	300	2577	70.7	44.7
					4400	250	350	2560	70.1	44.7	4550	250	350	2527	71.1	44.7
INTERIOR																
Air Conditioning	add	44	sub	3												
AM/FM/CD	add	3	add	3												
AM/FM/CDx6	add	5	add	2												
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Std GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10800 lb (4898 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	3015	62.5	44.7
4850	-50	0	2965	62.7	44.7
4850	-50	50	2915	63.0	44.7
4850	-50	100	2865	63.2	44.7
5000	0	-50	2965	67.5	44.7
5000	0	0	2915	67.8	44.7
5000	0	50	2865	68.2	44.7
5000	0	100	2815	68.6	44.7
5000	0	150	2765	68.9	44.7
5000	50	0	2865	65.7	44.7
5000	50	50	2815	66.0	44.7
5000	50	100	2765	66.4	44.7
5000	50	150	2715	66.7	44.7
5000	50	200	2665	67.1	44.7
5000	100	0	2815	63.5	44.7
5000	100	50	2765	63.8	44.7
5000	100	100	2715	64.1	44.7
5000	100	150	2665	64.4	44.7
5000	100	200	2615	64.7	44.7
5250	150	50	2715	74.5	44.7
5250	150	100	2665	75.0	44.7
5250	150	150	2615	75.6	44.7
5250	150	200	2565	76.1	44.7
5250	150	250	2515	76.7	44.7
5250	150	300	2465	77.2	44.7
5250	200	50	2665	72.4	44.7
5250	200	100	2615	72.8	44.7
5250	200	150	2565	73.3	44.7
5250	200	200	2515	73.8	44.7
5250	200	250	2465	74.4	44.7
5250	200	300	2415	74.9	44.7
5250	250	100	2565	70.6	44.7
5250	250	150	2515	71.0	44.7
5250	250	200	2465	71.5	44.7
5250	250	250	2415	72.0	44.7
5250	250	300	2365	72.5	44.7
5250	250	350	2315	73.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Std GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10400 lb (4717 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10600 lb (4807 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4400	-50	-50	3404	73.0	44.7	4550	-50	-50	3471	73.2	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	0	3354	73.3	44.7	4550	-50	0	3421	73.5	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4400	-50	50	3304	73.7	44.7	4550	-50	50	3371	73.9	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	-50	100	3254	74.1	44.7	4550	-50	100	3321	74.3	44.7
Full Wheel Covers	add	4	add	4	4400	0	-50	3354	71.0	44.7	4550	0	-50	3421	71.2	44.7
Limited-Slip Rear Axle	add	0	add	5	4400	0	0	3304	71.3	44.7	4550	0	0	3371	71.6	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4400	0	50	3254	71.7	44.7	4550	0	50	3321	71.9	44.7
Stabilizer Package	add	2	add	26	4400	0	100	3204	72.1	44.7	4550	0	100	3271	72.3	44.7
Stepgate	sub	10	add	50	4400	0	150	3154	72.4	44.7	4550	0	150	3221	72.7	44.7
Spray-In Bedliner	add	1	add	19	4400	50	0	3254	69.3	44.7	4550	50	0	3321	69.5	44.7
					4400	50	50	3204	69.6	44.7	4550	50	50	3271	69.9	44.7
WHEELS & TIRES					4400	50	100	3154	69.9	44.7	4550	50	100	3221	70.2	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4400	50	150	3104	70.3	44.7	4550	50	150	3171	70.6	44.7
18" Steel Wheels		n.a.		n.a.	4400	50	200	3054	70.7	44.7	4550	50	200	3121	70.9	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4550	100	0	3204	74.5	44.7	4700	100	0	3271	74.7	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4550	100	50	3154	75.0	44.7	4700	100	50	3221	75.1	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4550	100	100	3104	75.4	44.7	4700	100	100	3171	75.6	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4550	100	150	3054	75.8	44.7	4700	100	150	3121	76.0	44.7
LT245/75R17E A/T		n.a.		n.a.	4550	100	200	3004	76.3	44.7	4700	100	200	3071	76.5	44.7
LT265/70R17E A/T		n.a.		n.a.	4550	150	50	3104	72.8	44.7	4700	150	50	3171	73.1	44.7
LT275/65R18E A/S		n.a.		n.a.	4550	150	100	3054	73.3	44.7	4700	150	100	3121	73.5	44.7
LT275/70R18E A/S	add	2	add	3	4550	150	150	3004	73.7	44.7	4700	150	150	3071	73.9	44.7
LT275/70R18E A/T	add	0	add	0	4550	150	200	2954	74.1	44.7	4700	150	200	3021	74.3	44.7
LT275/65R20E A/T	add	15	add	15	4550	150	250	2904	74.6	44.7	4700	150	250	2971	74.8	44.7
					4550	150	300	2854	75.0	44.7	4700	150	300	2921	75.2	44.7
SEATING					4550	200	50	3054	70.7	44.7	4700	200	50	3121	70.9	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4550	200	100	3004	71.0	44.7	4700	200	100	3071	71.3	44.7
Front Bucket Seats	add	9	add	6	4550	200	150	2954	71.4	44.7	4700	200	150	3021	71.7	44.7
Front Captain's Chairs	add	11	add	10	4550	200	200	2904	71.8	44.7	4700	200	200	2971	72.1	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4550	200	250	2854	72.3	44.7	4700	200	250	2921	72.5	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4550	200	300	2804	72.7	44.7	4700	200	300	2871	72.9	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4700	250	100	2954	76.8	44.7	4850	250	100	3021	76.9	44.7
Power 6-Way Driver's Seat	add	3	add	1	4700	250	150	2904	77.3	44.7	4850	250	150	2971	77.4	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4700	250	200	2854	77.8	44.7	4850	250	200	2921	77.9	44.7
Heated Seats	add	3	add	1	4700	250	250	2804	78.3	44.7	4850	250	250	2871	78.4	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4700	250	300	2754	78.9	44.7	4850	250	300	2821	79.0	44.7
					4700	250	350	2704	79.5	44.7	4850	250	350	2771	79.6	44.7
INTERIOR																
Air Conditioning	add	44	sub	3												
AM/FM/CD	add	3	add	3												
AM/FM/CDx6	add	5	add	2												
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Std GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 11000 lb (4989 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	3090	76.6	44.7
5250	-50	0	3040	77.1	44.7
5250	-50	50	2990	77.5	44.7
5250	-50	100	2940	78.1	44.7
5250	0	-50	3040	74.5	44.7
5250	0	0	2990	74.9	44.7
5250	0	50	2940	75.4	44.7
5250	0	100	2890	75.8	44.7
5250	0	150	2840	76.3	44.7
5250	50	0	2940	72.7	44.7
5250	50	50	2890	73.1	44.7
5250	50	100	2840	73.6	44.7
5250	50	150	2790	74.0	44.7
5250	50	200	2740	74.5	44.7
5250	100	0	2890	70.4	44.7
5250	100	50	2840	70.8	44.7
5250	100	100	2790	71.2	44.7
5250	100	150	2740	71.6	44.7
5250	100	200	2690	72.0	44.7
5250	150	50	2790	68.4	44.7
5250	150	100	2740	68.7	44.7
5250	150	150	2690	69.1	44.7
5250	150	200	2640	69.5	44.7
5250	150	250	2590	69.9	44.7
5250	150	300	2540	70.4	44.7
5250	200	50	2740	65.8	44.7
5250	200	100	2690	66.2	44.7
5250	200	150	2640	66.5	44.7
5250	200	200	2590	66.9	44.7
5250	200	250	2540	67.3	44.7
5250	200	300	2490	67.6	44.7
5250	250	100	2640	63.5	44.7
5250	250	150	2590	63.8	44.7
5250	250	200	2540	64.1	44.7
5250	250	250	2490	64.5	44.7
5250	250	300	2440	64.8	44.7
5250	250	350	2390	65.2	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Std GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10400 lb (4717 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10600 lb (4807 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	4250	-50	-50	3350	67.7	44.7	4400	-50	-50	3422	67.7	45.3
Camper Package		n.a.		n.a.	4250	-50	0	3300	68.0	44.7	4400	-50	0	3372	68.0	45.2
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4250	-50	50	3250	68.3	44.7	4400	-50	50	3322	68.3	45.2
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4250	-50	100	3200	68.6	44.7	4400	-50	100	3272	68.6	45.1
PTC Supplemental Hea er (Diesel Engines only)		n.a.		n.a.	4250	0	-50	3300	65.6	44.7	4400	0	-50	3372	65.6	44.7
Full Wheel Covers	add	4	add	4	4250	0	0	3250	65.9	44.7	4400	0	0	3322	65.9	44.7
Limited-Slip Rear Axle	add	0	add	5	4250	0	50	3200	66.2	44.7	4400	0	50	3272	66.2	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4250	0	100	3150	66.4	44.7	4400	0	100	3222	66.5	44.7
Stabilizer Package	add	2	add	26	4250	0	150	3100	66.7	44.7	4400	0	150	3172	66.8	44.7
Stepgate	sub	10	add	50	4250	50	0	3200	63.7	44.7	4400	50	0	3272	63.8	44.7
Spray-In Bedliner	add	0	add	16	4250	50	50	3150	64.0	44.7	4400	50	50	3222	64.0	44.7
					4250	50	100	3100	64.2	44.7	4400	50	100	3172	64.3	44.7
WHEELS & TIRES					4250	50	150	3050	64.5	44.7	4400	50	150	3122	64.6	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4250	50	200	3000	64.8	44.7	4400	50	200	3072	64.8	44.7
18" Steel Wheels		n.a.		n.a.	4400	100	0	3150	68.9	44.7	4550	100	0	3222	68.9	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4400	100	50	3100	69.3	44.7	4550	100	50	3172	69.2	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4400	100	100	3050	69.6	44.7	4550	100	100	3122	69.6	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4400	100	150	3000	70.0	44.7	4550	100	150	3072	69.9	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4400	100	200	2950	70.3	44.7	4550	100	200	3022	70.3	44.7
LT245/75R17E A/T		n.a.		n.a.	4400	150	50	3050	67.1	44.7	4550	150	50	3122	67.1	44.7
LT265/70R17E A/T		n.a.		n.a.	4400	150	100	3000	67.4	44.7	4550	150	100	3072	67.4	44.7
LT275/65R18E A/S		n.a.		n.a.	4400	150	150	2950	67.7	44.7	4550	150	150	3022	67.7	44.7
LT275/70R18E A/S	add	2	add	3	4400	150	200	2900	68.0	44.7	4550	150	200	2972	68.0	44.7
LT275/70R18E A/T	add	0	add	0	4400	150	250	2850	68.4	44.7	4550	150	250	2922	68.4	44.7
LT275/65R20E A/T	add	15	add	15	4400	150	300	2800	68.8	44.7	4550	150	300	2872	68.7	44.7
					4400	200	50	3000	64.8	44.7	4550	200	50	3072	64.8	44.7
SEATING					4400	200	100	2950	65.1	44.7	4550	200	100	3022	65.1	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4400	200	150	2900	65.3	44.7	4550	200	150	2972	65.4	44.7
Front Bucket Seats	add	9	add	6	4400	200	200	2850	65.7	44.7	4550	200	200	2922	65.7	44.7
Front Captain's Chairs	add	11	add	10	4400	200	250	2800	66.0	44.7	4550	200	250	2872	66.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4400	200	300	2750	66.3	44.7	4550	200	300	2822	66.3	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	4550	250	100	2900	70.7	44.7	4700	250	100	2972	70.7	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4550	250	150	2850	71.1	44.7	4700	250	150	2922	71.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	4550	250	200	2800	71.5	44.7	4700	250	200	2872	71.4	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4550	250	250	2750	72.0	44.7	4700	250	250	2822	71.9	44.7
Heated Seats	add	3	add	1	4550	250	300	2700	72.4	44.7	4700	250	300	2772	72.3	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4550	250	350	2650	72.9	44.7	4700	250	350	2722	72.7	44.7
					4550	300	100	2850	68.4	44.7	4700	300	100	2922	68.4	44.7
INTERIOR					4550	300	150	2800	68.8	44.7	4700	300	150	2872	68.7	44.7
Air Conditioning	add	44	sub	3	4550	300	200	2750	69.1	44.7	4700	300	200	2822	69.1	44.7
AM/FM/CD	add	3	add	3	4550	300	250	2700	69.5	44.7	4700	300	250	2772	69.5	44.7
AM/FM/CDx6	add	5	add	2	4550	300	300	2650	69.9	44.7	4700	300	300	2722	69.9	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4550	300	350	2600	70.4	44.7	4700	300	350	2672	70.3	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4550	300	400	2550	70.8	44.7	4700	300	400	2622	70.7	44.7
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	6	add	4												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	15	add	6												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Std GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 11000 lb (4989 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5000	-50	-50	3041	65.7	44.7
5000	-50	0	2991	66.0	44.7
5000	-50	50	2941	66.3	44.7
5000	-50	100	2891	66.6	44.7
5250	0	-50	2991	76.4	44.7
5250	0	0	2941	76.9	44.7
5250	0	50	2891	77.4	44.7
5250	0	100	2841	77.9	44.7
5250	0	150	2791	78.5	44.7
5250	50	0	2891	74.7	44.7
5250	50	50	2841	75.2	44.7
5250	50	100	2791	75.7	44.7
5250	50	150	2741	76.2	44.7
5250	100	0	2841	72.4	44.7
5250	100	50	2791	72.9	44.7
5250	100	100	2741	73.3	44.7
5250	100	150	2691	73.8	44.7
5250	100	200	2641	74.3	44.7
5250	150	50	2741	70.5	44.7
5250	150	100	2691	70.9	44.7
5250	150	150	2641	71.3	44.7
5250	150	200	2591	71.8	44.7
5250	150	250	2541	72.2	44.7
5250	150	300	2491	72.7	44.7
5250	200	50	2691	68.0	44.7
5250	200	100	2641	68.4	44.7
5250	200	150	2591	68.7	44.7
5250	200	200	2541	69.2	44.7
5250	200	250	2491	69.6	44.7
5250	200	300	2441	70.0	44.7
5250	250	100	2591	65.7	44.7
5250	250	150	2541	66.1	44.7
5250	250	200	2491	66.4	44.7
5250	250	250	2441	66.8	44.7
5250	250	300	2391	67.2	44.7
5250	250	350	2341	67.6	44.7
5250	300	100	2541	63.0	44.7
5250	300	150	2491	63.3	44.7
5250	300	200	2441	63.6	44.7
5250	300	250	2391	64.0	44.7
5250	300	300	2341	64.3	44.7
5250	300	350	2291	64.7	44.7
5250	300	400	2241	65.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Std GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10600 lb (4807 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10800 lb (4898 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4400	-50	-50	3431	69.2	44.7	4550	-50	-50	3495	69.0	47.2
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	0	3381	69.5	44.7	4550	-50	0	3445	69.3	47.2
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4400	-50	50	3331	69.8	44.7	4550	-50	50	3395	69.6	47.2
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	-50	100	3281	70.2	44.7	4550	-50	100	3345	69.9	47.2
Full Wheel Covers	add	4	add	4	4550	0	-50	3381	74.6	44.7	4700	0	-50	3445	74.3	44.7
Limited-Slip Rear Axle	add	0	add	5	4550	0	0	3331	75.0	44.7	4700	0	0	3395	74.7	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4550	0	50	3281	75.4	44.7	4700	0	50	3345	75.1	44.7
Stabilizer Package	add	2	add	26	4550	0	100	3231	75.9	44.7	4700	0	100	3295	75.5	44.7
Stepgate	sub	10	add	50	4550	0	150	3181	76.3	44.7	4700	0	150	3245	75.9	44.7
Spray-In Bedliner	add	1	add	19	4550	50	0	3281	72.8	44.7	4700	50	0	3345	72.5	44.7
					4550	50	50	3231	73.2	44.7	4700	50	50	3295	72.9	44.7
WHEELS & TIRES					4550	50	100	3181	73.6	44.7	4700	50	100	3245	73.2	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4550	50	150	3131	74.0	44.7	4700	50	150	3195	73.6	44.7
18" Steel Wheels		n.a.		n.a.	4550	50	200	3081	74.4	44.7	4700	50	200	3145	74.0	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4550	100	0	3231	70.5	44.7	4700	100	0	3295	70.2	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4550	100	50	3181	70.9	44.7	4700	100	50	3245	70.6	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4550	100	100	3131	71.2	44.7	4700	100	100	3195	70.9	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4550	100	150	3081	71.6	44.7	4700	100	150	3145	71.3	44.7
LT245/75R17E A/T		n.a.		n.a.	4550	100	200	3031	72.0	44.7	4700	100	200	3095	71.7	44.7
LT265/70R17E A/T		n.a.		n.a.	4700	150	50	3131	76.7	44.7	4850	150	50	3195	76.3	44.7
LT275/65R18E A/S		n.a.		n.a.	4700	150	100	3081	77.2	44.7	4850	150	100	3145	76.8	44.7
LT275/70R18E A/S	add	2	add	3	4700	150	150	3031	77.7	44.7	4850	150	150	3095	77.2	44.7
LT275/70R18E A/T	add	0	add	0	4700	150	200	2981	78.2	44.7	4850	150	200	3045	77.7	44.7
LT275/65R20E A/T	add	15	add	15	4700	150	250	2931	78.7	44.7	4850	150	250	2995	78.2	44.7
					4700	150	300	2881	79.2	44.7	4850	150	300	2945	78.7	44.7
SEATING					4700	200	50	3081	74.4	44.7	4850	200	50	3145	74.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4700	200	100	3031	74.9	44.7	4850	200	100	3095	74.5	44.7
Front Bucket Seats	add	9	add	6	4700	200	150	2981	75.3	44.7	4850	200	150	3045	74.9	44.7
Front Captain's Chairs	add	11	add	10	4700	200	200	2931	75.8	44.7	4850	200	200	2995	75.3	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4700	200	250	2881	76.3	44.7	4850	200	250	2945	75.8	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	4700	200	300	2831	76.8	44.7	4850	200	300	2895	76.3	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4700	250	100	2981	72.4	44.7	4850	250	100	3045	72.1	44.7
Power 6-Way Driver's Seat	add	3	add	1	4700	250	150	2931	72.8	44.7	4850	250	150	2995	72.5	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4700	250	200	2881	73.3	44.7	4850	250	200	2945	72.9	44.7
Heated Seats	add	3	add	1	4700	250	250	2831	73.7	44.7	4850	250	250	2895	73.3	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4700	250	300	2781	74.2	44.7	4850	250	300	2845	73.8	44.7
					4700	250	350	2731	74.7	44.7	4850	250	350	2795	74.2	44.7
INTERIOR					4850	300	100	2931	78.7	44.7	5000	300	100	2995	78.2	44.7
Air Conditioning	add	44	sub	3	4850	300	150	2881	79.2	44.7	5000	300	150	2945	78.7	44.7
AM/FM/CD	add	3	add	3	4850	300	200	2831	79.8	44.7	5000	300	200	2895	79.3	44.7
AM/FM/CDx6	add	5	add	2	4850	300	250	2781	80.4	44.7	5000	300	250	2845	79.8	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4850	300	300	2731	81.0	44.7	5000	300	300	2795	80.4	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4850	300	350	2681	81.6	44.7	5000	300	350	2745	81.0	44.7
Satellite Radio	add	2	add	1	4850	300	400	2631	82.2	44.7	5000	300	400	2695	81.6	44.7
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	6	add	4												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	15	add	6												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Std GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 11200 lb (5079 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	3118	73.2	44.7
5250	-50	0	3068	73.6	44.7
5250	-50	50	3018	74.1	44.7
5250	-50	100	2968	74.5	44.7
5250	0	-50	3068	70.8	44.7
5250	0	0	3018	71.2	44.7
5250	0	50	2968	71.6	44.7
5250	0	100	2918	72.0	44.7
5250	0	150	2868	72.4	44.7
5250	50	0	2968	68.7	44.7
5250	50	50	2918	69.0	44.7
5250	50	100	2868	69.4	44.7
5250	50	150	2818	69.8	44.7
5250	50	200	2768	70.2	44.7
5250	100	0	2918	66.1	44.7
5250	100	50	2868	66.4	44.7
5250	100	100	2818	66.7	44.7
5250	100	150	2768	67.1	44.7
5250	100	200	2718	67.4	44.7
5250	150	50	2818	63.7	44.7
5250	150	100	2768	64.0	44.7
5250	150	150	2718	64.3	44.7
5250	150	200	2668	64.6	44.7
5250	150	250	2618	64.9	44.7
5250	150	300	2568	65.2	44.7
5250	200	50	2768	60.8	44.7
5250	200	100	2718	61.1	44.7
5250	200	150	2668	61.3	44.7
5250	200	200	2618	61.6	44.7
5250	200	250	2568	61.8	44.7
5250	200	300	2518	62.1	44.7
5250	250	100	2668	58.1	44.7
5250	250	150	2618	58.3	44.7
5250	250	200	2568	58.5	44.7
5250	250	250	2518	58.7	44.7
5250	250	300	2468	58.9	44.7
5250	250	350	2418	59.1	44.7
5250	300	100	2618	55.0	44.7
5250	300	150	2568	55.1	44.7
5250	300	200	2518	55.3	44.7
5250	300	250	2468	55.4	44.7
5250	300	300	2418	55.6	44.7
5250	300	350	2368	55.7	44.7
5250	300	400	2318	55.9	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Std GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10400 lb (4717 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10600 lb (4807 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4400	-50	-50	3808	68.9	44.7	4800	-50	-50	3875	77.1	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	0	3758	69.2	44.7	4800	-50	0	3825	77.5	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4400	-50	50	3708	69.5	44.7	4800	-50	50	3775	77.9	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	-50	100	3658	69.8	44.7	4800	-50	100	3725	78.3	44.7
Full Wheel Covers	add	4	add	4	4800	0	-50	3758	81.9	44.7	4800	0	-50	3825	75.7	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	0	3708	82.4	44.7	4800	0	0	3775	76.1	44.7
Skid Plates (4x4 only)	add	20	add	25	4800	0	50	3658	82.9	44.7	4800	0	50	3725	76.5	44.7
Stabilizer Package	add	2	add	26	4800	0	100	3608	83.4	44.7	4800	0	100	3675	76.9	44.7
Stepgate	sub	10	add	50	4800	0	150	3558	83.9	44.7	4800	0	150	3625	77.3	44.7
Spray-In Bedliner	add	1	add	19	4800	50	0	3658	81.0	44.7	4800	50	0	3725	74.6	44.7
					4800	50	50	3608	81.5	44.7	4800	50	50	3675	75.0	44.7
WHEELS & TIRES					4800	50	100	3558	81.9	44.7	4800	50	100	3625	75.4	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4800	50	150	3508	82.4	44.7	4800	50	150	3575	75.7	44.7
18" Steel Wheels		n.a.		n.a.	4800	50	200	3458	82.9	44.7	4800	50	200	3525	76.1	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4800	100	0	3608	79.6	44.7	4800	100	0	3675	73.1	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4800	100	50	3558	80.0	44.7	4800	100	50	3625	73.5	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4800	100	100	3508	80.5	44.7	4800	100	100	3575	73.8	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4800	100	150	3458	80.9	44.7	4800	100	150	3525	74.2	44.7
LT245/75R17E A/T		n.a.		n.a.	4800	100	200	3408	81.4	44.7	4800	100	200	3475	74.6	44.7
LT265/70R17E A/T		n.a.		n.a.	4800	150	50	3508	78.5	44.7	4800	150	50	3575	71.9	44.7
LT275/65R18E A/S		n.a.		n.a.	4800	150	100	3458	79.0	44.7	4800	150	100	3525	72.3	44.7
LT275/70R18E A/S	add	2	add	3	4800	150	150	3408	79.4	44.7	4800	150	150	3475	72.6	44.7
LT275/70R18E A/T	add	0	add	0	4800	150	200	3358	79.9	44.7	4800	150	200	3425	73.0	44.7
LT275/65R20E A/T	add	15	add	15	4800	150	250	3308	80.4	44.7	4800	150	250	3375	73.3	44.7
					4800	150	300	3258	80.9	44.7	4800	150	300	3325	73.7	44.7
SEATING					4800	200	50	3458	77.0	44.7	4800	200	50	3525	70.3	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4800	200	100	3408	77.4	44.7	4800	200	100	3475	70.6	44.7
Front Bucket Seats	add	9	add	6	4800	200	150	3358	77.8	44.7	4800	200	150	3425	71.0	44.7
Front Captain's Chairs	add	11	add	10	4800	200	200	3308	78.3	44.7	4800	200	200	3375	71.3	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4800	200	250	3258	78.8	44.7	4800	200	250	3325	71.7	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4800	200	300	3208	79.2	44.7	4800	200	300	3275	72.0	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4800	250	100	3358	75.8	44.7	5200	250	100	3425	85.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	4800	250	150	3308	76.2	44.7	5200	250	150	3375	85.5	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4800	250	200	3258	76.7	44.7	5200	250	200	3325	86.1	44.7
Heated Seats	add	3	add	1	4800	250	250	3208	77.1	44.7	5200	250	250	3275	86.7	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4800	250	300	3158	77.6	44.7	5200	250	300	3225	87.3	44.7
					4800	250	350	3108	78.0	44.7	5200	250	350	3175	87.9	44.7
INTERIOR					4800	300	400	3008	76.8	44.7	5200	300	400	3075	87.0	44.7
Air Conditioning	add	44	sub	3	4800	300	100	3308	74.1	44.7	5200	300	100	3375	83.5	44.7
AM/FM/CD	add	3	add	3	4800	300	150	3258	74.6	44.7	5200	300	150	3325	84.0	44.7
AM/FM/CDx6	add	5	add	2	4800	300	200	3208	75.0	44.7	5200	300	200	3275	84.6	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.	4800	300	250	3158	75.4	44.7	5200	300	250	3225	85.1	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.	4800	300	300	3108	75.8	44.7	5200	300	300	3175	85.7	44.7
Satellite Radio	add	2	add	1	4800	300	350	3058	76.3	44.7	5200	300	350	3125	86.3	44.7
DVD Entertainment System	add	4	add	3	4800	300	400	3008	76.8	44.7	5200	300	400	3075	87.0	44.7
All Weather Floor Mats	add	3	add	2												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	17	add	12												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (18" Wheel/Tire, Std GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	25
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 11000 lb (4989 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	3478	69.8	44.7
5200	-50	0	3428	70.1	44.7
5200	-50	50	3378	70.4	44.7
5200	-50	100	3328	70.7	44.7
5600	0	-50	3428	84.1	44.7
5600	0	0	3378	84.6	44.7
5600	0	50	3328	85.1	44.7
5600	0	100	3278	85.7	44.7
5600	0	150	3228	86.3	44.7
5600	50	0	3328	83.1	44.7
5600	50	50	3278	83.6	44.7
5600	50	100	3228	84.2	44.7
5600	50	150	3178	84.8	44.7
5600	50	200	3128	85.3	44.7
5600	100	0	3278	81.5	44.7
5600	100	50	3228	82.1	44.7
5600	100	100	3178	82.6	44.7
5600	100	150	3128	83.2	44.7
5600	100	200	3078	83.7	44.7
5600	150	50	3178	80.4	44.7
5600	150	100	3128	81.0	44.7
5600	150	150	3078	81.5	44.7
5600	150	200	3028	82.1	44.7
5600	150	250	2978	82.6	44.7
5600	150	300	2928	83.2	44.7
5600	200	50	3128	78.8	44.7
5600	200	100	3078	79.3	44.7
5600	200	150	3028	79.8	44.7
5600	200	200	2978	80.3	44.7
5600	200	250	2928	80.9	44.7
5600	200	300	2878	81.5	44.7
5600	250	100	3028	77.5	44.7
5600	250	150	2978	78.0	44.7
5600	250	200	2928	78.5	44.7
5600	250	250	2878	79.1	44.7
5600	250	300	2828	79.6	44.7
5600	250	350	2778	80.2	44.7
5600	300	100	2978	75.7	44.7
5600	300	150	2928	76.2	44.7
5600	300	200	2878	76.7	44.7
5600	300	250	2828	77.2	44.7
5600	300	300	2778	77.7	44.7
5600	300	350	2728	78.3	44.7
5600	300	400	2678	78.9	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Std GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

VEHICLE LOADING DATA
5.4L Gasoline Engine 10600 lb (4807 kg) GVWR

VEHICLE LOADING DATA
6.8L Gasoline Engine 10800 lb (4898 kg) GVWR

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	18	add	18
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

5.4L Gasoline Engine 10600 lb (4807 kg) GVWR						
FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4800	-50	-50	3338	78.3	44.7
4800	-50	0	3288	78.8	44.7
4800	-50	50	3238	79.2	44.7
4800	-50	100	3188	79.7	44.7
4800	0	-50	3288	76.6	44.7
4800	0	0	3238	77.1	44.7
4800	0	50	3188	77.5	44.7
4800	0	100	3138	78.0	44.7
4800	0	150	3088	78.5	44.7
4800	50	0	3188	75.3	44.7
4800	50	50	3138	75.7	44.7
4800	50	100	3088	76.2	44.7
4800	50	150	3038	76.6	44.7
4800	100	0	3138	73.5	44.7
4800	100	50	3088	73.9	44.7
4800	100	100	3038	74.3	44.7
4800	100	150	2988	74.8	44.7
4800	100	200	2938	75.2	44.7
4800	150	50	3038	72.0	44.7
4800	150	100	2988	72.4	44.7
4800	150	150	2938	72.8	44.7
4800	150	200	2888	73.2	44.7
4800	150	250	2838	73.7	44.7
4800	150	300	2788	74.1	44.7
4800	200	50	2988	70.0	44.7
4800	200	100	2938	70.4	44.7
4800	200	150	2888	70.8	44.7
4800	200	200	2838	71.2	44.7
4800	200	250	2788	71.6	44.7
4800	200	300	2738	72.0	44.7
4800	250	100	2888	68.3	44.7
4800	250	150	2838	68.7	44.7
4800	250	200	2788	69.1	44.7
4800	250	250	2738	69.4	44.7
4800	250	300	2688	69.8	44.7
4800	250	350	2638	70.3	44.7
5200	300	100	2838	81.0	44.7
5200	300	150	2788	81.0	44.7
5200	300	200	2738	81.0	44.7
5200	300	250	2688	81.0	44.7
5200	300	300	2638	81.0	44.7
5200	300	350	2588	81.0	44.7
5200	300	400	2538	81.0	44.7

6.8L Gasoline Engine 10800 lb (4898 kg) GVWR					
FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4800	-50	-50	3406	71.4	44.7
4800	-50	0	3356	71.8	44.7
4800	-50	50	3306	72.1	44.7
4800	-50	100	3256	72.5	44.7
4800	0	-50	3356	69.7	44.7
4800	0	0	3306	70.0	44.7
4800	0	50	3256	70.3	44.7
4800	0	100	3206	70.7	44.7
4800	0	150	3156	71.0	44.7
4800	50	0	3256	68.1	44.7
4800	50	50	3206	68.5	44.7
4800	50	100	3156	68.8	44.7
4800	50	150	3106	69.1	44.7
4800	100	0	3206	66.2	44.7
4800	100	50	3156	66.5	44.7
4800	100	100	3106	66.8	44.7
4800	100	150	3056	67.2	44.7
4800	100	200	3006	67.5	44.7
5200	150	50	3106	81.0	44.7
5200	150	100	3056	81.0	44.7
5200	150	150	3006	81.0	44.7
5200	150	200	2956	81.0	44.7
5200	150	250	2906	81.0	44.7
5200	150	300	2856	81.0	44.7
5200	200	50	3056	81.0	44.7
5200	200	100	3006	81.0	44.7
5200	200	150	2956	81.0	44.7
5200	200	200	2906	81.0	44.7
5200	200	250	2856	81.0	44.7
5200	200	300	2806	81.0	44.7
5200	250	100	2956	79.8	44.7
5200	250	150	2906	80.3	44.7
5200	250	200	2856	80.9	44.7
5200	250	250	2806	81.0	44.7
5200	250	300	2756	81.0	44.7
5200	250	350	2706	81.0	44.7
5200	300	100	2906	77.9	44.7
5200	300	150	2856	78.4	44.7
5200	300	200	2806	79.0	44.7
5200	300	250	2756	79.5	44.7
5200	300	300	2706	80.1	44.7
5200	300	350	2656	80.7	44.7
5200	300	400	2606	81.0	44.7

F-350 (4 X 4) SRW (18" Wheel/Tire, Std GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	18	add	18
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 11200 lb (5079 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	2979	80.9	44.7
5600	-50	0	2929	81.0	44.7
5600	-50	50	2879	81.0	44.7
5600	-50	100	2829	81.0	44.7
5600	0	-50	2929	79.0	44.7
5600	0	0	2879	79.6	44.7
5600	0	50	2829	80.1	44.7
5600	0	100	2779	80.7	44.7
5600	0	150	2729	81.0	44.7
5600	50	0	2829	77.6	44.7
5600	50	50	2779	78.2	44.7
5600	50	100	2729	78.7	44.7
5600	50	150	2679	79.3	44.7
5600	50	200	2629	79.9	44.7
5600	100	0	2779	75.6	44.7
5600	100	50	2729	76.1	44.7
5600	100	100	2679	76.6	44.7
5600	100	150	2629	77.2	44.7
5600	100	200	2579	77.8	44.7
5600	150	50	2679	74.0	44.7
5600	150	100	2629	74.5	44.7
5600	150	150	2579	75.0	44.7
5600	150	200	2529	75.5	44.7
5600	150	250	2479	76.1	44.7
5600	150	300	2429	76.7	44.7
5600	200	50	2629	71.8	44.7
5600	200	100	2579	72.3	44.7
5600	200	150	2529	72.7	44.7
5600	200	200	2479	73.2	44.7
5600	200	250	2429	73.8	44.7
5600	200	300	2379	74.3	44.7
6000	250	100	2529	81.0	44.7
6000	250	150	2479	81.0	44.7
6000	250	200	2429	81.0	44.7
6000	250	250	2379	81.0	44.7
6000	250	300	2329	81.0	44.7
6000	250	350	2279	81.0	44.7
6000	300	100	2479	81.0	44.7
6000	300	150	2429	81.0	44.7
6000	300	200	2379	81.0	44.7
6000	300	250	2329	81.0	44.7
6000	300	300	2279	81.0	44.7
6000	300	350	2229	81.0	44.7
6000	300	400	2179	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Std GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10800 lb (4898 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 11000 lb (4989 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	4800	-50	-50	3384	74.1	44.7	5200	-50	-50	3451	84.6	44.7
Camper Package		n.a.		n.a.	4800	-50	0	3334	74.5	44.7	5200	-50	0	3401	85.2	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	50	3284	74.9	44.7	5200	-50	50	3351	85.7	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	100	3234	75.3	44.7	5200	-50	100	3301	86.3	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	5200	0	-50	3334	91.1	44.7	5200	0	-50	3401	82.8	44.7
Full Wheel Covers	add	4	add	4	5200	0	0	3284	91.7	44.7	5200	0	0	3351	83.4	44.7
Limited-Slip Rear Axle	add	0	add	5	5200	0	50	3234	92.4	44.7	5200	0	50	3301	83.9	44.7
Skid Plates (4x4 only)	add	24	add	21	5200	0	100	3184	93.1	44.7	5200	0	100	3251	84.4	44.7
Stabilizer Package	add	2	add	26	5200	0	150	3134	93.8	44.7	5200	0	150	3201	85.0	44.7
Stepgate	sub	10	add	50	5200	50	0	3234	90.0	44.7	5200	50	0	3301	81.5	44.7
Spray-In Bedliner	add	1	add	19	5200	50	50	3184	90.6	44.7	5200	50	50	3251	82.0	44.7
					5200	50	100	3134	91.3	44.7	5200	50	100	3201	82.5	44.7
WHEELS & TIRES																
17" Window Aluminum Wheels		n.a.		n.a.	5200	50	150	3084	92.0	44.7	5200	50	150	3151	83.1	44.7
18" Steel Wheels		n.a.		n.a.	5200	50	200	3034	92.7	44.7	5200	50	200	3101	83.7	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	5200	100	0	3184	88.1	44.7	5200	100	0	3251	79.6	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	5200	100	50	3134	88.8	44.7	5200	100	50	3201	80.1	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	5200	100	100	3084	89.5	44.7	5200	100	100	3151	80.6	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	5200	100	150	3034	90.1	44.7	5200	100	150	3101	81.1	44.7
LT245/75R17E A/T		n.a.		n.a.	5200	100	200	2984	90.8	44.7	5200	100	200	3051	81.7	44.7
LT265/70R17E A/T		n.a.		n.a.	5200	150	50	3084	86.9	44.7	5200	150	50	3151	78.1	44.7
LT275/65R18E A/S		n.a.		n.a.	5200	150	100	3034	87.5	44.7	5200	150	100	3101	78.6	44.7
LT275/70R18E A/S	add	2	add	3	5200	150	150	2984	88.2	44.7	5200	150	150	3051	79.1	44.7
LT275/70R18E A/T	add	0	add	0	5200	150	200	2934	88.9	44.7	5200	150	200	3001	79.6	44.7
LT275/65R20E A/T	add	15	add	15	5200	150	250	2884	89.6	44.7	5200	150	250	2951	80.1	44.7
					5200	150	300	2834	90.3	44.7	5200	150	300	2901	80.7	44.7
SEATING					5200	200	50	3034	84.9	44.7	5200	200	50	3101	76.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	100	2984	85.5	44.7	5200	200	100	3051	76.5	44.7
Front Bucket Seats	add	9	add	6	5200	200	150	2934	86.2	44.7	5200	200	150	3001	77.0	44.7
Front Captain's Chairs	add	11	add	10	5200	200	200	2884	86.9	44.7	5200	200	200	2951	77.5	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	5200	200	250	2834	87.5	44.7	5200	200	250	2901	78.0	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	5200	200	300	2784	88.3	44.7	5200	200	300	2851	78.5	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	5200	250	100	2934	83.5	44.7	5600	250	100	3001	95.4	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	150	2884	84.1	44.7	5600	250	150	2951	96.2	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	200	2834	84.8	44.7	5600	250	200	2901	97.0	44.7
Heated Seats	add	3	add	1	5200	250	250	2784	85.4	44.7	5600	250	250	2851	97.0	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	5200	250	300	2734	86.1	44.7	5600	250	300	2801	97.0	44.7
					5200	250	350	2684	86.8	44.7	5600	250	350	2751	97.0	44.7
INTERIOR					5200	300	100	2884	81.4	44.7	5600	300	100	2951	93.5	44.7
Air Conditioning	add	44	sub	3	5200	300	150	2834	82.0	44.7	5600	300	150	2901	94.3	44.7
AM/FM/CD	add	3	add	3	5200	300	200	2784	82.6	44.7	5600	300	200	2851	95.1	44.7
AM/FM/CDx6	add	5	add	2	5200	300	250	2734	83.2	44.7	5600	300	250	2801	96.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	300	2684	83.9	44.7	5600	300	300	2751	96.8	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	350	2634	84.6	44.7	5600	300	350	2701	97.0	44.7
Satellite Radio	add	2	add	1	5200	300	400	2584	85.3	44.7	5600	300	400	2651	97.0	44.7
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (18" Wheel/Tire, Std GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	24	add	21
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 11400 lb (5170 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	3054	75.3	44.7
5600	-50	0	3004	75.7	44.7
5600	-50	50	2954	76.2	44.7
5600	-50	100	2904	76.7	44.7
6000	0	-50	3004	94.1	44.7
6000	0	0	2954	94.9	44.7
6000	0	50	2904	95.7	44.7
6000	0	100	2854	96.6	44.7
6000	0	150	2804	97.0	44.7
6000	50	0	2904	93.0	44.7
6000	50	50	2854	93.8	44.7
6000	50	100	2804	94.6	44.7
6000	50	150	2754	95.5	44.7
6000	50	200	2704	96.3	44.7
6000	100	0	2854	91.0	44.7
6000	100	50	2804	91.8	44.7
6000	100	100	2754	92.6	44.7
6000	100	150	2704	93.4	44.7
6000	100	200	2654	94.3	44.7
6000	150	50	2754	89.7	44.7
6000	150	100	2704	90.5	44.7
6000	150	150	2654	91.3	44.7
6000	150	200	2604	92.1	44.7
6000	150	250	2554	93.0	44.7
6000	150	300	2504	93.9	44.7
6000	200	50	2704	87.6	44.7
6000	200	100	2654	88.3	44.7
6000	200	150	2604	89.1	44.7
6000	200	200	2554	89.9	44.7
6000	200	250	2504	90.8	44.7
6000	200	300	2454	91.6	44.7
6000	250	100	2604	86.1	44.7
6000	250	150	2554	86.8	44.7
6000	250	200	2504	87.6	44.7
6000	250	250	2454	88.4	44.7
6000	250	300	2404	89.3	44.7
6000	250	350	2354	90.1	44.7
6000	300	100	2554	83.7	44.7
6000	300	150	2504	84.4	44.7
6000	300	200	2454	85.2	44.7
6000	300	250	2404	86.0	44.7
6000	300	300	2354	86.8	44.7
6000	300	350	2304	87.6	44.7
6000	300	400	2254	88.5	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Std GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10800 lb (4898 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 11000 lb (4989 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4800	-50	-50	3323	75.7	44.7	4800	-50	-50	3397	68.2	44.7
Camper Package		n.a.		n.a.	4800	-50	0	3273	76.2	44.7	4800	-50	0	3347	68.5	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	50	3223	76.6	44.7	4800	-50	50	3297	68.8	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	100	3173	77.0	44.7	4800	-50	100	3247	69.2	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	-50	3273	73.8	44.7	5200	0	-50	3347	81.0	44.7
Full Wheel Covers	add	4	add	4	4800	0	0	3223	74.2	44.7	5200	0	0	3297	81.0	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	50	3173	74.6	44.7	5200	0	50	3247	81.0	44.7
Skid Plates (4x4 only)	add	20	add	16	4800	0	100	3123	75.0	44.7	5200	0	100	3197	81.0	44.7
Stabilizer Package	add	2	add	26	4800	0	150	3073	75.4	44.7	5200	0	150	3147	81.0	44.7
Stepgate	sub	10	add	50	4800	50	0	3173	72.1	44.7	5200	50	0	3247	81.0	44.7
Spray-In Bedliner	add	0	add	16	4800	50	50	3123	72.5	44.7	5200	50	50	3197	81.0	44.7
					4800	50	100	3073	72.9	44.7	5200	50	100	3147	81.0	44.7
WHEELS & TIRES					4800	50	150	3023	73.3	44.7	5200	50	150	3097	81.0	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4800	50	200	2973	73.7	44.7	5200	50	200	3047	81.0	44.7
18" Steel Wheels		n.a.		n.a.	4800	100	0	3123	70.0	44.7	5200	100	0	3197	81.0	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4800	100	50	3073	70.4	44.7	5200	100	50	3147	81.0	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4800	100	100	3023	70.7	44.7	5200	100	100	3097	81.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4800	100	150	2973	71.1	44.7	5200	100	150	3047	81.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4800	100	200	2923	71.5	44.7	5200	100	200	2997	81.0	44.7
LT245/75R17E A/T		n.a.		n.a.	5200	150	50	3023	81.0	44.7	5200	150	50	3097	80.3	44.7
LT265/70R17E A/T		n.a.		n.a.	5200	150	100	2973	81.0	44.7	5200	150	100	3047	80.8	44.7
LT275/65R18E A/S		n.a.		n.a.	5200	150	150	2923	81.0	44.7	5200	150	150	2997	81.0	44.7
LT275/70R18E A/S	add	2	add	3	5200	150	200	2873	81.0	44.7	5200	150	200	2947	81.0	44.7
LT275/70R18E A/T	add	0	add	0	5200	150	250	2823	81.0	44.7	5200	150	250	2897	81.0	44.7
LT275/65R20E A/T	add	15	add	15	5200	150	300	2773	81.0	44.7	5200	150	300	2847	81.0	44.7
					5200	200	50	2973	81.0	44.7	5200	200	50	3047	78.2	44.7
SEATING					5200	200	100	2923	81.0	44.7	5200	200	100	2997	78.8	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	150	2873	81.0	44.7	5200	200	150	2947	79.3	44.7
Front Bucket Seats	add	9	add	6	5200	200	200	2823	81.0	44.7	5200	200	200	2897	79.8	44.7
Front Captain's Chairs	add	11	add	10	5200	200	250	2773	81.0	44.7	5200	200	250	2847	80.4	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	200	300	2723	81.0	44.7	5200	200	300	2797	81.0	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	5200	250	100	2873	81.0	44.7	5200	250	100	2947	76.6	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	250	150	2823	81.0	44.7	5200	250	150	2897	77.1	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	200	2773	81.0	44.7	5200	250	200	2847	77.6	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	250	2723	81.0	44.7	5200	250	250	2797	78.2	44.7
Heated Seats	add	3	add	1	5200	250	300	2673	81.0	44.7	5200	250	300	2747	78.7	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	250	350	2623	81.0	44.7	5200	250	350	2697	79.3	44.7
					5200	300	100	2823	81.0	44.7	5200	300	100	2897	74.4	44.7
INTERIOR					5200	300	150	2773	81.0	44.7	5200	300	150	2847	74.9	44.7
Air Conditioning	add	44	sub	3	5200	300	200	2723	81.0	44.7	5200	300	200	2797	75.4	44.7
AM/FM/CD	add	3	add	3	5200	300	250	2673	81.0	44.7	5200	300	250	2747	75.9	44.7
AM/FM/CDx6	add	5	add	2	5200	300	300	2623	81.0	44.7	5200	300	300	2697	76.4	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	350	2573	81.0	44.7	5200	300	350	2647	76.9	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	350	100	2773	81.0	44.7	5200	350	100	2847	72.1	44.7
Satellite Radio	add	2	add	1	5200	350	150	2723	81.0	44.7	5200	350	150	2797	72.6	44.7
DVD Entertainment System	add	4	add	3	5200	350	200	2673	81.0	44.7	5200	350	200	2747	73.0	44.7
All Weather Floor Mats	add	6	add	4	5200	350	250	2623	81.0	44.7	5200	350	250	2697	73.5	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5200	350	300	2573	81.0	44.7	5200	350	300	2647	74.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5200	350	350	2523	81.0	44.7	5200	350	350	2597	74.5	44.7
Power Windows & Door Locks	add	15	add	6	5200	350	400	2473	81.0	44.7	5200	350	400	2547	75.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add													
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (18" Wheel/Tire, Std GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	16
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 11400 lb (5170 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	2999	77.5	44.7
5600	-50	0	2949	78.0	44.7
5600	-50	50	2899	78.6	44.7
5600	-50	100	2849	79.1	44.7
5600	0	-50	2949	75.4	44.7
5600	0	0	2899	75.9	44.7
5600	0	50	2849	76.4	44.7
5600	0	100	2799	76.9	44.7
5600	0	150	2749	77.4	44.7
5600	50	0	2849	73.6	44.7
5600	50	50	2799	74.1	44.7
5600	50	100	2749	74.5	44.7
5600	50	150	2699	75.0	44.7
5600	100	0	2799	71.3	44.7
5600	100	50	2749	71.7	44.7
5600	100	100	2699	72.1	44.7
5600	100	150	2649	72.6	44.7
5600	100	200	2599	73.1	44.7
6000	150	50	2699	81.0	44.7
6000	150	100	2649	81.0	44.7
6000	150	150	2599	81.0	44.7
6000	150	200	2549	81.0	44.7
6000	150	250	2499	81.0	44.7
6000	150	300	2449	81.0	44.7
6000	200	50	2649	81.0	44.7
6000	200	100	2599	81.0	44.7
6000	200	150	2549	81.0	44.7
6000	200	200	2499	81.0	44.7
6000	200	250	2449	81.0	44.7
6000	200	300	2399	81.0	44.7
6000	250	100	2549	81.0	44.7
6000	250	150	2499	81.0	44.7
6000	250	200	2449	81.0	44.7
6000	250	250	2399	81.0	44.7
6000	250	300	2349	81.0	44.7
6000	250	350	2299	81.0	44.7
6000	300	100	2499	81.0	44.7
6000	300	150	2449	81.0	44.7
6000	300	200	2399	81.0	44.7
6000	300	250	2349	81.0	44.7
6000	300	300	2299	81.0	44.7
6000	300	350	2249	81.0	44.7
6000	300	400	2199	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Std GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 11000 lb (4989 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 11200 lb (5079 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	5200	-50	-50	3411	90.8	44.7	5200	-50	-50	3478	82.5	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	5200	-50	0	3361	91.4	44.7	5200	-50	0	3428	83.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	5200	-50	50	3311	92.1	44.7	5200	-50	50	3378	83.5	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	5200	-50	100	3261	92.7	44.7	5200	-50	100	3328	84.1	44.7
Full Wheel Covers	add	4	add	4	5200	0	-50	3361	88.8	44.7	5200	0	-50	3428	80.5	44.7
Limited-Slip Rear Axle	add	0	add	5	5200	0	0	3311	89.4	44.7	5200	0	0	3378	81.0	44.7
Skid Plates (4x4 only)	add	25	add	20	5200	0	50	3261	90.1	44.7	5200	0	50	3328	81.5	44.7
Stabilizer Package	add	2	add	26	5200	0	100	3211	90.7	44.7	5200	0	100	3278	82.0	44.7
Stepgate	sub	10	add	50	5200	0	150	3161	91.4	44.7	5200	0	150	3228	82.5	44.7
Spray-In Bedliner	add	1	add	19	5200	50	0	3261	87.4	44.7	5200	50	0	3328	78.9	44.7
					5200	50	50	3211	88.1	44.7	5200	50	50	3278	79.3	44.7
WHEELS & TIRES					5200	50	100	3161	88.7	44.7	5200	50	100	3228	79.8	44.7
17" Window Aluminum Wheels		n.a.		n.a.	5200	50	150	3111	89.3	44.7	5200	50	150	3178	80.3	44.7
18" Steel Wheels		n.a.		n.a.	5200	50	200	3061	90.0	44.7	5200	50	200	3128	80.9	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	5200	100	0	3211	85.4	44.7	5200	100	0	3278	76.7	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	5200	100	50	3161	86.0	44.7	5200	100	50	3228	77.2	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	5200	100	100	3111	86.6	44.7	5200	100	100	3178	77.6	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	5200	100	150	3061	87.2	44.7	5200	100	150	3128	78.1	44.7
LT245/75R17E A/T		n.a.		n.a.	5200	100	200	3011	87.9	44.7	5200	100	200	3078	78.6	44.7
LT265/70R17E A/T		n.a.		n.a.	5200	150	50	3111	83.8	44.7	5600	150	50	3178	96.6	44.7
LT275/65R18E A/S		n.a.		n.a.	5200	150	100	3061	84.4	44.7	5600	150	100	3128	97.0	44.7
LT275/70R18E A/S	add	2	add	3	5200	150	150	3011	85.0	44.7	5600	150	150	3078	97.0	44.7
LT275/70R18E A/T	add	0	add	0	5200	150	200	2961	85.6	44.7	5600	150	200	3028	97.0	44.7
LT275/65R20E A/T	add	15	add	15	5200	150	250	2911	86.3	44.7	5600	150	250	2978	97.0	44.7
					5200	150	300	2861	86.9	44.7	5600	150	300	2928	97.0	44.7
SEATING					5200	200	50	3061	81.6	44.7	5600	200	50	3128	94.6	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	100	3011	82.1	44.7	5600	200	100	3078	95.4	44.7
Front Bucket Seats	add	9	add	6	5200	200	150	2961	82.7	44.7	5600	200	150	3028	96.2	44.7
Front Captain's Chairs	add	11	add	10	5200	200	200	2911	83.3	44.7	5600	200	200	2978	97.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	200	250	2861	83.9	44.7	5600	200	250	2928	97.0	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	5200	200	300	2811	84.6	44.7	5600	200	300	2878	97.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	250	100	2961	79.8	44.7	5600	250	100	3028	93.3	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	150	2911	80.3	44.7	5600	250	150	2978	94.1	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	200	2861	80.9	44.7	5600	250	200	2928	94.9	44.7
Heated Seats	add	3	add	1	5200	250	250	2811	81.5	44.7	5600	250	250	2878	95.7	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	250	300	2761	82.1	44.7	5600	250	300	2828	96.5	44.7
					5200	250	350	2711	82.7	44.7	5600	250	350	2778	97.0	44.7
INTERIOR					5600	300	100	2911	97.0	44.7	5600	300	100	2978	91.2	44.7
Air Conditioning	add	44	sub	3	5600	300	150	2861	97.0	44.7	5600	300	150	2928	91.9	44.7
AM/FM/CD	add	3	add	3	5600	300	200	2811	97.0	44.7	5600	300	200	2878	92.7	44.7
AM/FM/CDx6	add	5	add	2	5600	300	250	2761	97.0	44.7	5600	300	250	2828	93.5	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5600	300	300	2711	97.0	44.7	5600	300	300	2778	94.3	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5600	300	350	2661	97.0	44.7	5600	300	350	2728	95.2	44.7
Satellite Radio	add	2	add	1	5600	350	100	2861	97.0	44.7	5600	350	100	2928	89.0	44.7
DVD Entertainment System	add	4	add	3	5600	350	150	2811	97.0	44.7	5600	350	150	2878	89.7	44.7
All Weather Floor Mats	add	6	add	4	5600	350	200	2761	97.0	44.7	5600	350	200	2828	90.4	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5600	350	250	2711	97.0	44.7	5600	350	250	2778	91.2	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5600	350	300	2661	97.0	44.7	5600	350	300	2728	92.0	44.7
Power Windows & Door Locks	add	15	add	6	5600	350	350	2611	97.0	44.7	5600	350	350	2678	92.8	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	5600	350	400	2561	97.0	44.7	5600	350	400	2628	93.7	44.7
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (18" Wheel/Tire, Std GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	25	add	20
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 11500 lb (5215 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
6000	-50	-50	2981	95.5	44.7
6000	-50	0	2931	96.3	44.7
6000	-50	50	2881	97.0	44.7
6000	-50	100	2831	97.0	44.7
6000	0	-50	2931	93.4	44.7
6000	0	0	2881	94.1	44.7
6000	0	50	2831	95.0	44.7
6000	0	100	2781	95.8	44.7
6000	0	150	2731	96.7	44.7
6000	50	0	2831	91.9	44.7
6000	50	50	2781	92.7	44.7
6000	50	100	2731	93.5	44.7
6000	50	150	2681	94.4	44.7
6000	50	200	2631	95.3	44.7
6000	100	0	2781	89.6	44.7
6000	100	50	2731	90.4	44.7
6000	100	100	2681	91.2	44.7
6000	100	150	2631	92.0	44.7
6000	100	200	2581	92.8	44.7
6000	150	50	2681	87.9	44.7
6000	150	100	2631	88.7	44.7
6000	150	150	2581	89.5	44.7
6000	150	200	2531	90.3	44.7
6000	150	250	2481	91.2	44.7
6000	150	300	2431	92.1	44.7
6000	200	50	2631	85.4	44.7
6000	200	100	2581	86.2	44.7
6000	200	150	2531	86.9	44.7
6000	200	200	2481	87.7	44.7
6000	200	250	2431	88.5	44.7
6000	200	300	2381	89.4	44.7
6000	250	100	2531	83.5	44.7
6000	250	150	2481	84.2	44.7
6000	250	200	2431	85.0	44.7
6000	250	250	2381	85.7	44.7
6000	250	300	2331	86.6	44.7
6000	250	350	2281	87.4	44.7
6000	300	100	2481	80.7	44.7
6000	300	150	2431	81.4	44.7
6000	300	200	2381	82.1	44.7
6000	300	250	2331	82.9	44.7
6000	300	300	2281	83.6	44.7
6000	300	350	2231	84.4	44.7
6000	300	400	2181	85.3	44.7
6000	300	100	2481	80.7	44.7
6000	300	150	2431	81.4	44.7
6000	300	200	2381	82.1	44.7
6000	300	250	2331	82.9	44.7
6000	300	300	2281	83.6	44.7
6000	300	350	2231	84.4	44.7
6000	350	100	2431	77.9	44.7
6000	350	150	2381	78.5	44.7
6000	350	200	2331	79.2	44.7
6000	350	250	2281	79.8	44.7
6000	350	300	2231	80.6	44.7
6000	350	350	2181	81.3	44.7
6000	350	400	2131	82.1	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
									FRONT	REAR					FRONT	REAR
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	3950	-50	-50	3728	66.4	53.6	4100	-50	-50	3597	67.0	48.1
Dual Alternator (Diesel Engines only)		n.a.		n.a.	3950	-50	0	3678	66.7	53.7	4100	-50	0	3547	67.3	48.1
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	3950	-50	50	3628	66.9	53.8	4100	-50	50	3497	67.6	48.1
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	3950	-50	100	3578	67.2	53.9	4100	-50	100	3447	67.8	48.1
Full Wheel Covers	add	4	add	4	4100	0	-50	3678	70.4	51.9	4250	0	-50	3547	71.1	46.1
Limited-Slip Rear Axle	add	0	add	5	4100	0	0	3628	70.7	51.9	4250	0	0	3497	71.5	46.1
Skid Plates (4x4 only)		n.a.		n.a.	4100	0	50	3578	71.0	52.0	4250	0	50	3447	71.8	46.1
Stabilizer Package	add	2	add	26	4100	0	100	3528	71.3	52.0	4250	0	100	3397	72.2	46.1
Stepgate	sub	10	add	50	4100	0	150	3478	71.7	52.1	4250	0	150	3347	72.5	46.0
Spray-In Bedliner	add	1	add	19	4100	50	0	3578	69.1	50.1	4250	50	0	3447	69.8	44.7
					4100	50	50	3528	69.4	50.1	4250	50	50	3397	70.2	44.7
WHEELS & TIRES					4100	50	100	3478	69.7	50.1	4250	50	100	3347	70.5	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4100	50	150	3428	70.0	50.1	4250	50	150	3297	70.8	44.7
18" Steel Wheels		n.a.		n.a.	4100	50	200	3378	70.4	50.2	4250	50	200	3247	71.2	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4100	100	0	3528	67.5	48.1	4250	100	0	3397	68.1	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4100	100	50	3478	67.7	48.1	4250	100	50	3347	68.4	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4100	100	100	3428	68.0	48.1	4250	100	100	3297	68.8	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4100	100	150	3378	68.3	48.2	4250	100	150	3247	69.1	44.7
LT245/75R17E A/T		n.a.		n.a.	4100	100	200	3328	68.6	48.2	4250	100	200	3197	69.4	44.7
LT265/70R17E A/T		n.a.		n.a.	4250	150	50	3428	72.0	46.2	4400	150	50	3297	72.9	44.7
LT275/65R18E A/S		n.a.		n.a.	4250	150	100	3378	72.4	46.1	4400	150	100	3247	73.3	44.7
LT275/70R18E A/S	add	2	add	3	4250	150	150	3328	72.8	46.1	4400	150	150	3197	73.7	44.7
LT275/70R18E A/T	add	0	add	0	4250	150	200	3278	73.1	46.1	4400	150	200	3147	74.1	44.7
LT275/65R20E A/T	add	15	add	15	4250	150	250	3228	73.5	46.0	4400	150	250	3097	74.5	44.7
					4250	150	300	3178	73.9	46.0	4400	150	300	3047	75.0	44.7
SEATING					4250	200	50	3378	70.4	44.7	4400	200	50	3247	71.2	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4250	200	100	3328	70.7	44.7	4400	200	100	3197	71.5	44.7
Front Bucket Seats	add	9	add	6	4250	200	150	3278	71.0	44.7	4400	200	150	3147	71.9	44.7
Front Captain's Chairs	add	11	add	10	4250	200	200	3228	71.4	44.7	4400	200	200	3097	72.3	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4250	200	250	3178	71.8	44.7	4400	200	250	3047	72.7	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4250	200	300	3128	72.2	44.7	4400	200	300	2997	73.1	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4250	250	100	3278	69.0	44.7	4400	250	100	3147	69.7	44.7
Power 6-Way Driver's Seat	add	3	add	1	4250	250	150	3228	69.3	44.7	4400	250	150	3097	70.1	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4250	250	200	3178	69.6	44.7	4400	250	200	3047	70.5	44.7
Heated Seats	add	3	add	1	4250	250	250	3128	70.0	44.7	4400	250	250	2997	70.8	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4250	250	300	3078	70.3	44.7	4400	250	300	2947	71.2	44.7
					4250	250	350	3028	70.7	44.7	4400	250	350	2897	71.6	44.7
INTERIOR																
Air Conditioning	add	44	sub	3												
AM/FM/CD	add	3	add	3												
AM/FM/CDx6	add	5	add	2												
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	2												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	17	add	12												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	2814	76.1	44.7
4850	-50	0	2764	76.6	44.7
4850	-50	50	2714	77.1	44.7
4850	-50	100	2664	77.7	44.7
4850	0	-50	2764	74.1	44.7
4850	0	0	2714	74.6	44.7
4850	0	50	2664	75.1	44.7
4850	0	100	2614	75.6	44.7
4850	0	150	2564	76.2	44.7
4850	50	0	2664	72.5	44.7
4850	50	50	2614	73.0	44.7
4850	50	100	2564	73.5	44.7
4850	50	150	2514	74.0	44.7
4850	50	200	2464	74.5	44.7
5000	100	0	2614	78.2	44.7
5000	100	50	2564	78.8	44.7
5000	100	100	2514	79.5	44.7
5000	100	150	2464	80.1	44.7
5000	100	200	2414	80.8	44.7
5000	150	50	2514	76.7	44.7
5000	150	100	2464	77.3	44.7
5000	150	150	2414	77.9	44.7
5000	150	200	2364	78.6	44.7
5000	150	250	2314	79.2	44.7
5000	150	300	2264	79.9	44.7
5000	200	50	2464	74.5	44.7
5000	200	100	2414	75.1	44.7
5000	200	150	2364	75.7	44.7
5000	200	200	2314	76.3	44.7
5000	200	250	2264	76.9	44.7
5000	200	300	2214	77.6	44.7
5250	250	100	2364	87.3	44.7
5250	250	150	2314	88.1	44.7
5250	250	200	2264	89.0	44.7
5250	250	250	2214	89.9	44.7
5250	250	300	2164	90.9	44.7
5250	250	350	2114	91.9	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4100	-50	-50	3060	66.5	44.7	4250	-50	-50	2927	68.0	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4100	-50	0	3010	66.8	44.7	4250	-50	0	2877	68.3	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4100	-50	50	2960	67.1	44.7	4250	-50	50	2827	68.7	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4100	-50	100	2910	67.4	44.7	4250	-50	100	2777	69.0	44.7
Full Wheel Covers	add	4	add	4	4100	0	-50	3010	64.4	44.7	4250	0	-50	2877	65.8	44.7
Limited-Slip Rear Axle	add	0	add	5	4100	0	0	2960	64.7	44.7	4250	0	0	2827	66.2	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4100	0	50	2910	65.0	44.7	4250	0	50	2777	66.5	44.7
Stabilizer Package	add	2	add	26	4100	0	100	2860	65.3	44.7	4250	0	100	2727	66.8	44.7
Stepgate	sub	10	add	50	4100	0	150	2810	65.6	44.7	4250	0	150	2677	67.2	44.7
Spray-In Bedliner	add	0	add	16	4100	50	0	2910	62.6	44.7	4250	50	0	2777	63.9	44.7
					4100	50	50	2860	62.8	44.7	4250	50	50	2727	64.2	44.7
WHEELS & TIRES					4100	50	100	2810	63.1	44.7	4250	50	100	2677	64.5	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4100	50	150	2760	63.4	44.7	4250	50	150	2627	64.9	44.7
18" Steel Wheels		n.a.		n.a.	4100	50	200	2710	63.7	44.7	4250	50	200	2577	65.2	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4250	100	0	2860	67.8	44.7	4400	100	0	2727	69.4	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4250	100	50	2810	68.1	44.7	4400	100	50	2677	69.8	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4250	100	100	2760	68.5	44.7	4400	100	100	2627	70.3	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4250	100	150	2710	68.9	44.7	4400	100	150	2577	70.7	44.7
LT245/75R17E A/T		n.a.		n.a.	4250	100	200	2660	69.3	44.7	4400	100	200	2527	71.1	44.7
LT265/70R17E A/T		n.a.		n.a.	4250	150	50	2760	65.9	44.7	4400	150	50	2627	67.6	44.7
LT275/65R18E A/S		n.a.		n.a.	4250	150	100	2710	66.3	44.7	4400	150	100	2577	67.9	44.7
LT275/70R18E A/S	add	2	add	3	4250	150	150	2660	66.6	44.7	4400	150	150	2527	68.3	44.7
LT275/70R18E A/T	add	0	add	0	4250	150	200	2610	67.0	44.7	4400	150	200	2477	68.7	44.7
LT275/65R20E A/T	add	15	add	15	4250	150	250	2560	67.3	44.7	4400	150	250	2427	69.2	44.7
					4250	150	300	2510	67.7	44.7	4400	150	300	2377	69.6	44.7
SEATING					4250	200	50	2710	63.7	44.7	4400	200	50	2577	65.2	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4250	200	100	2660	63.9	44.7	4400	200	100	2527	65.5	44.7
Front Bucket Seats	add	9	add	6	4250	200	150	2610	64.3	44.7	4400	200	150	2477	65.9	44.7
Front Captain's Chairs	add	11	add	10	4250	200	200	2560	64.6	44.7	4400	200	200	2427	66.3	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4250	200	250	2510	64.9	44.7	4400	200	250	2377	66.6	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4250	200	300	2460	65.3	44.7	4400	200	300	2327	67.0	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4400	250	100	2610	69.7	44.7	4550	250	100	2477	71.6	44.7
Power 6-Way Driver's Seat	add	3	add	1	4400	250	150	2560	70.1	44.7	4550	250	150	2427	72.1	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4400	250	200	2510	70.6	44.7	4550	250	200	2377	72.6	44.7
Heated Seats	add	3	add	1	4400	250	250	2460	71.0	44.7	4550	250	250	2327	73.1	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4400	250	300	2410	71.5	44.7	4550	250	300	2277	73.7	44.7
					4400	250	350	2360	72.0	44.7	4550	250	350	2227	74.3	44.7
INTERIOR																
Air Conditioning	add	44	sub	3												
AM/FM/CD	add	3	add	3												
AM/FM/CDx6	add	5	add	2												
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	2115	68.7	44.7
4850	-50	0	2065	69.2	44.7
4850	-50	50	2015	69.7	44.7
4850	-50	100	1965	70.3	44.7
5000	0	-50	2065	76.1	44.7
5000	0	0	2015	76.8	44.7
5000	0	50	1965	77.5	44.7
5000	0	100	1915	78.3	44.7
5000	0	150	1865	79.1	44.7
5000	50	0	1965	73.9	44.7
5000	50	50	1915	74.6	44.7
5000	50	100	1865	75.3	44.7
5000	50	150	1815	76.1	44.7
5000	100	0	1915	70.9	44.7
5000	100	50	1865	71.5	44.7
5000	100	100	1815	72.1	44.7
5000	100	150	1765	72.8	44.7
5000	100	200	1715	73.6	44.7
5250	150	50	1815	81.0	44.7
5250	150	100	1765	81.0	44.7
5250	150	150	1715	81.0	44.7
5250	150	200	1665	81.0	44.7
5250	150	250	1615	81.0	44.7
5250	150	300	1565	81.0	44.7
5250	200	50	1765	81.0	44.7
5250	200	100	1715	81.0	44.7
5250	200	150	1665	81.0	44.7
5250	200	200	1615	81.0	44.7
5250	200	250	1565	81.0	44.7
5250	200	300	1515	81.0	44.7
5250	250	100	1665	81.0	44.7
5250	250	150	1615	81.0	44.7
5250	250	200	1565	81.0	44.7
5250	250	250	1515	81.0	44.7
5250	250	300	1465	81.0	44.7
5250	250	350	1415	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
									FRONT	REAR					FRONT	REAR
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4400	-50	-50	2904	77.3	44.7	4550	-50	-50	2771	79.6	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	0	2854	77.8	44.7	4550	-50	0	2721	80.1	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4400	-50	50	2804	78.3	44.7	4550	-50	50	2671	80.7	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	-50	100	2754	78.9	44.7	4550	-50	100	2621	81.4	44.7
Full Wheel Covers	add	4	add	4	4400	0	-50	2854	75.0	44.7	4550	0	-50	2721	77.2	44.7
Limited-Slip Rear Axle	add	0	add	5	4400	0	0	2804	75.5	44.7	4550	0	0	2671	77.8	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4400	0	50	2754	76.0	44.7	4550	0	50	2621	78.4	44.7
Stabilizer Package	add	2	add	26	4400	0	100	2704	76.5	44.7	4550	0	100	2571	78.9	44.7
Stepgate	sub	10	add	50	4400	0	150	2654	77.1	44.7	4550	0	150	2521	79.6	44.7
Spray-In Bedliner	add	1	add	19	4400	50	0	2754	73.2	44.7	4550	50	0	2621	75.3	44.7
					4400	50	50	2704	73.6	44.7	4550	50	50	2571	75.9	44.7
WHEELS & TIRES					4400	50	100	2654	74.1	44.7	4550	50	100	2521	76.4	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4400	50	150	2604	74.6	44.7	4550	50	150	2471	77.0	44.7
18" Steel Wheels		n.a.		n.a.	4400	50	200	2554	75.1	44.7	4550	50	200	2421	77.6	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4550	100	0	2704	79.5	44.7	4700	100	0	2571	82.0	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4550	100	50	2654	80.1	44.7	4700	100	50	2521	82.7	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4550	100	100	2604	80.7	44.7	4700	100	100	2471	83.4	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4550	100	150	2554	81.3	44.7	4700	100	150	2421	84.1	44.7
LT245/75R17E A/T		n.a.		n.a.	4550	100	200	2504	82.0	44.7	4700	100	200	2371	84.9	44.7
LT265/70R17E A/T		n.a.		n.a.	4550	150	50	2604	77.6	44.7	4700	150	50	2471	80.2	44.7
LT275/65R18E A/S		n.a.		n.a.	4550	150	100	2554	78.2	44.7	4700	150	100	2421	80.9	44.7
LT275/70R18E A/S	add	2	add	3	4550	150	150	2504	78.8	44.7	4700	150	150	2371	81.6	44.7
LT275/70R18E A/T	add	0	add	0	4550	150	200	2454	79.5	44.7	4700	150	200	2321	82.3	44.7
LT275/65R20E A/T	add	15	add	15	4550	150	250	2404	80.1	44.7	4700	150	250	2271	83.1	44.7
					4550	150	300	2354	80.8	44.7	4700	150	300	2221	83.8	44.7
SEATING					4550	200	50	2554	75.1	44.7	4700	200	50	2421	77.6	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4550	200	100	2504	75.7	44.7	4700	200	100	2371	78.2	44.7
Front Bucket Seats	add	9	add	6	4550	200	150	2454	76.2	44.7	4700	200	150	2321	78.9	44.7
Front Captain's Chairs	add	11	add	10	4550	200	200	2404	76.8	44.7	4700	200	200	2271	79.6	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4550	200	250	2354	77.4	44.7	4700	200	250	2221	80.3	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4550	200	300	2304	78.1	44.7	4700	200	300	2171	81.0	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4700	250	100	2454	82.7	44.7	4850	250	100	2321	85.7	44.7
Power 6-Way Driver's Seat	add	3	add	1	4700	250	150	2404	83.4	44.7	4850	250	150	2271	86.5	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4700	250	200	2354	84.2	44.7	4850	250	200	2221	87.4	44.7
Heated Seats	add	3	add	1	4700	250	250	2304	84.9	44.7	4850	250	250	2171	88.3	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4700	250	300	2254	85.8	44.7	4850	250	300	2121	89.3	44.7
					4700	250	350	2204	86.6	44.7	4850	250	350	2071	90.3	44.7
INTERIOR																
Air Conditioning	add	44	sub	3												
AM/FM/CD	add	3	add	3												
AM/FM/CDx6	add	5	add	2												
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE				
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA 6.4L Diesel Engine 9900 lb (4490 kg) GVWR						
FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
				FRONT	REAR	
GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	
I	II	III	IV	V	VI	
5250	-50	-50	1990	92.5	44.7	
5250	-50	0	1940	93.6	44.7	
5250	-50	50	1890	94.8	44.7	
5250	-50	100	1840	96.1	44.7	
5250	0	-50	1940	89.5	44.7	
5250	0	0	1890	90.7	44.7	
5250	0	50	1840	91.8	44.7	
5250	0	100	1790	93.0	44.7	
5250	0	150	1740	94.3	44.7	
5250	50	0	1840	87.5	44.7	
5250	50	50	1790	88.6	44.7	
5250	50	100	1740	89.8	44.7	
5250	50	150	1690	91.0	44.7	
5250	50	200	1640	92.4	44.7	
5250	100	0	1790	84.2	44.7	
5250	100	50	1740	85.3	44.7	
5250	100	100	1690	86.4	44.7	
5250	100	150	1640	87.5	44.7	
5250	100	200	1590	88.8	44.7	
5250	150	50	1690	81.7	44.7	
5250	150	100	1640	82.7	44.7	
5250	150	150	1590	83.8	44.7	
5250	150	200	1540	85.0	44.7	
5250	150	250	1490	86.2	44.7	
5250	150	300	1440	87.6	44.7	
5250	200	50	1640	77.9	44.7	
5250	200	100	1590	78.9	44.7	
5250	200	150	1540	79.9	44.7	
5250	200	200	1490	80.9	44.7	
5250	200	250	1440	82.1	44.7	
5250	200	300	1390	83.3	44.7	
5250	250	100	1540	74.7	44.7	
5250	250	150	1490	75.6	44.7	
5250	250	200	1440	76.6	44.7	
5250	250	250	1390	77.6	44.7	
5250	250	300	1340	78.7	44.7	
5250	250	350	1290	79.9	44.7	

VEHICLE LOADING DATA					
FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
				FRONT	REAR
GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
									FRONT	REAR					FRONT	REAR
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4250	-50	-50	2850	71.1	44.7	4400	-50	-50	2722	72.7	44.7
Camper Package		n.a.		n.a.	4250	-50	0	2800	71.5	44.7	4400	-50	0	2672	73.2	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4250	-50	50	2750	72.0	44.7	4400	-50	50	2622	73.7	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4250	-50	100	2700	72.4	44.7	4400	-50	100	2572	74.2	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4250	0	-50	2800	68.8	44.7	4400	0	-50	2672	70.3	44.7
Full Wheel Covers	add	4	add	4	4250	0	0	2750	69.1	44.7	4400	0	0	2622	70.7	44.7
Limited-Slip Rear Axle	add	0	add	5	4250	0	50	2700	69.5	44.7	4400	0	50	2572	71.1	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4250	0	100	2650	69.9	44.7	4400	0	100	2522	71.6	44.7
Stabilizer Package	add	2	add	26	4250	0	150	2600	70.4	44.7	4400	0	150	2472	72.1	44.7
Stepgate	sub	10	add	50	4250	50	0	2700	66.6	44.7	4400	50	0	2572	68.1	44.7
Spray-In Bedliner	add	0	add	16	4250	50	50	2650	67.0	44.7	4400	50	50	2522	68.5	44.7
					4250	50	100	2600	67.4	44.7	4400	50	100	2472	68.9	44.7
WHEELS & TIRES					4250	50	150	2550	67.7	44.7	4400	50	150	2422	69.4	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4250	50	200	2500	68.1	44.7	4400	50	200	2372	69.8	44.7
18" Steel Wheels		n.a.		n.a.	4400	100	0	2650	72.9	44.7	4550	100	0	2522	74.7	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4400	100	50	2600	73.4	44.7	4550	100	50	2472	75.2	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4400	100	100	2550	73.9	44.7	4550	100	100	2422	75.8	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4400	100	150	2500	74.4	44.7	4550	100	150	2372	76.4	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4400	100	200	2450	74.9	44.7	4550	100	200	2322	77.0	44.7
LT245/75R17E A/T		n.a.		n.a.	4400	150	50	2550	70.8	44.7	4550	150	50	2422	72.6	44.7
LT265/70R17E A/T		n.a.		n.a.	4400	150	100	2500	71.3	44.7	4550	150	100	2372	73.1	44.7
LT275/65R18E A/S		n.a.		n.a.	4400	150	150	2450	71.7	44.7	4550	150	150	2322	73.6	44.7
LT275/70R18E A/S	add	2	add	3	4400	150	200	2400	72.2	44.7	4550	150	200	2272	74.2	44.7
LT275/70R18E A/T	add	0	add	0	4400	150	250	2350	72.7	44.7	4550	150	250	2222	74.8	44.7
LT275/65R20E A/T	add	15	add	15	4400	150	300	2300	73.3	44.7	4550	150	300	2172	75.4	44.7
					4400	200	50	2500	68.1	44.7	4550	200	50	2372	69.8	44.7
SEATING					4400	200	100	2450	68.5	44.7	4550	200	100	2322	70.3	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4400	200	150	2400	69.0	44.7	4550	200	150	2272	70.8	44.7
Front Bucket Seats	add	9	add	6	4400	200	200	2350	69.4	44.7	4550	200	200	2222	71.3	44.7
Front Captain's Chairs	add	11	add	10	4400	200	250	2300	69.9	44.7	4550	200	250	2172	71.8	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4400	200	300	2250	70.4	44.7	4550	200	300	2122	72.4	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	4550	250	100	2400	75.5	44.7	4700	250	100	2272	77.7	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4550	250	150	2350	76.1	44.7	4700	250	150	2222	78.3	44.7
Power 6-Way Driver's Seat	add	3	add	1	4550	250	200	2300	76.7	44.7	4700	250	200	2172	79.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4550	250	250	2250	77.3	44.7	4700	250	250	2122	79.7	44.7
Heated Seats	add	3	add	1	4550	250	300	2200	78.0	44.7	4700	250	300	2072	80.5	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4550	250	350	2150	78.7	44.7	4700	250	350	2022	81.0	44.7
					4550	300	100	2350	72.7	44.7	4700	300	100	2222	74.8	44.7
INTERIOR					4550	300	150	2300	73.3	44.7	4700	300	150	2172	75.4	44.7
Air Conditioning	add	44	sub	3	4550	300	200	2250	73.8	44.7	4700	300	200	2122	76.1	44.7
AM/FM/CD	add	3	add	3	4550	300	250	2200	74.4	44.7	4700	300	250	2072	76.7	44.7
AM/FM/CDx6	add	5	add	2	4550	300	300	2150	75.0	44.7	4700	300	300	2022	77.5	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4550	300	350	2100	75.7	44.7	4700	300	350	1972	78.2	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4550	300	400	2050	76.4	44.7	4700	300	400	1922	79.0	44.7
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	6	add	4												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	15	add	6												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5000	-50	-50	1941	75.7	44.7
5000	-50	0	1891	76.4	44.7
5000	-50	50	1841	77.2	44.7
5000	-50	100	1791	78.0	44.7
5250	0	-50	1891	81.0	44.7
5250	0	0	1841	81.0	44.7
5250	0	50	1791	81.0	44.7
5250	0	100	1741	81.0	44.7
5250	0	150	1691	81.0	44.7
5250	50	0	1791	81.0	44.7
5250	50	50	1741	81.0	44.7
5250	50	100	1691	81.0	44.7
5250	50	150	1641	81.0	44.7
5250	50	200	1591	81.0	44.7
5250	100	0	1741	81.0	44.7
5250	100	50	1691	81.0	44.7
5250	100	100	1641	81.0	44.7
5250	100	150	1591	81.0	44.7
5250	100	200	1541	81.0	44.7
5250	150	50	1641	81.0	44.7
5250	150	100	1591	81.0	44.7
5250	150	150	1541	81.0	44.7
5250	150	200	1491	81.0	44.7
5250	150	250	1441	81.0	44.7
5250	150	300	1391	81.0	44.7
5250	200	50	1591	81.0	44.7
5250	200	100	1541	81.0	44.7
5250	200	150	1491	81.0	44.7
5250	200	200	1441	81.0	44.7
5250	200	250	1391	81.0	44.7
5250	200	300	1341	81.0	44.7
5250	250	100	1491	78.9	44.7
5250	250	150	1441	79.9	44.7
5250	250	200	1391	81.0	44.7
5250	250	250	1341	81.0	44.7
5250	250	300	1291	81.0	44.7
5250	250	350	1241	81.0	44.7
5250	300	100	1441	74.5	44.7
5250	300	150	1391	75.5	44.7
5250	300	200	1341	76.5	44.7
5250	300	250	1291	77.6	44.7
5250	300	300	1241	78.8	44.7
5250	300	350	1191	80.1	44.7
5250	300	400	1141	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
5.4L Gasoline Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4400	-50	-50	2731	74.7	44.7
4400	-50	0	2681	75.2	44.7
4400	-50	50	2631	75.7	44.7
4400	-50	100	2581	76.2	44.7
4550	0	-50	2681	81.6	44.7
4550	0	0	2631	82.2	44.7
4550	0	50	2581	82.9	44.7
4550	0	100	2531	83.6	44.7
4550	0	150	2481	84.3	44.7
4550	50	0	2581	79.5	44.7
4550	50	50	2531	80.2	44.7
4550	50	100	2481	80.8	44.7
4550	50	150	2431	81.5	44.7
4550	100	0	2531	76.8	44.7
4550	100	50	2481	77.3	44.7
4550	100	100	2431	77.9	44.7
4550	100	150	2381	78.6	44.7
4550	100	200	2331	79.2	44.7
4700	150	50	2431	85.0	44.7
4700	150	100	2381	85.8	44.7
4700	150	150	2331	86.6	44.7
4700	150	200	2281	87.5	44.7
4700	150	250	2231	88.4	44.7
4700	150	300	2181	89.3	44.7
4700	200	50	2381	82.2	44.7
4700	200	100	2331	82.9	44.7
4700	200	150	2281	83.7	44.7
4700	200	200	2231	84.5	44.7
4700	200	250	2181	85.3	44.7
4700	200	300	2131	86.2	44.7
4700	250	100	2281	79.9	44.7
4700	250	150	2231	80.6	44.7
4700	250	200	2181	81.4	44.7
4700	250	250	2131	82.2	44.7
4700	250	300	2081	83.0	44.7
4700	250	350	2031	83.9	44.7
4850	300	100	2231	88.4	44.7
4850	300	150	2181	89.3	44.7
4850	300	200	2131	90.3	44.7
4850	300	250	2081	91.3	44.7
4850	300	300	2031	92.3	44.7
4850	300	350	1981	93.5	44.7
4850	300	400	1931	94.6	44.7

VEHICLE LOADING DATA
6.8L Gasoline Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4550	-50	-50	2595	76.3	44.7
4550	-50	0	2545	76.8	44.7
4550	-50	50	2495	77.4	44.7
4550	-50	100	2445	78.0	44.7
4700	0	-50	2545	83.6	44.7
4700	0	0	2495	84.3	44.7
4700	0	50	2445	85.0	44.7
4700	0	100	2395	85.8	44.7
4700	0	150	2345	86.6	44.7
4700	50	0	2445	81.5	44.7
4700	50	50	2395	82.2	44.7
4700	50	100	2345	82.9	44.7
4700	50	150	2295	83.7	44.7
4700	100	0	2395	78.6	44.7
4700	100	50	2345	79.3	44.7
4700	100	100	2295	80.0	44.7
4700	100	150	2245	80.7	44.7
4700	100	200	2195	81.4	44.7
4850	150	50	2295	87.5	44.7
4850	150	100	2245	88.3	44.7
4850	150	150	2195	89.3	44.7
4850	150	200	2145	90.2	44.7
4850	150	250	2095	91.2	44.7
4850	150	300	2045	92.3	44.7
4850	200	50	2245	84.5	44.7
4850	200	100	2195	85.3	44.7
4850	200	150	2145	86.2	44.7
4850	200	200	2095	87.1	44.7
4850	200	250	2045	88.1	44.7
4850	200	300	1995	89.1	44.7
4850	250	100	2145	82.2	44.7
4850	250	150	2095	83.0	44.7
4850	250	200	2045	83.9	44.7
4850	250	250	1995	84.8	44.7
4850	250	300	1945	85.7	44.7
4850	250	350	1895	86.7	44.7
5000	300	100	2095	91.2	44.7
5000	300	150	2045	92.3	44.7
5000	300	200	1995	93.4	44.7
5000	300	250	1945	94.6	44.7
5000	300	300	1895	95.8	44.7
5000	300	350	1845	97.0	44.7
5000	300	400	1795	97.0	44.7

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	1818	91.3	44.7
5250	-50	0	1768	92.5	44.7
5250	-50	50	1718	93.8	44.7
5250	-50	100	1668	95.2	44.7
5250	0	-50	1768	87.6	44.7
5250	0	0	1718	88.8	44.7
5250	0	50	1668	90.0	44.7
5250	0	100	1618	91.3	44.7
5250	0	150	1568	92.7	44.7
5250	50	0	1668	84.8	44.7
5250	50	50	1618	86.0	44.7
5250	50	100	1568	87.2	44.7
5250	50	150	1518	88.5	44.7
5250	50	200	1468	89.9	44.7
5250	100	0	1618	80.7	44.7
5250	100	50	1568	81.7	44.7
5250	100	100	1518	82.8	44.7
5250	100	150	1468	84.0	44.7
5250	100	200	1418	85.3	44.7
5250	150	50	1518	77.1	44.7
5250	150	100	1468	78.1	44.7
5250	150	150	1418	79.2	44.7
5250	150	200	1368	80.3	44.7
5250	150	250	1318	81.6	44.7
5250	150	300	1268	82.9	44.7
5250	200	50	1468	72.3	44.7
5250	200	100	1418	73.1	44.7
5250	200	150	1368	74.0	44.7
5250	200	200	1318	75.0	44.7
5250	200	250	1268	76.1	44.7
5250	200	300	1218	77.2	44.7
5250	250	100	1368	67.7	44.7
5250	250	150	1318	68.5	44.7
5250	250	200	1268	69.3	44.7
5250	250	250	1218	70.2	44.7
5250	250	300	1168	71.1	44.7
5250	250	350	1118	72.2	44.7
5250	300	100	1318	61.9	44.7
5250	300	150	1268	62.5	44.7
5250	300	200	1218	63.1	44.7
5250	300	250	1168	63.7	44.7
5250	300	300	1118	64.4	44.7
5250	300	350	1068	65.2	44.7
5250	300	400	1018	66.1	44.7
5250	300	100	1318	61.9	44.7
5250	300	150	1268	62.5	44.7
5250	300	200	1218	63.1	44.7
5250	300	250	1168	63.7	44.7
5250	300	300	1118	64.4	44.7
5250	300	350	1068	65.2	44.7
5250	300	400	1018	66.1	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	4400	-50	-50	3308	72.1	44.7	4800	-50	-50	3175	83.6	44.7
Camper Package		n.a.		n.a.	4400	-50	0	3258	72.4	44.7	4800	-50	0	3125	84.1	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	50	3208	72.8	44.7	4800	-50	50	3075	84.7	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4400	-50	100	3158	73.2	44.7	4800	-50	100	3025	85.3	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	-50	3258	87.2	44.7	4800	0	-50	3125	82.0	44.7
Full Wheel Covers	add	4	add	4	4800	0	0	3208	87.8	44.7	4800	0	0	3075	82.5	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	50	3158	88.4	44.7	4800	0	50	3025	83.1	44.7
Skid Plates (4x4 only)	add	20	add	25	4800	0	100	3108	89.1	44.7	4800	0	100	2975	83.7	44.7
Stabilizer Package	add	2	add	26	4800	0	150	3058	89.7	44.7	4800	0	150	2925	84.3	44.7
Stepgate	sub	10	add	50	4800	50	0	3158	86.2	44.7	4800	50	0	3025	80.8	44.7
Spray-In Bedliner	add	1	add	19	4800	50	50	3108	86.9	44.7	4800	50	50	2975	81.4	44.7
					4800	50	100	3058	87.5	44.7	4800	50	100	2925	81.9	44.7
WHEELS & TIRES																
17" Window Aluminum Wheels		n.a.		n.a.	4800	50	150	3008	88.2	44.7	4800	50	150	2875	82.5	44.7
18" Steel Wheels		n.a.		n.a.	4800	50	200	2958	88.8	44.7	4800	50	200	2825	83.2	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4800	100	0	3108	84.7	44.7	4800	100	0	2975	79.1	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4800	100	50	3058	85.3	44.7	4800	100	50	2925	79.6	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4800	100	100	3008	85.9	44.7	4800	100	100	2875	80.2	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4800	100	150	2958	86.5	44.7	4800	100	150	2825	80.7	44.7
LT245/75R17E A/T		n.a.		n.a.	4800	100	200	2908	87.2	44.7	4800	100	200	2775	81.3	44.7
LT265/70R17E A/T		n.a.		n.a.	4800	150	50	3008	83.6	44.7	4800	150	50	2875	77.8	44.7
LT275/65R18E A/S		n.a.		n.a.	4800	150	100	2958	84.2	44.7	4800	150	100	2825	78.3	44.7
LT275/70R18E A/S	add	2	add	3	4800	150	150	2908	84.8	44.7	4800	150	150	2775	78.9	44.7
LT275/70R18E A/T	add	0	add	0	4800	150	200	2858	85.5	44.7	4800	150	200	2725	79.4	44.7
LT275/65R20E A/T	add	15	add	15	4800	150	250	2808	86.1	44.7	4800	150	250	2675	80.0	44.7
					4800	150	300	2758	86.8	44.7	4800	150	300	2625	80.6	44.7
SEATING					4800	200	50	2958	81.9	44.7	4800	200	50	2825	75.9	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4800	200	100	2908	82.5	44.7	4800	200	100	2775	76.4	44.7
Front Bucket Seats	add	9	add	6	4800	200	150	2858	83.1	44.7	4800	200	150	2725	76.9	44.7
Front Captain's Chairs	add	11	add	10	4800	200	200	2808	83.7	44.7	4800	200	200	2675	77.5	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4800	200	250	2758	84.4	44.7	4800	200	250	2625	78.0	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4800	200	300	2708	85.0	44.7	4800	200	300	2575	78.6	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4800	250	100	2858	80.7	44.7	5200	250	100	2725	94.5	44.7
Power 6-Way Driver's Seat	add	3	add	1	4800	250	150	2808	81.3	44.7	5200	250	150	2675	95.4	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4800	250	200	2758	81.9	44.7	5200	250	200	2625	96.3	44.7
Heated Seats	add	3	add	1	4800	250	250	2708	82.5	44.7	5200	250	250	2575	97.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4800	250	300	2658	83.2	44.7	5200	250	300	2525	97.0	44.7
					4800	250	350	2608	83.8	44.7	5200	250	350	2475	97.0	44.7
INTERIOR					4800	300	400	2508	82.5	44.7	5200	300	400	2375	97.0	44.7
Air Conditioning	add	44	sub	3	4800	300	100	2808	78.8	44.7	5200	300	100	2675	92.8	44.7
AM/FM/CD	add	3	add	3	4800	300	150	2758	79.4	44.7	5200	300	150	2625	93.7	44.7
AM/FM/CDx6	add	5	add	2	4800	300	200	2708	80.0	44.7	5200	300	200	2575	94.6	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.	4800	300	250	2658	80.6	44.7	5200	300	250	2525	95.5	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.	4800	300	300	2608	81.2	44.7	5200	300	300	2475	96.5	44.7
Satellite Radio	add	2	add	1	4800	300	350	2558	81.9	44.7	5200	300	350	2425	97.0	44.7
DVD Entertainment System	add	4	add	3	4800	300	400	2508	82.5	44.7	5200	300	400	2375	97.0	44.7
All Weather Floor Mats	add	3	add	2												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	17	add	12												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	25
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	2378	79.9	44.7
5200	-50	0	2328	80.6	44.7
5200	-50	50	2278	81.3	44.7
5200	-50	100	2228	82.0	44.7
5600	0	-50	2328	97.0	44.7
5600	0	0	2278	97.0	44.7
5600	0	50	2228	97.0	44.7
5600	0	100	2178	97.0	44.7
5600	0	150	2128	97.0	44.7
5600	50	0	2228	97.0	44.7
5600	50	50	2178	97.0	44.7
5600	50	100	2128	97.0	44.7
5600	50	150	2078	97.0	44.7
5600	50	200	2028	97.0	44.7
5600	100	0	2178	97.0	44.7
5600	100	50	2128	97.0	44.7
5600	100	100	2078	97.0	44.7
5600	100	150	2028	97.0	44.7
5600	100	200	1978	97.0	44.7
5600	150	50	2078	97.0	44.7
5600	150	100	2028	97.0	44.7
5600	150	150	1978	97.0	44.7
5600	150	200	1928	97.0	44.7
5600	150	250	1878	97.0	44.7
5600	150	300	1828	97.0	44.7
5600	200	50	2028	95.5	44.7
5600	200	100	1978	96.7	44.7
5600	200	150	1928	97.0	44.7
5600	200	200	1878	97.0	44.7
5600	200	250	1828	97.0	44.7
5600	200	300	1778	97.0	44.7
5600	250	100	1928	94.5	44.7
5600	250	150	1878	95.7	44.7
5600	250	200	1828	97.0	44.7
5600	250	250	1778	97.0	44.7
5600	250	300	1728	97.0	44.7
5600	250	350	1678	97.0	44.7
5600	300	100	1878	92.1	44.7
5600	300	150	1828	93.3	44.7
5600	300	200	1778	94.5	44.7
5600	300	250	1728	95.9	44.7
5600	300	300	1678	97.0	44.7
5600	300	350	1628	97.0	44.7
5600	300	400	1578	97.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4800	-50	-50	2638	81.0	44.7	4800	-50	-50	2506	79.9	44.7
Camper Package		n.a.		n.a.	4800	-50	0	2588	81.0	44.7	4800	-50	0	2456	80.5	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	50	2538	81.0	44.7	4800	-50	50	2406	81.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	100	2488	81.0	44.7	4800	-50	100	2356	81.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	-50	2588	81.0	44.7	4800	0	-50	2456	77.6	44.7
Full Wheel Covers	add	4	add	4	4800	0	0	2538	81.0	44.7	4800	0	0	2406	78.3	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	50	2488	81.0	44.7	4800	0	50	2356	78.9	44.7
Skid Plates (4x4 only)	add	18	add	18	4800	0	100	2438	81.0	44.7	4800	0	100	2306	79.6	44.7
Stabilizer Package	add	2	add	26	4800	0	150	2388	81.0	44.7	4800	0	150	2256	80.3	44.7
Stepgate	sub	10	add	50	4800	50	0	2488	81.0	44.7	4800	50	0	2356	75.9	44.7
Spray-In Bedliner	add	0	add	16	4800	50	50	2438	81.0	44.7	4800	50	50	2306	76.5	44.7
					4800	50	100	2388	81.0	44.7	4800	50	100	2256	77.1	44.7
WHEELS & TIRES					4800	50	150	2338	81.0	44.7	4800	50	150	2206	77.8	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4800	50	200	2288	81.0	44.7	4800	50	200	2156	78.5	44.7
18" Steel Wheels		n.a.		n.a.	4800	100	0	2438	80.8	44.7	4800	100	0	2306	73.4	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4800	100	50	2388	81.0	44.7	4800	100	50	2256	74.0	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4800	100	100	2338	81.0	44.7	4800	100	100	2206	74.6	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4800	100	150	2288	81.0	44.7	4800	100	150	2156	75.2	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4800	100	200	2238	81.0	44.7	4800	100	200	2106	75.9	44.7
LT245/75R17E A/T		n.a.		n.a.	4800	150	50	2338	79.2	44.7	5200	150	50	2206	81.0	44.7
LT265/70R17E A/T		n.a.		n.a.	4800	150	100	2288	79.9	44.7	5200	150	100	2156	81.0	44.7
LT275/65R18E A/S		n.a.		n.a.	4800	150	150	2238	80.6	44.7	5200	150	150	2106	81.0	44.7
LT275/70R18E A/S	add	2	add	3	4800	150	200	2188	81.0	44.7	5200	150	200	2056	81.0	44.7
LT275/70R18E A/T	add	0	add	0	4800	150	250	2138	81.0	44.7	5200	150	250	2006	81.0	44.7
LT275/65R20E A/T	add	15	add	15	4800	150	300	2088	81.0	44.7	5200	150	300	1956	81.0	44.7
					4800	200	50	2288	76.8	44.7	5200	200	50	2156	81.0	44.7
SEATING					4800	200	100	2238	77.4	44.7	5200	200	100	2106	81.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4800	200	150	2188	78.1	44.7	5200	200	150	2056	81.0	44.7
Front Bucket Seats	add	9	add	6	4800	200	200	2138	78.8	44.7	5200	200	200	2006	81.0	44.7
Front Captain's Chairs	add	11	add	10	4800	200	250	2088	79.6	44.7	5200	200	250	1956	81.0	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4800	200	300	2038	80.3	44.7	5200	200	300	1906	81.0	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4800	250	100	2188	74.9	44.7	5200	250	100	2056	81.0	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4800	250	150	2138	75.5	44.7	5200	250	150	2006	81.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	4800	250	200	2088	76.2	44.7	5200	250	200	1956	81.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4800	250	250	2038	76.9	44.7	5200	250	250	1906	81.0	44.7
Heated Seats	add	3	add	1	4800	250	300	1988	77.6	44.7	5200	250	300	1856	81.0	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4800	250	350	1938	78.4	44.7	5200	250	350	1806	81.0	44.7
					5200	300	100	2138	81.0	44.7	5200	300	100	2006	81.0	44.7
INTERIOR					5200	300	150	2088	81.0	44.7	5200	300	150	1956	81.0	44.7
Air Conditioning	add	44	sub	3	5200	300	200	2038	81.0	44.7	5200	300	200	1906	81.0	44.7
AM/FM/CD	add	3	add	3	5200	300	250	1988	81.0	44.7	5200	300	250	1856	81.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	300	1938	81.0	44.7	5200	300	300	1806	81.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	350	1888	81.0	44.7	5200	300	350	1756	81.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	400	1838	81.0	44.7	5200	300	400	1706	81.0	44.7
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 6.4L Diesel Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	5600	-50	-50	1679	81.0	44.7						
Dual Alternator (Diesel Engines only)	add	21	add	0	5600	-50	0	1629	81.0	44.7						
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	5600	-50	50	1579	81.0	44.7						
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1	5600	-50	100	1529	81.0	44.7						
Full Wheel Covers	add	4	add	4	5600	0	-50	1629	81.0	44.7						
Limited-Slip Rear Axle	add	0	add	5	5600	0	0	1579	81.0	44.7						
Skid Plates (4x4 only)	add	18	add	18	5600	0	50	1529	81.0	44.7						
Stabilizer Package	add	2	add	26	5600	0	100	1479	81.0	44.7						
Stepgate	sub	10	add	50	5600	0	150	1429	81.0	44.7						
Spray-In Bedliner	add	0	add	16	5600	50	0	1529	81.0	44.7						
					5600	50	50	1479	81.0	44.7						
WHEELS & TIRES					5600	50	100	1429	81.0	44.7						
17" Window Aluminum Wheels		n.a.		n.a.	5600	50	150	1379	81.0	44.7						
18" Steel Wheels		n.a.		n.a.	5600	50	200	1329	81.0	44.7						
18" Forged Aluminum Wheels	sub	32	sub	32	5600	100	0	1479	81.0	44.7						
18" Cast Aluminum Wheels	sub	23	sub	23	5600	100	50	1429	81.0	44.7						
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	5600	100	100	1379	81.0	44.7						
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	5600	100	150	1329	81.0	44.7						
LT245/75R17E A/T		n.a.		n.a.	5600	100	200	1279	81.0	44.7						
LT265/70R17E A/T		n.a.		n.a.	5600	150	50	1379	81.0	44.7						
LT275/65R18E A/S		n.a.		n.a.	5600	150	100	1329	81.0	44.7						
LT275/70R18E A/S	add	2	add	3	5600	150	150	1279	81.0	44.7						
LT275/70R18E A/T	add	0	add	0	5600	150	200	1229	81.0	44.7						
LT275/65R20E A/T	add	15	add	15	5600	150	250	1179	81.0	44.7						
					5600	150	300	1129	81.0	44.7						
SEATING					5600	200	50	1329	81.0	44.7						
Front Bench Seat - 40/20/40	add	30	add	23	5600	200	100	1279	81.0	44.7						
Front Bucket Seats	add	9	add	6	5600	200	150	1229	81.0	44.7						
Front Captain's Chairs	add	11	add	10	5600	200	200	1179	81.0	44.7						
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	5600	200	250	1129	81.0	44.7						
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	5600	200	300	1079	81.0	44.7						
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	6000	250	100	1229	81.0	44.7						
Power 6-Way Driver's Seat	add	3	add	1	6000	250	150	1179	81.0	44.7						
Power 6-Way Passenger's Seat	add	3	add	1	6000	250	200	1129	81.0	44.7						
Heated Seats	add	3	add	1	6000	250	250	1079	81.0	44.7						
Less Second Row Bench (S/Cab only)	sub	23	sub	62	6000	250	300	1029	81.0	44.7						
					6000	250	350	979	81.0	44.7						
INTERIOR					6000	300	100	1179	81.0	44.7						
Air Conditioning	add	44	sub	3	6000	300	150	1129	81.0	44.7						
AM/FM/CD	add	3	add	3	6000	300	200	1079	81.0	44.7						
AM/FM/CDx6	add	5	add	2	6000	300	250	1029	81.0	44.7						
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	6000	300	300	979	81.0	44.7						
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	6000	300	350	929	81.0	44.7						
Satellite Radio	add	2	add	1	6000	300	400	879	81.0	44.7						
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4800	-50	-50	2484	83.6	44.7	5200	-50	-50	2351	97.0	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	0	2434	84.3	44.7	5200	-50	0	2301	97.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	50	2384	85.1	44.7	5200	-50	50	2251	97.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	-50	100	2334	85.9	44.7	5200	-50	100	2201	97.0	44.7
Full Wheel Covers	add	4	add	4	5200	0	-50	2434	97.0	44.7	5200	0	-50	2301	97.0	44.7
Limited-Slip Rear Axle	add	0	add	5	5200	0	0	2384	97.0	44.7	5200	0	0	2251	97.0	44.7
Skid Plates (4x4 only)	add	24	add	21	5200	0	50	2334	97.0	44.7	5200	0	50	2201	97.0	44.7
Stabilizer Package	add	2	add	26	5200	0	100	2284	97.0	44.7	5200	0	100	2151	97.0	44.7
Stepgate	sub	10	add	50	5200	0	150	2234	97.0	44.7	5200	0	150	2101	97.0	44.7
Spray-In Bedliner	add	1	add	19	5200	50	0	2334	97.0	44.7	5200	50	0	2201	97.0	44.7
					5200	50	50	2284	97.0	44.7	5200	50	50	2151	97.0	44.7
WHEELS & TIRES					5200	50	100	2234	97.0	44.7	5200	50	100	2101	97.0	44.7
17" Window Aluminum Wheels		n.a.		n.a.	5200	50	150	2184	97.0	44.7	5200	50	150	2051	97.0	44.7
18" Steel Wheels		n.a.		n.a.	5200	50	200	2134	97.0	44.7	5200	50	200	2001	97.0	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	5200	100	0	2284	97.0	44.7	5200	100	0	2151	95.8	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	5200	100	50	2234	97.0	44.7	5200	100	50	2101	97.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	5200	100	100	2184	97.0	44.7	5200	100	100	2051	97.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	5200	100	150	2134	97.0	44.7	5200	100	150	2001	97.0	44.7
LT245/75R17E A/T		n.a.		n.a.	5200	100	200	2084	97.0	44.7	5200	100	200	1951	97.0	44.7
LT265/70R17E A/T		n.a.		n.a.	5200	150	50	2184	97.0	44.7	5200	150	50	2051	94.3	44.7
LT275/65R18E A/S		n.a.		n.a.	5200	150	100	2134	97.0	44.7	5200	150	100	2001	95.5	44.7
LT275/70R18E A/S	add	2	add	3	5200	150	150	2084	97.0	44.7	5200	150	150	1951	96.7	44.7
LT275/70R18E A/T	add	0	add	0	5200	150	200	2034	97.0	44.7	5200	150	200	1901	97.0	44.7
LT275/65R20E A/T	add	15	add	15	5200	150	250	1984	97.0	44.7	5200	150	250	1851	97.0	44.7
					5200	150	300	1934	97.0	44.7	5200	150	300	1801	97.0	44.7
SEATING					5200	200	50	2134	97.0	44.7	5200	200	50	2001	91.5	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	100	2084	97.0	44.7	5200	200	100	1951	92.6	44.7
Front Bucket Seats	add	9	add	6	5200	200	150	2034	97.0	44.7	5200	200	150	1901	93.8	44.7
Front Captain's Chairs	add	11	add	10	5200	200	200	1984	97.0	44.7	5200	200	200	1851	95.1	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	5200	200	250	1934	97.0	44.7	5200	200	250	1801	96.4	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	5200	200	300	1884	97.0	44.7	5200	200	300	1751	97.0	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	5200	250	100	2034	97.0	44.7	5600	250	100	1901	97.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	150	1984	97.0	44.7	5600	250	150	1851	97.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	200	1934	97.0	44.7	5600	250	200	1801	97.0	44.7
Heated Seats	add	3	add	1	5200	250	250	1884	97.0	44.7	5600	250	250	1751	97.0	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	5200	250	300	1834	97.0	44.7	5600	250	300	1701	97.0	44.7
					5200	250	350	1784	97.0	44.7	5600	250	350	1651	97.0	44.7
INTERIOR					5200	300	100	1984	96.6	44.7	5600	300	100	1851	97.0	44.7
Air Conditioning	add	44	sub	3	5200	300	150	1934	97.0	44.7	5600	300	150	1801	97.0	44.7
AM/FM/CD	add	3	add	3	5200	300	200	1884	97.0	44.7	5600	300	200	1751	97.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	250	1834	97.0	44.7	5600	300	250	1701	97.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	300	1784	97.0	44.7	5600	300	300	1651	97.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	300	350	1734	97.0	44.7	5600	300	350	1601	97.0	44.7
Satellite Radio	add	2	add	1	5200	300	400	1684	97.0	44.7	5600	300	400	1551	97.0	44.7
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	24	add	21
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	1554	97.0	44.7
5600	-50	0	1504	97.0	44.7
5600	-50	50	1454	97.0	44.7
5600	-50	100	1404	97.0	44.7
6000	0	-50	1504	97.0	44.7
6000	0	0	1454	97.0	44.7
6000	0	50	1404	97.0	44.7
6000	0	100	1354	97.0	44.7
6000	0	150	1304	97.0	44.7
6000	50	0	1404	97.0	44.7
6000	50	50	1354	97.0	44.7
6000	50	100	1304	97.0	44.7
6000	50	150	1254	97.0	44.7
6000	50	200	1204	97.0	44.7
6000	100	0	1354	97.0	44.7
6000	100	50	1304	97.0	44.7
6000	100	100	1254	97.0	44.7
6000	100	150	1204	97.0	44.7
6000	100	200	1154	97.0	44.7
6000	150	50	1254	97.0	44.7
6000	150	100	1204	97.0	44.7
6000	150	150	1154	97.0	44.7
6000	150	200	1104	97.0	44.7
6000	150	250	1054	97.0	44.7
6000	150	300	1004	97.0	44.7
6000	200	50	1204	97.0	44.7
6000	200	100	1154	97.0	44.7
6000	200	150	1104	97.0	44.7
6000	200	200	1054	97.0	44.7
6000	200	250	1004	97.0	44.7
6000	200	300	954	97.0	44.7
6000	250	100	1104	97.0	44.7
6000	250	150	1054	97.0	44.7
6000	250	200	1004	97.0	44.7
6000	250	250	954	97.0	44.7
6000	250	300	904	97.0	44.7
6000	250	350	854	97.0	44.7
6000	300	100	1054	97.0	44.7
6000	300	150	1004	97.0	44.7
6000	300	200	954	97.0	44.7
6000	300	250	904	97.0	44.7
6000	300	300	854	97.0	44.7
6000	300	350	804	97.0	44.7
6000	300	400	754	97.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4800	-50	-50	2423	81.0	44.7	4800	-50	-50	2297	77.9	44.7
Camper Package		n.a.		n.a.	4800	-50	0	2373	81.0	44.7	4800	-50	0	2247	78.6	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	50	2323	81.0	44.7	4800	-50	50	2197	79.3	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	100	2273	81.0	44.7	4800	-50	100	2147	80.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	-50	2373	81.0	44.7	5200	0	-50	2247	81.0	44.7
Full Wheel Covers	add	4	add	4	4800	0	0	2323	81.0	44.7	5200	0	0	2197	81.0	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	50	2273	81.0	44.7	5200	0	50	2147	81.0	44.7
Skid Plates (4x4 only)	add	20	add	16	4800	0	100	2223	81.0	44.7	5200	0	100	2097	81.0	44.7
Stabilizer Package	add	2	add	26	4800	0	150	2173	81.0	44.7	5200	0	150	2047	81.0	44.7
Stepgate	sub	10	add	50	4800	50	0	2273	81.0	44.7	5200	50	0	2147	81.0	44.7
Spray-In Bedliner	add	0	add	16	4800	50	50	2223	81.0	44.7	5200	50	50	2097	81.0	44.7
					4800	50	100	2173	81.0	44.7	5200	50	100	2047	81.0	44.7
WHEELS & TIRES					4800	50	150	2123	81.0	44.7	5200	50	150	1997	81.0	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4800	50	200	2073	81.0	44.7	5200	50	200	1947	81.0	44.7
18" Steel Wheels		n.a.		n.a.	4800	100	0	2223	78.9	44.7	5200	100	0	2097	81.0	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4800	100	50	2173	79.7	44.7	5200	100	50	2047	81.0	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4800	100	100	2123	80.4	44.7	5200	100	100	1997	81.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4800	100	150	2073	81.0	44.7	5200	100	150	1947	81.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4800	100	200	2023	81.0	44.7	5200	100	200	1897	81.0	44.7
LT245/75R17E A/T		n.a.		n.a.	5200	150	50	2123	81.0	44.7	5200	150	50	1997	81.0	44.7
LT265/70R17E A/T		n.a.		n.a.	5200	150	100	2073	81.0	44.7	5200	150	100	1947	81.0	44.7
LT275/65R18E A/S		n.a.		n.a.	5200	150	150	2023	81.0	44.7	5200	150	150	1897	81.0	44.7
LT275/70R18E A/S	add	2	add	3	5200	150	200	1973	81.0	44.7	5200	150	200	1847	81.0	44.7
LT275/70R18E A/T	add	0	add	0	5200	150	250	1923	81.0	44.7	5200	150	250	1797	81.0	44.7
LT275/65R20E A/T	add	15	add	15	5200	150	300	1873	81.0	44.7	5200	150	300	1747	81.0	44.7
					5200	200	50	2073	81.0	44.7	5200	200	50	1947	81.0	44.7
SEATING					5200	200	100	2023	81.0	44.7	5200	200	100	1897	81.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	150	1973	81.0	44.7	5200	200	150	1847	81.0	44.7
Front Bucket Seats	add	9	add	6	5200	200	200	1923	81.0	44.7	5200	200	200	1797	81.0	44.7
Front Captain's Chairs	add	11	add	10	5200	200	250	1873	81.0	44.7	5200	200	250	1747	81.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	200	300	1823	81.0	44.7	5200	200	300	1697	81.0	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	5200	250	100	1973	81.0	44.7	5200	250	100	1847	81.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	250	150	1923	81.0	44.7	5200	250	150	1797	81.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	200	1873	81.0	44.7	5200	250	200	1747	81.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	250	1823	81.0	44.7	5200	250	250	1697	81.0	44.7
Heated Seats	add	3	add	1	5200	250	300	1773	81.0	44.7	5200	250	300	1647	81.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	250	350	1723	81.0	44.7	5200	250	350	1597	81.0	44.7
					5200	300	100	1923	81.0	44.7	5200	300	100	1797	81.0	44.7
INTERIOR					5200	300	150	1873	81.0	44.7	5200	300	150	1747	81.0	44.7
Air Conditioning	add	44	sub	3	5200	300	200	1823	81.0	44.7	5200	300	200	1697	81.0	44.7
AM/FM/CD	add	3	add	3	5200	300	250	1773	81.0	44.7	5200	300	250	1647	81.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	300	1723	81.0	44.7	5200	300	300	1597	81.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	350	1673	81.0	44.7	5200	300	350	1547	81.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	350	100	1873	81.0	44.7	5200	350	100	1747	81.0	44.7
Satellite Radio	add	2	add	1	5200	350	150	1823	81.0	44.7	5200	350	150	1697	81.0	44.7
DVD Entertainment System	add	4	add	3	5200	350	200	1773	81.0	44.7	5200	350	200	1647	81.0	44.7
All Weather Floor Mats	add	6	add	4	5200	350	250	1723	81.0	44.7	5200	350	250	1597	81.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5200	350	300	1673	81.0	44.7	5200	350	300	1547	81.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5200	350	350	1623	81.0	44.7	5200	350	350	1497	81.0	44.7
Power Windows & Door Locks	add	15	add	6	5200	350	400	1573	81.0	44.7	5200	350	400	1447	81.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	16
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	1499	81.0	44.7
5600	-50	0	1449	81.0	44.7
5600	-50	50	1399	81.0	44.7
5600	-50	100	1349	81.0	44.7
5600	0	-50	1449	81.0	44.7
5600	0	0	1399	81.0	44.7
5600	0	50	1349	81.0	44.7
5600	0	100	1299	81.0	44.7
5600	0	150	1249	81.0	44.7
5600	50	0	1349	81.0	44.7
5600	50	50	1299	81.0	44.7
5600	50	100	1249	81.0	44.7
5600	50	150	1199	81.0	44.7
5600	100	0	1299	81.0	44.7
5600	100	50	1249	81.0	44.7
5600	100	100	1199	81.0	44.7
5600	100	150	1149	81.0	44.7
5600	100	200	1099	81.0	44.7
6000	150	50	1199	81.0	44.7
6000	150	100	1149	81.0	44.7
6000	150	150	1099	81.0	44.7
6000	150	200	1049	81.0	44.7
6000	150	250	999	81.0	44.7
6000	150	300	949	81.0	44.7
6000	200	50	1149	81.0	44.7
6000	200	100	1099	81.0	44.7
6000	200	150	1049	81.0	44.7
6000	200	200	999	81.0	44.7
6000	200	250	949	81.0	44.7
6000	200	300	899	81.0	44.7
6000	250	100	1049	81.0	44.7
6000	250	150	999	81.0	44.7
6000	250	200	949	81.0	44.7
6000	250	250	899	81.0	44.7
6000	250	300	849	81.0	44.7
6000	250	350	799	81.0	44.7
6000	300	100	999	81.0	44.7
6000	300	150	949	81.0	44.7
6000	300	200	899	81.0	44.7
6000	300	250	849	81.0	44.7
6000	300	300	799	81.0	44.7
6000	300	350	749	81.0	44.7
6000	300	400	699	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	5200	-50	-50	2311	97.0	44.7	5200	-50	-50	2178	97.0	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	5200	-50	0	2261	97.0	44.7	5200	-50	0	2128	97.0	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	5200	-50	50	2211	97.0	44.7	5200	-50	50	2078	97.0	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	5200	-50	100	2161	97.0	44.7	5200	-50	100	2028	97.0	44.7
Full Wheel Covers	add	4	add	4	5200	0	-50	2261	97.0	44.7	5200	0	-50	2128	97.0	44.7
Limited-Slip Rear Axle	add	0	add	5	5200	0	0	2211	97.0	44.7	5200	0	0	2078	97.0	44.7
Skid Plates (4x4 only)	add	25	add	20	5200	0	50	2161	97.0	44.7	5200	0	50	2028	97.0	44.7
Stabilizer Package	add	2	add	26	5200	0	100	2111	97.0	44.7	5200	0	100	1978	97.0	44.7
Stepgate	sub	10	add	50	5200	0	150	2061	97.0	44.7	5200	0	150	1928	97.0	44.7
Spray-In Bedliner	add	1	add	19	5200	50	0	2161	97.0	44.7	5200	50	0	2028	97.0	44.7
					5200	50	50	2111	97.0	44.7	5200	50	50	1978	97.0	44.7
WHEELS & TIRES					5200	50	100	2061	97.0	44.7	5200	50	100	1928	97.0	44.7
17" Window Aluminum Wheels		n.a.		n.a.	5200	50	150	2011	97.0	44.7	5200	50	150	1878	97.0	44.7
18" Steel Wheels		n.a.		n.a.	5200	50	200	1961	97.0	44.7	5200	50	200	1828	97.0	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	5200	100	0	2111	97.0	44.7	5200	100	0	1978	95.6	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	5200	100	50	2061	97.0	44.7	5200	100	50	1928	96.9	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	5200	100	100	2011	97.0	44.7	5200	100	100	1878	97.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	5200	100	150	1961	97.0	44.7	5200	100	150	1828	97.0	44.7
LT245/75R17E A/T		n.a.		n.a.	5200	100	200	1911	97.0	44.7	5200	100	200	1778	97.0	44.7
LT265/70R17E A/T		n.a.		n.a.	5200	150	50	2011	97.0	44.7	5600	150	50	1878	97.0	44.7
LT275/65R18E A/S		n.a.		n.a.	5200	150	100	1961	97.0	44.7	5600	150	100	1828	97.0	44.7
LT275/70R18E A/S	add	2	add	3	5200	150	150	1911	97.0	44.7	5600	150	150	1778	97.0	44.7
LT275/70R18E A/T	add	0	add	0	5200	150	200	1861	97.0	44.7	5600	150	200	1728	97.0	44.7
LT275/65R20E A/T	add	15	add	15	5200	150	250	1811	97.0	44.7	5600	150	250	1678	97.0	44.7
					5200	150	300	1761	97.0	44.7	5600	150	300	1628	97.0	44.7
SEATING					5200	200	50	1961	97.0	44.7	5600	200	50	1828	97.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	100	1911	97.0	44.7	5600	200	100	1778	97.0	44.7
Front Bucket Seats	add	9	add	6	5200	200	150	1861	97.0	44.7	5600	200	150	1728	97.0	44.7
Front Captain's Chairs	add	11	add	10	5200	200	200	1811	97.0	44.7	5600	200	200	1678	97.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	200	250	1761	97.0	44.7	5600	200	250	1628	97.0	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	5200	200	300	1711	97.0	44.7	5600	200	300	1578	97.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	250	100	1861	97.0	44.7	5600	250	100	1728	97.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	150	1811	97.0	44.7	5600	250	150	1678	97.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	200	1761	97.0	44.7	5600	250	200	1628	97.0	44.7
Heated Seats	add	3	add	1	5200	250	250	1711	97.0	44.7	5600	250	250	1578	97.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	250	300	1661	97.0	44.7	5600	250	300	1528	97.0	44.7
					5200	250	350	1611	97.0	44.7	5600	250	350	1478	97.0	44.7
INTERIOR					5600	300	100	1811	97.0	44.7	5600	300	100	1678	97.0	44.7
Air Conditioning	add	44	sub	3	5600	300	150	1761	97.0	44.7	5600	300	150	1628	97.0	44.7
AM/FM/CD	add	3	add	3	5600	300	200	1711	97.0	44.7	5600	300	200	1578	97.0	44.7
AM/FM/CDx6	add	5	add	2	5600	300	250	1661	97.0	44.7	5600	300	250	1528	97.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5600	300	300	1611	97.0	44.7	5600	300	300	1478	97.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5600	300	350	1561	97.0	44.7	5600	300	350	1428	97.0	44.7
Satellite Radio	add	2	add	1	5600	350	100	1761	97.0	44.7	5600	350	100	1628	97.0	44.7
DVD Entertainment System	add	4	add	3	5600	350	150	1711	97.0	44.7	5600	350	150	1578	97.0	44.7
All Weather Floor Mats	add	6	add	4	5600	350	200	1661	97.0	44.7	5600	350	200	1528	97.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5600	350	250	1611	97.0	44.7	5600	350	250	1478	97.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5600	350	300	1561	97.0	44.7	5600	350	300	1428	97.0	44.7
Power Windows & Door Locks	add	15	add	6	5600	350	350	1511	97.0	44.7	5600	350	350	1378	97.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	5600	350	400	1461	97.0	44.7	5600	350	400	1328	97.0	44.7
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 9900 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	25	add	20
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
6000	-50	-50	1381	97.0	44.7
6000	-50	0	1331	97.0	44.7
6000	-50	50	1281	97.0	44.7
6000	-50	100	1231	97.0	44.7
6000	0	-50	1331	97.0	44.7
6000	0	0	1281	97.0	44.7
6000	0	50	1231	97.0	44.7
6000	0	100	1181	97.0	44.7
6000	0	150	1131	97.0	44.7
6000	50	0	1231	97.0	44.7
6000	50	50	1181	97.0	44.7
6000	50	100	1131	97.0	44.7
6000	50	150	1081	97.0	44.7
6000	100	0	1181	97.0	44.7
6000	100	50	1131	97.0	44.7
6000	100	100	1081	97.0	44.7
6000	100	150	1031	97.0	44.7
6000	100	200	981	97.0	44.7
6000	150	50	1081	97.0	44.7
6000	150	100	1031	97.0	44.7
6000	150	150	981	97.0	44.7
6000	150	200	931	97.0	44.7
6000	150	250	881	97.0	44.7
6000	150	300	831	97.0	44.7
6000	200	50	1031	97.0	44.7
6000	200	100	981	97.0	44.7
6000	200	150	931	97.0	44.7
6000	200	200	881	97.0	44.7
6000	200	250	831	97.0	44.7
6000	200	300	781	97.0	44.7
6000	250	100	931	97.0	44.7
6000	250	150	881	97.0	44.7
6000	250	200	831	97.0	44.7
6000	250	250	781	97.0	44.7
6000	250	300	731	97.0	44.7
6000	250	350	681	97.0	44.7
6000	300	100	881	97.0	44.7
6000	300	150	831	97.0	44.7
6000	300	200	781	97.0	44.7
6000	300	250	731	97.0	44.7
6000	300	300	681	97.0	44.7
6000	300	350	631	97.0	44.7
6000	300	400	581	97.0	44.7
6000	300	100	881	97.0	44.7
6000	300	150	831	97.0	44.7
6000	300	200	781	97.0	44.7
6000	300	250	731	97.0	44.7
6000	300	300	681	97.0	44.7
6000	300	350	631	97.0	44.7
6000	350	100	831	97.0	44.7
6000	350	150	781	97.0	44.7
6000	350	200	731	97.0	44.7
6000	350	250	681	97.0	44.7
6000	350	300	631	97.0	44.7
6000	350	350	581	97.0	44.7
6000	350	400	531	97.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
									FRONT	REAR					FRONT	REAR
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	3950	-50	-50	3828	65.9	57.1	4100	-50	-50	3697	66.5	51.8
Camper Package		n.a.		n.a.	3950	-50	0	3778	66.2	57.2	4100	-50	0	3647	66.7	51.8
Dual Alternator (Diesel Engines only)		n.a.		n.a.	3950	-50	50	3728	66.4	57.3	4100	-50	50	3597	67.0	51.9
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	3950	-50	100	3678	66.7	57.4	4100	-50	100	3547	67.3	51.9
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4100	0	-50	3778	69.8	55.4	4250	0	-50	3647	70.5	49.9
Full Wheel Covers	add	4	add	4	4100	0	0	3728	70.1	55.5	4250	0	0	3597	70.8	50.0
Limited-Slip Rear Axle	add	0	add	5	4100	0	50	3678	70.4	55.6	4250	0	50	3547	71.1	50.0
Skid Plates (4x4 only)		n.a.		n.a.	4100	0	100	3628	70.7	55.7	4250	0	100	3497	71.5	50.0
Stabilizer Package	add	2	add	26	4100	0	150	3578	71.0	55.8	4250	0	150	3447	71.8	50.1
Stepgate	sub	10	add	50	4100	50	0	3678	68.5	53.7	4250	50	0	3547	69.2	48.1
Spray-In Bedliner	add	1	add	19	4100	50	50	3628	68.8	53.8	4250	50	50	3497	69.5	48.1
					4100	50	100	3578	69.1	53.9	4250	50	100	3447	69.8	48.1
WHEELS & TIRES					4100	50	150	3528	69.4	54.0	4250	50	150	3397	70.2	48.1
17" Window Aluminum Wheels		n.a.		n.a.	4100	50	200	3478	69.7	54.1	4250	50	200	3347	70.5	48.1
18" Steel Wheels		n.a.		n.a.	4100	100	0	3628	66.9	51.9	4250	100	0	3497	67.6	46.1
18" Forged Aluminum Wheels	sub	32	sub	32	4100	100	50	3578	67.2	52.0	4250	100	50	3447	67.8	46.1
18" Cast Aluminum Wheels	sub	23	sub	23	4100	100	100	3528	67.5	52.0	4250	100	100	3397	68.1	46.1
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4100	100	150	3478	67.7	52.1	4250	100	150	3347	68.4	46.0
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4100	100	200	3428	68.0	52.1	4250	100	200	3297	68.8	46.0
LT245/75R17E A/T		n.a.		n.a.	4250	150	50	3528	71.3	50.1	4400	150	50	3397	72.2	44.7
LT265/70R17E A/T		n.a.		n.a.	4250	150	100	3478	71.7	50.1	4400	150	100	3347	72.5	44.7
LT275/65R18E A/S		n.a.		n.a.	4250	150	150	3428	72.0	50.1	4400	150	150	3297	72.9	44.7
LT275/70R18E A/S	add	2	add	3	4250	150	200	3378	72.4	50.2	4400	150	200	3247	73.3	44.7
LT275/70R18E A/T	add	0	add	0	4250	150	250	3328	72.8	50.2	4400	150	250	3197	73.7	44.7
LT275/65R20E A/T	add	15	add	15	4250	150	300	3278	73.1	50.2	4400	150	300	3147	74.1	44.7
					4250	200	50	3478	69.7	48.1	4400	200	50	3347	70.5	44.7
SEATING					4250	200	100	3428	70.0	48.1	4400	200	100	3297	70.8	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4250	200	150	3378	70.4	48.2	4400	200	150	3247	71.2	44.7
Front Bucket Seats	add	9	add	6	4250	200	200	3328	70.7	48.2	4400	200	200	3197	71.5	44.7
Front Captain's Chairs	add	11	add	10	4250	200	250	3278	71.0	48.2	4400	200	250	3147	71.9	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4250	200	300	3228	71.4	48.2	4400	200	300	3097	72.3	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4250	250	100	3378	68.3	46.1	4400	250	100	3247	69.1	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4250	250	150	3328	68.6	46.1	4400	250	150	3197	69.4	44.7
Power 6-Way Driver's Seat	add	3	add	1	4250	250	200	3278	69.0	46.1	4400	250	200	3147	69.7	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4250	250	250	3228	69.3	46.0	4400	250	250	3097	70.1	44.7
Heated Seats	add	3	add	1	4250	250	300	3178	69.6	46.0	4400	250	300	3047	70.5	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4250	250	350	3128	70.0	46.0	4400	250	350	2997	70.8	44.7
INTERIOR																
Air Conditioning	add	44	sub	3												
AM/FM/CD	add	3	add	3												
AM/FM/CDx6	add	5	add	2												
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	2												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	17	add	12												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	2914	75.1	44.7
4850	-50	0	2864	75.6	44.7
4850	-50	50	2814	76.1	44.7
4850	-50	100	2764	76.6	44.7
4850	0	-50	2864	73.2	44.7
4850	0	0	2814	73.7	44.7
4850	0	50	2764	74.1	44.7
4850	0	100	2714	74.6	44.7
4850	0	150	2664	75.1	44.7
4850	50	0	2764	71.6	44.7
4850	50	50	2714	72.1	44.7
4850	50	100	2664	72.5	44.7
4850	50	150	2614	73.0	44.7
4850	50	200	2564	73.5	44.7
5000	100	0	2714	77.1	44.7
5000	100	50	2664	77.7	44.7
5000	100	100	2614	78.2	44.7
5000	100	150	2564	78.8	44.7
5000	100	200	2514	79.5	44.7
5000	150	50	2614	75.6	44.7
5000	150	100	2564	76.2	44.7
5000	150	150	2514	76.7	44.7
5000	150	200	2464	77.3	44.7
5000	150	250	2414	77.9	44.7
5000	150	300	2364	78.6	44.7
5000	200	50	2564	73.5	44.7
5000	200	100	2514	74.0	44.7
5000	200	150	2464	74.5	44.7
5000	200	200	2414	75.1	44.7
5000	200	250	2364	75.7	44.7
5000	200	300	2314	76.3	44.7
5250	250	100	2464	85.7	44.7
5250	250	150	2414	86.4	44.7
5250	250	200	2364	87.3	44.7
5250	250	250	2314	88.1	44.7
5250	250	300	2264	89.0	44.7
5250	250	350	2214	89.9	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
5.4L Gasoline Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4100	-50	-50	3160	65.9	48.0
4100	-50	0	3110	66.2	48.0
4100	-50	50	3060	66.5	48.0
4100	-50	100	3010	66.8	48.0
4100	0	-50	3110	63.9	45.8
4100	0	0	3060	64.2	45.7
4100	0	50	3010	64.4	45.7
4100	0	100	2960	64.7	45.7
4100	0	150	2910	65.0	45.6
4100	50	0	3010	62.1	44.7
4100	50	50	2960	62.3	44.7
4100	50	100	2910	62.6	44.7
4100	50	150	2860	62.8	44.7
4100	50	200	2810	63.1	44.7
4250	100	0	2960	67.1	44.7
4250	100	50	2910	67.4	44.7
4250	100	100	2860	67.8	44.7
4250	100	150	2810	68.1	44.7
4250	100	200	2760	68.5	44.7
4250	150	50	2860	65.3	44.7
4250	150	100	2810	65.6	44.7
4250	150	150	2760	65.9	44.7
4250	150	200	2710	66.3	44.7
4250	150	250	2660	66.6	44.7
4250	150	300	2610	67.0	44.7
4250	200	50	2810	63.1	44.7
4250	200	100	2760	63.4	44.7
4250	200	150	2710	63.7	44.7
4250	200	200	2660	63.9	44.7
4250	200	250	2610	64.3	44.7
4250	200	300	2560	64.6	44.7
4400	250	100	2710	68.9	44.7
4400	250	150	2660	69.3	44.7
4400	250	200	2610	69.7	44.7
4400	250	250	2560	70.1	44.7
4400	250	300	2510	70.6	44.7
4400	250	350	2460	71.0	44.7

VEHICLE LOADING DATA
6.8L Gasoline Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4250	-50	-50	3027	67.3	44.7
4250	-50	0	2977	67.6	44.7
4250	-50	50	2927	68.0	44.7
4250	-50	100	2877	68.3	44.7
4250	0	-50	2977	65.2	44.7
4250	0	0	2927	65.5	44.7
4250	0	50	2877	65.8	44.7
4250	0	100	2827	66.2	44.7
4250	0	150	2777	66.5	44.7
4250	50	0	2877	63.4	44.7
4250	50	50	2827	63.7	44.7
4250	50	100	2777	63.9	44.7
4250	50	150	2727	64.2	44.7
4250	50	200	2677	64.5	44.7
4400	100	0	2827	68.7	44.7
4400	100	50	2777	69.0	44.7
4400	100	100	2727	69.4	44.7
4400	100	150	2677	69.8	44.7
4400	100	200	2627	70.3	44.7
4400	150	50	2727	66.8	44.7
4400	150	100	2677	67.2	44.7
4400	150	150	2627	67.6	44.7
4400	150	200	2577	67.9	44.7
4400	150	250	2527	68.3	44.7
4400	150	300	2477	68.7	44.7
4400	200	50	2677	64.5	44.7
4400	200	100	2627	64.9	44.7
4400	200	150	2577	65.2	44.7
4400	200	200	2527	65.5	44.7
4400	200	250	2477	65.9	44.7
4400	200	300	2427	66.3	44.7
4550	250	100	2577	70.7	44.7
4550	250	150	2527	71.1	44.7
4550	250	200	2477	71.6	44.7
4550	250	250	2427	72.1	44.7
4550	250	300	2377	72.6	44.7
4550	250	350	2327	73.1	44.7

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	2215	67.8	44.7
4850	-50	0	2165	68.2	44.7
4850	-50	50	2115	68.7	44.7
4850	-50	100	2065	69.2	44.7
5000	0	-50	2165	74.8	44.7
5000	0	0	2115	75.4	44.7
5000	0	50	2065	76.1	44.7
5000	0	100	2015	76.8	44.7
5000	0	150	1965	77.5	44.7
5000	50	0	2065	72.6	44.7
5000	50	50	2015	73.3	44.7
5000	50	100	1965	73.9	44.7
5000	50	150	1915	74.6	44.7
5000	100	0	2015	69.7	44.7
5000	100	50	1965	70.3	44.7
5000	100	100	1915	70.9	44.7
5000	100	150	1865	71.5	44.7
5000	100	200	1815	72.1	44.7
5250	150	50	1915	81.0	44.7
5250	150	100	1865	81.0	44.7
5250	150	150	1815	81.0	44.7
5250	150	200	1765	81.0	44.7
5250	150	250	1715	81.0	44.7
5250	150	300	1665	81.0	44.7
5250	200	50	1865	81.0	44.7
5250	200	100	1815	81.0	44.7
5250	200	150	1765	81.0	44.7
5250	200	200	1715	81.0	44.7
5250	200	250	1665	81.0	44.7
5250	200	300	1615	81.0	44.7
5250	250	100	1765	80.9	44.7
5250	250	150	1715	81.0	44.7
5250	250	200	1665	81.0	44.7
5250	250	250	1615	81.0	44.7
5250	250	300	1565	81.0	44.7
5250	250	350	1515	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
									FRONT	REAR					FRONT	REAR
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4400	-50	-50	3004	76.3	44.7	4550	-50	-50	2871	78.4	44.7
Camper Package		n.a.		n.a.	4400	-50	0	2954	76.8	44.7	4550	-50	0	2821	79.0	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	50	2904	77.3	44.7	4550	-50	50	2771	79.6	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4400	-50	100	2854	77.8	44.7	4550	-50	100	2721	80.1	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	0	-50	2954	74.1	44.7	4550	0	-50	2821	76.2	44.7
Full Wheel Covers	add	4	add	4	4400	0	0	2904	74.6	44.7	4550	0	0	2771	76.7	44.7
Limited-Slip Rear Axle	add	0	add	5	4400	0	50	2854	75.0	44.7	4550	0	50	2721	77.2	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4400	0	100	2804	75.5	44.7	4550	0	100	2671	77.8	44.7
Stabilizer Package	add	2	add	26	4400	0	150	2754	76.0	44.7	4550	0	150	2621	78.4	44.7
Stepgate	sub	10	add	50	4400	50	0	2854	72.3	44.7	4550	50	0	2721	74.3	44.7
Spray-In Bedliner	add	1	add	19	4400	50	50	2804	72.7	44.7	4550	50	50	2671	74.8	44.7
					4400	50	100	2754	73.2	44.7	4550	50	100	2621	75.3	44.7
WHEELS & TIRES					4400	50	150	2704	73.6	44.7	4550	50	150	2571	75.9	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4400	50	200	2654	74.1	44.7	4550	50	200	2521	76.4	44.7
18" Steel Wheels		n.a.		n.a.	4550	100	0	2804	78.3	44.7	4700	100	0	2671	80.7	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4550	100	50	2754	78.9	44.7	4700	100	50	2621	81.4	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4550	100	100	2704	79.5	44.7	4700	100	100	2571	82.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4550	100	150	2654	80.1	44.7	4700	100	150	2521	82.7	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4550	100	200	2604	80.7	44.7	4700	100	200	2471	83.4	44.7
LT245/75R17E A/T		n.a.		n.a.	4550	150	50	2704	76.5	44.7	4700	150	50	2571	78.9	44.7
LT265/70R17E A/T		n.a.		n.a.	4550	150	100	2654	77.1	44.7	4700	150	100	2521	79.6	44.7
LT275/65R18E A/S		n.a.		n.a.	4550	150	150	2604	77.6	44.7	4700	150	150	2471	80.2	44.7
LT275/70R18E A/S	add	2	add	3	4550	150	200	2554	78.2	44.7	4700	150	200	2421	80.9	44.7
LT275/70R18E A/T	add	0	add	0	4550	150	250	2504	78.8	44.7	4700	150	250	2371	81.6	44.7
LT275/65R20E A/T	add	15	add	15	4550	150	300	2454	79.5	44.7	4700	150	300	2321	82.3	44.7
					4550	200	50	2654	74.1	44.7	4700	200	50	2521	76.4	44.7
SEATING					4550	200	100	2604	74.6	44.7	4700	200	100	2471	77.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4550	200	150	2554	75.1	44.7	4700	200	150	2421	77.6	44.7
Front Bucket Seats	add	9	add	6	4550	200	200	2504	75.7	44.7	4700	200	200	2371	78.2	44.7
Front Captain's Chairs	add	11	add	10	4550	200	250	2454	76.2	44.7	4700	200	250	2321	78.9	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4550	200	300	2404	76.8	44.7	4700	200	300	2271	79.6	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4700	250	100	2554	81.3	44.7	4850	250	100	2421	84.1	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4700	250	150	2504	82.0	44.7	4850	250	150	2371	84.9	44.7
Power 6-Way Driver's Seat	add	3	add	1	4700	250	200	2454	82.7	44.7	4850	250	200	2321	85.7	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4700	250	250	2404	83.4	44.7	4850	250	250	2271	86.5	44.7
Heated Seats	add	3	add	1	4700	250	300	2354	84.2	44.7	4850	250	300	2221	87.4	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4700	250	350	2304	84.9	44.7	4850	250	350	2171	88.3	44.7
INTERIOR																
Air Conditioning	add	44	sub	3												
AM/FM/CD	add	3	add	3												
AM/FM/CDx6	add	5	add	2												
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8												
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11												
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	3	add	3												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	2090	90.3	44.7
5250	-50	0	2040	91.4	44.7
5250	-50	50	1990	92.5	44.7
5250	-50	100	1940	93.6	44.7
5250	0	-50	2040	87.5	44.7
5250	0	0	1990	88.5	44.7
5250	0	50	1940	89.5	44.7
5250	0	100	1890	90.7	44.7
5250	0	150	1840	91.8	44.7
5250	50	0	1940	85.5	44.7
5250	50	50	1890	86.5	44.7
5250	50	100	1840	87.5	44.7
5250	50	150	1790	88.6	44.7
5250	50	200	1740	89.8	44.7
5250	100	0	1890	82.3	44.7
5250	100	50	1840	83.2	44.7
5250	100	100	1790	84.2	44.7
5250	100	150	1740	85.3	44.7
5250	100	200	1690	86.4	44.7
5250	150	50	1790	79.8	44.7
5250	150	100	1740	80.7	44.7
5250	150	150	1690	81.7	44.7
5250	150	200	1640	82.7	44.7
5250	150	250	1590	83.8	44.7
5250	150	300	1540	85.0	44.7
5250	200	50	1740	76.2	44.7
5250	200	100	1690	77.0	44.7
5250	200	150	1640	77.9	44.7
5250	200	200	1590	78.9	44.7
5250	200	250	1540	79.9	44.7
5250	200	300	1490	80.9	44.7
5250	250	100	1640	73.1	44.7
5250	250	150	1590	73.9	44.7
5250	250	200	1540	74.7	44.7
5250	250	250	1490	75.6	44.7
5250	250	300	1440	76.6	44.7
5250	250	350	1390	77.6	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
									FRONT	REAR					FRONT	REAR
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4250	-50	-50	2950	70.3	44.7	4400	-50	-50	2822	71.9	44.7
Camper Package		n.a.		n.a.	4250	-50	0	2900	70.7	44.7	4400	-50	0	2772	72.3	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4250	-50	50	2850	71.1	44.7	4400	-50	50	2722	72.7	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4250	-50	100	2800	71.5	44.7	4400	-50	100	2672	73.2	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4250	0	-50	2900	68.0	44.7	4400	0	-50	2772	69.5	44.7
Full Wheel Covers	add	4	add	4	4250	0	0	2850	68.4	44.7	4400	0	0	2722	69.9	44.7
Limited-Slip Rear Axle	add	0	add	5	4250	0	50	2800	68.8	44.7	4400	0	50	2672	70.3	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4250	0	100	2750	69.1	44.7	4400	0	100	2622	70.7	44.7
Stabilizer Package	add	2	add	26	4250	0	150	2700	69.5	44.7	4400	0	150	2572	71.1	44.7
Stepgate	sub	10	add	50	4250	50	0	2800	66.0	44.7	4400	50	0	2672	67.4	44.7
Spray-In Bedliner	add	0	add	16	4250	50	50	2750	66.3	44.7	4400	50	50	2622	67.7	44.7
					4250	50	100	2700	66.6	44.7	4400	50	100	2572	68.1	44.7
WHEELS & TIRES					4250	50	150	2650	67.0	44.7	4400	50	150	2522	68.5	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4250	50	200	2600	67.4	44.7	4400	50	200	2472	68.9	44.7
18" Steel Wheels		n.a.		n.a.	4400	100	0	2750	72.0	44.7	4550	100	0	2622	73.7	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4400	100	50	2700	72.4	44.7	4550	100	50	2572	74.2	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4400	100	100	2650	72.9	44.7	4550	100	100	2522	74.7	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4400	100	150	2600	73.4	44.7	4550	100	150	2472	75.2	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4400	100	200	2550	73.9	44.7	4550	100	200	2422	75.8	44.7
LT245/75R17E A/T		n.a.		n.a.	4400	150	50	2650	69.9	44.7	4550	150	50	2522	71.6	44.7
LT265/70R17E A/T		n.a.		n.a.	4400	150	100	2600	70.4	44.7	4550	150	100	2472	72.1	44.7
LT275/65R18E A/S		n.a.		n.a.	4400	150	150	2550	70.8	44.7	4550	150	150	2422	72.6	44.7
LT275/70R18E A/S	add	2	add	3	4400	150	200	2500	71.3	44.7	4550	150	200	2372	73.1	44.7
LT275/70R18E A/T	add	0	add	0	4400	150	250	2450	71.7	44.7	4550	150	250	2322	73.6	44.7
LT275/65R20E A/T	add	15	add	15	4400	150	300	2400	72.2	44.7	4550	150	300	2272	74.2	44.7
					4400	200	50	2600	67.4	44.7	4550	200	50	2472	68.9	44.7
SEATING					4400	200	100	2550	67.7	44.7	4550	200	100	2422	69.4	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4400	200	150	2500	68.1	44.7	4550	200	150	2372	69.8	44.7
Front Bucket Seats	add	9	add	6	4400	200	200	2450	68.5	44.7	4550	200	200	2322	70.3	44.7
Front Captain's Chairs	add	11	add	10	4400	200	250	2400	69.0	44.7	4550	200	250	2272	70.8	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4400	200	300	2350	69.4	44.7	4550	200	300	2222	71.3	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	4550	250	100	2500	74.4	44.7	4700	250	100	2372	76.4	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4550	250	150	2450	74.9	44.7	4700	250	150	2322	77.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	4550	250	200	2400	75.5	44.7	4700	250	200	2272	77.7	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4550	250	250	2350	76.1	44.7	4700	250	250	2222	78.3	44.7
Heated Seats	add	3	add	1	4550	250	300	2300	76.7	44.7	4700	250	300	2172	79.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4550	250	350	2250	77.3	44.7	4700	250	350	2122	79.7	44.7
					4550	300	100	2450	71.7	44.7	4700	300	100	2322	73.6	44.7
INTERIOR					4550	300	150	2400	72.2	44.7	4700	300	150	2272	74.2	44.7
Air Conditioning	add	44	sub	3	4550	300	200	2350	72.7	44.7	4700	300	200	2222	74.8	44.7
AM/FM/CD	add	3	add	3	4550	300	250	2300	73.3	44.7	4700	300	250	2172	75.4	44.7
AM/FM/CDx6	add	5	add	2	4550	300	300	2250	73.8	44.7	4700	300	300	2122	76.1	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4550	300	350	2200	74.4	44.7	4700	300	350	2072	76.7	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4550	300	400	2150	75.0	44.7	4700	300	400	2022	77.5	44.7
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	6	add	4												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	15	add	6												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5000	-50	-50	2041	74.4	44.7
5000	-50	0	1991	75.0	44.7
5000	-50	50	1941	75.7	44.7
5000	-50	100	1891	76.4	44.7
5250	0	-50	1991	81.0	44.7
5250	0	0	1941	81.0	44.7
5250	0	50	1891	81.0	44.7
5250	0	100	1841	81.0	44.7
5250	0	150	1791	81.0	44.7
5250	50	0	1891	81.0	44.7
5250	50	50	1841	81.0	44.7
5250	50	100	1791	81.0	44.7
5250	50	150	1741	81.0	44.7
5250	100	0	1841	81.0	44.7
5250	100	50	1791	81.0	44.7
5250	100	100	1741	81.0	44.7
5250	100	150	1691	81.0	44.7
5250	100	200	1641	81.0	44.7
5250	150	50	1741	81.0	44.7
5250	150	100	1691	81.0	44.7
5250	150	150	1641	81.0	44.7
5250	150	200	1591	81.0	44.7
5250	150	250	1541	81.0	44.7
5250	150	300	1491	81.0	44.7
5250	200	50	1691	79.8	44.7
5250	200	100	1641	80.8	44.7
5250	200	150	1591	81.0	44.7
5250	200	200	1541	81.0	44.7
5250	200	250	1491	81.0	44.7
5250	200	300	1441	81.0	44.7
5250	250	100	1591	76.9	44.7
5250	250	150	1541	77.9	44.7
5250	250	200	1491	78.9	44.7
5250	250	250	1441	79.9	44.7
5250	250	300	1391	81.0	44.7
5250	250	350	1341	81.0	44.7
5250	300	100	1541	72.8	44.7
5250	300	150	1491	73.6	44.7
5250	300	200	1441	74.5	44.7
5250	300	250	1391	75.5	44.7
5250	300	300	1341	76.5	44.7
5250	300	350	1291	77.6	44.7
5250	300	400	1241	78.8	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
									FRONT	REAR					FRONT	REAR
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4400	-50	-50	2831	73.7	44.7	4550	-50	-50	2695	75.2	44.7
Camper Package		n.a.		n.a.	4400	-50	0	2781	74.2	44.7	4550	-50	0	2645	75.7	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	50	2731	74.7	44.7	4550	-50	50	2595	76.3	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4400	-50	100	2681	75.2	44.7	4550	-50	100	2545	76.8	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4550	0	-50	2781	80.4	44.7	4700	0	-50	2645	82.2	44.7
Full Wheel Covers	add	4	add	4	4550	0	0	2731	81.0	44.7	4700	0	0	2595	82.9	44.7
Limited-Slip Rear Axle	add	0	add	5	4550	0	50	2681	81.6	44.7	4700	0	50	2545	83.6	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4550	0	100	2631	82.2	44.7	4700	0	100	2495	84.3	44.7
Stabilizer Package	add	2	add	26	4550	0	150	2581	82.9	44.7	4700	0	150	2445	85.0	44.7
Stepgate	sub	10	add	50	4550	50	0	2681	78.4	44.7	4700	50	0	2545	80.2	44.7
Spray-In Bedliner	add	1	add	19	4550	50	50	2631	78.9	44.7	4700	50	50	2495	80.8	44.7
					4550	50	100	2581	79.5	44.7	4700	50	100	2445	81.5	44.7
WHEELS & TIRES					4550	50	150	2531	80.2	44.7	4700	50	150	2395	82.2	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4550	50	200	2481	80.8	44.7	4700	50	200	2345	82.9	44.7
18" Steel Wheels		n.a.		n.a.	4550	100	0	2631	75.7	44.7	4700	100	0	2495	77.4	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4550	100	50	2581	76.2	44.7	4700	100	50	2445	78.0	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4550	100	100	2531	76.8	44.7	4700	100	100	2395	78.6	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4550	100	150	2481	77.3	44.7	4700	100	150	2345	79.3	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4550	100	200	2431	77.9	44.7	4700	100	200	2295	80.0	44.7
LT245/75R17E A/T		n.a.		n.a.	4700	150	50	2531	83.6	44.7	4850	150	50	2395	85.8	44.7
LT265/70R17E A/T		n.a.		n.a.	4700	150	100	2481	84.3	44.7	4850	150	100	2345	86.6	44.7
LT275/65R18E A/S		n.a.		n.a.	4700	150	150	2431	85.0	44.7	4850	150	150	2295	87.5	44.7
LT275/70R18E A/S	add	2	add	3	4700	150	200	2381	85.8	44.7	4850	150	200	2245	88.3	44.7
LT275/70R18E A/T	add	0	add	0	4700	150	250	2331	86.6	44.7	4850	150	250	2195	89.3	44.7
LT275/65R20E A/T	add	15	add	15	4700	150	300	2281	87.5	44.7	4850	150	300	2145	90.2	44.7
					4700	200	50	2481	80.8	44.7	4850	200	50	2345	82.9	44.7
SEATING					4700	200	100	2431	81.5	44.7	4850	200	100	2295	83.7	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4700	200	150	2381	82.2	44.7	4850	200	150	2245	84.5	44.7
Front Bucket Seats	add	9	add	6	4700	200	200	2331	82.9	44.7	4850	200	200	2195	85.3	44.7
Front Captain's Chairs	add	11	add	10	4700	200	250	2281	83.7	44.7	4850	200	250	2145	86.2	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4700	200	300	2231	84.5	44.7	4850	200	300	2095	87.1	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	4700	250	100	2381	78.6	44.7	4850	250	100	2245	80.7	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4700	250	150	2331	79.2	44.7	4850	250	150	2195	81.4	44.7
Power 6-Way Driver's Seat	add	3	add	1	4700	250	200	2281	79.9	44.7	4850	250	200	2145	82.2	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4700	250	250	2231	80.6	44.7	4850	250	250	2095	83.0	44.7
Heated Seats	add	3	add	1	4700	250	300	2181	81.4	44.7	4850	250	300	2045	83.9	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4700	250	350	2131	82.2	44.7	4850	250	350	1995	84.8	44.7
					4850	300	100	2331	86.6	44.7	5000	300	100	2195	89.3	44.7
INTERIOR					4850	300	150	2281	87.5	44.7	5000	300	150	2145	90.2	44.7
Air Conditioning	add	44	sub	3	4850	300	200	2231	88.4	44.7	5000	300	200	2095	91.2	44.7
AM/FM/CD	add	3	add	3	4850	300	250	2181	89.3	44.7	5000	300	250	2045	92.3	44.7
AM/FM/CDx6	add	5	add	2	4850	300	300	2131	90.3	44.7	5000	300	300	1995	93.4	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4850	300	350	2081	91.3	44.7	5000	300	350	1945	94.6	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4850	300	400	2031	92.3	44.7	5000	300	400	1895	95.8	44.7
Satellite Radio	add	2	add	1												
DVD Entertainment System	add	4	add	3												
All Weather Floor Mats	add	6	add	4												
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0												
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	15	add	6												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	1918	89.0	44.7
5250	-50	0	1868	90.1	44.7
5250	-50	50	1818	91.3	44.7
5250	-50	100	1768	92.5	44.7
5250	0	-50	1868	85.5	44.7
5250	0	0	1818	86.5	44.7
5250	0	50	1768	87.6	44.7
5250	0	100	1718	88.8	44.7
5250	0	150	1668	90.0	44.7
5250	50	0	1768	82.8	44.7
5250	50	50	1718	83.8	44.7
5250	50	100	1668	84.8	44.7
5250	50	150	1618	86.0	44.7
5250	50	200	1568	87.2	44.7
5250	100	0	1718	78.8	44.7
5250	100	50	1668	79.7	44.7
5250	100	100	1618	80.7	44.7
5250	100	150	1568	81.7	44.7
5250	100	200	1518	82.8	44.7
5250	150	50	1618	75.3	44.7
5250	150	100	1568	76.2	44.7
5250	150	150	1518	77.1	44.7
5250	150	200	1468	78.1	44.7
5250	150	250	1418	79.2	44.7
5250	150	300	1368	80.3	44.7
5250	200	50	1568	70.7	44.7
5250	200	100	1518	71.5	44.7
5250	200	150	1468	72.3	44.7
5250	200	200	1418	73.1	44.7
5250	200	250	1368	74.0	44.7
5250	200	300	1318	75.0	44.7
5250	250	100	1468	66.4	44.7
5250	250	150	1418	67.0	44.7
5250	250	200	1368	67.7	44.7
5250	250	250	1318	68.5	44.7
5250	250	300	1268	69.3	44.7
5250	250	350	1218	70.2	44.7
5250	300	100	1418	61.0	44.7
5250	300	150	1368	61.4	44.7
5250	300	200	1318	61.9	44.7
5250	300	250	1268	62.5	44.7
5250	300	300	1218	63.1	44.7
5250	300	350	1168	63.7	44.7
5250	300	400	1118	64.4	44.7
5250	300	100	1418	61.0	44.7
5250	300	150	1368	61.4	44.7
5250	300	200	1318	61.9	44.7
5250	300	250	1268	62.5	44.7
5250	300	300	1218	63.1	44.7
5250	300	350	1168	63.7	44.7
5250	300	400	1118	64.4	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE				
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	25
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						
FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4400	-50	-50	3408	71.4	44.7
4400	-50	0	3358	71.7	44.7
4400	-50	50	3308	72.1	44.7
4400	-50	100	3258	72.4	44.7
4800	0	-50	3358	86.0	44.7
4800	0	0	3308	86.6	44.7
4800	0	50	3258	87.2	44.7
4800	0	100	3208	87.8	44.7
4800	0	150	3158	88.4	44.7
4800	50	0	3258	85.1	44.7
4800	50	50	3208	85.6	44.7
4800	50	100	3158	86.2	44.7
4800	50	150	3108	86.9	44.7
4800	50	200	3058	87.5	44.7
4800	100	0	3208	83.5	44.7
4800	100	50	3158	84.1	44.7
4800	100	100	3108	84.7	44.7
4800	100	150	3058	85.3	44.7
4800	100	200	3008	85.9	44.7
4800	150	50	3108	82.5	44.7
4800	150	100	3058	83.0	44.7
4800	150	150	3008	83.6	44.7
4800	150	200	2958	84.2	44.7
4800	150	250	2908	84.8	44.7
4800	150	300	2858	85.5	44.7
4800	200	50	3058	80.8	44.7
4800	200	100	3008	81.3	44.7
4800	200	150	2958	81.9	44.7
4800	200	200	2908	82.5	44.7
4800	200	250	2858	83.1	44.7
4800	200	300	2808	83.7	44.7
4800	250	100	2958	79.6	44.7
4800	250	150	2908	80.1	44.7
4800	250	200	2858	80.7	44.7
4800	250	250	2808	81.3	44.7
4800	250	300	2758	81.9	44.7
4800	250	350	2708	82.5	44.7
4800	300	400	2608	81.2	44.7
4800	300	100	2908	77.8	44.7
4800	300	150	2858	78.3	44.7
4800	300	200	2808	78.8	44.7
4800	300	250	2758	79.4	44.7
4800	300	300	2708	80.0	44.7
4800	300	350	2658	80.6	44.7
4800	300	400	2608	81.2	44.7

VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4800	-50	-50	3275	82.5	44.7
4800	-50	0	3225	83.0	44.7
4800	-50	50	3175	83.6	44.7
4800	-50	100	3125	84.1	44.7
4800	0	-50	3225	80.9	44.7
4800	0	0	3175	81.4	44.7
4800	0	50	3125	82.0	44.7
4800	0	100	3075	82.5	44.7
4800	0	150	3025	83.1	44.7
4800	50	0	3125	79.8	44.7
4800	50	50	3075	80.3	44.7
4800	50	100	3025	80.8	44.7
4800	50	150	2975	81.4	44.7
4800	50	200	2925	81.9	44.7
4800	100	0	3075	78.1	44.7
4800	100	50	3025	78.6	44.7
4800	100	100	2975	79.1	44.7
4800	100	150	2925	79.6	44.7
4800	100	200	2875	80.2	44.7
4800	150	50	2975	76.8	44.7
4800	150	100	2925	77.3	44.7
4800	150	150	2875	77.8	44.7
4800	150	200	2825	78.3	44.7
4800	150	250	2775	78.9	44.7
4800	150	300	2725	79.4	44.7
4800	200	50	2925	74.9	44.7
4800	200	100	2875	75.4	44.7
4800	200	150	2825	75.9	44.7
4800	200	200	2775	76.4	44.7
4800	200	250	2725	76.9	44.7
4800	200	300	2675	77.5	44.7
5200	250	100	2825	92.9	44.7
5200	250	150	2775	93.7	44.7
5200	250	200	2725	94.5	44.7
5200	250	250	2675	95.4	44.7
5200	250	300	2625	96.3	44.7
5200	250	350	2575	97.0	44.7
5200	300	400	2475	96.5	44.7
5200	300	100	2775	91.2	44.7
5200	300	150	2725	92.0	44.7
5200	300	200	2675	92.8	44.7
5200	300	250	2625	93.7	44.7
5200	300	300	2575	94.6	44.7
5200	300	350	2525	95.5	44.7
5200	300	400	2475	96.5	44.7

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	25
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	2478	78.6	44.7
5200	-50	0	2428	79.2	44.7
5200	-50	50	2378	79.9	44.7
5200	-50	100	2328	80.6	44.7
5600	0	-50	2428	97.0	44.7
5600	0	0	2378	97.0	44.7
5600	0	50	2328	97.0	44.7
5600	0	100	2278	97.0	44.7
5600	0	150	2228	97.0	44.7
5600	50	0	2328	97.0	44.7
5600	50	50	2278	97.0	44.7
5600	50	100	2228	97.0	44.7
5600	50	150	2178	97.0	44.7
5600	50	200	2128	97.0	44.7
5600	100	0	2278	96.3	44.7
5600	100	50	2228	97.0	44.7
5600	100	100	2178	97.0	44.7
5600	100	150	2128	97.0	44.7
5600	100	200	2078	97.0	44.7
5600	150	50	2178	95.4	44.7
5600	150	100	2128	96.5	44.7
5600	150	150	2078	97.0	44.7
5600	150	200	2028	97.0	44.7
5600	150	250	1978	97.0	44.7
5600	150	300	1928	97.0	44.7
5600	200	50	2128	93.3	44.7
5600	200	100	2078	94.4	44.7
5600	200	150	2028	95.5	44.7
5600	200	200	1978	96.7	44.7
5600	200	250	1928	97.0	44.7
5600	200	300	1878	97.0	44.7
5600	250	100	2028	92.2	44.7
5600	250	150	1978	93.3	44.7
5600	250	200	1928	94.5	44.7
5600	250	250	1878	95.7	44.7
5600	250	300	1828	97.0	44.7
5600	250	350	1778	97.0	44.7
5600	300	100	1978	89.8	44.7
5600	300	150	1928	90.9	44.7
5600	300	200	1878	92.1	44.7
5600	300	250	1828	93.3	44.7
5600	300	300	1778	94.5	44.7
5600	300	350	1728	95.9	44.7
5600	300	400	1678	97.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	18	add	18
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
5.4L Gasoline Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4800	-50	-50	2738	81.0	44.7
4800	-50	0	2688	81.0	44.7
4800	-50	50	2638	81.0	44.7
4800	-50	100	2588	81.0	44.7
4800	0	-50	2688	81.0	44.7
4800	0	0	2638	81.0	44.7
4800	0	50	2588	81.0	44.7
4800	0	100	2538	81.0	44.7
4800	0	150	2488	81.0	44.7
4800	50	0	2588	81.0	44.7
4800	50	50	2538	81.0	44.7
4800	50	100	2488	81.0	44.7
4800	50	150	2438	81.0	44.7
4800	100	0	2538	79.5	44.7
4800	100	50	2488	80.2	44.7
4800	100	100	2438	80.8	44.7
4800	100	150	2388	81.0	44.7
4800	100	200	2338	81.0	44.7
4800	150	50	2438	77.9	44.7
4800	150	100	2388	78.5	44.7
4800	150	150	2338	79.2	44.7
4800	150	200	2288	79.9	44.7
4800	150	250	2238	80.6	44.7
4800	150	300	2188	81.0	44.7
4800	200	50	2388	75.6	44.7
4800	200	100	2338	76.2	44.7
4800	200	150	2288	76.8	44.7
4800	200	200	2238	77.4	44.7
4800	200	250	2188	78.1	44.7
4800	200	300	2138	78.8	44.7
4800	250	100	2288	73.7	44.7
4800	250	150	2238	74.3	44.7
4800	250	200	2188	74.9	44.7
4800	250	250	2138	75.5	44.7
4800	250	300	2088	76.2	44.7
4800	250	350	2038	76.9	44.7
5200	300	100	2238	81.0	44.7
5200	300	150	2188	81.0	44.7
5200	300	200	2138	81.0	44.7
5200	300	250	2088	81.0	44.7
5200	300	300	2038	81.0	44.7
5200	300	350	1988	81.0	44.7
5200	300	400	1938	81.0	44.7

VEHICLE LOADING DATA
6.8L Gasoline Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4800	-50	-50	2606	78.6	44.7
4800	-50	0	2556	79.3	44.7
4800	-50	50	2506	79.9	44.7
4800	-50	100	2456	80.5	44.7
4800	0	-50	2556	76.5	44.7
4800	0	0	2506	77.0	44.7
4800	0	50	2456	77.6	44.7
4800	0	100	2406	78.3	44.7
4800	0	150	2356	78.9	44.7
4800	50	0	2456	74.8	44.7
4800	50	50	2406	75.3	44.7
4800	50	100	2356	75.9	44.7
4800	50	150	2306	76.5	44.7
4800	100	0	2406	72.4	44.7
4800	100	50	2356	72.9	44.7
4800	100	100	2306	73.4	44.7
4800	100	150	2256	74.0	44.7
4800	100	200	2206	74.6	44.7
5200	150	50	2306	81.0	44.7
5200	150	100	2256	81.0	44.7
5200	150	150	2206	81.0	44.7
5200	150	200	2156	81.0	44.7
5200	150	250	2106	81.0	44.7
5200	150	300	2056	81.0	44.7
5200	200	50	2256	81.0	44.7
5200	200	100	2206	81.0	44.7
5200	200	150	2156	81.0	44.7
5200	200	200	2106	81.0	44.7
5200	200	250	2056	81.0	44.7
5200	200	300	2006	81.0	44.7
5200	250	100	2156	81.0	44.7
5200	250	150	2106	81.0	44.7
5200	250	200	2056	81.0	44.7
5200	250	250	2006	81.0	44.7
5200	250	300	1956	81.0	44.7
5200	250	350	1906	81.0	44.7
5200	300	100	2106	81.0	44.7
5200	300	150	2056	81.0	44.7
5200	300	200	2006	81.0	44.7
5200	300	250	1956	81.0	44.7
5200	300	300	1906	81.0	44.7
5200	300	350	1856	81.0	44.7
5200	300	400	1806	81.0	44.7

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 141.8 IN (3602 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	18	add	18
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	1779	81.0	44.7
5600	-50	0	1729	81.0	44.7
5600	-50	50	1679	81.0	44.7
5600	-50	100	1629	81.0	44.7
5600	0	-50	1729	81.0	44.7
5600	0	0	1679	81.0	44.7
5600	0	50	1629	81.0	44.7
5600	0	100	1579	81.0	44.7
5600	0	150	1529	81.0	44.7
5600	50	0	1629	81.0	44.7
5600	50	50	1579	81.0	44.7
5600	50	100	1529	81.0	44.7
5600	50	150	1479	81.0	44.7
5600	100	0	1579	81.0	44.7
5600	100	50	1529	81.0	44.7
5600	100	100	1479	81.0	44.7
5600	100	150	1429	81.0	44.7
5600	100	200	1379	81.0	44.7
5600	150	50	1479	81.0	44.7
5600	150	100	1429	81.0	44.7
5600	150	150	1379	81.0	44.7
5600	150	200	1329	81.0	44.7
5600	150	250	1279	81.0	44.7
5600	150	300	1229	81.0	44.7
5600	200	50	1429	81.0	44.7
5600	200	100	1379	81.0	44.7
5600	200	150	1329	81.0	44.7
5600	200	200	1279	81.0	44.7
5600	200	250	1229	81.0	44.7
5600	200	300	1179	81.0	44.7
6000	250	100	1329	81.0	44.7
6000	250	150	1279	81.0	44.7
6000	250	200	1229	81.0	44.7
6000	250	250	1179	81.0	44.7
6000	250	300	1129	81.0	44.7
6000	250	350	1079	81.0	44.7
6000	300	100	1279	81.0	44.7
6000	300	150	1229	81.0	44.7
6000	300	200	1179	81.0	44.7
6000	300	250	1129	81.0	44.7
6000	300	300	1079	81.0	44.7
6000	300	350	1029	81.0	44.7
6000	300	400	979	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	24	add	21
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
5.4L Gasoline Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4800	-50	-50	2584	82.2	44.7
4800	-50	0	2534	82.9	44.7
4800	-50	50	2484	83.6	44.7
4800	-50	100	2434	84.3	44.7
5200	0	-50	2534	97.0	44.7
5200	0	0	2484	97.0	44.7
5200	0	50	2434	97.0	44.7
5200	0	100	2384	97.0	44.7
5200	0	150	2334	97.0	44.7
5200	50	0	2434	97.0	44.7
5200	50	50	2384	97.0	44.7
5200	50	100	2334	97.0	44.7
5200	50	150	2284	97.0	44.7
5200	50	200	2234	97.0	44.7
5200	100	0	2384	97.0	44.7
5200	100	50	2334	97.0	44.7
5200	100	100	2284	97.0	44.7
5200	100	150	2234	97.0	44.7
5200	100	200	2184	97.0	44.7
5200	150	50	2284	97.0	44.7
5200	150	100	2234	97.0	44.7
5200	150	150	2184	97.0	44.7
5200	150	200	2134	97.0	44.7
5200	150	250	2084	97.0	44.7
5200	150	300	2034	97.0	44.7
5200	200	50	2234	97.0	44.7
5200	200	100	2184	97.0	44.7
5200	200	150	2134	97.0	44.7
5200	200	200	2084	97.0	44.7
5200	200	250	2034	97.0	44.7
5200	200	300	1984	97.0	44.7
5200	250	100	2134	96.9	44.7
5200	250	150	2084	97.0	44.7
5200	250	200	2034	97.0	44.7
5200	250	250	1984	97.0	44.7
5200	250	300	1934	97.0	44.7
5200	250	350	1884	97.0	44.7
5200	300	100	2084	94.2	44.7
5200	300	150	2034	95.4	44.7
5200	300	200	1984	96.6	44.7
5200	300	250	1934	97.0	44.7
5200	300	300	1884	97.0	44.7
5200	300	350	1834	97.0	44.7
5200	300	400	1784	97.0	44.7

VEHICLE LOADING DATA
6.8L Gasoline Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	2451	97.0	44.7
5200	-50	0	2401	97.0	44.7
5200	-50	50	2351	97.0	44.7
5200	-50	100	2301	97.0	44.7
5200	0	-50	2401	97.0	44.7
5200	0	0	2351	97.0	44.7
5200	0	50	2301	97.0	44.7
5200	0	100	2251	97.0	44.7
5200	0	150	2201	97.0	44.7
5200	50	0	2301	96.1	44.7
5200	50	50	2251	97.0	44.7
5200	50	100	2201	97.0	44.7
5200	50	150	2151	97.0	44.7
5200	50	200	2101	97.0	44.7
5200	100	0	2251	93.7	44.7
5200	100	50	2201	94.7	44.7
5200	100	100	2151	95.8	44.7
5200	100	150	2101	97.0	44.7
5200	100	200	2051	97.0	44.7
5200	150	50	2151	92.1	44.7
5200	150	100	2101	93.2	44.7
5200	150	150	2051	94.3	44.7
5200	150	200	2001	95.5	44.7
5200	150	250	1951	96.7	44.7
5200	150	300	1901	97.0	44.7
5200	200	50	2101	89.4	44.7
5200	200	100	2051	90.5	44.7
5200	200	150	2001	91.5	44.7
5200	200	200	1951	92.6	44.7
5200	200	250	1901	93.8	44.7
5200	200	300	1851	95.1	44.7
5600	250	100	2001	97.0	44.7
5600	250	150	1951	97.0	44.7
5600	250	200	1901	97.0	44.7
5600	250	250	1851	97.0	44.7
5600	250	300	1801	97.0	44.7
5600	250	350	1751	97.0	44.7
5600	300	100	1951	97.0	44.7
5600	300	150	1901	97.0	44.7
5600	300	200	1851	97.0	44.7
5600	300	250	1801	97.0	44.7
5600	300	300	1751	97.0	44.7
5600	300	350	1701	97.0	44.7
5600	300	400	1651	97.0	44.7

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	24	add	21
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	1654	97.0	44.7
5600	-50	0	1604	97.0	44.7
5600	-50	50	1554	97.0	44.7
5600	-50	100	1504	97.0	44.7
6000	0	-50	1604	97.0	44.7
6000	0	0	1554	97.0	44.7
6000	0	50	1504	97.0	44.7
6000	0	100	1454	97.0	44.7
6000	0	150	1404	97.0	44.7
6000	50	0	1504	97.0	44.7
6000	50	50	1454	97.0	44.7
6000	50	100	1404	97.0	44.7
6000	50	150	1354	97.0	44.7
6000	50	200	1304	97.0	44.7
6000	100	0	1454	97.0	44.7
6000	100	50	1404	97.0	44.7
6000	100	100	1354	97.0	44.7
6000	100	150	1304	97.0	44.7
6000	100	200	1254	97.0	44.7
6000	150	50	1354	97.0	44.7
6000	150	100	1304	97.0	44.7
6000	150	150	1254	97.0	44.7
6000	150	200	1204	97.0	44.7
6000	150	250	1154	97.0	44.7
6000	150	300	1104	97.0	44.7
6000	200	50	1304	97.0	44.7
6000	200	100	1254	97.0	44.7
6000	200	150	1204	97.0	44.7
6000	200	200	1154	97.0	44.7
6000	200	250	1104	97.0	44.7
6000	200	300	1054	97.0	44.7
6000	250	100	1204	97.0	44.7
6000	250	150	1154	97.0	44.7
6000	250	200	1104	97.0	44.7
6000	250	250	1054	97.0	44.7
6000	250	300	1004	97.0	44.7
6000	250	350	954	97.0	44.7
6000	300	100	1154	97.0	44.7
6000	300	150	1104	97.0	44.7
6000	300	200	1054	97.0	44.7
6000	300	250	1004	97.0	44.7
6000	300	300	954	97.0	44.7
6000	300	350	904	97.0	44.7
6000	300	400	854	97.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
									FRONT	REAR					FRONT	REAR
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	(A) (in)	(B) (in)
MECHANICAL					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Bed Extender	sub	2	add	23	4800	-50	-50	2523	81.0	44.7	4800	-50	-50	2397	76.7	44.7
Camper Package		n.a.		n.a.	4800	-50	0	2473	81.0	44.7	4800	-50	0	2347	77.3	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	50	2423	81.0	44.7	4800	-50	50	2297	77.9	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	-50	100	2373	81.0	44.7	4800	-50	100	2247	78.6	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	-50	2473	81.0	44.7	5200	0	-50	2347	81.0	44.7
Full Wheel Covers	add	4	add	4	4800	0	0	2423	81.0	44.7	5200	0	0	2297	81.0	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	50	2373	81.0	44.7	5200	0	50	2247	81.0	44.7
Skid Plates (4x4 only)	add	20	add	16	4800	0	100	2323	81.0	44.7	5200	0	100	2197	81.0	44.7
Stabilizer Package	add	2	add	26	4800	0	150	2273	81.0	44.7	5200	0	150	2147	81.0	44.7
Stepgate	sub	10	add	50	4800	50	0	2373	80.3	44.7	5200	50	0	2247	81.0	44.7
Spray-In Bedliner	add	0	add	16	4800	50	50	2323	81.0	44.7	5200	50	50	2197	81.0	44.7
					4800	50	100	2273	81.0	44.7	5200	50	100	2147	81.0	44.7
WHEELS & TIRES					4800	50	150	2223	81.0	44.7	5200	50	150	2097	81.0	44.7
17" Window Aluminum Wheels		n.a.		n.a.	4800	50	200	2173	81.0	44.7	5200	50	200	2047	81.0	44.7
18" Steel Wheels		n.a.		n.a.	4800	100	0	2323	77.6	44.7	5200	100	0	2197	81.0	44.7
18" Forged Aluminum Wheels	sub	32	sub	32	4800	100	50	2273	78.3	44.7	5200	100	50	2147	81.0	44.7
18" Cast Aluminum Wheels	sub	23	sub	23	4800	100	100	2223	78.9	44.7	5200	100	100	2097	81.0	44.7
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26	4800	100	150	2173	79.7	44.7	5200	100	150	2047	81.0	44.7
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16	4800	100	200	2123	80.4	44.7	5200	100	200	1997	81.0	44.7
LT245/75R17E A/T		n.a.		n.a.	5200	150	50	2223	81.0	44.7	5200	150	50	2097	81.0	44.7
LT265/70R17E A/T		n.a.		n.a.	5200	150	100	2173	81.0	44.7	5200	150	100	2047	81.0	44.7
LT275/65R18E A/S		n.a.		n.a.	5200	150	150	2123	81.0	44.7	5200	150	150	1997	81.0	44.7
LT275/70R18E A/S	add	2	add	3	5200	150	200	2073	81.0	44.7	5200	150	200	1947	81.0	44.7
LT275/70R18E A/T	add	0	add	0	5200	150	250	2023	81.0	44.7	5200	150	250	1897	81.0	44.7
LT275/65R20E A/T	add	15	add	15	5200	150	300	1973	81.0	44.7	5200	150	300	1847	81.0	44.7
					5200	200	50	2173	81.0	44.7	5200	200	50	2047	81.0	44.7
SEATING					5200	200	100	2123	81.0	44.7	5200	200	100	1997	81.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	200	150	2073	81.0	44.7	5200	200	150	1947	81.0	44.7
Front Bucket Seats	add	9	add	6	5200	200	200	2023	81.0	44.7	5200	200	200	1897	81.0	44.7
Front Captain's Chairs	add	11	add	10	5200	200	250	1973	81.0	44.7	5200	200	250	1847	81.0	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	200	300	1923	81.0	44.7	5200	200	300	1797	81.0	44.7
Rear Load Floor Seat (C/Cab only)	add	28	add	47	5200	250	100	2073	81.0	44.7	5200	250	100	1947	81.0	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	250	150	2023	81.0	44.7	5200	250	150	1897	81.0	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	250	200	1973	81.0	44.7	5200	250	200	1847	81.0	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	250	250	1923	81.0	44.7	5200	250	250	1797	81.0	44.7
Heated Seats	add	3	add	1	5200	250	300	1873	81.0	44.7	5200	250	300	1747	81.0	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	250	350	1823	81.0	44.7	5200	250	350	1697	81.0	44.7
					5200	300	100	2023	81.0	44.7	5200	300	100	1897	81.0	44.7
INTERIOR					5200	300	150	1973	81.0	44.7	5200	300	150	1847	81.0	44.7
Air Conditioning	add	44	sub	3	5200	300	200	1923	81.0	44.7	5200	300	200	1797	81.0	44.7
AM/FM/CD	add	3	add	3	5200	300	250	1873	81.0	44.7	5200	300	250	1747	81.0	44.7
AM/FM/CDx6	add	5	add	2	5200	300	300	1823	81.0	44.7	5200	300	300	1697	81.0	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	300	350	1773	81.0	44.7	5200	300	350	1647	81.0	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	350	100	1973	81.0	44.7	5200	350	100	1847	81.0	44.7
Satellite Radio	add	2	add	1	5200	350	150	1923	81.0	44.7	5200	350	150	1797	81.0	44.7
DVD Entertainment System	add	4	add	3	5200	350	200	1873	81.0	44.7	5200	350	200	1747	81.0	44.7
All Weather Floor Mats	add	6	add	4	5200	350	250	1823	81.0	44.7	5200	350	250	1697	81.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5200	350	300	1773	81.0	44.7	5200	350	300	1647	81.0	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5200	350	350	1723	81.0	44.7	5200	350	350	1597	81.0	44.7
Power Windows & Door Locks	add	15	add	6	5200	350	400	1673	81.0	44.7	5200	350	400	1547	81.0	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	27	add	20												
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27												
Cab Steps - 4" Tubular	add	20	add	15												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	-1	add	51												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 156.2 IN (3967 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	16
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	0	add	16
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	28	add	47
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	-1	add	51
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	1599	81.0	44.7
5600	-50	0	1549	81.0	44.7
5600	-50	50	1499	81.0	44.7
5600	-50	100	1449	81.0	44.7
5600	0	-50	1549	81.0	44.7
5600	0	0	1499	81.0	44.7
5600	0	50	1449	81.0	44.7
5600	0	100	1399	81.0	44.7
5600	0	150	1349	81.0	44.7
5600	50	0	1449	81.0	44.7
5600	50	50	1399	81.0	44.7
5600	50	100	1349	81.0	44.7
5600	50	150	1299	81.0	44.7
5600	100	0	1399	81.0	44.7
5600	100	50	1349	81.0	44.7
5600	100	100	1299	81.0	44.7
5600	100	150	1249	81.0	44.7
5600	100	200	1199	81.0	44.7
6000	150	50	1299	81.0	44.7
6000	150	100	1249	81.0	44.7
6000	150	150	1199	81.0	44.7
6000	150	200	1149	81.0	44.7
6000	150	250	1099	81.0	44.7
6000	150	300	1049	81.0	44.7
6000	200	50	1249	81.0	44.7
6000	200	100	1199	81.0	44.7
6000	200	150	1149	81.0	44.7
6000	200	200	1099	81.0	44.7
6000	200	250	1049	81.0	44.7
6000	200	300	999	81.0	44.7
6000	250	100	1149	81.0	44.7
6000	250	150	1099	81.0	44.7
6000	250	200	1049	81.0	44.7
6000	250	250	999	81.0	44.7
6000	250	300	949	81.0	44.7
6000	250	350	899	81.0	44.7
6000	300	100	1099	81.0	44.7
6000	300	150	1049	81.0	44.7
6000	300	200	999	81.0	44.7
6000	300	250	949	81.0	44.7
6000	300	300	899	81.0	44.7
6000	300	350	849	81.0	44.7
6000	300	400	799	81.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	25	add	20
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3\
TRIM				
XL Décor	sub	3	sub	1\
XLT	add	7	add	7\
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
5.4L Gasoline Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	2411	97.0	44.7
5200	-50	0	2361	97.0	44.7
5200	-50	50	2311	97.0	44.7
5200	-50	100	2261	97.0	44.7
5200	0	-50	2361	97.0	44.7
5200	0	0	2311	97.0	44.7
5200	0	50	2261	97.0	44.7
5200	0	100	2211	97.0	44.7
5200	0	150	2161	97.0	44.7
5200	50	0	2261	97.0	44.7
5200	50	50	2211	97.0	44.7
5200	50	100	2161	97.0	44.7
5200	50	150	2111	97.0	44.7
5200	50	200	2061	97.0	44.7
5200	100	0	2211	97.0	44.7
5200	100	50	2161	97.0	44.7
5200	100	100	2111	97.0	44.7
5200	100	150	2061	97.0	44.7
5200	100	200	2011	97.0	44.7
5200	150	50	2111	97.0	44.7
5200	150	100	2061	97.0	44.7
5200	150	150	2011	97.0	44.7
5200	150	200	1961	97.0	44.7
5200	150	250	1911	97.0	44.7
5200	150	300	1861	97.0	44.7
5200	200	50	2061	97.0	44.7
5200	200	100	2011	97.0	44.7
5200	200	150	1961	97.0	44.7
5200	200	200	1911	97.0	44.7
5200	200	250	1861	97.0	44.7
5200	200	300	1811	97.0	44.7
5200	250	100	1961	96.0	44.7
5200	250	150	1911	97.0	44.7
5200	250	200	1861	97.0	44.7
5200	250	250	1811	97.0	44.7
5200	250	300	1761	97.0	44.7
5200	250	350	1711	97.0	44.7
5600	300	100	1911	97.0	44.7
5600	300	150	1861	97.0	44.7
5600	300	200	1811	97.0	44.7
5600	300	250	1761	97.0	44.7
5600	300	300	1711	97.0	44.7
5600	300	350	1661	97.0	44.7
5600	350	100	1861	97.0	44.7
5600	350	150	1811	97.0	44.7
5600	350	200	1761	97.0	44.7
5600	350	250	1711	97.0	44.7
5600	350	300	1661	97.0	44.7
5600	350	350	1611	97.0	44.7
5600	350	400	1561	97.0	44.7

VEHICLE LOADING DATA
6.8L Gasoline Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	2278	97.0	44.7
5200	-50	0	2228	97.0	44.7
5200	-50	50	2178	97.0	44.7
5200	-50	100	2128	97.0	44.7
5200	0	-50	2228	97.0	44.7
5200	0	0	2178	97.0	44.7
5200	0	50	2128	97.0	44.7
5200	0	100	2078	97.0	44.7
5200	0	150	2028	97.0	44.7
5200	50	0	2128	96.3	44.7
5200	50	50	2078	97.0	44.7
5200	50	100	2028	97.0	44.7
5200	50	150	1978	97.0	44.7
5200	50	200	1928	97.0	44.7
5200	100	0	2078	93.3	44.7
5200	100	50	2028	94.5	44.7
5200	100	100	1978	95.6	44.7
5200	100	150	1928	96.9	44.7
5200	100	200	1878	97.0	44.7
5600	150	50	1978	97.0	44.7
5600	150	100	1928	97.0	44.7
5600	150	150	1878	97.0	44.7
5600	150	200	1828	97.0	44.7
5600	150	250	1778	97.0	44.7
5600	150	300	1728	97.0	44.7
5600	200	50	1928	97.0	44.7
5600	200	100	1878	97.0	44.7
5600	200	150	1828	97.0	44.7
5600	200	200	1778	97.0	44.7
5600	200	250	1728	97.0	44.7
5600	200	300	1678	97.0	44.7
5600	250	100	1828	97.0	44.7
5600	250	150	1778	97.0	44.7
5600	250	200	1728	97.0	44.7
5600	250	250	1678	97.0	44.7
5600	250	300	1628	97.0	44.7
5600	250	350	1578	97.0	44.7
5600	300	100	1778	97.0	44.7
5600	300	150	1728	97.0	44.7
5600	300	200	1678	97.0	44.7
5600	300	250	1628	97.0	44.7
5600	300	300	1578	97.0	44.7
5600	300	350	1528	97.0	44.7
5600	350	100	1728	97.0	44.7
5600	350	150	1678	97.0	44.7
5600	350	200	1628	97.0	44.7
5600	350	250	1578	97.0	44.7
5600	350	300	1528	97.0	44.7
5600	350	350	1478	97.0	44.7
5600	350	400	1428	97.0	44.7

F-350 (4 X 4) SRW (18" Wheel/Tire, Opt 10000 lb GVWR) CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	25	add	20
Stabilizer Package	add	2	add	26
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Window Aluminum Wheels		n.a.		n.a.
18" Steel Wheels		n.a.		n.a.
18" Forged Aluminum Wheels	sub	32	sub	32
18" Cast Aluminum Wheels	sub	23	sub	23
20" Brushed Aluminum Wheels (KR)	sub	26	sub	26
20" Brushed Aluminum Wheels (Harley)	sub	16	sub	16
LT245/75R17E A/T		n.a.		n.a.
LT265/70R17E A/T		n.a.		n.a.
LT275/65R18E A/S		n.a.		n.a.
LT275/70R18E A/S	add	2	add	3
LT275/70R18E A/T	add	0	add	0
LT275/65R20E A/T	add	15	add	15
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
6000	-50	-50	1481	97.0	44.7
6000	-50	0	1431	97.0	44.7
6000	-50	50	1381	97.0	44.7
6000	-50	100	1331	97.0	44.7
6000	0	-50	1431	97.0	44.7
6000	0	0	1381	97.0	44.7
6000	0	50	1331	97.0	44.7
6000	0	100	1281	97.0	44.7
6000	0	150	1231	97.0	44.7
6000	50	0	1331	97.0	44.7
6000	50	50	1281	97.0	44.7
6000	50	100	1231	97.0	44.7
6000	50	150	1181	97.0	44.7
6000	50	200	1131	97.0	44.7
6000	100	0	1281	97.0	44.7
6000	100	50	1231	97.0	44.7
6000	100	100	1181	97.0	44.7
6000	100	150	1131	97.0	44.7
6000	100	200	1081	97.0	44.7
6000	150	50	1181	97.0	44.7
6000	150	100	1131	97.0	44.7
6000	150	150	1081	97.0	44.7
6000	150	200	1031	97.0	44.7
6000	150	250	981	97.0	44.7
6000	150	300	931	97.0	44.7
6000	200	50	1131	97.0	44.7
6000	200	100	1081	97.0	44.7
6000	200	150	1031	97.0	44.7
6000	200	200	981	97.0	44.7
6000	200	250	931	97.0	44.7
6000	200	300	881	97.0	44.7
6000	250	100	1031	97.0	44.7
6000	250	150	981	97.0	44.7
6000	250	200	931	97.0	44.7
6000	250	250	881	97.0	44.7
6000	250	300	831	97.0	44.7
6000	250	350	781	97.0	44.7
6000	300	100	981	97.0	44.7
6000	300	150	931	97.0	44.7
6000	300	200	881	97.0	44.7
6000	300	250	831	97.0	44.7
6000	300	300	781	97.0	44.7
6000	300	350	731	97.0	44.7
6000	300	400	681	97.0	44.7
6000	300	100	981	97.0	44.7
6000	300	150	931	97.0	44.7
6000	300	200	881	97.0	44.7
6000	300	250	831	97.0	44.7
6000	300	300	781	97.0	44.7
6000	300	350	731	97.0	44.7
6000	350	100	931	97.0	44.7
6000	350	150	881	97.0	44.7
6000	350	200	831	97.0	44.7
6000	350	250	781	97.0	44.7
6000	350	300	731	97.0	44.7
6000	350	350	681	97.0	44.7
6000	350	400	631	97.0	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) DRW REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 11800 lb (5351 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 12000 lb (5442 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL																
Bed Extender	sub	2	add	23	4100	-50	-50	5309	64.2	44.7	4250	-50	-50	5378	64.3	44.7
Camper Package		n.a.		n.a.	4100	-50	0	5259	64.4	44.7	4250	-50	0	5328	64.4	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4100	-50	50	5209	64.5	44.7	4250	-50	50	5278	64.6	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4100	-50	100	5159	64.7	44.7	4250	-50	100	5228	64.7	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4100	-50	-50	5259	63.1	44.7	4250	0	-50	5328	63.1	44.7
Full Wheel Covers	add	4	add	4	4100	0	-50	5259	63.2	44.7	4250	0	0	5278	63.3	44.7
Limited-Slip Rear Axle	add	0	add	5	4100	0	0	5209	63.4	44.7	4250	0	50	5228	63.4	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4100	0	50	5159	63.5	44.7	4250	0	100	5178	63.6	44.7
Stepgate	sub	10	add	50	4100	0	100	5109	63.7	44.7	4250	0	150	5128	63.7	44.7
Spray-In Bedliner	add	1	add	19	4100	0	150	5059	62.0	44.7	4250	50	0	5228	62.1	44.7
					4100	50	0	5159	62.2	44.7	4250	50	50	5178	62.2	44.7
WHEELS & TIRES					4100	50	50	5109	62.3	44.7	4250	50	100	5128	62.4	44.7
17" Forged Aluminum Wheels	sub	29	sub	29	4100	50	100	5059	62.5	44.7	4250	50	150	5078	62.5	44.7
LT245/75R17E A/T	add	0	add	0	4100	50	150	5009	62.6	44.7	4250	50	200	5028	62.7	44.7
					4100	50	200	4959	64.9	44.7	4400	100	0	5178	64.9	44.7
SEATING					4250	100	0	5109	65.0	44.7	4400	100	50	5128	65.1	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4250	100	50	5059	65.2	44.7	4400	100	100	5078	65.2	44.7
Front Bucket Seats	add	9	add	6	4250	100	100	5009	65.4	44.7	4400	100	150	5028	65.4	44.7
Front Captain's Chairs	add	11	add	10	4250	100	150	4959	65.5	44.7	4400	100	200	4978	65.6	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4250	100	200	4909	63.8	44.7	4400	150	50	5078	63.9	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4250	150	50	5009	64.0	44.7	4400	150	100	5028	64.0	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4250	150	100	4959	64.1	44.7	4400	150	150	4978	64.2	44.7
Power 6-Way Driver's Seat	add	3	add	1	4250	150	150	4909	64.3	44.7	4400	150	200	4928	64.4	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4250	150	200	4859	64.5	44.7	4400	150	250	4878	64.5	44.7
Heated Seats	add	3	add	1	4250	150	250	4809	64.7	44.7	4400	150	300	4828	64.7	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4250	150	300	4759	62.6	44.7	4400	200	50	5028	62.7	44.7
					4250	200	50	4959	62.8	44.7	4400	200	100	4978	62.8	44.7
INTERIOR					4250	200	100	4909	62.9	44.7	4400	200	150	4928	63.0	44.7
Air Conditioning	add	44	sub	3	4250	200	150	4859	63.1	44.7	4400	200	200	4878	63.1	44.7
AM/FM/CD	add	3	add	3	4250	200	200	4809	63.2	44.7	4400	200	250	4828	63.3	44.7
AM/FM/CDx6	add	5	add	2	4250	200	250	4759	63.4	44.7	4400	200	300	4778	63.4	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.	4400	250	100	4859	65.7	44.7	4550	250	100	4928	65.8	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.	4400	250	150	4809	65.9	44.7	4550	250	150	4878	65.9	44.7
Satellite Radio	add	2	add	1	4400	250	200	4759	66.1	44.7	4550	250	200	4828	66.1	44.7
DVD Entertainment System	add	4	add	3	4400	250	250	4709	66.3	44.7	4550	250	250	4778	66.3	44.7
All Weather Floor Mats	add	3	add	2	4400	250	300	4659	66.5	44.7	4550	250	300	4728	66.5	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4400	250	350	4609	66.7	44.7	4550	250	350	4678	66.7	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3												
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	17	add	12												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) DRW REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Forged Aluminum Wheels	sub	29	sub	29
LT245/75R17E A/T	add	0	add	0
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 12400 lb (5624 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
4850	-50	-50	5002	62.8	44.7
4850	-50	0	4952	63.0	44.7
4850	-50	50	4902	63.1	44.7
4850	-50	100	4852	63.3	44.7
5000	0	-50	4952	65.7	44.7
5000	0	0	4902	65.9	44.7
5000	0	50	4852	66.1	44.7
5000	0	100	4802	66.3	44.7
5000	0	150	4752	66.5	44.7
5000	50	0	4852	64.7	44.7
5000	50	50	4802	64.9	44.7
5000	50	100	4752	65.1	44.7
5000	50	150	4702	65.2	44.7
5000	50	200	4652	65.4	44.7
5000	100	0	4802	63.5	44.7
5000	100	50	4752	63.6	44.7
5000	100	100	4702	63.8	44.7
5000	100	150	4652	64.0	44.7
5250	150	50	4702	69.6	44.7
5250	150	100	4652	69.8	44.7
5250	150	150	4602	70.1	44.7
5250	150	200	4552	70.3	44.7
5250	150	250	4502	70.6	44.7
5250	150	300	4452	70.8	44.7
5250	150	50	4702	69.6	44.7
5250	200	100	4602	68.6	44.7
5250	200	150	4552	68.8	44.7
5250	200	200	4502	69.1	44.7
5250	200	250	4452	69.3	44.7
5250	200	300	4402	69.5	44.7
5250	200	100	4602	68.6	44.7
5250	250	150	4502	67.5	44.7
5250	250	200	4452	67.8	44.7
5250	250	250	4402	68.0	44.7
5250	250	300	4352	68.2	44.7
5250	250	350	4302	68.5	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) DRW SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 12200 lb (5533 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 12400 lb (5624 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4400	-50	-50	4885	64.5	44.7	4550	-50	-50	4952	64.8	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4400	-50	0	4835	64.7	44.7	4550	-50	0	4902	64.9	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4400	-50	50	4785	64.9	44.7	4550	-50	50	4852	65.1	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4400	-50	100	4735	65.0	44.7	4550	-50	100	4802	65.3	44.7
Full Wheel Covers	add	4	add	4	4550	0	-50	4835	67.9	44.7	4700	0	-50	4902	68.2	44.7
Limited-Slip Rear Axle	add	0	add	5	4550	0	0	4785	68.2	44.7	4700	0	0	4852	68.4	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4550	0	50	4735	68.4	44.7	4700	0	50	4802	68.6	44.7
Stepgate	sub	10	add	50	4550	0	100	4685	68.6	44.7	4700	0	100	4752	68.8	44.7
Spray-In Bedliner	add	1	add	19	4550	0	150	4635	68.8	44.7	4700	0	150	4702	69.0	44.7
					4550	50	0	4735	66.7	44.7	4700	50	0	4802	66.9	44.7
WHEELS & TIRES					4550	50	50	4685	66.9	44.7	4700	50	50	4752	67.1	44.7
17" Forged Aluminum Wheels	sub	29	sub	29	4550	50	100	4635	67.1	44.7	4700	50	100	4702	67.3	44.7
LT245/75R17E A/T	add	0	add	0	4550	50	150	4585	67.3	44.7	4700	50	150	4652	67.5	44.7
					4550	50	200	4535	67.5	44.7	4700	50	200	4602	67.8	44.7
SEATING					4550	100	0	4685	65.2	44.7	4700	100	0	4752	65.5	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4550	100	50	4635	65.4	44.7	4700	100	50	4702	65.7	44.7
Front Bucket Seats	add	9	add	6	4550	100	100	4585	65.6	44.7	4700	100	100	4652	65.9	44.7
Front Captain's Chairs	add	11	add	10	4550	100	150	4535	65.8	44.7	4700	100	150	4602	66.0	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4550	100	200	4485	66.0	44.7	4700	100	200	4552	66.2	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4700	150	50	4585	69.0	44.7	4850	150	50	4652	69.2	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4700	150	100	4535	69.3	44.7	4850	150	100	4602	69.5	44.7
Power 6-Way Driver's Seat	add	3	add	1	4700	150	150	4485	69.5	44.7	4850	150	150	4552	69.7	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4700	150	200	4435	69.8	44.7	4850	150	200	4502	70.0	44.7
Heated Seats	add	3	add	1	4700	150	250	4385	70.0	44.7	4850	150	250	4452	70.2	44.7
Less Second Row Bench (S/Cab only)	sub	23	sub	62	4700	150	300	4335	70.3	44.7	4850	150	300	4402	70.5	44.7
					4700	200	50	4535	67.5	44.7	4850	200	50	4602	67.8	44.7
INTERIOR					4700	200	100	4485	67.8	44.7	4850	200	100	4552	68.0	44.7
Air Conditioning	add	44	sub	3	4700	200	150	4435	68.0	44.7	4850	200	150	4502	68.2	44.7
AM/FM/CD	add	3	add	3	4700	200	200	4385	68.2	44.7	4850	200	200	4452	68.4	44.7
AM/FM/CDx6	add	5	add	2	4700	200	250	4335	68.4	44.7	4850	200	250	4402	68.7	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4700	200	300	4285	68.7	44.7	4850	200	300	4352	68.9	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4700	250	100	4435	66.2	44.7	4850	250	100	4502	66.5	44.7
Satellite Radio	add	2	add	1	4700	250	150	4385	66.4	44.7	4850	250	150	4452	66.7	44.7
DVD Entertainment System	add	4	add	3	4700	250	200	4335	66.6	44.7	4850	250	200	4402	66.9	44.7
All Weather Floor Mats	add	3	add	3	4700	250	250	4285	66.8	44.7	4850	250	250	4352	67.1	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4700	250	300	4235	67.1	44.7	4850	250	300	4302	67.3	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	4700	250	350	4185	67.3	44.7	4850	250	350	4252	67.5	44.7
Power Windows & Door Locks	add	12	add	3												
Speed Control/Tilt Steering Wheel	add	3	add	1												
EXTERIOR																
Body Side Moldings - Body Color	add	2	add	1												
Bumpers - Chrome	add	7	sub	3												
Cab Steps - Platform	add	23	add	20												
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	17	add	14												
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20												
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	5												
FX4	add	7	add	5												
Lariat	add	18	add	10												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) DRW SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Forged Aluminum Wheels	sub	29	sub	29
LT245/75R17E A/T	add	0	add	0
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 12800 lb (5805 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	4578	66.1	44.7
5250	-50	0	4528	66.3	44.7
5250	-50	50	4478	66.6	44.7
5250	-50	100	4428	66.8	44.7
5250	0	-50	4528	64.6	44.7
5250	0	0	4478	64.8	44.7
5250	0	50	4428	65.0	44.7
5250	0	100	4378	65.2	44.7
5250	0	150	4328	65.4	44.7
5250	50	0	4428	63.2	44.7
5250	50	50	4378	63.4	44.7
5250	50	100	4328	63.5	44.7
5250	50	150	4278	63.7	44.7
5250	50	200	4228	63.9	44.7
5250	100	0	4378	61.6	44.7
5250	100	50	4328	61.7	44.7
5250	100	100	4278	61.9	44.7
5250	100	150	4228	62.1	44.7
5250	100	200	4178	62.2	44.7
5250	150	50	4278	60.0	44.7
5250	150	100	4228	60.2	44.7
5250	150	150	4178	60.3	44.7
5250	150	200	4128	60.5	44.7
5250	150	250	4078	60.6	44.7
5250	150	300	4028	60.8	44.7
5250	200	50	4228	58.3	44.7
5250	200	100	4178	58.4	44.7
5250	200	150	4128	58.6	44.7
5250	200	200	4078	58.7	44.7
5250	200	250	4028	58.8	44.7
5250	200	300	3978	59.0	44.7
5250	250	100	4128	56.7	44.7
5250	250	150	4078	56.8	44.7
5250	250	200	4028	56.9	44.7
5250	250	250	3978	57.0	44.7
5250	250	300	3928	57.1	44.7
5250	250	350	3878	57.2	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 2) DRW CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 12400 lb (5624 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 12600 lb (5714 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	RATING (lb)	FRONT (A) (in)	REAR (B) (in)
MECHANICAL																
Bed Extender	sub	2	add	23	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Camper Package		n.a.		n.a.	4550	-50	-50	4912	67.0	44.7	4700	-50	-50	4976	67.3	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4550	-50	0	4862	67.2	44.7	4700	-50	0	4926	67.5	44.7
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.	4550	-50	50	4812	67.4	44.7	4700	-50	50	4876	67.7	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4550	-50	100	4762	67.6	44.7	4700	-50	100	4826	67.9	44.7
Full Wheel Covers	add	4	add	4	4550	0	-50	4862	65.5	44.7	4700	0	-50	4926	65.8	44.7
Limited-Slip Rear Axle	add	0	add	5	4550	0	0	4812	65.6	44.7	4700	0	0	4876	65.9	44.7
Skid Plates (4x4 only)		n.a.		n.a.	4550	0	50	4762	65.8	44.7	4700	0	50	4826	66.1	44.7
Stepgate	sub	10	add	50	4550	0	100	4712	66.0	44.7	4700	0	100	4776	66.3	44.7
Spray-In Bedliner	add	1	add	19	4550	0	150	4662	66.2	44.7	4700	0	150	4726	66.5	44.7
					4700	50	0	4762	69.5	44.7	4850	50	0	4826	69.7	44.7
WHEELS & TIRES					4700	50	50	4712	69.7	44.7	4850	50	50	4776	69.9	44.7
17" Forged Aluminum Wheels	sub	29	sub	29	4700	50	100	4662	69.9	44.7	4850	50	100	4726	70.2	44.7
LT245/75R17E A/T	add	0	add	0	4700	50	150	4612	70.2	44.7	4850	50	150	4676	70.4	44.7
					4700	50	200	4562	70.4	44.7	4850	50	200	4626	70.6	44.7
SEATING					4700	100	0	4712	67.9	44.7	4850	100	0	4776	68.1	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4700	100	50	4662	68.1	44.7	4850	100	50	4726	68.3	44.7
Front Bucket Seats	add	9	add	6	4700	100	100	4612	68.3	44.7	4850	100	100	4676	68.6	44.7
Front Captain's Chairs	add	11	add	10	4700	100	150	4562	68.5	44.7	4850	100	150	4626	68.8	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	4700	100	200	4512	68.7	44.7	4850	100	200	4576	69.0	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	4700	150	50	4612	66.4	44.7	4850	150	50	4676	66.7	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	4700	150	100	4562	66.6	44.7	4850	150	100	4626	66.9	44.7
Power 6-Way Driver's Seat	add	3	add	1	4700	150	150	4512	66.8	44.7	4850	150	150	4576	67.1	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4700	150	200	4462	67.0	44.7	4850	150	200	4526	67.3	44.7
Heated Seats	add	3	add	1	4700	150	250	4412	67.3	44.7	4850	150	250	4476	67.6	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4700	150	300	4362	67.5	44.7	4850	150	300	4426	67.8	44.7
					4850	200	50	4562	70.4	44.7	5000	200	50	4626	70.6	44.7
INTERIOR					4850	200	100	4512	70.6	44.7	5000	200	100	4576	70.9	44.7
Air Conditioning	add	44	sub	3	4850	200	150	4462	70.9	44.7	5000	200	150	4526	71.1	44.7
AM/FM/CD	add	3	add	3	4850	200	200	4412	71.2	44.7	5000	200	200	4476	71.4	44.7
AM/FM/CDx6	add	5	add	2	4850	200	250	4362	71.4	44.7	5000	200	250	4426	71.7	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	4850	200	300	4312	71.7	44.7	5000	200	300	4376	71.9	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	4850	250	100	4462	69.0	44.7	5000	250	100	4526	69.2	44.7
Satellite Radio	add	2	add	1	4850	250	150	4412	69.2	44.7	5000	250	150	4476	69.5	44.7
DVD Entertainment System	add	4	add	3	4850	250	200	4362	69.5	44.7	5000	250	200	4426	69.7	44.7
All Weather Floor Mats	add	6	add	4	4850	250	250	4312	69.7	44.7	5000	250	250	4376	70.0	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4850	250	300	4262	70.0	44.7	5000	250	300	4326	70.2	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	4850	250	350	4212	70.2	44.7	5000	250	350	4276	70.5	44.7
Power Windows & Door Locks	add	15	add	6	4850	300	100	4412	67.3	44.7	5000	300	100	4476	67.6	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	4850	300	150	4362	67.5	44.7	5000	300	150	4426	67.8	44.7
					4850	300	200	4312	67.7	44.7	5000	300	200	4376	68.0	44.7
					4850	300	250	4262	67.9	44.7	5000	300	250	4326	68.2	44.7
EXTERIOR					4850	300	300	4212	68.2	44.7	5000	300	300	4276	68.5	44.7
Body Side Moldings - Body Color	add	2	add	1	4850	300	350	4162	68.4	44.7	5000	300	350	4226	68.7	44.7
Bumpers - Chrome	add	7	sub	3	4850	300	400	4112	68.7	44.7	5000	300	400	4176	69.0	44.7
Cab Steps - Platform	add	27	add	20	5000	350	100	4362	71.4	44.7	5250	350	100	4426	75.6	44.7
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27	5000	350	150	4312	71.7	44.7	5250	350	150	4376	75.9	44.7
Cab Steps - 4" Tubular	add	20	add	15	5000	350	200	4262	72.0	44.7	5250	350	200	4326	76.2	44.7
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19	5000	350	250	4212	72.3	44.7	5250	350	250	4276	76.5	44.7
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27	5000	350	300	4162	72.6	44.7	5250	350	300	4226	76.9	44.7
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3	5000	350	350	4112	72.9	44.7	5250	350	350	4176	77.2	44.7
Mirrors - Power Glass, Manual Telescoping	add	11	add	3	5000	350	400	4062	73.2	44.7	5250	350	400	4126	77.6	44.7
Mirrors - Power Glass, Power Telescoping	add	11	add	3	5000	350	450	4012	73.5	44.7	5250	350	450	4076	77.9	44.7
Moonroof - Power Sliding (C/Cab only)	add	29	add	22												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 2) DRW CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Forged Aluminum Wheels	sub	29	sub	29
LT245/75R17E A/T	add	0	add	0
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 13000 lb (5896 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5250	-50	-50	4606	63.4	44.7
5250	-50	0	4556	63.6	44.7
5250	-50	50	4506	63.8	44.7
5250	-50	100	4456	63.9	44.7
5250	0	-50	4556	61.7	44.7
5250	0	0	4506	61.8	44.7
5250	0	50	4456	62.0	44.7
5250	0	100	4406	62.2	44.7
5250	0	150	4356	62.3	44.7
5250	50	0	4456	60.1	44.7
5250	50	50	4406	60.2	44.7
5250	50	100	4356	60.3	44.7
5250	50	150	4306	60.5	44.7
5250	50	200	4256	60.6	44.7
5250	100	0	4406	58.2	44.7
5250	100	50	4356	58.4	44.7
5250	100	100	4306	58.5	44.7
5250	100	150	4256	58.6	44.7
5250	100	200	4206	58.7	44.7
5250	150	50	4306	56.5	44.7
5250	150	100	4256	56.6	44.7
5250	150	150	4206	56.7	44.7
5250	150	200	4156	56.8	44.7
5250	150	250	4106	56.9	44.7
5250	150	300	4056	57.0	44.7
5250	200	50	4256	54.6	44.7
5250	200	100	4206	54.6	44.7
5250	200	150	4156	54.7	44.7
5250	200	200	4106	54.8	44.7
5250	200	250	4056	54.9	44.7
5250	200	300	4006	55.0	44.7
5250	250	100	4156	52.6	44.7
5250	250	150	4106	52.7	44.7
5250	250	200	4056	52.8	44.7
5250	250	250	4006	52.8	44.7
5250	250	300	3956	52.9	44.7
5250	250	350	3906	52.9	44.7
5250	300	100	4106	50.6	44.7
5250	300	150	4056	50.6	44.7
5250	300	200	4006	50.7	44.7
5250	300	250	3956	50.7	44.7
5250	300	300	3906	50.7	44.7
5250	300	350	3856	50.8	44.7
5250	300	400	3806	50.8	44.7
5250	300	100	4106	50.6	44.7
5250	300	150	4056	50.6	44.7
5250	300	200	4006	50.7	44.7
5250	300	250	3956	50.7	44.7
5250	300	300	3906	50.7	44.7
5250	300	350	3856	50.8	44.7
5250	300	400	3806	50.8	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) DRW REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 12000 lb (5442 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 12200 lb (5533 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL					4800	-50	-50	5090	73.9	44.7	4800	-50	-50	5157	70.0	44.7
Bed Extender	sub	2	add	27	4800	-50	0	5040	74.1	44.7	4800	-50	0	5107	70.2	44.7
Camper Package		n.a.		n.a.	4800	-50	50	4990	74.4	44.7	4800	-50	50	5057	70.4	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	4800	-50	100	4940	74.6	44.7	4800	-50	100	5007	70.6	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	4800	0	-50	5040	72.7	44.7	4800	0	-50	5107	68.9	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	4800	0	0	4990	73.0	44.7	4800	0	0	5057	69.1	44.7
Full Wheel Covers	add	4	add	4	4800	0	50	4940	73.3	44.7	4800	0	50	5007	69.3	44.7
Limited-Slip Rear Axle	add	0	add	5	4800	0	100	4890	73.5	44.7	4800	0	100	4957	69.5	44.7
Skid Plates (4x4 only)	add	20	add	25	4800	0	150	4840	73.8	44.7	4800	0	150	4907	69.7	44.7
Stepgate	sub	10	add	50	4800	50	0	4940	71.9	44.7	4800	50	0	5007	67.9	44.7
Spray-In Bedliner	add	1	add	19	4800	50	50	4890	72.1	44.7	4800	50	50	4957	68.1	44.7
WHEELS & TIRES					4800	50	100	4840	72.4	44.7	4800	50	100	4907	68.3	44.7
17" Forged Aluminum Wheels	sub	29	sub	29	4800	50	150	4790	72.6	44.7	4800	50	150	4857	68.5	44.7
LT245/75R17E A/T	add	0	add	0	4800	50	200	4740	72.9	44.7	4800	50	200	4807	68.7	44.7
SEATING					4800	100	0	4890	70.7	44.7	4800	100	0	4957	66.7	44.7
Front Bench Seat - 40/20/40	add	30	add	23	4800	100	50	4840	70.9	44.7	4800	100	50	4907	66.9	44.7
Front Bucket Seats	add	9	add	6	4800	100	100	4790	71.2	44.7	4800	100	100	4857	67.1	44.7
Front Captain's Chairs	add	11	add	10	4800	100	150	4740	71.4	44.7	4800	100	150	4807	67.3	44.7
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.	4800	100	200	4690	71.7	44.7	4800	100	200	4757	67.5	44.7
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.	4800	150	50	4790	69.8	44.7	4800	150	50	4857	65.7	44.7
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.	4800	150	100	4740	70.0	44.7	4800	150	100	4807	65.9	44.7
Power 6-Way Driver's Seat	add	3	add	1	4800	150	150	4690	70.2	44.7	4800	150	150	4757	66.1	44.7
Power 6-Way Passenger's Seat	add	3	add	1	4800	150	200	4640	70.5	44.7	4800	150	200	4707	66.3	44.7
Heated Seats	add	3	add	1	4800	150	250	4590	70.7	44.7	4800	150	250	4657	66.5	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	4800	150	300	4540	71.0	44.7	4800	150	300	4607	66.7	44.7
INTERIOR					4800	200	50	4740	68.5	44.7	5200	200	50	4807	75.9	44.7
Air Conditioning	add	44	sub	3	4800	200	100	4690	68.8	44.7	5200	200	100	4757	76.2	44.7
AM/FM/CD	add	3	add	3	4800	200	150	4640	69.0	44.7	5200	200	150	4707	76.5	44.7
AM/FM/CDx6	add	5	add	2	4800	200	200	4590	69.2	44.7	5200	200	200	4657	76.8	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.	4800	200	250	4540	69.5	44.7	5200	200	250	4607	77.1	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.	4800	200	300	4490	69.7	44.7	5200	200	300	4557	77.4	44.7
Satellite Radio	add	2	add	1	4800	250	100	4640	67.5	44.7	5200	250	100	4707	75.0	44.7
DVD Entertainment System	add	4	add	3	4800	250	150	4590	67.7	44.7	5200	250	150	4657	75.3	44.7
All Weather Floor Mats	add	3	add	2	4800	250	200	4540	67.9	44.7	5200	250	200	4607	75.6	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	4800	250	250	4490	68.2	44.7	5200	250	250	4557	75.9	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	4800	250	300	4440	68.4	44.7	5200	250	300	4507	76.2	44.7
Power Windows & Door Locks	add	12	add	3	4800	250	350	4390	68.6	44.7	5200	250	350	4457	76.5	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	5200	300	400	4290	80.3	44.7	5200	300	400	4357	75.6	44.7
					5200	300	100	4590	78.2	44.7	5200	300	100	4657	73.8	44.7
					5200	300	150	4540	78.5	44.7	5200	300	150	4607	74.1	44.7
					5200	300	200	4490	78.9	44.7	5200	300	200	4557	74.4	44.7
EXTERIOR					5200	300	250	4440	79.2	44.7	5200	300	250	4507	74.7	44.7
Body Side Moldings - Body Color	add	2	add	1	5200	300	300	4390	79.6	44.7	5200	300	300	4457	75.0	44.7
Bumpers - Chrome	add	7	sub	3	5200	300	350	4340	79.9	44.7	5200	300	350	4407	75.3	44.7
Cab Steps - Platform	add	17	add	12	5200	300	400	4290	80.3	44.7	5200	300	400	4357	75.6	44.7
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.												
Cab Steps - 4" Tubular	add	12	add	9												
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.												
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.												
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Manual Telescoping	add	11	add	3												
Mirrors - Power Glass, Power Telescoping	add	11	add	3												
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.												
Pickup Box Mat	add	2	add	60												
Sliding Rear Window - Manual	add	3	add	1												
Sliding Rear Window - Power	add	4	add	3												
TRIM																
XL Décor	sub	3	sub	1												
XLT	add	6	add	2												
FX4	add	6	add	2												
Lariat	add	12	add	6												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) DRW REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	27
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	20	add	25
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Forged Aluminum Wheels	sub	29	sub	29
LT245/75R17E A/T	add	0	add	0
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)		n.a.		n.a.
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)		n.a.		n.a.
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	2
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	17	add	12
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	12	add	9
Cab Steps - 5" Tubular (S/Cab & C/Cab)		n.a.		n.a.
Cab Steps - 6" Angular (S/Cab & C/Cab)		n.a.		n.a.
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	6	add	2
FX4	add	6	add	2
Lariat	add	12	add	6
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 12600 lb (5714 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5600	-50	-50	4766	74.5	44.7
5600	-50	0	4716	74.8	44.7
5600	-50	50	4666	75.0	44.7
5600	-50	100	4616	75.3	44.7
5600	0	-50	4716	73.3	44.7
5600	0	0	4666	73.6	44.7
5600	0	50	4616	73.8	44.7
5600	0	100	4566	74.1	44.7
5600	0	150	4516	74.4	44.7
5600	50	0	4616	72.4	44.7
5600	50	50	4566	72.6	44.7
5600	50	100	4516	72.9	44.7
5600	50	150	4466	73.2	44.7
5600	50	200	4416	73.5	44.7
5600	100	0	4566	71.1	44.7
5600	100	50	4516	71.4	44.7
5600	100	100	4466	71.7	44.7
5600	100	150	4416	71.9	44.7
5600	100	200	4366	72.2	44.7
5600	150	50	4466	70.1	44.7
5600	150	100	4416	70.4	44.7
5600	150	150	4366	70.6	44.7
5600	150	200	4316	70.9	44.7
5600	150	250	4266	71.2	44.7
5600	150	300	4216	71.4	44.7
5600	200	50	4416	68.8	44.7
5600	200	100	4366	69.1	44.7
5600	200	150	4316	69.3	44.7
5600	200	200	4266	69.6	44.7
5600	200	250	4216	69.8	44.7
5600	200	300	4166	70.1	44.7
5600	250	100	4316	67.7	44.7
5600	250	150	4266	68.0	44.7
5600	250	200	4216	68.2	44.7
5600	250	250	4166	68.4	44.7
5600	250	300	4116	68.7	44.7
5600	250	350	4066	68.9	44.7
6000	300	100	4266	79.2	44.7
6000	300	150	4216	79.6	44.7
6000	300	200	4166	79.9	44.7
6000	300	250	4116	80.3	44.7
6000	300	300	4066	80.7	44.7
6000	300	350	4016	81.1	44.7
6000	300	400	3966	81.6	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) DRW SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	27
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)		n.a.		n.a.
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	24	add	21
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Forged Aluminum Wheels	sub	29	sub	29
LT245/75R17E A/T	add	0	add	0
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
5.4L Gasoline Engine 12400 lb (5624 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	4666	79.5	44.7
5200	-50	0	4616	79.9	44.7
5200	-50	50	4566	80.2	44.7
5200	-50	100	4516	80.6	44.7
5200	0	-50	4616	78.1	44.7
5200	0	0	4566	78.5	44.7
5200	0	50	4516	78.8	44.7
5200	0	100	4466	79.2	44.7
5200	0	150	4416	79.5	44.7
5200	50	0	4516	77.1	44.7
5200	50	50	4466	77.4	44.7
5200	50	100	4416	77.7	44.7
5200	50	150	4366	78.1	44.7
5200	50	200	4316	78.4	44.7
5200	100	0	4466	75.6	44.7
5200	100	50	4416	75.9	44.7
5200	100	100	4366	76.3	44.7
5200	100	150	4316	76.6	44.7
5200	100	200	4266	76.9	44.7
5200	150	50	4366	74.4	44.7
5200	150	100	4316	74.8	44.7
5200	150	150	4266	75.1	44.7
5200	150	200	4216	75.4	44.7
5200	150	250	4166	75.7	44.7
5200	150	300	4116	76.1	44.7
5200	200	50	4316	72.9	44.7
5200	200	100	4266	73.2	44.7
5200	200	150	4216	73.5	44.7
5200	200	200	4166	73.8	44.7
5200	200	250	4116	74.1	44.7
5200	200	300	4066	74.5	44.7
5200	250	100	4216	71.6	44.7
5200	250	150	4166	71.9	44.7
5200	250	200	4116	72.2	44.7
5200	250	250	4066	72.5	44.7
5200	250	300	4016	72.8	44.7
5200	250	350	3966	73.1	44.7
5200	300	100	4166	70.0	44.7
5200	300	150	4116	70.3	44.7
5200	300	200	4066	70.6	44.7
5200	300	250	4016	70.9	44.7
5200	300	300	3966	71.2	44.7
5200	300	350	3916	71.5	44.7
5200	300	400	3866	71.8	44.7

VEHICLE LOADING DATA
6.8L Gasoline Engine 12600 lb (5714 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
5200	-50	-50	4733	74.4	44.7
5200	-50	0	4683	74.6	44.7
5200	-50	50	4633	74.9	44.7
5200	-50	100	4583	75.2	44.7
5200	0	-50	4683	73.0	44.7
5200	0	0	4633	73.2	44.7
5200	0	50	4583	73.5	44.7
5200	0	100	4533	73.8	44.7
5200	0	150	4483	74.1	44.7
5200	50	0	4583	71.8	44.7
5200	50	50	4533	72.0	44.7
5200	50	100	4483	72.3	44.7
5200	50	150	4433	72.6	44.7
5200	50	200	4383	72.9	44.7
5200	100	0	4533	70.3	44.7
5200	100	50	4483	70.5	44.7
5200	100	100	4433	70.8	44.7
5200	100	150	4383	71.1	44.7
5200	100	200	4333	71.3	44.7
5200	150	50	4433	69.0	44.7
5200	150	100	4383	69.3	44.7
5200	150	150	4333	69.5	44.7
5200	150	200	4283	69.8	44.7
5200	150	250	4233	70.0	44.7
5200	150	300	4183	70.3	44.7
5600	200	50	4383	81.9	44.7
5600	200	100	4333	82.3	44.7
5600	200	150	4283	82.7	44.7
5600	200	200	4233	83.1	44.7
5600	200	250	4183	83.5	44.7
5600	200	300	4133	83.9	44.7
5600	250	100	4283	80.8	44.7
5600	250	150	4233	81.2	44.7
5600	250	200	4183	81.6	44.7
5600	250	250	4133	82.0	44.7
5600	250	300	4083	82.4	44.7
5600	250	350	4033	82.9	44.7
5600	300	100	4233	79.4	44.7
5600	300	150	4183	79.7	44.7
5600	300	200	4133	80.1	44.7
5600	300	250	4083	80.5	44.7
5600	300	300	4033	80.9	44.7
5600	300	350	3983	81.3	44.7
5600	300	400	3933	81.8	44.7

F-350 (4 X 4) DRW SUPER CAB — 158.0 IN (4013 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	27
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	24	add	21
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Forged Aluminum Wheels	sub	29	sub	29
LT245/75R17E A/T	add	0	add	0
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)		n.a.		n.a.
Rear Load Floor Seat (C/Cab only)		n.a.		n.a.
60/40 Split Rear Seat (C/Cab only)		n.a.		n.a.
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)	sub	23	sub	62
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	3	add	3
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	12	add	3
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	23	add	20
Cab Steps - Platform w/lights (C/Cab)		n.a.		n.a.
Cab Steps - 4" Tubular	add	17	add	14
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	20	add	20
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	30	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)		n.a.		n.a.
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	5
FX4	add	7	add	5
Lariat	add	18	add	10
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 13000 lb (5896 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
6000	-50	-50	4342	80.6	44.7
6000	-50	0	4292	81.0	44.7
6000	-50	50	4242	81.4	44.7
6000	-50	100	4192	81.8	44.7
6000	0	-50	4292	79.1	44.7
6000	0	0	4242	79.5	44.7
6000	0	50	4192	79.9	44.7
6000	0	100	4142	80.3	44.7
6000	0	150	4092	80.7	44.7
6000	50	0	4192	78.0	44.7
6000	50	50	4142	78.4	44.7
6000	50	100	4092	78.7	44.7
6000	50	150	4042	79.1	44.7
6000	50	200	3992	79.5	44.7
6000	100	0	4142	76.5	44.7
6000	100	50	4092	76.8	44.7
6000	100	100	4042	77.2	44.7
6000	100	150	3992	77.5	44.7
6000	100	200	3942	77.9	44.7
6000	150	50	4042	75.2	44.7
6000	150	100	3992	75.6	44.7
6000	150	150	3942	75.9	44.7
6000	150	200	3892	76.3	44.7
6000	150	250	3842	76.6	44.7
6000	150	300	3792	77.0	44.7
6000	200	50	3992	73.6	44.7
6000	200	100	3942	73.9	44.7
6000	200	150	3892	74.2	44.7
6000	200	200	3842	74.6	44.7
6000	200	250	3792	74.9	44.7
6000	200	300	3742	75.3	44.7
6000	250	100	3892	72.2	44.7
6000	250	150	3842	72.5	44.7
6000	250	200	3792	72.9	44.7
6000	250	250	3742	73.2	44.7
6000	250	300	3692	73.5	44.7
6000	250	350	3642	73.9	44.7
6000	300	100	3842	70.5	44.7
6000	300	150	3792	70.8	44.7
6000	300	200	3742	71.1	44.7
6000	300	250	3692	71.4	44.7
6000	300	300	3642	71.7	44.7
6000	300	350	3592	72.0	44.7
6000	300	400	3542	72.4	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-350 (4 X 4) DRW CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE					VEHICLE LOADING DATA 5.4L Gasoline Engine 12400 lb (5624 kg) GVWR						VEHICLE LOADING DATA 6.8L Gasoline Engine 12600 lb (5714 kg) GVWR					
OPTION DESCRIPTION	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
MECHANICAL					5200	-50	-50	4493	79.1	44.7	5200	-50	-50	4560	73.9	44.7
Bed Extender	sub	2	add	27	5200	-50	0	4443	79.4	44.7	5200	-50	0	4510	74.2	44.7
Camper Package		n.a.		n.a.	5200	-50	50	4393	79.8	44.7	5200	-50	50	4460	74.5	44.7
Dual Alternator (Diesel Engines only)		n.a.		n.a.	5200	-50	100	4343	80.1	44.7	5200	-50	100	4410	74.8	44.7
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0	5200	0	-50	4443	77.5	44.7	5200	0	-50	4510	72.3	44.7
PTC Supplemental Heater (Diesel Engines only)		n.a.		n.a.	5200	0	0	4393	77.8	44.7	5200	0	0	4460	72.6	44.7
Full Wheel Covers	add	4	add	4	5200	0	50	4343	78.2	44.7	5200	0	50	4410	72.9	44.7
Limited-Slip Rear Axle	add	0	add	5	5200	0	100	4293	78.5	44.7	5200	0	100	4360	73.1	44.7
Skid Plates (4x4 only)	add	25	add	20	5200	0	150	4243	78.9	44.7	5200	0	150	4310	73.4	44.7
Stepgate	sub	10	add	50	5200	50	0	4343	76.2	44.7	5200	50	0	4410	70.9	44.7
Spray-In Bedliner	add	1	add	19	5200	50	50	4293	76.5	44.7	5200	50	50	4360	71.2	44.7
WHEELS & TIRES					5200	50	100	4243	76.8	44.7	5200	50	100	4310	71.4	44.7
17" Forged Aluminum Wheels	sub	29	sub	29	5200	50	150	4193	77.2	44.7	5200	50	150	4260	71.7	44.7
LT245/75R17E A/T	add	0	add	0	5200	50	200	4143	77.5	44.7	5200	50	200	4210	72.0	44.7
SEATING					5200	100	0	4293	74.5	44.7	5600	100	0	4360	85.0	44.7
Front Bench Seat - 40/20/40	add	30	add	23	5200	100	50	4243	74.8	44.7	5600	100	50	4310	85.4	44.7
Front Bucket Seats	add	9	add	6	5200	100	100	4193	75.1	44.7	5600	100	100	4260	85.9	44.7
Front Captain's Chairs	add	11	add	10	5200	100	150	4143	75.5	44.7	5600	100	150	4210	86.3	44.7
Quad Captain's Chairs (C/Cab only)	add	34	add	37	5200	100	200	4093	75.8	44.7	5600	100	200	4160	86.8	44.7
Rear Load Floor Seat (C/Cab only)	add	33	add	42	5200	150	50	4193	73.1	44.7	5600	150	50	4260	83.8	44.7
60/40 Split Rear Seat (C/Cab only)	add	8	add	7	5200	150	100	4143	73.4	44.7	5600	150	100	4210	84.3	44.7
Power 6-Way Driver's Seat	add	3	add	1	5200	150	150	4093	73.7	44.7	5600	150	150	4160	84.7	44.7
Power 6-Way Passenger's Seat	add	3	add	1	5200	150	200	4043	74.0	44.7	5600	150	200	4110	85.2	44.7
Heated Seats	add	3	add	1	5200	150	250	3993	74.3	44.7	5600	150	250	4060	85.6	44.7
Less Second Row Bench (S/Cab only)		n.a.		n.a.	5200	150	300	3943	74.7	44.7	5600	150	300	4010	86.1	44.7
INTERIOR					5200	200	50	4143	71.3	44.7	5600	200	50	4210	82.2	44.7
Air Conditioning	add	44	sub	3	5200	200	100	4093	71.6	44.7	5600	200	100	4160	82.6	44.7
AM/FM/CD	add	3	add	3	5200	200	150	4043	71.9	44.7	5600	200	150	4110	83.1	44.7
AM/FM/CDx6	add	5	add	2	5200	200	200	3993	72.2	44.7	5600	200	200	4060	83.5	44.7
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8	5200	200	250	3943	72.5	44.7	5600	200	250	4010	83.9	44.7
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11	5200	200	300	3893	72.8	44.7	5600	200	300	3960	84.4	44.7
Satellite Radio	add	2	add	1	5600	250	100	4043	86.8	44.7	5600	250	100	4110	81.0	44.7
DVD Entertainment System	add	4	add	3	5600	250	150	3993	87.3	44.7	5600	250	150	4060	81.4	44.7
All Weather Floor Mats	add	6	add	4	5600	250	200	3943	87.8	44.7	5600	250	200	4010	81.8	44.7
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0	5600	250	250	3893	88.3	44.7	5600	250	250	3960	82.2	44.7
Power Adj. Accelerator & Brake Pedals	add	4	add	3	5600	250	300	3843	88.8	44.7	5600	250	300	3910	82.7	44.7
Power Windows & Door Locks	add	15	add	6	5600	250	350	3793	89.4	44.7	5600	250	350	3860	83.1	44.7
Speed Control/Tilt Steering Wheel	add	3	add	1	5600	300	100	3993	85.1	44.7	5600	300	100	4060	79.2	44.7
					5600	300	150	3943	85.6	44.7	5600	300	150	4010	79.6	44.7
					5600	300	200	3893	86.1	44.7	5600	300	200	3960	80.0	44.7
EXTERIOR					5600	300	250	3843	86.6	44.7	5600	300	250	3910	80.4	44.7
Body Side Moldings - Body Color	add	2	add	1	5600	300	300	3793	87.1	44.7	5600	300	300	3860	80.9	44.7
Bumpers - Chrome	add	7	sub	3	5600	300	350	3743	87.6	44.7	5600	300	350	3810	81.3	44.7
Cab Steps - Platform	add	27	add	20	5600	350	100	3943	83.4	44.7	5600	350	100	4010	77.5	44.7
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27	5600	350	150	3893	83.9	44.7	5600	350	150	3960	77.9	44.7
Cab Steps - 4" Tubular	add	20	add	15	5600	350	200	3843	84.3	44.7	5600	350	200	3910	78.2	44.7
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19	5600	350	250	3793	84.8	44.7	5600	350	250	3860	78.6	44.7
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27	5600	350	300	3743	85.3	44.7	5600	350	300	3810	79.0	44.7
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3	5600	350	350	3693	85.8	44.7	5600	350	350	3760	79.4	44.7
Mirrors - Power Glass, Manual Telescoping	add	11	add	3	5600	350	400	3643	86.3	44.7	5600	350	400	3710	79.9	44.7
Mirrors - Power Glass, Power Telescoping	add	11	add	3	5600	400	100	3893	81.7	44.7	5600	400	100	3960	75.7	44.7
Moonroof - Power Sliding (C/Cab only)	add	29	add	22	5600	400	150	3843	82.1	44.7	5600	400	150	3910	76.0	44.7
Pickup Box Mat	add	2	add	60	5600	400	200	3793	82.5	44.7	5600	400	200	3860	76.4	44.7
Sliding Rear Window - Manual	add	3	add	1	5600	400	250	3743	83.0	44.7	5600	400	250	3810	76.8	44.7
Sliding Rear Window - Power	add	4	add	3	5600	400	300	3693	83.5	44.7	5600	400	300	3760	77.2	44.7
					5600	400	350	3643	84.0	44.7	5600	400	350	3710	77.6	44.7
TRIM					5600	400	400	3593	84.5	44.7	5600	400	400	3660	78.0	44.7
XL Décor	sub	3	sub	1	5600	400	450	3543	85.0	44.7	5600	400	450	3610	78.4	44.7
XLT	add	7	add	7												
FX4	add	7	add	7												
Lariat	add	19	add	14												
Total Option Weight																

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

F-350 (4 X 4) DRW CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	27
Camper Package		n.a.		n.a.
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)	add	3	add	0
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Full Wheel Covers	add	4	add	4
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	25	add	20
Stepgate	sub	10	add	50
Spray-In Bedliner	add	1	add	19
WHEELS & TIRES				
17" Forged Aluminum Wheels	sub	29	sub	29
LT245/75R17E A/T	add	0	add	0
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 13000 lb (5896 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
6000	-50	-50	4169	80.0	44.7
6000	-50	0	4119	80.3	44.7
6000	-50	50	4069	80.7	44.7
6000	-50	100	4019	81.2	44.7
6000	0	-50	4119	78.3	44.7
6000	0	0	4069	78.6	44.7
6000	0	50	4019	79.0	44.7
6000	0	100	3969	79.4	44.7
6000	0	150	3919	79.8	44.7
6000	50	0	4019	76.9	44.7
6000	50	50	3969	77.2	44.7
6000	50	100	3919	77.6	44.7
6000	50	150	3869	78.0	44.7
6000	50	200	3819	78.4	44.7
6000	100	0	3969	75.1	44.7
6000	100	50	3919	75.4	44.7
6000	100	100	3869	75.8	44.7
6000	100	150	3819	76.1	44.7
6000	100	200	3769	76.5	44.7
6000	150	50	3869	73.5	44.7
6000	150	100	3819	73.9	44.7
6000	150	150	3769	74.2	44.7
6000	150	200	3719	74.6	44.7
6000	150	250	3669	74.9	44.7
6000	150	300	3619	75.3	44.7
6000	200	50	3819	71.6	44.7
6000	200	100	3769	71.9	44.7
6000	200	150	3719	72.2	44.7
6000	200	200	3669	72.6	44.7
6000	200	250	3619	72.9	44.7
6000	200	300	3569	73.3	44.7
6000	250	100	3719	69.9	44.7
6000	250	150	3669	70.2	44.7
6000	250	200	3619	70.5	44.7
6000	250	250	3569	70.8	44.7
6000	250	300	3519	71.2	44.7
6000	250	350	3469	71.5	44.7
6000	300	100	3669	67.9	44.7
6000	300	150	3619	68.1	44.7
6000	300	200	3569	68.4	44.7
6000	300	250	3519	68.7	44.7
6000	300	300	3469	69.0	44.7
6000	300	350	3419	69.3	44.7
6000	300	400	3369	69.6	44.7
6000	300	100	3669	67.9	44.7
6000	300	150	3619	68.1	44.7
6000	300	200	3569	68.4	44.7
6000	300	250	3519	68.7	44.7
6000	300	300	3469	69.0	44.7
6000	300	350	3419	69.3	44.7
6000	350	100	3619	65.8	44.7
6000	350	150	3569	66.0	44.7
6000	350	200	3519	66.3	44.7
6000	350	250	3469	66.5	44.7
6000	350	300	3419	66.8	44.7
6000	350	350	3369	67.1	44.7
6000	350	400	3319	67.4	44.7
6000	400	100	3569	63.6	44.7
6000	400	150	3519	63.8	44.7
6000	400	200	3469	64.1	44.7
6000	400	250	3419	64.3	44.7
6000	400	300	3369	64.5	44.7
6000	400	350	3319	64.8	44.7
6000	400	400	3269	65.0	44.7
6000	400	450	3219	65.3	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-450 (4 X 2) DRW CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)		n.a.		n.a.
Stepgate	sub	10	add	50
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 14500 lb (6576 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
6000	-50	-50	5442	74.9	44.7
6000	-50	0	5392	75.2	44.7
6000	-50	50	5342	75.4	44.7
6000	-50	100	5292	75.7	44.7
6000	0	-50	5392	73.6	44.7
6000	0	0	5342	73.8	44.7
6000	0	50	5292	74.1	44.7
6000	0	100	5242	74.3	44.7
6000	0	150	5192	74.6	44.7
6000	50	0	5292	72.4	44.7
6000	50	50	5242	72.7	44.7
6000	50	100	5192	72.9	44.7
6000	50	150	5142	73.2	44.7
6000	50	200	5092	73.4	44.7
6000	100	0	5242	71.0	44.7
6000	100	50	5192	71.3	44.7
6000	100	100	5142	71.5	44.7
6000	100	150	5092	71.7	44.7
6000	100	200	5042	72.0	44.7
6000	150	50	5142	69.8	44.7
6000	150	100	5092	70.0	44.7
6000	150	150	5042	70.2	44.7
6000	150	200	4992	70.5	44.7
6000	150	250	4942	70.7	44.7
6000	150	300	4892	70.9	44.7
6000	200	50	5092	68.3	44.7
6000	200	100	5042	68.5	44.7
6000	200	150	4992	68.7	44.7
6000	200	200	4942	69.0	44.7
6000	200	250	4892	69.2	44.7
6000	200	300	4842	69.4	44.7
6000	250	100	4992	67.0	44.7
6000	250	150	4942	67.2	44.7
6000	250	200	4892	67.4	44.7
6000	250	250	4842	67.6	44.7
6000	250	300	4792	67.8	44.7
6000	250	350	4742	68.0	44.7
6000	300	100	4942	65.5	44.7
6000	300	150	4892	65.6	44.7
6000	300	200	4842	65.8	44.7
6000	300	250	4792	66.0	44.7
6000	300	300	4742	66.2	44.7
6000	300	350	4692	66.4	44.7
6000	300	400	4642	66.6	44.7
6000	300	100	4942	65.5	44.7
6000	300	150	4892	65.6	44.7
6000	300	200	4842	65.8	44.7
6000	300	250	4792	66.0	44.7
6000	300	300	4742	66.2	44.7
6000	300	350	4692	66.4	44.7
6000	300	400	4642	66.6	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

F-450 (4 X 4) DRW CREW CAB — 172.4 IN (4379 mm) WHEELBASE

OPTION TABLE

OPTION DESCRIPTION	FRONT (lb)		REAR (lb)	
MECHANICAL				
Bed Extender	sub	2	add	23
Dual Alternator (Diesel Engines only)	add	21	add	0
Electric Shift-on-the-Fly (4x4 only)		n.a.		n.a.
PTC Supplemental Heater (Diesel Engines only)	add	3	add	1
Limited-Slip Rear Axle	add	0	add	5
Skid Plates (4x4 only)	add	25	add	20
Stepgate	sub	10	add	50
SEATING				
Front Bench Seat - 40/20/40	add	30	add	23
Front Bucket Seats	add	9	add	6
Front Captain's Chairs	add	11	add	10
Quad Captain's Chairs (C/Cab only)	add	34	add	37
Rear Load Floor Seat (C/Cab only)	add	33	add	42
60/40 Split Rear Seat (C/Cab only)	add	8	add	7
Power 6-Way Driver's Seat	add	3	add	1
Power 6-Way Passenger's Seat	add	3	add	1
Heated Seats	add	3	add	1
Less Second Row Bench (S/Cab only)		n.a.		n.a.
INTERIOR				
Air Conditioning	add	44	sub	3
AM/FM/CD	add	3	add	3
AM/FM/CDx6	add	5	add	2
AM/FM/CDx6 Audiophile (S/Cab & C/Cab)	add	9	add	8
AM/FM/CDx6 Audiophile/Nav System (S/Cab & C/Cab)	add	14	add	11
Satellite Radio	add	2	add	1
DVD Entertainment System	add	4	add	3
All Weather Floor Mats	add	6	add	4
Floor Covering - Vinyl ILO Carpet (XLT only)	add	3	add	0
Power Adj. Accelerator & Brake Pedals	add	4	add	3
Power Windows & Door Locks	add	15	add	6
Speed Control/Tilt Steering Wheel	add	3	add	1
EXTERIOR				
Body Side Moldings - Body Color	add	2	add	1
Bumpers - Chrome	add	7	sub	3
Cab Steps - Platform	add	27	add	20
Cab Steps - Platform w/lights (C/Cab)	add	39	add	27
Cab Steps - 4" Tubular	add	20	add	15
Cab Steps - 5" Tubular (S/Cab & C/Cab)	add	25	add	19
Cab Steps - 6" Angular (S/Cab & C/Cab)	add	39	add	27
Mirrors - Manual Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Manual Telescoping	add	11	add	3
Mirrors - Power Glass, Power Telescoping	add	11	add	3
Moonroof - Power Sliding (C/Cab only)	add	29	add	22
Pickup Box Mat	add	2	add	60
Sliding Rear Window - Manual	add	3	add	1
Sliding Rear Window - Power	add	4	add	3
TRIM				
XL Décor	sub	3	sub	1
XLT	add	7	add	7
FX4	add	7	add	7
Lariat	add	19	add	14
Total Option Weight				

Note: This pickup truck should not be used for carrying a slide-on camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.4L Diesel Engine 14500 lb (6576 kg) GVWR

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI
6500	-50	-50	5094	84.5	44.7
6500	-50	0	5044	84.9	44.7
6500	-50	50	4994	85.2	44.7
6500	-50	100	4944	85.6	44.7
6500	0	-50	5044	83.2	44.7
6500	0	0	4994	83.5	44.7
6500	0	50	4944	83.9	44.7
6500	0	100	4894	84.2	44.7
6500	0	150	4844	84.6	44.7
6500	50	0	4944	82.1	44.7
6500	50	50	4894	82.5	44.7
6500	50	100	4844	82.8	44.7
6500	50	150	4794	83.2	44.7
6500	50	200	4744	83.6	44.7
6500	100	0	4894	80.7	44.7
6500	100	50	4844	81.0	44.7
6500	100	100	4794	81.4	44.7
6500	100	150	4744	81.7	44.7
6500	100	200	4694	82.1	44.7
6500	150	50	4794	79.6	44.7
6500	150	100	4744	79.9	44.7
6500	150	150	4694	80.3	44.7
6500	150	200	4644	80.6	44.7
6500	150	250	4594	81.0	44.7
6500	150	300	4544	81.3	44.7
6500	200	50	4744	78.1	44.7
6500	200	100	4694	78.4	44.7
6500	200	150	4644	78.8	44.7
6500	200	200	4594	79.1	44.7
6500	200	250	4544	79.4	44.7
6500	200	300	4494	79.8	44.7
6500	250	100	4644	76.9	44.7
6500	250	150	4594	77.2	44.7
6500	250	200	4544	77.5	44.7
6500	250	250	4494	77.9	44.7
6500	250	300	4444	78.2	44.7
6500	250	350	4394	78.6	44.7
6500	300	100	4594	75.3	44.7
6500	300	150	4544	75.6	44.7
6500	300	200	4494	76.0	44.7
6500	300	250	4444	76.3	44.7
6500	300	300	4394	76.6	44.7
6500	300	350	4344	76.9	44.7
6500	300	400	4294	77.3	44.7
6500	300	100	4594	75.3	44.7
6500	300	150	4544	75.6	44.7
6500	300	200	4494	76.0	44.7
6500	300	250	4444	76.3	44.7
6500	300	300	4394	76.6	44.7
6500	300	350	4344	76.9	44.7
6500	300	400	4294	77.3	44.7

VEHICLE LOADING DATA

FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)
I	II	III	IV	V	VI

NOTE: The descriptions and specifications contained in this manual were in effect at the time this manual was approved for printing. Ford Motor Company reserves the right to discontinue models at any time, or change specifications or design without notice and without incurring any obligation.

PUBLICATIONS ORDERING INFORMATION

To obtain information about ordering additional copies of this publication or to order any other Ford or Lincoln/Mercury publications, call 1-800-782-4356 or visit www.helminc.com. Available publications include workshop manuals, wiring diagrams, PC/ED Manuals and Owner Guides.

In addition, you can obtain a publications order form by writing to: Ford Publications, care of Helm Inc., P.O. Box 07150, Detroit, MI 48207.

All rights reserved. Reproduction by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system or translation in whole or part is not permitted without written authorization from Ford Motor Company.

Copyright© 2009, Ford Motor Company.

Additional copies of this brochure can be obtained at
FMCDealer.com on the Ford intranet.

TECHNICAL
SUPPORT OPERATIONS
Ford Customer Service Division

APRIL 2009 **LITHO IN U.S.A.** **FCS-12177-10**