




**FORD PICKUP  
TRUCKS**

# **2011 MODEL YEAR CONSUMER INFORMATION**



## **Truck-Camper Loading**

### **WARNING**

Failure to observe the enclosed recommendations could affect the durability, ride quality and safe handling of the vehicle and could result in a vehicle accident and personal injuries.

**Additional copies of this brochure can be obtained at [FMCDealer.com](http://FMCDealer.com) on the Ford intranet.**

# TABLE OF CONTENTS

**CONSUMER INFORMATION REGULATIONS** ..... i  
**EXAMPLE PAGE**..... ii

**F-150 HD (4X2)**

REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 3.5 GTDI..... 1  
REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 5.0L.....2  
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 3.5 GTDI.....3  
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 5.0L.....4

**F-150 HD (4X4)**

REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 3.5 GTDI.....5  
REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 5.0L.....6  
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 3.5 GTDI.....7  
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 5.0L.....8

**F-250 (4X2)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....9  
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE.....10  
CREW CAB — 156.0 IN (3967 mm) WHEELBASE.....11  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....12  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....13

**F-250 (4X4)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....14  
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....15  
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....16  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....17  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....18

**F-250 (4X2) (CANADA)**

CREW CAB — 156.0 IN (3967 mm) WHEELBASE.....19  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....20  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....21

**F-250 (4X4) (CANADA)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....22  
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....23  
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....24  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....25  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....26

**F-350 (4X2) (17" Tires, 10,000 lb GVWR)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....27  
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....28  
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....29  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....30  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....31

**F-350 (4X4) (17" Tires, 10,000 lb GVWR)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....32  
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....33  
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....34  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....35  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....36

**F-350 (4X2) (CANADA) (17" Tires, 9,900 lb GVWR)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE ..... 37  
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....38  
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....39  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....40  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....41

**F-350 (4X4) (CANADA) (17" Tires, 9,900 lb GVWR)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....42  
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....43  
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....44  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....45  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....46

**F-350 (4X2) (17" Tires)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....47  
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....48  
CREW CAB — 156.0 IN (3967 mm) WHEELBASE ..... 49  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE ..... 50  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....51

**F-350 (4X4) (17" Tires)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....52  
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....53  
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....54  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....55  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....56

**F-350 (4X2) (18" Tires, 10,000 lb GVWR)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....57  
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....58  
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....59  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....60  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....61

**F-350 (4X4) (18" All Seasonal Tires, 10,000 lb GVWR)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....62  
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....63  
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....64  
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....65  
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....66

**F-350 (4X4) (18" All Terrain Tires, 10,000 lb GVWR)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....	67
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....	68
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....	69
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....	70
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....	71

**F-350 (4X2) (CANADA) (18" Tires, 9,900 lb GVWR)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....	72
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....	73
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....	74
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....	75
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....	76

**F-350 (4X4) (CANADA) (18" All Seasonal Tires, 9,900 lb GVWR)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....	77
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....	78
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....	79
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....	80
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....	81

**F-350 (4X4) (CANADA) (18" All Terrain Tires, 9,900 lb GVWR)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....	82
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....	83
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....	84
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....	85
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....	86

**F-350 (4X2) (18" Tires)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....	87
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....	88
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....	89
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....	90
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....	91

**F-350 (4X4) (18" All Seasonal Tires)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....	92
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....	93
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....	94
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....	95
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....	96

**F-350 (4X4) (18" All Terrain Target)**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....	97
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE .....	98
CREW CAB — 156.0 IN (3967 mm) WHEELBASE .....	99
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....	100
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....	101

**F-350 (4X2) DRW**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....	102
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....	103
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....	104

**F-350 (4X4) DRW**

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE .....	105
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE .....	106
CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....	107

**F-450 (4X4) DRW**

CREW CAB — 172.0 IN (4379 mm) WHEELBASE .....	108
---	-----

## CONSUMER INFORMATION REGULATIONS

This information is furnished in accordance with the Consumer Information Regulations of the National Highway Traffic Safety Administration, as applicable, by way of the vehicle Owner's Manual or a separate document supplied with the truck. It includes information to determine Cargo Weight Rating and Longitudinal Center of Gravity Zone for any selected F-Series pickup as equipped with factory-installed options.

**F-150 TRUCKS ARE RECOMMENDED FOR CARRYING SLIDE-IN CAMPERS ONLY WHEN EQUIPPED WITH HEAVY DUTY PAYLOAD PACKAGE (8200 LB GVWR).  
F-250, F-350 AND F-450 TRUCKS ARE RECOMMENDED FOR CARRYING SLIDE-IN CAMPERS ONLY WHEN EQUIPPED WITH OPTIONAL CAMPER PACKAGE.**

Model	Cab Type	Wheelbase (inches)	GVWR (pounds)
F-150 HD 4X2	Regular Cab	144.5	8200
F-150 HD 4X2	Super Cab	163.0	8200
F-150 HD 4X4	Regular Cab	144.5	8200
F-150 HD 4X4	Super Cab	163.0	8200
F-250/F-350	All	All	All
F-450	Crew Cab	172.4	13050

### NOTES:


**SLIDE-IN CAMPER USAGE IS NOT RECOMMENDED ON THE FOLLOWING: Explorer Sport Trac, Ranger and F-150 SuperCrew.**

**THIS PAMPHLET COVERS F-150, F-250, F-350 (8200-13,000 GVWRs) AND F-450 (13050 GVWR).**

### LOADING INSTRUCTIONS

Secure loose items to prevent weight shifts that could affect the balance of your vehicle. When the truck camper is loaded, drive onto a scale and weigh the front and the rear wheels separately to determine the axle loads. Individual axle loads should not exceed either of the Gross Axle Weight Ratings (GAWR). The total of the axle loads should not exceed the Gross Vehicle Weight Rating (GVWR). These ratings are given on the vehicle certification label that is located on the left side of the vehicle, normally the dash, hinge pillar, door latch post, or door edge next to the driver. If weight ratings are exceeded, move or remove items to bring all weights below the ratings.

**NOTE:** All fuel and water tanks should be full and all passengers should be in the truck when it is weighed.



### HOW TO DETERMINE MAXIMUM CARGO WEIGHT RATING AND LONGITUDINAL CENTER OF GRAVITY ZONE

This procedure should be followed to determine the Cargo Weight Rating and Center of Gravity Zone for a truck as equipped with factory-installed options. There is a set of tables applicable to each vehicle recommended for carrying a slide-in camper. The first table in each set lists the weight distribution of available optional equipment, and the second table is used to determine the Cargo Weight Rating and the Center of Gravity Zone of the selected vehicle.

**STEP ONE** – Locate the Option Table in the set that matches the Model, Cab Type, Wheelbase and Gross Vehicle Weight Rating (GVWR) of the vehicle for which you wish to determine the Cargo Weight Rating and the Center of Gravity Zone. Select those options with which you wish to equip your vehicle. Options that are not listed in the Option Table need not be considered in your calculations since they either are not physically compatible when a slide-in camper is installed (e.g., spare tire carrier located in the pickup box) or have only a minor weight effect, which is already included in the Vehicle Loading Data Table.

**STEP TWO** – Total (add or subtract as indicated) the front and rear weight columns separately as shown in the example. Note: If the vehicle is to be equipped with any SPECIAL ORDER OPTIONS (other than paint or trim), add an additional 20 lbs. to the front and 10 lbs. to the rear total option weights.

**STEP THREE** – Look at the Vehicle Loading Data Table next to the Option Table on which you indicated the desired options. Find the row of Option Weights – Columns II and III, that most closely represents but exceeds each of the total front and rear option weights found in step number two. \*In some cases there may exist more than one row of option weights – Columns II and III, which will fit a particular vehicle. In these cases use the row with the smaller front GAWR (Column I). This row of figures establishes the pickup's Cargo Weight Rating – Column IV, and Center of Gravity Zone Limits – Columns V and VI.

\* If either of your calculated front and rear option weights are greater than the maximums listed in the Table (Columns II and III), you have exceeded the option weight capacity for the vehicle selected. See your dealership for applicable option limitations.

**NOTE:** Vehicle configurations covered in this manual for which F-Series Camper Package is available should not be used for carrying a slide-in camper unless equipped with the Camper Package. Camper package is standard on F-150 Heavy Duty (HD) and optional on all other F-Series configurations in this manual.

**DEFINITIONS** – Slide-in camper means a structure with a roof, floor and sides for the purpose of providing shelter for people, and designed to be mounted on and removable from the cargo box area of a truck by the user.

### PROPER TRUCK AND CAMPER MATCH

Using the A and B dimensions found in the proper Vehicle Loading Data Table, the required Center of Gravity for a slide-in camper must fall within this zone as shown in the following illustration. The Center of Gravity of the camper is determined by the camper manufacturer and is indicated in literature accompanying campers manufactured after October 1, 1973.

When the truck is used to carry a slide-in camper, the total cargo load of the truck consists of the manufacturer's camper weight figure; the weight of installed additional camper equipment not included in the manufacturer's camper weight figure, the weight of camper cargo, and the weight of the passengers\* in the camper. The total cargo load should not exceed the truck's cargo weight rating and the camper's center of gravity should fall within the truck's recommended Center of Gravity Zone when installed.

**\*WARNING** – Passengers should be allowed to ride ONLY in seats with proper occupant restraint systems. Persons who are not properly restrained in designated seating positions are much more likely to suffer bodily injury in the event of a collision.

The Cargo Weight Rating and Longitudinal Center of Gravity Location Zone established by this folder are two important factors that have a direct influence on the handling and braking of a truck-camper combination. In addition, other factors such as road and wind conditions, height of camper load and condition of the tires also influence a vehicle's handling and braking. All factors must be considered and reasonable care must be exercised when operating a truck-camper vehicle. Ford offers many options that enhance a vehicle for camper usage. For optimum performance and enjoyment it is suggested that you equip your vehicle with those options specifically intended for camper hauling.

**EXAMPLE: F-150 HD (4X2) REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE**

OPTION TABLE			VEHICLE LOADING DATA 8200 lbs. (3721 kg) GVWR						VEHICLE LOADING DATA 8200 lbs. (3721 kg) GVWR								
OPTION DESCRIPTION	FRONT(lb)	REAR(lb)	FRONT		OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		
			GAWR (lb)	FRONT (lb)	FRONT (lb)	REAR (lb)		(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	(A) (in)		(B) (in)		
			I	II	III	IV	V	VI	I	II	III	IV	V	VI			
Daytime Running Lights	add 1	add 0	3750	0	0	2627	70.9	51.7									
Fog Lamps	add 8	sub 2		0	30	2597	71.2	51.9									
				0	60	2567	71.6	52.0									
				0	90	2537	72.0	52.1									
				0	120	2507	72.3	52.3									
AM/FM Cassette/CD	add 1	add 0		0	150	2477	72.7	52.4									
AM/FM Cassette/6 CD Changer	add 1	add 0		30	0	2597	69.6	50.2									
6 Disc CD Changer w/Audiophile System	add 10	add 8		30	30	2567	69.9	50.3									
				30	60	2537	70.3	50.4									
				30	90	2507	70.6	50.5									
Less Lumbar Support - Driver	sub 2	add 0	30	120	2477	71.0	50.7										
Lumbar Support - Passenger	add 2	add 0	30	150	2447	71.3	50.8										
			60	0	2567	68.2	48.6										
			60	30	2537	68.5	48.7										
			60	60	2507	68.9	48.8										
			60	90	2477	69.2	48.9										
Carpet Floor Covering	add 2	add 0	60	120	2447	69.6	49.0										
Floor Mats - Carpet	add 3	add 1	60	150	2417	69.9	49.1										
Floor Mats - Rubber	add 7	add 4	90	0	2537	66.8	47.0										
			90	30	2507	67.1	47.1										
			90	60	2477	67.5	47.2										
Overhead Console	add 2	add 0	90	90	2447	67.8	47.2										
			90	120	2417	68.1	47.3										
			90	150	2387	68.5	47.4										
			120	0	2507	65.4	45.3										
Sliding Rear Window	add 2	add 2	120	30	2477	65.7	45.4										
Backlight w/Defroster	add 1	add 0	120	60	2447	66.0	45.5										
			120	90	2417	66.3	45.5										
			120	120	2387	66.7	45.6										
			120	150	2357	67.0	45.6										
Cab Steps - Black	add 28	add 19	150	0	2477	64.0	43.7										
Cab Steps - Bright	add 20	add 13	150	30	2447	64.3	43.7										
Electrochromatic Rearview Mirror	add 1	add 0	150	60	2417	64.5	43.7										
Power Mirrors	add 4	add 0	150	90	2387	64.8	43.8										
Power/Heated/Signal Mirrors	add 4	add 1	150	120	2357	65.2	43.8										
Speed Control	add 1	add 0	150	150	2327	65.5	43.8										
Keyless Entry	add 2	add 2															
Chrome Front Bumper	add 3	sub 1															
Engine Block Heater	add 2	add 0															
Front License Plate Bracket	add 1	add 0															
Power Adjustable Pedals	add 3	add 2															
Extended Range Fuel Tank	add 21	add 37															
Reverse Sensing System	add 0	add 1															
Power Windows/Locks	add 1	add 1															
Rear Cargo Storage Unit	add 4	add 6															
Limited Slip Axle	add 0	add 6															
Trailer Tow	sub 11	add 51															
XLT Trim	add 8	add 16															
Tutone Paint	add 2	add 2															
<b>Total Option Weight</b>																	
Note: Be careful not to double count. Each option should only be added once.																	


Choose 60 lbs (front) and 120 lbs (rear) which most closely represents and exceeds the 53 lbs front option weight and the 96 lbs rear option weight.

**Total Option Weight Front = 53 lbs / Rear = 96 lbs**

Enter the Cargo Weight Rating and the A and B dimensions from the appropriate table in the box below and retain this folder for future reference.

"Cargo Weight Rating" means the value specified by the manufacturer as the cargo-carrying capacity, in pounds, of a vehicle, exclusive of the weight of the occupants (in the vehicle), computed as 150 pounds times the number of designated seating positions.

	Our Example	Your Truck
Cargo Weight Rating	2447 lbs	_____ pounds
Center of Gravity Zone of Dimensions		
A.	69.6 inches	_____ inches
B.	49.0 inches	_____ inches



**F-150 HD (4 X 2) REGULAR CAB --- 144.5 IN (3671 mm) WHEELBASE --- 3.5L GTDI**

OPTION WEIGHTS				VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						
OPTION LISTING	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS	
	add		add			FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)		FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)
	I	II	III	IV		V	VI		I	II		III	IV		V	VI
<b>LIGHTS</b>																
Daytime Running Lights	add	1	add	0				2657	68.8	49.9						
Fog Lamps	add	2	add	0	3750	0	50	2607	69.4	50.1						
<b>RADIOS</b>																
AM/FM Cassette/CD	add	1	add	0		0	100	2557	69.9	50.2						
AM/FM Cassette/6 CD Changer	add	1	add	0		0	150	2507	70.5	50.4						
Subwoofer	add	11	add	11		0	200	2457	71.1	50.6						
<b>FLOOR COVERINGS</b>																
Carpet Floor Covering	add	3	add	1		50	50	2607	66.6	47.3						
Floor Mats - Carpet	add	4	add	2		50	100	2557	67.1	47.4						
Floor Mats - Rubber	add	3	add	1		50	150	2457	68.2	47.7						
<b>CONSOLE</b>																
Mini Overhead Console	add	2	add	0		50	100	2507	67.6	47.5						
Overhead Console	add	7	add	1		100	50	2507	64.3	44.6						
Standalone Floor Console	sub	10	sub	6		100	100	2457	64.7	44.7						
Flow Through Floor Console	sub	7	sub	3		100	100	2457	65.2	44.7						
<b>GLASS</b>																
Sliding Rear Window	add	2	add	2		100	150	2407	65.7	44.8						
Power Sliding Rear Window	add	4	add	3		150	50	2457	62.3	42.2						
<b>COMFORT/CONVENIENCE</b>																
Tubular Cab Steps - Black	add	25	add	28		150	100	2407	62.7	42.2						
Tubular Cab Steps - Bright	add	20	add	23		150	150	2357	63.2	42.2						
Platform Style Running Boards	add	18	add	21		150	200	2307	63.7	42.2						
Box Access Steps	add	14	add	46												
Power Mirrors	add	4	add	0												
Power/Heated/Signal Mirrors	add	4	add	1												
Manual Trailer Tow Mirrors	add	5	add	2												
Power Trailer Tow Mirrors	add	8	add	4												
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
6-Way Power Driver Seat	add	5	add	3												
10-Way Power Driver & Passenger Seats	add	16	add	12												
Heated Seats	add	2	add	2												
<b>BUMPERS</b>																
Chrome Front Bumper	add	3	sub	1												
<b>FUNCTIONAL</b>																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	3	add	2												
Power Windows/Locks	add	2	add	1												
Moonroof	add	18	add	16												
<b>PACKAGES</b>																
Trailer Tow	sub	10	add	50												
<b>TRIM VERSIONS</b>																
XLT Trim	add	16	add	18												
Lariat Trim	add	33	add	16												
Tutone Paint	add	2	add	1												
Wheel Lip Molding	add	3	add	2												
<b>WHEELS</b>																
Aluminum Wheels	sub	21	sub	14												
<b>Total Option Weight</b>																
Note: Be Careful not to double count, each option should only be added once.																

**F-150 HD (4 X 2) REGULAR CAB --- 144.5 IN (3671 mm) WHEELBASE --- 5.0L**

OPTION WEIGHTS				VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						
OPTION LISTING	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS	
	add	sub	add	sub		FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)		FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)
	I	II	III	IV		V	VI		I	II		III	IV		V	VI
<b>LIGHTS</b>																
Daytime Running Lights	add	1	add	0												
Fog Lamps	add	2	add	0												
<b>RADIOS</b>																
AM/FM Cassette/CD	add	1	add	0												
AM/FM Cassette/6 CD Changer	add	1	add	0												
<b>FLOOR COVERINGS</b>																
Carpet Floor Covering	add	2	add	0												
Floor Mats - Carpet	add	3	add	1												
Floor Mats - Rubber	add	2	add	1												
<b>GLASS</b>																
Sliding Rear Window	add	2	add	2												
<b>COMFORT/CONVENIENCE</b>																
Cab Steps - Black	add	27	add	18												
Cab Steps - Bright	add	22	add	15												
Box Access Steps	add	14	add	46												
Power Mirrors	add	4	add	0												
Power/Heated/Signal Mirrors	add	4	add	1												
Manual Trailer Tow Mirrors	add	5	add	2												
Power Trailer Tow Mirrors	add	8	add	4												
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
<b>BUMPERS</b>																
Chrome Front Bumper	add	3	sub	1												
<b>FUNCTIONAL</b>																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	3	add	2												
Extended Range Fuel Tank	add	22	add	38												
Power Windows/Locks	add	1	add	1												
<b>PACKAGES</b>																
Trailer Tow	sub	11	add	51												
<b>TRIM VERSIONS</b>																
XLT Trim	add	8	add	16												
Tutone Paint	add	1	add	1												
<b>WHEELS</b>																
Aluminum Wheels	sub	21	sub	14												
<b>Total Option Weight</b>																
Note: Be Careful not to double count, each option should only be added once.																

**F-150 HD (4 X 2) SUPER CAB --- 163.0 IN (4143 mm) WHEELBASE --- 3.5L GTDI**

OPTION WEIGHTS				VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						
OPTION LISTING	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS	
	add	sub	add	sub		FRONT	REAR		FRONT	REAR		FRONT	REAR			
	(lb)	(lb)	(lb)	(lb)		(in)	(in)		(in)	(in)		(in)	(in)			
<b>LIGHTS</b>																
Daytime Running Lights	add	1	add	0												
Fog Lamps	add	2	add	0	3750	0	0	1822	50.2	42.2	4050	50	0	1772	73.4	42.2
<b>RADIOS</b>																
AM/FM Cassette/CD	add	1	add	0		0	50	1772	50.4	42.2		50	50	1722	74.4	42.2
AM/FM Cassette/6 CD Changer	add	1	add	0		0	100	1722	50.7	42.2		50	100	1672	75.4	42.2
Navigation Radio	add	6	add	2		0	150	1672	51.0	42.2		50	150	1622	76.4	42.2
Subwoofer	add	11	add	11		0	200	1622	51.3	42.2		50	200	1572	77.6	42.2
						0	250	1572	51.6	42.2		50	250	1522	78.8	42.2
<b>FLOOR COVERINGS</b>																
Carpet Floor Covering	add	3	add	1								100	0	1722	69.6	42.2
Floor Mats - Carpet	add	4	add	2								100	50	1672	70.5	42.2
Floor Mats - Rubber	add	3	add	1								100	100	1622	71.4	42.2
<b>CONSOLE</b>												100	150	1572	72.4	42.2
Mini Overhead Console	add	2	add	0								100	200	1522	73.4	42.2
Overhead Console	add	7	add	1								100	250	1472	74.5	42.2
Standalone Floor Console	sub	10	sub	6								150	0	1672	65.6	42.2
Flow Through Floor Console	sub	7	sub	3								150	50	1622	66.4	42.2
<b>GLASS</b>												150	100	1572	67.2	42.2
Sliding Rear Window	add	2	add	2								150	150	1522	68.1	42.2
Power Sliding Rear Window	add	4	add	3								150	200	1472	69.0	42.2
<b>COMFORT/CONVENIENCE</b>												150	250	1422	70.0	42.2
Tubular Cab Steps - Black	add	25	add	28												
Tubular Cab Steps - Bright	add	20	add	23												
Platform Style Running Boards	add	18	add	21												
Box Access Steps	add	14	add	46												
Power Mirrors	add	4	add	0												
Power/Heated/Signal Mirrors	add	4	add	1												
Manual Trailer Tow Mirrors	add	5	add	2												
Power Trailer Tow Mirrors	add	8	add	4												
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
6-Way Power Driver Seat	add	5	add	3												
10-Way Power Driver & Passenger Seats	add	16	add	12												
Heated Seats	add	2	add	2												
<b>BUMPERS</b>																
Chrome Front Bumper	add	3	sub	1												
<b>FUNCTIONAL</b>																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	3	add	2												
Extended Range Fuel Tank	add	22	add	38												
Power Windows/Locks	add	2	add	1												
Moonroof	add	18	add	16												
<b>PACKAGES</b>																
Trailer Tow	sub	10	add	50												
<b>TRIM VERSIONS</b>																
XLT Trim	add	16	add	18												
Lariat Trim	add	33	add	16												
Tutone Paint	add	2	add	1												
Wheel Lip Molding	add	3	add	2												
<b>WHEELS</b>																
Aluminum Wheels	sub	21	sub	14												
<b>Total Option Weight</b>																
Note: Be Careful not to double count, each option should only be added once.																



**F-150 HD (4 X 2) SUPER CAB --- 163.0 IN (4143 mm) WHEELBASE --- 5.0L**

OPTION WEIGHTS				VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION LISTING	FRONT (lb)	REAR (lb)	FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		
				FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)		FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)	
				I	II		III	IV		V	VI		I	II	III
<b>LIGHTS</b>															
Daytime Running Lights	add	1	add	0											
Fog Lamps	add	2	add	0											
<b>RADIOS</b>															
AM/FM Cassette/CD	add	1	add	0	0	150	1671	51.0	42.2	50	150	1621	76.4	42.2	
AM/FM Cassette/6 CD Changer	add	1	add	0	0	200	1621	51.3	42.2	50	200	1571	77.6	42.2	
Navigation Radio	add	6	add	2	0	250	1571	51.6	42.2	50	250	1521	78.8	42.2	
Subwoofer	add	11	add	11						100	0	1721	69.6	42.2	
<b>FLOOR COVERINGS</b>										100	50	1671	70.5	42.2	
Carpet Floor Covering	add	3	add	1						100	100	1621	71.4	42.2	
Floor Mats - Carpet	add	4	add	2						100	150	1571	72.4	42.2	
Floor Mats - Rubber	add	3	add	1						100	200	1521	73.4	42.2	
<b>CONSOLE</b>										100	250	1471	74.5	42.2	
Mini Overhead Console	add	2	add	0						150	0	1671	65.6	42.2	
Overhead Console	add	7	add	1						150	50	1621	66.4	42.2	
Standalone Floor Console	sub	10	sub	6						150	100	1571	67.2	42.2	
Flow Through Floor Console	sub	7	sub	3						150	150	1521	68.1	42.2	
<b>GLASS</b>										150	200	1471	69.0	42.2	
Sliding Rear Window	add	2	add	2						150	250	1421	70.0	42.2	
Power Sliding Rear Window	add	4	add	3						180	0	1641	63.1	42.2	
<b>COMFORT/CONVENIENCE</b>										180	50	1591	63.8	42.2	
Tubular Cab Steps - Black	add	25	add	28						180	100	1541	64.5	42.2	
Tubular Cab Steps - Bright	add	20	add	23						180	150	1491	65.3	42.2	
Platform Style Running Boards	add	18	add	21						180	200	1441	66.2	42.2	
Box Access Steps	add	14	add	16						180	250	1391	67.1	42.2	
Power Mirrors	add	4	add	0											
Power/Heated/Signal Mirrors	add	4	add	1											
Manual Trailer Tow Mirrors	add	5	add	2											
Power Trailer Tow Mirrors	add	8	add	4											
Speed Control	add	1	add	0											
Keyless Entry	add	2	add	2											
6-Way Power Driver Seat	add	5	add	3											
10-Way Power Driver & Passenger Seats	add	16	add	12											
Heated Seats	add	2	add	2											
<b>BUMPERS</b>															
Chrome Front Bumper	add	3	sub	1											
<b>FUNCTIONAL</b>															
Engine Block Heater	add	2	add	0											
Power Adjustable Pedals	add	3	add	2											
Extended Range Fuel Tank	add	22	add	38											
Power Windows/Locks	add	2	add	1											
Moonroof	add	18	add	16											
<b>PACKAGES</b>															
Trailer Tow	sub	10	add	50											
<b>TRIM VERSIONS</b>															
XLT Trim	add	16	add	18											
Lariat Trim	add	33	add	16											
Tutone Paint	add	2	add	1											
Wheel Lip Molding	add	3	add	2											
<b>WHEELS</b>															
Aluminum Wheels	sub	21	sub	14											
<b>Total Option Weight</b>															
Note: Be Careful not to double count, each option should only be added once.															

**F-150 HD (4 X 4) REGULAR CAB --- 144.5 IN (3671 mm) WHEELBASE --- 3.5L GTDI**

OPTION WEIGHTS				VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						
OPTION LISTING	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS	
	add	sub	add	sub		FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)		FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)
	I	II	III	IV		V	VI		I	II		III	IV		V	VI
<b>LIGHTS</b>																
Daytime Running Lights	add	1	add	0				2444	78.1	42.2						
Fog Lamps	add	2	add	0	4050	0	0	2394	78.9	42.2						
<b>RADIOS</b>																
AM/FM Cassette/CD	add	1	add	0		0	100	2344	79.7	42.2						
AM/FM Cassette/6 CD Changer	add	1	add	0		0	150	2294	80.6	42.2						
						0	200	2244	81.4	42.2						
						50	0	2394	75.9	42.2						
<b>FLOOR COVERINGS</b>																
Carpet Floor Covering	add	2	add	0		50	50	2344	76.6	42.2						
Floor Mats - Carpet	add	3	add	1		50	100	2294	77.4	42.2						
Floor Mats - Rubber	add	2	add	1		50	150	2244	78.2	42.2						
						50	200	2194	79.1	42.2						
						100	0	2344	73.5	42.2						
<b>GLASS</b>																
Sliding Rear Window	add	2	add	2		100	50	2294	74.3	42.2						
						100	100	2244	75.0	42.2						
						100	150	2194	75.8	42.2						
						100	200	2144	76.6	42.2						
<b>COMFORT/CONVENIENCE</b>																
Cab Steps - Black	add	27	add	18		150	0	2294	71.1	42.2						
Cab Steps - Bright	add	22	add	15		150	50	2244	71.8	42.2						
Box Access Steps	add	14	add	46		150	100	2194	72.5	42.2						
Power Mirrors	add	4	add	0		150	150	2144	73.2	42.2						
Power/Heated/Signal Mirrors	add	4	add	1		150	200	2094	74.0	42.2						
Manual Trailer Tow Mirrors	add	5	add	2												
Power Trailer Tow Mirrors	add	8	add	4												
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
<b>BUMPERS</b>																
Chrome Front Bumper	add	3	sub	1												
<b>FUNCTIONAL</b>																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	3	add	2												
Power Windows/Locks	add	1	add	1												
<b>PACKAGES</b>																
Trailer Tow	sub	11	add	51												
<b>TRIM VERSIONS</b>																
XLT Trim	add	8	add	16												
Tutone Paint	add	1	add	1												
<b>4x4 OPTIONS</b>																
Skid Plates	add	21	add	13												
<b>WHEELS</b>																
Aluminum Wheels	sub	21	sub	14												
<b>Total Option Weight</b>																
Note: Be Careful not to double count, each option should only be added once.																

**F-150 HD (4 X 4) REGULAR CAB --- 144.5 IN (3671 mm) WHEELBASE --- 5.0L**

OPTION WEIGHTS				VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						
OPTION LISTING	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS	
	add	sub	add	sub		FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)		FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)
	I	II	III	IV		V	VI		I	II		III	IV		V	VI
<b>LIGHTS</b>																
Daytime Running Lights	add	1	add	0												
Fog Lamps	add	2	add	0	4050	0	0	2362	76.4	42.2						
<b>RADIOS</b>																
AM/FM Cassette/CD	add	1	add	0		0	50	2312	77.1	42.2						
AM/FM Cassette/6 CD Changer	add	1	add	0		0	100	2262	77.9	42.2						
						0	150	2212	78.8	42.2						
						0	200	2162	79.6	42.2						
<b>FLOOR COVERINGS</b>						50	0	2312	74.0	42.2						
Carpet Floor Covering	add	2	add	0		50	50	2262	74.7	42.2						
Floor Mats - Carpet	add	3	add	1		50	100	2212	75.5	42.2						
Floor Mats - Rubber	add	2	add	1		50	150	2162	76.3	42.2						
						50	200	2112	77.1	42.2						
						100	0	2262	71.5	42.2						
<b>GLASS</b>						100	50	2212	72.2	42.2						
Sliding Rear Window	add	2	add	2		100	100	2162	73.0	42.2						
						100	150	2112	73.7	42.2						
<b>COMFORT/CONVENIENCE</b>						100	200	2062	74.5	42.2						
Cab Steps - Black	add	27	add	18		150	0	2212	69.0	42.2						
Cab Steps - Bright	add	22	add	15		150	50	2162	69.6	42.2						
Box Access Steps	add	14	add	46		150	100	2112	70.3	42.2						
Power Mirrors	add	4	add	0		150	150	2062	71.0	42.2						
Power/Heated/Signal Mirrors	add	4	add	1		150	200	2012	71.8	42.2						
Manual Trailer Tow Mirrors	add	5	add	2												
Power Trailer Tow Mirrors	add	8	add	4												
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
<b>BUMPERS</b>																
Chrome Front Bumper	add	3	sub	1												
<b>FUNCTIONAL</b>																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	3	add	2												
Power Windows/Locks	add	1	add	1												
<b>PACKAGES</b>																
Trailer Tow	sub	11	add	51												
<b>TRIM VERSIONS</b>																
XLT Trim	add	8	add	16												
Tutone Paint	add	1	add	1												
<b>4x4 OPTIONS</b>																
Skid Plates	add	21	add	13												
<b>WHEELS</b>																
Aluminum Wheels	sub	21	sub	14												
<b>Total Option Weight</b>																
Note: Be Careful not to double count, each option should only be added once.																

**F-150 HD (4 X 4) SUPER CAB --- 163.0 IN (4143 mm) WHEELBASE --- 3.5L GTDI**

OPTION WEIGHTS				VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR								
OPTION LISTING	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT (lb)		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS (in)		FRONT GAWR (lb)	OPTION WEIGHT (lb)		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS (in)			
									FRONT	REAR					FRONT	REAR		
	I	II	III	IV		V	VI		I	II		III	IV		V	VI		
<b>LIGHTS</b>																		
Daytime Running Lights	add	1	add	0														
Fog Lamps	add	2	add	0														
					4050	0	0	1599	65.0	42.2								
<b>RADIOS</b>																		
AM/FM Cassette/CD	add	1	add	0		0	50	1549	65.8	42.2								
AM/FM Cassette/6 CD Changer	add	1	add	0		0	100	1499	66.6	42.2								
Navigation Radio	add	6	add	2		0	150	1449	67.5	42.2								
Subwoofer	add	11	add	11		50	50	1499	61.2	42.2								
						50	100	1449	61.9	42.2								
						50	150	1399	62.6	42.2								
<b>FLOOR COVERINGS</b>																		
Carpet Floor Covering	add	3	add	1		50	200	1349	63.4	42.2								
Floor Mats - Carpet	add	4	add	2		100	0	1499	55.7	42.2								
Floor Mats - Rubber	add	3	add	1		100	50	1449	56.3	42.2								
						100	100	1399	56.8	42.2								
						100	150	1349	57.4	42.2								
<b>CONSOLE</b>																		
Mini Overhead Console	add	2	add	0		100	200	1299	58.0	42.2								
Overhead Console	add	7	add	1		150	0	1449	50.6	42.2								
Standalone Floor Console	sub	10	sub	6		150	50	1399	51.0	42.2								
Flow Through Floor Console	sub	7	sub	3		150	100	1349	51.4	42.2								
						150	150	1299	51.8	42.2								
						150	200	1249	52.2	42.2								
<b>GLASS</b>																		
Sliding Rear Window	add	2	add	2														
Power Sliding Rear Window	add	4	add	3														
<b>COMFORT/CONVENIENCE</b>																		
Tubular Cab Steps - Black	add	25	add	28														
Tubular Cab Steps - Bright	add	20	add	23														
Platform Style Running Boards	add	18	add	21														
Box Access Steps	add	14	add	46														
Power Mirrors	add	4	add	0														
Power/Heated/Signal Mirrors	add	4	add	1														
Manual Trailer Tow Mirrors	add	5	add	2														
Power Trailer Tow Mirrors	add	8	add	4														
Speed Control	add	1	add	0														
Keyless Entry	add	2	add	2														
6-Way Power Driver Seat	add	5	add	3														
10-Way Power Driver & Passenger Seats	add	16	add	12														
Heated Seats	add	2	add	2														
<b>BUMPERS</b>																		
Chrome Front Bumper	add	3	sub	1														
<b>FUNCTIONAL</b>																		
Engine Block Heater	add	2	add	0														
Power Adjustable Pedals	add	3	add	2														
Power Windows/Locks	add	2	add	1														
Moonroof	add	18	add	16														
<b>PACKAGES</b>																		
Trailer Tow	sub	10	add	50														
<b>TRIM VERSIONS</b>																		
XLT Trim	add	16	add	18														
Lariat Trim	add	33	add	16														
Tutone Paint	add	2	add	1														
Wheel Lip Molding	add	3	add	2														
<b>4x4 OPTIONS</b>																		
Skid Plates	add	21	add	13														
<b>WHEELS</b>																		
Aluminum Wheels	sub	21	sub	14														
<b>Total Option Weight</b>																		
Note: Be Careful not to double count, each option should only be added once.																		

**F-150 HD (4 X 4) SUPER CAB --- 163.0 IN (4143 mm) WHEELBASE --- 5.0L**

OPTION WEIGHTS				VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						
OPTION LISTING	FRONT (lb)		REAR (lb)		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (lb)	OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS	
	add		add			FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)		FRONT (lb)	REAR (lb)		FRONT (in)	REAR (in)
	I	II	III	IV		V	VI		I	II		III	IV		V	VI
<b>LIGHTS</b>					4050	0	0	1523	60.6	42.2						
Daytime Running Lights	add	1	add	0		0	50	1473	61.3	42.2						
Fog Lamps	add	2	add	0		0	100	1423	62.0	42.2						
<b>RADIOS</b>						0	150	1373	62.8	42.2						
AM/FM Cassette/CD	add	1	add	0		0	200	1323	63.6	42.2						
AM/FM Cassette/6 CD Changer	add	1	add	0		50	0	1473	55.8	42.2						
Navigation Radio	add	6	add	2		50	50	1423	56.3	42.2						
Subwoofer	add	11	add	11		50	100	1373	56.9	42.2						
<b>FLOOR COVERINGS</b>						50	150	1323	57.5	42.2						
Carpet Floor Covering	add	3	add	1		50	200	1273	58.1	42.2						
Floor Mats - Carpet	add	4	add	2		100	0	1423	50.6	42.2						
Floor Mats - Rubber	add	3	add	1		100	50	1373	50.9	42.2						
<b>CONSOLE</b>						100	100	1323	51.3	42.2						
Mini Overhead Console	add	2	add	0		100	150	1273	51.7	42.2						
Overhead Console	add	7	add	1		100	200	1223	52.2	42.2						
Standalone Floor Console	sub	10	sub	6		150	0	1373	45.0	42.2						
Flow Through Floor Console	sub	7	sub	3		150	50	1323	45.2	42.2						
<b>GLASS</b>						150	100	1273	45.3	42.2						
Sliding Rear Window	add	2	add	2		150	150	1223	45.5	42.2						
Power Sliding Rear Window	add	4	add	3		150	200	1173	45.7	42.2						
<b>COMFORT/CONVENIENCE</b>																
Tubular Cab Steps - Black	add	25	add	28												
Tubular Cab Steps - Bright	add	20	add	23												
Platform Style Running Boards	add	18	add	21												
Box Access Steps	add	14	add	46												
Power Mirrors	add	4	add	0												
Power/Heated/Signal Mirrors	add	4	add	1												
Manual Trailer Tow Mirrors	add	5	add	2												
Power Trailer Tow Mirrors	add	8	add	4												
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
6-Way Power Driver Seat	add	5	add	3												
10-Way Power Driver & Passenger Seats	add	16	add	12												
Heated Seats	add	2	add	2												
<b>BUMPERS</b>																
Chrome Front Bumper	add	3	sub	1												
<b>FUNCTIONAL</b>																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	3	add	2												
Power Windows/Locks	add	2	add	1												
Moonroof	add	18	add	16												
<b>PACKAGES</b>																
Trailer Tow	sub	10	add	50												
<b>TRIM VERSIONS</b>																
XLT Trim	add	16	add	18												
Lariat Trim	add	33	add	16												
Tutone Paint	add	2	add	1												
Wheel Lip Molding	add	3	add	2												
<b>4x4 OPTIONS</b>																
Skid Plates	add	21	add	13												
<b>WHEELS</b>																
Aluminum Wheels	sub	21	sub	14												
<b>Total Option Weight</b>																
Note: Be Careful not to double count, each option should only be added once.																



OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9400 lb (4263 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9800 lb (4444 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS			
				FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)		FRONT (A) (IN)	REAR (B) (IN)					
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	4250	-50	-50	2265	68.6	44.7	4850	-50	-50	2099	76.6	44.7
Limited Slip Rear Axle	Add	0	Sub	5	4250	-50	0	2215	69.1	44.7	4850	-50	0	2049	77.3	44.7
Brake Controller	Add	1	Sub	0	4250	-50	50	2165	69.6	44.7	4850	-50	50	1999	78.1	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4250	-50	100	2115	70.1	44.7	4850	-50	100	1949	78.8	44.7
Skid Plates	Add	18	Add	18	4400	0	-50	2215	75.5	44.7	4850	0	-50	2049	73.9	44.7
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	2165	76.1	44.7	4850	0	0	1999	74.5	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	2115	76.8	44.7	4850	0	50	1949	75.2	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	2065	77.5	44.7	4850	0	100	1899	75.9	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4400	0	150	2015	78.3	44.7	4850	0	150	1849	76.7	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4400	50	0	2115	73.5	44.7	4850	50	0	1949	71.6	44.7
Dual Alternator	Add	16	Sub	0	4400	50	50	2065	74.1	44.7	4850	50	50	1899	72.2	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4400	50	100	2015	74.7	44.7	4850	50	100	1849	72.9	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4400	50	150	1965	75.4	44.7	4850	50	150	1799	73.5	44.7
Manual Air Conditioning	Add	34	Sub	-1	4400	50	200	1915	76.1	44.7	4850	50	200	1749	74.3	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4400	50	250	1865	76.9	44.7	4850	50	250	1699	75.1	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4400	50	300	1815	77.7	44.7	4850	50	300	1649	75.9	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4400	50	350	1765	78.5	44.7	4850	50	350	1599	76.8	44.7
LT 275/60R18E A/T BSW (SRW Only)	Add	22	Add	22	4400	100	0	2085	70.6	44.7	5000	100	0	1899	73.7	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4400	100	50	2015	71.2	44.7	5000	100	50	1849	80.5	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4400	100	100	1965	71.8	44.7	5000	100	100	1799	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4400	100	150	1915	72.4	44.7	5000	100	150	1749	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4400	100	200	1865	73.1	44.7	5000	100	200	1699	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4400	100	250	1815	73.8	44.7	5000	100	250	1649	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4400	100	300	1765	74.5	44.7	5000	100	300	1599	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4400	100	350	1715	75.3	44.7	5000	100	350	1549	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4550	150	0	2015	78.3	44.7	5000	150	0	1849	76.7	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4550	150	50	1965	79.0	44.7	5000	150	50	1799	77.5	44.7
Stepgate (Upgraded Tailgate)	Add	-8	Add	41	4550	150	100	1915	79.8	44.7	5000	150	100	1749	78.3	44.7
Pickup Bed Extender	Sub	-2	Add	22	4550	150	150	1865	80.7	44.7	5000	150	150	1699	79.2	44.7
Spray-in Bedliner	Sub	0	Add	16	4550	150	200	1815	81.0	44.7	5000	150	200	1649	80.2	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	4550	150	250	1765	81.0	44.7	5000	150	250	1599	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	4550	150	300	1715	81.0	44.7	5000	150	300	1549	81.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	4550	150	350	1665	81.0	44.7	5000	150	350	1499	81.0	44.7
Lower Body-side Molding	Add	2	Add	1	4550	200	0	1965	75.4	44.7	5000	200	0	1799	73.5	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4550	200	50	1915	76.1	44.7	5000	200	50	1749	74.3	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4550	200	100	1865	76.9	44.7	5000	200	100	1699	75.1	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	200	150	1815	77.7	44.7	5000	200	150	1649	75.9	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional Sliding Rear Window	Add	13	Add	5	4550	200	200	1765	78.5	44.7	5000	200	200	1599	76.8	44.7
Power Sliding Rear Window	Add	6	Add	1	4550	200	250	1715	79.4	44.7	5000	200	250	1549	77.7	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4550	200	300	1665	80.4	44.7	5000	200	300	1499	78.7	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4700	250	0	1915	81.0	44.7	5000	250	0	1749	81.0	44.7
Foglamps	Add	3	Sub	0	4700	250	100	1815	81.0	44.7	5250	250	50	1699	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4700	250	150	1765	81.0	44.7	5250	250	100	1649	81.0	44.7
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	4700	250	200	1715	81.0	44.7	5250	250	150	1599	81.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4700	250	250	1665	81.0	44.7	5250	250	200	1549	81.0	44.7
All Weather Floor Mat	Add	10	Add	6	4700	250	300	1615	81.0	44.7	5250	250	250	1499	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4700	250	350	1565	81.0	44.7	5250	250	300	1449	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1							5250	250	350	1399	81.0	44.7
Power Equipment Group	Add	12	Add	3												
Adj Gas & Brake Pedals	Add	4	Add	3												
Cruise Control	Add	3	Add	1												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2												
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3												
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9												
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1												
8-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Sub	5	Add	2												
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5												
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2												
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4												
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6												
Satellite Digital Broadcast	Add	2	Add	1												
SYNC - Media Gateway Module (MGM)	Add	1	Add	0												
FX4 Trim	Add	7	Add	5												
XLT Trim	Add	19	Add	14												
Lariat Trim	Add	24	Add	13												
King Ranch Option	Add	24	Add	14												
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												
Fiat Splash Guards (SRW)	Add	2	Add	2												
Fiat Splash Guards (DRW)	Sub	0	Add	8												
Bed Mat	Add	5	Add	45												
Low Profile Hood Deflector	Add	3	Sub	0												
Roll-up Tonneau Cover	Add	4	Add	22												
Cable/Strap Locks	Sub	0	Add	9												
<b>Total Option Weight</b>																
* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.																

OPTION DESCRIPTION	OPTION TABLE		VEHICLE LOADING DATA 6.2L Gasoline Engine 9400 lb (4263 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR							
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS			
				FRONT (Lb.)	REAR (Lb.)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)			
	I	II	III	IV	V	VI	I	II	III	IV	V	VI				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	4400	-50	-50	2141	77.0	44.7	5250	-50	-50	1899	81.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4400	-50	0	2091	77.7	44.7	5250	-50	0	1849	81.0	44.7
Brake Controller	Add	1	Sub	0	4400	-50	50	2041	78.4	44.7	5250	-50	50	1799	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4400	-50	100	1991	79.2	44.7	5250	-50	100	1749	81.0	44.7
Skid Plates	Add	20	Add	16	4400	0	-50	2091	73.9	44.7	5250	0	-50	1849	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	2041	74.6	44.7	5250	0	0	1799	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	1991	75.3	44.7	5250	0	50	1749	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	1941	76.0	44.7	5250	0	100	1699	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4400	0	150	1891	76.7	44.7	5250	0	150	1649	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4550	50	0	1991	81.0	44.7	5250	50	0	1749	81.0	44.7
Dual Alternator	Add	16	Sub	0	4550	50	50	1941	81.0	44.7	5250	50	50	1699	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4550	50	100	1891	81.0	44.7	5250	50	100	1649	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4550	50	150	1841	81.0	44.7	5250	50	150	1599	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	4550	50	200	1791	81.0	44.7	5250	50	200	1549	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4550	100	0	1941	80.0	44.7	5250	50	250	1499	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4550	100	50	1891	80.8	44.7	5250	50	300	1449	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4550	100	100	1841	81.0	44.7	5250	50	350	1399	81.0	44.7
LT 275/60R18E A/S BSW (SRW Only)	Add	22	Add	22	4550	100	150	1791	81.0	44.7	5250	100	0	1699	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4550	100	200	1741	81.0	44.7	5250	100	50	1649	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4550	150	50	1841	77.5	44.7	5250	100	100	1599	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4550	150	100	1791	78.3	44.7	5250	100	150	1549	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4550	150	150	1741	79.2	44.7	5250	100	200	1499	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4550	150	200	1691	80.1	44.7	5250	100	250	1449	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4550	150	250	1641	81.0	44.7	5250	100	300	1399	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4550	150	300	1591	81.0	44.7	5250	100	350	1349	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4700	200	0	1841	81.0	44.7	5250	150	0	1649	79.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4700	200	50	1791	81.0	44.7	5250	150	50	1599	80.0	44.7
Stepgate (Upgraded Tailgate)	Add	-8	Add	-4	4700	200	100	1741	81.0	44.7	5250	150	100	1549	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	4700	200	150	1691	81.0	44.7	5250	150	150	1499	81.0	44.7
Spray-in Bedliner	Sub	0	Add	20	4700	200	200	1641	81.0	44.7	5250	150	200	1449	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	4700	200	250	1591	81.0	44.7	5250	150	250	1399	81.0	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	4700	200	300	1541	81.0	44.7	5250	150	300	1349	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	4700	200	350	1491	81.0	44.7	5250	150	350	1299	81.0	44.7
5" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	4700	250	0	1791	81.0	44.7	5250	200	0	1599	75.1	44.7
Lower Bodyside Molding	Add	2	Add	1	4700	250	50	1741	81.0	44.7	5250	200	50	1549	76.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4700	250	100	1691	81.0	44.7	5250	200	100	1499	76.9	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4700	250	150	1641	81.0	44.7	5250	200	150	1449	77.9	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	250	200	1591	81.0	44.7	5250	200	200	1399	79.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	250	250	1541	81.0	44.7	5250	200	250	1349	80.1	44.7
Sliding Rear Window	Add	6	Add	1	4700	250	300	1491	81.0	44.7	5250	200	300	1299	81.0	44.7
Power Sliding Rear Window	Add	6	Add	2	4700	250	350	1441	81.0	44.7	5250	200	350	1249	81.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4700	300	0	1741	79.2	44.7	5250	250	0	1549	70.9	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4700	300	50	1691	80.1	44.7	5250	250	50	1499	71.7	44.7
Foglamps	Add	3	Sub	0	4700	300	100	1641	81.0	44.7	5250	250	100	1449	72.5	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4700	300	150	1591	81.0	44.7	5250	250	150	1399	73.4	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4700	300	200	1541	81.0	44.7	5250	250	200	1349	74.4	44.7
Floor Mats w/King Ranch' Logo (Color Keyed luxury)	Add	4	Add	2	4700	300	250	1491	81.0	44.7	5250	250	250	1299	75.4	44.7
All Weather Floor Mat	Add	10	Add	6	4700	300	300	1441	81.0	44.7	5250	250	300	1249	76.5	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4700	300	350	1391	81.0	44.7	5250	250	350	1199	77.7	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4850	350	0	1691	81.0	44.7	5250	300	0	1499	66.5	44.7
Power Equipment Group	Add	15	Add	6	4850	350	50	1641	81.0	44.7	5250	300	50	1449	67.1	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4850	350	100	1591	81.0	44.7	5250	300	100	1399	67.8	44.7
Cruise Control	Add	3	Add	1	4850	350	150	1541	81.0	44.7	5250	300	150	1349	68.6	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4850	350	200	1491	81.0	44.7	5250	300	200	1299	69.4	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4850	350	250	1441	81.0	44.7	5250	300	250	1249	70.2	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4850	350	300	1391	81.0	44.7	5250	300	300	1199	71.1	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4850	350	350	1341	81.0	44.7	5250	300	350	1149	72.1	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2												
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5												
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2												
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3												
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5												
Satellite Digital Broadcast	Add	2	Add	1												
SYNC - Media Gateway Module (MGM)	Add	1	Add	0												
FX4 Trim	Add	7	Add	7												
Power Slide Sunroof	Add	20	Add	16												
XLT Trim	Add	22	Add	17												
Lariat Trim	Add	26	Add	16												
King Ranch Option	Add	27	Add	17												
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												
Flat Splash Guards (SRW)	Add	2	Add	2												
Flat Splash Guards (DRW)	Sub	0	Add	8												
Bed Mat	Add	5	Add	45												
Low Profile Hood Deflector	Add	3	Sub	0												
Dual Headrest DVD	Add	5	Add	8												
Roll-up Tonneau Cover	Add	4	Add	22												
Cable/Strap Locks	Sub	0	Add	9												
<b>Total Option Weight</b>																



**MY: 2011 Model: F250 4x2 Cab Type: Super Cab Wheelbase: 158 \***

OPTION DESCRIPTION	OPTION TABLE		VEHICLE LOADING DATA 6.2L Gasoline Engine 9400 lb (4263 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS	
				FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)		FRONT (A) (IN)	REAR (B) (IN)			
	I	II	III	IV	V	VI	I	II	III	IV	V	VI		
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386										
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428										
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4400	-50	0	2255	75.0	44.7	5250	-50	0	2115
Immersion Heater - Engine	Add	1	Sub	0	4400	-50	50	2205	75.6	44.7	5250	-50	50	2065
Limited Slip Rear Axle	Sub	0	Add	5	4400	-50	100	2155	76.2	44.7	5250	-50	100	2015
Brake Controller	Add	1	Sub	0	4550	0	0	2205	82.7	44.7	5250	0	0	2115
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4550	0	0	2205	82.7	44.7	5250	0	0	2065
Skid Plates	Add	18	Add	20	4550	0	50	2155	83.6	44.7	5250	0	50	2015
Rear Stabilizer Bar	Add	2	Add	26	4550	0	100	2105	84.4	44.7	5250	0	100	1965
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4550	0	150	2055	85.3	44.7	5250	0	150	1915
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4550	50	0	2155	79.9	44.7	5250	50	0	2015
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4550	50	50	2105	80.7	44.7	5250	50	50	1965
Extra Heavy Duty Alternator	Add	3	Sub	0	4550	50	100	2055	81.4	44.7	5250	50	100	1915
Dual Alternator	Add	16	Sub	0	4550	50	150	2005	82.3	44.7	5250	50	150	1865
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4550	50	200	1955	83.2	44.7	5250	50	200	1815
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4550	100	0	2105	76.9	44.7	5250	100	0	1965
Manual Air Conditioning	Add	34	Sub	-1	4550	100	50	2095	77.6	44.7	5250	100	50	1915
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4550	100	100	2006	78.3	44.7	5250	100	100	1865
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4550	100	150	1955	79.1	44.7	5250	100	150	1815
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4550	100	200	1805	79.9	44.7	5250	100	200	1765
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4550	100	250	1855	80.8	44.7	5250	100	250	1715
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	4550	100	300	1805	81.7	44.7	5250	100	300	1665
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4550	100	350	1755	82.7	44.7	5250	100	350	1615
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4550	100	400	1705	83.7	44.7	5250	100	400	1565
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4550	100	450	1655	84.8	44.7	5250	100	450	1515
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4550	100	500	1605	85.9	44.7	5250	100	500	1465
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4700	150	0	2055	85.3	44.7	5250	150	0	1915
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4700	150	50	2005	86.2	44.7	5250	150	50	1865
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	150	100	1955	87.2	44.7	5250	150	100	1815
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4700	150	150	1905	88.2	44.7	5250	150	150	1765
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4700	150	200	1855	89.3	44.7	5250	150	200	1715
Singapore (Upgraded) Tailgate	Sub	-5	Add	41	4700	150	250	1805	89.3	44.7	5250	150	250	1665
Pickup Bed Extender	Sub	-2	Add	22	4700	150	300	1755	91.7	44.7	5250	150	300	1615
Spray-In Bedliner	Sub	0	Add	16	4700	150	350	1705	93.0	44.7	5250	150	350	1565
Composite Side Aux. Steps - Platform w/o Lights	Add	24	Add	18	4700	150	400	1655	94.3	44.7	5250	150	400	1515
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	4700	150	450	1605	95.8	44.7	5250	150	450	1465
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	4700	150	500	1555	97.0	44.7	5250	150	500	1415
Lower Bodyside Molding	Add	2	Add	1	4700	200	0	2005	82.3	44.7	5250	200	0	1865
Reverse Vehicle Sensor System	Sub	0	Add	1	4700	200	50	1955	83.2	44.7	5250	200	50	1815
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4700	200	100	1905	84.1	44.7	5250	200	100	1765
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	200	150	1855	85.1	44.7	5250	200	150	1715
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	200	200	1805	86.1	44.7	5250	200	200	1665
Sliding Rear Window	Add	6	Add	1	4700	200	250	1755	87.2	44.7	5250	200	250	1615
Power Sliding Rear Window	Add	6	Add	2	4700	200	300	1705	88.3	44.7	5250	200	300	1565
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4700	200	350	1655	89.6	44.7	5250	200	350	1515
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4700	200	400	1605	90.9	44.7	5250	200	400	1465
Foglamps	Add	3	Sub	0	4700	200	450	1555	92.3	44.7	5250	200	450	1415
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4700	200	500	1505	93.7	44.7	5250	200	500	1365
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4700	250	0	1955	79.1	44.7	5250	250	0	1815
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4700	250	50	1905	79.9	44.7	5250	250	50	1765
All Weather Floor Mat	Add	10	Add	6	4700	250	100	1855	80.8	44.7	5250	250	100	1715
Electrochromic Rear View Mirror	Add	1	Sub	0	4700	250	150	1805	81.7	44.7	5250	250	150	1665
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4700	250	200	1755	82.7	44.7	5250	250	200	1615
Power Equipment Group	Add	12	Add	3	4700	250	250	1705	83.7	44.7	5250	250	250	1565
Adj Gas & Brake Pedals	Add	4	Add	3	4700	250	300	1655	84.8	44.7	5250	250	300	1515
Cruise Control	Sub	3	Add	1	4700	250	350	1605	85.9	44.7	5250	250	350	1465
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4700	250	400	1555	87.2	44.7	5250	250	400	1415
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4700	250	450	1505	88.5	44.7	5250	250	450	1365
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4700	250	500	1455	89.9	44.7	5250	250	500	1315
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1										
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2										
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5										
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2										
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2										
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4										
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6										
Satellite Digital Broadcast	Add	2	Add	1										
SYNC - Media Gateway Module (MGM)	Sub	0	Sub	0										
Fx4 Trim	Add	7	Add	5										
XLT Trim	Add	19	Add	14										
Lariat Trim	Add	24	Add	13										
King Ranch Option	Add	24	Add	14										
Passenger Side Air Bag Delete	Sub	-10	Sub	-1										
Flat Splash Guards (SRW)	Add	2	Add	2										
Flat Splash Guards (DRW)	Sub	0	Add	8										
Bed Mat	Add	7	Add	55										
Low Profile Hood Deflector	Add	3	Sub	0										
5th Wheel Hitch Prep Kit	Sub	0	Add	107										
Gooseneck Hitch Kit	Sub	0	Add	8										
5th Wheel Hitch Assembly	Sub	0	Add	134										
Roll-up Tonneau Cover	Add	5	Add	25										
Stainless Steel Simulator Kit (17")	Add	8	Add	8										
Stainless Steel Simulator Kit (19")	Add	9	Add	9										
Cable/Strap Locks	Sub	0	Add	9										
<b>Total Option Weight</b>														

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9600 lb (4354 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR							
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS	
				GAWR (LB.)	FRONT (LB.)	REAR (LB.)	RATING		FRONT (A) (IN)	REAR (B) (IN)	FRONT (LB.)	FRONT (LB.)	REAR (LB.)	RATING		FRONT (A) (IN)	REAR (B) (IN)
				I	II	III	IV	V	VI	I	II	III	IV	V	VI		
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386													
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	4550	-50	-50	2202	78.9	44.7	5250	-50	-50	1908	90.1	44.7	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4550	-50	0	2152	79.6	44.7	5250	-50	0	1858	91.2	44.7	
Immersion Heater - Engine	Add	1	Sub	0	4550	-50	50	2102	80.3	44.7	5250	-50	50	1808	92.4	44.7	
Limited Slip Rear Axle	Sub	0	Add	5	4550	-50	100	2052	81.1	44.7	5250	-50	100	1758	93.6	44.7	
Brake Controller	Add	1	Sub	0	4550	-50	150	2002	82.0	44.7	5250	0	50	1658	86.5	44.7	
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4550	-50	200	1952	82.8	44.7	5250	0	0	1808	87.6	44.7	
Skid Plates	Add	19	Add	17	4550	-50	250	1902	83.8	44.7	5250	0	50	1758	88.7	44.7	
Rear Stabilizer Bar	Add	2	Add	26	4550	-50	300	1852	84.7	44.7	5250	0	100	1708	89.9	44.7	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4550	-50	350	1802	85.7	44.7	5250	0	150	1658	91.2	44.7	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4550	-50	400	1752	86.8	44.7	5250	0	200	1608	92.6	44.7	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4550	-50	500	1652	89.2	44.7	5250	0	250	1558	94.0	44.7	
Extra Heavy Duty Alternator	Add	3	Sub	0	4700	0	0	2102	88.5	44.7	5250	0	300	1508	95.5	44.7	
Dual Alternator	Add	16	Sub	0	4700	0	50	2052	89.5	44.7	5250	0	350	1458	97.0	44.7	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4700	0	100	2002	90.6	44.7	5250	0	400	1408	97.0	44.7	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4700	0	150	1952	91.7	44.7	5250	0	450	1358	97.0	44.7	
Manual Air Conditioning	Add	34	Sub	-1	4700	0	200	1902	92.8	44.7	5250	0	500	1308	97.0	44.7	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4700	0	250	1852	94.0	44.7	5250	50	0	1758	93.8	44.7	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4700	0	300	1802	95.3	44.7	5250	50	0	1708	84.9	44.7	
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4700	0	350	1752	96.7	44.7	5250	50	100	1658	86.0	44.7	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4700	0	400	1702	97.0	44.7	5250	50	150	1608	87.2	44.7	
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	4700	0	500	1602	97.0	44.7	5250	50	200	1558	88.4	44.7	
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4700	50	0	2052	85.3	44.7	5250	50	250	1508	89.8	44.7	
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4700	50	50	2002	86.3	44.7	5250	50	300	1458	91.2	44.7	
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4700	50	100	1952	87.3	44.7	5250	50	350	1408	92.8	44.7	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4700	50	150	1902	88.3	44.7	5250	50	400	1358	94.4	44.7	
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4700	50	200	1852	89.4	44.7	5250	50	450	1308	96.2	44.7	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4700	50	250	1802	90.5	44.7	5250	50	500	1258	97.0	44.7	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	50	300	1752	91.7	44.7	5250	100	0	1708	79.8	44.7	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4700	50	350	1702	93.0	44.7	5250	100	50	1658	80.8	44.7	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4700	50	400	1652	94.4	44.7	5250	100	100	1608	81.8	44.7	
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4700	50	500	1552	97.0	44.7	5250	100	150	1558	82.9	44.7	
Pickup Bed Extender	Sub	-2	Add	22	4700	100	0	2002	82.0	44.7	5250	100	200	1508	84.1	44.7	
Spray-In Bedliner	Sub	0	Add	20	4700	100	50	1952	82.8	44.7	5250	100	250	1458	85.3	44.7	
Composite Side Aux. Steps - Platform w/Lights	Add	28	Add	21	4700	100	100	1902	83.8	44.7	5250	100	300	1408	86.6	44.7	
Side Aux Steps - w/Lights	Add	39	Add	25	4700	100	150	1852	84.7	44.7	5250	100	350	1358	88.1	44.7	
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	26	Add	21	4700	100	200	1802	85.7	44.7	5250	100	400	1308	89.6	44.7	
6" Angular Chrome Step w/Lights (VP Design)	Add	35	Add	31	4700	100	250	1752	86.8	44.7	5250	100	450	1258	91.3	44.7	
Lower Bodyside Molding	Add	2	Add	1	4700	100	300	1702	88.0	44.7	5250	100	500	1208	93.0	44.7	
Reverse Vehicle Sensor System	Sub	0	Add	1	4700	100	350	1652	89.2	44.7	5250	150	0	1658	75.6	44.7	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4700	100	400	1602	90.5	44.7	5250	150	50	1608	76.5	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	100	500	1502	93.3	44.7	5250	150	100	1558	77.4	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	150	0	1952	91.7	44.7	5250	150	150	1508	78.4	44.7	
Sliding Rear Window	Add	6	Add	1	4850	150	50	1902	92.8	44.7	5250	150	200	1458	79.4	44.7	
Power Sliding Rear Window	Add	6	Add	2	4850	150	100	1852	94.0	44.7	5250	150	250	1408	80.5	44.7	
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4850	150	150	1802	95.3	44.7	5250	150	300	1358	81.7	44.7	
Roof Marker/Clearance Lights - Conv	Sub	0	Sub	0	4850	150	200	1752	96.7	44.7	5250	150	350	1308	83.0	44.7	
Foglamps	Add	3	Sub	0	4850	150	250	1702	97.0	44.7	5250	150	400	1258	84.4	44.7	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4850	150	300	1652	97.0	44.7	5250	150	450	1208	85.9	44.7	
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	4850	150	350	1602	97.0	44.7	5250	150	500	1158	87.6	44.7	
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4850	150	400	1552	97.0	44.7	5250	200	0	1608	71.1	44.7	
All Weather Floor Mat	Add	10	Add	6	4850	150	500	1452	97.0	44.7	5250	200	50	1558	71.9	44.7	
Electrochromic Rear View Mirror	Add	1	Sub	0	4850	200	0	1902	88.3	44.7	5250	200	100	1508	72.6	44.7	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4850	200	50	1852	89.4	44.7	5250	200	150	1458	73.5	44.7	
Power Equipment Group	Add	15	Add	6	4850	200	100	1802	90.5	44.7	5250	200	200	1408	74.4	44.7	
Adj Gas & Brake Pedals	Add	4	Add	3	4850	200	150	1752	91.7	44.7	5250	200	250	1358	75.4	44.7	
Cruise Control	Add	3	Add	1	4850	200	200	1702	93.0	44.7	5250	200	300	1308	76.4	44.7	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4850	200	250	1652	94.4	44.7	5250	200	350	1258	77.6	44.7	
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4850	200	300	1602	95.8	44.7	5250	200	400	1208	78.8	44.7	
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4850	200	350	1552	97.0	44.7	5250	200	450	1158	80.1	44.7	
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4850	200	400	1502	97.0	44.7	5250	200	500	1108	81.6	44.7	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4850	200	500	1402	97.0	44.7	5250	250	0	1558	66.3	44.7	
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4850	250	0	1852	84.7	44.7	5250	250	50	1508	66.9	44.7	
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4850	250	50	1802	85.7	44.7	5250	250	100	1458	67.6	44.7	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4850	250	100	1752	86.8	44.7	5250	250	150	1408	68.3	44.7	
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	4850	250	150	1702	88.0	44.7	5250	250	200	1358	69.0	44.7	
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	4850	250	200	1652	89.2	44.7	5250	250	250	1308	69.8	44.7	
Satellite Digital Broadcast	Add	2	Add	1	4850	250	250	1602	90.5	44.7	5250	250	300	1258	70.7	44.7	
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	4850	250	300	1552	91.8	44.7	5250	250	350	1208	71.6	44.7	
FX4 Trim	Add	7	Add	7	4850	250	350	1502	93.3	44.7	5250	250	400	1158	72.7	44.7	
Power Slide Sunroof	Add	21	Add	15	4850	250	400	1452	94.8	44.7	5250	250	450	1108	73.8	44.7	
XLT Trim	Add	22	Add	17	4850	250											



**MY: 2011 Model: F250 4x4 Cab Type: Super Cab Wheelbase: 142 \***

OPTION DESCRIPTION	OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9400 lb (4263 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
	FRONT (Lbs.)		REAR (Lbs.)		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS	
	ADD	SUB	ADD	SUB		FRONT (Lb.)	FRONT (Lb.)		REAR (Lb.)	FRONT (IN)		REAR (IN)	FRONT (Lb.)		FRONT (Lb.)	REAR (Lb.)
	I	II	III	IV	V	VI	FRONT (IN)	REAR (IN)	I	II	III	IV	V	VI		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	-50	1954	81.0	44.7	5200	-50	-50	1938	78.6	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4800	-50	0	1904	81.0	44.7	5200	-50	0	1888	79.4	44.7
Brake Controller	Add	1	Sub	0	4800	-50	50	1854	81.0	44.7	5200	-50	50	1838	80.3	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	-50	100	1904	81.0	44.7	5200	-50	100	1788	81.0	44.7
Stud Plates	Add	18	Add	18	4800	0	-50	1904	81.0	44.7	5600	0	-50	1888	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	4800	0	0	1854	81.0	44.7	5600	0	0	1838	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	50	1804	81.0	44.7	5600	0	50	1788	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	100	1754	81.0	44.7	5600	0	100	1738	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	150	1704	81.0	44.7	5600	0	150	1688	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	200	1654	81.0	44.7	5600	0	200	1638	81.0	44.7
Dual Alternator	Add	16	Sub	0	4800	0	250	1604	81.0	44.7	5600	0	250	1588	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	300	1554	81.0	44.7	5600	0	300	1538	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	350	1504	81.0	44.7	5600	0	350	1488	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	4800	50	0	1804	81.0	44.7	5600	50	0	1788	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	50	50	1754	81.0	44.7	5600	50	50	1738	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	100	1704	81.0	44.7	5600	50	100	1688	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	1654	81.0	44.7	5600	50	150	1638	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	4800	50	200	1604	81.0	44.7	5600	50	200	1588	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4800	50	250	1554	81.0	44.7	5600	50	250	1538	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	1504	81.0	44.7	5600	50	300	1488	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4800	50	350	1454	81.0	44.7	5600	50	350	1438	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4800	100	0	1754	80.7	44.7	5600	100	0	1738	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4800	100	50	1704	81.0	44.7	5600	100	50	1688	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4800	100	100	1654	81.0	44.7	5600	100	100	1638	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4800	100	150	1604	81.0	44.7	5600	100	150	1588	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 Only)	Sub	-6	Sub	-6	4800	100	200	1554	81.0	44.7	5600	100	200	1538	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 Only)	Sub	-4	Sub	-4	4800	100	250	1504	81.0	44.7	5600	100	250	1488	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4800	100	300	1454	81.0	44.7	5600	100	300	1438	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	4800	100	350	1404	81.0	44.7	5600	100	350	1388	81.0	44.7
Spray-in Bedliner	Sub	0	Add	16	5200	150	0	1704	81.0	44.7	5600	150	0	1688	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	5200	150	50	1654	81.0	44.7	5600	150	50	1638	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5200	150	100	1604	81.0	44.7	5600	150	100	1588	81.0	44.7
5" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5200	150	150	1554	81.0	44.7	5600	150	150	1538	81.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	150	200	1504	81.0	44.7	5600	150	200	1488	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	250	1454	81.0	44.7	5600	150	250	1438	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	300	1404	81.0	44.7	5600	150	300	1388	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	350	1354	81.0	44.7	5600	150	350	1338	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional Sliding Rear Window	Add	13	Add	5	5200	200	0	1654	81.0	44.7	5600	200	0	1638	81.0	44.7
Power Sliding Rear Window	Add	6	Add	1	5200	200	50	1604	81.0	44.7	5600	200	50	1588	81.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	200	100	1554	81.0	44.7	5600	200	100	1538	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	200	1454	81.0	44.7	5600	200	200	1438	81.0	44.7
Foglamps	Add	3	Sub	0	5200	200	250	1404	81.0	44.7	5600	200	250	1388	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	300	1354	81.0	44.7	5600	200	300	1338	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	350	1304	81.0	44.7	5600	200	350	1288	81.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	250	0	1604	81.0	44.7	5600	250	0	1588	81.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	250	50	1554	81.0	44.7	5600	250	50	1538	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	250	100	1504	81.0	44.7	5600	250	100	1488	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	150	1454	81.0	44.7	5600	250	150	1438	81.0	44.7
Power Equipment Group	Add	12	Add	3	5200	250	200	1404	81.0	44.7	5600	250	200	1388	81.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	250	1354	81.0	44.7	5600	250	250	1338	81.0	44.7
Cruise Control	Add	3	Add	1	5200	250	300	1304	81.0	44.7	5600	250	300	1288	81.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	250	350	1254	81.0	44.7	5600	250	350	1238	81.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	300	0	1554	81.0	44.7	5600	300	0	1538	81.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	300	50	1504	81.0	44.7	5600	300	50	1488	81.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	300	100	1454	81.0	44.7	5600	300	100	1438	81.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	300	150	1404	81.0	44.7	5600	300	150	1388	81.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	300	200	1354	81.0	44.7	5600	300	200	1338	81.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	300	250	1304	81.0	44.7	5600	300	250	1288	81.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	300	1254	81.0	44.7	5600	300	300	1238	81.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	300	350	1204	81.0	44.7	5600	300	350	1188	81.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6												
Satellite Digital Broadcast	Add	2	Add	1												
SYNC - Media Gateway Module (MGM)	Add	1	Add	0												
FX4 Trim	Add	7	Add	5												
XLT Trim	Add	19	Add	14												
Lariat Trim	Add	24	Add	13												
King Ranch Option	Add	24	Add	14												
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												
Flat Splash Guards (SRW)	Add	2	Add	2												
Flat Splash Guards (DRW)	Sub	0	Add	8												
Bed Mat	Add	5	Add	45												
Low Profile Hood Deflector	Add	3	Sub	0												
Roll-up Tonneau Cover	Add	4	Add	22												
Cable/Strap Locks	Sub	0	Add	9												
<b>Total Option Weight</b>																

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 9600 lb (4354 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
	FRONT (Lb.)	(Lbs.)	REAR (Lb.)	(Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS	
						FRONT (Lb.)	REAR (Lb.)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)	
						I	II		III	IV		V	VI		VII	VIII
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	-50	1938	81.0	44.7	5600	-50	-50	1683	81.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4800	-50	0	1888	81.0	44.7	5600	-50	0	1633	81.0	44.7
Brake Controller	Add	1	Sub	0	4800	-50	100	1838	81.0	44.7	5600	-50	50	1583	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	-50	100	1798	81.0	44.7	5600	-50	100	1533	81.0	44.7
Stud Plates	Add	20	Add	16	5200	0	0	1888	81.0	44.7	5600	0	0	1633	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	0	0	1838	81.0	44.7	5600	0	0	1583	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	50	1788	81.0	44.7	5600	0	50	1533	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	100	1738	81.0	44.7	5600	0	100	1483	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	150	1688	81.0	44.7	5600	0	150	1433	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	200	1638	81.0	44.7	5600	0	200	1383	81.0	44.7
Dual Alternator	Add	16	Sub	0	5200	0	250	1588	81.0	44.7	5600	0	250	1333	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	300	1538	81.0	44.7	5600	0	300	1283	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	350	1488	81.0	44.7	5600	0	350	1233	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	0	400	1438	81.0	44.7	5600	0	400	1183	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	50	0	1788	81.0	44.7	5600	50	0	1533	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	50	1738	81.0	44.7	5600	50	50	1483	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	1688	81.0	44.7	5600	50	100	1433	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5200	50	150	1638	81.0	44.7	5600	50	150	1383	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	1588	81.0	44.7	5600	50	200	1333	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	1538	81.0	44.7	5600	50	250	1283	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5200	50	300	1488	81.0	44.7	5600	50	300	1233	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	1438	81.0	44.7	5600	50	350	1183	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5200	50	400	1388	81.0	44.7	5600	50	400	1133	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	100	0	1738	81.0	44.7	5600	100	0	1483	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	100	50	1688	81.0	44.7	5600	100	50	1433	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5200	100	100	1638	81.0	44.7	5600	100	100	1383	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5200	100	150	1588	81.0	44.7	5600	100	150	1333	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	4	5200	100	200	1538	81.0	44.7	5600	100	200	1283	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	100	250	1488	81.0	44.7	5600	100	250	1233	81.0	44.7
Spray-in Bedliner	Sub	0	Add	20	5200	100	300	1438	81.0	44.7	5600	100	300	1183	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	5200	100	350	1388	81.0	44.7	5600	100	350	1133	81.0	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	5200	100	400	1338	81.0	44.7	5600	100	400	1083	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	5200	150	0	1688	81.0	44.7	5600	150	0	1433	81.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5200	150	50	1638	81.0	44.7	5600	150	50	1383	81.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	150	100	1588	81.0	44.7	5600	150	100	1333	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	150	1538	81.0	44.7	5600	150	150	1283	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	200	1488	81.0	44.7	5600	150	200	1233	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	250	1438	81.0	44.7	5600	150	250	1183	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	300	1388	81.0	44.7	5600	150	300	1133	81.0	44.7
Sliding Rear Window	Add	6	Add	1	5200	150	350	1338	81.0	44.7	5600	150	350	1083	81.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5200	150	400	1288	81.0	44.7	5600	150	400	1033	81.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	200	0	1638	81.0	44.7	6000	200	0	1383	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	50	1588	81.0	44.7	6000	200	50	1333	81.0	44.7
Foglamps	Add	3	Sub	0	5200	200	100	1538	81.0	44.7	6000	200	100	1283	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	150	1488	81.0	44.7	6000	200	150	1233	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	200	1438	81.0	44.7	6000	200	200	1183	81.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	200	250	1388	81.0	44.7	6000	200	250	1133	81.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	200	300	1338	81.0	44.7	6000	200	300	1083	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	200	350	1288	81.0	44.7	6000	200	350	1033	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	200	400	1238	81.0	44.7	6000	200	400	983	81.0	44.7
Power Equipment Group	Add	15	Add	6	5200	250	0	1588	81.0	44.7	6000	250	0	1333	81.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	50	1538	81.0	44.7	6000	250	50	1283	81.0	44.7
Cruise Control	Add	3	Add	1	5200	250	100	1488	81.0	44.7	6000	250	100	1233	81.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Sub	-1	Sub	-2	5200	250	150	1438	81.0	44.7	6000	250	150	1183	81.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	250	200	1388	81.0	44.7	6000	250	200	1133	81.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	250	250	1338	81.0	44.7	6000	250	250	1083	81.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	250	300	1288	81.0	44.7	6000	250	300	1033	81.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	350	1238	81.0	44.7	6000	250	350	983	81.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	250	400	1188	81.0	44.7	6000	250	400	933	81.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	300	0	1538	81.0	44.7	6000	300	0	1283	81.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	50	1488	81.0	44.7	6000	300	50	1233	81.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5200	300	100	1438	81.0	44.7	6000	300	100	1183	81.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5200	300	150	1388	81.0	44.7	6000	300	150	1133	81.0	44.7
Satellite Digital Broadcast	Add	2	Add	1	5200	300	200	1338	81.0	44.7	6000	300	200	1083	81.0	44.7
SYNCH - Media Gateway Module (MGM)	Add	1	Add	0	5200	300	250	1288	81.0	44.7	6000	300	250	1033	81.0	44.7
FX4 Trim	Add	7	Add	7	5200	300	300	1238	81.0	44.7	6000	300	300	983	81.0	44.7
Power Slide Sunroof	Add	20	Add	16	5200	300	350	1188	81.0	44.7	6000	300	350	933	81.0	44.7
XLT Trim	Add	22	Add	17	5200	300	400	1138	81.0	44.7	6000	300	400	883	81.0	44.7
Lariat Trim	Add	26	Add	16												
King Ranch Option	Add	27	Add	17												
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												
Flat Splash Guards (SRW)	Add	2	Add	2												
Flat Splash Guards (DRW)	Sub	0	Add	8												

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 9600 lb (4353 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)		FRONT (A) (IN)	REAR (B) (IN)				
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LV)	FRONT (A) (IN)		REAR (B) (IN)	FRONT (Lb.)	FRONT (LB)	REAR (LB)	RATING (LV)	FRONT (A) (IN)
	I	II	III	IV	V	VI	I	II	III	IV	V	VI				
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	5200	-50	-50	2028	97.0	44.7	5600	-50	-50	1610	97.0	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	1978	97.0	44.7	5600	-50	0	1560	97.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	1928	97.0	44.7	5600	-50	50	1510	97.0	44.7
Limited Slip Rear Axle	Add	0	Add	5	5200	-50	100	1978	97.0	44.7	5600	-50	100	1460	97.0	44.7
Brake Controller	Add	1	Sub	0	5200	0	-50	1978	97.0	44.7	5600	0	-50	1560	97.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	0	1978	97.0	44.7	5600	0	0	1510	97.0	44.7
Skid Plates	Add	18	Add	20	5200	-50	50	1928	97.0	44.7	5600	0	50	1460	97.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	-50	100	1878	97.0	44.7	5600	0	100	1410	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	-50	150	1828	97.0	44.7	5600	0	150	1360	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	-50	200	1778	97.0	44.7	5600	0	200	1310	97.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	-50	250	1728	97.0	44.7	5600	0	250	1260	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	-50	300	1678	97.0	44.7	5600	0	300	1210	97.0	44.7
Dual Alternator	Add	16	Sub	0	5200	-50	350	1628	97.0	44.7	5600	0	350	1160	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	-50	400	1578	97.0	44.7	5600	0	400	1110	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	-50	450	1528	97.0	44.7	5600	0	450	1060	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	-50	500	1478	97.0	44.7	5600	0	500	1010	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	-50	1978	97.0	44.7	5600	50	0	1460	97.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	0	0	1928	97.0	44.7	5600	50	50	1410	97.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	0	50	1878	97.0	44.7	5600	50	100	1360	97.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	0	100	1828	97.0	44.7	5600	50	150	1310	97.0	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	0	150	1778	97.0	44.7	5600	50	200	1260	97.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	0	200	1728	97.0	44.7	5600	50	250	1210	97.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	0	250	1678	97.0	44.7	5600	50	300	1160	97.0	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	0	300	1628	97.0	44.7	5600	50	350	1110	97.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	0	350	1578	97.0	44.7	5600	50	400	1060	97.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5200	0	400	1528	97.0	44.7	5600	50	450	1010	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	0	450	1478	97.0	44.7	5600	50	500	960	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	0	500	1428	97.0	44.7	6000	100	0	1410	97.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5200	50	0	1878	97.0	44.7	6000	100	50	1360	97.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5200	50	0	1828	97.0	44.7	6000	100	100	1310	97.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	50	100	1778	97.0	44.7	6000	100	150	1260	97.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	50	150	1728	97.0	44.7	6000	100	200	1210	97.0	44.7
Spray-In Bedliner	Sub	0	Add	16	5200	50	200	1678	97.0	44.7	6000	100	250	1160	97.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	24	Add	18	5200	50	250	1628	97.0	44.7	6000	100	300	1110	97.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5200	50	300	1578	97.0	44.7	6000	100	350	1060	97.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5200	50	350	1528	97.0	44.7	6000	100	400	1010	97.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	50	400	1478	97.0	44.7	6000	100	450	960	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	50	450	1428	97.0	44.7	6000	100	500	910	97.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	50	500	1378	97.0	44.7	6000	150	0	1360	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	0	1828	97.0	44.7	6000	150	50	1310	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	50	1778	97.0	44.7	6000	150	100	1260	97.0	44.7
Sliding Rear Window	Add	6	Add	1	5200	100	100	1728	97.0	44.7	6000	150	150	1210	97.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5200	100	150	1678	97.0	44.7	6000	150	200	1160	97.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	100	200	1628	97.0	44.7	6000	150	250	1110	97.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	100	250	1578	97.0	44.7	6000	150	300	1060	97.0	44.7
Foglamps	Add	3	Sub	0	5200	100	300	1528	97.0	44.7	6000	150	350	1010	97.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	100	350	1478	97.0	44.7	6000	150	400	960	97.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	100	400	1428	97.0	44.7	6000	150	450	910	97.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	100	450	1378	97.0	44.7	6000	150	500	860	97.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	100	500	1328	97.0	44.7	6000	200	0	1310	97.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	150	0	1778	97.0	44.7	6000	200	50	1260	97.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	150	50	1728	97.0	44.7	6000	200	100	1210	97.0	44.7
Power Equipment Group	Add	12	Add	3	5200	150	100	1678	97.0	44.7	6000	200	150	1160	97.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	150	150	1628	97.0	44.7	6000	200	200	1110	97.0	44.7
Cruise Control	Add	3	Add	1	5200	150	200	1578	97.0	44.7	6000	200	250	1060	97.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	150	250	1528	97.0	44.7	6000	200	300	1010	97.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	150	300	1478	97.0	44.7	6000	200	350	960	97.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	150	350	1428	97.0	44.7	6000	200	400	910	97.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	150	400	1378	97.0	44.7	6000	200	450	860	97.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	150	450	1328	97.0	44.7	6000	200	500	810	97.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	150	500	1278	97.0	44.7	6000	250	0	1260	97.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	200	0	1728	97.0	44.7	6000	250	50	1210	97.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	200	50	1678	97.0	44.7	6000	250	100	1160	97.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	200	100	1628	97.0	44.7	6000	250	150	1110	97.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	5200	200	150	1578	97.0	44.7	6000	250	200	1060	97.0	44.7
Satellite Digital Broadcast	Add	2	Add	1	5200	200	200	1528	97.0	44.7	6000	250	250	1010	97.0	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	200	250	1478	97.0	44.7	6000	250	300	960	97.0	44.7
FX4 Trim	Add	7	Add	5	5200	200	300	1428	97.0	44.7	6000	250	350	910	97.0	44.7
XLT Trim	Add	19	Add	14	5200	200	350	1378	97.0	44.7	6000	250	400	860	97.0	44.7
Lariat Trim	Add	24	Add	13	5200	200	400	1328	97.0	44.7	6000	250	450	810	97.0	4

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9800 lb (4444 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)
				I	II	III	IV	V	VI	I	II	III	IV	V	VI
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386											
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	5200	-50	2035	97.0	44.7	5600	-50	1471	97.0	44.7	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	Add	3	Sub	0	5200	-50	1985	97.0	44.7	5600	-50	1421	97.0	44.7	
Limited Slip Rear Axle	Add	1	Sub	0	5200	-50	1935	97.0	44.7	5600	-50	1371	97.0	44.7	
Brake Controller	Add	1	Sub	0	5200	-50	100	1885	97.0	5600	-50	100	1321	97.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	1935	97.0	6000	0	0	1371	97.0	44.7
Skid Plates	Add	19	Add	17	5200	0	50	1885	97.0	6000	0	50	1321	97.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	0	100	1835	97.0	6000	0	100	1271	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	150	1785	97.0	6000	0	150	1221	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	200	1735	97.0	6000	0	200	1171	97.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	250	1685	97.0	6000	0	250	1121	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	300	1635	97.0	6000	0	300	1071	97.0	44.7
Dual Alternator	Add	16	Sub	0	5200	0	350	1585	97.0	6000	0	350	1021	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	400	1535	97.0	6000	0	400	971	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	450	1485	97.0	6000	0	450	921	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	0	500	1435	97.0	6000	0	500	871	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	550	1385	97.0	6000	0	550	821	97.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	0	1885	97.0	6000	50	0	1321	97.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	50	0	1835	97.0	6000	50	0	1271	97.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	1785	97.0	6000	50	100	1221	97.0	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	50	150	1735	97.0	6000	50	150	1171	97.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	1685	97.0	6000	50	200	1121	97.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	1635	97.0	6000	50	250	1071	97.0	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	50	300	1585	97.0	6000	50	300	1021	97.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	1535	97.0	6000	50	350	971	97.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5200	50	400	1485	97.0	6000	50	400	921	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	50	450	1435	97.0	6000	50	450	871	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	50	500	1385	97.0	6000	50	500	821	97.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5200	50	550	1335	97.0	6000	50	550	771	97.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5200	100	500	1285	97.0	6000	100	500	721	97.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	50	1785	97.0	6000	100	50	1221	97.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	100	100	1735	97.0	6000	100	100	1171	97.0	44.7
Spray-In Bedliner	Sub	0	Add	20	5200	100	150	1685	97.0	6000	100	150	1121	97.0	44.7
Composite Side Aux. Steps - Platform w/Lights	Add	28	Add	21	5200	100	200	1635	97.0	6000	100	200	1071	97.0	44.7
Side Aux Steps - w/Lights	Add	39	Add	25	5200	100	250	1585	97.0	6000	100	250	1021	97.0	44.7
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	26	Add	21	5200	100	300	1535	97.0	6000	100	300	971	97.0	44.7
6" Angular Chrome Step w/Lights (VP Design)	Add	35	Add	31	5200	100	350	1485	97.0	6000	100	350	921	97.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	100	400	1435	97.0	6000	100	400	871	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	100	450	1385	97.0	6000	100	450	821	97.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	100	500	1335	97.0	6000	100	500	771	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	550	1285	97.0	6000	100	550	721	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional Sliding Rear Window	Add	13	Add	5	5600	150	0	1785	97.0	6000	150	0	1221	97.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5600	150	100	1685	97.0	6000	150	100	1171	97.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	150	150	1635	97.0	6000	150	150	1121	97.0	44.7
Roof Marker/Clearance Lights - Conv	Sub	0	Sub	0	5600	150	200	1585	97.0	6000	150	200	1071	97.0	44.7
Foglamps	Add	3	Sub	0	5600	150	250	1535	97.0	6000	150	250	971	97.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5600	150	300	1485	97.0	6000	150	300	921	97.0	44.7
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	5600	150	350	1435	97.0	6000	150	350	871	97.0	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5600	150	400	1385	97.0	6000	150	400	821	97.0	44.7
All Weather Floor Mat	Add	10	Add	6	5600	150	450	1335	97.0	6000	150	450	771	97.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5600	150	500	1285	97.0	6000	150	500	721	97.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	150	550	1235	97.0	6000	150	550	671	97.0	44.7
Power Equipment Group	Add	15	Add	6	5600	200	0	1735	97.0	6000	200	0	1171	97.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5600	200	50	1635	97.0	6000	200	50	1121	97.0	44.7
Cruise Control	Add	3	Add	1	5600	200	100	1635	97.0	6000	200	100	1071	97.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	200	150	1585	97.0	6000	200	150	1021	97.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	200	200	1535	97.0	6000	200	200	971	97.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	200	250	1485	97.0	6000	200	250	921	97.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	200	300	1435	97.0	6000	200	300	871	97.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	200	350	1385	97.0	6000	200	350	821	97.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Sub	-20	Add	5	5600	200	400	1335	97.0	6000	200	400	771	97.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5600	200	450	1285	97.0	6000	200	450	721	97.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	200	500	1235	97.0	6000	200	500	671	97.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5600	200	550	1185	97.0	6000	200	550	621	97.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5600	250	0	1685	97.0	6000	250	0	1121	97.0	44.7
Satellite Digital Broadcast	Add	2	Add	1	5600	250	50	1635	97.0	6000	250	50	1071	97.0	44.7
SVHC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	250	100	1585	97.0	6000	250	100	1021	97.0	44.7
FX4 Trim	Add	7	Add	7	5600	250	150	1535	97.0	6000	250	150	971	97.0	44.7
Power Side Sunroof	Add	21	Add	15	5600	250	200	1485	97.0	6000	250	200	921	97.0	44.7
XLT Trim	Add	22	Add	17	5600	250	250	1435	97.0	6000	250	250	871	97.0	44.7
Lariat Trim	Add	26	Add	16	5600	250	300	1385	97.0	6000	250	300	821	97.0	44.7
King Ranch Option	Add	27	Add	17	5600	250	350	1335	97.0	6000	250	350	771	97.0	44.7
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5600	250	400	1285	97.0	6000	250	400	721	97.0	44.7
Flat Splash Guards (SRW)	Add	2	Add	2	5600	250	450	1235	97.0	6000	250	450	671	97.0	44.7
Flat Splash Guards (DRW)	Sub	0	Add	8	5600	250	500	1185	97.0	6000	250	500	621	97.0	44.7
Bed Mat	Add	7	Add	55	5600	250	550	1135	97.0	6000	250	550	571	97.0	44.7
Low Profile Hood Deflector	Add	3	Sub	0	5600	300	0								

OPTION TABLE					VEHICLE LOADING DATA					
					6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT	(Lbs.)	REAR	(Lbs.)	OPTION WEIGHT			CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					FRONT	REAR	RATING		FRONT	REAR
					(Lb.)	(LB)	(LB)	(LB)	(IN)	(IN)
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0						
Immersion Heater - Engine	Add	1	Sub	0	5250	-50	-50	1799	81.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	5250	-50	0	1749	81.0	44.7
Brake Controller	Add	1	Sub	0	5250	-50	50	1699	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5250	-50	100	1649	81.0	44.7
Skid Plates	Add	20	Add	16	5250	0	-50	1749	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5250	0	0	1699	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	67	5250	0	50	1649	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5250	0	100	1599	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5250	0	150	1549	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5250	0	200	1499	81.0	44.7
Dual Alternator	Add	16	Sub	0	5250	0	250	1449	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5250	0	300	1399	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5250	0	350	1349	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5250	50	0	1649	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5250	50	50	1599	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5250	50	100	1549	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5250	50	150	1499	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5250	50	200	1449	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5250	50	250	1399	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5250	50	300	1349	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5250	50	350	1299	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5250	100	0	1599	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5250	100	50	1549	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5250	100	100	1499	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5250	100	150	1449	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5250	100	200	1399	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5250	100	250	1349	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5250	100	300	1299	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5250	100	350	1249	81.0	44.7
Spray-in Bedliner	Sub	0	Add	20	5250	150	0	1549	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	5250	150	50	1499	81.0	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	5250	150	100	1449	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	5250	150	150	1399	81.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5250	150	200	1349	81.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5250	150	250	1299	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5250	150	300	1249	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5250	150	350	1199	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5250	200	0	1499	76.9	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5250	200	50	1449	77.9	44.7
Sliding Rear Window	Add	6	Add	1	5250	200	100	1399	79.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5250	200	150	1349	80.1	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5250	200	200	1299	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5250	200	250	1249	81.0	44.7
Foglamps	Add	3	Sub	0	5250	200	300	1199	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5250	200	350	1149	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5250	250	0	1449	72.5	44.7
Floor Mats w/'King Ranch' Logo (Color Keyed luxury)	Add	4	Add	2	5250	250	50	1399	73.4	44.7
All Weather Floor Mat	Add	10	Add	6	5250	250	100	1349	74.4	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5250	250	150	1299	75.4	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5250	250	200	1249	76.5	44.7
Power Equipment Group	Add	15	Add	6	5250	250	250	1199	77.7	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5250	250	300	1149	78.9	44.7
Cruise Control	Add	3	Add	1	5250	250	350	1099	80.4	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5250	300	0	1399	67.8	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5250	300	50	1349	68.6	44.7
Crew Cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5250	300	100	1299	69.4	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5250	300	150	1249	70.2	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5250	300	200	1199	71.1	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5250	300	250	1149	72.1	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5250	300	300	1099	73.2	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5250	300	350	1049	74.5	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3						
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5						
Satellite Digital Broadcast	Add	2	Add	1						
SYNC - Media Gateway Module (MGM)	Add	1	Add	0						
FX4 Trim	Add	7	Add	7						
Power Slide Sunroof	Add	20	Add	16						
XLT Trim	Add	22	Add	17						
Lariat Trim	Add	26	Add	16						
King Ranch Option	Add	27	Add	17						
Passenger Side Air Bag Delete	Sub	-10	Sub	-1						
Flat Splash Guards (SRW)	Add	2	Add	2						
Flat Splash Guards (DRW)	Sub	0	Add	8						
Bed Mat	Add	5	Add	45						
Low Profile Hood Deflector	Add	3	Sub	0						
Dual Headrest DVD	Add	5	Add	8						
Roll-up Tonneau Cover	Add	4	Add	22						
Cable/Strap Locks	Sub	0	Add	9						
<b>Total Option Weight</b>										

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.



OPTION TABLE				VEHICLE LOADING DATA						
				6.7L Diesel Engine		9900 lb (4490 kg) GVWR		CENTER OF GRAVITY		
OPTION DESCRIPTION	FRONT	(Lbs.)	REAR	(Lbs.)	OPTION WEIGHT			CARGO WEIGHT		
					FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
				I	II	III	IV	V	VI	
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386						
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	5250	-50	-50	2065	94.3	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5250	-50	0	2015	95.4	44.7
Immersion Heater - Engine	Add	1	Sub	0	5250	-50	50	1965	96.7	44.7
Limited Slip Rear Axle	Sub	0	Add	5	5250	-50	100	1915	97.0	44.7
Brake Controller	Sub	-1	Sub	0	5250	0	-50	2015	91.5	44.7
ESC/F w/Auto-Man Locking Hubs	Add	3	Sub	0	5250	0	0	1965	92.6	44.7
Skid Plates	Add	18	Add	20	5250	0	50	1915	93.8	44.7
Rear Stabilizer Bar	Add	2	Add	26	5250	0	100	1865	95.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5250	0	150	1815	96.3	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5250	50	0	1915	89.7	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5250	50	50	1865	90.8	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5250	50	100	1815	92.0	44.7
Dual Alternator	Add	16	Sub	0	5250	50	150	1765	93.2	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5250	50	200	1715	94.6	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5250	50	250	1665	96.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5250	50	300	1615	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5250	50	350	1565	97.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5250	50	400	1515	97.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5250	50	450	1465	97.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5250	50	500	1415	97.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5250	100	0	1865	86.6	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5250	100	50	1815	87.6	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5250	100	100	1765	88.8	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5250	100	150	1715	90.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5250	100	200	1665	91.2	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5250	100	250	1615	92.6	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5250	100	300	1565	94.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5250	100	350	1515	95.5	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5250	100	400	1465	97.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5250	100	450	1415	97.0	44.7
Stinggate (Upgraded Tailgate)	Sub	-8	Add	41	5250	100	500	1365	97.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5250	150	0	1815	83.3	44.7
Spray-In Bedliner	Sub	0	Add	16	5250	150	50	1765	84.3	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	24	Add	18	5250	150	100	1715	85.3	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5250	150	150	1665	86.5	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5250	150	200	1615	87.7	44.7
Lower Bodyside Molding	Add	2	Add	1	5250	150	250	1565	88.9	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5250	150	300	1515	90.3	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5250	150	350	1465	91.7	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5250	150	400	1415	93.3	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5250	150	450	1365	95.0	44.7
Sliding Rear Window	Add	6	Add	1	5250	150	500	1315	96.8	44.7
Power Sliding Rear Window	Add	6	Add	2	5250	200	0	1765	79.8	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5250	200	50	1715	80.7	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5250	200	100	1665	81.7	44.7
Foglamps	Add	3	Sub	0	5250	200	150	1615	82.8	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5250	200	200	1565	83.9	44.7
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	5250	200	250	1515	85.1	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5250	200	300	1465	86.4	44.7
All Weather Floor Mat	Add	10	Add	6	5250	200	350	1415	87.7	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5250	200	400	1365	89.2	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5250	200	450	1315	90.7	44.7
Power Equipment Group	Add	12	Add	3	5250	200	500	1265	92.4	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5250	250	0	1715	76.1	44.7
Cruise Control	Add	3	Add	1	5250	250	50	1665	77.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5250	250	100	1615	77.9	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5250	250	150	1565	78.8	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5250	250	200	1515	79.9	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5250	250	250	1465	81.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5250	250	300	1415	82.1	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5250	250	350	1365	83.4	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5250	250	400	1315	84.7	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5250	250	450	1265	86.2	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5250	250	500	1215	87.8	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6						
Satellite Digital Broadcast	Add	2	Add	1						
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0						
Fx4 Trim	Add	7	Add	5						
XLT Trim	Add	19	Add	14						
Lariat Trim	Add	24	Add	13						
King Ranch Option	Add	24	Add	14						
Passenger Side Air Bag Delete	Sub	-10	Sub	-1						
Flat Splash Guards (SRW)	Add	2	Add	2						
Flat Splash Guards (DRW)	Sub	0	Add	8						
Bed Mat	Add	7	Add	55						
Low Profile Hood Deflector	Add	3	Sub	0						
5th Wheel Hitch Prep Kit	Sub	0	Add	107						
Gooseneck Hitch Kit	Sub	0	Add	8						
5th Wheel Hitch Assembly	Sub	0	Add	134						
Roll-up Tonneau Cover	Add	5	Add	25						
Stainless Steel Simulator Kit (17")	Add	8	Add	8						
Stainless Steel Simulator Kit (19")	Add	9	Add	9						
Cable/Strap Locks	Sub	0	Add	9						
<b>Total Option Weight</b>										

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA						
				6.7L Diesel Engine 9900 lb (4490 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT			CENTER OF GRAVITY ZONE LIMITS			
				FRONT (LB)	REAR (LB)	RATING (LB)	FRONT		REAR (B) (IN)	
							(A) (IN)	(B) (IN)		
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386						
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428						
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5250	-50	0	1758	93.6	44.7
Immersion Heater - Engine	Add	1	Sub	0	5250	-50	0	1708	95.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	5250	-50	100	1658	96.4	44.7
Brake Controller	Add	1	Sub	0	5250	0	-50	1758	88.7	44.7
ESC/F w/Auto-Man Locking Hubs	Add	3	Sub	0	5250	0	0	1708	89.9	44.7
Skid Plates	Add	19	Add	17	5250	0	50	1658	91.2	44.7
Rear Stabilizer Bar	Add	2	Add	26	5250	0	100	1608	92.6	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5250	0	150	1558	94.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5250	0	200	1508	95.5	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5250	0	250	1458	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5250	0	300	1408	97.0	44.7
Dual Alternator	Add	16	Sub	0	5250	0	350	1358	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5250	0	400	1308	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5250	0	450	1258	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5250	0	500	1208	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5250	50	0	1658	86.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5250	50	50	1608	87.2	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5250	50	100	1558	88.4	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5250	50	150	1508	89.8	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5250	50	200	1458	91.2	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5250	50	250	1408	92.8	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5250	50	300	1358	94.4	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5250	50	350	1308	96.2	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5250	50	400	1258	97.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5250	50	450	1208	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5250	50	500	1158	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5250	100	0	1608	81.8	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5250	100	50	1558	82.9	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5250	100	100	1508	84.1	44.7
Stinggate (Upgraded) Tailgate	Sub	-5	Add	4	5250	100	150	1458	85.3	44.7
Pickup Bed Extender	Sub	-2	Add	22	5250	100	200	1408	86.6	44.7
Spray-In Bedliner	Sub	0	Add	20	5250	100	250	1358	88.1	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	28	Add	20	5250	100	300	1308	89.6	44.7
Side Aux Steps - w/Lights	Add	39	Add	25	5250	100	350	1258	91.3	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	26	Add	21	5250	100	400	1208	93.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5250	100	450	1158	95.0	44.7
Lower Body Side Molding	Add	2	Add	1	5250	100	500	1108	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5250	150	0	1558	77.4	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5250	150	50	1508	78.4	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5250	150	100	1458	79.4	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5250	150	150	1408	80.5	44.7
Sliding Rear Window	Add	6	Add	1	5250	150	200	1358	81.7	44.7
Power Sliding Rear Window	Add	6	Add	2	5250	150	250	1308	83.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5250	150	300	1258	84.4	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5250	150	350	1208	85.9	44.7
Foglamps	Add	3	Sub	0	5250	150	400	1158	87.6	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5250	150	450	1108	89.3	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5250	150	500	1058	91.3	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5250	200	0	1508	72.6	44.7
All Weather Floor Mat	Add	10	Add	6	5250	200	50	1458	73.5	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5250	200	100	1408	74.4	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5250	200	150	1358	75.4	44.7
Power Equipment Group	Add	15	Add	6	5250	200	200	1308	76.4	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5250	200	250	1258	77.6	44.7
Cruise Control	Add	3	Add	1	5250	200	300	1208	78.8	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5250	200	350	1158	80.1	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5250	200	400	1108	81.6	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5250	200	450	1058	83.1	44.7
Heated/Cooled Seats (Driver and Passenger)	Sub	3	Add	1	5250	200	500	1008	84.9	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5250	250	0	1458	67.6	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5250	250	50	1408	68.3	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Add	-5	Sub	-2	5250	250	100	1358	69.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5250	250	150	1308	69.8	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5250	250	200	1258	70.7	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5250	250	250	1208	71.6	44.7
Satellite Digital Broadcast	Add	2	Add	1	5250	250	300	1158	72.7	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5250	250	350	1108	73.8	44.7
FX4 Trim	Add	7	Add	7	5250	250	400	1058	75.0	44.7
Power Side Sunroof	Add	21	Add	15	5250	250	450	1008	76.3	44.7
XLT Trim	Add	22	Add	17	5250	250	500	958	77.8	44.7
Lariat Trim	Add	26	Add	16	5250	300	0	1408	62.2	44.7
King Ranch Option	Add	27	Add	17	5250	300	50	1358	62.7	44.7
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5250	300	100	1308	63.2	44.7
Flat Splash Guards (SRW)	Add	2	Add	2	5250	300	150	1258	63.8	44.7
Flat Splash Guards (DRW)	Sub	0	Add	8	5250	300	200	1208	64.5	44.7
Bed Mat	Add	7	Add	55	5250	300	250	1158	65.2	44.7
Low Profile Hood Deflector	Add	3	Sub	0	5250	300	300	1108	66.0	44.7
5th Wheel Hitch Prep Kit	Sub	0	Add	107	5250	300	350	1058	66.9	44.7
Gooseneck Hitch Kit	Sub	0	Add	8	5250	300	400	1008	67.8	44.7
5th Wheel Hitch Assembly	Sub	0	Add	134	5250	300	450	958	68.8	44.7
Dual Headrest DVD	Sub	0	Add	13	5250	300	500	908	70.0	44.7
Roll-up Tonneau Cover	Add	5	Add	25						
Stainless Steel Simulator K6 (17")	Add	8	Add	8						
Stainless Steel Simulator K6 (19")	Add	9	Add	9						
Cable/Strap Locks	Sub	0	Add	9						
<b>Total Option Weight</b>										

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA						
				6.7L Diesel Engine 9900 lb (4490 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT			CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS		
				FRONT (LB)	REAR (LB)			FRONT (IN)	REAR (IN)	
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	FRONT (IN)	REAR (IN)		
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386						
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428						
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	2490	85.3	45.0
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	2440	86.0	45.0
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	100	2390	86.8	45.0
Brake Controller	Add	1	Sub	0	5200	0	-50	2490	82.5	45.0
ESC® w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	2440	83.2	45.0
Skid Plates	Add	16	Add	20	5200	0	50	2390	84.0	45.0
Rear Stabilizer Bar	Add	2	Add	26	5200	0	100	2340	84.7	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	150	2290	85.5	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	200	2240	86.4	45.0
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	5200	0	250	2190	87.3	45.0
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	300	2140	88.2	45.0
Dual Alternator	Add	16	Sub	0	5200	0	350	2090	89.1	45.0
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	400	2040	90.2	45.0
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	450	1990	91.2	45.0
Manual Air Conditioning	Add	34	Sub	-1	5200	0	500	1940	92.3	45.0
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	50	-50	2440	80.4	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	0	2390	81.1	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	50	50	2340	81.8	45.0
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	2290	82.5	45.0
LT 275/65R18E A/S BSW (SRW Only)	Sub	-15	Sub	-31	5200	50	150	2240	83.3	45.0
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	9	Add	60	5200	50	200	2190	84.1	45.0
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	2140	85.0	45.0
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5200	50	300	2090	85.9	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	2040	86.8	45.0
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5200	50	400	1990	87.8	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	50	450	1940	88.8	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	50	500	1890	89.9	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5200	100	0	2340	78.9	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5200	100	50	2290	79.6	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	100	100	2240	80.3	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	100	150	2190	81.0	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	5200	100	200	2140	81.8	45.0
Stepgate (Upgraded Tailgate)	Add	-8	Add	41	5200	100	250	2090	82.6	45.0
Pickup Bed Extender	Sub	-2	Add	22	5200	100	300	2040	83.4	45.0
Spray-In Bedliner	Add	1	Add	19	5200	100	350	1990	84.3	45.0
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	5200	100	400	1940	85.3	45.0
Lower Body Side Molding	Add	2	Add	1	5200	100	450	1890	86.3	45.0
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	100	500	1840	87.3	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5600	150	0	2290	97.0	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	50	2240	97.0	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	100	2190	97.0	45.0
Sliding Rear Window	Add	6	Add	1	5600	150	150	2140	97.0	45.0
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	150	200	2090	97.0	45.0
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5600	150	250	2040	97.0	45.0
Foglamps	Add	3	Sub	0	5600	150	300	1990	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5600	150	350	1940	97.0	45.0
XLT Floor Mats Less Logo (Color Keyed)	Add	3	Add	1	5600	150	400	1890	97.0	45.0
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	5600	150	450	1840	97.0	45.0
All Weather Floor Mat	Add	6	Add	4	5600	150	500	1790	97.0	45.0
Electrochromic Rear View Mirror	Add	1	Sub	0	5600	200	0	2240	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	200	50	2190	97.0	45.0
Power Equipment Group	Add	12	Add	3	5600	200	100	2140	97.0	45.0
Adj Gas & Brake Pedals	Add	4	Add	3	5600	200	150	2090	97.0	45.0
Cruise Control	Add	3	Add	1	5600	200	200	2040	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	200	250	1990	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	200	300	1940	97.0	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	200	350	1890	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	200	400	1840	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	200	450	1790	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	Add	-20	Add	5	5600	200	500	1740	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	50	Sub	-2	5600	250	0	2190	96.6	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	250	50	2140	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	5600	250	100	2090	97.0	45.0
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	5600	250	150	2040	97.0	45.0
Satellite Digital Broadcast	Add	2	Add	1	5600	250	200	1990	97.0	45.0
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	250	250	1940	97.0	45.0
Fx4 Trim	Add	6	Add	2	5600	250	300	1890	97.0	45.0
XLT Trim	Add	18	Add	12	5600	250	350	1840	97.0	45.0
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5600	250	400	1790	97.0	45.0
Flat Splash Guards (SRW)	Sub	2	Add	2	5600	250	450	1740	97.0	45.0
Bed Mat	Add	7	Add	55	5600	250	500	1690	97.0	45.0
Low Profile Hood Deflector	Add	3	Sub	0	5600	300	0	2140	94.6	45.0
5th Wheel Hitch Prep Kit	Sub	0	Add	107	5600	300	50	2090	95.7	45.0
Gooseneck Hitch Kit	Sub	0	Add	8	5600	300	100	2040	96.9	45.0
5th Wheel Hitch Assembly	Sub	0	Add	134	5600	300	150	1990	97.0	45.0
Roll-up Tonneau Cover	Add	5	Add	25	5600	300	200	1940	97.0	45.0
Stainless Steel Simulator Kit (17')	Add	8	Add	8	5600	300	250	1890	97.0	45.0
Stainless Steel Simulator Kit (19')	Add	9	Add	9	5600	300	300	1840	97.0	45.0
Cable/Strap Locks	Sub	0	Add	9	5600	300	350	1790	97.0	45.0
					5600	300	400	1740	97.0	45.0
					5600	300	450	1690	97.0	45.0
					5600	300	500	1640	97.0	45.0
<b>Total Option Weight</b>										

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA						
				6.7L Diesel Engine 9900 lb (4490 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT			CARGO WEIGHT RATING	CENTER OF GRAVITY ZONE LIMITS		
				FRONT (LB)	REAR (LB)	RATING (LB)		FRONT (A) (IN)	REAR (B) (IN)	
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	FRONT (V)	REAR (VI)		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0						
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	-50	1838	80.3	44.7
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	0	1788	81.0	44.7
Brake Controller	Add	1	Sub	0	5200	-50	50	1738	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	100	1688	81.0	44.7
Skid Plates	Add	18	Add	18	5600	0	-50	1788	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5600	0	0	1738	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5600	0	50	1688	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5600	0	100	1638	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	5600	0	150	1588	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5600	0	200	1538	81.0	44.7
Dual Alternator	Add	16	Sub	0	5600	0	250	1488	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5600	0	300	1438	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5600	0	350	1388	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5600	50	0	1688	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5600	50	50	1638	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5600	50	100	1588	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5600	50	150	1538	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5600	50	200	1488	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5600	50	250	1438	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5600	50	300	1388	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5600	50	350	1338	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5600	100	0	1638	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5600	100	50	1588	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5600	100	100	1538	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5600	100	150	1488	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5600	100	200	1438	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5600	100	250	1388	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5600	100	300	1338	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5600	100	350	1288	81.0	44.7
Spray-In Bedliner	Sub	0	Add	16	5600	150	0	1588	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	5600	150	50	1538	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5600	150	100	1488	81.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5600	150	150	1438	81.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5600	150	200	1388	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5600	150	250	1338	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5600	150	300	1288	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	350	1238	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	200	0	1538	81.0	44.7
Sliding Rear Window	Add	6	Add	1	5600	200	50	1488	81.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5600	200	100	1438	81.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	200	150	1388	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5600	200	200	1338	81.0	44.7
Foglamps	Add	3	Sub	0	5600	200	250	1288	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5600	200	300	1238	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5600	200	350	1188	81.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5600	250	0	1488	81.0	44.7
All Weather Floor Mat	Add	10	Add	6	5600	250	50	1438	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5600	250	100	1388	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	250	150	1338	81.0	44.7
Power Equipment Group	Add	12	Add	3	5600	250	200	1288	81.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5600	250	250	1238	81.0	44.7
Cruise Control	Add	3	Add	1	5600	250	300	1188	81.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	250	350	1138	81.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	300	0	1438	81.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	300	50	1388	81.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	300	100	1338	81.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	300	150	1288	81.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5600	300	200	1238	81.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5600	300	250	1188	81.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	300	300	1138	81.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5600	300	350	1088	81.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6						
Satellite Digital Broadcast	Add	2	Add	1						
SYNC - Media Gateway Module (MGM)	Add	1	Add	0						
FX4 Trim	Add	7	Add	5						
XLT Trim	Add	19	Add	14						
Lariat Trim	Add	24	Add	13						
King Ranch Option	Add	24	Add	14						
Passenger Side Air Bag Delete	Sub	-10	Sub	-1						
Flat Splash Guards (SRW)	Add	2	Add	2						
Flat Splash Guards (DRW)	Sub	0	Add	8						
Bed Mat	Add	5	Add	45						
Low Profile Hood Deflector	Add	3	Sub	0						
Roll-up Tonneau Cover	Add	4	Add	22						
Cable/Strap Locks	Sub	0	Add	9						
<b>Total Option Weight</b>										

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE					VEHICLE LOADING DATA						
					6.7L Diesel Engine 9900 lb (4490 kg) GVWR						
OPTION DESCRIPTION	FRONT	(Lbs.)	REAR	(Lbs.)	OPTION WEIGHT			CENTER OF GRAVITY ZONE LIMITS			
					FRONT (LB)	REAR (LB)	RATING (LB)	FRONT		REAR (B) (IN)	
								(A) (IN)	(B) (IN)		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0							
Immersion Heater - Engine	Add	1	Sub	0	5600	-50	-50	1583	81.0	44.7	
Limited Slip Rear Axle	Sub	0	Add	5	5600	-50	0	1533	81.0	44.7	
Brake Controller	Add	1	Sub	0	5600	-50	50	1483	81.0	44.7	
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5600	-50	100	1433	81.0	44.7	
Skid Plates	Add	20	Add	16	5600	0	-50	1533	81.0	44.7	
Rear Stabilizer Bar	Add	2	Add	26	5600	0	0	1483	81.0	44.7	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5600	0	50	1433	81.0	44.7	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5600	0	100	1383	81.0	44.7	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5600	0	150	1333	81.0	44.7	
Extra Heavy Duty Alternator	Add	3	Sub	0	5600	0	200	1283	81.0	44.7	
Dual Alternator	Add	16	Sub	0	5600	0	250	1233	81.0	44.7	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5600	0	300	1183	81.0	44.7	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5600	0	350	1133	81.0	44.7	
Manual Air Conditioning	Add	34	Sub	-1	5600	0	400	1083	81.0	44.7	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5600	50	0	1433	81.0	44.7	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5600	50	50	1383	81.0	44.7	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5600	50	100	1333	81.0	44.7	
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5600	50	150	1283	81.0	44.7	
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5600	50	200	1233	81.0	44.7	
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5600	50	250	1183	81.0	44.7	
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5600	50	300	1133	81.0	44.7	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5600	50	350	1083	81.0	44.7	
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5600	50	400	1033	81.0	44.7	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5600	100	0	1383	81.0	44.7	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5600	100	50	1333	81.0	44.7	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5600	100	100	1283	81.0	44.7	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5600	100	150	1233	81.0	44.7	
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5600	100	200	1183	81.0	44.7	
Pickup Bed Extender	Sub	-2	Add	22	5600	100	250	1133	81.0	44.7	
Spray-In Bedliner	Sub	0	Add	20	5600	100	300	1083	81.0	44.7	
Composite Side Aux. Steps - Platform w/Lights	Add	25	Add	24	5600	100	350	1033	81.0	44.7	
Side Aux Steps - w/Lights	Add	37	Add	27	5600	100	400	983	81.0	44.7	
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	25	Add	22	5600	150	0	1333	81.0	44.7	
6" Angular Chrome Step w/Lights (VP Design)	Add	35	Add	31	5600	150	50	1283	81.0	44.7	
Lower Bodyside Molding	Add	2	Add	1	5600	150	100	1233	81.0	44.7	
Reverse Vehicle Sensor System	Sub	0	Add	1	5600	150	150	1183	81.0	44.7	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5600	150	200	1133	81.0	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	250	1083	81.0	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	300	1033	81.0	44.7	
Sliding Rear Window	Add	6	Add	1	5600	150	350	983	81.0	44.7	
Power Sliding Rear Window	Add	6	Add	2	5600	150	400	933	81.0	44.7	
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	6000	200	0	1283	81.0	44.7	
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	6000	200	50	1233	81.0	44.7	
Foglamps	Add	3	Sub	0	6000	200	100	1183	81.0	44.7	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	6000	200	150	1133	81.0	44.7	
XL Floor Mats less Logo (Color Keyed)	Add	4	Add	2	6000	200	200	1083	81.0	44.7	
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	6000	200	250	1033	81.0	44.7	
All Weather Floor Mat	Add	10	Add	6	6000	200	300	983	81.0	44.7	
Electrochromic Rear View Mirror	Add	1	Sub	0	6000	200	350	933	81.0	44.7	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	6000	200	400	883	81.0	44.7	
Power Equipment Group	Add	15	Add	6	6000	250	0	1233	81.0	44.7	
Adj Gas & Brake Pedals	Add	4	Add	3	6000	250	50	1183	81.0	44.7	
Cruise Control	Add	3	Add	1	6000	250	100	1133	81.0	44.7	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	6000	250	150	1083	81.0	44.7	
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	6000	250	200	1033	81.0	44.7	
Crew Cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	6000	250	250	983	81.0	44.7	
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	6000	250	300	933	81.0	44.7	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	6000	250	350	883	81.0	44.7	
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	6000	250	400	833	81.0	44.7	
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	6000	300	0	1183	81.0	44.7	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	6000	300	50	1133	81.0	44.7	
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	6000	300	100	1083	81.0	44.7	
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	6000	300	150	1033	81.0	44.7	
Satellite Digital Broadcast	Add	2	Add	1	6000	300	200	983	81.0	44.7	
SYNC - Media Gateway Module (MGM)	Add	1	Add	0	6000	300	250	933	81.0	44.7	
FX4 Trim	Add	7	Add	7	6000	300	300	883	81.0	44.7	
Power Slide Sunroof	Add	20	Add	16	6000	300	350	833	81.0	44.7	
XL Trim	Add	22	Add	17	6000	300	400	783	81.0	44.7	
Lariat Trim	Add	26	Add	16	6000	350	0	1133	81.0	44.7	
King Ranch Option	Add	27	Add	17	6000	350	50	1083	81.0	44.7	
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	6000	350	100	1033	81.0	44.7	
Flat Splash Guards (SRW)	Add	2	Add	2	6000	350	150	983	81.0	44.7	
Flat Splash Guards (DRW)	Sub	0	Add	8	6000	350	200	933	81.0	44.7	
Bed Mat	Add	5	Add	45	6000	350	250	883	81.0	44.7	
Low Profile Hood Deflector	Sub	0	Sub	0	6000	350	300	833	81.0	44.7	
Dual Headrest DVD	Add	5	Add	8	6000	350	350	783	81.0	44.7	
Roll-up Tonneau Cover	Add	4	Add	22	6000	350	400	733	81.0	44.7	
Cable/Strap Locks	Sub	0	Add	9							
<b>Total Option Weight</b>											

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA					
				6.7L Diesel Engine		9900 lb (4490 kg) GVWR			
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT			CENTER OF GRAVITY ZONE LIMITS		
				FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (IN)	REAR (IN)	
									GAWR (Lb.)
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386					
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428					
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5600	-50	1510	97.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	5600	-50	1460	97.0	44.7
Limited Slip Rear Axle	Add	3	Sub	0	5600	-50	1410	97.0	44.7
Brake Controller	Add	1	Sub	0	5600	-50	1360	97.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5600	0	1410	97.0	44.7
Skid Plates	Add	18	Add	20	5600	0	1360	97.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5600	0	1310	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5600	0	1260	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5600	0	1210	97.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5600	0	1160	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5600	0	300	1110	97.0
Dual Alternator	Add	16	Sub	0	5600	0	350	1060	97.0
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5600	0	400	1010	97.0
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5600	0	450	960	97.0
Manual Air Conditioning	Add	34	Sub	-1	5600	0	500	910	97.0
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5600	0	500	910	97.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5600	50	0	1360	97.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5600	50	0	1310	97.0
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5600	50	150	1260	97.0
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5600	50	200	1160	97.0
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5600	50	250	1110	97.0
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5600	50	300	1060	97.0
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5600	50	350	1010	97.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5600	50	400	960	97.0
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5600	50	450	910	97.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5600	50	500	860	97.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	6000	100	0	1310	97.0
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	6000	100	50	1260	97.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	6000	100	100	1210	97.0
Singlegate (Upgraded) Tailgate	Sub	-5	Add	-1	6000	100	150	1160	97.0
Pickup Bed Extender	Sub	-2	Add	22	6000	100	200	1110	97.0
Spray-In Bedliner	Sub	0	Add	16	6000	100	250	1060	97.0
Composite Side Aux. Steps - Platform w/o Lights	Add	24	Add	18	6000	100	300	1010	97.0
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	6000	100	350	960	97.0
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	6000	100	400	910	97.0
Lower Bodyside Molding	Add	2	Add	1	6000	100	450	860	97.0
Reverse Vehicle Sensor System	Sub	0	Add	1	6000	100	500	810	97.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	6000	150	0	1260	97.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	6000	150	50	1210	97.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	6000	150	100	1160	97.0
Sliding Rear Window	Add	6	Add	1	6000	150	150	1110	97.0
Power Sliding Rear Window	Add	6	Add	2	6000	150	200	1060	97.0
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	6000	150	250	1010	97.0
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	6000	150	300	960	97.0
Foglamps	Add	3	Sub	0	6000	150	350	910	97.0
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	0	0	6000	150	400	860	97.0
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	6000	150	450	810	97.0
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	6000	150	500	760	97.0
All Weather Floor Mat	Add	10	Add	6	6000	200	0	1210	97.0
Electrochromic Rear View Mirror	Sub	1	Sub	0	6000	200	50	1160	97.0
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	6000	200	100	1110	97.0
Power Equipment Group	Add	12	Add	3	6000	200	150	1060	97.0
Adj Gas & Brake Pedals	Add	4	Add	3	6000	200	200	1010	97.0
Cruise Control	Add	3	Add	1	6000	200	250	960	97.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	6000	200	300	910	97.0
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	6000	200	350	860	97.0
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	6000	200	400	810	97.0
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	6000	200	450	760	97.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	6000	200	500	710	97.0
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	6000	250	0	1160	97.0
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	6000	250	50	1110	97.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	6000	250	100	1060	97.0
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	6000	250	150	1010	97.0
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	6000	250	200	960	97.0
Satellite Digital Broadcast	Add	2	Add	1	6000	250	250	910	97.0
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	6000	250	300	860	97.0
FX4 Trim	Add	7	Add	5	6000	250	350	810	97.0
XLT Trim	Add	19	Add	14	6000	250	400	760	97.0
Lariat Trim	Add	24	Add	13	6000	250	450	710	97.0
King Ranch Option	Add	24	Add	14	6000	250	500	660	97.0
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	6000	300	0	1110	97.0
Flat Splash Guards (SRW)	Add	2	Add	2	6000	300	50	1060	97.0
Flat Splash Guards (DRW)	Sub	0	Add	8	6000	300	100	1010	97.0
Bed Mat	Add	7	Add	55	6000	300	150	960	97.0
Low Profile Hood Deflector	Add	3	Sub	0	6000	300	200	910	97.0
5th Wheel Hitch Prep Kit	Sub	0	Add	107	6000	300	250	860	97.0
Gooseneck Hitch Kit	Sub	0	Add	8	6000	300	300	810	97.0
5th Wheel Hitch Assembly	Sub	0	Add	134	6000	300	350	760	97.0
Roll-up Tonneau Cover	Add	5	Add	25	6000	300	400	710	97.0
Stainless Steel Simulator Kit (17")	Add	8	Add	8	6000	300	450	660	97.0
Stainless Steel Simulator Kit (19")	Add	9	Add	9	6000	300	500	610	97.0
Cable/Strap Locks	Sub	0	Add	9					
<b>Total Option Weight</b>									

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA							
				6.7L Diesel Engine 9900 lb (4490 kg) GVWR							
OPTION DESCRIPTION	FRONT	(Lbs.)	REAR	(Lbs.)	OPTION WEIGHT			CENTER OF GRAVITY ZONE LIMITS			
					FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT		REAR (B) (IN)	
								(A) (IN)	(B) (IN)		
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386							
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	5600	-50	-50	1371	97.0	44.7	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5600	-50	0	1321	97.0	44.7	
Immersion Heater - Engine	Add	1	Sub	0	5600	-50	50	1271	97.0	44.7	
Limited Slip Rear Axle	Sub	0	Add	5	5600	-50	100	1221	97.0	44.7	
Brake Controller	Add	1	Sub	0	6000	0	-50	1321	97.0	44.7	
ESC <sup>®</sup> w/Auto-Man Locking Hubs	Add	3	Sub	0	6000	0	0	1271	97.0	44.7	
Skid Plates	Add	19	Add	17	6000	0	50	1221	97.0	44.7	
Rear Stabilizer Bar	Add	2	Add	26	6000	0	100	1171	97.0	44.7	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	6000	0	150	1121	97.0	44.7	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	6000	0	200	1071	97.0	44.7	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	6000	0	250	1021	97.0	44.7	
Extra Heavy Duty Alternator	Add	3	Sub	0	6000	0	300	971	97.0	44.7	
Dual Alternator	Add	16	Sub	0	6000	0	350	921	97.0	44.7	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	6000	0	400	871	97.0	44.7	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	6000	0	450	821	97.0	44.7	
Manual Air Conditioning	Add	34	Sub	-1	6000	0	500	771	97.0	44.7	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	6000	0	550	721	97.0	44.7	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	6000	50	0	1221	97.0	44.7	
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	6000	50	50	1171	97.0	44.7	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	6000	50	100	1121	97.0	44.7	
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	6000	50	150	1071	97.0	44.7	
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	6000	50	200	1021	97.0	44.7	
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	6000	50	250	971	97.0	44.7	
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	6000	50	300	921	97.0	44.7	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	6000	50	350	871	97.0	44.7	
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	6000	50	400	821	97.0	44.7	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	6000	50	450	771	97.0	44.7	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	6000	50	500	721	97.0	44.7	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	6000	50	550	671	97.0	44.7	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	6000	100	0	1171	97.0	44.7	
Stepgate (Upgraded) Tailgate	Sub	-5	Sub	-4	6000	100	50	1121	97.0	44.7	
Pickup Bed Extender	Sub	-2	Add	22	6000	100	100	1071	97.0	44.7	
Spray-In Bedliner	Sub	0	Add	20	6000	100	150	1021	97.0	44.7	
Composite Side Aux. Steps - Platform w/o Lights	Add	28	Add	21	6000	100	200	971	97.0	44.7	
Side Aux Steps - w/Lights	Add	39	Add	25	6000	100	250	921	97.0	44.7	
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	26	Add	21	6000	100	300	871	97.0	44.7	
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	6000	100	350	821	97.0	44.7	
Lower Bodyside Molding	Add	2	Add	1	6000	100	400	771	97.0	44.7	
Reverse Vehicle Sensor System	Sub	0	Add	1	6000	100	450	721	97.0	44.7	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	6000	100	500	671	97.0	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	6000	100	550	621	97.0	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	6000	150	0	1121	97.0	44.7	
Sliding Rear Window	Add	6	Add	1	6000	150	50	1071	97.0	44.7	
Power Sliding Rear Window	Add	6	Add	2	6000	150	100	1021	97.0	44.7	
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	6000	150	150	971	97.0	44.7	
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	6000	150	200	921	97.0	44.7	
Foglamps	Add	3	Sub	0	6000	150	250	871	97.0	44.7	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	6000	150	300	821	97.0	44.7	
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	6000	150	350	771	97.0	44.7	
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	6000	150	400	721	97.0	44.7	
All Weather Floor Mat	Add	10	Add	6	6000	150	450	671	97.0	44.7	
Electrochromic Rear View Mirror	Add	1	Sub	0	6000	150	500	621	97.0	44.7	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	6000	150	550	571	97.0	44.7	
Power Equipment Group	Add	15	Add	6	6000	200	0	1071	97.0	44.7	
Adj Gas & Brake Pedals	Add	4	Add	3	6000	200	50	1021	97.0	44.7	
Cruise Control	Add	3	Add	1	6000	200	100	971	97.0	44.7	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	11	Sub	-2	6000	200	150	921	97.0	44.7	
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	6000	200	200	871	97.0	44.7	
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	6000	200	250	821	97.0	44.7	
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	6000	200	300	771	97.0	44.7	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	6000	200	350	721	97.0	44.7	
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	6000	200	400	671	97.0	44.7	
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	6000	200	450	621	97.0	44.7	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	6000	200	500	571	97.0	44.7	
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	6000	200	550	521	97.0	44.7	
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	6000	250	0	1021	97.0	44.7	
Satellite Digital Broadcast	Add	2	Add	1	6000	250	50	971	97.0	44.7	
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	6000	250	100	921	97.0	44.7	
FX4 Trim	Add	7	Add	7	6000	250	150	871	97.0	44.7	
Power Slide Sunroof	Add	21	Add	15	6000	250	200	821	97.0	44.7	
XLT Trim	Add	22	Add	17	6000	250	250	771	97.0	44.7	
Lariat Trim	Add	26	Add	16	6000	250	300	721	97.0	44.7	
King Ranch Option	Add	27	Add	17	6000	250	350	671	97.0	44.7	
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	6000	250	400	621	97.0	44.7	
Flat Splash Guards (SRW)	Add	2	Add	2	6000	250	450	571	97.0	44.7	
Flat Splash Guards (DRW)	Sub	0	Add	8	6000	250	500	521	97.0	44.7	
Bed Mat	Add	7	Add	55	6000	250	550	471	97.0	44.7	
Low Profile Hood Deflector	Add	3	Sub	0	6000	300	0	971	97.0	44.7	
5th Wheel Hitch Prep Kit	Sub	0	Add	107	6000	300	50	921	97.0	44.7	
Gooseneck Hitch Kit	Sub	0	Add	8	6000	300	100	871	97.0	44.7	
5th Wheel Hitch Assembly	Sub	0	Add	134	6000	300	150	821	97.0	44.7	
Dual Headrest DVD	0	0	Add	13	6000	300	200	771	97.0	44.7	
Roll-up Tonneau Cover	Add	5	Add	25	6000	300	250	721	97.0	44.7	
Stainless Steel Simulator K6 (17")	Add	8	Add	8	6000	300	300	671	97.0	44.7	
Stainless Steel Simulator K6 (19")	Add	9	Add	9	6000	300	350	621	97.0	44.7	
Cable/Strap Locks	Sub	0	Add	9	6000	300	400	571	97.0	44.7	
					6000	300	450	521	97.0	44.7	
					6000	300	500	471	97.0	44.7	
					6000	300	550	421	97.0	44.7	
					6000	350	0	921	97.0	44.7	
					6000	350	50	871	97.0	44.7	
					6000	350	100	821	97.0	44.7	
					6000	350	150	771	97.0	44.7	
					6000	350	200	721	97.0	44.7	
					6000	350	250	671	97.0	44.7	
					6000	350	300	621	97.0	44.7	
					6000	350	350	571	97.0	44.7	
					6000	350	400	521	97.0	44.7	
					6000	350	450	471	97.0	44.7	
					6000	350	500	421	97.0	44.7	
					6000	350	550	371	97.0	44.7	
<b>Total Option Weight</b>											

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA							
				6.7L Diesel Engine 10000 lb (4535 kg) GVWR							
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS				
				FRONT (LB)	REAR (LB)		RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)		
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)		
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386							
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428							
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4700	-50	0	2985	72.7	45.0	
Immersion Heater - Engine	Add	1	Sub	0	4700	-50	50	2935	73.1	45.0	
Limited Slip Rear Axle	Sub	0	Add	5	4700	-50	100	2885	73.6	45.0	
Brake Controller	Add	1	Sub	0	4700	0	-50	2985	70.4	45.0	
ESOP w/Auto-Man Locking Hubs	Add	3	Sub	0	4700	0	0	2935	70.8	45.0	
Skid Plates	Add	16	Add	20	4700	0	50	2885	71.2	45.0	
Rear Stabilizer Bar	Add	2	Add	26	4700	0	100	2835	71.6	45.0	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4700	0	150	2785	72.1	45.0	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4700	0	200	2735	72.5	45.0	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4700	0	250	2685	73.0	45.0	
Extra Heavy Duty Alternator	Add	3	Sub	0	4700	0	300	2635	73.4	45.0	
Dual Alternator	Add	16	Sub	0	4700	0	350	2585	73.9	45.0	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4700	0	400	2535	74.4	45.0	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4700	0	450	2485	75.0	45.0	
Manual Air Conditioning	Add	34	Sub	-1	4700	50	0	2885	68.8	45.0	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4700	50	50	2835	69.2	45.0	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4700	50	100	2785	69.6	45.0	
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4700	50	150	2735	70.0	45.0	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4700	50	200	2685	70.4	45.0	
LT 275/65R18E A/S BSW (SRW Only)	Sub	-15	Sub	-31	4700	50	250	2635	70.8	45.0	
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	9	Add	60	4700	50	300	2585	71.3	45.0	
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4700	50	350	2535	71.7	45.0	
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4700	50	400	2485	72.2	45.0	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4700	50	450	2435	72.7	45.0	
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4850	100	0	2835	74.0	45.0	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4850	100	50	2785	74.5	45.0	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4850	100	100	2735	75.0	45.0	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4850	100	150	2685	75.5	45.0	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4850	100	200	2635	76.0	45.0	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4850	100	250	2585	76.6	45.0	
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4850	100	300	2535	77.1	45.0	
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4850	100	350	2485	77.7	45.0	
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4850	100	400	2435	78.3	45.0	
Pickup Bed Extender	Sub	-2	Add	22	4850	100	450	2385	79.0	45.0	
Spray-In Bedliner	Add	1	Add	19	4850	150	0	2785	72.1	45.0	
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4850	150	50	2735	72.5	45.0	
Lower Body Side Molding	Add	2	Add	1	4850	150	100	2685	73.0	45.0	
Reverse Vehicle Sensor System	Sub	0	Add	1	4850	150	150	2635	73.4	45.0	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4850	150	200	2585	73.9	45.0	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	150	250	2535	74.4	45.0	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	150	300	2485	75.0	45.0	
Sliding Rear Window	Add	6	Add	1	4850	150	350	2435	75.5	45.0	
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4850	150	400	2385	76.1	45.0	
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4850	150	450	2335	76.7	45.0	
Foglamps	Add	3	Sub	0	4850	200	0	2735	70.0	45.0	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4850	200	50	2685	70.4	45.0	
XLT Floor Mats Less Logo (Color Keyed)	Add	3	Add	1	4850	200	100	2635	70.8	45.0	
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	4850	200	150	2585	71.3	45.0	
All Weather Floor Mat	Add	6	Add	4	4850	200	200	2535	71.7	45.0	
Electrochromic Rear View Mirror	Add	1	Sub	0	4850	200	250	2485	72.2	45.0	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4850	200	300	2435	72.7	45.0	
Power Equipment Group	Add	12	Add	3	4850	200	350	2385	73.2	45.0	
Adj Gas & Brake Pedals	Add	4	Add	3	4850	200	400	2335	73.8	45.0	
Cruise Control	Add	3	Add	1	4850	200	450	2285	74.4	45.0	
Front Seat - Individual 40/40 w/Center Under Seat Storage	Add	1	Sub	-2	5000	250	50	2835	76.0	45.0	
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5000	250	100	2685	76.6	45.0	
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5000	250	150	2535	77.1	45.0	
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5000	250	200	2485	77.7	45.0	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5000	250	250	2435	78.3	45.0	
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5000	250	300	2385	79.0	45.0	
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5000	250	350	2335	79.7	45.0	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5000	250	400	2285	80.3	45.0	
Electronic Premium Stereo/Single CD w/Audiodiaphone (8 speakers/subwoofer)	Sub	0	Sub	0	5000	250	450	2235	81.1	45.0	
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	5000	300	50	2585	73.9	45.0	
Satellite Digital Broadcast	Add	2	Add	1	5000	300	100	2535	74.4	45.0	
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5000	300	150	2485	75.0	45.0	
FX4 Trim	Add	6	Add	2	5000	300	200	2435	75.5	45.0	
XLT Trim	Add	16	Add	12	5000	300	250	2385	76.1	45.0	
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5000	300	300	2335	76.7	45.0	
Flat Splash Guards (SRW)	Add	2	Add	2	5000	300	350	2285	77.3	45.0	
Bed Mat	Add	7	Add	55	5000	300	400	2235	78.0	45.0	
Low Profile Hood Deflector	Add	3	Sub	0	5000	300	450	2185	78.7	45.0	
5th Wheel Hitch Prep Kit	Sub	0	Add	107							
Gooseneck Hitch Kit	Sub	0	Add	8							
5th Wheel Hitch Assembly	Sub	0	Add	134							
Roll-up Tonneau Cover	Add	5	Add	25							
Stainless Steel Simulator Kit (17")	Add	8	Add	8							
Stainless Steel Simulator Kit (19")	Add	9	Add	9							
Cable/Strap Locks	Sub	0	Add	9							
<b>Total Option Weight</b>											

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.



MY: 2011 Model: F350 4x2 (17" Tire/10,000 GVWR) Cab Type: Super Cab Wheelbase: 142 \*

OPTION TABLE					VEHICLE LOADING DATA						
					6.7L Diesel Engine 10000 lb (4535 kg) GVWR				CENTER OF GRAVITY ZONE LIMITS		
OPTION DESCRIPTION	FRONT	(Lbs.)	REAR	(Lbs.)	OPTION WEIGHT				FRONT		
					FRONT WEIGHT		RATING	REAR (B)			
					GAWR (Lb.)	FRONT (LB)		REAR (LB)	(A) (IN)	(B) (IN)	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4850	-50	-50	1574	81.0	44.7	
Immersion Heater - Engine	Add	1	Sub	0	4850	-50	0	1524	81.0	44.7	
Limited Slip Rear Axle	Sub	0	Add	5	4850	-50	0	1524	81.0	44.7	
Brake Controller	Add	1	Sub	0	4850	-50	50	1474	81.0	44.7	
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4850	-50	100	1424	81.0	44.7	
Skid Plates	Add	18	Add	18	4850	0	-50	1524	81.0	44.7	
Rear Stabilizer Bar	Add	2	Add	26	4850	0	0	1474	81.0	44.7	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4850	0	50	1424	81.0	44.7	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4850	0	100	1374	81.0	44.7	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4850	0	150	1324	81.0	44.7	
Extra Heavy Duty Alternator	Add	3	Sub	0	4850	0	200	1274	81.0	44.7	
Dual Alternator	Add	16	Sub	0	4850	0	250	1224	81.0	44.7	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4850	0	300	1174	81.0	44.7	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4850	0	350	1124	81.0	44.7	
Manual Air Conditioning	Add	34	Sub	-1	4850	50	0	1424	80.3	44.7	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4850	50	50	1374	81.0	44.7	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4850	50	100	1324	81.0	44.7	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4850	50	150	1274	81.0	44.7	
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	4850	50	200	1224	81.0	44.7	
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4850	50	250	1174	81.0	44.7	
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4850	50	300	1124	81.0	44.7	
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4850	50	350	1074	81.0	44.7	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5000	100	0	1374	81.0	44.7	
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5000	100	50	1324	81.0	44.7	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5000	100	100	1274	81.0	44.7	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5000	100	150	1224	81.0	44.7	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5000	100	200	1174	81.0	44.7	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5000	100	250	1124	81.0	44.7	
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5000	100	300	1074	81.0	44.7	
Pickup Bed Extender	Sub	-2	Add	22	5000	100	350	1024	81.0	44.7	
Spray-In Bedliner	Sub	0	Add	16	5000	150	0	1324	81.0	44.7	
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	5000	150	50	1274	81.0	44.7	
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5000	150	100	1224	81.0	44.7	
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5000	150	150	1174	81.0	44.7	
Lower Body Side Molding	Add	2	Add	1	5000	150	200	1124	81.0	44.7	
Reverse Vehicle Sensor System	Sub	0	Add	1	5000	150	250	1074	81.0	44.7	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5000	150	300	1024	81.0	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5000	150	350	974	81.0	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5000	200	0	1274	81.0	44.7	
Sliding Rear Window	Add	6	Add	1	5000	200	50	1224	81.0	44.7	
Power Sliding Rear Window	Add	6	Add	2	5000	200	100	1174	81.0	44.7	
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5000	200	150	1124	81.0	44.7	
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5000	200	200	1074	81.0	44.7	
Foglamps	Add	3	Sub	0	5000	200	250	1024	81.0	44.7	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5000	200	300	974	81.0	44.7	
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5000	200	350	924	81.0	44.7	
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5000	250	0	1224	79.8	44.7	
All Weather Floor Mat	Add	10	Add	6	5000	250	50	1174	81.0	44.7	
Electrochromic Rear View Mirror	Add	1	Sub	0	5000	250	100	1124	81.0	44.7	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5000	250	150	1074	81.0	44.7	
Power Equipment Group	Add	12	Add	3	5000	250	200	1024	81.0	44.7	
Adj Gas & Brake Pedals	Add	4	Add	3	5000	250	250	974	81.0	44.7	
Cruise Control	Add	3	Add	1	5000	250	300	924	81.0	44.7	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5000	250	350	874	81.0	44.7	
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3							
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9							
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1							
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2							
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5							
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2							
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2							
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4							
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6							
Satellite Digital Broadcast	Add	2	Add	1							
SYNC - Media Gateway Module (MGM)	Add	1	Add	0							
FX4 Trim	Add	7	Add	5							
XLT Trim	Add	19	Add	14							
Lariat Trim	Add	24	Add	13							
King Ranch Option	Add	24	Add	14							
Passenger Side Air Bag Delete	Sub	-10	Sub	-1							
Flat Splash Guards (SRW)	Add	2	Add	2							
Flat Splash Guards (DRW)	Sub	0	Add	8							
Bed Mat	Add	5	Add	45							
Low Profile Hood Deflector	Add	3	Sub	0							
Roll-up Tonneau Cover	Add	4	Add	22							
Cable/Strap Locks	Sub	0	Add	9							
<b>Total Option Weight</b>											

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
	GAWR (Lb.)	OPTION WEIGHT		GAWR (Lb.)	CENTER OF GRAVITY ZONE LIMITS		GAWR (Lb.)	OPTION WEIGHT		GAWR (Lb.)	CENTER OF GRAVITY ZONE LIMITS					
		FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)		FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)				
		I	II		III	IV		V	VI		VII	VIII	IX	X		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4400	-50	-50	2708	70.9	44.7	5250	-50	-50	1866	81.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	4400	-50	0	2658	71.3	44.7	5250	-50	0	1816	81.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4400	-50	0	2608	71.8	44.7	5250	-50	50	1766	81.0	44.7
Brake Controller	Add	1	Sub	0	4400	-50	50	2608	71.8	44.7	5250	-50	50	1766	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4400	-50	100	2558	72.3	44.7	5250	-50	100	1716	81.0	44.7
Stud Plates	Add	20	Add	16	4400	0	-50	2658	68.4	44.7	5250	0	-50	1816	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	2608	68.8	44.7	5250	0	0	1766	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	2558	69.2	44.7	5250	0	50	1716	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	2508	69.6	44.7	5250	0	100	1666	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4400	0	150	2458	70.1	44.7	5250	0	150	1616	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4400	0	200	2408	70.5	44.7	5250	0	200	1566	81.0	44.7
Dual Alternator	Add	16	Sub	0	4400	0	250	2358	71.0	44.7	5250	0	250	1516	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4400	0	300	2308	71.5	44.7	5250	0	300	1466	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4400	0	350	2258	72.0	44.7	5250	0	350	1416	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	4400	0	400	2208	72.6	44.7	5250	0	400	1366	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4550	50	0	2558	75.3	44.7	5250	50	0	1716	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4550	50	50	2508	75.9	44.7	5250	50	50	1666	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4550	50	100	2458	76.4	44.7	5250	50	100	1616	81.0	44.7
LT 275/60R18E A/S BSW (SRW Only)	Add	22	Add	22	4550	50	150	2408	77.0	44.7	5250	50	150	1566	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4550	50	200	2358	77.6	44.7	5250	50	200	1516	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4550	50	250	2308	78.3	44.7	5250	50	250	1466	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4550	50	300	2258	78.9	44.7	5250	50	300	1416	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4550	50	350	2208	79.6	44.7	5250	50	350	1366	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4550	50	400	2158	80.4	44.7	5250	50	400	1316	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4550	100	0	2508	72.7	44.7	5250	100	0	1666	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4550	100	50	2458	73.2	44.7	5250	100	50	1616	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4550	100	100	2408	73.8	44.7	5250	100	100	1566	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4550	100	150	2358	74.3	44.7	5250	100	150	1516	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4550	100	200	2308	74.9	44.7	5250	100	200	1466	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	4550	100	250	2258	75.5	44.7	5250	100	250	1416	81.0	44.7
Spray-in Bedliner	Sub	0	Add	20	4550	100	300	2208	76.1	44.7	5250	100	300	1366	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	4550	100	350	2158	76.8	44.7	5250	100	350	1316	81.0	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	4550	100	400	2108	77.4	44.7	5250	100	400	1266	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	4550	150	0	2458	70.1	44.7	5250	150	0	1616	79.7	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	4550	150	50	2408	70.5	44.7	5250	150	50	1566	80.7	44.7
Lower Bodyside Molding	Add	2	Add	1	4550	150	100	2358	71.0	44.7	5250	150	100	1516	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4550	150	150	2308	71.5	44.7	5250	150	150	1466	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4550	150	200	2258	72.0	44.7	5250	150	200	1416	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	150	250	2208	72.6	44.7	5250	150	250	1366	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	150	300	2158	73.1	44.7	5250	150	300	1316	81.0	44.7
Sliding Rear Window	Add	6	Add	1	4550	150	350	2108	73.7	44.7	5250	150	350	1266	81.0	44.7
Power Sliding Rear Window	Add	6	Add	2	4550	150	400	2058	74.4	44.7	5250	150	400	1216	81.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4700	200	0	2408	77.0	44.7	5250	200	0	1566	75.7	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4700	200	50	2358	77.6	44.7	5250	200	50	1516	76.6	44.7
Foglamps	Add	3	Sub	0	4700	200	100	2308	78.3	44.7	5250	200	100	1466	77.6	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4700	200	150	2258	78.9	44.7	5250	200	150	1416	78.6	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4700	200	200	2208	79.6	44.7	5250	200	200	1366	79.7	44.7
Floor Mats w/King Ranch® Logo (Color Keyed luxury)	Add	4	Add	2	4700	200	250	2158	80.4	44.7	5250	200	250	1316	80.9	44.7
All Weather Floor Mat	Add	10	Add	6	4700	200	300	2108	81.0	44.7	5250	200	300	1266	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4700	200	350	2058	81.0	44.7	5250	200	350	1216	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4700	200	400	2008	81.0	44.7	5250	200	400	1166	81.0	44.7
Power Equipment Group	Add	15	Add	6	4700	250	0	2358	74.3	44.7	5250	250	0	1466	72.2	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4700	250	50	2308	74.9	44.7	5250	250	50	1416	73.1	44.7
Cruise Control	Add	3	Add	1	4700	250	100	2258	75.5	44.7	5250	250	100	1366	74.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4700	250	150	2208	76.1	44.7	5250	250	150	1316	75.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4700	250	200	2158	76.8	44.7	5250	250	200	1266	76.1	44.7
Crew Cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4700	250	250	2108	77.4	44.7	5250	250	250	1216	77.2	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4700	250	300	2058	78.2	44.7	5250	250	300	1166	78.5	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4700	250	350	2008	78.9	44.7	5250	250	400	1116	79.9	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4700	250	400	1958	79.7	44.7	5250	300	50	1416	67.6	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4700	300	0	2308	71.5	44.7	5250	300	100	1366	68.3	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4700	300	50	2258	72.0	44.7	5250	300	150	1316	69.1	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	4700	300	100	2208	72.6	44.7	5250	300	200	1266	69.9	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	4700	300	150	2158	73.1	44.7	5250	300	250	1216	70.8	44.7
Satellite Digital Broadcast	Add	2	Add	1	4700	300	200	2108	73.7	44.7	5250	300	300	1166	71.8	44.7
SYNCG - Media Gateway Module (MGM)	Add	1	Add	0	4700	300	250	2058	74.4	44.7	5250	300	350	1116	72.9	44.7
FX4 Trim	Add	7	Add	7	4700	300	300	2008	75.0	44.7	5250	300	400	1066	74.0	44.7
Power Slide Sunroof	Add	20	Add	16	4700	300	350	1958	75.7	44.7						
XLT Trim	Add	22	Add	17	4700	300	400	1908	76.4	44.7						
Lariat Trim	Add	26	Add	16												
King Ranch Option	Add	17	Add	17												
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												
Flat Splash Guards (SRW)	Add	2	Add	2												
Flat Splash Guards (DRW)	Sub	0	Add	8			</									

OPTION DESCRIPTION	OPTION TABLE		VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR							VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR						
	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS			
				FRONT (LB)	REAR (LB)		(A) (IN)	REAR (B) (IN)		FRONT (LB)	REAR (LB)		(A) (IN)	REAR (B) (IN)		
			GAWR (Lb.)	II	III	IV	V	VI	GAWR (Lb.)	II	III	IV	V	VI		
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4550	-50	-50	2872	77.4	44.7	5000	-50	-50	2132	74.3	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4550	-50	0	2822	77.9	44.7	5000	-50	0	2082	74.9	44.7
Immersion Heater - Engine	Add	1	Sub	0	4550	-50	50	2772	78.5	44.7	5000	-50	50	2032	75.6	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4550	-50	100	2722	79.0	44.7	5000	-50	100	1982	76.3	44.7
Brake Controller	Add	1	Sub	0	4550	0	-50	2822	75.1	44.7	5000	0	-50	2082	71.1	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4550	0	0	2772	75.6	44.7	5000	0	0	2032	71.7	44.7
Skid Plates	Add	18	Add	20	4550	0	50	2722	76.1	44.7	5000	0	50	1982	72.3	44.7
Rear Stabilizer Bar	Add	2	Add	26	4550	0	100	2672	76.6	44.7	5000	0	100	1932	73.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4550	0	150	2622	77.2	44.7	5000	0	150	1882	73.6	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4550	0	200	2572	77.8	44.7	5000	0	200	1832	74.3	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4550	0	250	2522	78.4	44.7	5000	0	250	1782	75.1	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4550	0	300	2472	79.0	44.7	5000	0	300	1732	75.9	44.7
Dual Alternator	Add	16	Sub	0	4550	0	350	2422	79.6	44.7	5000	0	350	1682	76.7	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4550	0	400	2372	80.3	44.7	5000	0	400	1632	77.6	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4550	0	450	2322	81.0	44.7	5000	0	450	1582	78.5	44.7
Manual Air Conditioning	Add	34	Sub	-1	4550	0	500	2272	81.7	44.7	5000	0	500	1532	79.5	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4550	0	50	2722	73.2	44.7	5250	50	0	1932	85.3	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4550	50	50	2672	73.7	44.7	5250	50	50	1932	85.3	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4550	50	100	2622	74.2	44.7	5250	50	100	1882	90.4	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4550	50	150	2572	74.7	44.7	5250	50	150	1832	91.6	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	4550	50	200	2522	75.2	44.7	5250	50	200	1782	92.8	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4550	50	250	2472	75.8	44.7	5250	50	250	1732	94.1	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4550	50	300	2422	76.4	44.7	5250	50	300	1682	95.5	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4550	50	350	2372	77.0	44.7	5250	50	350	1632	96.9	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4550	50	400	2322	77.6	44.7	5250	50	400	1582	97.0	44.7
18X8" Steel Drop Center Wheel (SRW Only)	Add	12	Add	12	4550	50	450	2272	78.2	44.7	5250	50	450	1532	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4550	50	500	2222	78.9	44.7	5250	50	500	1482	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	100	0	2672	79.6	44.7	5250	100	0	1932	85.2	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4700	100	50	2622	80.2	44.7	5250	100	50	1882	86.2	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4700	100	100	2572	80.8	44.7	5250	100	100	1832	87.3	44.7
Singapore (Upgraded) Tailgate	Sub	-8	Add	-41	4700	100	150	2522	81.5	44.7	5250	100	150	1782	88.4	44.7
Pickup Bed Extender	Sub	-2	Add	22	4700	100	200	2472	82.2	44.7	5250	100	200	1732	89.5	44.7
Spray-In Bedliner	Sub	0	Add	16	4700	100	250	2422	82.9	44.7	5250	100	250	1682	90.8	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	24	Add	18	4700	100	300	2372	83.6	44.7	5250	100	300	1632	92.1	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	4700	100	350	2322	84.4	44.7	5250	100	350	1582	93.5	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	4700	100	400	2272	85.2	44.7	5250	100	400	1532	95.0	44.7
Lower Body-side Molding	Add	2	Add	1	4700	100	450	2222	86.0	44.7	5250	100	450	1482	96.6	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4700	100	500	2172	86.9	44.7	5250	100	500	1432	97.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4700	150	0	2622	77.2	44.7	5250	150	0	1882	82.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	150	50	2572	77.8	44.7	5250	150	50	1832	83.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	150	100	2522	78.4	44.7	5250	150	100	1782	83.9	44.7
Sliding Rear Window	Add	6	Add	1	4700	150	150	2472	79.0	44.7	5250	150	150	1732	85.0	44.7
Power Sliding Rear Window	Add	6	Add	2	4700	150	200	2422	79.6	44.7	5250	150	200	1682	86.1	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4700	150	250	2372	80.3	44.7	5250	150	250	1632	87.3	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4700	150	300	2322	81.0	44.7	5250	150	300	1582	88.5	44.7
Foglamps	Add	3	Sub	0	4700	150	350	2272	81.7	44.7	5250	150	350	1532	89.8	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	0	4700	150	400	2222	82.5	44.7	5250	150	400	1482	91.2	44.7	
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4700	150	450	2172	83.3	44.7	5250	150	450	1432	92.8	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4700	150	500	2122	84.1	44.7	5250	150	500	1382	94.4	44.7
All Weather Floor Mat	Add	10	Add	6	4700	200	0	2572	74.7	44.7	5250	200	0	1782	79.5	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4700	200	50	2522	75.2	44.7	5250	200	100	1732	80.4	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4700	200	100	2472	75.8	44.7	5250	200	150	1682	81.4	44.7
Power Equipment Group	Add	12	Add	3	4700	200	150	2422	76.4	44.7	5250	200	200	1632	82.4	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4700	200	200	2372	77.0	44.7	5250	200	250	1582	83.5	44.7
Cruise Control	Add	3	Add	1	4700	200	250	2322	77.6	44.7	5250	200	300	1532	84.7	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Sub	-4	Add	-2	4700	200	300	2272	78.2	44.7	5250	200	350	1482	85.9	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4700	200	350	2222	78.9	44.7	5250	200	400	1432	87.2	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4700	200	400	2172	79.6	44.7	5250	200	450	1382	88.7	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4700	200	450	2122	80.4	44.7	5250	200	500	1332	90.2	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4700	200	500	2072	81.2	44.7	5250	250	50	1732	75.9	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4850	250	0	2522	81.5	44.7	5250	250	100	1682	76.7	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4850	250	50	2472	82.2	44.7	5250	250	150	1632	77.6	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4850	250	100	2422	82.9	44.7	5250	250	200	1582	78.5	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	4850	250	150	2372	83.6	44.7	5250	250	250	1532	79.5	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	4850	250	200	2322	84.4	44.7	5250	250	300	1482	80.6	44.7
Satellite Digital Broadcast	Add	2	Add	1	4850	250	250	2272	85.2	44.7	5250	250	350	1432	81.7	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	4850	250	300	2222	86.0	44.7	5250	250	400	1382	82.9	44.7
Fx4 Trim	Add	7	5	4850	250	350	2172	86.9	44.7	5250	250	450	1332	84.3	44.7	
XLT Trim	Add	19	Add	14	4850	250	400	2122	87.8	44.7	5250	250	500	1282	85.7	44.7
Lariat Trim	Add	24	Add	13	4850	250	450	2072	88.8	44.7						
King Ranch Option	Add	24	Add	14	4850	250	500	2022	89.8	44.7						
Passenger Side Air Bag Delete																

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)		FRONT (A) (IN)	REAR (B) (IN)				
					I	II	III	IV	V		VI	I	II	III	IV	V
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4550	-50	-50	2569	74.5	44.7	5250	-50	-50	1875	90.8	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4550	-50	0	2519	75.0	44.7	5250	-50	0	1825	92.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	4550	-50	50	2469	75.5	44.7	5250	-50	50	1775	93.2	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4550	-50	100	2419	76.1	44.7	5250	-50	100	1725	94.5	44.7
Brake Controller	Add	1	Sub	0	4550	-50	150	2369	76.7	44.7	5250	0	-50	1825	87.2	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4550	-50	200	2319	77.3	44.7	5250	0	0	1775	88.4	44.7
Skid Plates	Add	19	Add	17	4550	-50	250	2269	78.0	44.7	5250	0	50	1725	89.5	44.7
Rear Stabilizer Bar	Add	2	Add	26	4550	-50	300	2219	78.6	44.7	5250	0	100	1675	90.8	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4550	-50	350	2169	79.3	44.7	5250	0	150	1625	92.1	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4550	-50	400	2119	80.1	44.7	5250	0	200	1575	93.5	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4550	-50	500	2019	81.7	44.7	5250	0	250	1525	95.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4700	0	0	2469	82.5	44.7	5250	0	300	1475	96.6	44.7
Dual Alternator	Add	16	Sub	0	4700	0	50	2419	83.2	44.7	5250	0	350	1425	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4700	0	100	2369	84.0	44.7	5250	0	400	1375	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4700	0	150	2319	84.7	44.7	5250	0	450	1325	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	4700	0	200	2269	85.6	44.7	5250	0	500	1275	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4700	0	250	2219	86.4	44.7	5250	50	0	1675	95.4	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4700	0	300	2169	87.3	44.7	5250	50	0	1625	85.6	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4700	0	350	2119	88.2	44.7	5250	50	100	1625	88.8	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4700	0	400	2069	89.2	44.7	5250	50	150	1575	88.0	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	4700	0	500	1969	91.3	44.7	5250	50	200	1525	89.3	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4700	50	0	2419	79.7	44.7	5250	50	250	1475	90.7	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4700	50	50	2369	80.3	44.7	5250	50	300	1425	92.2	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4700	50	100	2319	81.0	44.7	5250	50	350	1375	93.8	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4700	50	150	2269	81.8	44.7	5250	50	400	1325	95.6	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4700	50	200	2219	82.5	44.7	5250	50	450	1275	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4700	50	250	2169	83.3	44.7	5250	50	500	1225	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	50	300	2119	84.2	44.7	5250	100	0	1675	80.5	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4700	50	350	2069	85.0	44.7	5250	100	50	1625	81.5	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4700	50	400	2019	85.9	44.7	5250	100	100	1575	82.5	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4700	50	500	1919	87.9	44.7	5250	100	150	1525	83.7	44.7
Pickup Bed Extender	Sub	-2	Add	22	4700	100	0	2369	76.7	44.7	5250	100	200	1475	84.9	44.7
Spray-In Bedliner	Sub	0	Add	20	4700	100	50	2319	77.3	44.7	5250	100	250	1425	86.2	44.7
Composite Side Aux. Steps - Platform w/Lights	Add	28	Add	21	4700	100	100	2269	78.0	44.7	5250	100	300	1375	87.6	44.7
Side Aux Steps - w/Lights	Add	39	Add	25	4700	100	150	2219	78.6	44.7	5250	100	350	1325	89.1	44.7
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	26	Add	21	4700	100	200	2169	79.3	44.7	5250	100	400	1275	90.7	44.7
6" Angular Chrome Step w/Lights (VP Design)	Add	35	Add	31	4700	100	250	2119	80.1	44.7	5250	100	450	1225	92.4	44.7
Lower Bodyside Molding	Add	2	Add	1	4700	100	300	2069	80.9	44.7	5250	100	500	1175	94.3	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4700	100	350	2019	81.7	44.7	5250	150	0	1625	76.2	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4700	100	400	1969	82.5	44.7	5250	150	50	1575	77.1	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	100	500	1869	84.4	44.7	5250	150	100	1525	78.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	150	0	2319	84.7	44.7	5250	150	150	1475	79.0	44.7
Sliding Rear Window	Add	6	Add	1	4850	150	50	2269	85.6	44.7	5250	150	200	1425	80.1	44.7
Power Sliding Rear Window	Add	6	Add	2	4850	150	100	2219	86.4	44.7	5250	150	250	1375	81.3	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4850	150	150	2169	87.3	44.7	5250	150	300	1325	82.6	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4850	150	200	2119	88.2	44.7	5250	150	350	1275	83.9	44.7
Foglamps	Add	3	Sub	0	4850	150	250	2069	89.2	44.7	5250	150	400	1225	85.4	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Sub	0	Sub	0	4850	150	300	2019	90.2	44.7	5250	150	450	1175	87.0	44.7
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	4850	150	350	1969	91.3	44.7	5250	150	500	1125	88.7	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4850	150	400	1919	92.4	44.7	5250	200	0	1575	71.6	44.7
All Weather Floor Mat	Add	10	Add	6	4850	150	500	1819	94.9	44.7	5250	200	50	1525	72.4	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4850	200	0	2269	81.8	44.7	5250	200	100	1475	73.2	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4850	200	50	2219	82.5	44.7	5250	200	150	1425	74.1	44.7
Power Equipment Group	Add	15	Add	6	4850	200	100	2169	83.3	44.7	5250	200	200	1375	75.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4850	200	150	2119	84.2	44.7	5250	200	250	1325	76.1	44.7
Cruise Control	Add	3	Add	1	4850	200	200	2069	85.0	44.7	5250	200	300	1275	77.2	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4850	200	250	2019	85.9	44.7	5250	200	350	1225	78.3	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4850	200	300	1969	86.9	44.7	5250	200	400	1175	79.6	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4850	200	350	1919	87.9	44.7	5250	200	450	1125	81.1	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4850	200	400	1869	89.0	44.7	5250	200	500	1075	82.6	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4850	200	500	1769	91.3	44.7	5250	250	0	1525	66.7	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	20	Add	5	4850	250	0	2219	78.6	44.7	5250	250	50	1475	67.4	44.7	
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4850	250	50	2169	79.3	44.7	5250	250	100	1425	68.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4850	250	100	2119	80.1	44.7	5250	250	150	1375	68.8	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	4850	250	150	2069	80.9	44.7	5250	250	200	1325	69.5	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	4850	250	200	2019	81.7	44.7	5250	250	250	1275	70.4	44.7
Satellite Digital Broadcast	Add	2	Add	1	4850	250	250	1969	82.5	44.7	5250	250	300	1225	71.3	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	4850	250	300	1919	83.4	44.7	5250	250	350	1175	72.3	44.7
FX4 Trim	Add	7	Add	7	4850	250	350	1869	84.4	44.7	5250	250	400	1125	73.4	44.7
Power Side Sunroof	Add	21	Add	15	4850	250	400	1819	85.4	44.7	5250	250	450	1075	74.6	44.7
XLT Trim	Add	22	Add	17	4850	250	500	1719	87.6	44.7						



OPTION DESCRIPTION	OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS	
						FRONT (Lb.)	REAR (Lb.)		FRONT (IN)	REAR (IN)		FRONT (IN)	REAR (IN)			
						I	II		III	IV		V	VI		I	II
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	-50	2521	79.1	44.7	5200	-50	-50	1905	79.1	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4800	-50	0	2471	79.8	44.7	5200	-50	0	1855	80.0	44.7
Brake Controller	Add	1	Sub	0	4800	-50	50	2421	80.4	44.7	5200	-50	50	1805	80.8	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	-50	100	2371	81.0	44.7	5200	-50	100	1755	81.0	44.7
Stud Plates	Add	18	Add	18	4800	0	-50	2471	76.9	44.7	5600	0	50	1855	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	4800	0	0	2421	77.5	44.7	5600	0	0	1805	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	50	2371	78.1	44.7	5600	0	50	1755	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	100	2321	78.8	44.7	5600	0	100	1705	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	150	2271	79.4	44.7	5600	0	150	1655	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	200	2221	80.2	44.7	5600	0	200	1605	81.0	44.7
Dual Alternator	Add	16	Sub	0	4800	0	250	2171	80.9	44.7	5600	0	250	1555	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	300	2121	81.0	44.7	5600	0	300	1505	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	350	2071	81.0	44.7	5600	0	350	1455	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	4800	50	0	2371	75.1	44.7	5600	50	0	1755	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	50	50	2321	75.7	44.7	5600	50	50	1705	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	100	2271	76.3	44.7	5600	50	100	1655	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	2221	77.0	44.7	5600	50	150	1605	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	4800	50	200	2171	77.6	44.7	5600	50	200	1555	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4800	50	250	2121	78.3	44.7	5600	50	250	1505	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	2071	79.1	44.7	5600	50	300	1455	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4800	50	350	2021	79.8	44.7	5600	50	350	1405	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4800	100	0	2321	72.7	44.7	5600	100	0	1705	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4800	100	50	2271	73.2	44.7	5600	100	50	1655	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4800	100	100	2221	73.8	44.7	5600	100	100	1605	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4800	100	150	2171	74.4	44.7	5600	100	150	1555	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 Only)	Sub	-6	Sub	-6	4800	100	200	2121	75.0	44.7	5600	100	200	1505	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 Only)	Sub	-4	Sub	-4	4800	100	250	2071	75.6	44.7	5600	100	250	1455	81.0	44.7
Stepgate (Upgraded Tailgate)	Add	-8	Add	41	4800	100	300	2021	76.3	44.7	5600	100	300	1405	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	4800	100	350	1971	77.1	44.7	5600	100	350	1355	81.0	44.7
Spray-in Bedliner	Sub	0	Add	16	5200	150	0	2271	81.0	44.7	5600	150	0	1655	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	5200	150	50	2221	81.0	44.7	5600	150	50	1605	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5200	150	100	2171	81.0	44.7	5600	150	100	1555	81.0	44.7
5" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5200	150	150	2121	81.0	44.7	5600	150	150	1505	81.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	150	200	2071	81.0	44.7	5600	150	200	1455	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	250	2021	81.0	44.7	5600	150	250	1405	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	300	1971	81.0	44.7	5600	150	300	1355	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	350	1921	81.0	44.7	5600	150	350	1305	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional Sliding Rear Window	Add	13	Add	5	5200	200	0	2221	81.0	44.7	5600	200	0	1605	81.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5200	200	50	2171	81.0	44.7	5600	200	50	1555	81.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	200	100	2121	81.0	44.7	5600	200	100	1505	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	150	2071	81.0	44.7	5600	200	150	1455	81.0	44.7
Foglamps	Add	3	Sub	0	5200	200	200	2021	81.0	44.7	5600	200	200	1405	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	250	1971	81.0	44.7	5600	200	250	1355	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	300	1921	81.0	44.7	5600	200	300	1305	81.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	200	350	1871	81.0	44.7	5600	200	350	1255	81.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	250	0	2171	81.0	44.7	5600	250	0	1555	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	250	100	2071	81.0	44.7	5600	250	100	1455	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	150	2021	81.0	44.7	5600	250	150	1405	81.0	44.7
Power Equipment Group	Add	12	Add	3	5200	250	200	1971	81.0	44.7	5600	250	200	1355	81.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	250	1921	81.0	44.7	5600	250	250	1305	81.0	44.7
Cruise Control	Add	3	Add	1	5200	250	300	1871	81.0	44.7	5600	250	300	1255	81.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	250	350	1821	81.0	44.7	5600	250	350	1205	81.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	300	0	2121	81.0	44.7	5600	300	0	1505	81.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	300	50	2071	81.0	44.7	5600	300	50	1455	81.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	300	100	2021	81.0	44.7	5600	300	100	1405	81.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	300	150	1971	81.0	44.7	5600	300	150	1355	81.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	300	200	1921	81.0	44.7	5600	300	200	1305	81.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	300	250	1871	81.0	44.7	5600	300	250	1255	81.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	300	1821	81.0	44.7	5600	300	300	1205	81.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	300	350	1771	81.0	44.7	5600	300	350	1155	81.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6												
Satellite Digital Broadcast	Add	2	Add	1												
SYNC - Media Gateway Module (MGM)	Add	1	Add	0												
FX4 Trim	Add	7	Add	5												
XLT Trim	Add	19	Add	14												
Lariat Trim	Add	24	Add	13												
King Ranch Option	Add	24	Add	14												
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												
Flat Splash Guards (SRW)	Add	2	Add	2												
Flat Splash Guards (DRW)	Sub	0	Add	8												
Bed Mat	Add	5	Add	45												
Low Profile Hood Deflector	Add	3	Sub	0												
Roll-up Tonneau Cover	Add	4	Add	22												
Cable/Strap Locks	Sub	0	Add	9												
<b>Total Option Weight</b>																

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.







OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	-50	2202	97.0	44.7	5600	-50	-50	1438	97.0	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	2152	97.0	44.7	5600	-50	0	1388	97.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	2102	97.0	44.7	5600	-50	50	1338	97.0	44.7
Limited Slip Rear Axle	Add	1	Add	5	5200	-50	100	2052	97.0	44.7	5600	-50	100	1288	97.0	44.7
Brake Controller	Add	1	Sub	0	5200	0	-50	2152	97.0	44.7	6000	0	50	1338	97.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	2102	97.0	44.7	6000	0	0	1338	97.0	44.7
Skid Plates	Add	19	Add	17	5200	0	50	2052	97.0	44.7	6000	0	50	1288	97.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	0	100	2002	97.0	44.7	6000	0	100	1238	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	150	1952	97.0	44.7	6000	0	150	1188	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	200	1902	97.0	44.7	6000	0	200	1138	97.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	250	1852	97.0	44.7	6000	0	250	1088	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	300	1802	97.0	44.7	6000	0	300	1038	97.0	44.7
Dual Alternator	Add	16	Sub	0	5200	0	350	1752	97.0	44.7	6000	0	350	988	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	400	1702	97.0	44.7	6000	0	400	938	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	450	1652	97.0	44.7	6000	0	450	888	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	0	500	1602	97.0	44.7	6000	0	500	838	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	550	1552	97.0	44.7	6000	0	550	788	97.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	0	2052	95.4	44.7	6000	50	0	1288	97.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	50	50	2002	96.6	44.7	6000	50	50	1238	97.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	1952	97.0	44.7	6000	50	100	1188	97.0	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	50	150	1902	97.0	44.7	6000	50	150	1138	97.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	1852	97.0	44.7	6000	50	200	1088	97.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	1802	97.0	44.7	6000	50	250	1038	97.0	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	50	300	1752	97.0	44.7	6000	50	300	988	97.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	1702	97.0	44.7	6000	50	350	938	97.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5200	50	400	1652	97.0	44.7	6000	50	400	888	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	50	450	1602	97.0	44.7	6000	50	450	838	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	50	500	1552	97.0	44.7	6000	50	500	788	97.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5200	50	550	1502	97.0	44.7	6000	50	550	738	97.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5200	100	600	1452	97.0	44.7	6000	100	600	688	97.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	50	1952	93.4	44.7	6000	100	50	1188	97.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	100	100	1902	94.6	44.7	6000	100	100	1138	97.0	44.7
Spray-In Bedliner	Sub	0	Add	20	5200	100	150	1852	95.9	44.7	6000	100	150	1088	97.0	44.7
Composite Side Aux. Steps - Platform w/Lights	Add	28	Add	21	5200	100	200	1802	97.0	44.7	6000	100	200	1038	97.0	44.7
Side Aux Steps - w/Lights	Add	39	Add	25	5200	100	250	1752	97.0	44.7	6000	100	250	988	97.0	44.7
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	26	Add	21	5200	100	300	1702	97.0	44.7	6000	100	300	938	97.0	44.7
6" Angular Chrome Step w/Lights (VP Design)	Add	35	Add	31	5200	100	350	1652	97.0	44.7	6000	100	350	888	97.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	100	400	1602	97.0	44.7	6000	100	400	838	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	100	450	1552	97.0	44.7	6000	100	450	788	97.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	100	500	1502	97.0	44.7	6000	100	500	738	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	550	1452	97.0	44.7	6000	100	550	688	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	0	1952	97.0	44.7	6000	150	0	1188	97.0	44.7
Sliding Rear Window	Add	6	Sub	-1	5600	150	50	1902	97.0	44.7	6000	150	50	1138	97.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5600	150	100	1852	97.0	44.7	6000	150	100	1088	97.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	150	150	1802	97.0	44.7	6000	150	150	1038	97.0	44.7
Roof Marker/Clearance Lights - Conv	Sub	0	Sub	0	5600	150	200	1752	97.0	44.7	6000	150	200	988	97.0	44.7
Foglamps	Add	3	Sub	0	5600	150	250	1702	97.0	44.7	6000	150	250	938	97.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5600	150	300	1652	97.0	44.7	6000	150	300	888	97.0	44.7
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	5600	150	350	1602	97.0	44.7	6000	150	350	838	97.0	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5600	150	400	1552	97.0	44.7	6000	150	400	788	97.0	44.7
All Weather Floor Mat	Add	10	Add	6	5600	150	450	1502	97.0	44.7	6000	150	450	738	97.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5600	150	500	1452	97.0	44.7	6000	150	500	688	97.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	150	550	1402	97.0	44.7	6000	150	550	638	97.0	44.7
Power Equipment Group	Add	15	Add	6	5600	200	0	1902	97.0	44.7	6000	200	0	1138	97.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5600	200	50	1852	97.0	44.7	6000	200	50	1088	97.0	44.7
Cruise Control	Add	3	Add	1	5600	200	100	1802	97.0	44.7	6000	200	100	1038	97.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	200	150	1752	97.0	44.7	6000	200	150	988	97.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	200	200	1702	97.0	44.7	6000	200	200	938	97.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	200	250	1652	97.0	44.7	6000	200	250	888	97.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	200	300	1602	97.0	44.7	6000	200	300	838	97.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	200	350	1552	97.0	44.7	6000	200	350	788	97.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5600	200	400	1502	97.0	44.7	6000	200	400	738	97.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5600	200	450	1452	97.0	44.7	6000	200	450	688	97.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	200	500	1402	97.0	44.7	6000	200	500	638	97.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5600	200	550	1352	97.0	44.7	6000	200	550	588	97.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5600	250	0	1852	97.0	44.7	6000	250	0	1088	97.0	44.7
Satellite Digital Broadcast	Add	2	Add	1	5600	250	50	1802	97.0	44.7	6000	250	50	1038	97.0	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	250	100	1752	97.0	44.7	6000	250	100	988	97.0	44.7
FX4 Trim	Add	7	Add	7	5600	250	150	1702	97.0	44.7	6000	250	150	938	97.0	44.7
Power Side Sunroof	Add	21	Add	15	5600	250	200	1652	97.0	44.7	6000	250	200	888	97.0	44.7
XLT Trim	Add	22	Add	17	5600	250	250	1602	97.0	44.7	6000					



OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR								
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS			
						FRONT (LB)	REAR (LB)		RATING (LB)	FRONT (A) (IN)		REAR (B) (IN)	FRONT (LB)		REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0														
Immersion Heater - Engine	Add	1	Sub	0	4250	-50	-50	2732	65.1	44.7	4850	-50	-50	2166	75.7	44.7		
Limited Slip Rear Axle	Add	0	Sub	5	4250	-50	0	2682	65.4	44.7	4850	-50	0	2116	76.4	44.7		
Brake Controller	Add	1	Sub	0	4250	-50	50	2632	65.7	44.7	4850	-50	50	2066	77.1	44.7		
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4250	-50	100	2582	66.1	44.7	4850	-50	100	2016	77.8	44.7		
Skid Plates	Add	18	Add	18	4400	0	0	2832	70.7	44.7	4850	0	0	2116	73.0	44.7		
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	2632	71.1	44.7	4850	0	0	2066	73.7	44.7		
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	2582	71.6	44.7	4850	0	50	2016	74.3	44.7		
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	2532	72.0	44.7	4850	0	100	1966	75.0	44.7		
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4400	0	150	2482	72.5	44.7	4850	0	150	1916	75.7	44.7		
Extra Heavy Duty Alternator	Add	3	Sub	0	4400	50	0	2582	68.8	44.7	4850	50	0	2016	70.8	44.7		
Dual Alternator	Add	16	Sub	0	4400	50	50	2532	69.2	44.7	4850	50	50	1966	71.4	44.7		
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4400	50	100	2482	69.7	44.7	4850	50	100	1916	72.0	44.7		
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4400	50	150	2432	70.1	44.7	4850	50	150	1866	72.6	44.7		
Manual Air Conditioning	Add	34	Sub	-1	4400	50	200	2382	70.6	44.7	4850	50	200	1816	73.3	44.7		
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4400	50	250	2332	71.1	44.7	4850	50	250	1766	74.0	44.7		
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4400	50	300	2282	71.6	44.7	4850	50	300	1716	74.8	44.7		
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4400	50	350	2232	72.1	44.7	4850	50	350	1666	75.6	44.7		
LT 275/65R18E A/T BSW (SRW Only)	Add	22	Add	22	4400	100	0	2532	66.4	44.7	5000	100	0	1966	76.6	44.7		
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4400	100	50	2482	66.8	44.7	5000	100	50	1916	79.4	44.7		
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4400	100	100	2432	67.2	44.7	5000	100	100	1866	80.2	44.7		
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4400	100	150	2382	67.6	44.7	5000	100	150	1816	81.0	44.7		
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4400	100	200	2332	68.0	44.7	5000	100	200	1766	81.0	44.7		
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	-12	Add	12	4400	100	250	2282	68.5	44.7	5000	100	250	1716	81.0	44.7		
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Add	-11	Sub	-11	4400	100	300	2232	68.9	44.7	5000	100	300	1666	81.0	44.7		
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4400	100	350	2182	69.4	44.7	5000	100	350	1616	81.0	44.7		
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4550	150	0	2482	72.5	44.7	5000	150	0	1916	75.7	44.7		
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4550	150	50	2432	73.0	44.7	5000	150	50	1866	76.4	44.7		
Stepgate (Upgraded Tailgate)	Add	-8	Add	41	4550	150	100	2382	73.6	44.7	5000	150	100	1816	77.2	44.7		
Pickup Bed Extender	Sub	-2	Add	22	4550	150	150	2332	74.1	44.7	5000	150	150	1766	78.0	44.7		
Spray-in Bedliner	Sub	0	Add	16	4550	150	200	2282	74.7	44.7	5000	150	200	1716	78.9	44.7		
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	4550	150	250	2232	75.3	44.7	5000	150	250	1666	79.9	44.7		
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	4550	150	300	2182	75.9	44.7	5000	150	300	1616	80.8	44.7		
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	4550	150	350	2132	76.6	44.7	5000	150	350	1566	81.0	44.7		
Lower Bodyside Molding	Add	2	Add	1	4550	200	0	2432	70.1	44.7	5000	200	0	1866	72.6	44.7		
Reverse Vehicle Sensor System	Sub	0	Add	1	4550	200	50	2382	70.6	44.7	5000	200	50	1816	73.3	44.7		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4550	200	100	2332	71.1	44.7	5000	200	100	1766	74.0	44.7		
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	200	150	2282	71.6	44.7	5000	200	150	1716	74.8	44.7		
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional Sliding Rear Window	Add	13	Add	5	4550	200	200	2232	72.1	44.7	5000	200	200	1666	75.6	44.7		
Power Sliding Rear Window	Add	6	Add	2	4550	200	250	2182	72.7	44.7	5000	200	250	1616	76.5	44.7		
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4550	200	300	2132	73.3	44.7	5000	200	300	1566	77.4	44.7		
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4550	250	0	2382	67.6	44.7	5000	250	0	1816	81.0	44.7		
Foglamps	Add	3	Sub	0	4550	250	50	2332	68.0	44.7	5250	250	50	1766	81.0	44.7		
Floor Cover Carpet Ins-Complete Color Keyed	Sub	0	Sub	0	4550	250	100	2282	68.5	44.7	5250	250	100	1716	81.0	44.7		
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	4550	250	150	2232	68.9	44.7	5250	250	150	1666	81.0	44.7		
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4550	250	200	2182	69.4	44.7	5250	250	200	1616	81.0	44.7		
All Weather Floor Mat	Add	10	Add	6	4550	250	250	2132	69.9	44.7	5250	250	250	1566	81.0	44.7		
Electrochromic Rear View Mirror	Add	1	Sub	0	4550	250	300	2082	70.5	44.7	5250	250	300	1516	81.0	44.7		
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4550	250	350	2032	71.0	44.7	5250	250	350	1466	81.0	44.7		
Power Equipment Group	Add	12	Add	3														
Adj Gas & Brake Pedals	Add	4	Add	3														
Cruise Control	Add	3	Add	1														
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2														
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3														
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9														
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1														
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2														
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5														
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2														
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2														
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4														
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6														
Satellite Digital Broadcast	Add	2	Add	1														
SYNC - Media Gateway Module (MGM)	Add	1	Add	0														
FX4 Trim	Add	7	Add	5														
XLT Trim	Add	19	Add	14														
Lariat Trim	Add	24	Add	13														
King Ranch Option	Add	24	Add	14														
Passenger Side Air Bag Delete	Sub	-10	Sub	-1														
Fiat Splash Guards (SRW)	Add	2	Add	2														
Fiat Splash Guards (DRW)	Sub	0	Add	8														
Bed Mat	Add	5	Add	45														
Low Profile Hood Deflector	Add	3	Sub	0														
Roll-up Tonneau Cover	Add	4	Add	22														
Cable/Strap Locks	Sub	0	Add	9														
<b>Total Option Weight</b>																		
* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.																		

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)			FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4400	-50	-50	2608	71.8	44.7	5250	-50	-50	1766	81.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	4400	-50	0	2558	72.3	44.7	5250	-50	0	1716	81.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4400	-50	0	2508	72.7	44.7	5250	-50	50	1666	81.0	44.7
Brake Controller	Add	1	Sub	0	4400	-50	50	2508	72.7	44.7	5250	-50	50	1666	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4400	-50	100	2458	73.2	44.7	5250	-50	100	1616	81.0	44.7
Stud Plates	Add	20	Add	16	4400	0	-50	2558	69.2	44.7	5250	0	-50	1716	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	2508	69.6	44.7	5250	0	0	1666	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	2458	70.1	44.7	5250	0	50	1616	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	2408	70.5	44.7	5250	0	100	1566	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4400	0	150	2358	71.0	44.7	5250	0	150	1516	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4400	0	200	2308	71.5	44.7	5250	0	200	1466	81.0	44.7
Dual Alternator	Add	16	Sub	0	4400	0	250	2258	72.0	44.7	5250	0	250	1416	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4400	0	300	2208	72.6	44.7	5250	0	300	1366	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4400	0	350	2158	73.1	44.7	5250	0	350	1316	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	4400	0	400	2108	73.7	44.7	5250	50	0	1616	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4400	0	450	2058	74.4	44.7	5250	50	50	1566	81.0	44.7
LT 245/75R17E AT BSW	Sub	-1	Sub	-1	4400	0	500	2008	75.0	44.7	5250	50	100	1516	81.0	44.7
LT 265/70R17E AT OWL (SRW Only)	Add	11	Add	11	4550	50	0	2458	76.4	44.7	5250	50	150	1466	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	4550	50	50	2408	77.0	44.7	5250	50	200	1416	81.0	44.7
LT 275/70R18E AT BSW Premium (SRW Only)	Add	34	Add	34	4550	50	100	2358	77.6	44.7	5250	50	250	1366	81.0	44.7
LT 275/70R18E AT OWL Premium (SRW Only)	Add	34	Add	34	4550	50	150	2308	78.3	44.7	5250	50	300	1316	81.0	44.7
LT 275/65R20E AT OWL (SRW Only)	Add	41	Add	41	4550	50	200	2258	78.9	44.7	5250	50	350	1266	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4550	50	250	2208	79.6	44.7	5250	100	0	1566	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4550	50	300	2158	80.4	44.7	5250	100	50	1516	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4550	50	350	2108	81.0	44.7	5250	100	100	1466	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4550	50	400	2058	81.0	44.7	5250	100	150	1416	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4550	50	450	2008	81.0	44.7	5250	100	200	1366	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4550	50	500	1958	81.0	44.7	5250	100	250	1316	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	4	4550	100	0	2408	73.8	44.7	5250	100	300	1266	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	4550	100	50	2358	74.3	44.7	5250	100	350	1216	81.0	44.7
Spray-in Bedliner	Sub	0	Add	22	4550	100	100	2308	74.9	44.7	5250	150	0	1516	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	4550	100	150	2258	75.5	44.7	5250	150	50	1466	81.0	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	4550	100	200	2208	76.1	44.7	5250	150	100	1416	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	4550	100	250	2158	76.8	44.7	5250	150	150	1366	81.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	4550	100	300	2108	77.4	44.7	5250	150	200	1316	81.0	44.7
Lower Body Side Molding	Add	2	Add	1	4550	100	350	2058	78.2	44.7	5250	150	250	1266	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4550	100	400	2008	78.9	44.7	5250	150	300	1216	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4550	100	450	1958	79.7	44.7	5250	150	350	1166	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	100	500	1908	80.5	44.7	5250	200	0	1466	77.6	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	150	0	2358	71.0	44.7	5250	200	50	1416	78.6	44.7
Sliding Rear Window	Add	6	Add	1	4550	150	50	2308	71.5	44.7	5250	200	100	1366	79.7	44.7
Power Sliding Rear Window	Add	6	Add	2	4550	150	100	2258	72.0	44.7	5250	200	150	1316	80.9	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4550	150	150	2208	72.6	44.7	5250	200	200	1266	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4550	150	200	2158	73.1	44.7	5250	200	250	1216	81.0	44.7
Foglamps	Add	3	Sub	0	4550	150	250	2108	73.7	44.7	5250	200	300	1166	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4550	150	300	2058	74.4	44.7	5250	200	350	1116	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4550	150	350	2008	75.0	44.7	5250	250	0	1416	73.1	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4550	150	400	1958	75.7	44.7	5250	250	50	1366	74.0	44.7
All Weather Floor Mat	Add	10	Add	6	4550	150	450	1908	76.4	44.7	5250	250	100	1316	75.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4550	150	500	1858	77.2	44.7	5250	250	150	1266	76.1	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4700	200	50	2258	78.9	44.7	5250	250	200	1216	77.2	44.7
Power Equipment Group	Add	15	Add	6	4700	200	100	2208	79.6	44.7	5250	250	250	1166	78.5	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4700	200	150	2158	80.4	44.7	5250	250	300	1116	79.9	44.7
Cruise Control	Add	3	Add	1	4700	200	200	2108	81.0	44.7	5250	250	350	1066	81.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Sub	-4	Sub	-3	4700	200	250	2058	81.0	44.7	5250	300	0	1366	68.3	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4700	200	300	2008	81.0	44.7	5250	300	50	1316	69.1	44.7
Crew Cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4700	200	350	1958	81.0	44.7	5250	300	100	1266	69.9	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4700	200	400	1908	81.0	44.7	5250	300	150	1216	70.8	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4700	200	450	1858	81.0	44.7	5250	300	200	1166	71.8	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4700	200	500	1808	81.0	44.7	5250	300	250	1116	72.9	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4700	250	50	2208	76.1	44.7	5250	300	300	1066	74.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4700	250	100	2158	76.8	44.7	5250	300	350	1016	75.3	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	4700	250	150	2108	77.4	44.7						
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	4700	250	200	2058	78.2	44.7						
Satellite Digital Broadcast	Add	2	Add	1	4700	250	250	2008	78.9	44.7						
SYNCC - Media Gateway Module (MGM)	Add	1	Add	0	4700	250	300	1958	79.7	44.7						
FX4 Trim	Add	7	Add	7	4700	250	350	1908	80.5	44.7						
Power Slide Sunroof	Add	20	Add	16	4700	250	400	1858	81.0	44.7						
XLT Trim	Add	22	Add	17	4700	250	450	1808	81.0	44.7						
Lariat Trim	Add	26	Add	16	4700	250	500	1758	81.0	44.7						
King Ranch Option	Add	17	Add	17	4700	300	0	2208	72.6	44.7						
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	4700	300	50	2158	73.1	44.7						
Flat Splash Guards (SRW)	Add	2	Add	2	4700	300	100	2108	73.7	44.7						
Flat Splash Guards (DRW)	Sub	0	Add	8	4700	300	150	2058	74.4	44.7						
Bed Mat	Add	5	Add	45	4700	300	200	2008	75.0	44.7						
Low Profile Hood Deflector	Add	3	Sub	0	4700	300	250	1958	75.7	44.7						
Dual Headrest DVD	Add	5	Add	8	4700	300	300	1908	76.4	44.7						
Roll-up Tonneau Cover	Add	4	Add	22	4700	300	350	1858	77.2	44.7						
Cable/Strap Locks	Sub	0	Add	9	4700	300	400	1808	78.0	44.7						
					4700	300	450	1758	78.9	44.7						
					4700	300	500	1708	79.8	44.7						
<b>Total Option Weight</b>																

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR								
	FRONT (Lbs.)	(Lbs.)	REAR (Lbs.)	(Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS				
						FRONT (Lb.)	REAR (Lb.)		FRONT (IN)	REAR (IN)		FRONT (IN)	REAR (IN)						
						GAWR (Lb.)	RATING (Lb.)		(A)	(B)		(A)	(B)						
GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (IN)	REAR (IN)	FRONT (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (IN)	REAR (IN)	FRONT (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (IN)	REAR (IN)		
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386															
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4550	-50	-50	2722	78.5	44.7	5250	-50	-50	2032	95.0	44.7			
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4550	-50	0	2722	79.0	44.7	5250	-50	0	1982	96.2	44.7			
Immersion Heater - Engine	Add	1	Sub	0	4550	-50	50	2672	79.6	44.7	5250	-50	50	1932	97.0	44.7			
Limited Slip Rear Axle	Add	0	Add	5	4550	-50	100	2622	80.2	44.7	5250	-50	100	1882	97.0	44.7			
Brake Controller	Add	1	Sub	0	4550	0	-50	2722	76.1	44.7	5250	0	-50	1982	92.3	44.7			
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4550	0	0	2672	76.6	44.7	5250	0	0	1932	93.4	44.7			
Skid Plates	Add	18	Add	20	4550	0	50	2622	77.2	44.7	5250	0	50	1882	94.6	44.7			
Rear Stabilizer Bar	Add	2	Add	26	4550	0	100	2572	77.8	44.7	5250	0	100	1832	95.9	44.7			
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4550	0	150	2522	78.4	44.7	5250	0	150	1782	97.0	44.7			
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4550	0	200	2472	79.0	44.7	5250	0	200	1732	97.0	44.7			
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4550	0	250	2422	79.6	44.7	5250	0	250	1682	97.0	44.7			
Extra Heavy Duty Alternator	Add	3	Sub	0	4550	0	300	2372	80.3	44.7	5250	0	300	1632	97.0	44.7			
Dual Alternator	Add	16	Sub	0	4550	0	350	2322	81.0	44.7	5250	0	350	1582	97.0	44.7			
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4550	0	400	2272	81.7	44.7	5250	0	400	1532	97.0	44.7			
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4550	0	450	2222	82.5	44.7	5250	0	450	1482	97.0	44.7			
Manual Air Conditioning	Add	34	Sub	-1	4550	0	500	2172	83.3	44.7	5250	0	500	1432	97.0	44.7			
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4550	0	500	2122	84.2	44.7	5250	0	500	1382	97.0	44.7			
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4550	50	50	2572	74.7	44.7	5250	50	50	1832	91.6	44.7			
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4550	50	100	2522	75.2	44.7	5250	50	100	1782	92.8	44.7			
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4550	50	150	2472	75.8	44.7	5250	50	150	1732	94.1	44.7			
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	4550	50	200	2422	76.4	44.7	5250	50	200	1682	95.5	44.7			
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4550	50	250	2372	77.0	44.7	5250	50	250	1632	96.9	44.7			
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4550	50	300	2322	77.6	44.7	5250	50	300	1582	97.0	44.7			
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4550	50	350	2272	78.2	44.7	5250	50	350	1532	97.0	44.7			
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4550	50	400	2222	78.9	44.7	5250	50	400	1482	97.0	44.7			
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4550	50	450	2172	79.6	44.7	5250	50	450	1432	97.0	44.7			
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4550	50	500	2122	80.4	44.7	5250	50	500	1382	97.0	44.7			
16X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	100	0	2572	80.8	44.7	5250	100	0	1832	87.3	44.7			
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4700	100	50	2522	81.5	44.7	5250	100	50	1782	88.4	44.7			
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4700	100	100	2472	82.2	44.7	5250	100	100	1732	89.5	44.7			
Stepgate (Upgraded Tailgate)	Add	4	Add	4	4700	100	150	2422	82.9	44.7	5250	100	150	1682	90.8	44.7			
Pickup Bed Extender	Sub	-2	Add	22	4700	100	200	2372	83.6	44.7	5250	100	200	1632	92.1	44.7			
Spray-In Bedliner	Sub	0	Add	16	4700	100	250	2322	84.4	44.7	5250	100	250	1582	93.5	44.7			
Composite Side Aux. Steps - Platform w/Lights	Add	24	Add	18	4700	100	300	2272	85.2	44.7	5250	100	300	1532	95.0	44.7			
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	4700	100	350	2222	86.0	44.7	5250	100	350	1482	96.6	44.7			
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	4700	100	400	2172	86.9	44.7	5250	100	400	1432	97.0	44.7			
Lower Bodyside Molding	Add	2	Add	1	4700	100	450	2122	87.8	44.7	5250	100	450	1382	97.0	44.7			
Reverse Vehicle Sensor System	Sub	0	Add	1	4700	100	500	2072	88.8	44.7	5250	100	500	1332	97.0	44.7			
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4700	150	0	2522	78.4	44.7	5250	150	0	1782	83.9	44.7			
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	150	50	2472	79.0	44.7	5250	150	50	1732	85.0	44.7			
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	150	100	2422	79.6	44.7	5250	150	100	1682	86.1	44.7			
Sliding Rear Window	Add	6	Add	1	4700	150	150	2372	80.3	44.7	5250	150	150	1632	87.3	44.7			
Power Sliding Rear Window	Add	4	Add	2	4700	150	200	2322	81.0	44.7	5250	150	200	1582	88.5	44.7			
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4700	150	250	2272	81.7	44.7	5250	150	250	1532	89.8	44.7			
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4700	150	300	2222	82.5	44.7	5250	150	300	1482	91.2	44.7			
Foglamps	Add	3	Sub	0	4700	150	350	2172	83.3	44.7	5250	150	350	1432	92.8	44.7			
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	0	4700	150	400	2122	84.1	44.7	5250	150	400	1382	94.4	44.7				
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4700	150	450	2072	85.0	44.7	5250	150	450	1332	96.1	44.7			
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4700	150	500	2022	85.9	44.7	5250	150	500	1282	97.0	44.7			
All Weather Floor Mat	Add	10	Add	6	4700	200	0	2472	75.8	44.7	5250	200	0	1732	80.4	44.7			
Electrochromic Rear View Mirror	Add	1	Sub	0	4700	200	50	2422	76.4	44.7	5250	200	50	1682	81.4	44.7			
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4700	200	100	2372	77.0	44.7	5250	200	100	1632	82.4	44.7			
Overhead Console (MINI-OVERHEAD)	Add	4	0	4700	200	150	2322	77.6	44.7	5250	200	150	1582	83.5	44.7				
Power Equipment Group	Add	12	Add	3	4700	200	200	2272	78.2	44.7	5250	200	200	1532	84.7	44.7			
Adj Gas & Brake Pedals	Add	4	Add	3	4700	200	250	2222	78.9	44.7	5250	200	250	1482	85.9	44.7			
Cruise Control	Add	3	Add	1	4700	200	300	2172	79.6	44.7	5250	200	300	1432	87.2	44.7			
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4700	200	350	2122	80.4	44.7	5250	200	350	1382	88.7	44.7			
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4700	200	400	2072	81.2	44.7	5250	200	400	1332	90.2	44.7			
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4700	200	450	2022	82.0	44.7	5250	200	450	1282	91.8	44.7			
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4700	200	500	1972	82.9	44.7	5250	200	500	1232	93.6	44.7			
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4850	250	0	2422	82.9	44.7	5250	250	0	1682	76.7	44.7			
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4850	250	50	2372	83.6	44.7	5250	250	50	1632	77.6	44.7			
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4850	250	100	2322	84.4	44.7	5250	250	100	1582	78.5	44.7			
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4850	250	150	2272	85.2	44.7									

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
				GAWR (Lb.)	FRONT (Lb.)			REAR (Lb.)	FRONT (A) (Lb.)	REAR (B) (Lb.)	FRONT (Lb.)			FRONT (A) (Lb.)	REAR (B) (Lb.)	
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4550	-50	2469	75.5	44.7	5250	-50	-50	1775	93.2	44.7	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4550	-50	0	2419	76.1	44.7	5250	-50	0	1725	94.5	44.7
Immersion Heater - Engine	Add	1	Sub	0	4550	-50	50	2369	76.7	44.7	5250	-50	50	1675	95.9	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4550	-50	100	2319	77.3	44.7	5250	-50	100	1625	97.0	44.7
Brake Controller	Add	1	Sub	0	4550	-50	150	2269	78.0	44.7	5250	0	50	1725	83.5	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4550	-50	200	2219	78.6	44.7	5250	0	0	1675	90.8	44.7
Skid Plates	Add	19	Add	17	4550	-50	250	2169	79.3	44.7	5250	0	50	1625	92.1	44.7
Rear Stabilizer Bar	Add	2	Add	26	4550	-50	300	2119	80.1	44.7	5250	0	100	1575	93.5	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4550	-50	350	2069	80.9	44.7	5250	0	150	1525	95.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4550	-50	400	2019	81.7	44.7	5250	0	200	1475	96.6	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4550	-50	500	1919	83.4	44.7	5250	0	250	1425	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4700	0	0	2369	84.0	44.7	5250	0	300	1375	97.0	44.7
Dual Alternator	Add	16	Sub	0	4700	0	50	2319	84.7	44.7	5250	0	350	1325	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4700	0	100	2269	85.6	44.7	5250	0	400	1275	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4700	0	150	2219	86.4	44.7	5250	0	450	1225	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	4700	0	200	2169	87.3	44.7	5250	0	500	1175	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4700	0	250	2119	88.2	44.7	5250	50	0	1625	86.8	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4700	0	300	2069	89.2	44.7	5250	50	50	1575	88.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4700	0	350	2019	90.2	44.7	5250	50	100	1525	89.3	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4700	0	400	1969	91.3	44.7	5250	50	150	1475	90.7	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	4700	0	500	1869	93.6	44.7	5250	50	200	1425	92.2	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4700	50	0	2319	81.0	44.7	5250	50	250	1375	93.8	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4700	50	50	2269	81.8	44.7	5250	50	300	1325	95.6	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4700	50	100	2219	82.5	44.7	5250	50	350	1275	97.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4700	50	150	2169	83.3	44.7	5250	50	400	1225	97.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4700	50	200	2119	84.2	44.7	5250	50	450	1175	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4700	50	250	2069	85.0	44.7	5250	50	500	1125	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	50	300	2019	85.9	44.7	5250	100	0	1575	82.5	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4700	50	350	1969	86.9	44.7	5250	100	50	1525	83.7	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4700	50	400	1919	87.9	44.7	5250	100	100	1475	84.9	44.7
Stepgate (Upgraded) Tailgate	Sub	-8	Sub	-8	4700	50	500	1819	90.1	44.7	5250	100	150	1425	86.2	44.7
Pickup Bed Extender	Sub	-2	Add	22	4700	100	0	2269	78.0	44.7	5250	100	200	1375	87.6	44.7
Spray-In Bedliner	Sub	0	Add	20	4700	100	50	2219	78.6	44.7	5250	100	250	1325	89.1	44.7
Composite Side Aux. Steps - Platform w/Lights	Add	28	Add	21	4700	100	100	2169	79.3	44.7	5250	100	300	1275	90.7	44.7
Side Aux Steps - w/Lights	Add	39	Add	25	4700	100	150	2119	80.1	44.7	5250	100	350	1225	92.4	44.7
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	26	Add	21	4700	100	200	2069	80.9	44.7	5250	100	400	1175	94.3	44.7
8" Angular Chrome Step w/Lights (VP Design)	Add	35	Add	31	4700	100	250	2019	81.7	44.7	5250	100	450	1125	96.4	44.7
Lower Bodyside Molding	Add	2	Add	1	4700	100	300	1969	82.5	44.7	5250	100	500	1075	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4700	100	350	1919	83.4	44.7	5250	150	0	1525	78.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4700	100	400	1869	84.4	44.7	5250	150	50	1475	79.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	100	500	1769	86.4	44.7	5250	150	100	1425	80.1	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	150	0	2219	86.4	44.7	5250	150	150	1375	81.3	44.7
Sliding Rear Window	Add	6	Add	1	4850	150	50	2169	87.3	44.7	5250	150	200	1325	82.6	44.7
Power Sliding Rear Window	Add	2	Add	2	4850	150	100	2119	88.2	44.7	5250	150	250	1275	83.9	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4850	150	150	2069	89.2	44.7	5250	150	300	1225	85.4	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4850	150	200	2019	90.2	44.7	5250	150	350	1175	87.0	44.7
Foglamps	Add	3	Sub	0	4850	150	250	1969	91.3	44.7	5250	150	400	1125	88.7	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4850	150	300	1919	92.4	44.7	5250	150	450	1075	90.6	44.7
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	4850	150	350	1869	93.6	44.7	5250	150	500	1025	92.7	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4850	150	400	1819	94.9	44.7	5250	200	0	1475	73.2	44.7
All Weather Floor Mat	Add	10	Add	6	4850	150	500	1719	97.0	44.7	5250	200	50	1425	74.1	44.7
Electrochromic Rear View Mirror	Sub	0	Sub	0	4850	200	0	2169	83.3	44.7	5250	200	100	1375	75.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4850	200	50	2119	84.2	44.7	5250	200	150	1325	76.1	44.7
Power Equipment Group	Add	15	Add	6	4850	200	100	2069	85.0	44.7	5250	200	200	1275	77.2	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4850	200	150	2019	85.9	44.7	5250	200	250	1225	78.3	44.7
Cruise Control	Add	3	Add	1	4850	200	200	1969	86.9	44.7	5250	200	300	1175	79.6	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4850	200	250	1919	87.9	44.7	5250	200	350	1125	81.1	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4850	200	300	1869	89.0	44.7	5250	200	400	1075	82.6	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4850	200	350	1819	90.1	44.7	5250	200	450	1025	84.3	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4850	200	400	1769	91.3	44.7	5250	200	500	975	86.1	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4850	200	500	1669	93.9	44.7	5250	250	0	1425	68.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Sub	-20	Add	5	4850	250	0	2119	80.1	44.7	5250	250	50	1375	68.8	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4850	250	50	2069	80.9	44.7	5250	250	100	1325	69.5	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4850	250	100	2019	81.7	44.7	5250	250	150	1275	70.4	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	4850	250	150	1969	82.5	44.7	5250	250	200	1225	71.3	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	4850	250	200	1919	83.4	44.7	5250	250	250	1175	72.3	44.7
Satellite Digital Broadcast	Add	2	Add	1	4850	250	250	1869	84.4	44.7	5250	250	300	1125	73.4	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	4850	250	300	1819	85.4	44.7	5250	250	350	1075	74.6	44.7
Fix4 Trim	Add	7	Add	7	4850	250	350	1769	86.4	44.7	5250	250	400	1025	75.9	44.7
Power Slide Sunroof	Add	21	Add	15	4850	250	400	1719	87.6	44.7	5250	250	450	975	77.3	44.7
XLT Trim	Add	22	Add	17	4850	250	500	1619	90.0							



OPTION DESCRIPTION	OPTION TABLE				VEHICLE LOADING DATA 6.2L Diesel Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS	
						FRONT (Lb.)	REAR (Lb.)		FRONT (IN)	REAR (IN)		FRONT (IN)	REAR (IN)			
						I	II		III	IV		V	VI		I	II
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4800	-50	-50	2421	80.4	44.7	5200	-50	-50	1805	80.8	44.7
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	0	2371	81.0	44.7	5200	-50	0	1755	81.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4800	-50	0	2371	81.0	44.7	5200	-50	0	1755	81.0	44.7
Brake Controller	Add	1	Sub	0	4800	-50	50	2321	81.0	44.7	5200	-50	50	1705	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	-50	100	2271	81.0	44.7	5200	-50	100	1655	81.0	44.7
Shut Plates	Add	18	Add	18	4800	0	-50	2371	78.1	44.7	5200	-50	-50	1605	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	4800	0	0	2321	78.8	44.7	5600	0	0	1705	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	50	2271	79.4	44.7	5600	0	50	1655	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	100	2221	80.2	44.7	5600	0	100	1605	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	150	2171	80.9	44.7	5600	0	150	1555	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	200	2121	81.0	44.7	5600	0	200	1505	81.0	44.7
Dual Alternator	Add	16	Sub	0	4800	0	250	2071	81.0	44.7	5600	0	250	1455	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	300	2021	81.0	44.7	5600	0	300	1405	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	350	1971	81.0	44.7	5600	0	350	1355	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	4800	50	0	2271	76.3	44.7	5600	50	0	1655	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	50	50	2221	77.0	44.7	5600	50	50	1605	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	100	2171	77.6	44.7	5600	50	100	1555	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	2121	78.3	44.7	5600	50	150	1505	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	4800	50	200	2071	79.1	44.7	5600	50	200	1455	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4800	50	250	2021	79.8	44.7	5600	50	250	1405	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	1971	80.7	44.7	5600	50	300	1355	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4800	50	350	1921	81.0	44.7	5600	50	350	1305	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4800	100	0	2221	73.8	44.7	5600	100	0	1605	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4800	100	50	2171	74.4	44.7	5600	100	50	1555	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4800	100	100	2121	75.0	44.7	5600	100	100	1505	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4800	100	150	2071	75.6	44.7	5600	100	150	1455	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4800	100	200	2021	76.3	44.7	5600	100	200	1405	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4800	100	250	1971	77.1	44.7	5600	100	250	1355	81.0	44.7
Stepgate (Upgraded Tailgate)	Add	-8	Add	41	4800	100	300	1921	77.8	44.7	5600	100	300	1305	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	4800	100	350	1871	78.6	44.7	5600	100	350	1255	81.0	44.7
Spray-in Bedliner	Sub	0	Add	16	5200	150	0	2171	81.0	44.7	5600	150	0	1555	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	5200	150	50	2121	81.0	44.7	5600	150	50	1505	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5200	150	100	2071	81.0	44.7	5600	150	100	1455	81.0	44.7
5" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5200	150	150	2021	81.0	44.7	5600	150	150	1405	81.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	150	200	1971	81.0	44.7	5600	150	200	1355	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	250	1921	81.0	44.7	5600	150	250	1305	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	300	1871	81.0	44.7	5600	150	300	1255	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	350	1821	81.0	44.7	5600	150	350	1205	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional Sliding Rear Window	Add	13	Add	5	5200	200	0	2121	81.0	44.7	5600	200	0	1505	81.0	44.7
Power Sliding Rear Window	Add	6	Add	1	5200	200	50	2071	81.0	44.7	5600	200	50	1455	81.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	200	100	2021	81.0	44.7	5600	200	100	1405	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	200	1921	81.0	44.7	5600	200	200	1305	81.0	44.7
Foglamps	Add	3	Sub	0	5200	200	250	1871	81.0	44.7	5600	200	250	1255	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	300	1821	81.0	44.7	5600	200	300	1205	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	350	1771	81.0	44.7	5600	200	350	1155	81.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	250	0	2071	81.0	44.7	5600	250	0	1455	81.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	250	50	2021	81.0	44.7	5600	250	50	1405	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	250	100	1971	81.0	44.7	5600	250	100	1355	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	150	1921	81.0	44.7	5600	250	150	1305	81.0	44.7
Power Equipment Group	Add	12	Add	3	5200	250	200	1871	81.0	44.7	5600	250	200	1255	81.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	250	1821	81.0	44.7	5600	250	250	1205	81.0	44.7
Cruise Control	Add	3	Add	1	5200	250	300	1771	81.0	44.7	5600	250	300	1155	81.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	250	350	1721	81.0	44.7	5600	250	350	1105	81.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	300	0	2021	81.0	44.7	5600	300	0	1405	81.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	300	50	1971	81.0	44.7	5600	300	50	1355	81.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	300	100	1921	81.0	44.7	5600	300	100	1305	81.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	300	150	1871	81.0	44.7	5600	300	150	1255	81.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	300	200	1821	81.0	44.7	5600	300	200	1205	81.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	300	250	1771	81.0	44.7	5600	300	250	1155	81.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	300	1721	81.0	44.7	5600	300	300	1105	81.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	300	350	1671	81.0	44.7	5600	300	350	1055	81.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6												
Satellite Digital Broadcast	Add	2	Add	1												
SYNC - Media Gateway Module (MGM)	Add	1	Add	0												
FX4 Trim	Add	7	Add	5												
XLT Trim	Add	19	Add	14												
Lariat Trim	Add	24	Add	13												
King Ranch Option	Add	24	Add	14												
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												
Flat Splash Guards (SRW)	Add	2	Add	2												
Flat Splash Guards (DRW)	Sub	0	Add	8												
Bed Mat	Add	5	Add	45												
Low Profile Hood Deflector	Add	3	Sub	0												
Roll-up Tonneau Cover	Add	4	Add	22												
Cable/Strap Locks	Sub	0	Add	9												
<b>Total Option Weight</b>																

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.





OPTION DESCRIPTION	OPTION TABLE		VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR							
	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS			
				FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)		FRONT (A) (IN)	REAR (B) (IN)					
	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)				
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	-50	2295	97.0	44.7	5600	-50	-50	1510	97.0	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	2245	97.0	44.7	5600	-50	0	1460	97.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	2195	97.0	44.7	5600	-50	50	1410	97.0	44.7
Limited Slip Rear Axle	Add	1	Sub	0	5200	-50	100	2145	97.0	44.7	5600	-50	100	1360	97.0	44.7
Brake Controller	Add	1	Sub	0	5200	0	-50	2245	97.0	44.7	5600	0	-50	1460	97.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	0	2245	97.0	44.7	5600	0	0	1410	97.0	44.7
Skid Plates	Add	18	Add	20	5200	-50	50	2195	97.0	44.7	5600	0	50	1360	97.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	-50	100	2145	97.0	44.7	5600	0	100	1310	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	-50	150	2095	97.0	44.7	5600	0	150	1260	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	-50	200	2045	97.0	44.7	5600	0	200	1210	97.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	-50	250	1995	97.0	44.7	5600	0	250	1160	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	-50	300	1945	97.0	44.7	5600	0	300	1110	97.0	44.7
Dual Alternator	Add	16	Sub	0	5200	-50	350	1895	97.0	44.7	5600	0	350	1060	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	-50	400	1845	97.0	44.7	5600	0	400	1010	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	-50	450	1795	97.0	44.7	5600	0	450	960	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	-50	500	1745	97.0	44.7	5600	0	500	910	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	-50	2245	97.0	44.7	5600	50	0	1360	97.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	0	0	2195	97.0	44.7	5600	50	50	1310	97.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	0	50	2145	97.0	44.7	5600	50	100	1260	97.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	0	100	2095	97.0	44.7	5600	50	150	1210	97.0	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	0	150	2045	97.0	44.7	5600	50	200	1160	97.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	0	200	1995	97.0	44.7	5600	50	250	1110	97.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	0	250	1945	97.0	44.7	5600	50	300	1060	97.0	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	0	300	1895	97.0	44.7	5600	50	350	1010	97.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	0	350	1845	97.0	44.7	5600	50	400	960	97.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5200	0	400	1795	97.0	44.7	5600	50	450	910	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	0	450	1745	97.0	44.7	5600	50	500	860	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	0	500	1695	97.0	44.7	5600	100	0	1310	97.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5200	50	0	2145	97.0	44.7	6000	100	50	1260	97.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5200	50	0	2095	97.0	44.7	6000	100	100	1210	97.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	50	100	2045	97.0	44.7	6000	100	150	1160	97.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	50	150	1995	97.0	44.7	6000	100	200	1110	97.0	44.7
Spray-In Bedliner	Sub	0	Add	16	5200	50	200	1945	97.0	44.7	6000	100	250	1060	97.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	24	Add	18	5200	50	250	1895	97.0	44.7	6000	100	300	1010	97.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5200	50	300	1845	97.0	44.7	6000	100	350	960	97.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5200	50	350	1795	97.0	44.7	6000	100	400	910	97.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	50	400	1745	97.0	44.7	6000	100	450	860	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	50	450	1695	97.0	44.7	6000	100	500	810	97.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	50	500	1645	97.0	44.7	6000	150	0	1260	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	0	2095	97.0	44.7	6000	150	50	1210	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	50	2045	97.0	44.7	6000	150	100	1160	97.0	44.7
Sliding Rear Window	Add	6	Add	1	5200	100	100	1995	97.0	44.7	6000	150	150	1110	97.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5200	100	150	1945	97.0	44.7	6000	150	200	1060	97.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	100	200	1895	97.0	44.7	6000	150	250	1010	97.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	100	250	1845	97.0	44.7	6000	150	300	960	97.0	44.7
Foglamps	Add	3	Sub	0	5200	100	300	1795	97.0	44.7	6000	150	350	910	97.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	100	350	1745	97.0	44.7	6000	150	400	860	97.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	100	400	1695	97.0	44.7	6000	150	450	810	97.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	100	450	1645	97.0	44.7	6000	150	500	760	97.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	100	500	1595	97.0	44.7	6000	200	0	1210	97.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	150	0	2045	95.2	44.7	6000	200	50	1160	97.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	150	50	1995	96.4	44.7	6000	200	100	1110	97.0	44.7
Power Equipment Group	Add	12	Add	3	5200	150	100	1945	97.0	44.7	6000	200	150	1060	97.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	150	150	1895	97.0	44.7	6000	200	200	1010	97.0	44.7
Cruise Control	Add	3	Add	1	5200	150	200	1845	97.0	44.7	6000	200	250	960	97.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	150	250	1795	97.0	44.7	6000	200	300	910	97.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	150	300	1745	97.0	44.7	6000	200	350	860	97.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	150	350	1695	97.0	44.7	6000	200	400	810	97.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	150	400	1645	97.0	44.7	6000	200	450	760	97.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	150	450	1595	97.0	44.7	6000	200	500	710	97.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	150	500	1545	97.0	44.7	6000	250	0	1160	97.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	200	0	1995	92.4	44.7	6000	250	50	1110	97.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	200	50	1945	93.6	44.7	6000	250	100	1060	97.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	200	100	1895	94.8	44.7	6000	250	150	1010	97.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	5200	200	150	1845	96.1	44.7	6000	250	200	960	97.0	44.7
Satellite Digital Broadcast	Add	2	Add	1	5200	200	200	1795	97.0	44.7	6000	250	250	910	97.0	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	200	250	1745	97.0	44.7	6000	250	300	860	97.0	44.7
FX4 Trim	Add	7	Add	5	5200	200	300	1695	97.0	44.7	6000	250	350	810	97.0	44.7
XLT Trim	Add	19	Add	14	5200	200	350	1645	97.0	44.7	6000	250	400	760	97.0	44.7
Lariat Trim	Add	24	Add	13	5200	200	400	1595	97.0	44.7	6000	250	450	710	97.0	44.7
King Ranch Option	Add	24	Add	14	5200	200	450	1545	97.0	44.7	6000	2				

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)		
					I	II	III	IV	V		VI	I	II	III	IV	V
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	5200	-50	-50	2102	97.0	44.7	5600	-50	-50	1338	97.0	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	2052	97.0	44.7	5600	-50	0	1288	97.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	2002	97.0	44.7	5600	-50	50	1238	97.0	44.7
Limited Slip Rear Axle	Add	1	Sub	0	5200	-50	100	1952	97.0	44.7	5600	-50	100	1188	97.0	44.7
Brake Controller	Add	1	Sub	0	5200	0	0	2002	97.0	44.7	6000	0	0	1238	97.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	2002	97.0	44.7	6000	0	0	1188	97.0	44.7
Skid Plates	Add	19	Add	17	5200	0	50	1952	97.0	44.7	6000	0	50	1188	97.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	0	100	1902	97.0	44.7	6000	0	100	1138	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	150	1852	97.0	44.7	6000	0	150	1088	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	200	1802	97.0	44.7	6000	0	200	1038	97.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	250	1752	97.0	44.7	6000	0	250	988	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	300	1702	97.0	44.7	6000	0	300	938	97.0	44.7
Dual Alternator	Add	16	Sub	0	5200	0	350	1652	97.0	44.7	6000	0	350	888	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	400	1602	97.0	44.7	6000	0	400	838	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	450	1552	97.0	44.7	6000	0	450	788	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	0	500	1502	97.0	44.7	6000	0	500	738	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	550	1452	97.0	44.7	6000	0	550	688	97.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	0	1952	97.0	44.7	6000	50	0	638	97.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	50	50	1902	97.0	44.7	6000	50	50	1138	97.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	1852	97.0	44.7	6000	50	100	1088	97.0	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	50	150	1802	97.0	44.7	6000	50	150	1038	97.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	1752	97.0	44.7	6000	50	200	988	97.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	1702	97.0	44.7	6000	50	250	938	97.0	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	50	300	1652	97.0	44.7	6000	50	300	888	97.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	1602	97.0	44.7	6000	50	350	838	97.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5200	50	400	1552	97.0	44.7	6000	50	400	788	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	50	450	1502	97.0	44.7	6000	50	450	738	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	50	500	1452	97.0	44.7	6000	50	500	688	97.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5200	50	550	1402	97.0	44.7	6000	50	550	638	97.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5200	100	50	1902	97.0	44.7	6000	100	0	1138	97.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	50	1852	95.9	44.7	6000	100	50	1088	97.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	100	100	1802	97.0	44.7	6000	100	100	1038	97.0	44.7
Spray-In Bedliner	Sub	0	Add	20	5200	100	150	1752	97.0	44.7	6000	100	150	988	97.0	44.7
Composite Side Aux. Steps - Platform w/Lights	Add	28	Add	21	5200	100	200	1702	97.0	44.7	6000	100	200	938	97.0	44.7
Side Aux Steps - w/Lights	Add	39	Add	25	5200	100	250	1652	97.0	44.7	6000	100	250	888	97.0	44.7
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	26	Add	21	5200	100	300	1602	97.0	44.7	6000	100	300	838	97.0	44.7
6" Angular Chrome Step w/Lights (VP Design)	Add	35	Add	31	5200	100	350	1552	97.0	44.7	6000	100	350	788	97.0	44.7
Lower Body Side Molding	Add	2	Add	1	5200	100	400	1502	97.0	44.7	6000	100	400	738	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	100	450	1452	97.0	44.7	6000	100	450	688	97.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	100	500	1402	97.0	44.7	6000	100	500	638	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	550	1352	97.0	44.7	6000	100	550	588	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	0	1852	97.0	44.7	6000	150	0	1088	97.0	44.7
Sliding Rear Window	Add	6	Add	1	5600	150	50	1902	97.0	44.7	6000	150	50	1038	97.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5600	150	100	1752	97.0	44.7	6000	150	100	988	97.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	150	150	1702	97.0	44.7	6000	150	150	938	97.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5600	150	200	1652	97.0	44.7	6000	150	200	888	97.0	44.7
Foglamps	Add	3	Sub	0	5600	150	250	1602	97.0	44.7	6000	150	250	838	97.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5600	150	300	1552	97.0	44.7	6000	150	300	788	97.0	44.7
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	5600	150	350	1502	97.0	44.7	6000	150	350	738	97.0	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5600	150	400	1452	97.0	44.7	6000	150	400	688	97.0	44.7
All Weather Floor Mat	Add	10	Add	6	5600	150	450	1402	97.0	44.7	6000	150	450	638	97.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5600	150	500	1352	97.0	44.7	6000	150	500	588	97.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	150	550	1302	97.0	44.7	6000	150	550	538	97.0	44.7
Power Equipment Group	Add	15	Add	6	5600	200	0	1802	97.0	44.7	6000	200	0	1038	97.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5600	200	50	1752	97.0	44.7	6000	200	50	988	97.0	44.7
Cruise Control	Add	3	Add	1	5600	200	100	1702	97.0	44.7	6000	200	100	938	97.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	200	150	1652	97.0	44.7	6000	200	150	888	97.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	200	200	1602	97.0	44.7	6000	200	200	838	97.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	200	250	1552	97.0	44.7	6000	200	250	788	97.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	200	300	1502	97.0	44.7	6000	200	300	738	97.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	200	350	1452	97.0	44.7	6000	200	350	688	97.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Sub	-20	Add	5	5600	200	400	1402	97.0	44.7	6000	200	400	638	97.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5600	200	450	1352	97.0	44.7	6000	200	450	588	97.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	200	500	1302	97.0	44.7	6000	200	500	538	97.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5600	200	550	1252	97.0	44.7	6000	200	550	488	97.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5600	250	0	1752	97.0	44.7	6000	250	0	988	97.0	44.7
Satellite Digital Broadcast	Add	2	Add	1	5600	250	50	1702	97.0	44.7	6000	250	50	938	97.0	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	250	100	1652	97.0	44.7	6000	250	100	888	97.0	44.7
FX4 Trim	Add	7	Add	7	5600	250	150	1602	97.0	44.7	6000	250	150	838	97.0	44.7
Power Side Sunroof	Add	21	Add	15	5600	250	200	1552	97.0	44.7	6000	250	200	788	97.0	44.7
XLT Trim	Add	22	Add	17	5600	250	250	1502	97.0	44.7	6000	250	250	738	97.0	44.



OPTION DESCRIPTION	OPTION TABLE		VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10700 lb (4853 kg) GVWR											
	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS							
				FRONT (LB)	REAR (LB)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (LB)		REAR (LB)	RATING	FRONT (A) (IN)	REAR (B) (IN)				
	I	II	III	IV	V	VI	I	II	III	IV	V	VI								
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0																
Immersion Heater - Engine	Add	1	Sub	0	4250	-50	-50	2832	64.5	44.7	4850	-50	-50	2966	68.2	47.3				
Limited Slip Rear Axle	Add	0	Sub	5	4250	-50	0	2782	64.8	44.7	4850	-50	0	2916	68.6	47.3				
Brake Controller	Add	1	Sub	0	4250	-50	50	2732	65.1	44.7	4850	-50	50	2866	68.9	47.3				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4250	-50	100	2832	65.4	44.7	4850	-50	100	2816	69.3	47.2				
Skid Plates	Add	18	Add	18	4400	0	0	2782	69.9	44.7	4850	0	0	2916	68.1	44.8				
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	2732	70.3	44.7	4850	0	0	2866	66.5	44.8				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	2682	70.7	44.7	4850	0	50	2816	66.8	44.7				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	2632	71.1	44.7	4850	0	100	2766	67.1	44.7				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4400	0	150	2582	71.6	44.7	4850	0	150	2716	67.5	44.7				
Extra Heavy Duty Alternator	Add	3	Sub	0	4400	50	0	2682	68.0	44.7	4850	50	0	2816	64.3	44.7				
Dual Alternator	Add	16	Sub	0	4400	50	50	2632	68.4	44.7	4850	50	50	2766	64.6	44.7				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4400	50	100	2582	68.8	44.7	4850	50	100	2716	64.9	44.7				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4400	50	150	2532	69.2	44.7	4850	50	150	2666	65.2	44.7				
Manual Air Conditioning	Add	34	Sub	-1	4400	50	200	2482	69.7	44.7	4850	50	200	2616	65.5	44.7				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4400	50	250	2432	70.1	44.7	4850	50	250	2566	65.9	44.7				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4400	50	300	2382	70.6	44.7	4850	50	300	2516	66.2	44.7				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4400	50	350	2332	71.1	44.7	4850	50	350	2466	66.6	44.7				
LT 275/60R18E A/T BSW (SRW Only)	Add	22	Add	22	4400	100	0	2632	65.7	44.7	5000	100	0	2766	68.7	44.7				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4400	100	50	2682	66.1	44.7	5000	100	50	2716	70.1	44.7				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4400	100	100	2632	66.4	44.7	5000	100	100	2666	70.5	44.7				
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4400	100	150	2482	66.8	44.7	5000	100	150	2616	70.9	44.7				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4400	100	200	2432	67.2	44.7	5000	100	200	2566	71.4	44.7				
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4400	100	250	2382	67.6	44.7	5000	100	250	2516	71.9	44.7				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4400	100	300	2332	68.0	44.7	5000	100	300	2466	72.3	44.7				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4400	100	350	2282	68.5	44.7	5000	100	350	2416	72.9	44.7				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4550	150	0	2582	71.6	44.7	5000	150	0	2716	67.5	44.7				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4550	150	50	2532	72.0	44.7	5000	150	50	2666	68.8	44.7				
Stepgate (Upgraded Tailgate)	Add	-8	Add	41	4550	150	100	2482	72.5	44.7	5000	150	100	2616	68.2	44.7				
Pickup Bed Extender	Sub	-2	Add	22	4550	150	150	2432	73.0	44.7	5000	150	150	2566	68.6	44.7				
Spray-in Bedliner	Sub	0	Add	16	4550	150	200	2382	73.6	44.7	5000	150	200	2516	69.0	44.7				
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	4550	150	250	2332	74.1	44.7	5000	150	250	2466	69.5	44.7				
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	4550	150	300	2282	74.7	44.7	5000	150	300	2416	69.9	44.7				
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	4550	150	350	2232	75.3	44.7	5000	150	350	2366	70.4	44.7				
Lower Body-side Molding	Add	2	Add	1	4550	200	0	2532	69.2	44.7	5000	200	0	2666	65.2	44.7				
Reverse Vehicle Sensor System	Sub	0	Add	1	4550	200	50	2482	69.7	44.7	5000	200	50	2616	65.5	44.7				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4550	200	100	2432	70.1	44.7	5000	200	100	2566	65.9	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	200	150	2382	70.6	44.7	5000	200	150	2516	66.2	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional Sliding Rear Window	Add	13	Add	5	4550	200	200	2332	71.1	44.7	5000	200	200	2466	66.6	44.7				
Power Sliding Rear Window	Add	6	Add	2	4550	200	250	2282	71.6	44.7	5000	200	250	2416	67.0	44.7				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4550	200	300	2232	72.1	44.7	5000	200	300	2366	67.4	44.7				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4550	250	0	2482	66.8	44.7	5250	250	0	2616	76.4	44.7				
Foglamps	Add	3	Sub	0	4550	250	50	2432	67.2	44.7	5250	250	50	2566	76.9	44.7				
Floor Cover Carpet Ins-Complete Color Keyed	Sub	0	Sub	0	4550	250	100	2382	67.6	44.7	5250	250	100	2516	77.5	44.7				
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	4550	250	150	2332	68.0	44.7	5250	250	150	2466	78.1	44.7				
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4550	250	200	2282	68.5	44.7	5250	250	200	2416	78.7	44.7				
All Weather Floor Mat	Add	10	Add	6	4550	250	250	2232	68.9	44.7	5250	250	250	2366	79.4	44.7				
Electrochromic Rear View Mirror	Add	1	Sub	0	4550	250	300	2182	69.4	44.7	5250	250	300	2316	80.1	44.7				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4550	250	350	2132	69.9	44.7	5250	250	350	2266	80.8	44.7				
Power Equipment Group	Add	12	Add	3																
Adj Gas & Brake Pedals	Add	4	Add	3																
Cruise Control	Add	3	Add	1																
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2																
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3																
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9																
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1																
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2																
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5																
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2																
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2																
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4																
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6																
Satellite Digital Broadcast	Add	2	Add	1																
SYNC - Media Gateway Module (MGM)	Add	1	Add	0																
FX4 Trim	Add	7	Add	5																
XLT Trim	Add	19	Add	14																
Lariat Trim	Add	24	Add	13																
King Ranch Option	Add	24	Add	14																
Passenger Side Air Bag Delete	Sub	-10	Sub	-1																
Fiat Splash Guards (SRW)	Add	2	Add	2																
Fiat Splash Guards (DRW)	Sub	0	Add	8																





OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10500 lb (4762 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11100 lb (5034 kg) GVWR							
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS			
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (Lb.)	REAR (B) (Lb.)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (Lb.)	REAR (B) (Lb.)		
				I	II	III	IV	V	VI	I	II	III	IV	V	VI		
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386													
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4700	-50	3069	78.6	51.1	5250	-50	-50	2975	75.0	49.6		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4700	-50	0	3019	79.1	51.2	5250	-50	0	2925	75.4	49.6	
Immersion Heater - Engine	Add	1	Sub	0	4700	-50	50	2969	79.6	51.2	5250	-50	50	2875	75.9	49.6	
Limited Slip Rear Axle	Sub	0	Add	5	4700	-50	100	2919	80.1	51.3	5250	-50	100	2825	76.4	49.6	
Brake Controller	Add	1	Sub	0	4700	-50	150	2869	80.7	51.4	5250	0	-50	2925	72.5	46.6	
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4700	-50	200	2819	81.3	51.4	5250	0	0	2875	72.9	46.6	
Skid Plates	Add	19	Add	17	4700	-50	250	2769	81.9	51.5	5250	0	50	2825	73.3	46.6	
Rear Stabilizer Bar	Add	2	Add	26	4700	-50	300	2719	82.5	51.5	5250	0	100	2775	73.8	46.6	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4700	-50	350	2669	83.2	51.6	5250	0	150	2725	74.3	46.5	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4700	-50	400	2619	83.8	51.7	5250	0	200	2675	74.8	46.5	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4700	-50	500	2519	85.2	51.8	5250	0	250	2625	75.3	46.5	
Extra Heavy Duty Alternator	Add	3	Sub	0	4700	0	0	2969	76.7	48.3	5250	0	300	2575	75.8	46.4	
Dual Alternator	Add	16	Sub	0	4700	0	50	2919	77.2	48.3	5250	0	350	2525	76.4	46.4	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4700	0	100	2869	77.7	48.4	5250	0	400	2475	76.9	46.4	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4700	0	150	2819	78.2	48.4	5250	0	450	2425	77.5	46.3	
Manual Air Conditioning	Add	34	Sub	-1	4700	0	200	2769	78.8	48.4	5250	0	500	2375	78.1	46.3	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4700	0	250	2719	79.3	48.4	5250	50	0	2925	70.3	44.7	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4700	0	300	2669	79.9	48.4	5250	50	0	2775	70.7	44.7	
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4700	0	350	2619	80.5	48.4	5250	50	100	2725	71.1	44.7	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4700	0	400	2569	81.2	48.4	5250	50	150	2675	71.5	44.7	
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	4700	0	500	2469	82.5	48.4	5250	50	200	2625	72.0	44.7	
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4700	50	0	2919	74.2	45.4	5250	50	250	2575	72.5	44.7	
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4700	50	50	2869	74.7	45.3	5250	50	300	2525	72.9	44.7	
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4700	50	100	2819	75.2	45.3	5250	50	350	2475	73.4	44.7	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4700	50	150	2769	75.7	45.2	5250	50	400	2425	74.0	44.7	
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4700	50	200	2719	76.2	45.2	5250	50	450	2375	74.5	44.7	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4700	50	250	2669	76.7	45.1	5250	50	500	2325	75.1	44.7	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	50	300	2619	77.2	45.1	5250	100	0	2775	67.6	44.7	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4700	50	350	2569	77.8	45.0	5250	100	50	2725	67.9	44.7	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4700	50	400	2519	78.4	45.0	5250	100	100	2675	68.3	44.7	
Staggered (Upgraded Tailgate)	Sub	-8	Add	41	4700	50	500	2419	79.7	44.8	5250	100	150	2625	68.7	44.7	
Pickup Bed Extender	Sub	-2	Add	22	4850	100	0	2869	80.7	44.7	5250	100	200	2575	69.1	44.7	
Spray-In Bedliner	Sub	0	Add	20	4850	100	50	2819	81.3	44.7	5250	100	250	2525	69.5	44.7	
Composite Side Aux. Steps - Platform w/Lights	Add	28	Add	21	4850	100	100	2769	81.9	44.7	5250	100	300	2475	70.0	44.7	
Side Aux Steps - w/Lights	Add	39	Add	25	4850	100	150	2719	82.5	44.7	5250	100	350	2425	70.4	44.7	
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	26	Add	21	4850	100	200	2669	83.2	44.7	5250	100	400	2375	70.9	44.7	
6" Angular Chrome Step w/Lights (VP Design)	Add	35	Add	31	4850	100	250	2619	83.8	44.7	5250	100	450	2325	71.4	44.7	
Lower Bodyside Molding	Add	2	Add	1	4850	100	300	2569	84.5	44.7	5250	100	500	2275	71.9	44.7	
Reverse Vehicle Sensor System	Sub	0	Add	1	4850	100	350	2519	85.2	44.7	5250	150	0	2725	64.8	44.7	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4850	100	400	2469	86.0	44.7	5250	150	50	2675	65.1	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	100	500	2369	87.6	44.7	5250	150	100	2625	65.4	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	150	0	2819	78.2	44.7	5250	150	150	2575	65.8	44.7	
Sliding Rear Window	Add	-4	Add	1	4850	150	50	2769	78.8	44.7	5250	150	200	2525	66.1	44.7	
Power Sliding Rear Window	Add	6	Add	2	4850	150	100	2719	79.3	44.7	5250	150	250	2475	66.5	44.7	
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4850	150	150	2669	79.9	44.7	5250	150	300	2425	66.9	44.7	
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4850	150	200	2619	80.5	44.7	5250	150	350	2375	67.3	44.7	
Foglamps	Add	3	Sub	0	4850	150	250	2569	81.2	44.7	5250	150	400	2325	67.7	44.7	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4850	150	300	2519	81.8	44.7	5250	150	450	2275	68.1	44.7	
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	4850	150	350	2469	82.5	44.7	5250	150	500	2225	68.6	44.7	
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4850	150	400	2419	83.2	44.7	5250	200	0	2675	61.9	44.7	
All Weather Floor Mat	Add	10	Add	6	4850	150	500	2319	84.7	44.7	5250	200	50	2625	62.1	44.7	
Electrochromic Rear View Mirror	Add	1	Sub	0	4850	200	0	2769	75.7	44.7	5250	200	100	2575	62.4	44.7	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4850	200	50	2719	76.2	44.7	5250	200	150	2525	62.7	44.7	
Power Equipment Group	Add	15	Add	6	4850	200	100	2669	76.7	44.7	5250	200	200	2475	63.0	44.7	
Adj Gas & Brake Pedals	Add	4	Add	3	4850	200	150	2619	77.2	44.7	5250	200	250	2425	63.3	44.7	
Cruise Control	Add	3	Add	1	4850	200	200	2569	77.8	44.7	5250	200	300	2375	63.6	44.7	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4850	200	250	2519	78.4	44.7	5250	200	350	2325	64.0	44.7	
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4850	200	300	2469	79.0	44.7	5250	200	400	2275	64.3	44.7	
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	9	4850	200	350	2419	79.7	44.7	5250	200	450	2225	64.7	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4850	200	400	2369	80.3	44.7	5250	200	500	2175	65.1	44.7	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4850	200	500	2269	81.8	44.7	5250	250	0	2625	58.9	44.7	
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5000	250	0	2719	82.5	44.7	5250	250	50	2575	59.1	44.7	
Less Radio Pre-Equipment Pack (Radio Delete)	-5	Sub	-2	5000	250	50	2669	83.2	44.7	5250	250	100	2525	59.3	44.7		
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5000	250	100	2619	83.8	44.7	5250	250	150	2475	59.5	44.7	
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5000	250	150	2569	84.5	44.7	5250	250	200	2425	59.8	44.7	
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5000	250	200	2519	85.2	44.7	5250	250	250	2375	60.0	44.7	
Satellite Digital Broadcast	Add	2	Add	1	5000	250	250	2469	86.0	44.7	5250	250	300	2325	60.3	44.7	
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5000	250	300	2419	86.8	44.7	5250	250	350	2275	60.5	44.7	
FX4 Trim	Add	7	Add	7	5000	250	350	2369	87.6	44.7	5250	250	400	2225	60.8	44.7	
Power Side Sunroof	Add	21	Add	15	5000	250	400	2319	88.5	44.7	5250	250	450	2175	61.1	44.7	
XLT Trim	Add	22	Add	17	5000	250	500	2219</									



OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10400 lb (4717 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10800 lb (4898 kg) GVWR					
	FRONT (Lbs.)	(Lbs.)	REAR (Lbs.)	(Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS	
						FRONT (Lb.)	REAR (Lb.)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)	
						I	II		III	IV		V	VI		I	II
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4800	-50	-50	3597	79.7	53.5	5200	-50	-50	3407	75.2	47.5
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4800	-50	0	3547	80.2	53.6	5200	-50	0	3357	75.6	47.5
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	50	3497	80.6	53.7	5200	-50	50	3307	76.0	47.5
Limited Slip Rear Axle	Sub	0	Add	5	4800	-50	100	3447	81.1	53.8	5200	-50	100	3257	76.5	47.5
Brake Controller	Add	1	Sub	0	4800	0	-50	3547	78.2	51.7	5200	0	-50	3357	73.6	45.5
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	0	0	3497	78.7	51.8	5200	0	0	3307	73.9	45.5
Skid Plates	Add	16	Add	20	4800	0	50	3447	79.1	51.8	5200	0	50	3257	74.3	45.4
Rear Stabilizer Bar	Add	2	Add	26	4800	0	100	3397	79.6	51.9	5200	0	100	3207	74.8	45.4
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	150	3347	80.1	51.9	5200	0	200	3107	75.6	45.3
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	200	3297	80.6	52.0	5200	0	250	3057	76.1	45.3
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	250	3247	81.1	52.0	5200	0	300	3007	76.6	45.2
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	300	3197	81.6	52.1	5200	0	350	2957	77.0	45.2
Dual Alternator	Add	16	Sub	0	4800	0	350	3147	82.1	52.2	5200	0	400	2907	77.5	45.1
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	400	3097	82.7	52.2	5200	0	450	2857	78.1	45.1
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	450	3047	83.2	52.3	5200	0	500	2807	78.6	45.0
Manual Air Conditioning	Add	34	Sub	-1	4800	0	500	2997	83.8	52.4	5200	50	0	3257	72.2	46.0
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	50	0	3447	77.1	49.8	5200	50	50	3207	72.6	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	50	3397	77.6	49.8	5200	50	100	3157	73.0	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	50	100	3347	78.0	49.9	5200	50	200	3057	73.8	45.0
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	3297	78.5	49.9	5200	50	250	3007	74.3	45.0
LT 275/65R18E A/S BSW (SRW only)	Sub	-15	Sub	-31	4800	50	200	3247	78.9	49.9	5200	50	300	2957	74.7	45.0
LT 275/70R18E A/T BSW Premium (SRW Only)	Sub	9	Add	60	4800	50	250	3197	79.4	50.0	5200	50	350	2907	75.2	45.0
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	3147	79.9	50.0	5200	50	400	2857	75.7	45.0
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4800	50	350	3097	80.5	50.0	5200	50	450	2807	76.2	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4800	50	400	3047	81.0	50.1	5200	50	500	2757	76.7	45.0
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4800	50	450	2997	81.5	50.1	5600	100	0	3207	87.6	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4800	50	500	2947	82.1	50.1	5600	100	50	3157	88.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4800	100	0	3397	75.6	47.8	5600	100	100	3107	88.9	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	4800	100	50	3347	76.0	47.8	5600	100	200	3007	90.2	46.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	4800	100	100	3297	76.4	47.8	5600	100	250	2957	90.9	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	100	150	3247	76.8	47.8	5600	100	300	2907	91.7	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	100	200	3197	77.3	47.8	5600	100	350	2857	92.4	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4800	100	250	3147	77.8	47.8	5600	100	400	2807	93.2	45.0
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4800	100	300	3097	78.2	47.8	5600	100	450	2757	94.1	45.0
Pickup Bed Extender	Sub	-2	Add	22	4800	100	350	3047	78.7	47.8	5600	100	500	2707	94.9	45.0
Spray-in Bedliner	Add	1	Add	19	4800	100	400	2997	79.3	47.8	5600	150	0	3157	86.0	45.0
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4800	100	450	2947	79.8	47.8	5600	150	50	3107	86.7	45.0
Lower Bodyside Molding	Add	2	Add	1	4800	100	500	2897	80.3	47.8	5600	150	100	3057	87.3	45.0
Reverse Vehicle Sensor System	Sub	0	Add	1	4800	150	0	3347	73.9	45.8	5600	150	200	2957	88.6	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4800	150	50	3297	74.3	45.7	5600	150	250	2907	89.3	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	100	3247	74.7	45.7	5600	150	300	2857	90.0	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	150	3197	75.1	45.7	5600	150	350	2807	90.8	45.0
Sliding Rear Window	Add	6	Add	1	4800	150	200	3147	75.6	45.6	5600	150	400	2757	91.6	45.0
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4800	150	250	3097	76.0	45.6	5600	150	450	2707	92.4	45.0
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4800	150	300	3047	76.5	45.6	5600	150	500	2657	93.2	45.0
Foglamps	Add	3	Sub	0	4800	150	350	2997	77.0	45.5	5600	200	0	3107	84.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4800	150	400	2947	77.5	45.5	5600	200	50	3057	85.0	45.0
XLT Floor Mats less Logo (Color Keyed)	Add	3	Add	1	4800	150	450	2897	78.0	45.4	5600	200	100	3007	85.7	45.0
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	4800	150	500	2847	78.5	45.4	5600	200	200	2907	87.0	45.0
All Weather Floor Mat	Add	6	Add	4	4800	200	0	3297	72.2	45.0	5600	200	250	2857	87.7	45.0
Electrochromic Rear View Mirror	Add	1	Sub	0	4800	200	50	3247	72.6	45.0	5600	200	300	2807	88.4	45.0
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4800	200	100	3197	73.0	45.0	5600	200	350	2757	89.1	45.0
Power Equipment Group	Add	12	Add	3	4800	200	150	3147	73.4	45.0	5600	200	400	2707	89.9	45.0
Adj Gas & Brake Pedals	Add	4	Add	3	4800	200	200	3097	73.8	45.0	5600	200	450	2657	90.6	45.0
Cruise Control	Add	3	Add	1	4800	200	250	3047	74.2	45.0	5600	200	500	2607	91.5	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4800	200	300	2997	74.7	45.0	5600	250	0	3057	82.8	45.0
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4800	200	350	2947	75.1	45.0	5600	250	50	3007	83.4	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4800	200	400	2897	75.6	45.0	5600	250	100	2957	84.0	45.0
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4800	200	450	2847	76.1	45.0	5600	250	200	2857	85.3	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4800	200	500	2797	76.6	45.0	5600	250	250	2807	85.9	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	250	0	3247	87.4	45.0	5600	250	300	2757	86.6	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	250	50	3197	88.0	45.0	5600	250	350	2707	87.3	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	250	100	3147	88.6	45.0	5600	250	400	2657	88.1	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	5200	250	150	3097	89.3	45.0	5600	250	450	2607	88.8	45.0
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	5200	250	200	3047	90.0	45.0	5600	250	500	2557	89.6	45.0
Satellite Digital Broadcast	Add	2	Add	1	5200	250	250	2997	90.7	45.0						
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	250	300	2947	91.4	45.0						
Fx4 Trim	Add	6	Add	2	5200	250	350	2897	92.2	45.0						
XLT Trim	Add	18	Add	12	5200	250	400	2847	92.9	45.0						
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5200	250	450	2797	93.7	45.0						
Flat Splash Guards (SRW)	Add	2	Add	2	5200	250	500	2747	94.6	45.0						
Bed Mat	Add	7	Add	55												

OPTION DESCRIPTION	OPTION TABLE			VEHICLE LOADING DATA 6.2L Gasoline Engine 10500 lb (4762 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11100 lb (5034 kg) GVWR					
	FRONT (Lbs.)	REAR (Lbs.)		FRONT (Lbs.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS	
					FRONT (Lb.)	REAR (Lb.)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)	
	I	II	III	IV	V	VI	I	II	III	IV	V	VI			
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0											
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	3021	73.9	46.4	5200	-50	3005	67.7	49.4	
Limited Slip Rear Axle	Sub	0	Add	5	4800	-50	0	2971	74.4	5200	-50	0	2955	68.0	49.4
Brake Controller	Add	1	Sub	0	4800	-50	50	2921	74.8	5200	-50	50	2905	68.4	49.4
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	-50	100	2871	75.3	5200	-50	100	2855	68.7	49.4
Stud Plates	Add	18	Add	18	4800	0	-50	2971	72.0	5600	0	50	2955	81.0	47.0
Rear Stabilizer Bar	Add	2	Add	26	4800	0	0	2921	72.4	5600	0	0	2905	81.0	47.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	50	2871	72.8	5600	0	50	2855	81.0	47.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	100	2821	73.3	5600	0	100	2805	81.0	46.9
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	150	2771	73.7	5600	0	150	2755	81.0	46.9
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	200	2721	74.2	5600	0	200	2705	81.0	46.9
Dual Alternator	Add	16	Sub	0	4800	0	250	2671	74.7	5600	0	250	2655	81.0	46.9
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	300	2621	75.2	5600	0	300	2605	81.0	46.9
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	350	2571	75.8	5600	0	350	2555	81.0	46.8
Manual Air Conditioning	Add	34	Sub	-1	4800	50	0	2871	70.4	5600	50	0	2855	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	50	50	2821	70.8	5600	50	50	2805	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	100	2771	71.2	5600	50	100	2755	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	2721	71.6	5600	50	150	2705	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	4800	50	200	2671	72.1	5600	50	200	2655	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4800	50	250	2621	72.5	5600	50	250	2605	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	2571	73.0	5600	50	300	2555	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4800	50	350	2521	73.5	5600	50	350	2505	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4800	100	0	2821	68.3	5600	100	0	2805	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	4800	100	50	2771	68.6	5600	100	50	2755	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4800	100	100	2721	69.0	5600	100	100	2705	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4800	100	150	2671	69.4	5600	100	150	2655	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 Only)	Sub	-6	Sub	-6	4800	100	200	2621	69.8	5600	100	200	2605	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 Only)	Sub	-4	Sub	-4	4800	100	250	2571	70.2	5600	100	250	2555	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4800	100	300	2521	70.7	5600	100	300	2505	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	4800	100	350	2471	71.1	5600	100	350	2455	81.0	44.7
Spray-in Bedliner	Sub	0	Add	16	5200	150	0	2771	81.0	5600	150	0	2755	79.8	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	5200	150	50	2721	81.0	5600	150	50	2705	80.4	44.7
7" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5200	150	100	2671	81.0	5600	150	100	2655	81.0	44.7
5" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5200	150	150	2621	81.0	5600	150	150	2605	81.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	150	200	2571	81.0	5600	150	200	2555	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	250	2521	81.0	5600	150	250	2505	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	300	2471	81.0	5600	150	300	2455	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	350	2421	81.0	5600	150	350	2405	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional Sliding Rear Window	Add	13	Add	5	5200	200	0	2721	81.0	5600	200	0	2705	77.7	44.7
Power Sliding Rear Window	Add	6	Add	1	5200	200	50	2671	81.0	5600	200	50	2655	78.3	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	200	100	2621	81.0	5600	200	100	2605	78.9	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	200	2521	81.0	5600	200	200	2505	80.1	44.7
Foglamps	Add	3	Sub	0	5200	200	250	2471	81.0	5600	200	250	2455	80.8	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	300	2421	81.0	5600	200	300	2405	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	350	2371	81.0	5600	200	350	2355	81.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	250	0	2671	81.0	5600	250	0	2655	75.6	44.7
All Weather Floor Mat	Add	10	Add	6	5200	250	50	2621	81.0	5600	250	50	2605	76.2	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	250	100	2571	81.0	5600	250	100	2555	76.7	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	150	2521	81.0	5600	250	150	2505	77.3	44.7
Power Equipment Group	Add	12	Add	3	5200	250	200	2471	81.0	5600	250	200	2455	77.9	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	250	2421	81.0	5600	250	250	2405	78.5	44.7
Cruise Control	Add	3	Add	1	5200	250	300	2371	81.0	5600	250	300	2355	79.2	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	250	350	2321	81.0	5600	250	350	2305	79.8	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	300	0	2621	80.6	5600	300	0	2605	73.4	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	300	50	2571	81.0	5600	300	50	2555	73.9	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	300	100	2521	81.0	5600	300	100	2505	74.5	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	300	150	2471	81.0	5600	300	150	2455	75.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	300	200	2421	81.0	5600	300	200	2405	75.6	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	300	250	2371	81.0	5600	300	250	2355	76.1	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	300	2321	81.0	5600	300	300	2305	76.8	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	300	350	2271	81.0	5600	300	350	2255	77.4	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6											
Satellite Digital Broadcast	Add	2	Add	1											
SYNC - Media Gateway Module (MGM)	Add	1	Add	0											
FX4 Trim	Add	7	Add	5											
XLT Trim	Add	19	Add	14											
Lariat Trim	Add	24	Add	13											
King Ranch Option	Add	24	Add	14											
Passenger Side Air Bag Delete	Sub	-10	Sub	-1											
Flat Splash Guards (SRW)	Add	2	Add	2											
Flat Splash Guards (DRW)	Sub	0	Add	8											
Bed Mat	Add	5	Add	45											
Low Profile Hood Deflector	Add	3	Sub	0											
Roll-up Tonneau Cover	Add	4	Add	22											
Cable/Strap Locks	Sub	0	Add	9											
<b>Total Option Weight</b>															

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10600 lb (4807 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR					
	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)					FRONT (A) (IN)	REAR (B) (IN)	
					I	II		III	IV					V	VI	V
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	-50	2905	70.9	44.7	5600	-50	-50	2850	81.0	45.8
Limited Slip Rear Axle	Add	0	Sub	5	4800	-50	0	2855	71.3	44.7	5600	-50	0	2800	81.0	45.8
Brake Controller	Add	1	Sub	0	4800	-50	50	2905	71.7	44.7	5600	-50	50	2750	81.0	45.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	-50	100	2755	72.1	44.7	5600	-50	100	2700	81.0	44.7
Stud Plates	Add	20	Add	16	5200	0	0	2855	81.0	44.7	5600	0	0	2600	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	0	0	2805	81.0	44.7	5600	0	0	2750	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	50	2755	81.0	44.7	5600	0	50	2700	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	100	2705	81.0	44.7	5600	0	100	2650	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	150	2655	81.0	44.7	5600	0	150	2600	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	200	2605	81.0	44.7	5600	0	200	2550	81.0	44.7
Dual Alternator	Add	16	Sub	0	5200	0	250	2555	81.0	44.7	5600	0	250	2500	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	300	2505	81.0	44.7	5600	0	300	2450	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	350	2455	81.0	44.7	5600	0	350	2400	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	0	400	2405	81.0	44.7	5600	0	400	2350	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	50	0	2755	81.0	44.7	5600	50	0	2700	79.7	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	50	2705	81.0	44.7	5600	50	50	2650	80.3	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	2655	81.0	44.7	5600	50	100	2600	80.9	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5200	50	150	2605	81.0	44.7	5600	50	150	2550	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	2555	81.0	44.7	5600	50	200	2500	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	2505	81.0	44.7	5600	50	250	2450	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5200	50	300	2455	81.0	44.7	5600	50	300	2400	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	2405	81.0	44.7	5600	50	350	2350	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5200	50	400	2355	81.0	44.7	5600	50	400	2300	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	100	0	2705	81.0	44.7	5600	100	0	2650	77.4	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	100	50	2655	81.0	44.7	5600	100	50	2600	77.9	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5200	100	100	2605	81.0	44.7	5600	100	100	2550	78.5	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5200	100	150	2555	81.0	44.7	5600	100	150	2500	79.1	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	4	5200	100	200	2505	81.0	44.7	5600	100	200	2450	79.8	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	100	250	2455	81.0	44.7	5600	100	250	2400	80.4	44.7
Spray-in Bedliner	Sub	0	Add	20	5200	100	300	2405	81.0	44.7	5600	100	300	2350	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	5200	100	350	2355	81.0	44.7	5600	100	350	2300	81.0	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	5200	100	400	2305	81.0	44.7	5600	100	400	2250	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	5200	150	0	2655	81.0	44.7	5600	150	0	2600	74.9	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5200	150	50	2605	81.0	44.7	5600	150	50	2550	75.5	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	150	100	2555	81.0	44.7	5600	150	100	2500	76.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	150	2505	81.0	44.7	5600	150	150	2450	76.6	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	200	2455	81.0	44.7	5600	150	200	2400	77.2	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	250	2405	81.0	44.7	5600	150	250	2350	77.8	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	300	2355	81.0	44.7	5600	150	300	2300	78.4	44.7
Sliding Rear Window	Add	6	Add	1	5200	150	350	2305	81.0	44.7	5600	150	350	2250	79.1	44.7
Power Sliding Rear Window	Add	6	Add	2	5200	150	400	2255	81.0	44.7	5600	150	400	2200	79.8	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	200	0	2605	81.0	44.7	6000	200	0	2550	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	50	2555	81.0	44.7	6000	200	50	2500	81.0	44.7
Foglamps	Add	3	Sub	0	5200	200	100	2505	81.0	44.7	6000	200	100	2450	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	150	2455	81.0	44.7	6000	200	150	2400	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	200	2405	81.0	44.7	6000	200	200	2350	81.0	44.7
Floor Mats w/King Ranch' Logo (Color Keyed luxury)	Add	4	Add	2	5200	200	250	2355	81.0	44.7	6000	200	250	2300	81.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	200	300	2305	81.0	44.7	6000	200	300	2250	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	200	350	2255	81.0	44.7	6000	200	350	2200	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	200	400	2205	81.0	44.7	6000	200	400	2150	81.0	44.7
Power Equipment Group	Add	15	Add	6	5200	250	0	2555	80.1	44.7	6000	250	0	2500	81.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	50	2505	80.7	44.7	6000	250	50	2450	81.0	44.7
Cruise Control	Add	3	Add	1	5200	250	100	2455	81.0	44.7	6000	250	100	2400	81.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Sub	-1	Sub	-2	5200	250	150	2405	81.0	44.7	6000	250	150	2350	81.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	250	200	2355	81.0	44.7	6000	250	200	2300	81.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	250	250	2305	81.0	44.7	6000	250	250	2250	81.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	250	300	2255	81.0	44.7	6000	250	300	2200	81.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	350	2205	81.0	44.7	6000	250	350	2150	81.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	250	400	2155	81.0	44.7	6000	250	400	2100	81.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	300	0	2505	77.6	44.7	6000	300	0	2450	81.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	50	2455	78.2	44.7	6000	300	50	2400	81.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5200	300	100	2405	78.9	44.7	6000	300	100	2350	81.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5200	300	150	2355	79.5	44.7	6000	300	150	2300	81.0	44.7
Satellite Digital Broadcast	Add	2	Add	1	5200	300	200	2305	80.2	44.7	6000	300	200	2250	81.0	44.7
SYNCC - Media Gateway Module (MGM)	Add	1	Add	0	5200	300	250	2255	80.9	44.7	6000	300	250	2200	81.0	44.7
FX4 Trim	Add	7	Add	7	5200	300	300	2205	81.0	44.7	6000	300	300	2150	81.0	44.7
Power Slide Sunroof	Add	20	Add	16	5200	300	350	2155	81.0	44.7	6000	300	350	2100	81.0	44.7
XLT Trim	Add	22	Add	17	5200	300	400	2105	81.0	44.7	6000	300	400	2050	81.0	44.7
Lariat Trim	Add	26	Add	16							6000	350	0	2400	81.0	44.7
King Ranch Option	Add	27	Add	17							6000	350	50	2350	81.0	44.7
Passenger Side Air Bag Delete	Sub	-10	Sub	-1							6000	350	100	2300	81.0	44.7
Flat Splash Guards (SRW)	Add	2	Add	2							6000	35				

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10700 lb (4853 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR					
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		FRONT (IN)	REAR (IN)		FRONT (IN)	REAR (IN)				
					I	II	III	IV	V		VI	I	II	III	IV	V
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	-50	3095	89.4	49.1	5600	-50	-50	2777	80.6	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	3045	90.0	49.1	5600	-50	0	2727	81.2	44.7
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	2995	90.7	49.2	5600	-50	50	2677	81.8	44.7
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	100	2945	91.5	49.2	5600	-50	100	2627	82.5	44.7
Brake Controller	Add	1	Sub	0	5200	0	-50	3045	87.4	46.5	5600	0	-50	2727	78.3	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	0	3045	90.0	49.1	5600	0	0	2677	78.9	44.7
Skid Plates	Add	18	Add	20	5200	-50	50	2995	90.7	49.2	5600	0	50	2627	79.5	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	-50	100	2945	91.5	49.2	5600	0	100	2577	80.1	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	-50	150	2895	92.2	49.2	5600	0	150	2527	80.7	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	-50	200	2845	93.0	49.2	5600	0	200	2477	81.4	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	-50	250	2795	93.8	49.3	5600	0	250	2427	82.1	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	-50	300	2745	94.6	49.3	5600	0	300	2377	82.8	44.7
Dual Alternator	Add	16	Sub	0	5200	-50	350	2695	95.5	49.3	5600	0	350	2327	83.6	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	-50	400	2645	96.4	49.3	5600	0	400	2277	84.3	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	-50	450	2595	97.0	49.4	5600	0	450	2227	85.2	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	-50	500	2545	97.0	49.4	5600	0	500	2177	86.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	-50	3045	87.4	46.5	5600	50	0	2627	76.5	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	0	0	2995	88.1	46.5	5600	50	0	2577	77.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	0	50	2945	88.8	46.5	5600	50	100	2527	77.6	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	0	100	2895	89.5	46.5	5600	50	150	2477	78.2	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	0	150	2845	90.2	46.5	5600	50	200	2427	78.8	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	0	200	2795	91.0	46.4	5600	50	250	2377	79.5	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	0	250	2745	91.8	46.4	5600	50	300	2327	80.2	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	0	300	2695	92.6	46.4	5600	50	350	2277	80.9	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	0	350	2645	93.4	46.3	5600	50	400	2227	81.6	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5200	0	400	2595	94.3	46.3	5600	50	450	2177	82.4	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	0	450	2545	95.2	46.3	5600	50	500	2127	83.2	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	0	500	2495	96.2	46.2	6000	100	0	2577	97.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5200	50	0	2945	86.1	44.7	6000	100	50	2527	97.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5200	50	0	2895	86.8	44.7	6000	100	100	2477	97.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	50	100	2845	87.4	44.7	6000	100	150	2427	97.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	50	150	2795	88.2	44.7	6000	100	200	2377	97.0	44.7
Spray-In Bedliner	Sub	0	Add	16	5200	50	200	2745	88.9	44.7	6000	100	250	2327	97.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	24	Add	18	5200	50	250	2695	89.7	44.7	6000	100	300	2277	97.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5200	50	300	2645	90.4	44.7	6000	100	350	2227	97.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5200	50	350	2595	91.3	44.7	6000	100	400	2177	97.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	50	400	2545	92.1	44.7	6000	100	450	2127	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	50	450	2495	93.0	44.7	6000	100	500	2077	97.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	50	500	2445	93.9	44.7	6000	150	0	2527	96.4	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	0	2895	84.0	44.7	6000	150	50	2477	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	50	2845	84.7	44.7	6000	150	100	2427	97.0	44.7
Sliding Rear Window	Add	6	Add	1	5200	100	100	2795	85.3	44.7	6000	150	150	2377	97.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5200	100	150	2745	86.0	44.7	6000	150	200	2327	97.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	100	200	2695	86.7	44.7	6000	150	250	2277	97.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	100	250	2645	87.5	44.7	6000	150	300	2227	97.0	44.7
Foglamps	Add	3	Sub	0	5200	100	300	2595	88.2	44.7	6000	150	350	2177	97.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	100	350	2545	89.0	44.7	6000	150	400	2127	97.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	100	400	2495	89.8	44.7	6000	150	450	2077	97.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	100	450	2445	90.7	44.7	6000	150	500	2027	97.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	100	500	2395	91.6	44.7	6000	200	0	2477	94.2	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	150	0	2845	81.9	44.7	6000	200	50	2427	95.1	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	150	50	2795	82.5	44.7	6000	200	100	2377	96.1	44.7
Power Equipment Group	Add	12	Add	3	5200	150	100	2745	83.1	44.7	6000	200	150	2327	97.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	150	150	2695	83.8	44.7	6000	200	200	2277	97.0	44.7
Cruise Control	Add	3	Add	1	5200	150	200	2645	84.5	44.7	6000	200	250	2227	97.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	150	250	2595	85.2	44.7	6000	200	300	2177	97.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	150	300	2545	85.9	44.7	6000	200	350	2127	97.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	150	350	2495	86.7	44.7	6000	200	400	2077	97.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	150	400	2445	87.5	44.7	6000	200	450	2027	97.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	150	450	2395	88.3	44.7	6000	200	500	1977	97.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	150	500	2345	89.2	44.7	6000	250	0	2427	91.9	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	200	0	2795	79.7	44.7	6000	250	50	2377	92.8	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	200	50	2745	80.3	44.7	6000	250	100	2327	93.7	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	200	100	2695	80.9	44.7	6000	250	150	2277	94.8	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	5200	200	150	2645	81.5	44.7	6000	250	200	2227	95.8	44.7
Satellite Digital Broadcast	Add	2	Add	1	5200	200	200	2595	82.1	44.7	6000	250	250	2177	96.9	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	200	250	2545	82.8	44.7	6000	250	300	2127	97.0	44.7
FX4 Trim	Add	7	Add	5	5200	200	300	2495	83.5	44.7	6000	250	350	2077	97.0	44.7
XLT Trim	Add	19	Add	14	5200	200	350	2445	84.2	44.7	6000	250	400	2027	97.0	44.7
Lariat Trim	Add	24	Add	13	5200	200	400	2395	85.0	44.7	6000	250	450	1977	97.0	44.7
King Ranch Option	Add	24	Add	14	5200	200	450	2345	85.8	44.7	6000	250	500			

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10800 lb (4898 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR					
	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	CENTER OF GRAVITY ZONE LIMITS	
					FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)					FRONT (A) (IN)	REAR (B) (IN)
					II	III	IV	V	VI	V					VI	
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	-50	3002	86.1	46.6	6000	-50	-50	2638	97.0	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	2952	86.8	46.6	6000	-50	0	2588	97.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	2902	87.5	46.6	6000	-50	50	2538	97.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	100	2852	88.1	46.5	6000	-50	100	2488	97.0	44.7
Brake Controller	Add	1	Sub	0	5200	0	-50	2952	83.9	44.7	6000	0	-50	2588	97.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	2902	84.5	44.7	6000	0	0	2538	97.0	44.7
Skid Plates	Add	19	Add	17	5200	0	50	2852	85.1	44.7	6000	0	50	2488	97.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	0	100	2802	85.8	44.7	6000	0	100	2438	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	150	2752	86.5	44.7	6000	0	150	2388	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	200	2702	87.2	44.7	6000	0	200	2338	97.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	250	2652	87.9	44.7	6000	0	250	2288	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	300	2602	88.7	44.7	6000	0	300	2238	97.0	44.7
Dual Alternator	Add	16	Sub	0	5200	0	350	2552	89.5	44.7	6000	0	350	2188	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	400	2502	90.3	44.7	6000	0	400	2138	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	450	2452	91.2	44.7	6000	0	450	2088	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	0	500	2402	92.1	44.7	6000	0	500	2038	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	550	2352	93.0	44.7	6000	0	550	1988	97.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	0	2852	82.1	44.7	6000	50	0	2488	97.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	50	50	2802	82.7	44.7	6000	50	50	2438	97.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	2752	83.3	44.7	6000	50	100	2388	97.0	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	50	150	2702	84.0	44.7	6000	50	150	2338	97.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	2652	84.7	44.7	6000	50	200	2288	97.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	2602	85.4	44.7	6000	50	250	2238	97.0	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	50	300	2552	86.1	44.7	6000	50	300	2188	97.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	2502	86.9	44.7	6000	50	350	2138	97.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Add	12	Add	12	5200	50	400	2452	87.7	44.7	6000	50	400	2088	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	50	450	2402	88.5	44.7	6000	50	450	2038	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	50	500	2352	89.4	44.7	6000	50	500	1988	97.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-6	Sub	-6	5200	50	550	2302	90.3	44.7	6000	50	550	1938	97.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-4	Sub	-4	5200	100	0	2802	79.6	44.7	6000	100	0	2438	97.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	50	2752	80.2	44.7	6000	100	50	2388	97.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	100	100	2702	80.8	44.7	6000	100	100	2338	97.0	44.7
Spray-In Bedliner	Sub	0	Add	20	5200	100	150	2652	81.4	44.7	6000	100	150	2288	97.0	44.7
Composite Side Aux. Steps - Platform w/Lights	Add	28	Add	21	5200	100	200	2602	82.1	44.7	6000	100	200	2238	97.0	44.7
Side Aux Steps - w/Lights	Add	39	Add	25	5200	100	250	2552	82.7	44.7	6000	100	250	2188	97.0	44.7
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	26	Add	21	5200	100	300	2502	83.4	44.7	6000	100	300	2138	97.0	44.7
6" Angular Chrome Step w/Lights (VP Design)	Add	35	Add	31	5200	100	350	2452	84.2	44.7	6000	100	350	2088	97.0	44.7
Lower Body Side Molding	Add	2	Add	1	5200	100	400	2402	84.9	44.7	6000	100	400	2038	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	100	450	2352	85.7	44.7	6000	100	450	1988	97.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	100	500	2302	86.5	44.7	6000	100	500	1938	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	550	2252	87.4	44.7	6000	100	550	1888	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	0	2752	97.0	44.7	6000	150	0	2388	95.4	44.7
Sliding Rear Window	Add	6	Add	1	5600	150	50	2702	97.0	44.7	6000	150	50	2338	96.4	44.7
Power Sliding Rear Window	Add	6	Add	2	5600	150	100	2652	97.0	44.7	6000	150	100	2288	97.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	150	150	2602	97.0	44.7	6000	150	150	2238	97.0	44.7
Roof Marker/Clearance Lights - Conv	Sub	0	Sub	0	5600	150	200	2552	97.0	44.7	6000	150	200	2188	97.0	44.7
Foglamps	Add	3	Sub	0	5600	150	250	2502	97.0	44.7	6000	150	250	2138	97.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Sub	0	Sub	0	5600	150	300	2452	97.0	44.7	6000	150	300	2088	97.0	44.7
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	5600	150	350	2402	97.0	44.7	6000	150	350	2038	97.0	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5600	150	400	2352	97.0	44.7	6000	150	400	1988	97.0	44.7
All Weather Floor Mat	Add	10	Add	6	5600	150	450	2302	97.0	44.7	6000	150	450	1938	97.0	44.7
Electrochromic Rear View Mirror	Sub	0	Sub	0	5600	150	500	2252	97.0	44.7	6000	150	500	1888	97.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	150	550	2202	97.0	44.7	6000	150	550	1838	97.0	44.7
Power Equipment Group	Add	15	Add	6	5600	200	0	2702	97.0	44.7	6000	200	0	2338	92.7	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5600	200	50	2652	97.0	44.7	6000	200	50	2288	93.7	44.7
Cruise Control	Add	3	Add	1	5600	200	100	2602	97.0	44.7	6000	200	100	2238	94.7	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	200	150	2552	97.0	44.7	6000	200	150	2188	95.8	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	200	200	2502	97.0	44.7	6000	200	200	2138	96.9	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	200	250	2452	97.0	44.7	6000	200	250	2088	97.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	200	300	2402	97.0	44.7	6000	200	300	2038	97.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	200	350	2352	97.0	44.7	6000	200	350	1988	97.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5600	200	400	2302	97.0	44.7	6000	200	400	1938	97.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	-5	Sub	-2	5600	200	450	2252	97.0	44.7	6000	200	450	1888	97.0	44.7	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	200	500	2202	97.0	44.7	6000	200	500	1838	97.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5600	200	550	2152	97.0	44.7	6000	200	550	1788	97.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5600	250	0	2652	97.0	44.7	6000	250	0	2288	89.9	44.7
Satellite Digital Broadcast	Add	2	Add	1	5600	250	50	2602	97.0	44.7	6000	250	50	2238	90.9	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	250	100	2552	97.0	44.7	6000	250	100	2188	91.8	44.7
FX4 Trim	Add	7	Add	7	5600	250	150	2502	97.0	44.7	6000	250	150	2138	92.9	44.7
Power Side Sunroof	Add	21	Add	15	5600	250	200	2452	97.0	44.7	6000	250	200	2088	93.9	44.7
XLT Trim	Add	22	Add	17	5600	250	250	2402	97.0	44						

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	GAWR (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)
						FRONT (Lb.)	REAR (Lb.)		FRONT (IN)	REAR (IN)						
						FRONT (Lb.)	REAR (Lb.)		FRONT (IN)	REAR (IN)						
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4100	-50	-50	3622	66.9	45.0	4700	-50	-50	2960	71.7	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4100	-50	0	3572	67.1	45.0	4700	-50	0	2910	72.1	45.0
Immersion Heater - Engine	Add	1	Sub	0	4100	-50	50	3522	67.4	45.0	4700	-50	50	2860	72.5	45.0
Limited Slip Rear Axle	Sub	0	Add	5	4100	-50	100	3472	67.7	45.0	4700	-50	100	2810	73.0	45.0
Brake Controller	Add	1	Sub	0	4100	0	-50	3572	65.2	45.0	4700	0	-50	2910	69.7	45.0
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4100	0	0	3522	65.5	45.0	4700	0	0	2860	70.1	45.0
Skid Plates	Add	16	Add	20	4100	0	50	3472	65.7	45.0	4700	0	50	2810	70.5	45.0
Rear Stabilizer Bar	Add	2	Add	26	4100	0	100	3422	66.0	45.0	4700	0	100	2760	70.9	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4100	0	150	3372	66.3	45.0	4700	0	150	2710	71.4	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4100	0	200	3322	66.5	45.0	4700	0	200	2660	71.8	45.0
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4100	0	250	3272	66.8	45.0	4700	0	250	2610	72.3	45.0
Extra Heavy Duty Alternator	Add	3	Sub	0	4100	0	300	3222	67.1	45.0	4700	0	300	2560	72.7	45.0
Dual Alternator	Add	16	Sub	0	4100	0	350	3172	67.4	45.0	4700	0	350	2510	73.2	45.0
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4100	0	450	3072	68.1	45.0	4700	0	400	2460	73.7	45.0
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4100	0	500	3022	68.4	45.0	4700	0	450	2410	74.3	45.0
Manual Air Conditioning	Add	34	Sub	-1	4250	50	0	3472	69.7	45.0	4700	0	500	2360	74.8	45.0
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4250	50	0	3422	70.0	45.0	4700	0	550	2310	75.4	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4250	50	100	3372	70.3	45.0	4700	0	600	2260	76.0	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4250	50	150	3322	70.7	45.0	4700	0	650	2210	76.7	45.0
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4250	50	200	3272	71.0	45.0	4700	0	700	2160	77.3	45.0
LT 275/65R18E A/S BSW (SRW only)	Sub	-15	Sub	-31	4250	50	250	3222	71.4	45.0	4850	50	0	2810	75.4	45.0
LT 275/70R18E A/T BSW Premium (SRW Only)	Sub	-9	Add	60	4250	50	300	3172	71.7	45.0	4850	50	50	2760	75.9	45.0
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4250	50	350	3122	72.1	45.0	4850	50	100	2710	76.4	45.0
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4250	50	450	3022	72.9	45.0	4850	50	150	2660	76.9	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4250	50	500	2972	73.3	45.0	4850	50	200	2610	77.5	45.0
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4250	100	0	3422	68.0	45.0	4850	50	250	2560	78.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4250	100	50	3372	68.3	45.0	4850	50	300	2510	78.7	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4250	100	100	3322	68.6	45.0	4850	50	350	2460	79.3	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4250	100	150	3272	68.9	45.0	4850	50	400	2410	80.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4250	100	200	3222	69.2	45.0	4850	50	450	2360	80.6	45.0
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4250	100	250	3172	69.6	45.0	4850	50	500	2310	81.4	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4250	100	300	3122	69.9	45.0	4850	50	550	2260	82.1	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4250	100	350	3072	70.3	45.0	4850	50	600	2210	82.9	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4250	100	450	2972	71.0	45.0	4850	50	650	2160	83.7	45.0
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4250	100	500	2922	71.4	45.0	4850	50	700	2110	84.5	45.0
Pickup Bed Extender	Sub	-2	Add	22	4250	150	0	3372	66.3	45.0	4850	100	0	2760	73.4	45.0
Spray-In Bedliner	Add	1	Add	19	4250	150	50	3322	66.5	45.0	4850	100	50	2710	73.9	45.0
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4250	150	100	3272	66.8	45.0	4850	100	100	2660	74.4	45.0
Lower Bodyside Molding	Add	2	Add	1	4250	150	150	3222	67.1	45.0	4850	100	150	2610	74.9	45.0
Reverse Vehicle Sensor System	Sub	0	Add	1	4250	150	200	3172	67.4	45.0	4850	100	200	2560	75.4	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4250	150	250	3122	67.7	45.0	4850	100	250	2510	76.0	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4250	150	300	3072	68.1	45.0	4850	100	300	2460	76.5	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4250	150	350	3022	68.4	45.0	4850	100	350	2410	77.1	45.0
Sliding Rear Window	Add	6	Add	1	4250	150	450	2922	69.1	45.0	4850	100	400	2360	77.7	45.0
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4250	150	500	2872	69.5	45.0	4850	100	450	2310	78.4	45.0
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4400	200	0	3322	70.7	45.0	4850	100	500	2260	79.1	45.0
Foglights	Add	3	Sub	0	4400	200	50	3272	71.0	45.0	4850	100	550	2210	79.8	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4400	200	100	3222	71.4	45.0	4850	100	600	2160	80.5	45.0
XLT Floor Mats Less Logo (Color Keyed)	Add	3	Add	1	4400	200	150	3172	71.7	45.0	4850	100	650	2110	81.3	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	4400	200	200	3122	72.1	45.0	4850	100	700	2060	82.1	45.0
All Weather Floor Mat	Add	6	Add	4	4400	200	250	3072	72.5	45.0	4850	150	0	2710	71.4	45.0
Electrochromic Rear View Mirror	Add	1	Sub	0	4400	200	300	3022	72.9	45.0	4850	150	50	2660	71.8	45.0
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4400	200	350	2972	73.3	45.0	4850	150	100	2610	72.3	45.0
Power Equipment Group	Add	12	Add	3	4400	200	450	2872	74.2	45.0	4850	150	150	2560	72.7	45.0
Adj Gas & Brake Pedals	Add	4	Add	3	4400	200	500	2822	74.7	45.0	4850	150	200	2510	73.2	45.0
Cruise Control	Add	3	Add	1	4400	250	0	3272	68.9	45.0	4850	150	250	2460	73.7	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4400	250	50	3222	69.2	45.0	4850	150	300	2410	74.3	45.0
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4400	250	100	3172	69.6	45.0	4850	150	350	2360	74.8	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4400	250	150	3122	69.9	45.0	4850	150	400	2310	75.4	45.0
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4400	250	200	3072	70.3	45.0	4850	150	450	2260	76.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4400	250	250	3022	70.7	45.0	4850	150	500	2210	76.7	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4400	250	300	2972	71.0	45.0	4850	150	550	2160	77.3	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4400	250	350	2922	71.4	45.0	4850	150	600	2110	78.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4400	250	450	2822	72.3	45.0	4850	150	650	2060	78.8	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	4400	250	500	2772	72.7	45.0	4850	150	700	2010	79.5	45.0
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2							5000	200	0	2660	76.9	45.0
Satellite Digital Broadcast	Add	2	Add	1							5000	200	50	2610	77.5	45.0
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0							5000	200	100	2560	78.1	45.0
F34 Trim	Add	6	Add	2							5000	200	150	2510	78.7	45.0
XLT Trim	Add	18	Add	12							5000	200	200	2460	79.3	45.0
Passenger Side Air Bag Delete	Sub	-10	Sub	-1							5000	200	250	2410	80.0	45.0
Flat Splash Guards (SRW)	Add	2	Add	2												

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS				
				FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)	FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)			
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	4250	-50	-50	2757	63.5	44.7	4850	-50	-50	2191	73.7	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4250	-50	0	2707	63.8	44.7	4850	-50	0	2141	74.3	44.7
Brake Controller	Add	1	Sub	0	4250	-50	50	2657	64.1	44.7	4850	-50	50	2091	74.9	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4250	-50	100	2807	64.4	44.7	4850	-50	100	2041	75.6	44.7
Skid Plates	Add	18	Add	18	4400	0	-50	2707	69.1	44.7	4850	0	-50	2141	71.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	2657	69.5	44.7	4850	0	0	2091	71.5	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	2607	69.9	44.7	4850	0	50	2041	72.1	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	2557	70.3	44.7	4850	0	100	1991	72.7	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4400	0	150	2507	70.8	44.7	4850	0	150	1941	73.3	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4400	0	200	2457	71.2	44.7	4850	0	200	1891	74.0	44.7
Dual Alternator	Add	16	Sub	0	4400	0	250	2407	71.7	44.7	4850	0	250	1841	74.7	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4400	0	300	2357	72.2	44.7	4850	0	300	1791	75.5	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4400	0	350	2307	72.7	44.7	4850	0	350	1741	76.3	44.7
Manual Air Conditioning	Add	34	Sub	-1	4400	50	0	2607	67.2	44.7	5000	50	0	2041	79.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4400	50	50	2557	67.5	44.7	5000	50	50	1991	79.8	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4400	50	100	2507	67.9	44.7	5000	50	100	1941	80.7	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4400	50	150	2457	68.3	44.7	5000	50	150	1891	81.0	44.7
LT 275/60R18E A/S BSW (SRW Only)	Add	22	Add	22	4400	50	200	2407	68.8	44.7	5000	50	200	1841	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4400	50	250	2357	69.2	44.7	5000	50	250	1791	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4400	50	300	2307	69.7	44.7	5000	50	300	1741	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4400	50	350	2257	70.2	44.7	5000	50	350	1691	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4400	100	0	2557	64.8	44.7	5000	100	0	1991	76.3	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4400	100	50	2507	65.1	44.7	5000	100	50	1941	77.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4400	100	100	2457	65.5	44.7	5000	100	100	1891	77.8	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4400	100	150	2407	65.8	44.7	5000	100	150	1841	78.6	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4400	100	200	2357	66.2	44.7	5000	100	200	1791	79.4	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4400	100	250	2307	66.6	44.7	5000	100	250	1741	80.3	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4400	100	300	2257	67.0	44.7	5000	100	300	1691	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4400	100	350	2207	67.4	44.7	5000	100	350	1641	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	4400	150	0	2507	62.3	44.7	5000	150	0	1941	73.3	44.7
Spray-in Bedliner	Sub	0	Add	16	4400	150	50	2457	62.6	44.7	5000	150	50	1891	74.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	4400	150	100	2407	62.9	44.7	5000	150	100	1841	74.7	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	4400	150	150	2357	63.2	44.7	5000	150	150	1791	75.5	44.7
5" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	4400	150	200	2307	63.5	44.7	5000	150	200	1741	76.3	44.7
Lower Bodyside Molding	Add	2	Add	1	4400	150	250	2257	63.9	44.7	5000	150	250	1691	77.1	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4400	150	300	2207	64.2	44.7	5000	150	300	1641	78.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4400	150	350	2157	64.6	44.7	5000	150	350	1591	79.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4400	200	0	2457	59.7	44.7	5250	200	0	1891	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4400	200	50	2407	59.9	44.7	5250	200	50	1841	81.0	44.7
Sliding Rear Window	Add	6	Add	1	4400	200	100	2357	60.2	44.7	5250	200	100	1791	81.0	44.7
Power Sliding Rear Window	Add	6	Add	2	4400	200	150	2307	60.5	44.7	5250	200	150	1741	81.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4400	200	200	2257	60.7	44.7	5250	200	200	1691	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4400	200	250	2207	61.0	44.7	5250	200	250	1641	81.0	44.7
Foglamps	Add	3	Sub	0	4400	200	300	2157	61.3	44.7	5250	200	300	1591	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4400	200	350	2107	61.6	44.7	5250	200	350	1541	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4400	200	0	2457	59.7	44.7	5250	250	0	1841	81.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4400	200	50	2407	59.9	44.7	5250	250	50	1791	81.0	44.7
All Weather Floor Mat	Add	10	Add	6	4400	200	100	2357	60.2	44.7	5250	250	100	1741	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4400	200	150	2307	60.5	44.7	5250	250	150	1691	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4400	200	200	2257	60.7	44.7	5250	250	200	1641	81.0	44.7
Power Equipment Group	Add	12	Add	3	4400	200	250	2207	61.0	44.7	5250	250	250	1591	81.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4400	200	300	2157	61.3	44.7	5250	250	300	1541	81.0	44.7
Cruise Control	Add	3	Add	1	4400	200	350	2107	61.6	44.7	5250	250	350	1491	81.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2												
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3												
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9												
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2												
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5												
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2												
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4												
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6												
Satellite Digital Broadcast	Add	2	Add	1												
SYNC - Media Gateway Module (MGM)	Add	1	Add	0												
FX4 Trim	Add	7	Add	5												
XLT Trim	Add	19	Add	14												
Lariat Trim	Add	24	Add	13												
King Ranch Option	Add	24	Add	14												
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												
Flat Splash Guards (SRW)	Add	2	Add	2												
Flat Splash Guards (DRW)	Sub	0	Add	8												
Bed Mat	Add	5	Add	45												
Low Profile Hood Deflector	Add	3	Sub	0												
Roll-up Tonneau Cover	Add	4	Add	22												
Cable/Strap Locks	Sub	0	Add	9												
<b>Total Option Weight</b>																
* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.																

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)		FRONT (A) (IN)	REAR (B) (IN)				
					I	II	III	IV	V		VI	I	II	III	IV	V
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	4400	-50	-50	2633	70.0	44.7	5250	-50	-50	1791	81.0	44.7
Limited Slip Rear Axle	Add	0	Add	5	4400	-50	0	2583	70.4	44.7	5250	-50	0	1741	81.0	44.7
Brake Controller	Add	1	Sub	0	4400	-50	50	2533	70.8	44.7	5250	-50	50	1691	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4400	-50	100	2463	71.3	44.7	5250	-50	100	1641	81.0	44.7
Skid Plates	Add	20	Add	16	4400	0	-50	2583	67.4	44.7	5250	0	-50	1741	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	2533	67.7	44.7	5250	0	0	1691	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	2483	68.1	44.7	5250	0	50	1641	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	2433	68.6	44.7	5250	0	100	1591	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4400	0	150	2383	69.0	44.7	5250	0	150	1541	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4400	0	200	2333	69.4	44.7	5250	0	200	1491	81.0	44.7
Dual Alternator	Add	16	Sub	0	4400	0	250	2283	69.9	44.7	5250	0	250	1441	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4400	0	300	2233	70.4	44.7	5250	0	300	1391	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4400	0	350	2183	70.9	44.7	5250	0	350	1341	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	4400	0	400	2133	71.5	44.7	5250	50	0	1641	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4400	0	450	2083	72.0	44.7	5250	50	50	1591	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4400	0	500	2033	72.6	44.7	5250	50	100	1541	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4550	50	0	2463	74.4	44.7	5250	50	150	1491	81.0	44.7
LT 275/65R18E A/T BSW (SRW Only)	Add	22	Add	22	4550	50	50	2433	75.0	44.7	5250	50	200	1441	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4550	50	100	2383	75.5	44.7	5250	50	250	1391	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4550	50	150	2333	76.1	44.7	5250	50	300	1341	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4550	50	200	2283	76.8	44.7	5250	50	350	1291	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4550	50	250	2233	77.4	44.7	5250	100	0	1591	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4550	50	300	2183	78.1	44.7	5250	100	50	1541	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4550	50	350	2133	78.8	44.7	5250	100	100	1491	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4550	50	400	2083	79.5	44.7	5250	100	150	1441	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4550	50	450	2033	80.3	44.7	5250	100	200	1391	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4550	50	500	1983	81.0	44.7	5250	100	250	1341	81.0	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4550	100	0	2433	71.8	44.7	5250	100	300	1291	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4550	100	50	2363	72.3	44.7	5250	100	350	1241	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	4550	100	100	2333	72.8	44.7	5250	150	0	1541	81.0	44.7
Spray-in Bedliner	Sub	0	Add	20	4550	100	150	2283	73.3	44.7	5250	150	50	1491	79.5	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	4550	100	200	2233	73.9	44.7	5250	150	100	1441	80.6	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	4550	100	250	2183	74.5	44.7	5250	150	150	1391	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	4550	100	300	2133	75.1	44.7	5250	150	200	1341	81.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	4550	100	350	2083	75.8	44.7	5250	150	250	1291	81.0	44.7
Lower Bodyside Molding	Add	2	Add	1	4550	100	400	2033	76.5	44.7	5250	150	300	1241	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4550	100	450	1983	77.2	44.7	5250	150	350	1191	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4550	100	500	1933	77.9	44.7	5250	200	0	1491	74.2	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	150	0	2383	69.0	44.7	5250	200	50	1441	75.2	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	150	50	2333	69.4	44.7	5250	200	100	1391	76.1	44.7
Sliding Rear Window	Add	6	Add	1	4550	150	100	2283	69.9	44.7	5250	200	150	1341	77.2	44.7
Power Sliding Rear Window	Add	6	Add	2	4550	150	150	2233	70.4	44.7	5250	200	200	1291	78.3	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4550	150	200	2183	70.9	44.7	5250	200	250	1241	79.5	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4550	150	250	2133	71.5	44.7	5250	200	300	1191	80.9	44.7
Foglamps	Add	3	Sub	0	4550	150	300	2083	72.0	44.7	5250	200	350	1141	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4550	150	350	2033	72.6	44.7	5250	250	0	1441	69.7	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4550	150	400	1983	73.2	44.7	5250	250	50	1391	70.5	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4550	150	450	1933	73.9	44.7	5250	250	100	1341	71.4	44.7
All Weather Floor Mat	Add	10	Add	6	4550	150	500	1883	74.6	44.7	5250	250	150	1291	72.3	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4700	200	50	2283	76.8	44.7	5250	250	200	1241	73.2	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4700	200	100	2233	77.4	44.7	5250	250	250	1191	74.3	44.7
Power Equipment Group	Add	15	Add	6	4700	200	150	2183	78.1	44.7	5250	250	300	1141	75.5	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4700	200	200	2133	78.8	44.7	5250	250	350	1091	76.7	44.7
Cruise Control	Add	3	Add	1	4700	200	250	2083	79.5	44.7	5250	300	0	1391	64.9	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4700	200	300	2033	80.3	44.7	5250	300	50	1341	65.5	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4700	200	350	1983	81.0	44.7	5250	300	100	1291	66.2	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4700	200	400	1933	81.0	44.7	5250	300	150	1241	67.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4700	200	450	1883	81.0	44.7	5250	300	200	1191	67.8	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4700	200	500	1833	81.0	44.7	5250	300	250	1141	68.6	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4700	250	50	2233	73.9	44.7	5250	300	300	1091	69.6	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4700	250	100	2183	74.5	44.7	5250	300	350	1041	70.6	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4700	250	150	2133	75.1	44.7						
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	4700	250	200	2083	75.8	44.7						
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	4700	250	250	2033	76.5	44.7						
Satellite Digital Broadcast	Add	2	Add	1	4700	250	300	1983	77.2	44.7						
SYNC - Media Gateway Module (MGM)	Add	1	Add	0	4700	250	350	1933	77.9	44.7						
FX4 Trim	Add	7	Add	7	4700	250	400	1883	78.7	44.7						
Power Slide Sunroof	Add	20	Add	16	4700	250	450	1833	79.6	44.7						
XLT Trim	Add	22	Add	17	4700	250	500	1783	80.5	44.7						
Lariat Trim	Add	26	Add	16	4700	300	0	2233	70.4	44.7						
King Ranch Option	Add	27	Add	17	4700	300	50	2183	70.9	44.7						
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	4700	300	100	2133	71.5	44.7						
Flat Splash Guards (SRW)	Add	2	Add	2	4700	300	150	2083	72.0	44.7						
Flat Splash Guards (DRW)																



OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR						
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS			
					FRONT (Lb.)	REAR (Lb.)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)			
					I	II	III	IV	V		VI	I	II	III	IV	V	VI
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386													
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4550	-50	-50	2797	76.7	44.7	5250	-50	-50	2057	92.4	44.7	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4550	-50	0	2747	77.2	44.7	5250	-50	0	2007	93.5	44.7	
Immersion Heater - Engine	Add	1	Sub	0	4550	-50	50	2697	77.7	44.7	5250	-50	50	1957	94.7	44.7	
Limited Slip Rear Axle	Sub	0	Add	5	4550	-50	100	2647	78.3	44.7	5250	-50	100	1907	95.9	44.7	
Brake Controller	Add	1	Sub	0	4550	0	-50	2747	74.3	44.7	5250	0	-50	2007	89.6	44.7	
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4550	0	0	2697	74.8	44.7	5250	0	0	1957	90.6	44.7	
Skid Plates	Add	18	Add	20	4550	0	50	2647	75.3	44.7	5250	0	50	1907	91.8	44.7	
Rear Stabilizer Bar	Add	2	Add	26	4550	0	100	2597	75.8	44.7	5250	0	100	1857	92.9	44.7	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4550	0	150	2547	76.4	44.7	5250	0	150	1807	94.2	44.7	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4550	0	200	2497	77.0	44.7	5250	0	200	1757	95.5	44.7	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4550	0	250	2447	77.6	44.7	5250	0	250	1707	96.9	44.7	
Extra Heavy Duty Alternator	Add	3	Sub	0	4550	0	300	2397	78.2	44.7	5250	0	300	1657	97.0	44.7	
Dual Alternator	Add	16	Sub	0	4550	0	350	2347	78.8	44.7	5250	0	350	1607	97.0	44.7	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4550	0	400	2297	79.5	44.7	5250	0	400	1557	97.0	44.7	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4550	0	450	2247	80.2	44.7	5250	0	450	1507	97.0	44.7	
Manual Air Conditioning	Add	34	Sub	-1	4550	0	500	2197	80.9	44.7	5250	0	500	1457	97.0	44.7	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4550	50	0	2647	72.3	44.7	5250	50	0	1907	87.6	44.7	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4550	50	50	2597	72.8	44.7	5250	50	50	1857	88.7	44.7	
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4550	50	100	2547	73.3	44.7	5250	50	100	1807	89.8	44.7	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4550	50	150	2497	73.8	44.7	5250	50	150	1757	91.0	44.7	
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	4550	50	200	2447	74.3	44.7	5250	50	200	1707	92.3	44.7	
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4550	50	250	2397	74.9	44.7	5250	50	250	1657	93.6	44.7	
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4550	50	300	2347	75.5	44.7	5250	50	300	1607	95.0	44.7	
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4550	50	350	2297	76.1	44.7	5250	50	350	1557	96.6	44.7	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4550	50	400	2247	76.7	44.7	5250	50	400	1507	97.0	44.7	
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4550	50	450	2197	77.3	44.7	5250	50	450	1457	97.0	44.7	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4550	50	500	2147	78.0	44.7	5250	50	500	1407	97.0	44.7	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	100	0	2597	78.9	44.7	5250	100	0	1857	84.4	44.7	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4700	100	50	2547	79.5	44.7	5250	100	50	1807	85.4	44.7	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4700	100	100	2497	80.1	44.7	5250	100	100	1757	86.5	44.7	
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4700	100	150	2447	80.8	44.7	5250	100	150	1707	87.7	44.7	
Stepgate (Upgraded Tailgate)	Sub	-9	Add	41	4700	100	200	2397	81.5	44.7	5250	100	200	1657	88.9	44.7	
Pickup Bed Extender	Sub	-2	Add	22	4700	100	250	2347	82.2	44.7	5250	100	250	1607	90.1	44.7	
Spray-In Bedliner	Sub	0	Add	16	4700	100	300	2297	82.9	44.7	5250	100	300	1557	91.5	44.7	
Composite Side Aux. Steps - Platform w/o Lights	Add	24	Add	18	4700	100	350	2247	83.7	44.7	5250	100	350	1507	92.9	44.7	
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	4700	100	400	2197	84.5	44.7	5250	100	400	1457	94.5	44.7	
8" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	4700	100	450	2147	85.4	44.7	5250	100	450	1407	96.1	44.7	
Lower Body Side Molding	Add	2	Add	1	4700	100	500	2097	86.3	44.7	5250	100	500	1357	97.0	44.7	
Reverse Vehicle Sensor System	Sub	0	Add	1	4700	150	0	2547	76.4	44.7	5250	150	0	1807	81.1	44.7	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4700	150	50	2497	77.0	44.7	5250	150	50	1757	82.0	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	150	100	2447	77.6	44.7	5250	150	100	1707	83.0	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	150	150	2397	78.2	44.7	5250	150	150	1657	84.1	44.7	
Driving Rear Window	Add	6	Add	1	4700	200	200	2347	78.8	44.7	5250	200	200	1607	85.2	44.7	
Power Sliding Rear Window	Add	6	Add	2	4700	150	250	2297	79.5	44.7	5250	150	250	1557	86.4	44.7	
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4700	150	300	2247	80.2	44.7	5250	150	300	1507	87.7	44.7	
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4700	150	350	2197	80.9	44.7	5250	150	350	1457	89.1	44.7	
Foglamps	Add	3	Sub	0	4700	150	400	2147	81.7	44.7	5250	150	400	1407	90.5	44.7	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4700	150	450	2097	82.5	44.7	5250	150	450	1357	92.1	44.7	
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	4700	150	500	2047	83.4	44.7	5250	150	500	1307	93.8	44.7	
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4700	200	0	2497	78.8	44.7	5250	200	0	1757	77.5	44.7	
All Weather Floor Mat	Add	10	Add	6	4700	200	50	2447	74.3	44.7	5250	200	50	1707	78.4	44.7	
Electrochromic Rear View Mirror	Add	1	Sub	0	4700	200	100	2397	74.9	44.7	5250	200	100	1657	79.3	44.7	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4700	200	150	2347	75.5	44.7	5250	200	150	1607	80.3	44.7	
Power Equipment Group	Add	12	Add	3	4700	200	200	2297	76.1	44.7	5250	200	200	1557	81.3	44.7	
Adj Gas & Brake Pedals	Add	4	Add	3	4700	200	250	2247	76.7	44.7	5250	200	250	1507	82.4	44.7	
Cruise Control	Add	3	Add	1	4700	200	300	2197	77.3	44.7	5250	200	300	1457	83.6	44.7	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4700	200	350	2147	78.0	44.7	5250	200	350	1407	84.9	44.7	
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4700	200	400	2097	78.7	44.7	5250	200	400	1357	86.3	44.7	
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	9	4700	200	450	2047	79.5	44.7	5250	200	450	1307	87.7	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4700	200	500	1997	80.3	44.7	5250	200	500	1257	89.3	44.7	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4850	250	0	2447	80.8	44.7	5250	250	0	1707	73.8	44.7	
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4850	250	50	2397	81.5	44.7	5250	250	50	1657	74.5	44.7	
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4850	250	100	2347	82.2	44.7	5250	250	100	1607	75.4	44.7	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4850	250	150	2297	82.9	44.7	5250	250	150	1557	76.3	44.7	
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	4850	250	200	2247	83.7	44.7	5250	250	200	1507	77.2	44.7	
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	4850	250	250	2197	84.5	44.7	5250	250	250	1457	78.2	44.7	
Satellite Digital Broadcast	Add	2	Add	1	4850	250	300	2147	85.4	44.7	5250	250	300	1407	79.3	44.7	
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	4850	250	350	2097	86.3	44.7	5250	250	350	1357	80.5	44.7	
FX4 Trim	Add	7	Add	5	4850	250	400	2047	87.2	44.7	5250	250	400	1307	81.7	44.7	
XLT Trim	Add	19	Add	14	4850	250	450	1997	88.2	44.7	5250	250	450	1257	83.0	44.7	
Lariat Trim	Add	24	Add	13	4850	2											

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR										6.7L Diesel Engine 10000 lb (4535 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT (Lb.)	REAR (Lb.)	RATING (Lb.)	CENTER OF GRAVITY ZONE LIMITS						
					FRONT (Lb.)	REAR (Lb.)		FRONT (A) (In)	REAR (B) (In)					FRONT (A) (In)	REAR (B) (In)					
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386																
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428																
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4700	-50	0	2494	83.8	44.7	5250	-50	-50	1800	90.0	44.7				
Immersion Heater - Engine	Add	1	Sub	0	4700	-50	0	2444	84.5	44.7	5250	-50	0	1750	91.2	44.7				
Limited Slip Rear Axle	Sub	0	Add	5	4700	-50	100	2394	85.3	44.7	5250	-50	50	1700	92.5	44.7				
Brake Controller	Add	1	Sub	0	4700	-50	150	2294	86.9	44.7	5250	0	100	1650	93.8	44.7				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4700	-50	200	2244	87.7	44.7	5250	0	0	1700	87.4	44.7				
Skid Plates	Add	19	Add	17	4700	-50	250	2194	88.7	44.7	5250	0	50	1650	88.6	44.7				
Rear Stabilizer Bar	Add	2	Add	26	4700	-50	300	2144	89.6	44.7	5250	0	100	1600	89.9	44.7				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4700	-50	350	2094	90.6	44.7	5250	0	150	1550	91.2	44.7				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4700	-50	400	2044	91.6	44.7	5250	0	200	1500	92.7	44.7				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4700	-50	500	1944	93.9	44.7	5250	0	250	1450	94.2	44.7				
Extra Heavy Duty Alternator	Add	3	Sub	0	4700	0	0	2394	81.7	44.7	5250	0	300	1400	95.9	44.7				
Dual Alternator	Add	16	Sub	0	4700	0	50	2344	82.4	44.7	5250	0	350	1350	97.0	44.7				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4700	0	100	2294	83.1	44.7	5250	0	400	1300	97.0	44.7				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4700	0	150	2244	83.9	44.7	5250	0	450	1250	97.0	44.7				
Manual Air Conditioning	Add	34	Sub	-1	4700	0	200	2194	84.7	44.7	5250	0	500	1200	97.0	44.7				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4700	0	250	2144	85.6	44.7	5250	50	0	1650	83.4	44.7				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4700	0	300	2094	86.5	44.7	5250	50	0	1600	84.5	44.7				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4700	0	350	2044	87.4	44.7	5250	50	100	1550	85.7	44.7				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4700	0	400	1994	88.4	44.7	5250	50	150	1500	86.9	44.7				
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	4700	0	500	1894	90.5	44.7	5250	50	200	1450	88.3	44.7				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4700	50	0	2344	78.7	44.7	5250	50	250	1400	89.7	44.7				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4700	50	50	2294	79.4	44.7	5250	50	300	1350	91.2	44.7				
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4700	50	100	2244	80.1	44.7	5250	50	350	1300	92.9	44.7				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4700	50	150	2194	80.8	44.7	5250	50	400	1250	94.7	44.7				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4700	50	200	2144	81.6	44.7	5250	50	450	1200	96.7	44.7				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4700	50	250	2094	82.4	44.7	5250	50	500	1150	97.0	44.7				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	50	300	2044	83.2	44.7	5250	100	0	1600	79.1	44.7				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4700	50	350	1994	84.1	44.7	5250	100	50	1550	80.1	44.7				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4700	50	400	1944	85.0	44.7	5250	100	100	1500	81.2	44.7				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4700	50	500	1844	87.0	44.7	5250	100	150	1450	82.3	44.7				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4850	100	0	2294	86.9	44.7	5250	100	200	1400	83.5	44.7				
Pickup Bed Extender	Sub	-2	Add	22	4850	100	50	2244	87.7	44.7	5250	100	250	1350	84.9	44.7				
Spray-In Bedliner	Sub	0	Add	20	4850	100	100	2194	88.7	44.7	5250	100	300	1300	86.3	44.7				
Composite Side Aux. Steps - Platform w/o Lights	Add	28	Add	21	4850	100	150	2144	89.6	44.7	5250	100	350	1250	87.8	44.7				
Side Aux Steps - w/Lights	Add	39	Add	25	4850	100	200	2094	90.6	44.7	5250	100	400	1200	89.5	44.7				
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	26	Add	21	4850	100	250	2044	91.6	44.7	5250	100	450	1150	91.3	44.7				
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	4850	100	300	1994	92.7	44.7	5250	100	500	1100	93.2	44.7				
Lower Body Side Molding	Add	2	Add	1	4850	100	350	1944	93.9	44.7	5250	150	0	1550	74.5	44.7				
Reverse Vehicle Sensor System	Sub	0	Add	1	4850	100	400	1894	95.1	44.7	5250	150	50	1500	75.4	44.7				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4850	100	500	1794	97.0	44.7	5250	150	100	1450	76.4	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	150	0	2244	83.9	44.7	5250	150	150	1400	77.4	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	12	Add	5	4850	150	50	2194	84.7	44.7	5250	150	200	1350	78.5	44.7				
Sliding Rear Window	Add	6	Add	1	4850	150	100	2144	85.6	44.7	5250	150	250	1300	79.6	44.7				
Power Sliding Rear Window	Add	6	Add	2	4850	150	150	2094	86.5	44.7	5250	150	300	1250	80.9	44.7				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4850	150	200	2044	87.4	44.7	5250	150	350	1200	82.3	44.7				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4850	150	250	1994	88.4	44.7	5250	150	400	1150	83.8	44.7				
Foglamps	Add	3	Sub	0	4850	150	300	1944	89.5	44.7	5250	150	450	1100	85.4	44.7				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4850	150	350	1894	90.5	44.7	5250	150	500	1050	87.2	44.7				
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4850	150	400	1844	91.7	44.7	5250	200	0	1500	69.7	44.7				
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4850	150	500	1744	94.2	44.7	5250	200	50	1450	70.4	44.7				
All Weather Floor Mat	Add	10	Add	6	4850	200	0	2194	80.8	44.7	5250	200	100	1400	71.2	44.7				
Electrochromic Rear View Mirror	Add	1	Sub	0	4850	200	50	2144	81.6	44.7	5250	200	150	1350	72.1	44.7				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4850	200	100	2094	82.4	44.7	5250	200	200	1300	73.0	44.7				
Power Equipment Group	Add	15	Add	6	4850	200	150	2044	83.2	44.7	5250	200	250	1250	74.0	44.7				
Adj Gas & Brake Pedals	Add	4	Add	3	4850	200	200	1994	84.1	44.7	5250	200	300	1200	75.1	44.7				
Cruise Control	Add	3	Add	1	4850	200	250	1944	85.0	44.7	5250	200	350	1150	76.3	44.7				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4850	200	300	1894	86.0	44.7	5250	200	400	1100	77.6	44.7				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4850	200	350	1844	87.0	44.7	5250	200	450	1050	79.0	44.7				
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4850	200	400	1794	88.1	44.7	5250	200	500	1000	80.5	44.7				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4850	200	500	1694	90.5	44.7	5250	250	0	1450	64.5	44.7				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5000	250	0	2144	89.6	44.7	5250	250	50	1400	65.1	44.7				
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5000	250	50	2094	90.6	44.7	5250	250	100	1350	65.7	44.7				
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5000	250														

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR										6.7L Diesel Engine 10000 lb (4535 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS				
		FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)							
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386																
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4800	-50	-50	3122	83.4	45.0	5200	-50	-50	2532	83.2	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	Add	3	Sub	0	4800	-50	0	3072	84.0	45.0	5200	-50	0	2482	83.9	45.0				
Limited Slip Rear Axle	Sub	1	Sub	0	4800	-50	50	3022	84.6	45.0	5200	-50	50	2432	84.6	45.0				
Brake Controller	Add	1	Sub	0	4800	0	100	2972	85.2	45.0	5200	0	100	2382	85.4	45.0				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	0	0	3022	82.3	45.0	5200	0	0	2432	81.8	45.0				
Skid Plates	Add	16	Add	20	4800	0	50	2972	82.9	45.0	5200	0	50	2382	82.5	45.0				
Rear Stabilizer Bar	Add	2	Add	26	4800	0	100	2922	83.5	45.0	5200	0	100	2332	83.3	45.0				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	150	2872	84.1	45.0	5200	0	200	2232	84.9	45.0				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	200	2822	84.7	45.0	5200	0	250	2182	85.7	45.0				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	250	2772	85.4	45.0	5200	0	300	2132	86.6	45.0				
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	300	2722	86.1	45.0	5200	0	350	2082	87.5	45.0				
Dual Alternator	Add	16	Sub	0	4800	0	350	2672	86.8	45.0	5200	0	400	2032	88.5	45.0				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	400	2622	87.6	45.0	5200	0	450	1982	89.5	45.0				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	450	2572	88.3	45.0	5200	0	500	1932	90.6	45.0				
Manual Air Conditioning	Add	34	Sub	-1	4800	0	500	2522	89.1	45.0	5200	50	0	2382	79.7	45.0				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	50	0	2972	80.6	45.0	5200	50	50	2332	80.3	45.0				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	50	2922	81.1	45.0	5200	50	100	2282	81.0	45.0				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	50	100	2872	81.7	45.0	5200	50	200	2182	82.6	45.0				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	2822	82.3	45.0	5200	50	250	2132	83.4	45.0				
LT 275/65R18E A/S BSW (SRW only)	Sub	-15	Sub	-31	4800	50	200	2772	82.9	45.0	5200	50	300	2082	84.2	45.0				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	9	Add	60	4800	50	250	2722	83.6	45.0	5200	50	350	2032	85.1	45.0				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	2672	84.3	45.0	5200	50	400	1982	86.1	45.0				
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4800	50	350	2622	84.9	45.0	5200	50	450	1932	87.1	45.0				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4800	50	400	2572	85.7	45.0	5200	50	500	1882	88.1	45.0				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4800	50	450	2522	86.4	45.0	5200	100	0	2332	77.4	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4800	50	500	2472	87.2	45.0	5200	100	50	2282	78.0	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4800	100	0	2922	78.8	45.0	5200	100	100	2232	78.7	45.0				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4800	100	50	2872	79.3	45.0	5200	100	200	2132	80.2	45.0				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4800	100	100	2822	79.9	45.0	5200	100	250	2082	80.9	45.0				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4800	100	150	2772	80.5	45.0	5200	100	300	2032	81.8	45.0				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	100	200	2722	81.1	45.0	5200	100	350	1982	82.6	45.0				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	100	250	2672	81.7	45.0	5200	100	400	1932	83.5	45.0				
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4800	100	300	2622	82.3	45.0	5200	100	450	1882	84.5	45.0				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4800	100	350	2572	83.0	45.0	5200	100	500	1832	85.5	45.0				
Pickup Bed Extender	Sub	-2	Add	22	4800	100	400	2522	83.7	45.0	5200	150	0	2282	75.0	45.0				
Spray-In Bedliner	Add	1	Add	19	4800	100	450	2472	84.4	45.0	5200	150	50	2232	75.7	45.0				
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4800	100	500	2422	85.2	45.0	5200	150	100	2182	76.3	45.0				
Lower Body Side Molding	Add	2	Add	1	4800	150	0	2872	76.9	45.0	5200	150	200	2082	77.7	45.0				
Reverse Vehicle Sensor System	Sub	0	Add	1	4800	150	50	2822	77.5	45.0	5200	150	250	2032	78.4	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4800	150	100	2772	78.0	45.0	5200	150	300	1982	79.2	45.0				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	150	2722	78.6	45.0	5200	150	350	1932	80.0	45.0				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	200	2672	79.1	45.0	5200	150	400	1882	80.8	45.0				
Sliding Rear Window	Add	6	Add	1	4800	150	250	2622	79.7	45.0	5200	150	450	1832	81.7	45.0				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4800	150	300	2572	80.3	45.0	5200	150	500	1782	82.7	45.0				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4800	150	350	2522	81.0	45.0	5600	200	0	2232	97.0	45.0				
Foglamps	Add	3	Sub	0	4800	150	400	2472	81.7	45.0	5600	200	50	2182	97.0	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4800	150	450	2422	82.4	45.0	5600	200	100	2132	97.0	45.0				
XLT Floor Mats Less Logo (Color Keyed)	Add	3	Add	1	4800	150	500	2372	83.1	45.0	5600	200	200	2032	97.0	45.0				
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	4800	200	0	2822	75.0	45.0	5600	200	250	1982	97.0	45.0				
All Weather Floor Mat	Add	6	Add	4	4800	200	50	2772	75.5	45.0	5600	200	300	1932	97.0	45.0				
Electrochromic Rear View Mirror	Add	1	Sub	0	4800	200	100	2722	76.0	45.0	5600	200	350	1882	97.0	45.0				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4800	200	150	2672	76.6	45.0	5600	200	400	1832	97.0	45.0				
Power Equipment Group	Add	12	Add	3	4800	200	200	2622	77.1	45.0	5600	200	450	1782	97.0	45.0				
Adj Gas & Brake Pedals	Add	4	Add	3	4800	200	250	2572	77.7	45.0	5600	200	500	1732	97.0	45.0				
Cruise Control	Add	3	Add	1	4800	200	300	2522	78.3	45.0	5600	250	0	2182	95.1	45.0				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4800	200	350	2472	78.9	45.0	5600	250	50	2132	96.2	45.0				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4800	200	400	2422	79.5	45.0	5600	250	100	2082	97.0	45.0				
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4800	200	450	2372	80.2	45.0	5600	250	200	1982	97.0	45.0				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4800	200	500	2322	80.9	45.0	5600	250	250	1932	97.0	45.0				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	0	2772	92.8	45.0	5600	250	300	1882	97.0	45.0				
10-Way Power Seat Adjuster (Driver/Passenger)	Add	-20	Add	5	5200	250	50	2722	93.7	45.0	5600	250	350	1832	97.0	45.0				
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	250	100	2672	94.5	45.0	5600	250	400	1782	97.0	45.0				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	250	150	2622	95.4	45.0	5600	250	450	1732	97.0	45.0				
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	5200	250	200	2572	96.3	45.0	5600	250	500	1682	97.0	45.0				
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	5200	250	250	2522	97.0	45.0										
Satellite Digital Broadcast	Add	2	Add	1	5200	250	300	2472	97.0	45.0										
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	250	350	2422	97.0	45.0										
FX4 Trim	Add	6	Add	2	5200	250	400	2372	97.0	45.0										
XLT Trim	Add	18	Add	12	5200	250	450	2322	97.0	45.0										
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5200	250	500	2272	97.0	45.0										
Flat Splash Guards (SRW)	Add	2	Add	2																
Bed Mat	Add	7	Add	55																
Low Profile Hood Deflector	Add	3	Sub																	



OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR										6.7L Diesel Engine 10000 lb (4535 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS				
		FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)		FRONT (Lb.)	FRONT (Lb.)		REAR (Lb.)	FRONT (Lb.)		REAR (Lb.)	FRONT (Lb.)		REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0																
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	-50	2230	81.0	44.7	5600	-50	-50	1575	81.0	44.7				
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	0	2180	81.0	44.7	5600	-50	0	1525	81.0	44.7				
Brake Controller	Add	1	Sub	0	5200	-50	50	2130	81.0	44.7	5600	-50	50	1475	81.0	44.7				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	100	2080	81.0	44.7	5600	-50	100	1425	81.0	44.7				
Skid Plates	Add	20	Add	16	5200	0	-50	2180	81.0	44.7	5600	0	-50	1525	81.0	44.7				
Rear Stabilizer Bar	Add	2	Add	26	5200	0	0	2130	81.0	44.7	5600	0	0	1475	81.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	50	2080	81.0	44.7	5600	0	50	1425	81.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	100	2030	81.0	44.7	5600	0	100	1375	81.0	44.7				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	150	1980	81.0	44.7	5600	0	150	1325	81.0	44.7				
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	200	1930	81.0	44.7	5600	0	200	1275	81.0	44.7				
Dual Alternator	Add	16	Sub	0	5200	0	250	1880	81.0	44.7	5600	0	250	1225	81.0	44.7				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	300	1830	81.0	44.7	5600	0	300	1175	81.0	44.7				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	350	1780	81.0	44.7	5600	0	350	1125	81.0	44.7				
Manual Air Conditioning	Add	34	Sub	-1	5200	0	400	1730	81.0	44.7	5600	0	400	1075	81.0	44.7				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	50	0	2080	81.0	44.7	5600	50	0	1425	81.0	44.7				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	50	2030	81.0	44.7	5600	50	50	1375	81.0	44.7				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	1980	81.0	44.7	5600	50	100	1325	81.0	44.7				
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5200	50	150	1930	81.0	44.7	5600	50	150	1275	81.0	44.7				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	1880	81.0	44.7	5600	50	200	1225	81.0	44.7				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	1830	81.0	44.7	5600	50	250	1175	81.0	44.7				
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5200	50	300	1780	81.0	44.7	5600	50	300	1125	81.0	44.7				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	1730	81.0	44.7	5600	50	350	1075	81.0	44.7				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	50	400	1680	81.0	44.7	5600	50	400	1025	81.0	44.7				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	100	0	2030	81.0	44.7	5600	100	0	1375	81.0	44.7				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	100	50	1980	81.0	44.7	5600	100	50	1325	81.0	44.7				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	100	100	1930	81.0	44.7	5600	100	100	1275	81.0	44.7				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	150	1880	81.0	44.7	5600	100	150	1225	81.0	44.7				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	100	200	1830	81.0	44.7	5600	100	200	1175	81.0	44.7				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	250	1780	81.0	44.7	5600	100	250	1125	81.0	44.7				
Pickup Bed Extender	Sub	-2	Add	22	5200	100	300	1730	81.0	44.7	5600	100	300	1075	81.0	44.7				
Spray-in Bedliner	Sub	0	Add	20	5200	100	350	1680	81.0	44.7	5600	100	350	1025	81.0	44.7				
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	5200	100	400	1630	81.0	44.7	5600	100	400	975	81.0	44.7				
Side Aux Steps - w/Lights	Add	37	Add	27	5200	150	0	1980	81.0	44.7	5600	150	0	1325	81.0	44.7				
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	5200	150	50	1930	81.0	44.7	5600	150	50	1275	81.0	44.7				
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5200	150	100	1880	81.0	44.7	5600	150	100	1225	81.0	44.7				
Lower Bodyside Molding	Add	2	Add	1	5200	150	150	1830	81.0	44.7	5600	150	150	1175	81.0	44.7				
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	200	1780	81.0	44.7	5600	150	200	1125	81.0	44.7				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	250	1730	81.0	44.7	5600	150	250	1075	81.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	300	1680	81.0	44.7	5600	150	300	1025	81.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	350	1630	81.0	44.7	5600	150	350	975	81.0	44.7				
Sliding Rear Window	Add	6	Add	1	5200	150	400	1580	81.0	44.7	5600	150	400	925	81.0	44.7				
Pwr Sliding Rear Window	Add	6	Add	2	5200	200	0	1930	81.0	44.7	5600	200	0	1275	81.0	44.7				
Electronic Rear Window (Backglass) Defrost	Add	-1	Add	2	5200	200	50	1880	81.0	44.7	5600	200	50	1225	81.0	44.7				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	100	1830	81.0	44.7	5600	200	100	1175	81.0	44.7				
Foglamps	Add	3	Sub	0	5200	200	150	1780	81.0	44.7	5600	200	150	1125	81.0	44.7				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	200	1730	81.0	44.7	5600	200	200	1075	81.0	44.7				
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	250	1680	81.0	44.7	5600	200	250	1025	81.0	44.7				
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	200	300	1630	81.0	44.7	5600	200	300	975	81.0	44.7				
All Weather Floor Mat	Add	10	Add	6	5200	200	350	1580	81.0	44.7	5600	200	350	925	81.0	44.7				
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	200	400	1530	81.0	44.7	5600	200	400	875	81.0	44.7				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	0	1880	81.0	44.7	5600	250	0	1225	81.0	44.7				
Power Equipment Group	Add	15	Add	6	5200	250	50	1830	81.0	44.7	5600	250	50	1175	81.0	44.7				
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	100	1780	81.0	44.7	5600	250	100	1125	81.0	44.7				
Cruise Control	Add	3	Add	1	5200	250	150	1730	81.0	44.7	5600	250	150	1075	81.0	44.7				
Front Seat - Individual 40/60 w/Center Under Seat Storage	Add	1	Sub	-2	5200	250	200	1680	81.0	44.7	5600	250	200	1025	81.0	44.7				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	250	250	1630	81.0	44.7	5600	250	250	975	81.0	44.7				
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	250	300	1580	81.0	44.7	5600	250	300	925	81.0	44.7				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	250	350	1530	81.0	44.7	5600	250	350	875	81.0	44.7				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	400	1480	81.0	44.7	5600	250	400	825	81.0	44.7				
10-Way Power Seat Adjuster (Driver/Passenger)	Sub	-20	Add	5	5200	300	0	1830	81.0	44.7	5600	300	0	1175	81.0	44.7				
Less Radio Pre-Equipment Pack (Radio Delete)	Add	-5	Sub	-2	5200	300	50	1780	81.0	44.7	5600	300	50	1125	81.0	44.7				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	100	1730	81.0	44.7	5600	300	100	1075	81.0	44.7				
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5200	300	150	1680	81.0	44.7	5600	300	150	1025	81.0	44.				



OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR										6.7L Diesel Engine 10000 lb (4535 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS						
					GAWR (Lb.)	FRONT (LB)		REAR (LB)	RATING		FRONT (A) (IN)	REAR (B) (IN)		GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	FRONT (A) (IN)	REAR (B) (IN)	
			I	II	III	IV	V	VI		I	II	III	IV	V	VI					
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386																
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	5200	-50	-50	2127	97.0	44.7	6000	-50	-50	1363	97.0	44.7				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	2077	97.0	44.7	6000	-50	0	1313	97.0	44.7				
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	2027	97.0	44.7	6000	-50	50	1263	97.0	44.7				
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	100	1977	97.0	44.7	6000	-50	100	1213	97.0	44.7				
Brake Controller	Add	1	Sub	0	5200	0	-50	2077	96.8	44.7	6000	0	-50	1313	97.0	44.7				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	2027	97.0	44.7	6000	0	0	1263	97.0	44.7				
Skid Plates	Add	19	Add	17	5200	0	50	1977	97.0	44.7	6000	0	50	1213	97.0	44.7				
Rear Stabilizer Bar	Add	2	Add	26	5200	0	100	1927	97.0	44.7	6000	0	100	1163	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	150	1877	97.0	44.7	6000	0	150	1113	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	200	1827	97.0	44.7	6000	0	200	1063	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	250	1777	97.0	44.7	6000	0	250	1013	97.0	44.7				
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	300	1727	97.0	44.7	6000	0	300	963	97.0	44.7				
Dual Alternator	Add	16	Sub	0	5200	0	350	1677	97.0	44.7	6000	0	350	913	97.0	44.7				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	400	1627	97.0	44.7	6000	0	400	863	97.0	44.7				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	450	1577	97.0	44.7	6000	0	450	813	97.0	44.7				
Manual Air Conditioning	Add	34	Sub	-1	5200	0	500	1527	97.0	44.7	6000	0	500	763	97.0	44.7				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	550	1477	97.0	44.7	6000	0	550	713	97.0	44.7				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	0	1977	94.9	44.7	6000	50	0	1213	97.0	44.7				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	50	50	1927	96.1	44.7	6000	50	50	1163	97.0	44.7				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	1877	97.0	44.7	6000	50	100	1113	97.0	44.7				
LT 275/65R18E A/T BSW (SRW only)	Add	22	Add	22	5200	50	150	1827	97.0	44.7	6000	50	150	1063	97.0	44.7				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	1777	97.0	44.7	6000	50	200	1013	97.0	44.7				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	1727	97.0	44.7	6000	50	250	963	97.0	44.7				
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	50	300	1677	97.0	44.7	6000	50	300	913	97.0	44.7				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	1627	97.0	44.7	6000	50	350	863	97.0	44.7				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	50	400	1577	97.0	44.7	6000	50	400	813	97.0	44.7				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	50	450	1527	97.0	44.7	6000	50	450	763	97.0	44.7				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	50	500	1477	97.0	44.7	6000	50	500	713	97.0	44.7				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	50	550	1427	97.0	44.7	6000	50	550	663	97.0	44.7				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	0	1927	91.6	44.7	6000	100	0	1163	97.0	44.7				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	100	50	1877	92.8	44.7	6000	100	50	1113	97.0	44.7				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	100	1827	94.0	44.7	6000	100	100	1063	97.0	44.7				
Pickup Bed Extender	Sub	-2	Add	22	5200	100	150	1777	95.3	44.7	6000	100	150	1013	97.0	44.7				
Spray-In Bedliner	Sub	0	Add	20	5200	100	200	1727	96.7	44.7	6000	100	200	963	97.0	44.7				
Composite Side Aux. Steps - Platform w/o Lights	Add	28	Add	21	5200	100	250	1677	97.0	44.7	6000	100	250	913	97.0	44.7				
Side Aux Steps - w/Lights	Add	39	Add	25	5200	100	300	1627	97.0	44.7	6000	100	300	863	97.0	44.7				
5" Tubular Chromed Side Aux. Steps w/ Lights (VP Design) - 156" CC	Add	26	Add	21	5200	100	350	1577	97.0	44.7	6000	100	350	813	97.0	44.7				
6" Angular Chrome Step w/ Lights (VP Design)	Add	35	Add	31	5200	100	400	1527	97.0	44.7	6000	100	400	763	97.0	44.7				
Lower Body Side Molding	Add	2	Add	1	5200	100	450	1477	97.0	44.7	6000	100	450	713	97.0	44.7				
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	100	500	1427	97.0	44.7	6000	100	500	663	97.0	44.7				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5600	150	0	1877	97.0	44.7	6000	150	0	1113	97.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	50	1827	97.0	44.7	6000	150	50	1063	97.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	100	1777	97.0	44.7	6000	150	100	1013	97.0	44.7				
Sliding Rear Window	Add	6	Add	1	5600	150	150	1727	97.0	44.7	6000	150	150	963	97.0	44.7				
Power Sliding Rear Window	Add	6	Add	2	5600	150	200	1677	97.0	44.7	6000	150	200	913	97.0	44.7				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	150	250	1627	97.0	44.7	6000	150	250	863	97.0	44.7				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5600	150	300	1577	97.0	44.7	6000	150	300	813	97.0	44.7				
Foglamps	Add	3	Sub	0	5600	150	350	1527	97.0	44.7	6000	150	350	763	97.0	44.7				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5600	150	400	1477	97.0	44.7	6000	150	400	713	97.0	44.7				
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5600	150	450	1427	97.0	44.7	6000	150	450	663	97.0	44.7				
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	6	5600	150	500	1377	97.0	44.7	6000	150	500	613	97.0	44.7				
All Weather Floor Mat	Add	10	Add	6	5600	150	550	1327	97.0	44.7	6000	150	550	563	97.0	44.7				
Electrochromic Rear View Mirror	Add	1	Sub	0	5600	150	550	1327	97.0	44.7	6000	150	550	563	97.0	44.7				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	200	0	1827	97.0	44.7	6000	200	0	1063	97.0	44.7				
Power Equipment Group	Add	15	Add	6	5600	200	50	1777	97.0	44.7	6000	200	50	1013	97.0	44.7				
Adj Gas & Brake Pedals	Add	4	Add	3	5600	200	100	1727	97.0	44.7	6000	200	100	963	97.0	44.7				
Cruise Control	Add	3	Add	1	5600	200	150	1677	97.0	44.7	6000	200	150	913	97.0	44.7				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	200	200	1627	97.0	44.7	6000	200	200	863	97.0	44.7				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	200	250	1577	97.0	44.7	6000	200	250	813	97.0	44.7				
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	200	300	1527	97.0	44.7	6000	200	300	763	97.0	44.7				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	200	350	1477	97.0	44.7	6000	200	350	713	97.0	44.7				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	200	400	1427	97.0	44.7	6000	200	400	663	97.0	44.7				
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5600	200	450	1377	97.0	44.7	6000	200	450	613	97.0	44.7				
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5600	200	500	1327	97.0	44.7	6000	200	500	563	97.0	44.7				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	200	550	1277	97.0	44.7	6000	200	550	513	97.0	44.7				
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5600	250	0	1777	97.0	44.7	6000	250	0	1013	97.0	44.7				
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5600	250	50	1727	97.0	44.7	6000	250	50	963	97.0	44.7				
Satellite Digital Broadcast	Add	2	Add	1	5600	250	100	1677	97.0	44.7	6000	250	100	913	97.0	44.7				
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	250	150	1627	97.0	44.7	6000	250	150	863	97.0	44.7				
FX4 Trim	Add	7	Add	7	5600	250	200	1577	97.0	44.7	6000	250	200	813	97.0	44.7				
Power Slide Sunroof	Add	21	Add	15																

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA				VEHICLE LOADING DATA							
					6.2L Gasoline Engine 10000 lb (4535 kg) GVWR				6.7L Diesel Engine 10000 lb (4535 kg) GVWR							
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (LB)		REAR (LB)	RATING	FRONT (A) (IN)
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4800	-50	-50	3097	83.3	45.0	5200	-50	-50	2507	83.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4800	-50	0	3047	83.9	45.0	5200	-50	0	2457	83.8	45.0
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	50	2997	84.5	45.0	5200	-50	50	2407	84.5	45.0
Limited Slip Rear Axle	Sub	0	Add	5	4800	-50	100	2947	85.1	45.0	5200	-50	100	2357	85.3	45.0
Brake Controller	Add	1	Sub	0	4800	0	-50	3047	81.6	45.0	5200	0	-50	2457	81.0	45.0
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	0	0	2997	82.2	45.0	5200	0	0	2407	81.7	45.0
Skid Plates	Add	16	Add	20	4800	0	50	2947	82.8	45.0	5200	0	50	2357	82.4	45.0
Rear Stabilizer Bar	Add	2	Add	26	4800	0	100	2897	83.4	45.0	5200	0	100	2307	83.1	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	150	2847	84.0	45.0	5200	0	200	2207	84.7	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	200	2797	84.6	45.0	5200	0	250	2157	85.6	45.0
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	250	2747	85.3	45.0	5200	0	300	2107	86.5	45.0
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	300	2697	86.0	45.0	5200	0	350	2057	87.4	45.0
Dual Alternator	Add	16	Sub	0	4800	0	350	2647	86.7	45.0	5200	0	400	2007	88.4	45.0
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	400	2597	87.5	45.0	5200	0	450	1957	89.4	45.0
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	450	2547	88.2	45.0	5200	0	500	1907	90.5	45.0
Manual Air Conditioning	Add	34	Sub	-1	4800	0	500	2497	89.1	45.0	5200	50	0	2357	79.5	45.0
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	0	500	2447	90.4	45.0	5200	50	50	2307	80.2	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	50	2897	81.0	45.0	5200	50	100	2257	80.9	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	50	100	2847	81.6	45.0	5200	50	200	2157	82.4	45.0
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	2797	82.2	45.0	5200	50	250	2107	83.2	45.0
LT 275/65R18E A/S BSW (SRW only)	Sub	-15	Sub	-31	4800	50	200	2747	82.8	45.0	5200	50	300	2057	84.1	45.0
LT 275/65R18E A/T BSW Premium (SRW Only)	Sub	9	Add	60	4800	50	250	2697	83.5	45.0	5200	50	350	2007	85.0	45.0
LT 275/65R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	2647	84.1	45.0	5200	50	400	1957	85.9	45.0
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4800	50	350	2597	84.8	45.0	5200	50	450	1907	86.9	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4800	50	400	2547	85.6	45.0	5200	50	500	1857	88.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4800	50	450	2497	86.3	45.0	5600	100	0	2307	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4800	50	500	2447	87.1	45.0	5600	100	50	2257	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4800	100	0	2897	78.6	45.0	5600	100	100	2207	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4800	100	50	2847	79.2	45.0	5600	100	200	2107	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4800	100	100	2797	79.7	45.0	5600	100	250	2057	97.0	45.0
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4800	100	150	2747	80.3	45.0	5600	100	300	2007	97.0	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	100	200	2697	80.9	45.0	5600	100	350	1957	97.0	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	100	250	2647	81.5	45.0	5600	100	400	1907	97.0	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4800	100	300	2597	82.2	45.0	5600	100	450	1857	97.0	45.0
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4800	100	350	2547	82.9	45.0	5600	100	500	1807	97.0	45.0
Pickup Bed Extender	Sub	-2	Add	22	4800	100	400	2497	83.6	45.0	5600	150	0	2257	97.0	45.0
Spray-In Bedliner	Add	1	Add	19	4800	100	450	2447	84.3	45.0	5600	150	50	2207	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4800	100	500	2397	85.1	45.0	5600	150	100	2157	97.0	45.0
Lower Bodyside Molding	Add	2	Add	1	4800	150	0	2847	76.8	45.0	5600	150	200	2057	97.0	45.0
Reverse Vehicle Sensor System	Sub	0	Add	1	4800	150	50	2797	77.3	45.0	5600	150	250	2007	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4800	150	100	2747	77.8	45.0	5600	150	300	1957	97.0	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	150	2697	78.4	45.0	5600	150	350	1907	97.0	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	200	2647	79.0	45.0	5600	150	400	1857	97.0	45.0
Sliding Rear Window	Add	6	Add	1	4800	150	250	2597	79.6	45.0	5600	150	450	1807	97.0	45.0
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4800	150	300	2547	80.2	45.0	5600	150	500	1757	97.0	45.0
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4800	150	350	2497	80.8	45.0	5600	200	0	2207	97.0	45.0
Foglamps	Add	3	Sub	0	4800	150	400	2447	81.5	45.0	5600	200	50	2157	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4800	150	450	2397	82.2	45.0	5600	200	100	2107	97.0	45.0
XLT Floor Mats Less Logo (Color Keyed)	Add	3	Add	1	4800	150	500	2347	82.9	45.0	5600	200	200	2007	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	4800	200	0	2797	74.8	45.0	5600	200	250	1957	97.0	45.0
All Weather Floor Mat	Add	6	Add	4	4800	200	50	2747	75.3	45.0	5600	200	300	1907	97.0	45.0
Electrochromic Rear View Mirror	Add	1	Sub	0	4800	200	100	2697	75.8	45.0	5600	200	350	1857	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4800	200	150	2647	76.4	45.0	5600	200	400	1807	97.0	45.0
Power Equipment Group	Add	12	Add	3	4800	200	200	2597	76.9	45.0	5600	200	450	1757	97.0	45.0
Adj Gas & Brake Pedals	Add	4	Add	3	4800	200	250	2547	77.5	45.0	5600	200	500	1707	97.0	45.0
Cruise Control	Add	3	Add	1	4800	200	300	2497	78.1	45.0	5600	250	0	2157	95.1	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4800	200	350	2447	78.7	45.0	5600	250	50	2107	96.2	45.0
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4800	200	400	2397	79.3	45.0	5600	250	100	2057	97.0	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	Sub	9	Add	9	4800	200	450	2347	80.0	45.0	5600	250	200	1957	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4800	200	500	2297	80.7	45.0	5600	250	250	1907	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	0	2747	92.8	45.0	5600	250	300	1857	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	250	50	2697	93.6	45.0	5600	250	350	1807	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	250	100	2647	94.5	45.0	5600	250	400	1757	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	250	150	2597	95.4	45.0	5600	250	450	1707	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	5200	250	200	2547	96.3	45.0	5600	250	500	1657	97.0	45.0
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	5200	250	250	2497	97.0	45.0						
Satellite Digital Broadcast	Add	2	Add	1	5200	250	300	2447	97.0	45.0						
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	250	350	2397	97.0	45.0						
FX4 Trim	Add	6	Add	2	5200	250	400	2347	97.0	45.0						
XLT Trim	Add	18	Add	12	5200	250	450	2297	97.0	45.0						
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5200	250	500	2247	97.0	45.0						
Flat Splash Guards (SRW)	Add															



OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR										6.7L Diesel Engine 10000 lb (4535 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS						
					GAWR (Lb.)	FRONT (LB)		REAR (LB)	RATING		FRONT (A) (IN)	REAR (B) (IN)		FRONT (LB)	REAR (LB)	RATING	FRONT (A) (IN)	REAR (B) (IN)		
			I	II	III	IV	V	VI		I	II	III	IV	V	VI					
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0																
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	-50	2421	78.3	44.7	5600	-50	-50	1805	81.0	44.7				
Limited Slip Rear Axle	Add	0	Add	5	4800	-50	0	2371	78.9	44.7	5600	-50	0	1755	81.0	44.7				
Brake Controller	Add	1	Sub	0	4800	-50	50	2321	79.6	44.7	5600	-50	50	1705	81.0	44.7				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	-50	100	2271	80.3	44.7	5600	-50	100	1655	81.0	44.7				
Skid Plates	Add	18	Add	18	4800	0	-50	2371	76.0	44.7	5600	0	-50	1755	81.0	44.7				
Rear Stabilizer Bar	Add	2	Add	26	4800	0	0	2321	76.6	44.7	5600	0	0	1705	81.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	50	2271	77.2	44.7	5600	0	50	1655	81.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	100	2221	77.9	44.7	5600	0	100	1605	81.0	44.7				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	150	2171	78.5	44.7	5600	0	150	1555	81.0	44.7				
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	200	2121	79.3	44.7	5600	0	200	1505	81.0	44.7				
Dual Alternator	Add	16	Sub	0	4800	0	250	2071	80.0	44.7	5600	0	250	1455	81.0	44.7				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	300	2021	80.8	44.7	5600	0	300	1405	81.0	44.7				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	350	1971	81.0	44.7	5600	0	350	1355	81.0	44.7				
Manual Air Conditioning	Add	34	Sub	-1	4800	50	0	2271	74.1	44.7	5600	50	0	1655	81.0	44.7				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	50	50	2221	74.7	44.7	5600	50	50	1605	81.0	44.7				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	100	2171	75.3	44.7	5600	50	100	1555	81.0	44.7				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	2121	75.9	44.7	5600	50	150	1505	81.0	44.7				
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	4800	50	200	2071	76.6	44.7	5600	50	200	1455	81.0	44.7				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4800	50	250	2021	77.3	44.7	5600	50	250	1405	81.0	44.7				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	1971	78.1	44.7	5600	50	300	1355	81.0	44.7				
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4800	50	350	1921	78.9	44.7	5600	50	350	1305	81.0	44.7				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	100	0	2221	81.0	44.7	5600	100	0	1605	81.0	44.7				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	100	50	2171	81.0	44.7	5600	100	50	1555	81.0	44.7				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	100	100	2121	81.0	44.7	5600	100	100	1505	81.0	44.7				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	100	150	2071	81.0	44.7	5600	100	150	1455	81.0	44.7				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	100	200	2021	81.0	44.7	5600	100	200	1405	81.0	44.7				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	250	1971	81.0	44.7	5600	100	250	1355	81.0	44.7				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	100	300	1921	81.0	44.7	5600	100	300	1305	81.0	44.7				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	350	1871	81.0	44.7	5600	100	350	1255	81.0	44.7				
Pickup Bed Extender	Sub	-2	Add	22	5200	150	0	2171	81.0	44.7	5600	150	0	1555	81.0	44.7				
Spray-in Bedliner	Sub	0	Add	16	5200	150	50	2121	81.0	44.7	5600	150	50	1505	81.0	44.7				
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	5200	150	100	2071	81.0	44.7	5600	150	100	1455	81.0	44.7				
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5200	150	150	2021	81.0	44.7	5600	150	150	1405	81.0	44.7				
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5200	150	200	1971	81.0	44.7	5600	150	200	1355	81.0	44.7				
Lower Body Side Molding	Add	2	Add	1	5200	150	250	1921	81.0	44.7	5600	150	250	1305	81.0	44.7				
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	300	1871	81.0	44.7	5600	150	300	1255	81.0	44.7				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	350	1821	81.0	44.7	5600	150	350	1205	81.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	200	0	2121	81.0	44.7	5600	200	0	1505	81.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	200	50	2071	81.0	44.7	5600	200	50	1455	81.0	44.7				
Sliding Rear Window	Add	6	Add	1	5200	200	100	2021	81.0	44.7	5600	200	100	1405	81.0	44.7				
Power Sliding Rear Window	Add	6	Add	2	5200	200	150	1971	81.0	44.7	5600	200	150	1355	81.0	44.7				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	200	200	1921	81.0	44.7	5600	200	200	1305	81.0	44.7				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	250	1871	81.0	44.7	5600	200	250	1255	81.0	44.7				
Foglamps	Add	3	Sub	0	5200	200	300	1821	81.0	44.7	5600	200	300	1205	81.0	44.7				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	350	1771	81.0	44.7	5600	200	350	1155	81.0	44.7				
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	250	0	2071	81.0	44.7	5600	250	0	1455	81.0	44.7				
Floor Mats w/King Ranch® Logo (Color Keyed luxury)	Add	4	Add	2	5200	250	50	2021	81.0	44.7	5600	250	50	1405	81.0	44.7				
All Weather Floor Mat	Add	10	Add	6	5200	250	100	1971	81.0	44.7	5600	250	100	1355	81.0	44.7				
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	250	150	1921	81.0	44.7	5600	250	150	1305	81.0	44.7				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	200	1871	81.0	44.7	5600	250	200	1255	81.0	44.7				
Power Equipment Group	Add	12	Add	3	5200	250	250	1821	81.0	44.7	5600	250	250	1205	81.0	44.7				
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	300	1771	81.0	44.7	5600	250	300	1155	81.0	44.7				
Cruise Control	Add	3	Add	1	5200	250	350	1721	81.0	44.7	5600	250	350	1105	81.0	44.7				
Front Seat - Individual 40/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	300	0	2021	81.0	44.7	5600	300	0	1405	81.0	44.7				
Front Seat - Individual 40/40 Driver & Passenger	Add	4	Sub	-3	5200	300	50	1971	81.0	44.7	5600	300	50	1355	81.0	44.7				
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	300	100	1921	81.0	44.7	5600	300	100	1305	81.0	44.7				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	300	150	1871	81.0	44.7	5600	300	150	1255	81.0	44.7				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	300	200	1821	81.0	44.7	5600	300	200	1205	81.0	44.7				
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	300	250	1771	81.0	44.7	5600	300	250	1155	81.0	44.7				
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	300	300	1721	81.0	44.7	5600	300	300	1105	81.0	44.7				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	350	1671	81.0	44.7	5600	300	350	1055	81.0	44.7				
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4																
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6																
Satellite Digital Broadcast	Add	2	Add	1																
SYNC - Media Gateway Module (MGM)	Add	1	Add	0																
FX4 Trim	Add	7	Add	5																
XLT Trim	Add	19	Add	14																
Lariat Trim	Add	24	Add	13																
King Ranch Option	Add	24	Add	14																
Passenger Side Air Bag Delete	Sub	-10	Sub	-1																
Flat Splash Guards (SRW)	Add	2	Add	2																
Flat Splash Guards (DRW)	Sub	0	Add	8																
Bed Mat	Add	5	Add	45																
Low Profile Hood Deflector	Sub	0	Sub	0																
Roll-up Tonneau Cover	Add	4	Add	22																
Cable/Strap Locks	Sub	0</																		

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR										6.7L Diesel Engine 10000 lb (4535 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS				
		FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)							
	I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0																
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	-50	2205	81.0	44.7	5600	-50	-50	1550	81.0	44.7				
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	0	2155	81.0	44.7	5600	-50	0	1500	81.0	44.7				
Brake Controller	Add	1	Sub	0	5200	-50	50	2105	81.0	44.7	5600	-50	50	1450	81.0	44.7				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	100	2055	81.0	44.7	5600	-50	100	1400	81.0	44.7				
Skid Plates	Add	20	Add	16	5200	0	-50	2155	81.0	44.7	5600	0	-50	1500	81.0	44.7				
Rear Stabilizer Bar	Add	2	Add	26	5200	0	0	2105	81.0	44.7	5600	0	0	1450	81.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	50	2055	81.0	44.7	5600	0	50	1400	81.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	100	2005	81.0	44.7	5600	0	100	1350	81.0	44.7				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	150	1955	81.0	44.7	5600	0	150	1300	81.0	44.7				
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	200	1905	81.0	44.7	5600	0	200	1250	81.0	44.7				
Dual Alternator	Add	16	Sub	0	5200	0	250	1855	81.0	44.7	5600	0	250	1200	81.0	44.7				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	300	1805	81.0	44.7	5600	0	300	1150	81.0	44.7				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	350	1755	81.0	44.7	5600	0	350	1100	81.0	44.7				
Manual Air Conditioning	Add	34	Sub	-1	5200	0	400	1705	81.0	44.7	5600	0	400	1050	81.0	44.7				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	50	0	2055	81.0	44.7	5600	50	0	1400	81.0	44.7				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	50	2005	81.0	44.7	5600	50	50	1350	81.0	44.7				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	1955	81.0	44.7	5600	50	100	1300	81.0	44.7				
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5200	50	150	1905	81.0	44.7	5600	50	150	1250	81.0	44.7				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	1855	81.0	44.7	5600	50	200	1200	81.0	44.7				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	1805	81.0	44.7	5600	50	250	1150	81.0	44.7				
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5200	50	300	1755	81.0	44.7	5600	50	300	1100	81.0	44.7				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	1705	81.0	44.7	5600	50	350	1050	81.0	44.7				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	50	400	1655	81.0	44.7	5600	50	400	1000	81.0	44.7				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	100	0	2005	81.0	44.7	5600	100	0	1350	81.0	44.7				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	100	50	1955	81.0	44.7	5600	100	50	1300	81.0	44.7				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	100	100	1905	81.0	44.7	5600	100	100	1250	81.0	44.7				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	150	1855	81.0	44.7	5600	100	150	1200	81.0	44.7				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	100	200	1805	81.0	44.7	5600	100	200	1150	81.0	44.7				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	250	1755	81.0	44.7	5600	100	250	1100	81.0	44.7				
Pickup Bed Extender	Sub	-2	Add	22	5200	100	300	1705	81.0	44.7	5600	100	300	1050	81.0	44.7				
Spray-in Bedliner	Sub	0	Add	20	5200	100	350	1655	81.0	44.7	5600	100	350	1000	81.0	44.7				
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	5200	100	400	1605	81.0	44.7	5600	100	400	950	81.0	44.7				
Side Aux Steps - w/Lights	Add	37	Add	27	5200	150	0	1955	81.0	44.7	5600	150	0	1300	81.0	44.7				
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	5200	150	50	1905	81.0	44.7	5600	150	50	1250	81.0	44.7				
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5200	150	100	1855	81.0	44.7	5600	150	100	1200	81.0	44.7				
Lower Body Side Molding	Add	2	Add	1	5200	150	150	1805	81.0	44.7	5600	150	150	1150	81.0	44.7				
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	200	1755	81.0	44.7	5600	150	200	1100	81.0	44.7				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	250	1705	81.0	44.7	5600	150	250	1050	81.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	300	1655	81.0	44.7	5600	150	300	1000	81.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	350	1605	81.0	44.7	5600	150	350	950	81.0	44.7				
Sliding Rear Window	Add	6	Add	1	5200	150	400	1555	81.0	44.7	5600	150	400	900	81.0	44.7				
Pwr Sliding Rear Window	Add	6	Add	2	5200	200	0	1905	81.0	44.7	5600	200	0	1250	81.0	44.7				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	200	50	1855	81.0	44.7	5600	200	50	1200	81.0	44.7				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	100	1805	81.0	44.7	5600	200	100	1150	81.0	44.7				
Foglamps	Add	3	Sub	0	5200	200	150	1755	81.0	44.7	5600	200	150	1100	81.0	44.7				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	200	1705	81.0	44.7	5600	200	200	1050	81.0	44.7				
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	250	1655	81.0	44.7	5600	200	250	1000	81.0	44.7				
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	200	300	1605	81.0	44.7	5600	200	300	950	81.0	44.7				
All Weather Floor Mat	Add	10	Add	6	5200	200	350	1555	81.0	44.7	5600	200	350	900	81.0	44.7				
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	200	400	1505	81.0	44.7	5600	200	400	850	81.0	44.7				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	0	1855	81.0	44.7	5600	250	0	1200	81.0	44.7				
Power Equipment Group	Add	15	Add	6	5200	250	50	1805	81.0	44.7	5600	250	50	1150	81.0	44.7				
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	100	1755	81.0	44.7	5600	250	100	1100	81.0	44.7				
Cruise Control	Add	3	Add	1	5200	250	150	1705	81.0	44.7	5600	250	150	1050	81.0	44.7				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	250	200	1655	81.0	44.7	5600	250	200	1000	81.0	44.7				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	250	250	1605	81.0	44.7	5600	250	250	950	81.0	44.7				
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	250	300	1555	81.0	44.7	5600	250	300	900	81.0	44.7				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	250	350	1505	81.0	44.7	5600	250	350	850	81.0	44.7				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	400	1455	81.0	44.7	5600	250	400	800	81.0	44.7				
10-Way Power Seat Adjuster (Driver/Passenger)	Sub	-20	Add	5	5200	300	0	1805	81.0	44.7	5600	300	0	1150	81.0	44.7				
Less Radio Pre-Equipment Pack (Radio Delete)	Add	-5	Sub	-2	5200	300	50	1755	81.0	44.7	5600	300	50	1100	81.0	44.7				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	100	1705	81.0	44.7	5600	300	100	1050	81.0	44.7				
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5200	300	150	1655	81.0	44.7	5600	300	150	1000	81.0	44.7				
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5200	300	200	1605	81.0	44.7	5600	300	200	950	81.0	44.7				
Satellite Digital Broadcast	Add</																			

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR										6.7L Diesel Engine 10000 lb (4535 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS						
					GAWR (Lb.)	FRONT (LB)		REAR (LB)	RATING (LB)		FRONT (A) (IN)	REAR (B) (IN)		GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
			I	II	III	IV	V	VI		I	II	III	IV	V	VI					
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386																
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	-50	2295	97.0	44.7	5600	-50	-50	1477	97.0	44.7				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	2245	97.0	44.7	5600	-50	0	1427	97.0	44.7				
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	2195	97.0	44.7	5600	-50	50	1377	97.0	44.7				
Limited Slip Rear Axle	Add	1	Add	5	5200	-50	100	2145	97.0	44.7	5600	-50	100	1327	97.0	44.7				
Brake Controller	Add	1	Sub	0	5200	0	-50	2245	97.0	44.7	5600	0	-50	1427	97.0	44.7				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	0	2245	97.0	44.7	5600	0	0	1377	97.0	44.7				
Skid Plates	Add	18	Add	20	5200	-50	50	2195	97.0	44.7	5600	0	50	1327	97.0	44.7				
Rear Stabilizer Bar	Add	2	Add	26	5200	-50	100	2145	97.0	44.7	5600	0	100	1277	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	-50	150	2095	97.0	44.7	5600	0	150	1227	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	-50	200	2045	97.0	44.7	5600	0	200	1177	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	-50	250	1995	97.0	44.7	5600	0	250	1127	97.0	44.7				
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	-50	300	1945	97.0	44.7	5600	0	300	1077	97.0	44.7				
Dual Alternator	Add	16	Sub	0	5200	-50	350	1895	97.0	44.7	5600	0	350	1027	97.0	44.7				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	-50	400	1845	97.0	44.7	5600	0	400	977	97.0	44.7				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	-50	450	1795	97.0	44.7	5600	0	450	927	97.0	44.7				
Manual Air Conditioning	Add	34	Sub	-1	5200	-50	500	1745	97.0	44.7	5600	0	500	877	97.0	44.7				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	-50	2245	97.0	44.7	6000	50	0	1327	97.0	44.7				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	0	0	2195	97.0	44.7	6000	50	0	1277	97.0	44.7				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	0	50	2145	97.0	44.7	6000	50	100	1227	97.0	44.7				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	0	100	2095	97.0	44.7	6000	50	150	1177	97.0	44.7				
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	0	150	2045	97.0	44.7	6000	50	200	1127	97.0	44.7				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	0	200	1995	97.0	44.7	6000	50	250	1077	97.0	44.7				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	0	250	1945	97.0	44.7	6000	50	300	1027	97.0	44.7				
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	0	300	1895	97.0	44.7	6000	50	350	977	97.0	44.7				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	0	350	1845	97.0	44.7	6000	50	400	927	97.0	44.7				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	0	400	1795	97.0	44.7	6000	50	450	877	97.0	44.7				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	0	450	1745	97.0	44.7	6000	50	500	827	97.0	44.7				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	0	500	1695	97.0	44.7	6000	100	0	1277	97.0	44.7				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	50	0	2145	97.0	44.7	6000	100	50	1227	97.0	44.7				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	50	50	2095	97.0	44.7	6000	100	100	1177	97.0	44.7				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	50	100	2045	97.0	44.7	6000	100	150	1127	97.0	44.7				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	50	150	1995	97.0	44.7	6000	100	200	1077	97.0	44.7				
Pickup Bed Extender	Sub	-2	Add	22	5200	50	200	1945	97.0	44.7	6000	100	250	1027	97.0	44.7				
Spray-In Bedliner	Sub	0	Add	16	5200	50	250	1895	97.0	44.7	6000	100	300	977	97.0	44.7				
Composite Side Aux. Steps - Platform w/Lights	Add	24	Add	18	5200	50	300	1845	97.0	44.7	6000	100	350	927	97.0	44.7				
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	16	Add	20	5200	50	350	1795	97.0	44.7	6000	100	400	877	97.0	44.7				
6" Angular Chrome Step w/Lights (VP Design)	Add	30	Add	27	5200	50	400	1745	97.0	44.7	6000	100	450	827	97.0	44.7				
Lower Body Side Molding	Add	2	Add	1	5200	50	450	1695	97.0	44.7	6000	100	500	777	97.0	44.7				
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	50	500	1645	97.0	44.7	6000	150	0	1227	97.0	44.7				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	100	0	2095	95.1	44.7	6000	150	50	1177	97.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	50	2045	96.3	44.7	6000	150	100	1127	97.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	100	1995	97.0	44.7	6000	150	150	1077	97.0	44.7				
Sliding Rear Window	Add	6	Add	1	5200	100	150	1945	97.0	44.7	6000	150	200	1027	97.0	44.7				
Power Sliding Rear Window	Add	6	Add	2	5200	100	200	1895	97.0	44.7	6000	150	250	977	97.0	44.7				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	100	250	1845	97.0	44.7	6000	150	300	927	97.0	44.7				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	100	300	1795	97.0	44.7	6000	150	350	877	97.0	44.7				
Foglamps	Add	3	Sub	0	5200	100	350	1745	97.0	44.7	6000	150	400	827	97.0	44.7				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	100	400	1695	97.0	44.7	6000	150	450	777	97.0	44.7				
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	5200	100	450	1645	97.0	44.7	6000	150	500	727	97.0	44.7				
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	100	500	1595	97.0	44.7	6000	200	0	1177	97.0	44.7				
All Weather Floor Mat	Add	10	Add	6	5200	150	0	2045	92.4	44.7	6000	200	50	1127	97.0	44.7				
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	150	50	1995	93.5	44.7	6000	200	100	1077	97.0	44.7				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	150	100	1945	94.7	44.7	6000	200	150	1027	97.0	44.7				
Power Equipment Group	Add	12	Add	3	5200	150	150	1895	96.0	44.7	6000	200	200	977	97.0	44.7				
Adj Gas & Brake Pedals	Add	4	Add	3	5200	150	200	1845	97.0	44.7	6000	200	250	927	97.0	44.7				
Cruise Control	Add	3	Add	1	5200	150	250	1795	97.0	44.7	6000	200	300	877	97.0	44.7				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	150	300	1745	97.0	44.7	6000	200	350	827	97.0	44.7				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	150	350	1695	97.0	44.7	6000	200	400	777	97.0	44.7				
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	150	400	1645	97.0	44.7	6000	200	450	727	97.0	44.7				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	150	450	1595	97.0	44.7	6000	200	500	677	97.0	44.7				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	150	500	1545	97.0	44.7	6000	250	0	1127	97.0	44.7				
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	200	0	1995	89.6	44.7	6000	250	50	1077	97.0	44.7				
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	200	50	1945	90.7	44.7	6000	250	100	1027	97.0	44.7				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	200	100	1895	91.8	44.7	6000	250	150	977	97.0	44.7				
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	200	150	1845	93.0	44.7	6000	250	200	927	97.0	44.7				
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	5200	200	200	1795	94.2	44.7	6000	250	250	877	97.0	44.7				
Satellite Digital Broadcast	Add	2	Add	1	5200	200	250	1745	95.6	44.7	6000	250	300	827	97.0	44.7				
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	200	300	1695	97.0	44.7	6000	250	350	777	97.0	44.7				
FX4 Trim	Add	7	Add	5	5200	200	350	1645	97.0	44.7	6000	250	400	727	97.0	44.7				
XLT Trim	Add	19	Add	14	5200	200	400	1595	97.0	44.7	6000	250	450	677	97.0	44.7				
Lariat Trim	Add	24	Add	13	5200															

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR										6.7L Diesel Engine 10000 lb (4535 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS						
					GAWR (Lb.)	FRONT (LB)		REAR (LB)	RATING		FRONT (A) (IN)	REAR (B) (IN)		GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	FRONT (A) (IN)	REAR (B) (IN)	
			I	II	III	IV	V	VI		I	II	III	IV	V	VI					
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386																
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	-50	2102	97.0	44.7	6000	-50	-50	1338	97.0	44.7				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	2052	97.0	44.7	6000	-50	0	1288	97.0	44.7				
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	2002	97.0	44.7	6000	-50	50	1238	97.0	44.7				
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	100	1952	97.0	44.7	6000	-50	100	1188	97.0	44.7				
Brake Controller	Add	1	Sub	0	5200	0	-50	2052	96.6	44.7	6000	0	-50	1288	97.0	44.7				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	2002	97.0	44.7	6000	0	0	1238	97.0	44.7				
Skid Plates	Add	19	Add	17	5200	0	50	1952	97.0	44.7	6000	0	50	1188	97.0	44.7				
Rear Stabilizer Bar	Add	2	Add	26	5200	0	100	1902	97.0	44.7	6000	0	100	1138	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	150	1852	97.0	44.7	6000	0	150	1088	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	200	1802	97.0	44.7	6000	0	200	1038	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	250	1752	97.0	44.7	6000	0	250	988	97.0	44.7				
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	300	1702	97.0	44.7	6000	0	300	938	97.0	44.7				
Dual Alternator	Add	16	Sub	0	5200	0	350	1652	97.0	44.7	6000	0	350	888	97.0	44.7				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	400	1602	97.0	44.7	6000	0	400	838	97.0	44.7				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	450	1552	97.0	44.7	6000	0	450	788	97.0	44.7				
Manual Air Conditioning	Add	34	Sub	-1	5200	0	500	1502	97.0	44.7	6000	0	500	738	97.0	44.7				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	550	1452	97.0	44.7	6000	0	550	688	97.0	44.7				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	0	1952	94.7	44.7	6000	50	0	1188	97.0	44.7				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	50	50	1902	95.9	44.7	6000	50	50	1138	97.0	44.7				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	1852	97.0	44.7	6000	50	100	1088	97.0	44.7				
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	50	150	1802	97.0	44.7	6000	50	150	1038	97.0	44.7				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	1752	97.0	44.7	6000	50	200	988	97.0	44.7				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	1702	97.0	44.7	6000	50	250	938	97.0	44.7				
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	50	300	1652	97.0	44.7	6000	50	300	888	97.0	44.7				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	1602	97.0	44.7	6000	50	350	838	97.0	44.7				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	50	400	1552	97.0	44.7	6000	50	400	788	97.0	44.7				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	50	450	1502	97.0	44.7	6000	50	450	738	97.0	44.7				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	50	500	1452	97.0	44.7	6000	50	500	688	97.0	44.7				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	50	550	1402	97.0	44.7	6000	50	550	638	97.0	44.7				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	0	1902	91.4	44.7	6000	100	0	1138	97.0	44.7				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	100	50	1852	92.5	44.7	6000	100	50	1088	97.0	44.7				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	100	1802	93.8	44.7	6000	100	100	1038	97.0	44.7				
Pickup Bed Extender	Sub	-2	Add	22	5200	100	150	1752	95.1	44.7	6000	100	150	988	97.0	44.7				
Spray-In Bedliner	Sub	0	Add	20	5200	100	200	1702	96.5	44.7	6000	100	200	938	97.0	44.7				
Composite Side Aux. Steps - Platform w/o Lights	Add	28	Add	21	5200	100	250	1652	97.0	44.7	6000	100	250	888	97.0	44.7				
Side Aux Steps - w/Lights	Add	39	Add	25	5200	100	300	1602	97.0	44.7	6000	100	300	838	97.0	44.7				
5" Tubular Chromed Side Aux. Steps w/ Lights (VP Design) - 156" CC	Add	26	Add	21	5200	100	350	1552	97.0	44.7	6000	100	350	788	97.0	44.7				
6" Angular Chrome Step w/ Lights (VP Design)	Add	35	Add	31	5200	100	400	1502	97.0	44.7	6000	100	400	738	97.0	44.7				
Lower Body Molding	Add	2	Add	1	5200	100	450	1452	97.0	44.7	6000	100	450	688	97.0	44.7				
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	100	500	1402	97.0	44.7	6000	100	500	638	97.0	44.7				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5600	150	0	1852	97.0	44.7	6000	150	0	1068	97.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	50	1802	97.0	44.7	6000	150	50	1038	97.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	100	1752	97.0	44.7	6000	150	100	988	97.0	44.7				
Sliding Rear Window	Add	6	Add	1	5600	150	150	1702	97.0	44.7	6000	150	150	938	97.0	44.7				
Power Sliding Rear Window	Add	6	Add	2	5600	150	200	1652	97.0	44.7	6000	150	200	888	97.0	44.7				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	150	250	1602	97.0	44.7	6000	150	250	838	97.0	44.7				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5600	150	300	1552	97.0	44.7	6000	150	300	788	97.0	44.7				
Foglamps	Add	3	Sub	0	5600	150	350	1502	97.0	44.7	6000	150	350	738	97.0	44.7				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5600	150	400	1452	97.0	44.7	6000	150	400	688	97.0	44.7				
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5600	150	450	1402	97.0	44.7	6000	150	450	638	97.0	44.7				
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	6	5600	150	500	1352	97.0	44.7	6000	150	500	588	97.0	44.7				
All Weather Floor Mat	Add	10	Add	6	5600	150	550	1302	97.0	44.7	6000	150	550	538	97.0	44.7				
Electrochromic Rear View Mirror	Add	1	Sub	0	5600	150	550	1302	97.0	44.7	6000	150	550	538	97.0	44.7				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	200	0	1802	97.0	44.7	6000	200	0	1038	97.0	44.7				
Power Equipment Group	Add	15	Add	6	5600	200	50	1752	97.0	44.7	6000	200	50	988	97.0	44.7				
Adj Gas & Brake Pedals	Add	4	Add	3	5600	200	100	1702	97.0	44.7	6000	200	100	938	97.0	44.7				
Cruise Control	Add	3	Add	1	5600	200	150	1652	97.0	44.7	6000	200	150	888	97.0	44.7				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	200	200	1602	97.0	44.7	6000	200	200	838	97.0	44.7				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	200	250	1552	97.0	44.7	6000	200	250	788	97.0	44.7				
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	200	300	1502	97.0	44.7	6000	200	300	738	97.0	44.7				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	200	350	1452	97.0	44.7	6000	200	350	688	97.0	44.7				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	200	400	1402	97.0	44.7	6000	200	400	638	97.0	44.7				
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5600	200	450	1352	97.0	44.7	6000	200	450	588	97.0	44.7				
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5600	200	500	1302	97.0	44.7	6000	200	500	538	97.0	44.7				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	200	550	1252	97.0	44.7	6000	200	550	488	97.0	44.7				
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5600	250	0	1752	97.0	44.7	6000	250	0	988	97.0	44.7				
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5600	250	50	1702	97.0	44.7	6000	250	50	938	97.0	44.7				
Satellite Digital Broadcast	Add	2	Add	1	5600	250	100	1652	97.0	44.7	6000	250	100	888	97.0	44.7				
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	250	150	1602	97.0	44.7	6000	250	150	838	97.0	44.7				
FX4 Trim	Add	7	Add	7	5600	250	200	1552	97.0	44.7	6000	250	200	788	97.0	44.7				
Power Slide Sunroof	Add	21	Add	15	5600															



OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR							
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS	
				GAWR (Lb.)		FRONT (LB)	REAR (LB)		RATING	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)		FRONT (LB)		REAR (LB)	RATING
				I	II	III	IV	V	VI	I	II	III	IV	V	VI		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0													
Immersion Heater - Engine	Add	1	Sub	0	4250	-50	-50	2657	64.1	44.7	4850	-50	-50	2091	74.9	44.7	
Limited Slip Rear Axle	Add	0	Sub	5	4250	-50	0	2607	64.4	44.7	4850	-50	0	2041	75.6	44.7	
Brake Controller	Add	1	Sub	0	4250	-50	50	2557	64.8	44.7	4850	-50	50	1991	76.3	44.7	
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4250	-50	100	2507	65.1	44.7	4850	-50	100	1941	77.0	44.7	
Skid Plates	Add	18	Add	18	4400	0	-50	2807	69.9	44.7	4850	0	-50	2041	72.1	44.7	
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	2557	70.3	44.7	4850	0	0	1991	72.7	44.7	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	2507	70.8	44.7	4850	0	50	1941	73.3	44.7	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	2457	71.2	44.7	4850	0	100	1891	74.0	44.7	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4400	0	150	2407	71.7	44.7	4850	0	150	1841	74.7	44.7	
Extra Heavy Duty Alternator	Add	3	Sub	0	4400	0	200	2357	72.2	44.7	4850	0	200	1791	75.5	44.7	
Dual Alternator	Add	16	Sub	0	4400	0	250	2307	72.7	44.7	4850	0	250	1741	76.3	44.7	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4400	0	300	2257	73.3	44.7	4850	0	300	1691	77.1	44.7	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4400	0	350	2207	73.9	44.7	4850	0	350	1641	78.0	44.7	
Manual Air Conditioning	Add	34	Sub	-1	4400	50	0	2507	67.9	44.7	5000	50	0	1941	80.7	44.7	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4400	50	50	2457	68.3	44.7	5000	50	50	1891	81.0	44.7	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4400	50	100	2407	68.8	44.7	5000	50	100	1841	81.0	44.7	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4400	50	150	2357	69.2	44.7	5000	50	150	1791	81.0	44.7	
LT 275/60R18E A/S BSW (SRW Only)	Add	22	Add	22	4400	50	200	2307	69.7	44.7	5000	50	200	1741	81.0	44.7	
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4400	50	250	2257	70.2	44.7	5000	50	250	1691	81.0	44.7	
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4400	50	300	2207	70.7	44.7	5000	50	300	1641	81.0	44.7	
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4400	50	350	2157	71.2	44.7	5000	50	350	1591	81.0	44.7	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4400	100	0	2457	65.5	44.7	5000	100	0	1891	77.8	44.7	
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4400	100	50	2407	65.8	44.7	5000	100	50	1841	78.6	44.7	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4400	100	100	2357	66.2	44.7	5000	100	100	1791	79.4	44.7	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4400	100	150	2307	66.6	44.7	5000	100	150	1741	80.3	44.7	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4400	100	200	2257	67.0	44.7	5000	100	200	1691	81.0	44.7	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4400	100	250	2207	67.4	44.7	5000	100	250	1641	81.0	44.7	
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4400	100	300	2157	67.9	44.7	5000	100	300	1591	81.0	44.7	
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4400	100	350	2107	68.4	44.7	5000	100	350	1541	81.0	44.7	
Pickup Bed Extender	Sub	-2	Add	22	4850	150	0	2407	71.7	44.7	5000	150	0	1841	74.7	44.7	
Spray-in Bedliner	Sub	0	Add	16	4550	150	50	2357	72.2	44.7	5000	150	50	1791	75.5	44.7	
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	4550	150	100	2307	72.7	44.7	5000	150	100	1741	76.3	44.7	
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	4550	150	150	2257	73.3	44.7	5000	150	150	1691	77.1	44.7	
5" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	4550	150	200	2207	73.9	44.7	5000	150	200	1641	78.0	44.7	
Lower Bodyside Molding	Add	2	Add	1	4550	150	250	2157	74.5	44.7	5000	150	250	1591	79.0	44.7	
Reverse Vehicle Sensor System	Sub	0	Add	1	4550	150	300	2107	75.1	44.7	5000	150	300	1541	80.0	44.7	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4550	150	350	2057	75.8	44.7	5000	150	350	1491	81.0	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	200	0	2357	69.2	44.7	5250	200	0	1791	81.0	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	200	50	2307	69.7	44.7	5250	200	50	1741	81.0	44.7	
Sliding Rear Window	Add	6	Add	1	4550	200	100	2257	70.2	44.7	5250	200	100	1691	81.0	44.7	
Power Sliding Rear Window	Add	6	Add	2	4550	200	150	2207	70.7	44.7	5250	200	150	1641	81.0	44.7	
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4550	200	200	2157	71.2	44.7	5250	200	200	1591	81.0	44.7	
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4550	200	250	2107	71.7	44.7	5250	200	250	1541	81.0	44.7	
Foglamps	Add	3	Sub	0	4550	200	300	2057	72.3	44.7	5250	200	300	1491	81.0	44.7	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4550	200	350	2007	72.9	44.7	5250	200	350	1441	81.0	44.7	
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4550	250	0	2307	66.6	44.7	5250	250	0	1741	81.0	44.7	
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4550	250	50	2257	67.0	44.7	5250	250	50	1691	81.0	44.7	
All Weather Floor Mat	Add	10	Add	6	4550	250	100	2207	67.4	44.7	5250	250	100	1641	81.0	44.7	
Electrochromic Rear View Mirror	Add	1	Sub	0	4550	250	150	2157	67.9	44.7	5250	250	150	1591	81.0	44.7	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4550	250	200	2107	68.4	44.7	5250	250	200	1541	81.0	44.7	
Power Equipment Group	Add	12	Add	3	4550	250	250	2057	68.9	44.7	5250	250	250	1491	81.0	44.7	
Adj Gas & Brake Pedals	Add	4	Add	3	4550	250	300	2007	69.4	44.7	5250	250	300	1441	81.0	44.7	
Cruise Control	Add	3	Add	1	4550	250	350	1957	69.9	44.7	5250	250	350	1391	81.0	44.7	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2													
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3													
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9													
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1													
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2													
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5													
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2													
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2													
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4													
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6													
Satellite Digital Broadcast	Add	2	Add	1													
SYNC - Media Gateway Module (MGM)	Add	1	Add	0													
FX4 Trim	Add	7	Add	5													
XLT Trim	Add	19	Add	14													
Lariat Trim	Add	24	Add	13													
King Ranch Option	Add	24	Add	14													
Passenger Side Air Bag Delete	Sub	-10	Sub	-1													
Flat Splash Guards (SRW)	Add	2	Add	2													
Flat Splash Guards (DRW)	Sub	0	Add	8													
Bed Mat	Add	5	Add	45													
Low Profile Hood Deflector	Add	3	Sub	0													
Roll-up Tonneau Cover	Add	4	Add	22													
Cable/Strap Locks	Sub	0	Add	9													
<b>Total Option Weight</b>																	
* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.																	

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA											
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR				6.7L Diesel Engine 9900 lb (4490 kg) GVWR											
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	GAWR (Lb.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT (LB)	REAR (LB)	RATING (LB)	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)					FRONT (A) (IN)	REAR (B) (IN)	
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	4400	-50	-50	2533	70.8	44.7	5250	-50	-50	1691	81.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4400	-50	0	2483	71.3	44.7	5250	-50	0	1641	81.0	44.7
Brake Controller	Add	1	Sub	0	4400	-50	50	2433	71.8	44.7	5250	-50	50	1591	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4400	-50	100	2383	72.3	44.7	5250	-50	100	1541	81.0	44.7
Skid Plates	Add	20	Add	16	4400	0	-50	2483	66.1	44.7	5250	0	-50	1641	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	2433	68.6	44.7	5250	0	0	1591	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	2383	69.0	44.7	5250	0	50	1541	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	2333	69.4	44.7	5250	0	100	1491	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4400	0	150	2283	69.9	44.7	5250	0	150	1441	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4400	0	200	2233	70.4	44.7	5250	0	200	1391	81.0	44.7
Dual Alternator	Add	16	Sub	0	4400	0	250	2183	70.9	44.7	5250	0	250	1341	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4400	0	300	2133	71.5	44.7	5250	0	300	1291	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4400	0	350	2083	72.0	44.7	5250	0	350	1241	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	4400	0	400	2033	72.6	44.7	5250	50	0	1541	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4400	0	450	1983	73.2	44.7	5250	50	50	1491	81.0	44.7
LT 245/75R17E AT BSW	Sub	-1	Sub	-1	4400	0	500	1933	73.9	44.7	5250	50	100	1441	81.0	44.7
LT 265/70R17E AT OWL (SRW Only)	Add	11	Add	11	4550	50	0	2333	76.5	44.7	5250	50	150	1391	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	4550	50	50	2333	76.1	44.7	5250	50	200	1341	81.0	44.7
LT 275/70R18E AT BSW Premium (SRW Only)	Add	34	Add	34	4550	50	100	2283	76.8	44.7	5250	50	250	1291	81.0	44.7
LT 275/70R18E AT OWL Premium (SRW Only)	Add	34	Add	34	4550	50	150	2233	77.4	44.7	5250	50	300	1241	81.0	44.7
LT 275/65R20E AT OWL (SRW Only)	Add	41	Add	41	4550	50	200	2183	78.1	44.7	5250	50	350	1191	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4550	50	250	2133	78.8	44.7	5250	100	0	1491	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4550	50	300	2083	79.5	44.7	5250	100	50	1441	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4550	50	350	2033	80.3	44.7	5250	100	100	1391	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4550	50	400	1983	81.0	44.7	5250	100	150	1341	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4550	50	450	1933	81.0	44.7	5250	100	200	1291	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4550	50	500	1883	81.0	44.7	5250	100	250	1241	81.0	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4550	100	0	2333	72.8	44.7	5250	100	300	1191	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4550	100	50	2263	73.3	44.7	5250	100	350	1141	81.0	44.7
Truck Bed Extender	Sub	-2	Add	22	4550	100	100	2233	73.9	44.7	5250	150	0	1441	80.6	44.7
Spray-in Bedliner	Sub	0	Add	20	4550	100	150	2183	74.5	44.7	5250	150	50	1391	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	4550	100	200	2133	75.1	44.7	5250	150	100	1341	81.0	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	4550	100	250	2083	75.8	44.7	5250	150	150	1291	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	4550	100	300	2033	76.5	44.7	5250	150	200	1241	81.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	4550	100	350	1983	77.2	44.7	5250	150	250	1191	81.0	44.7
Lower Bodyside Molding	Add	2	Add	1	4550	100	400	1933	77.9	44.7	5250	150	300	1141	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4550	100	450	1883	78.7	44.7	5250	150	350	1091	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4550	100	500	1833	79.6	44.7	5250	200	0	1391	76.1	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	150	0	2283	69.9	44.7	5250	200	50	1341	77.2	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	150	50	2233	70.4	44.7	5250	200	100	1291	78.3	44.7
Sliding Rear Window	Add	6	Add	1	4550	150	100	2183	70.9	44.7	5250	200	150	1241	79.5	44.7
Power Sliding Rear Window	Add	6	Add	2	4550	150	150	2133	71.5	44.7	5250	200	200	1191	80.9	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4550	150	200	2083	72.0	44.7	5250	200	250	1141	81.0	44.7
Roof Marker/Clearance Lights - Conv	Sub	0	Sub	0	4550	150	250	2033	72.6	44.7	5250	200	300	1091	81.0	44.7
Foglamps	Add	3	Sub	0	4550	150	300	1983	73.2	44.7	5250	200	350	1041	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4550	150	350	1933	73.9	44.7	5250	250	0	1341	71.4	44.7
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	4550	150	400	1883	74.6	44.7	5250	250	50	1291	72.3	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4550	150	450	1833	75.3	44.7	5250	250	100	1241	73.2	44.7
All Weather Floor Mat	Add	10	Add	6	4550	150	500	1783	76.1	44.7	5250	250	150	1191	74.3	44.7
Electrochromic Rear View Mirror	Sub	0	Sub	0	4700	200	50	2183	78.1	44.7	5250	250	200	1141	75.5	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4700	200	100	2133	78.8	44.7	5250	250	250	1091	76.7	44.7
Power Equipment Group	Add	15	Add	6	4700	200	150	2083	79.5	44.7	5250	250	300	1041	78.1	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4700	200	200	2033	80.3	44.7	5250	250	350	991	79.6	44.7
Cruise Control	Add	3	Add	1	4700	200	250	1983	81.0	44.7	5250	300	0	1291	66.2	44.7
Front Seat - Individual 40/40 w/Center Under Seat Storage	Add	1	Sub	-2	4700	200	300	1933	81.0	44.7	5250	300	50	1241	67.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4700	200	350	1883	81.0	44.7	5250	300	100	1191	67.8	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4700	200	400	1833	81.0	44.7	5250	300	150	1141	68.6	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4700	200	450	1783	81.0	44.7	5250	300	200	1091	69.6	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4700	200	500	1733	81.0	44.7	5250	300	250	1041	70.6	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4700	250	50	2133	75.1	44.7	5250	300	300	991	71.8	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4700	250	100	2083	75.8	44.7	5250	300	350	941	73.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4700	250	150	2033	76.5	44.7						
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	4700	250	200	1983	77.2	44.7						
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	4700	250	250	1933	77.9	44.7						
Satellite Digital Broadcast	Add	2	Add	1	4700	250	300	1883	78.7	44.7						
SYNC - Media Gateway Module (MGM)	Add	1	Add	0	4700	250	350	1833	79.6	44.7						
FX4 Trim	Add	7	Add	7	4700	250	400	1783	80.5	44.7						
Power Slide Sunroof	Add	20	Add	16	4700	250	450	1733	81.0	44.7						
XLT Trim	Add	22	Add	17	4700	250	500	1683	81.0	44.7						
Lariat Trim	Add	26	Add	16	4700	300	0	2133	71.5	44.7						
King Ranch Option	Add	27	Add	17	4700	300	50	2083	72.0	44.7						
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	4700	300	100	2033	72.6	44.7						
Flat Splash Guards (SRW)	Add	2	Add	2	4700	300	150									

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA				VEHICLE LOADING DATA								
					6.2L Gasoline Engine 9900 lb (4490 kg) GVWR				6.7L Diesel Engine 9900 lb (4490 kg) GVWR								
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS			
					FRONT (LB)	REAR (LB)		(A) (IN)	REAR (B) (IN)		FRONT (LB)	REAR (LB)		(A) (IN)	REAR (B) (IN)		
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (IN)	REAR (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (IN)	REAR (B) (IN)		
				I	II	III	IV	V	VI	I	II	III	IV	V	VI		
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386													
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4550	-50	-50	2697	77.7	44.7	5250	-50	-50	1957	94.7	44.7	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4550	-50	0	2647	78.3	44.7	5250	-50	0	1907	95.9	44.7	
Immersion Heater - Engine	Add	1	Sub	0	4550	-50	50	2597	78.9	44.7	5250	-50	50	1857	97.0	44.7	
Limited Slip Rear Axle	Sub	0	Add	5	4550	-50	100	2547	79.5	44.7	5250	-50	100	1807	97.0	44.7	
Brake Controller	Add	1	Sub	0	4550	0	-50	2647	75.3	44.7	5250	0	-50	1907	91.8	44.7	
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4550	0	0	2597	75.8	44.7	5250	0	0	1857	92.9	44.7	
Skid Plates	Add	18	Add	20	4550	0	50	2547	76.4	44.7	5250	0	50	1807	94.2	44.7	
Rear Stabilizer Bar	Add	2	Add	26	4550	0	100	2497	77.0	44.7	5250	0	100	1757	95.5	44.7	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4550	0	150	2447	77.6	44.7	5250	0	150	1707	96.9	44.7	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4550	0	200	2397	78.2	44.7	5250	0	200	1657	97.0	44.7	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4550	0	250	2347	78.8	44.7	5250	0	250	1607	97.0	44.7	
Extra Heavy Duty Alternator	Add	3	Sub	0	4550	0	300	2297	79.5	44.7	5250	0	300	1557	97.0	44.7	
Dual Alternator	Add	16	Sub	0	4550	0	350	2247	80.2	44.7	5250	0	350	1507	97.0	44.7	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4550	0	400	2197	80.9	44.7	5250	0	400	1457	97.0	44.7	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4550	0	450	2147	81.7	44.7	5250	0	450	1407	97.0	44.7	
Manual Air Conditioning	Add	34	Sub	-1	4550	0	500	2097	82.5	44.7	5250	0	500	1357	97.0	44.7	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4550	0	500	2047	83.2	44.7	5250	0	500	1307	97.0	44.7	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4550	50	50	2497	73.3	44.7	5250	50	0	1807	89.8	44.7	
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4550	50	100	2447	74.3	44.7	5250	50	100	1707	92.3	44.7	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4550	50	150	2397	74.9	44.7	5250	50	150	1657	93.6	44.7	
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	4550	50	200	2347	75.5	44.7	5250	50	200	1607	95.0	44.7	
LT 275/65R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4550	50	250	2297	76.1	44.7	5250	50	250	1557	96.6	44.7	
LT 275/65R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4550	50	300	2247	76.7	44.7	5250	50	300	1507	97.0	44.7	
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4550	50	350	2197	77.3	44.7	5250	50	350	1457	97.0	44.7	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4550	50	400	2147	78.0	44.7	5250	50	400	1407	97.0	44.7	
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4550	50	450	2097	78.7	44.7	5250	50	450	1357	97.0	44.7	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4550	50	500	2047	79.5	44.7	5250	50	500	1307	97.0	44.7	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	100	0	2497	80.1	44.7	5250	100	0	1757	86.5	44.7	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4700	100	50	2447	80.8	44.7	5250	100	50	1707	87.7	44.7	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4700	100	100	2397	81.5	44.7	5250	100	100	1657	88.9	44.7	
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4700	100	150	2347	82.2	44.7	5250	100	150	1607	90.1	44.7	
Stepgate (Upgraded Tailgate)	Sub	-9	Add	41	4700	100	200	2297	82.9	44.7	5250	100	200	1557	91.5	44.7	
Pickup Bed Extender	Sub	-2	Add	22	4700	100	250	2247	83.7	44.7	5250	100	250	1507	92.9	44.7	
Spray-In Bedliner	Sub	0	Add	16	4700	100	300	2197	84.5	44.7	5250	100	300	1457	94.5	44.7	
Composite Side Aux. Steps - Platform w/o Lights	Add	24	Add	18	4700	100	350	2147	85.4	44.7	5250	100	350	1407	96.1	44.7	
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	4700	100	400	2097	86.3	44.7	5250	100	400	1357	97.0	44.7	
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	4700	100	450	2047	87.2	44.7	5250	100	450	1307	97.0	44.7	
Lower Bodyside Molding	Add	2	Add	1	4700	100	500	1997	88.2	44.7	5250	100	500	1257	97.0	44.7	
Reverse Vehicle Sensor System	Sub	0	Add	1	4700	150	0	2447	77.6	44.7	5250	150	0	1707	83.0	44.7	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4700	150	50	2397	78.2	44.7	5250	150	50	1657	84.1	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	150	100	2347	78.8	44.7	5250	150	100	1607	85.2	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	150	150	2297	79.5	44.7	5250	150	150	1557	86.4	44.7	
Sliding Rear Window	Add	6	Add	1	4700	150	200	2247	80.2	44.7	5250	150	200	1507	87.7	44.7	
Power Sliding Rear Window	Add	6	Add	2	4700	150	250	2197	80.9	44.7	5250	150	250	1457	89.1	44.7	
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4700	150	300	2147	81.7	44.7	5250	150	300	1407	90.5	44.7	
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4700	150	350	2097	82.5	44.7	5250	150	350	1357	92.1	44.7	
Foglamps	Add	3	Sub	0	4700	150	400	2047	83.4	44.7	5250	150	400	1307	93.8	44.7	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4700	150	450	1997	84.2	44.7	5250	150	450	1257	95.6	44.7	
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	4700	150	500	1947	85.2	44.7	5250	150	500	1207	97.0	44.7	
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4700	200	0	2397	74.9	44.7	5250	200	0	1657	79.3	44.7	
All Weather Floor Mat	Add	10	Add	6	4700	200	50	2347	75.5	44.7	5250	200	50	1607	80.3	44.7	
Electrochromic Rear View Mirror	Add	1	Sub	0	4700	200	100	2297	76.1	44.7	5250	200	100	1557	81.3	44.7	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4700	200	150	2247	76.7	44.7	5250	200	150	1507	82.4	44.7	
Power Equipment Group	Add	12	Add	3	4700	200	200	2197	77.3	44.7	5250	200	200	1457	83.6	44.7	
Adj Gas & Brake Pedals	Add	4	Add	3	4700	200	250	2147	78.0	44.7	5250	200	250	1407	84.9	44.7	
Cruise Control	Add	3	Add	1	4700	200	300	2097	78.7	44.7	5250	200	300	1357	86.3	44.7	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4700	200	350	2047	79.5	44.7	5250	200	350	1307	87.7	44.7	
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4700	200	400	1997	80.3	44.7	5250	200	400	1257	89.3	44.7	
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	9	4700	200	450	1947	81.1	44.7	5250	200	450	1207	91.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4700	200	500	1897	82.0	44.7	5250	200	500	1157	92.9	44.7	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4850	250	0	2347	82.2	44.7	5250	250	0	1607	75.4	44.7	
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4850	250	50	2297	82.9	44.7	5250	250	50	1557	76.3	44.7	
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4850	250	100	2247	83.7	44.7	5250	250	100	1507	77.2	44.7	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4850	250	150	2197	84.5	44.7	5250	250	150	1457	78.2	44.7	
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	4850	250	200	2147	85.4	44.7	5250	250	200	1407	79.3	44.7	
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	4850	250	250	2097	86.3	44.7	5250	250	250	1357	80.5	44.7	
Satellite Digital Broadcast	Add	2	Add	1	4850	250	300	2047	87.2	44.7	5250	250	300	1307	81.7	44.7	
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	4850	250	350	1997	88.2	44.7	5250	250	350	1257	83.0	44.7	
FX4 Trim	Add	7	Add	5	4850	250	400	1947	89.2	44.7	5250	250	400	1207	84.5	44.7	
XLT Trim	Add	19															



OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR										6.7L Diesel Engine 9900 lb (4490 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT	REAR (Lb.)	CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS						
					FRONT (Lb.)	REAR (Lb.)		RATING	FRONT (A) (Lb.)					REAR (B) (Lb.)	FRONT (A) (In)	REAR (B) (In)				
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386																
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428																
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4700	-50	0	2394	85.3	44.7	5250	-50	-50	1700	92.5	44.7				
Immersion Heater - Engine	Add	1	Sub	0	4700	-50	0	2344	86.0	44.7	5250	-50	0	1650	93.8	44.7				
Limited Slip Rear Axle	Sub	0	Add	5	4700	-50	100	2294	86.9	44.7	5250	-50	50	1600	95.3	44.7				
Brake Controller	Add	1	Sub	0	4700	-50	100	2244	87.7	44.7	5250	-50	100	1550	96.8	44.7				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4700	-50	200	2144	89.6	44.7	5250	0	0	1600	89.9	44.7				
Skid Plates	Add	19	Add	17	4700	-50	250	2094	90.6	44.7	5250	0	50	1550	91.2	44.7				
Rear Stabilizer Bar	Add	2	Add	26	4700	-50	300	2044	91.6	44.7	5250	0	100	1500	92.7	44.7				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4700	-50	350	1994	92.7	44.7	5250	0	150	1450	94.2	44.7				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4700	-50	400	1944	93.9	44.7	5250	0	200	1400	95.9	44.7				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4700	-50	500	1844	96.4	44.7	5250	0	250	1350	97.0	44.7				
Extra Heavy Duty Alternator	Add	3	Sub	0	4700	0	0	2294	83.1	44.7	5250	0	300	1300	97.0	44.7				
Dual Alternator	Add	16	Sub	0	4700	0	50	2244	83.9	44.7	5250	0	350	1250	97.0	44.7				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4700	0	100	2194	84.7	44.7	5250	0	400	1200	97.0	44.7				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4700	0	150	2144	85.6	44.7	5250	0	450	1150	97.0	44.7				
Manual Air Conditioning	Add	34	Sub	-1	4700	0	200	2094	86.5	44.7	5250	0	500	1100	97.0	44.7				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4700	0	250	2044	87.4	44.7	5250	50	0	1550	85.7	44.7				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4700	0	300	1994	88.4	44.7	5250	50	50	1500	86.9	44.7				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4700	0	350	1944	89.5	44.7	5250	50	100	1450	88.3	44.7				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4700	0	400	1894	90.5	44.7	5250	50	150	1400	89.7	44.7				
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	4700	0	500	1794	92.9	44.7	5250	50	200	1350	91.2	44.7				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4700	50	0	2244	80.1	44.7	5250	50	250	1300	92.9	44.7				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4700	50	50	2194	80.8	44.7	5250	50	300	1250	94.7	44.7				
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4700	50	100	2144	81.6	44.7	5250	50	350	1200	96.7	44.7				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4700	50	150	2094	82.4	44.7	5250	50	400	1150	97.0	44.7				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4700	50	200	2044	83.2	44.7	5250	50	450	1100	97.0	44.7				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4700	50	250	1994	84.1	44.7	5250	50	500	1050	97.0	44.7				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	50	300	1944	85.0	44.7	5250	100	0	1500	81.2	44.7				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4700	50	350	1894	86.0	44.7	5250	100	50	1450	83.3	44.7				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4700	50	400	1844	87.0	44.7	5250	100	100	1400	83.5	44.7				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4700	50	500	1744	89.3	44.7	5250	100	150	1350	84.9	44.7				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4850	100	0	2194	88.7	44.7	5250	100	200	1300	86.3	44.7				
Pickup Bed Extender	Sub	-2	Add	22	4850	100	50	2144	89.6	44.7	5250	100	250	1250	87.8	44.7				
Spray-In Bedliner	Sub	0	Add	20	4850	100	100	2094	90.6	44.7	5250	100	300	1200	89.5	44.7				
Composite Side Aux. Steps - Platform w/o Lights	Add	28	Add	21	4850	100	150	2044	91.6	44.7	5250	100	350	1150	91.3	44.7				
Side Aux Steps - w/Lights	Add	39	Add	25	4850	100	200	1994	92.7	44.7	5250	100	400	1100	93.2	44.7				
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	26	Add	21	4850	100	250	1944	93.9	44.7	5250	100	450	1050	95.4	44.7				
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	4850	100	300	1894	95.1	44.7	5250	100	500	1000	97.0	44.7				
Lower Body Side Molding	Add	2	Add	1	4850	100	350	1844	96.4	44.7	5250	150	0	1450	76.4	44.7				
Reverse Vehicle Sensor System	Sub	0	Add	1	4850	100	400	1794	97.0	44.7	5250	150	50	1400	77.4	44.7				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4850	100	500	1694	97.0	44.7	5250	150	100	1350	78.5	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	150	0	2144	85.6	44.7	5250	150	150	1300	78.6	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	150	50	2094	86.5	44.7	5250	150	200	1250	80.9	44.7				
Sliding Rear Window	Add	6	Add	1	4850	150	100	2044	87.4	44.7	5250	150	250	1200	82.3	44.7				
Power Sliding Rear Window	Add	6	Add	2	4850	150	150	1994	88.4	44.7	5250	150	300	1150	83.8	44.7				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4850	150	200	1944	89.5	44.7	5250	150	350	1100	85.4	44.7				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4850	150	250	1894	90.5	44.7	5250	150	400	1050	87.2	44.7				
Foglamps	Add	3	Sub	0	4850	150	300	1844	91.7	44.7	5250	150	450	1000	89.2	44.7				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4850	150	350	1794	92.9	44.7	5250	150	500	950	91.3	44.7				
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4850	150	400	1744	94.2	44.7	5250	200	0	1400	71.2	44.7				
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4850	150	500	1644	97.0	44.7	5250	200	50	1350	72.1	44.7				
All Weather Floor Mat	Add	10	Add	6	4850	200	0	2094	82.4	44.7	5250	200	100	1300	73.0	44.7				
Electrochromic Rear View Mirror	Add	1	Sub	0	4850	200	50	2044	83.2	44.7	5250	200	150	1250	74.0	44.7				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4850	200	100	1994	84.1	44.7	5250	200	200	1200	75.1	44.7				
Power Equipment Group	Add	15	Add	6	4850	200	150	1944	85.0	44.7	5250	200	250	1150	76.3	44.7				
Adj Gas & Brake Pedals	Add	4	Add	3	4850	200	200	1894	86.0	44.7	5250	200	300	1100	77.6	44.7				
Cruise Control	Add	3	Add	1	4850	200	250	1844	87.0	44.7	5250	200	350	1050	79.0	44.7				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4850	200	300	1794	88.1	44.7	5250	200	400	1000	80.5	44.7				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4850	200	350	1744	89.3	44.7	5250	200	450	950	82.2	44.7				
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4850	200	400	1694	90.5	44.7	5250	200	500	900	84.2	44.7				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4850	200	500	1594	93.2	44.7	5250	250	0	1350	65.7	44.7				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5000	250	0	2044	91.6	44.7	5250	250	50	1300	66.4	44.7				
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5000	250	50	1994	92.7	44.7	5250	250	100	1250	67.1	44.7				
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5000	250	100	1944	93.9	44.7	5250	250	150	1200	67.9	44.7				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5000	250	150	1894	95.1	44.7	5250	250	200	1150	68.8	44.7				
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5000	250	200	1844	96.4	44.7	5250	250	250	1100	69.7	44.7				
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5000	250	250	1794	97.0	44.7	5250	250	300	1050	70.8	44.7				
Satellite Digital Broadcast	Add	2	Add	1	5000	250	300	1744	97.0	44.7	5250	250	350	1000	71.9	44.7				
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5000	250	350	1694	97.0	44.7	5250	250	400	950	73.2	44.7				
FX4 Trim	Add	7	Add	7	5000	250	400	1644	97.0	44.7	5250	250	450	900	74.6	44.7				
Power Side Sunroof	Add	21	Add	15	5000	250	500	1544	97.0	44.7	5250	250	500	850	76.1	44.7				
XLT Trim	Add	22																		

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR										6.7L Diesel Engine 9900 lb (4490 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT (Lb.)	OPTION WEIGHT (Lb.)		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT (Lb.)		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS				
		GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)		FRONT (A) (IN)	REAR (B) (IN)		GAWR (Lb.)	FRONT (Lb.)		REAR (Lb.)	RATING (Lb.)		FRONT (A) (IN)	REAR (B) (IN)			
	I	II	III	IV	V	VI		I	II	III	IV	V	VI		I	II	III	IV	V	VI
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386																
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4800	-50	-50	3022	84.6	45.0	5200	-50	-50	2432	84.6	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4800	-50	0	2972	85.2	45.0	5200	-50	0	2382	85.4	45.0				
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	50	2922	85.8	45.0	5200	-50	50	2332	86.2	45.0				
Limited Slip Rear Axle	Sub	0	Add	5	4800	-50	100	2872	86.5	45.0	5200	-50	100	2282	87.1	45.0				
Brake Controller	Add	1	Sub	0	4800	0	-50	2972	82.9	45.0	5200	0	-50	2382	82.5	45.0				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	0	0	2922	83.5	45.0	5200	0	0	2332	83.3	45.0				
Skid Plates	Add	16	Add	20	4800	0	50	2872	84.1	45.0	5200	0	50	2282	84.1	45.0				
Rear Stabilizer Bar	Add	2	Add	26	4800	0	100	2822	84.7	45.0	5200	0	100	2232	84.9	45.0				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	150	2772	85.4	45.0	5200	0	200	2132	86.6	45.0				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	200	2722	86.1	45.0	5200	0	250	2082	87.5	45.0				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	250	2672	86.8	45.0	5200	0	300	2032	88.5	45.0				
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	300	2622	87.6	45.0	5200	0	350	1982	89.5	45.0				
Dual Alternator	Add	16	Sub	0	4800	0	350	2572	88.3	45.0	5200	0	400	1932	90.6	45.0				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	400	2522	89.1	45.0	5200	0	450	1882	91.7	45.0				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	450	2472	90.0	45.0	5200	0	500	1832	92.9	45.0				
Manual Air Conditioning	Add	34	Sub	-1	4800	0	500	2422	90.8	45.0	5200	50	0	2282	81.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	50	0	2872	81.7	45.0	5200	50	50	2232	81.8	45.0				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	50	2822	82.3	45.0	5200	50	100	2182	82.6	45.0				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	50	100	2772	82.9	45.0	5200	50	200	2082	84.2	45.0				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	2722	83.6	45.0	5200	50	250	2032	85.1	45.0				
LT 275/65R18E A/S BSW (SRW Only)	Sub	-15	Sub	-31	4800	50	200	2672	84.3	45.0	5200	50	300	1982	86.1	45.0				
LT 275/70R18E A/T BSW Premium (SRW Only)	Sub	9	Add	60	4800	50	250	2622	84.9	45.0	5200	50	350	1932	87.1	45.0				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	2572	85.7	45.0	5200	50	400	1882	88.1	45.0				
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4800	50	350	2522	86.4	45.0	5200	50	450	1832	89.2	45.0				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4800	50	400	2472	87.2	45.0	5200	50	500	1782	90.4	45.0				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4800	50	450	2422	88.0	45.0	5200	100	0	2232	78.7	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4800	50	500	2372	88.9	45.0	5200	100	50	2182	79.4	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4800	100	0	2822	79.9	45.0	5200	100	100	2132	80.2	45.0				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4800	100	50	2772	80.5	45.0	5200	100	200	2032	81.8	45.0				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4800	100	100	2722	81.1	45.0	5200	100	250	1982	82.6	45.0				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4800	100	150	2672	81.7	45.0	5200	100	300	1932	83.5	45.0				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	100	200	2622	82.3	45.0	5200	100	350	1882	84.5	45.0				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	100	250	2572	83.0	45.0	5200	100	400	1832	85.5	45.0				
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4800	100	300	2522	83.7	45.0	5200	100	450	1782	86.5	45.0				
Stepgate (Upgraded Tailgate)	Add	41	Add	41	4800	100	350	2472	84.4	45.0	5200	100	500	1732	87.6	45.0				
Pickup Bed Extender	Sub	-2	Add	22	4800	100	400	2422	85.2	45.0	5600	150	0	2182	97.0	45.0				
Spray-In Bedliner	Add	1	Add	19	4800	100	450	2372	86.0	45.0	5600	150	50	2132	97.0	45.0				
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4800	100	500	2322	86.8	45.0	5600	150	100	2082	97.0	45.0				
Lower Bodyside Molding	Add	2	Add	1	4800	150	0	2772	78.0	45.0	5600	150	200	1982	97.0	45.0				
Reverse Vehicle Sensor System	Sub	0	Add	1	4800	150	50	2722	78.6	45.0	5600	150	250	1932	97.0	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4800	150	100	2672	79.1	45.0	5600	150	300	1882	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	150	2622	79.7	45.0	5600	150	350	1832	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	200	2572	80.3	45.0	5600	150	400	1782	97.0	45.0				
Sliding Rear Window	Add	6	Add	1	4800	150	250	2522	81.0	45.0	5600	150	450	1732	97.0	45.0				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4800	150	300	2472	81.7	45.0	5600	150	500	1682	97.0	45.0				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4800	150	350	2422	82.4	45.0	5600	200	0	2132	97.0	45.0				
Foglamps	Add	3	Sub	0	4800	150	400	2372	83.1	45.0	5600	200	50	2082	97.0	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4800	150	450	2322	83.8	45.0	5600	200	100	2032	97.0	45.0				
XLT Floor Mats Less Logo (Color Keyed)	Add	3	Add	1	4800	150	500	2272	84.6	45.0	5600	200	200	1932	97.0	45.0				
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	4800	200	0	2722	76.0	45.0	5600	200	250	1882	97.0	45.0				
All Weather Floor Mat	Add	6	Add	4	4800	200	50	2672	76.6	45.0	5600	200	300	1832	97.0	45.0				
Electrochromic Rear View Mirror	Add	1	Sub	0	4800	200	100	2622	77.1	45.0	5600	200	350	1782	97.0	45.0				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4800	200	150	2572	77.7	45.0	5600	200	400	1732	97.0	45.0				
Power Equipment Group	Add	12	Add	3	4800	200	200	2522	78.3	45.0	5600	200	450	1682	97.0	45.0				
Adj Gas & Brake Pedals	Add	4	Add	3	4800	200	250	2472	78.9	45.0	5600	200	500	1632	97.0	45.0				
Cruise Control	Add	3	Add	1	4800	200	300	2422	79.5	45.0	5600	250	0	2082	97.0	45.0				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4800	200	350	2372	80.2	45.0	5600	250	50	2032	97.0	45.0				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4800	200	400	2322	80.9	45.0	5600	250	100	1982	97.0	45.0				
Crew cab - Second Row 60/40 w/Under Seat Storage	Sub	9	Add	9	4800	200	450	2272	81.6	45.0	5600	250	200	1882	97.0	45.0				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4800	200	500	2222	82.4	45.0	5600	250	250	1832	97.0	45.0				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	0	2672	94.5	45.0	5600	250	300	1782	97.0	45.0				
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	250	50	2622	95.4	45.0	5600	250	350	1732	97.0	45.0				



OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (Lb.)	REAR (Lb.)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)		
					I	II	III	IV	V		VI	I	II	III	IV	V
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	-50	2130	81.0	44.7	5600	-50	-50	1475	81.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	0	2080	81.0	44.7	5600	-50	0	1425	81.0	44.7
Brake Controller	Add	1	Sub	0	5200	-50	50	2030	81.0	44.7	5600	-50	50	1375	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	100	1980	81.0	44.7	5600	-50	100	1325	81.0	44.7
Skid Plates	Add	20	Add	16	5200	0	-50	2080	81.0	44.7	5600	0	-50	1425	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	0	0	2030	81.0	44.7	5600	0	0	1375	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	50	1980	81.0	44.7	5600	0	50	1325	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	100	1930	81.0	44.7	5600	0	100	1275	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	150	1880	81.0	44.7	5600	0	150	1225	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	200	1830	81.0	44.7	5600	0	200	1175	81.0	44.7
Dual Alternator	Add	16	Sub	0	5200	0	250	1780	81.0	44.7	5600	0	250	1125	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	300	1730	81.0	44.7	5600	0	300	1075	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	350	1680	81.0	44.7	5600	0	350	1025	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	0	400	1630	81.0	44.7	5600	0	400	975	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	50	0	1980	81.0	44.7	5600	50	0	1325	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	50	1930	81.0	44.7	5600	50	50	1275	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	1880	81.0	44.7	5600	50	100	1225	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5200	50	150	1830	81.0	44.7	5600	50	150	1175	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	1780	81.0	44.7	5600	50	200	1125	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	1730	81.0	44.7	5600	50	250	1075	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5200	50	300	1680	81.0	44.7	5600	50	300	1025	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	1630	81.0	44.7	5600	50	350	975	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	50	400	1580	81.0	44.7	5600	50	400	925	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	100	0	1930	81.0	44.7	5600	100	0	1275	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	100	50	1880	81.0	44.7	5600	100	50	1225	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	100	100	1830	81.0	44.7	5600	100	100	1175	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	150	1780	81.0	44.7	5600	100	150	1125	81.0	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	100	200	1730	81.0	44.7	5600	100	200	1075	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	250	1680	81.0	44.7	5600	100	250	1025	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	100	300	1630	81.0	44.7	5600	100	300	975	81.0	44.7
Spray-in Bedliner	Sub	0	Add	20	5200	100	350	1580	81.0	44.7	5600	100	350	925	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	5200	100	400	1530	81.0	44.7	5600	100	400	875	81.0	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	5200	150	0	1880	81.0	44.7	5600	150	0	1225	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	5200	150	50	1830	81.0	44.7	5600	150	50	1175	81.0	44.7
8" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5200	150	100	1780	81.0	44.7	5600	150	100	1125	81.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	150	150	1730	81.0	44.7	5600	150	150	1075	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	200	1680	81.0	44.7	5600	150	200	1025	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	250	1630	81.0	44.7	5600	150	250	975	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	300	1580	81.0	44.7	5600	150	300	925	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	350	1530	81.0	44.7	5600	150	350	875	81.0	44.7
Sliding Rear Window	Add	6	Add	1	5200	150	400	1480	81.0	44.7	5600	150	400	825	81.0	44.7
Pwr Sliding Rear Window	Add	6	Add	2	5200	200	0	1830	81.0	44.7	6000	200	0	1175	81.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	-2	Add	2	5200	200	50	1780	81.0	44.7	6000	200	50	1125	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	100	1730	81.0	44.7	6000	200	100	1075	81.0	44.7
Foglamps	Add	3	Sub	0	5200	200	150	1680	81.0	44.7	6000	200	150	1025	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	200	1630	81.0	44.7	6000	200	200	975	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	250	1580	81.0	44.7	6000	200	250	925	81.0	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	200	300	1530	81.0	44.7	6000	200	300	875	81.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	200	350	1480	81.0	44.7	6000	200	350	825	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	200	400	1430	81.0	44.7	6000	200	400	775	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	0	1780	81.0	44.7	6000	250	0	1125	81.0	44.7
Power Equipment Group	Add	15	Add	6	5200	250	50	1730	81.0	44.7	6000	250	50	1075	81.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	100	1680	81.0	44.7	6000	250	100	1025	81.0	44.7
Cruise Control	Add	3	Add	1	5200	250	150	1630	81.0	44.7	6000	250	150	975	81.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	250	200	1580	81.0	44.7	6000	250	200	925	81.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	250	250	1530	81.0	44.7	6000	250	250	875	81.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	250	300	1480	81.0	44.7	6000	250	300	825	81.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	250	350	1430	81.0	44.7	6000	250	350	775	81.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	400	1380	81.0	44.7	6000	250	400	725	81.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Sub	-20	Add	5	5200	300	0	1730	81.0	44.7	6000	300	0	1075	81.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Add	-5	Sub	-2	5200	300	50	1680	81.0	44.7	6000	300	50	1025	81.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	100	1630	81.0	44.7	6000	300	100	975	81.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5200	300	150	1580	81.0	44.7	6000	300	150	925	81.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5200	300	200	1530	81.0	44.7	6000	300	200	875	81.0	44.7
Satellite Digital Broadcast	Add	2	Add	1	5200	300	250	1480	81.0	44.7	6000	300	250	825	81.0	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Add	0	5200	300	300	1430	81.0	44.7	6000	300	300	775	81.0	44.7
F-X4 Trim	Add	7	Add	7	5200	300	350	1380	81.0	44.7	6000	300	350	725	81.0	44.7
Power Slide Sunroof	Add	20	Add	16	5200	300	400	1330	81.0	44.7	6000	300	400	675	81.0	44.7
XLT Trim	Add	22	Add	17							6000	350	0	1025	81.0	44.7
Lariat Trim	Add	26	Add	16							6000	350	50	975	81.0	44.7
King Ranch Option	Add	27	Add	17							6000	350	100	925	81.0	44.7
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		FRONT (IN)	REAR (IN)		FRONT (IN)	REAR (IN)				
					I	II	III	IV	V		VI	I	II	III	IV	V
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	-50	2220	97.0	44.7	5600	-50	-50	1402	97.0	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	2170	97.0	44.7	5600	-50	0	1352	97.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	2120	97.0	44.7	5600	-50	50	1302	97.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	100	2070	97.0	44.7	5600	-50	100	1252	97.0	44.7
Brake Controller	Add	1	Sub	0	5200	0	-50	2170	97.0	44.7	5600	0	-50	1352	97.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	0	2170	97.0	44.7	5600	0	0	1302	97.0	44.7
Skid Plates	Add	18	Add	20	5200	-50	50	2120	97.0	44.7	5600	0	50	1252	97.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	-50	100	2070	97.0	44.7	5600	0	100	1202	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	-50	150	2020	97.0	44.7	5600	0	150	1152	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	-50	200	1970	97.0	44.7	5600	0	200	1102	97.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	-50	250	1920	97.0	44.7	5600	0	250	1052	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	-50	300	1870	97.0	44.7	5600	0	300	1002	97.0	44.7
Dual Alternator	Add	16	Sub	0	5200	-50	350	1820	97.0	44.7	5600	0	350	952	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	-50	400	1770	97.0	44.7	5600	0	400	902	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	-50	450	1720	97.0	44.7	5600	0	450	852	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	-50	500	1670	97.0	44.7	5600	0	500	802	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	-50	2170	97.0	44.7	5600	50	0	1252	97.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	0	0	2120	97.0	44.7	5600	50	50	1202	97.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	0	50	2070	97.0	44.7	5600	50	100	1152	97.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	0	100	2020	97.0	44.7	5600	50	150	1102	97.0	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	0	150	1970	97.0	44.7	5600	50	200	1052	97.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	0	200	1920	97.0	44.7	5600	50	250	1002	97.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	0	250	1870	97.0	44.7	5600	50	300	952	97.0	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	0	300	1820	97.0	44.7	5600	50	350	902	97.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	0	350	1770	97.0	44.7	5600	50	400	852	97.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	0	400	1720	97.0	44.7	5600	50	450	802	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	0	450	1670	97.0	44.7	5600	50	500	752	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	0	500	1620	97.0	44.7	6000	100	0	1202	97.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	50	0	2070	97.0	44.7	6000	100	50	1152	97.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	50	50	2020	97.0	44.7	6000	100	100	1102	97.0	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	50	100	1970	97.0	44.7	6000	100	150	1052	97.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-5	Add	41	5200	50	150	1920	97.0	44.7	6000	100	200	1002	97.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	50	200	1870	97.0	44.7	6000	100	250	952	97.0	44.7
Spray-In Bedliner	Sub	0	Add	16	5200	50	250	1820	97.0	44.7	6000	100	300	902	97.0	44.7
Composite Side Aux. Steps - Platform w/Lights	Add	24	Add	18	5200	50	300	1770	97.0	44.7	6000	100	350	852	97.0	44.7
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	16	Add	20	5200	50	350	1720	97.0	44.7	6000	100	400	802	97.0	44.7
6" Angular Chrome Step w/Lights (VP Design)	Add	30	Add	27	5200	50	400	1670	97.0	44.7	6000	100	450	752	97.0	44.7
Lower Body Side Molding	Add	2	Add	1	5200	50	450	1620	97.0	44.7	6000	100	500	702	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	50	500	1570	97.0	44.7	6000	150	0	1152	97.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	100	0	2020	97.0	44.7	6000	150	50	1102	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	50	1970	97.0	44.7	6000	150	100	1052	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	100	1920	97.0	44.7	6000	150	150	1002	97.0	44.7
Sliding Rear Window	Add	6	Add	1	5200	100	150	1870	97.0	44.7	6000	150	200	952	97.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5200	100	200	1820	97.0	44.7	6000	150	250	902	97.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	100	250	1770	97.0	44.7	6000	150	300	852	97.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	100	300	1720	97.0	44.7	6000	150	350	802	97.0	44.7
Foglamps	Add	3	Sub	0	5200	100	350	1670	97.0	44.7	6000	150	400	752	97.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	100	400	1620	97.0	44.7	6000	150	450	702	97.0	44.7
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	5200	100	450	1570	97.0	44.7	6000	150	500	652	97.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	100	500	1520	97.0	44.7	6000	200	0	1102	97.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	150	0	1970	94.8	44.7	6000	200	50	1052	97.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	150	50	1920	96.1	44.7	6000	200	100	1002	97.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	150	100	1870	97.0	44.7	6000	200	150	952	97.0	44.7
Power Equipment Group	Add	12	Add	3	5200	150	150	1820	97.0	44.7	6000	200	200	902	97.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	150	200	1770	97.0	44.7	6000	200	250	852	97.0	44.7
Cruise Control	Add	3	Add	1	5200	150	250	1720	97.0	44.7	6000	200	300	802	97.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	150	300	1670	97.0	44.7	6000	200	350	752	97.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	150	350	1620	97.0	44.7	6000	200	400	702	97.0	44.7
Crew Cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	150	400	1570	97.0	44.7	6000	200	450	652	97.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	150	450	1520	97.0	44.7	6000	200	500	602	97.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	150	500	1470	97.0	44.7	6000	250	0	1052	97.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	20	Add	5	5200	200	0	1920	92.0	44.7	6000	250	50	1002	97.0	44.7	
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	200	50	1870	93.1	44.7	6000	250	100	952	97.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	200	100	1820	94.4	44.7	6000	250	150	902	97.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	200	150	1770	95.7	44.7	6000	250	200	852	97.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	5200	200	200	1720	97.0	44.7	6000	250	250	802	97.0	44.7
Satellite Digital Broadcast	Add	2	Add	1	5200	200	250	1670	97.0	44.7	6000	250	300	752	97.0	44.7
SVHC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	200	300	1620	97.0	44.7	6000	250	350	702	97.0	44.7
FX4 Trim	Add	7	Add	5	5200	200	350	1570	97.0	44.7	6000	250	400	652	97.0	44.7
XLT Trim	Add	19	Add	14	5200	200	400	1520	97.0	44.7	6000	250	450	602	97.0	44.7
Lariat Trim	Add	24	Add	13	5200	200	450	1470	97.0	44.7	6000	250	500	552		

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR										6.7L Diesel Engine 9900 lb (4490 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS						
					FRONT (LB)	REAR (LB)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (LB)		FRONT (LB)	REAR (LB)	RATING	FRONT (A) (IN)	REAR (B) (IN)		
			GAWR (Lb.)	II	III	IV	V	VI		II	III	IV	V	VI						
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386																
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428																
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	1977	97.0	44.7	6000	-50	0	1213	97.0					
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	1927	97.0	44.7	6000	-50	50	1163	97.0					
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	100	1877	97.0	44.7	6000	-50	100	1113	97.0					
Brake Controller	Add	1	Sub	0	5200	0	-50	1977	97.0	44.7	6000	0	-50	1213	97.0					
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	1927	97.0	44.7	6000	0	0	1163	97.0					
Skid Plates	Add	19	Add	17	5200	0	50	1877	97.0	44.7	6000	0	50	1113	97.0					
Rear Stabilizer Bar	Add	2	Add	26	5200	0	100	1827	97.0	44.7	6000	0	100	1063	97.0					
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	150	1777	97.0	44.7	6000	0	150	1013	97.0					
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	200	1727	97.0	44.7	6000	0	200	963	97.0					
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	250	1677	97.0	44.7	6000	0	250	913	97.0					
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	300	1627	97.0	44.7	6000	0	300	863	97.0					
Dual Alternator	Add	16	Sub	0	5200	0	350	1577	97.0	44.7	6000	0	350	813	97.0					
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	400	1527	97.0	44.7	6000	0	400	763	97.0					
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	450	1477	97.0	44.7	6000	0	450	713	97.0					
Manual Air Conditioning	Add	34	Sub	-1	5200	0	500	1427	97.0	44.7	6000	0	500	663	97.0					
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	550	1377	97.0	44.7	6000	0	550	613	97.0					
LT 245/75R17E A/T BSW	Sub	-1	Sub	0	5200	50	0	1877	97.0	44.7	6000	50	0	1113	97.0					
LT 245/75R17E A/T OWL	Sub	-1	Sub	0	5200	50	50	1827	97.0	44.7	6000	50	50	1063	97.0					
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	1777	97.0	44.7	6000	50	100	1013	97.0					
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	50	150	1727	97.0	44.7	6000	50	150	963	97.0					
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	1677	97.0	44.7	6000	50	200	913	97.0					
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	1627	97.0	44.7	6000	50	250	863	97.0					
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	50	300	1577	97.0	44.7	6000	50	300	813	97.0					
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	1527	97.0	44.7	6000	50	350	763	97.0					
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	50	400	1477	97.0	44.7	6000	50	400	713	97.0					
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	50	450	1427	97.0	44.7	6000	50	450	663	97.0					
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	50	500	1377	97.0	44.7	6000	50	500	613	97.0					
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	50	550	1327	97.0	44.7	6000	50	550	563	97.0					
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	0	1827	97.0	44.7	6000	100	0	1063	97.0					
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	100	50	1777	95.3	44.7	6000	100	50	1013	97.0					
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	100	1727	96.7	44.7	6000	100	100	963	97.0					
Pickup Bed Extender	Sub	-2	Add	22	5200	100	150	1677	97.0	44.7	6000	100	150	913	97.0					
Spray-In Bedliner	Sub	0	Add	20	5200	100	200	1627	97.0	44.7	6000	100	200	863	97.0					
Composite Side Aux. Steps - Platform w/o Lights	Add	28	Add	21	5200	100	250	1577	97.0	44.7	6000	100	250	813	97.0					
Side Aux Steps - w/Lights	Add	39	Add	25	5200	100	300	1527	97.0	44.7	6000	100	300	763	97.0					
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	26	Add	21	5200	100	350	1477	97.0	44.7	6000	100	350	713	97.0					
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5200	100	400	1427	97.0	44.7	6000	100	400	663	97.0					
Lower Bodyside Molding	Add	2	Add	1	5200	100	450	1377	97.0	44.7	6000	100	450	613	97.0					
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	100	500	1327	97.0	44.7	6000	100	500	563	97.0					
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	100	550	1277	97.0	44.7	6000	100	550	513	97.0					
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	0	1777	97.0	44.7	6000	150	0	1013	97.0					
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	50	1727	97.0	44.7	6000	150	50	963	97.0					
Sliding Rear Window	Add	6	Add	1	5600	150	100	1677	97.0	44.7	6000	150	100	913	97.0					
Power Sliding Rear Window	Add	6	Add	2	5600	150	150	1627	97.0	44.7	6000	150	150	863	97.0					
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	150	200	1577	97.0	44.7	6000	150	200	813	97.0					
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5600	150	250	1527	97.0	44.7	6000	150	250	763	97.0					
Foglamps	Add	3	Sub	0	5600	150	300	1477	97.0	44.7	6000	150	300	713	97.0					
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5600	150	350	1427	97.0	44.7	6000	150	350	663	97.0					
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5600	150	400	1377	97.0	44.7	6000	150	400	613	97.0					
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5600	150	450	1327	97.0	44.7	6000	150	450	563	97.0					
All Weather Floor Mat	Add	10	Add	6	5600	150	500	1277	97.0	44.7	6000	150	500	513	97.0					
Electrochromic Rear View Mirror	Add	1	Sub	0	5600	150	550	1227	97.0	44.7	6000	150	550	463	97.0					
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	200	0	1727	97.0	44.7	6000	200	0	963	97.0					
Power Equipment Group	Add	15	Add	6	5600	200	50	1677	97.0	44.7	6000	200	50	913	97.0					
Adj Gas & Brake Pedals	Add	4	Add	3	5600	200	100	1627	97.0	44.7	6000	200	100	863	97.0					
Cruise Control	Add	3	Add	1	5600	200	150	1577	97.0	44.7	6000	200	150	813	97.0					
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	200	200	1527	97.0	44.7	6000	200	200	763	97.0					
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	200	250	1477	97.0	44.7	6000	200	250	713	97.0					
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	200	300	1427	97.0	44.7	6000	200	300	663	97.0					
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	200	350	1377	97.0	44.7	6000	200	350	613	97.0					
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	200	400	1327	97.0	44.7	6000	200	400	563	97.0					
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5600	200	450	1277	97.0	44.7	6000	200	450	513	97.0					
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5600	200	500	1227	97.0	44.7	6000	200	500	463	97.0					
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	200	550	1177	97.0	44.7	6000	200	550	413	97.0					
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5600	250	0	1677	97.0	44.7	6000	250	0	913	97.0					
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5600	250	50	1627	97.0	44.7	6000	250	50	863	97.0					
Satellite Digital Broadcast	Add	2	Add	1	5600	250	100	1577	97.0	44.7	6000	250	100	813	97.0					
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	250	150	1527	97.0	44.7	6000	250	150	763	97.0					
FX4 Trim	Add	7	Add	7	5600	250	200	1477	97.0	44.7	6000	250	200	713	97.0					
Power Side Sunroof	Add	21	Add	15	5600	250	250	1427	97.0	44.7	6000	250	250	663	97.0					
XLT Trim	Add	22	Add	17	5600	250	300	1377	97.0	44.7	6000	250	300	613	97.0					
Lariat Trim	Add	26	Add	16	5600	250	350	1327	97.0	44.7	6000	250	350	563	97.0					
King Ranch Option	Add	27	Add	17	5600	250	400	1277	97.0	44.7	6000	250	400	513	97.0					
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5600	250	450	1227	97.0	44.7	6000	250	450	463	97.0					
Flat Splash Guards (SRW)	Add	2	Add	2	5600	250	500	1												

OPTION DESCRIPTION	OPTION TABLE		VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR							
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS			
				FRONT (Lb.)	REAR (Lb.)		FRONT (IN)	REAR (IN)		FRONT (IN)	REAR (IN)					
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (IN)	REAR (IN)		FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (IN)	REAR (IN)	
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4800	-50	-50	2997	84.5	45.0	5200	-50	-50	2407	84.5	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4800	-50	0	2947	85.1	45.0	5200	-50	0	2357	85.3	45.0
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	50	2897	85.7	45.0	5200	-50	50	2307	86.1	45.0
Limited Slip Rear Axle	Sub	0	Add	5	4800	-50	100	2847	86.4	45.0	5200	-50	100	2257	86.9	45.0
Brake Controller	Add	1	Sub	0	4800	0	-50	2947	82.8	45.0	5200	0	-50	2357	82.4	45.0
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	0	0	2897	83.4	45.0	5200	0	0	2307	83.1	45.0
Skid Plates	Add	16	Add	20	4800	0	50	2847	84.0	45.0	5200	0	50	2257	83.9	45.0
Rear Stabilizer Bar	Add	2	Add	26	4800	0	100	2797	84.6	45.0	5200	0	100	2207	84.7	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	150	2747	85.3	45.0	5200	0	200	2107	86.5	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	200	2697	86.0	45.0	5200	0	250	2057	87.4	45.0
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	250	2647	86.7	45.0	5200	0	300	2007	88.4	45.0
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	300	2597	87.5	45.0	5200	0	350	1957	89.4	45.0
Dual Alternator	Add	16	Sub	0	4800	0	350	2547	88.2	45.0	5200	0	400	1907	90.5	45.0
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	400	2497	89.1	45.0	5200	0	450	1857	91.7	45.0
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	450	2447	89.9	45.0	5200	0	500	1807	92.9	45.0
Manual Air Conditioning	Add	34	Sub	-1	4800	0	500	2397	90.8	45.0	5200	50	0	2257	89.9	45.0
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	50	0	2847	81.6	45.0	5200	50	50	2207	81.6	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	50	2797	82.2	45.0	5200	50	100	2157	82.4	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	50	100	2747	82.8	45.0	5200	50	200	2057	84.1	45.0
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	2697	83.5	45.0	5200	50	250	2007	85.0	45.0
LT 275/65R18E A/S BSW (SRW only)	Sub	-15	Sub	-31	4800	50	200	2647	84.1	45.0	5200	50	300	1957	85.9	45.0
LT 275/70R18E A/T BSW Premium (SRW Only)	Sub	9	Add	60	4800	50	250	2597	84.8	45.0	5200	50	350	1907	86.9	45.0
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	2547	85.6	45.0	5200	50	400	1857	88.0	45.0
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4800	50	350	2497	86.3	45.0	5200	50	450	1807	89.1	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4800	50	400	2447	87.1	45.0	5200	50	500	1757	90.3	45.0
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4800	50	450	2397	87.9	45.0	5600	100	0	2207	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4800	50	500	2347	88.8	45.0	5600	100	50	2157	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4800	100	0	2797	79.7	45.0	5600	100	100	2107	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4800	100	50	2747	80.3	45.0	5600	100	200	2007	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4800	100	100	2697	80.9	45.0	5600	100	250	1957	97.0	45.0
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4800	100	150	2647	81.5	45.0	5600	100	300	1907	97.0	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	100	200	2597	82.2	45.0	5600	100	350	1857	97.0	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	100	250	2547	82.9	45.0	5600	100	400	1807	97.0	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4800	100	300	2497	83.6	45.0	5600	100	450	1757	97.0	45.0
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4800	100	350	2447	84.3	45.0	5600	100	500	1707	97.0	45.0
Pickup Bed Extender	Sub	-2	Add	22	4800	100	400	2397	85.1	45.0	5600	150	0	2157	97.0	45.0
Spray-In Bedliner	Add	1	Add	19	4800	100	450	2347	85.9	45.0	5600	150	50	2107	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4800	100	500	2297	86.7	45.0	5600	150	100	2057	97.0	45.0
Lower Bodyside Molding	Add	2	Add	1	4800	150	0	2747	77.8	45.0	5600	150	200	1957	97.0	45.0
Reverse Vehicle Sensor System	Sub	0	Add	1	4800	150	50	2697	78.4	45.0	5600	150	250	1907	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4800	150	100	2647	79.0	45.0	5600	150	300	1857	97.0	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	150	2597	79.6	45.0	5600	150	350	1807	97.0	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	200	2547	80.2	45.0	5600	150	400	1757	97.0	45.0
Sliding Rear Window	Add	6	Add	1	4800	150	250	2497	80.8	45.0	5600	150	450	1707	97.0	45.0
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4800	150	300	2447	81.5	45.0	5600	150	500	1657	97.0	45.0
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4800	150	350	2397	82.2	45.0	5600	200	0	2107	97.0	45.0
Foglamps	Add	3	Sub	0	4800	150	400	2347	82.9	45.0	5600	200	50	2057	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4800	150	450	2297	83.7	45.0	5600	200	100	2007	97.0	45.0
XLT Floor Mats Less Logo (Color Keyed)	Add	3	Add	1	4800	150	500	2247	84.5	45.0	5600	200	200	1907	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	4800	200	0	2697	75.8	45.0	5600	200	250	1857	97.0	45.0
All Weather Floor Mat	Add	6	Add	4	4800	200	50	2647	76.4	45.0	5600	200	300	1807	97.0	45.0
Electrochromic Rear View Mirror	Add	1	Sub	0	4800	200	100	2597	76.9	45.0	5600	200	350	1757	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4800	200	150	2547	77.5	45.0	5600	200	400	1707	97.0	45.0
Power Equipment Group	Add	12	Add	3	4800	200	200	2497	78.1	45.0	5600	200	450	1657	97.0	45.0
Adj Gas & Brake Pedals	Add	4	Add	3	4800	200	250	2447	78.7	45.0	5600	200	500	1607	97.0	45.0
Cruise Control	Add	3	Add	1	4800	200	300	2397	79.3	45.0	5600	250	0	2057	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4800	200	350	2347	80.0	45.0	5600	250	50	2007	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4800	200	400	2297	80.7	45.0	5600	250	100	1957	97.0	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	Sub	9	Add	9	4800	200	450	2247	81.4	45.0	5600	250	200	1857	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4800	200	500	2197	82.2	45.0	5600	250	250	1807	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	0	2647	94.5	45.0	5600	250	300	1757	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	250	50	2597	95.4	45.0	5600	250	350	1707	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	250	100	2547	96.3	45.0	5600	250	400	1657	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	250	150	2497	97.0	45.0	5600	250	450	1607	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	5200	250	200	2447	97.0	45.0	5600	250	500	1557	97.0	45.0
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	5200	250	250	2397	97.0	45.0						
Satellite Digital Broadcast	Add	2	Add	1	5200	250	300	2347	97.0	45.0						
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	250	350	2297	97.0	45.0						
FX4 Trim	Add	6	Add	2	5200	250	400	2247	97.0	45.0						
XLT Trim	Add	18	Add	12	5200	250	450	2197	97.0	45.0						
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5200	250	500	2147	97.0	45.0						
Flat Splash Guards (SRW)	Add	2	Add	2												





OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	GAWR (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS	
						FRONT (Lb.)	REAR (Lb.)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)	
						I	II		III	IV		V	VI		I	II
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	-50	2105	81.0	44.7	5600	-50	-50	1450	81.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	0	2055	81.0	44.7	5600	-50	0	1400	81.0	44.7
Brake Controller	Add	1	Sub	0	5200	-50	50	2005	81.0	44.7	5600	-50	50	1350	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	100	1955	81.0	44.7	5600	-50	100	1300	81.0	44.7
Skid Plates	Add	20	Add	16	5200	0	-50	2055	81.0	44.7	5600	0	-50	1400	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	0	0	2005	81.0	44.7	5600	0	0	1350	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	50	1955	81.0	44.7	5600	0	50	1300	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	100	1905	81.0	44.7	5600	0	100	1250	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	150	1855	81.0	44.7	5600	0	150	1200	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	200	1805	81.0	44.7	5600	0	200	1150	81.0	44.7
Dual Alternator	Add	16	Sub	0	5200	0	250	1755	81.0	44.7	5600	0	250	1100	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	300	1705	81.0	44.7	5600	0	300	1050	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	350	1655	81.0	44.7	5600	0	350	1000	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	0	400	1605	81.0	44.7	5600	0	400	950	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	50	0	1955	81.0	44.7	5600	50	0	1300	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	50	1905	81.0	44.7	5600	50	50	1250	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	1855	81.0	44.7	5600	50	100	1200	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5200	50	150	1805	81.0	44.7	5600	50	150	1150	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	1755	81.0	44.7	5600	50	200	1100	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	1705	81.0	44.7	5600	50	250	1050	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5200	50	300	1655	81.0	44.7	5600	50	300	1000	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	1605	81.0	44.7	5600	50	350	950	81.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	50	400	1555	81.0	44.7	5600	50	400	900	81.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	100	0	1905	81.0	44.7	5600	100	0	1250	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	100	50	1855	81.0	44.7	5600	100	50	1200	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	100	100	1805	81.0	44.7	5600	100	100	1150	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	150	1755	81.0	44.7	5600	100	150	1100	81.0	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	100	200	1705	81.0	44.7	5600	100	200	1050	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	250	1655	81.0	44.7	5600	100	250	1000	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	100	300	1605	81.0	44.7	5600	100	300	950	81.0	44.7
Spray-in Bedliner	Sub	0	Add	20	5200	100	350	1555	81.0	44.7	5600	100	350	900	81.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	5200	100	400	1505	81.0	44.7	5600	100	400	850	81.0	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	5200	150	0	1855	81.0	44.7	5600	150	0	1200	81.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	5200	150	50	1805	81.0	44.7	5600	150	50	1150	81.0	44.7
8" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5200	150	100	1755	81.0	44.7	5600	150	100	1100	81.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	150	150	1705	81.0	44.7	5600	150	150	1050	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	200	1655	81.0	44.7	5600	150	200	1000	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	250	1605	81.0	44.7	5600	150	250	950	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	300	1555	81.0	44.7	5600	150	300	900	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	350	1505	81.0	44.7	5600	150	350	850	81.0	44.7
Sliding Rear Window	Add	6	Add	1	5200	150	400	1455	81.0	44.7	5600	150	400	800	81.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5200	200	0	1805	81.0	44.7	6000	200	0	1150	81.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	-2	Add	2	5200	200	50	1755	81.0	44.7	6000	200	50	1100	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	100	1705	81.0	44.7	6000	200	100	1050	81.0	44.7
Foglamps	Add	3	Sub	0	5200	200	150	1655	81.0	44.7	6000	200	150	1000	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	200	1605	81.0	44.7	6000	200	200	950	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	250	1555	81.0	44.7	6000	200	250	900	81.0	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	200	300	1505	81.0	44.7	6000	200	300	850	81.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	200	350	1455	81.0	44.7	6000	200	350	800	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	200	400	1405	81.0	44.7	6000	200	400	750	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	0	1755	81.0	44.7	6000	250	0	1100	81.0	44.7
Power Equipment Group	Add	15	Add	6	5200	250	50	1705	81.0	44.7	6000	250	50	1050	81.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	100	1655	81.0	44.7	6000	250	100	1000	81.0	44.7
Cruise Control	Add	3	Add	1	5200	250	150	1605	81.0	44.7	6000	250	150	950	81.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	250	200	1555	81.0	44.7	6000	250	200	900	81.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	250	250	1505	81.0	44.7	6000	250	250	850	81.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	250	300	1455	81.0	44.7	6000	250	300	800	81.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	250	350	1405	81.0	44.7	6000	250	350	750	81.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	400	1355	81.0	44.7	6000	250	400	700	81.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Sub	-20	Add	5	5200	300	0	1705	81.0	44.7	6000	300	0	1050	81.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Add	-5	Sub	-2	5200	300	50	1655	81.0	44.7	6000	300	50	1000	81.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	100	1605	81.0	44.7	6000	300	100	950	81.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5200	300	150	1555	81.0	44.7	6000	300	150	900	81.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5200	300	200	1505	81.0	44.7	6000	300	200	850	81.0	44.7
Satellite Digital Broadcast	Add	2	Add	1	5200	300	250	1455	81.0	44.7	6000	300	250	800	81.0	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Add	0	5200	300	300	1405	81.0	44.7	6000	300	300	750	81.0	44.7
F34 Trim	Add	7	Add	7	5200	300	350	1355	81.0	44.7	6000	300	350	700	81.0	44.7
Power Slide Sunroof	Add	20	Add	16	5200	300	400	1305	81.0	44.7	6000	300	400	650	81.0	44.7
XLT Trim	Add	22	Add	17							6000	350	0	1000	81.0	44.7
Lariat Trim	Add	26	Add	16							6000	350	50	950	81.0	44.7
King Ranch Option	Add	27	Add	17							6000	350	100	900	81.0	44.7
Passenger Side Air Bag Delete	Sub															

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR										6.7L Diesel Engine 9900 lb (4490 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS						
					GAWR (Lb.)	FRONT (LB)		REAR (LB)	RATING (LV)		FRONT (A) (IN)	REAR (B) (IN)		GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LV)	FRONT (A) (IN)	REAR (B) (IN)	
			I	II	III	IV	V	VI		II	III	IV	V	VI						
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386																
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	-50	2195	97.0	44.7	5600	-50	-50	1377	97.0	44.7				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	2145	97.0	44.7	5600	-50	0	1327	97.0	44.7				
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	2095	97.0	44.7	5600	-50	50	1277	97.0	44.7				
Limited Slip Rear Axle	Add	0	Add	5	5200	-50	100	2045	97.0	44.7	5600	-50	100	1227	97.0	44.7				
Brake Controller	Add	1	Sub	0	5200	0	-50	2145	97.0	44.7	5600	0	-50	1327	97.0	44.7				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	0	2145	97.0	44.7	5600	0	0	1277	97.0	44.7				
Skid Plates	Add	18	Add	20	5200	-50	50	2095	97.0	44.7	5600	0	50	1227	97.0	44.7				
Rear Stabilizer Bar	Add	2	Add	26	5200	-50	100	2045	97.0	44.7	5600	0	100	1177	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	-50	150	1995	97.0	44.7	5600	0	150	1127	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	-50	200	1945	97.0	44.7	5600	0	200	1077	97.0	44.7				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	-50	250	1895	97.0	44.7	5600	0	250	1027	97.0	44.7				
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	-50	300	1845	97.0	44.7	5600	0	300	977	97.0	44.7				
Dual Alternator	Add	16	Sub	0	5200	-50	350	1795	97.0	44.7	5600	0	350	927	97.0	44.7				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	-50	400	1745	97.0	44.7	5600	0	400	877	97.0	44.7				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	-50	450	1695	97.0	44.7	5600	0	450	827	97.0	44.7				
Manual Air Conditioning	Add	34	Sub	-1	5200	-50	500	1645	97.0	44.7	5600	0	500	777	97.0	44.7				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	-50	2145	97.0	44.7	6000	50	0	1227	97.0	44.7				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	0	0	2095	97.0	44.7	6000	50	50	1177	97.0	44.7				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	0	50	2045	97.0	44.7	6000	50	100	1127	97.0	44.7				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	0	100	1995	97.0	44.7	6000	50	150	1077	97.0	44.7				
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	0	150	1945	97.0	44.7	6000	50	200	1027	97.0	44.7				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	0	200	1895	97.0	44.7	6000	50	250	977	97.0	44.7				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	0	250	1845	97.0	44.7	6000	50	300	927	97.0	44.7				
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	0	300	1795	97.0	44.7	6000	50	350	877	97.0	44.7				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	0	350	1745	97.0	44.7	6000	50	400	827	97.0	44.7				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	0	400	1695	97.0	44.7	6000	50	450	777	97.0	44.7				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	0	450	1645	97.0	44.7	6000	50	500	727	97.0	44.7				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	0	500	1595	97.0	44.7	6000	100	0	1177	97.0	44.7				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	50	0	2045	97.0	44.7	6000	100	50	1127	97.0	44.7				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	50	50	1995	97.0	44.7	6000	100	100	1077	97.0	44.7				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	50	100	1945	97.0	44.7	6000	100	150	1027	97.0	44.7				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	50	150	1895	97.0	44.7	6000	100	200	977	97.0	44.7				
Pickup Bed Extender	Sub	-2	Add	22	5200	50	200	1845	97.0	44.7	6000	100	250	927	97.0	44.7				
Spray-In Bedliner	Sub	0	Add	16	5200	50	250	1795	97.0	44.7	6000	100	300	877	97.0	44.7				
Composite Side Aux. Steps - Platform w/Lights	Add	24	Add	18	5200	50	300	1745	97.0	44.7	6000	100	350	827	97.0	44.7				
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	16	Add	20	5200	50	350	1695	97.0	44.7	6000	100	400	777	97.0	44.7				
6" Angular Chrome Step w/Lights (VP Design)	Add	30	Add	27	5200	50	400	1645	97.0	44.7	6000	100	450	727	97.0	44.7				
Lower Body Side Molding	Add	2	Add	1	5200	50	450	1595	97.0	44.7	6000	100	500	677	97.0	44.7				
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	50	500	1545	97.0	44.7	6000	150	0	1127	97.0	44.7				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	100	0	1995	97.0	44.7	6000	150	50	1077	97.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	50	1945	97.0	44.7	6000	150	100	1027	97.0	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	100	1895	97.0	44.7	6000	150	150	977	97.0	44.7				
Sliding Rear Window	Add	6	Add	1	5200	100	150	1845	97.0	44.7	6000	150	200	927	97.0	44.7				
Power Sliding Rear Window	Add	6	Add	2	5200	100	200	1795	97.0	44.7	6000	150	250	877	97.0	44.7				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	100	250	1745	97.0	44.7	6000	150	300	827	97.0	44.7				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	100	300	1695	97.0	44.7	6000	150	350	777	97.0	44.7				
Foglamps	Add	3	Sub	0	5200	100	350	1645	97.0	44.7	6000	150	400	727	97.0	44.7				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	100	400	1595	97.0	44.7	6000	150	450	677	97.0	44.7				
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	5200	100	450	1545	97.0	44.7	6000	150	500	627	97.0	44.7				
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	100	500	1495	97.0	44.7	6000	200	0	1077	97.0	44.7				
All Weather Floor Mat	Add	10	Add	6	5200	150	0	1945	94.7	44.7	6000	200	50	1027	97.0	44.7				
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	150	50	1895	96.0	44.7	6000	200	100	977	97.0	44.7				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	150	100	1845	97.0	44.7	6000	200	150	927	97.0	44.7				
Power Equipment Group	Add	12	Add	3	5200	150	150	1795	97.0	44.7	6000	200	200	877	97.0	44.7				
Adj Gas & Brake Pedals	Add	4	Add	3	5200	150	200	1745	97.0	44.7	6000	200	250	827	97.0	44.7				
Cruise Control	Add	3	Add	1	5200	150	250	1695	97.0	44.7	6000	200	300	777	97.0	44.7				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	150	300	1645	97.0	44.7	6000	200	350	727	97.0	44.7				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	150	350	1595	97.0	44.7	6000	200	400	677	97.0	44.7				
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	9	5200	150	400	1545	97.0	44.7	6000	200	450	627	97.0	44.7			
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	150	450	1495	97.0	44.7	6000	200	500	577	97.0	44.7				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	150	500	1445	97.0	44.7	6000	250	0	1027	97.0	44.7				
10-Way Power Seat Adjuster (Driver/Passenger)	20	Add	5	Add	5	5200	200	0	1895	91.8	44.7	6000	250	50	977	97.0	44.7			
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	200	50	1845	93.0	44.7	6000	250	100	927	97.0	44.7				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	200	100	1795	94.2	44.7	6000	250	150	877	97.0	44.7				
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	200	150	1745	95.6	44.7	6000	250	200	827	97.0	44.7				
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	5200	200	200	1695	97.0	44.7	6000	250	250	777	97.0	44.7				
Satellite Digital Broadcast	Add	2	Add	1	5200	200	250	1645	97.0	44.7	6000	250	300	727	97.0	44.7				
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	200	300	1595	97.0	44.7	6000	250	350	677	97.0	44.7				
FX4 Trim	Add	7	Add	5	5200	200	350	1545	97.0	44.7	6000	250	400	627	97.0	44.7				
XLT Trim	Add	19	Add	14	5200	200	400	1495	97.0	44.7	6000	250	450	577	97.0	44.7				
Lariat Trim	Add	24	Add	13	5200	2														



OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10200 lb (4626 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10800 lb (4898 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4100	-50	-50	3822	65.9	45.0	4700	-50	-50	3760	66.6	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	Add	3	Sub	0	4100	-50	0	3772	66.1	45.0	4700	-50	0	3710	66.9	45.0
Limited Slip Rear Axle	Sub	0	Sub	0	4100	-50	50	3722	66.4	45.0	4700	-50	50	3660	67.1	45.0
Brake Controller	Add	1	Sub	0	4100	-50	100	3672	66.6	45.0	4700	-50	100	3610	67.4	45.0
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4250	0	0	3722	70.0	45.0	4700	0	0	3660	65.3	45.0
Skid Plates	Add	16	Add	20	4250	0	50	3672	70.3	45.0	4700	0	50	3610	65.5	45.0
Rear Stabilizer Bar	Add	2	Add	26	4250	0	100	3622	70.7	45.0	4700	0	100	3560	65.7	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4250	0	150	3572	71.0	45.0	4700	0	150	3510	66.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4250	0	200	3522	71.3	45.0	4700	0	200	3460	66.3	45.0
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4250	0	250	3472	71.6	45.0	4700	0	250	3410	66.5	45.0
Extra Heavy Duty Alternator	Add	3	Sub	0	4250	0	300	3422	72.0	45.0	4700	0	300	3360	66.8	45.0
Dual Alternator	Add	16	Sub	0	4250	0	350	3372	72.3	45.0	4700	0	350	3310	67.1	45.0
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4250	0	450	3272	73.1	45.0	4700	0	400	3260	67.4	45.0
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4250	0	500	3222	73.5	45.0	4700	0	450	3210	67.7	45.0
Manual Air Conditioning	Add	34	Sub	-1	4250	50	0	3672	68.5	45.0	4700	0	500	3160	68.0	45.0
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4250	50	50	3622	68.8	45.0	4700	0	500	3110	68.3	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4250	50	100	3572	69.1	45.0	4700	0	600	3060	68.7	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4250	50	150	3522	69.4	45.0	4700	0	650	3010	69.0	45.0
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4250	50	200	3472	69.7	45.0	4700	0	700	2960	69.4	45.0
LT 275/65R18E A/S BSW (SRW only)	Sub	-15	Sub	-31	4250	50	250	3422	70.0	45.0	4850	50	0	3610	69.3	45.0
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	9	Add	60	4250	50	300	3372	70.3	45.0	4850	50	50	3560	69.6	45.0
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4250	50	350	3322	70.7	45.0	4850	50	100	3510	69.9	45.0
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4250	50	450	3272	71.4	45.0	4850	50	150	3460	70.2	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4250	50	500	3172	71.7	45.0	4850	50	200	3410	70.5	45.0
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4250	100	0	3622	66.9	45.0	4850	50	250	3360	70.9	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4250	100	50	3572	67.1	45.0	4850	50	300	3310	71.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4250	100	100	3522	67.4	45.0	4850	50	350	3260	71.6	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4250	100	150	3472	67.7	45.0	4850	50	400	3210	72.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4250	100	200	3422	68.0	45.0	4850	50	450	3160	72.3	45.0
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4250	100	250	3372	68.3	45.0	4850	50	500	3110	72.7	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4250	100	300	3322	68.6	45.0	4850	50	550	3060	73.1	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4250	100	350	3272	68.9	45.0	4850	50	600	3010	73.6	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4250	100	450	3172	69.6	45.0	4850	50	650	2960	74.0	45.0
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4250	100	500	3122	69.9	45.0	4850	50	700	2910	74.4	45.0
Pickup Bed Extender	Sub	-2	Add	22	4400	150	0	3572	71.0	45.0	4850	100	0	3560	67.7	45.0
Spray-In Bedliner	Add	1	Add	19	4400	150	50	3522	71.3	45.0	4850	100	50	3510	68.0	45.0
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4400	150	100	3472	71.6	45.0	4850	100	100	3460	68.2	45.0
Lower Bodyside Molding	Add	2	Add	1	4400	150	150	3422	72.0	45.0	4850	100	150	3410	68.5	45.0
Reverse Vehicle Sensor System	Sub	0	Add	1	4400	150	200	3372	72.3	45.0	4850	100	200	3360	68.8	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4400	150	250	3322	72.7	45.0	4850	100	250	3310	69.2	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4400	150	300	3272	73.1	45.0	4850	100	300	3260	69.5	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4400	150	350	3222	73.5	45.0	4850	100	350	3210	69.8	45.0
Sliding Rear Window	Add	6	Add	1	4400	150	450	3172	74.3	45.0	4850	100	400	3160	70.2	45.0
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4400	150	500	3072	74.7	45.0	4850	100	450	3110	70.5	45.0
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4400	200	0	3522	69.4	45.0	4850	100	500	3060	70.9	45.0
Foglights	Add	3	Sub	0	4400	200	50	3472	69.7	45.0	4850	100	550	3010	71.3	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4400	200	100	3422	70.0	45.0	4850	100	600	2960	71.7	45.0
XLT Floor Mats Less Logo (Color Keyed)	Add	3	Add	1	4400	200	150	3372	70.3	45.0	4850	100	650	2910	72.1	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	4400	200	200	3322	70.7	45.0	4850	100	700	2860	72.5	45.0
All Weather Floor Mat	Add	6	Add	4	4400	200	250	3272	71.0	45.0	4850	150	0	3510	66.0	45.0
Electrochromic Rear View Mirror	Add	1	Sub	0	4400	200	300	3222	71.4	45.0	4850	150	50	3460	66.3	45.0
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4400	200	350	3172	71.7	45.0	4850	150	100	3410	66.5	45.0
Power Equipment Group	Add	12	Add	3	4400	200	450	3072	72.5	45.0	4850	150	150	3360	66.8	45.0
Adj Gas & Brake Pedals	Add	4	Add	3	4400	200	500	3022	72.9	45.0	4850	150	200	3310	67.1	45.0
Cruise Control	Add	3	Add	1	4400	250	0	3472	67.7	45.0	4850	150	250	3260	67.4	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4400	250	50	3422	68.0	45.0	4850	150	300	3210	67.7	45.0
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4400	250	100	3372	68.3	45.0	4850	150	350	3160	68.0	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4400	250	150	3322	68.6	45.0	4850	150	400	3110	68.3	45.0
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4400	250	200	3272	68.9	45.0	4850	150	450	3060	68.7	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4400	250	250	3222	69.2	45.0	4850	150	500	3010	69.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4400	250	300	3172	69.6	45.0	4850	150	550	2960	69.4	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4400	250	350	3122	69.9	45.0	4850	150	600	2910	69.7	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4400	250	450	3022	70.7	45.0	4850	150	650	2860	70.1	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	4400	250	500	2972	71.0	45.0	4850	150	700	2810	70.5	45.0
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2							5000	200	0	3460	70.2	45.0
Satellite Digital Broadcast	Add	2	Add	1							5000	200	50	3410	70.5	45.0
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0							5000	200	100	3360	70.9	45.0
F34 Trim	Add	6	Add	2							5000	200	150	3310	71.2	45.0
XLT Trim	Add	18	Add	12							5000	200	200	3260	71.6	45.0
Passenger Side Air Bag Delete	Sub	-10	Sub	-1							5000	200	250	3210	72.0	45.0
Flat Splash Guards (SRW)	Add	2	Add	2							5000	200	300	3160	72.3	45.0
Bed Mat	Add	7	Add	55							50					

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10200 lb (4626 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11000 lb (4989 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS			
				FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)		FRONT (A) (IN)	REAR (B) (IN)					
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	4250	-50	-50	2957	62.5	44.7	4850	-50	-50	3191	65.6	44.7
Limited Slip Rear Axle	Add	0	Sub	5	4250	-50	0	2907	62.7	44.7	4850	-50	0	3141	65.9	44.7
Brake Controller	Add	1	Sub	0	4250	-50	50	2857	63.0	44.7	4850	-50	50	3091	66.2	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4250	-50	100	2807	63.3	44.7	4850	-50	100	3041	66.5	44.7
Skid Plates	Add	18	Add	18	4400	0	-50	2907	67.6	44.7	4850	0	-50	3141	63.6	44.7
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	2857	68.0	44.7	4850	0	0	3091	63.9	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	2807	68.3	44.7	4850	0	50	3041	64.1	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	2757	68.7	44.7	4850	0	100	2991	64.4	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4400	0	150	2707	69.1	44.7	4850	0	150	2941	64.7	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4400	0	200	2657	69.5	44.7	4850	0	200	2891	65.0	44.7
Dual Alternator	Add	16	Sub	0	4400	0	250	2607	69.9	44.7	4850	0	250	2841	65.3	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4400	0	300	2557	70.3	44.7	4850	0	300	2791	65.6	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4400	0	350	2507	70.8	44.7	4850	0	350	2741	65.9	44.7
Manual Air Conditioning	Add	34	Sub	-1	4400	50	0	2807	65.8	44.7	5000	50	0	3041	68.8	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4400	50	50	2757	66.1	44.7	5000	50	50	2991	69.1	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4400	50	100	2707	66.4	44.7	5000	50	100	2941	69.5	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4400	50	150	2657	66.8	44.7	5000	50	150	2891	69.9	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	4400	50	200	2607	67.2	44.7	5000	50	200	2841	70.3	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4400	50	250	2557	67.5	44.7	5000	50	250	2791	70.7	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4400	50	300	2507	67.9	44.7	5000	50	300	2741	71.1	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4400	50	350	2457	68.3	44.7	5000	50	350	2691	71.5	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4400	100	0	2757	63.5	44.7	5000	100	0	2991	66.8	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4400	100	50	2707	63.8	44.7	5000	100	50	2941	67.1	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4400	100	100	2657	64.1	44.7	5000	100	100	2891	67.4	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4400	100	150	2607	64.4	44.7	5000	100	150	2841	67.8	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4400	100	200	2557	64.8	44.7	5000	100	200	2791	68.1	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4400	100	250	2507	65.1	44.7	5000	100	250	2741	68.5	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4400	100	300	2457	65.5	44.7	5000	100	300	2691	68.9	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4400	100	350	2407	65.8	44.7	5000	100	350	2641	69.3	44.7
Pickup Bed Extender	Sub	-2	Add	22	4550	150	0	2707	69.1	44.7	5000	150	0	2941	64.7	44.7
Spray-in Bedliner	Sub	0	Add	16	4550	150	50	2657	69.5	44.7	5000	150	50	2891	65.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	4550	150	100	2607	69.9	44.7	5000	150	100	2841	65.3	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	4550	150	150	2557	70.3	44.7	5000	150	150	2791	65.6	44.7
5" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	4550	150	200	2507	70.8	44.7	5000	150	200	2741	65.9	44.7
Lower Bodyside Molding	Add	2	Add	1	4550	150	250	2457	71.2	44.7	5000	150	250	2691	66.2	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4550	150	300	2407	71.7	44.7	5000	150	300	2641	66.6	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4550	150	350	2357	72.2	44.7	5000	150	350	2591	67.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	200	0	2657	66.8	44.7	5250	200	0	2891	74.8	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	200	50	2607	67.2	44.7	5250	200	50	2841	75.3	44.7
Sliding Rear Window	Add	6	Add	1	4550	200	100	2557	67.5	44.7	5250	200	100	2791	75.7	44.7
Power Sliding Rear Window	Add	6	Add	2	4550	200	150	2507	67.9	44.7	5250	200	150	2741	76.3	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4550	200	200	2457	68.3	44.7	5250	200	200	2691	76.8	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4550	200	250	2407	68.8	44.7	5250	200	250	2641	77.3	44.7
Foglamps	Add	3	Sub	0	4550	200	300	2357	69.2	44.7	5250	200	300	2591	77.9	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4550	200	350	2307	69.7	44.7	5250	200	350	2541	78.5	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4550	250	0	2607	64.4	44.7	5250	250	0	2841	72.8	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4550	250	50	2557	64.8	44.7	5250	250	50	2791	73.2	44.7
All Weather Floor Mat	Add	10	Add	6	4550	250	100	2507	65.1	44.7	5250	250	100	2741	73.7	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4550	250	150	2457	65.5	44.7	5250	250	150	2691	74.1	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4550	250	200	2407	65.8	44.7	5250	250	200	2641	74.6	44.7
Power Equipment Group	Add	12	Add	3	4550	250	250	2357	66.2	44.7	5250	250	250	2591	75.2	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4550	250	300	2307	66.6	44.7	5250	250	300	2541	75.7	44.7
Cruise Control	Add	3	Add	1	4550	250	350	2257	67.0	44.7	5250	250	350	2491	76.3	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2												
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3												
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9												
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2												
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5												
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2												
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4												
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6												
Satellite Digital Broadcast	Add	2	Add	1												
SYNC - Media Gateway Module (MGM)	Add	1	Add	0												
FX4 Trim	Add	7	Add	5												
XLT Trim	Add	19	Add	14												
Lariat Trim	Add	24	Add	13												
King Ranch Option	Add	24	Add	14												
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												
Flat Splash Guards (SRW)	Add	2	Add	2												
Flat Splash Guards (DRW)	Sub	0	Add	8												
Bed Mat	Add	5	Add	45												
Low Profile Hood Deflector	Add	3	Sub	0												
Roll-up Tonneau Cover	Add	4	Add	22												
Cable/Strap Locks	Sub	0	Add	9												
<b>Total Option Weight</b>																
* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.																

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10600 lb (4807 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR					
	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		FRONT (IN)	REAR (IN)					FRONT (IN)	REAR (IN)	
																FRONT (IN)
I	II	III	IV	V	VI	I	II	III	IV	V	VI					
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4400	-50	-50	3233	65.9	44.7	5250	-50	-50	2991	74.1	44.7
Immersion Heater - Engine	Add	1	Sub	0	4400	-50	0	3183	66.2	44.7	5250	-50	0	2941	74.6	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4400	-50	0	3133	66.4	44.7	5250	-50	50	2891	75.0	44.7
Brake Controller	Add	1	Sub	0	4400	-50	50	3133	66.4	44.7	5250	-50	50	2891	75.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4400	-50	100	3083	66.7	44.7	5250	-50	100	2841	75.5	44.7
Skid Plates	Add	20	Add	16	4400	0	-50	3183	63.7	44.7	5250	0	-50	2941	71.9	44.7
Rear Stabilizer Bar	Add	2	Add	26	4400	0	0	3133	64.0	44.7	5250	0	0	2891	72.3	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4400	0	50	3083	64.2	44.7	5250	0	50	2941	72.7	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4400	0	100	3033	64.5	44.7	5250	0	100	2791	73.2	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4400	0	150	2983	64.8	44.7	5250	0	150	2741	73.7	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4400	0	200	2933	65.0	44.7	5250	0	200	2691	74.1	44.7
Dual Alternator	Add	16	Sub	0	4400	0	250	2883	65.3	44.7	5250	0	250	2641	74.6	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4400	0	300	2833	65.6	44.7	5250	0	300	2591	75.1	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4400	0	350	2783	66.0	44.7	5250	0	350	2541	75.7	44.7
Manual Air Conditioning	Add	34	Sub	-1	4400	0	400	2733	66.3	44.7	5250	50	0	2841	70.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4400	0	450	2683	66.6	44.7	5250	50	50	2791	70.4	44.7
LT 245/75R17E AT BSW	Sub	-1	Sub	-1	4400	0	500	2633	67.0	44.7	5250	50	100	2741	70.8	44.7
LT 265/70R17E AT OWL (SRW Only)	Add	11	Add	11	4550	50	0	3033	69.3	44.7	5250	50	150	2691	71.2	44.7
LT 275/60R18E A/S BSW (SRW Only)	Add	22	Add	22	4550	50	50	3033	69.6	44.7	5250	50	200	2641	71.7	44.7
LT 275/70R18E AT BSW Premium (SRW Only)	Add	34	Add	34	4550	50	100	2983	70.0	44.7	5250	50	250	2591	72.1	44.7
LT 275/70R18E AT OWL Premium (SRW Only)	Add	34	Add	34	4550	50	150	2933	70.4	44.7	5250	50	300	2541	72.6	44.7
LT 275/65R20E AT OWL (SRW Only)	Add	41	Add	41	4550	50	200	2883	70.8	44.7	5250	50	350	2491	73.1	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4550	50	250	2833	71.2	44.7	5250	100	0	2791	67.6	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4550	50	300	2783	71.6	44.7	5250	100	50	2741	68.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4550	50	350	2733	72.0	44.7	5250	100	100	2691	68.3	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4550	50	400	2683	72.5	44.7	5250	100	150	2641	68.7	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4550	50	450	2633	72.9	44.7	5250	100	200	2591	69.1	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4550	50	500	2583	73.4	44.7	5250	100	250	2541	69.5	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4550	100	0	3033	67.1	44.7	5250	100	300	2491	70.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4550	100	50	2963	67.4	44.7	5250	100	350	2441	70.4	44.7
Jack-in Bed Extender	Sub	-2	Add	22	4550	100	100	2933	67.7	44.7	5250	150	0	2741	65.1	44.7
Spray-in Bedliner	Sub	0	Add	20	4550	100	150	2883	68.1	44.7	5250	150	50	2691	65.4	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	4550	100	200	2833	68.4	44.7	5250	150	100	2641	65.8	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	4550	100	250	2783	68.8	44.7	5250	150	150	2591	66.1	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	4550	100	300	2733	69.2	44.7	5250	150	200	2541	66.5	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	4550	100	350	2683	69.5	44.7	5250	150	250	2491	66.8	44.7
Lower Bodyside Molding	Add	2	Add	1	4550	100	400	2633	70.0	44.7	5250	150	300	2441	67.2	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4550	100	450	2583	70.4	44.7	5250	150	350	2391	67.6	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4550	100	500	2533	70.8	44.7	5250	200	0	2691	62.5	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	150	0	2983	64.8	44.7	5250	200	50	2641	62.8	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4550	150	50	2933	65.0	44.7	5250	200	100	2591	63.1	44.7
Power Sliding Rear Window	Add	6	Add	1	4550	150	100	2883	65.3	44.7	5250	200	150	2541	63.4	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4550	150	150	2833	65.6	44.7	5250	200	200	2491	63.7	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4550	150	200	2783	66.0	44.7	5250	200	250	2441	64.0	44.7
Foglamps	Add	3	Sub	0	4550	150	250	2733	66.3	44.7	5250	200	300	2391	64.3	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4550	150	300	2683	66.6	44.7	5250	200	350	2341	64.7	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4550	150	400	2583	67.4	44.7	5250	250	50	2591	60.1	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4550	150	450	2533	67.7	44.7	5250	250	100	2541	60.3	44.7
All Weather Floor Mat	Add	10	Add	6	4550	150	500	2483	68.1	44.7	5250	250	150	2491	60.6	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4700	200	50	2883	70.8	44.7	5250	250	200	2441	60.8	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4700	200	100	2833	71.2	44.7	5250	250	250	2391	61.1	44.7
Power Equipment Group	Add	15	Add	6	4700	200	150	2783	71.6	44.7	5250	250	300	2341	61.4	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4700	200	200	2733	72.0	44.7	5250	250	350	2291	61.7	44.7
Cruise Control	Add	3	Add	1	4700	200	250	2683	72.5	44.7	5250	300	0	2591	57.1	44.7
Front Seat - Individual 40/40 w/Center Under Seat Storage	Add	1	Sub	-2	4700	200	300	2633	72.9	44.7	5250	300	50	2541	57.2	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4700	200	350	2583	73.4	44.7	5250	300	100	2491	57.4	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4700	200	400	2533	73.9	44.7	5250	300	150	2441	57.6	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4700	200	450	2483	74.4	44.7	5250	300	200	2391	57.8	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4700	200	500	2433	75.0	44.7	5250	300	250	2341	58.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4700	250	50	2833	68.4	44.7	5250	300	300	2291	58.2	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4700	250	100	2783	68.8	44.7	5250	300	350	2241	58.5	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4700	250	150	2733	69.2	44.7	5250	300	200	2191	58.8	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	4700	250	200	2683	69.5	44.7	5250	300	250	2141	59.1	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	4700	250	250	2633	70.0	44.7	5250	300	300	2091	59.4	44.7
Satellite Digital Broadcast	Add	2	Add	1	4700	250	300	2583	70.4	44.7	5250	300	350	2041	59.7	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Add	0	4700	250	350	2533	70.8	44.7	5250	300	400	1991	60.0	44.7
FX4 Trim	Add	7	Add	7	4700	250	400	2483	71.3	44.7	5250	300	450	1941	60.3	44.7
Power Slide Sunroof	Add	20	Add	16	4700	250	450	2433	71.8	44.7	5250	300	500	1891	60.6	44.7
XLT Trim	Add	22	Add	17	4700	250	500	2383	72.3	44.7	5250	300	550	1841	60.9	44.7
Lariat Trim	Add	26	Add	16	4700	300	0	2833	65.6	44.7	5250	300	0	2391	61.2	44.7
King Ranch Option	Add	27	Add	17	4700	300	50	2783	66.0	44.7	5250	300	50	2341	61.5	44.7
Passenger Side Air Bag Delete	Sub															



OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10800 lb (4898 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS				
				FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)	FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)			
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428												
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4700	-50	0	3244	75.5	44.7	5250	-50	0	3150	72.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	4700	-50	0	3194	75.9	44.7	5250	-50	0	3100	72.4	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4700	-50	100	3144	76.4	44.7	5250	-50	100	3050	72.8	44.7
Brake Controller	Add	1	Sub	0	4700	-50	150	3094	76.8	44.7	5250	0	50	3150	69.2	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4700	-50	200	3044	77.3	44.7	5250	0	0	3100	69.6	44.7
Skid Plates	Add	19	Add	17	4700	-50	250	2994	77.8	44.7	5250	0	50	3050	69.9	44.7
Rear Stabilizer Bar	Add	2	Add	26	4700	-50	300	2944	78.3	44.7	5250	0	100	3000	70.3	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4700	-50	350	2894	78.8	44.7	5250	0	150	2950	70.7	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4700	-50	400	2844	79.4	44.7	5250	0	200	2900	71.1	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	4700	-50	500	2744	80.5	44.7	5250	0	250	2850	71.5	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4700	0	0	3194	73.2	44.7	5250	0	300	2800	71.9	44.7
Dual Alternator	Add	16	Sub	0	4700	0	50	3144	73.6	44.7	5250	0	350	2750	72.3	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4700	0	100	3094	74.0	44.7	5250	0	400	2700	72.8	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4700	0	150	3044	74.5	44.7	5250	0	450	2650	73.3	44.7
Manual Air Conditioning	Add	34	Sub	-1	4700	0	200	2994	74.9	44.7	5250	0	500	2600	73.7	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4700	0	250	2944	75.4	44.7	5250	50	0	3050	67.1	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4700	0	300	2894	75.8	44.7	5250	50	0	3000	67.4	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4700	0	350	2844	76.3	44.7	5250	50	100	2950	67.8	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4700	0	400	2794	76.8	44.7	5250	50	150	2900	68.1	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	4700	0	500	2694	77.9	44.7	5250	50	200	2850	68.5	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4700	50	0	3144	70.9	44.7	5250	50	250	2800	68.8	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4700	50	50	3094	71.2	44.7	5250	50	300	2750	69.2	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4700	50	100	3044	71.6	44.7	5250	50	350	2700	69.6	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4700	50	150	2994	72.0	44.7	5250	50	400	2650	70.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4700	50	200	2944	72.4	44.7	5250	50	450	2600	70.4	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4700	50	250	2894	72.9	44.7	5250	50	500	2550	70.9	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4700	50	300	2844	73.3	44.7	5250	100	0	3000	64.6	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4700	50	350	2794	73.7	44.7	5250	100	50	2950	64.8	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4700	50	400	2744	74.2	44.7	5250	100	100	2900	65.1	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4700	50	500	2644	75.2	44.7	5250	100	150	2850	65.4	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4850	100	0	3094	76.8	44.7	5250	100	200	2800	65.7	44.7
Pickup Bed Extender	Sub	-2	Add	22	4850	100	50	3044	77.3	44.7	5250	100	250	2750	66.1	44.7
Spray-In Bedliner	Sub	0	Add	20	4850	100	100	2994	77.8	44.7	5250	100	300	2700	66.4	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	28	Add	21	4850	100	150	2944	78.3	44.7	5250	100	350	2650	66.8	44.7
Side Aux Steps - w/Lights	Add	39	Add	25	4850	100	200	2894	78.8	44.7	5250	100	400	2600	67.1	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	26	Add	21	4850	100	250	2844	79.4	44.7	5250	100	450	2550	67.5	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	4850	100	300	2794	79.9	44.7	5250	100	500	2500	67.9	44.7
Lower Body Side Molding	Add	2	Add	1	4850	100	350	2744	80.5	44.7	5250	150	0	2950	61.9	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4850	100	400	2694	81.1	44.7	5250	150	50	2900	62.2	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4850	100	500	2594	82.4	44.7	5250	150	100	2850	62.4	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	150	0	3044	74.5	44.7	5250	150	150	2800	62.7	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4850	150	50	2994	74.9	44.7	5250	150	200	2750	62.9	44.7
Sliding Rear Window	Add	6	Add	1	4850	150	100	2944	75.4	44.7	5250	150	250	2700	63.2	44.7
Power Sliding Rear Window	Add	6	Add	2	4850	150	150	2894	75.8	44.7	5250	150	300	2650	63.5	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4850	150	200	2844	76.3	44.7	5250	150	350	2600	63.8	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4850	150	250	2794	76.8	44.7	5250	150	400	2550	64.1	44.7
Foglamps	Add	3	Sub	0	4850	150	300	2744	77.4	44.7	5250	150	450	2500	64.4	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4850	150	350	2694	77.9	44.7	5250	150	500	2450	64.8	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	4850	150	400	2644	78.5	44.7	5250	200	0	2900	59.2	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	4850	150	500	2544	79.7	44.7	5250	200	50	2850	59.4	44.7
All Weather Floor Mat	Add	10	Add	6	4850	200	0	2994	72.0	44.7	5250	200	100	2800	59.6	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4850	200	50	2944	72.4	44.7	5250	200	150	2750	59.8	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4850	200	100	2894	72.9	44.7	5250	200	200	2700	60.0	44.7
Power Equipment Group	Add	15	Add	6	4850	200	150	2844	73.3	44.7	5250	200	250	2650	60.2	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4850	200	200	2794	73.7	44.7	5250	200	300	2600	60.5	44.7
Cruise Control	Add	3	Add	1	4850	200	250	2744	74.2	44.7	5250	200	350	2550	60.7	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4850	200	300	2694	74.7	44.7	5250	200	400	2500	61.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-2	4850	200	350	2644	75.2	44.7	5250	200	450	2450	61.2	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4850	200	400	2594	75.7	44.7	5250	200	500	2400	61.5	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4850	200	500	2494	76.8	44.7	5250	250	0	2850	56.4	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5000	250	0	2944	78.3	44.7	5250	250	50	2800	56.5	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5000	250	50	2894	78.8	44.7	5250	250	100	2750	56.7	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5000	250	100	2844	79.4	44.7	5250	250	150	2700	56.8	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5000	250	150	2794	79.9	44.7	5250	250	200	2650	57.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5000	250	200	2744	80.5	44.7	5250	250	250	2600	57.2	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5000	250	250	2694	81.1	44.7	5250	250	300	2550	57.3	44.7
Satellite Digital Broadcast	Add	2	Add	1	5000	250	300	2644	81.7	44.7	5250	250	350	2500	57.5	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5000	250	350	2594	82.4	44.7	5250	250	400	2450	57.7	44.7
FX4 Trim	Add	7	Add	7	5000	250	400	2544	83.1	44.7	5250	250	450	2400	57.9	44.7
Power Side Sunroof	Add	21	Add	15	5000	250	500	2444	84.5	44.7	5250	250	500	2350	58.1	44.7



OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10500 lb (4762 kg) GVWR										6.7L Diesel Engine 11000 lb (4989 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)			OPTION WEIGHT			CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT			CENTER OF GRAVITY ZONE LIMITS					
						FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)		FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)				
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386																
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	4800	-50	-50	3622	78.5	45.0	5200	-50	-50	3532	73.2	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4800	-50	0	3572	78.9	45.0	5200	-50	0	3482	73.5	45.0				
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	50	3522	79.4	45.0	5200	-50	50	3432	73.9	45.0				
Limited Slip Rear Axle	Sub	0	Add	5	4800	-50	100	3472	79.8	45.0	5200	-50	100	3382	74.3	45.0				
Brake Controller	Add	1	Sub	0	4800	0	-50	3572	77.0	45.0	5200	0	-50	3482	71.6	45.0				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	0	0	3522	77.4	45.0	5200	0	0	3432	71.9	45.0				
Skid Plates	Add	16	Add	20	4800	0	50	3472	77.8	45.0	5200	0	50	3382	72.3	45.0				
Rear Stabilizer Bar	Add	2	Add	26	4800	0	100	3422	78.3	45.0	5200	0	100	3332	72.6	45.0				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	150	3372	78.7	45.0	5200	0	200	3232	73.4	45.0				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	200	3322	79.2	45.0	5200	0	250	3182	73.8	45.0				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	250	3272	79.7	45.0	5200	0	300	3132	74.2	45.0				
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	300	3222	80.2	45.0	5200	0	350	3082	74.7	45.0				
Dual Alternator	Add	16	Sub	0	4800	0	350	3172	80.7	45.0	5200	0	400	3032	75.1	45.0				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	400	3122	81.2	45.0	5200	0	450	2982	75.6	45.0				
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	450	3072	81.7	45.0	5200	0	500	2932	76.0	45.0				
Manual Air Conditioning	Add	34	Sub	-1	4800	0	500	3022	82.3	45.0	5200	50	0	3382	70.3	45.0				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	50	0	3472	75.9	45.0	5200	50	50	3332	70.6	45.0				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	50	3422	76.3	45.0	5200	50	100	3282	70.9	45.0				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	50	100	3372	76.7	45.0	5200	50	200	3182	71.7	45.0				
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	3322	77.1	45.0	5200	50	250	3132	72.0	45.0				
LT 275/65R18E A/S BSW (SRW only)	Sub	-15	Sub	-31	4800	50	200	3272	77.6	45.0	5200	50	300	3082	72.4	45.0				
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	9	Add	60	4800	50	250	3222	78.0	45.0	5200	50	350	3032	72.8	45.0				
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	3172	78.5	45.0	5200	50	400	2982	73.3	45.0				
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4800	50	350	3122	79.0	45.0	5200	50	450	2932	73.7	45.0				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4800	50	400	3072	79.5	45.0	5200	50	500	2882	74.1	45.0				
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4800	50	450	3022	80.0	45.0	5600	100	0	3332	85.0	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4800	50	500	2972	80.6	45.0	5600	100	50	3282	85.5	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4800	100	0	3422	74.3	45.0	5600	100	100	3232	86.1	45.0				
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4800	100	50	3372	74.7	45.0	5600	100	200	3132	87.3	45.0				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4800	100	100	3322	75.1	45.0	5600	100	250	3082	88.0	45.0				
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4800	100	150	3272	75.5	45.0	5600	100	300	3032	88.7	45.0				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	100	200	3222	75.9	45.0	5600	100	350	2982	89.3	45.0				
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	100	250	3172	76.4	45.0	5600	100	400	2932	90.0	45.0				
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4800	100	300	3122	76.8	45.0	5600	100	450	2882	90.8	45.0				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4800	100	350	3072	77.3	45.0	5600	100	500	2832	91.5	45.0				
Pickup Bed Extender	Sub	-2	Add	22	4800	100	400	3022	77.8	45.0	5600	150	0	3282	83.5	45.0				
Spray-in Bedliner	Add	1	Add	19	4800	100	450	2972	78.3	45.0	5600	150	50	3232	84.0	45.0				
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4800	100	500	2922	78.8	45.0	5600	150	100	3182	84.6	45.0				
Lower Bodyside Molding	Add	2	Add	1	4800	150	0	3372	72.6	45.0	5600	150	200	3082	85.8	45.0				
Reverse Vehicle Sensor System	Sub	0	Add	1	4800	150	50	3322	73.0	45.0	5600	150	250	3032	86.4	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4800	150	100	3272	73.4	45.0	5600	150	300	2982	87.0	45.0				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	150	3222	73.8	45.0	5600	150	350	2932	87.7	45.0				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	200	3172	74.2	45.0	5600	150	400	2882	88.4	45.0				
Sliding Rear Window	Add	6	Add	1	4800	150	250	3122	74.6	45.0	5600	150	450	2832	89.1	45.0				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4800	150	300	3072	75.1	45.0	5600	150	500	2782	89.9	45.0				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4800	150	350	3022	75.5	45.0	5600	200	0	3232	81.9	45.0				
Foglamps	Add	3	Sub	0	4800	150	400	2972	76.0	45.0	5600	200	50	3182	82.4	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4800	150	450	2922	76.5	45.0	5600	200	100	3132	83.0	45.0				
XLT Floor Mats less Logo (Color Keyed)	Add	3	Add	1	4800	150	500	2872	76.9	45.0	5600	200	200	3032	84.1	45.0				
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	4800	200	0	3322	70.9	45.0	5600	200	250	2982	84.7	45.0				
All Weather Floor Mat	Add	6	Add	4	4800	200	50	3272	71.3	45.0	5600	200	300	2932	85.4	45.0				
Electrochromic Rear View Mirror	Add	1	Sub	0	4800	200	100	3222	71.7	45.0	5600	200	350	2882	86.0	45.0				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4800	200	150	3172	72.0	45.0	5600	200	400	2832	86.7	45.0				
Power Equipment Group	Add	12	Add	3	4800	200	200	3122	72.4	45.0	5600	200	450	2782	87.4	45.0				
Adj Gas & Brake Pedals	Add	4	Add	3	4800	200	250	3072	72.8	45.0	5600	200	500	2732	88.1	45.0				
Cruise Control	Add	3	Add	1	4800	200	300	3022	73.2	45.0	5600	250	0	3182	80.3	45.0				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4800	200	350	2972	73.7	45.0	5600	250	50	3132	80.8	45.0				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4800	200	400	2922	74.1	45.0	5600	250	100	3082	81.3	45.0				
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4800	200	450	2872	74.6	45.0	5600	250	200	2982	82.4	45.0				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4800	200	500	2822	75.0	45.0	5600	250	250	2932	83.0	45.0				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	0	3272	86.0	45.0	5600	250	300	2882	83.6	45.0				
10-Way Power Seat Adjuster (Driver/Passenger)	Add	-20	Add	5	5200	250	50	3222	86.5	45.0	5600	250	350	2832	84.3	45.0				
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	250	100	3172	87.2	45.0	5600	250	400	2782	84.9	45.0				
Electronic AM/FM/S																				

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10600 lb (4807 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR					
	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		FRONT (IN)	REAR (IN)					FRONT (IN)	REAR (IN)	
					I	II		III	IV					V	VI	VII
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	-50	3046	72.5	44.7	5600	-50	-50	3030	81.0	44.7
Limited Slip Rear Axle	Add	0	Add	5	4800	-50	0	2996	72.9	44.7	5600	-50	0	2980	81.0	44.7
Brake Controller	Add	1	Sub	0	4800	-50	50	2946	73.3	44.7	5600	-50	50	2930	81.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	-50	100	2896	73.8	44.7	5600	-50	100	2880	81.0	44.7
Skid Plates	Add	18	Add	18	4800	0	-50	2996	70.5	44.7	5600	0	-50	2980	81.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	4800	0	0	2946	70.9	44.7	5600	0	0	2930	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	50	2896	71.3	44.7	5600	0	50	2880	81.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	100	2846	71.7	44.7	5600	0	100	2830	81.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	150	2796	72.1	44.7	5600	0	150	2780	81.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	200	2746	72.6	44.7	5600	0	200	2730	81.0	44.7
Dual Alternator	Add	16	Sub	0	4800	0	250	2696	73.0	44.7	5600	0	250	2680	81.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	300	2646	73.5	44.7	5600	0	300	2630	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	350	2596	74.0	44.7	5600	0	350	2580	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	4800	50	0	2896	68.9	44.7	5600	50	0	2880	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	50	50	2846	69.2	44.7	5600	50	50	2830	81.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	100	2796	69.6	44.7	5600	50	100	2780	81.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	2746	70.0	44.7	5600	50	150	2730	81.0	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	4800	50	200	2696	70.4	44.7	5600	50	200	2680	81.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	4800	50	250	2646	70.8	44.7	5600	50	250	2630	81.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	2596	71.3	44.7	5600	50	300	2580	81.0	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	4800	50	350	2546	71.7	44.7	5600	50	350	2530	81.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	100	0	2846	81.0	44.7	5600	100	0	2830	80.1	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	100	50	2796	81.0	44.7	5600	100	50	2780	80.6	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	100	100	2746	81.0	44.7	5600	100	100	2730	81.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	100	150	2696	81.0	44.7	5600	100	150	2680	81.0	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	100	200	2646	81.0	44.7	5600	100	200	2630	81.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	250	2596	81.0	44.7	5600	100	250	2580	81.0	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	100	300	2546	81.0	44.7	5600	100	300	2530	81.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	350	2496	81.0	44.7	5600	100	350	2480	81.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	150	0	2796	81.0	44.7	5600	150	0	2780	78.1	44.7
Spray-in Bedliner	Sub	0	Add	16	5200	150	50	2746	81.0	44.7	5600	150	50	2730	78.7	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	22	Add	20	5200	150	100	2696	81.0	44.7	5600	150	100	2680	79.2	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5200	150	150	2646	81.0	44.7	5600	150	150	2630	79.8	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5200	150	200	2596	81.0	44.7	5600	150	200	2580	80.4	44.7
Lower Body Side Molding	Add	2	Add	1	5200	150	250	2546	81.0	44.7	5600	150	250	2530	81.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	300	2496	81.0	44.7	5600	150	300	2480	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	350	2446	81.0	44.7	5600	150	350	2430	81.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	200	0	2746	81.0	44.7	5600	200	0	2730	76.1	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	200	50	2696	81.0	44.7	5600	200	50	2680	76.6	44.7
Sliding Rear Window	Add	6	Add	1	5200	200	100	2646	81.0	44.7	5600	200	100	2630	77.1	44.7
Power Sliding Rear Window	Add	6	Add	2	5200	200	150	2596	81.0	44.7	5600	200	150	2580	77.7	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	200	200	2546	81.0	44.7	5600	200	200	2530	78.3	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	250	2496	81.0	44.7	5600	200	250	2480	78.9	44.7
Foglamps	Add	3	Sub	0	5200	200	300	2446	81.0	44.7	5600	200	300	2430	79.5	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	350	2396	81.0	44.7	5600	200	350	2380	80.2	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	250	0	2696	80.9	44.7	5600	250	0	2680	73.9	44.7
Floor Mats w/King Ranch Logo (Color Keyed luxury)	Add	4	Add	2	5200	250	50	2646	81.0	44.7	5600	250	50	2630	74.4	44.7
All Weather Floor Mat	Add	10	Add	6	5200	250	100	2596	81.0	44.7	5600	250	100	2580	74.9	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	250	150	2546	81.0	44.7	5600	250	150	2530	75.5	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	200	2496	81.0	44.7	5600	250	200	2480	76.0	44.7
Power Equipment Group	Add	12	Add	3	5200	250	250	2446	81.0	44.7	5600	250	250	2430	76.6	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	300	2396	81.0	44.7	5600	250	300	2380	77.2	44.7
Cruise Control	Add	3	Add	1	5200	250	350	2346	81.0	44.7	5600	250	350	2330	77.9	44.7
Front Seat - Individual 40/40 Driver & Passenger	Add	1	Sub	-2	5200	300	0	2646	78.9	44.7	5600	300	0	2630	71.7	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	300	50	2596	79.5	44.7	5600	300	50	2580	72.2	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	300	150	2496	80.7	44.7	5600	300	150	2480	73.2	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	300	200	2446	81.0	44.7	5600	300	200	2430	73.7	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	300	250	2396	81.0	44.7	5600	300	250	2380	74.2	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	-5	Sub	-2	5200	300	300	2346	81.0	44.7	5600	300	300	2330	74.8	44.7	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	350	2296	81.0	44.7	5600	300	350	2280	75.4	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4												
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6												
Satellite Digital Broadcast	Add	2	Add	1												
SYNCH - Media Gateway Module (MGM)	Add	1	Add	0												
FX4 Trim	Add	7	Add	5												
XLT Trim	Add	19	Add	14												
Lariat Trim	Add	24	Add	13												
King Ranch Option	Add	24	Add	14												
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												
Flat Splash Guards (SRW)	Add	2	Add	2												
Flat Splash Guards (DRW)	Sub	0	Add	8												
Bed Mat	Add	5	Add	45												
Low Profile Hood Deflector	Sub	0	Sub	0												
Roll-up Tonneau Cover	Add	4	Add	22												
Cable/Strap Locks	Sub	0	Add	9												
<b>Total Option Weight</b>																

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10800 lb (4898 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11300 lb (5125 kg) GVWR						
	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)	FRONT (LB)	REAR (LB)	FRONT (A) (IN)	REAR (B) (IN)					FRONT (A) (IN)	REAR (B) (IN)	
					I	II	III	IV	V	VI					V	VI	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0													
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	-50	3030	81.0	44.7	5600	-50	-50	2875	81.0	44.7	
Limited Slip Rear Axle	Add	0	Add	5	5200	-50	0	2980	81.0	44.7	5600	-50	0	2825	81.0	44.7	
Brake Controller	Add	1	Sub	0	5200	-50	50	2930	81.0	44.7	5600	-50	50	2775	81.0	44.7	
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	100	2980	81.0	44.7	5600	-50	100	2725	81.0	44.7	
Skid Plates	Add	20	Add	16	5200	0	-50	2980	81.0	44.7	5600	0	-50	2825	79.6	44.7	
Rear Stabilizer Bar	Add	2	Add	26	5200	0	0	2930	81.0	44.7	5600	0	0	2775	80.1	44.7	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	50	2880	81.0	44.7	5600	0	50	2725	80.7	44.7	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	100	2830	81.0	44.7	5600	0	100	2675	81.0	44.7	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	150	2780	81.0	44.7	5600	0	150	2625	81.0	44.7	
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	200	2730	81.0	44.7	5600	0	200	2575	81.0	44.7	
Dual Alternator	Add	16	Sub	0	5200	0	250	2680	81.0	44.7	5600	0	250	2525	81.0	44.7	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	300	2630	81.0	44.7	5600	0	300	2475	81.0	44.7	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	350	2580	81.0	44.7	5600	0	350	2425	81.0	44.7	
Manual Air Conditioning	Add	34	Sub	-1	5200	0	400	2530	81.0	44.7	5600	0	400	2375	81.0	44.7	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	50	0	2880	81.0	44.7	5600	50	0	2725	77.9	44.7	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	50	2830	81.0	44.7	5600	50	50	2675	78.4	44.7	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	2780	81.0	44.7	5600	50	100	2625	79.0	44.7	
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5200	50	150	2730	81.0	44.7	5600	50	150	2575	79.6	44.7	
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	2680	81.0	44.7	5600	50	200	2525	80.2	44.7	
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	2630	81.0	44.7	5600	50	250	2475	80.9	44.7	
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5200	50	300	2580	81.0	44.7	5600	50	300	2425	81.0	44.7	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	2530	81.0	44.7	5600	50	350	2375	81.0	44.7	
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	50	400	2480	81.0	44.7	5600	50	400	2325	81.0	44.7	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	100	0	2830	81.0	44.7	5600	100	0	2675	75.5	44.7	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	100	50	2780	81.0	44.7	5600	100	50	2625	76.0	44.7	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	100	100	2730	81.0	44.7	5600	100	100	2575	76.6	44.7	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	150	2680	81.0	44.7	5600	100	150	2525	77.1	44.7	
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	100	200	2630	81.0	44.7	5600	100	200	2475	77.7	44.7	
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	250	2580	81.0	44.7	5600	100	250	2425	78.4	44.7	
Pickup Bed Extender	Sub	-2	Add	22	5200	100	300	2530	81.0	44.7	5600	100	300	2375	79.0	44.7	
Spray-in Bedliner	Sub	0	Add	20	5200	100	350	2480	81.0	44.7	5600	100	350	2325	79.7	44.7	
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	5200	100	400	2430	81.0	44.7	5600	100	400	2275	80.4	44.7	
Side Aux Steps - w/Lights	Add	37	Add	27	5200	150	0	2780	81.0	44.7	5600	150	0	2625	73.1	44.7	
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	5200	150	50	2730	81.0	44.7	5600	150	50	2575	73.5	44.7	
8" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5200	150	100	2680	81.0	44.7	5600	150	100	2525	74.1	44.7	
Lower Bodyside Molding	Add	2	Add	1	5200	150	150	2630	81.0	44.7	5600	150	150	2475	74.6	44.7	
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	200	2580	81.0	44.7	5600	150	200	2425	75.1	44.7	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	250	2530	81.0	44.7	5600	150	250	2375	75.7	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	300	2480	81.0	44.7	5600	150	300	2325	76.3	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional Sliding Rear Window	Add	13	Add	5	5200	150	350	2430	81.0	44.7	5600	150	350	2275	76.9	44.7	
Power Sliding Rear Window	Add	6	Add	1	5200	150	400	2380	81.0	44.7	5600	150	400	2225	77.6	44.7	
Electronic Rear Window (Backglass) Defrost	Add	6	Add	2	5200	200	0	2730	79.4	44.7	6000	200	0	2575	81.0	44.7	
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	50	2680	79.9	44.7	6000	200	50	2525	81.0	44.7	
Foglamps	Add	3	Sub	0	5200	200	100	2630	80.6	44.7	6000	200	100	2475	81.0	44.7	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	150	2580	81.0	44.7	6000	200	150	2425	81.0	44.7	
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	250	2480	81.0	44.7	6000	200	250	2375	81.0	44.7	
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	200	300	2430	81.0	44.7	6000	200	300	2325	81.0	44.7	
All Weather Floor Mat	Add	10	Add	6	5200	200	350	2380	81.0	44.7	6000	200	350	2275	81.0	44.7	
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	200	400	2330	81.0	44.7	6000	200	400	2175	81.0	44.7	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	0	2680	77.0	44.7	6000	250	0	2525	81.0	44.7	
Power Equipment Group	Add	15	Add	6	5200	250	50	2630	77.6	44.7	6000	250	50	2475	81.0	44.7	
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	100	2580	78.2	44.7	6000	250	100	2425	81.0	44.7	
Cruise Control	Add	3	Add	1	5200	250	150	2530	78.8	44.7	6000	250	150	2375	81.0	44.7	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	250	200	2480	79.4	44.7	6000	250	200	2325	81.0	44.7	
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	250	250	2430	80.0	44.7	6000	250	250	2275	81.0	44.7	
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	250	300	2380	80.7	44.7	6000	250	300	2225	81.0	44.7	
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	250	350	2330	81.0	44.7	6000	250	350	2175	81.0	44.7	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	400	2280	81.0	44.7	6000	250	400	2125	81.0	44.7	
10-Way Power Seat Adjuster (Driver/Passenger)	Sub	-20	Add	5	5200	300	0	2630	74.6	44.7	6000	300	0	2475	81.0	44.7	
Less Radio Pre-Equipment Pack (Radio Delete)	Add	-5	Sub	-2	5200	300	50	2580	75.1	44.7	6000	300	50	2425	81.0	44.7	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	100	2530	75.7	44.7	6000	300	100	2375	81.0	44.7	
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5200	300	150	2480	76.2	44.7	6000	300	150	2325	81.0	44.7	
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5200	300	200	2430	76.8	44.7	6000	300	200	2275	81.0	44.7	
Satellite Digital Broadcast	Add	2	Add	1	5200	300	250	2380	77.4	44.7	6000	300	250	2225	81.0	44.7	
SYNC - Media Gateway Module (MGM)	Add	1	Add	0	5200	300	300	2330	78.1	44.7	6000	300	300	2175	81.0	44.7	
F24 Trim	Add	7	Add	7	5200	300	350	2280	78.7	44.7	6000	300	350	2125	81.0	44.7	
Power Slide Sunroof	Add	20	Add	16	5200	300	400	2230	79.4	44.7	6000	300	400	2075	81.0	44.7	
XLT Trim	Add	22	Add	17							6000	350	0	2425	81.0	44.7	
Lariat Trim	Add	26	Add	16							6000	350	50	2375	81.0	44	

OPTION DESCRIPTION	OPTION TABLE			VEHICLE LOADING DATA 6.2L Gasoline Engine 10800 lb (4898 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11300 lb (5125 kg) GVWR						
	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	0	3070	88.3	44.7	5600	-50	0	2752	78.8	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	3070	88.3	44.7	5600	-50	0	2752	78.8	44.7
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	0	3070	88.3	44.7	5600	-50	0	2752	78.8	44.7
Limited Slip Rear Axle	Add	0	Add	5	5200	-50	100	2970	89.7	44.7	5600	-50	100	2652	80.0	44.7
Brake Controller	Add	1	Sub	0	5200	0	-50	3070	85.7	44.7	5600	0	-50	2752	78.8	44.7
ESC <sup>®</sup> w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	3070	88.3	44.7	6000	0	0	2702	97.0	44.7
Skid Plates	Add	18	Add	20	5200	-50	50	3020	89.0	44.7	6000	0	50	2652	97.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	-50	100	2970	89.7	44.7	6000	0	100	2602	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	-50	150	2920	90.4	44.7	6000	0	150	2552	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	-50	200	2870	91.1	44.7	6000	0	200	2502	97.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	-50	250	2820	91.9	44.7	6000	0	250	2452	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	-50	300	2770	92.7	44.7	6000	0	300	2402	97.0	44.7
Dual Alternator	Add	16	Sub	0	5200	-50	350	2720	93.5	44.7	6000	0	350	2352	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	-50	400	2670	94.4	44.7	6000	0	400	2302	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	-50	450	2620	95.3	44.7	6000	0	450	2252	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	-50	500	2570	96.2	44.7	6000	0	500	2202	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	-50	3070	85.7	44.7	6000	50	0	2652	97.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	0	0	3020	86.4	44.7	6000	50	50	2602	97.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	0	50	2970	87.0	44.7	6000	50	100	2552	97.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	0	100	2920	87.7	44.7	6000	50	150	2502	97.0	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	0	150	2870	88.4	44.7	6000	50	200	2452	97.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	0	200	2820	89.1	44.7	6000	50	250	2402	97.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	0	250	2770	89.8	44.7	6000	50	300	2352	97.0	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	0	300	2720	90.6	44.7	6000	50	350	2302	97.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	0	350	2670	91.4	44.7	6000	50	400	2252	97.0	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	0	400	2620	92.2	44.7	6000	50	450	2202	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	0	450	2570	93.1	44.7	6000	50	500	2152	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	0	500	2520	94.0	44.7	6000	100	0	2602	96.4	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	50	0	2970	84.3	44.7	6000	100	50	2552	97.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	50	50	2920	85.0	44.7	6000	100	100	2502	97.0	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	50	100	2870	85.6	44.7	6000	100	150	2452	97.0	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	50	150	2820	86.3	44.7	6000	100	200	2402	97.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	50	200	2770	87.0	44.7	6000	100	250	2352	97.0	44.7
Spray-In Bedliner	Sub	0	Add	16	5200	50	250	2720	87.7	44.7	6000	100	300	2302	97.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	24	Add	18	5200	50	300	2670	88.4	44.7	6000	100	350	2252	97.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	16	Add	20	5200	50	350	2620	89.2	44.7	6000	100	400	2202	97.0	44.7
8" Angular Chrome Step w/o Lights (VP Design)	Add	30	Add	27	5200	50	400	2570	90.0	44.7	6000	100	450	2152	97.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	50	450	2520	90.9	44.7	6000	100	500	2102	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	50	500	2470	91.7	44.7	6000	150	0	2552	94.2	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	100	0	2920	82.3	44.7	6000	150	50	2502	95.1	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	50	2870	82.9	44.7	6000	150	100	2452	96.1	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	100	2820	83.5	44.7	6000	150	150	2402	97.0	44.7
Sliding Rear Window	Add	6	Add	1	5200	100	150	2770	84.1	44.7	6000	150	200	2352	97.0	44.7
Power Sliding Rear Window	Add	6	Add	2	5200	100	200	2720	84.8	44.7	6000	150	250	2302	97.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	100	250	2670	85.5	44.7	6000	150	300	2252	97.0	44.7
Roof Marker/Clearance Lights - Conv	Sub	0	Sub	0	5200	100	300	2620	86.2	44.7	6000	150	350	2202	97.0	44.7
Foglights	Add	3	Sub	0	5200	100	350	2570	87.0	44.7	6000	150	400	2152	97.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Sub	0	Sub	0	5200	100	400	2520	87.7	44.7	6000	150	450	2102	97.0	44.7
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	5200	100	450	2470	88.5	44.7	6000	150	500	2052	97.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	100	500	2420	89.4	44.7	6000	200	0	2502	92.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	150	0	2870	80.1	44.7	6000	200	50	2452	92.9	44.7
Electrochromic Rear View Mirror	Sub	0	Sub	0	5200	150	50	2820	80.7	44.7	6000	200	100	2402	93.8	44.7
Electrochromic Rear View Mirror w/Video Display	Sub	0	Add	1	5200	150	100	2770	81.3	44.7	6000	200	150	2352	94.8	44.7
Power Equipment Group	Add	12	Add	3	5200	150	150	2720	81.9	44.7	6000	200	200	2302	95.8	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	150	200	2670	82.5	44.7	6000	200	250	2252	96.9	44.7
Cruise Control	Add	3	Add	1	5200	150	250	2620	83.2	44.7	6000	200	300	2202	97.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Sub	-1	Sub	-2	5200	150	300	2570	83.9	44.7	6000	200	350	2152	97.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	150	350	2520	84.6	44.7	6000	200	400	2102	97.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Sub	9	Add	9	5200	150	400	2470	85.3	44.7	6000	200	450	2052	97.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	150	450	2420	86.1	44.7	6000	200	500	2002	97.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	150	500	2370	86.9	44.7	6000	250	0	2452	89.7	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	200	0	2820	77.9	44.7	6000	250	50	2402	90.5	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	200	50	2770	78.4	44.7	6000	250	100	2352	91.4	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	200	100	2720	79.0	44.7	6000	250	150	2302	92.4	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	200	150	2670	79.6	44.7	6000	250	200	2252	93.4	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	5200	200	200	2620	80.2	44.7	6000	250	250	2202	94.4	44.7
Satellite Digital Broadcast	Add	2	Add	1	5200	200	250	2570	80.8	44.7	6000	250	300	2152	95.5	44.7
SVHC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	200	300	2520	81.5	44.7	6000	250	350	2102	96.6	44.7
FX4 Trim	Add	7	Add	5	5200	200	350	2470	82.1	44.7	6000	250	400	2052	97.0	44.7
XLT Trim	Add	19	Add	14	5200	200	400	2420	82.8	44.7	6000	250	450	2002	97.0	44.7
Lariat Trim	Add	24	Add	1												

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 11000 lb (4989 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11300 lb (5125 kg) GVWR					
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (Lb.)	REAR (Lb.)		FRONT (IN)	REAR (IN)		FRONT (IN)	REAR (IN)				
					GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (IN)		REAR (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (IN)
I	II	III	IV	V	VI	I	II	III	IV	V	VI					
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	-50	3127	83.1	44.7	6000	-50	-50	2663	97.0	44.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	3077	83.7	44.7	6000	-50	0	2613	97.0	44.7
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	3027	84.3	44.7	6000	-50	50	2563	97.0	44.7
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	100	2977	84.9	44.7	6000	-50	100	2513	97.0	44.7
Brake Controller	Add	1	Sub	0	5200	0	-50	3077	80.9	44.7	6000	0	-50	2613	97.0	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	3027	81.4	44.7	6000	0	0	2563	97.0	44.7
Skid Plates	Add	19	Add	17	5200	0	50	2977	82.0	44.7	6000	0	50	2513	97.0	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	0	100	2927	82.6	44.7	6000	0	100	2463	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	150	2877	83.2	44.7	6000	0	150	2413	97.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	200	2827	83.8	44.7	6000	0	200	2363	97.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	250	2777	84.5	44.7	6000	0	250	2313	97.0	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	300	2727	85.1	44.7	6000	0	300	2263	97.0	44.7
Dual Alternator	Add	16	Sub	0	5200	0	350	2677	85.8	44.7	6000	0	350	2213	97.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	400	2627	86.5	44.7	6000	0	400	2163	97.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	450	2577	87.3	44.7	6000	0	450	2113	97.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	0	500	2527	88.1	44.7	6000	0	500	2063	97.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	550	2477	88.9	44.7	6000	0	550	2013	97.0	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	0	2977	79.1	44.7	6000	50	0	2513	97.0	44.7
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	50	50	2927	79.6	44.7	6000	50	50	2463	97.0	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	2877	80.2	44.7	6000	50	100	2413	97.0	44.7
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	50	150	2827	80.8	44.7	6000	50	150	2363	97.0	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	2777	81.3	44.7	6000	50	200	2313	97.0	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	2727	82.0	44.7	6000	50	250	2263	97.0	44.7
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	50	300	2677	82.6	44.7	6000	50	300	2213	97.0	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	2627	83.3	44.7	6000	50	350	2163	97.0	44.7
18X8" Steel Drop Center Wheel (SRW Only)	Sub	0	Sub	0	5200	50	400	2577	83.9	44.7	6000	50	400	2113	97.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	50	450	2527	84.7	44.7	6000	50	450	2063	97.0	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	50	500	2477	85.4	44.7	6000	50	500	2013	97.0	44.7
20X8" Cast Aluminum Wheel - (SRW 4x4 only)	Sub	-18	Sub	-18	5200	50	550	2427	86.2	44.7	6000	50	550	1963	97.0	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	0	2827	97.0	44.7	6000	100	0	2463	96.5	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5600	100	50	2877	97.0	44.7	6000	100	50	2413	96.5	44.7
Stepgate (Upgraded Tailgate)	Sub	-9	Add	41	5600	100	100	2827	97.0	44.7	6000	100	100	2363	97.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5600	100	150	2777	97.0	44.7	6000	100	150	2313	97.0	44.7
Spray-In Bedliner	Sub	0	Add	20	5600	100	200	2727	97.0	44.7	6000	100	200	2263	97.0	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	28	Add	21	5600	100	250	2677	97.0	44.7	6000	100	250	2213	97.0	44.7
Side Aux Steps - w/Lights	Add	39	Add	25	5600	100	300	2627	97.0	44.7	6000	100	300	2163	97.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	26	Add	21	5600	100	350	2577	97.0	44.7	6000	100	350	2113	97.0	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5600	100	400	2527	97.0	44.7	6000	100	400	2063	97.0	44.7
Lower Bodyside Molding	Add	2	Add	1	5600	100	450	2477	97.0	44.7	6000	100	450	2013	97.0	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5600	100	500	2427	97.0	44.7	6000	100	500	1963	97.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5600	100	550	2377	97.0	44.7	6000	100	550	1913	97.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	0	2877	97.0	44.7	6000	150	0	2413	93.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	50	2827	97.0	44.7	6000	150	50	2363	93.9	44.7
Sliding Rear Window	Add	6	Add	1	5600	150	100	2777	97.0	44.7	6000	150	100	2313	94.9	44.7
Power Sliding Rear Window	Add	6	Add	2	5600	150	150	2727	97.0	44.7	6000	150	150	2263	95.9	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	150	200	2677	97.0	44.7	6000	150	200	2213	97.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5600	150	250	2627	97.0	44.7	6000	150	250	2163	97.0	44.7
Foglamps	Add	3	Sub	0	5600	150	300	2577	97.0	44.7	6000	150	300	2113	97.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5600	150	350	2527	97.0	44.7	6000	150	350	2063	97.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5600	150	400	2477	97.0	44.7	6000	150	400	2013	97.0	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5600	150	450	2427	97.0	44.7	6000	150	450	1963	97.0	44.7
All Weather Floor Mat	Add	10	Add	6	5600	150	500	2377	97.0	44.7	6000	150	500	1913	97.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5600	150	550	2327	97.0	44.7	6000	150	550	1863	97.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	200	0	2827	96.0	44.7	6000	200	0	2363	93.3	44.7
Power Equipment Group	Add	15	Add	6	5600	200	50	2777	96.9	44.7	6000	200	50	2313	91.2	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5600	200	100	2727	97.0	44.7	6000	200	100	2263	92.1	44.7
Cruise Control	Add	3	Add	1	5600	200	150	2677	97.0	44.7	6000	200	150	2213	93.1	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	200	200	2627	97.0	44.7	6000	200	200	2163	94.2	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	200	250	2577	97.0	44.7	6000	200	250	2113	95.3	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	200	300	2527	97.0	44.7	6000	200	300	2063	96.4	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	200	350	2477	97.0	44.7	6000	200	350	2013	97.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	200	400	2427	97.0	44.7	6000	200	400	1963	97.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5600	200	450	2377	97.0	44.7	6000	200	450	1913	97.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5600	200	500	2327	97.0	44.7	6000	200	500	1863	97.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	200	550	2277	97.0	44.7	6000	200	550	1813	97.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5600	250	0	2777	93.8	44.7	6000	250	0	2313	87.5	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5600	250	50	2727	94.6	44.7	6000	250	50	2263	88.3	44.7
Satellite Digital Broadcast	Add	2	Add	1	5600	250	100	2677	95.6	44.7	6000	250	100	2213	89.2	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	250	150	2627	96.4	44.7	6000	250	150	2163	90.2	44.7
FX4 Trim	Add	7	Add	7	5600	250	200	2577	97.0	44.7	60					

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA				VEHICLE LOADING DATA							
	6.2L Gasoline Engine 10700 lb (4853 kg) GVWR				6.7L Diesel Engine 11200 lb (5079 kg) GVWR				6.7L Diesel Engine 11200 lb (5079 kg) GVWR							
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (Lb.)	REAR (Lb.)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)		
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)	
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	4800	-50	-50	3797	76.8	45.0	5200	-50	-50	3707	71.7	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	4800	-50	0	3747	77.1	45.0	5200	-50	0	3657	72.0	45.0
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	50	3697	77.5	45.0	5200	-50	50	3607	72.3	45.0
Limited Slip Rear Axle	Sub	0	Add	5	4800	-50	100	3647	77.9	45.0	5200	-50	100	3557	72.7	45.0
Brake Controller	Add	1	Sub	0	4800	0	-50	3747	75.3	45.0	5200	0	-50	3657	70.1	45.0
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	0	0	3697	75.7	45.0	5200	0	0	3607	70.4	45.0
Skid Plates	Add	16	Add	20	4800	0	50	3647	76.1	45.0	5200	0	50	3557	70.7	45.0
Rear Stabilizer Bar	Add	2	Add	26	4800	0	100	3597	76.5	45.0	5200	0	100	3507	71.1	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	150	3547	76.9	45.0	5200	0	200	3407	71.7	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	200	3497	77.3	45.0	5200	0	250	3357	72.1	45.0
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	250	3447	77.7	45.0	5200	0	300	3307	72.5	45.0
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	300	3397	78.1	45.0	5200	0	350	3257	72.8	45.0
Dual Alternator	Add	16	Sub	0	4800	0	350	3347	78.6	45.0	5200	0	400	3207	73.2	45.0
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	400	3297	79.1	45.0	5200	0	450	3157	73.6	45.0
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	4800	0	450	3247	79.5	45.0	5200	0	500	3107	74.0	45.0
Manual Air Conditioning	Add	34	Sub	-1	4800	0	500	3197	80.0	45.0	5600	50	0	3557	84.2	45.0
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	0	500	3197	80.0	45.0	5600	50	0	3557	84.2	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	50	3597	74.2	45.0	5600	50	100	3457	85.3	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	50	100	3547	74.9	45.0	5600	50	200	3357	86.4	45.0
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	4800	50	150	3497	75.3	45.0	5600	50	250	3307	87.0	45.0
LT 275/65R18E A/S BSW (SRW only)	Sub	-15	Sub	-31	4800	50	200	3447	75.7	45.0	5600	50	300	3257	87.6	45.0
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	9	Add	60	4800	50	250	3397	76.1	45.0	5600	50	350	3207	88.2	45.0
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	4800	50	300	3347	76.5	45.0	5600	50	400	3157	88.8	45.0
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	4800	50	350	3297	77.0	45.0	5600	50	450	3107	89.5	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	4800	50	400	3247	77.4	45.0	5600	50	500	3057	90.2	45.0
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	4800	50	450	3197	77.9	45.0	5600	100	0	3507	82.8	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	4800	50	500	3147	78.4	45.0	5600	100	50	3457	83.3	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	4800	100	0	3597	72.6	45.0	5600	100	100	3407	83.8	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	4800	100	50	3547	73.0	45.0	5600	100	200	3307	84.9	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	4800	100	100	3497	73.4	45.0	5600	100	250	3257	85.5	45.0
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	4800	100	150	3447	73.7	45.0	5600	100	300	3207	86.0	45.0
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	100	200	3397	74.1	45.0	5600	100	350	3157	86.6	45.0
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	4800	100	250	3347	74.5	45.0	5600	100	400	3107	87.3	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4800	100	300	3297	74.9	45.0	5600	100	450	3057	87.9	45.0
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4800	100	350	3247	75.3	45.0	5600	100	500	3007	88.6	45.0
Pickup Bed Extender	Sub	-2	Add	22	4800	100	400	3197	75.7	45.0	5600	150	0	3457	81.3	45.0
Spray-In Bedliner	Add	1	Add	19	4800	100	450	3147	76.2	45.0	5600	150	50	3407	81.8	45.0
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4800	100	500	3097	76.6	45.0	5600	150	100	3357	82.3	45.0
Lower Bodyside Molding	Add	2	Add	1	4800	150	0	3547	71.1	45.0	5600	150	200	3257	83.4	45.0
Reverse Vehicle Sensor System	Sub	0	Add	1	4800	150	50	3497	71.4	45.0	5600	150	250	3207	83.9	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4800	150	100	3447	71.7	45.0	5600	150	300	3157	84.5	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	150	3397	72.1	45.0	5600	150	350	3107	85.1	45.0
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	150	200	3347	72.5	45.0	5600	150	400	3057	85.7	45.0
Sliding Rear Window	Add	6	Add	1	4800	150	250	3297	72.8	45.0	5600	150	450	3007	86.3	45.0
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4800	150	300	3247	73.2	45.0	5600	150	500	2957	87.0	45.0
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4800	150	350	3197	73.6	45.0	5600	200	0	3407	79.8	45.0
Foglights	Add	3	Sub	0	4800	150	400	3147	74.0	45.0	5600	200	50	3357	80.3	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4800	150	450	3097	74.4	45.0	5600	200	100	3307	80.7	45.0
XLT Floor Mats less Logo (Color Keyed)	Add	3	Add	1	4800	150	500	3047	74.9	45.0	5600	200	200	3207	81.8	45.0
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	5200	200	0	3497	85.1	45.0	5600	200	250	3157	82.3	45.0
All Weather Floor Mat	Add	6	Add	4	5200	200	50	3447	85.6	45.0	5600	200	300	3107	82.9	45.0
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	200	100	3397	86.2	45.0	5600	200	350	3057	83.4	45.0
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	200	150	3347	86.8	45.0	5600	200	400	3007	84.0	45.0
Power Equipment Group	Add	12	Add	3	5200	200	200	3297	87.4	45.0	5600	200	450	2957	84.6	45.0
Adj Gas & Brake Pedals	Add	4	Add	3	5200	200	250	3247	88.0	45.0	5600	200	500	2907	85.3	45.0
Cruise Control	Add	3	Add	1	5200	200	300	3197	88.6	45.0	5600	250	0	3357	78.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Sub	-1	Sub	-2	5200	200	350	3147	89.3	45.0	5600	250	50	3307	78.7	45.0
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	200	400	3097	89.9	45.0	5600	250	100	3257	79.1	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	200	450	3047	90.6	45.0	5600	250	200	3157	80.1	45.0
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	200	500	2997	91.3	45.0	5600	250	250	3107	80.7	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	0	3447	83.7	45.0	5600	250	300	3057	81.2	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	250	50	3397	84.2	45.0	5600	250	350	3007	81.7	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	250	100	3347	84.7	45.0	5600	250	400	2957	82.3	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	250	150	3297	85.3	45.0	5600	250	450	2907	82.9	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	5200	250	200	3247	85.9	45.0	5600	250	500	2857	83.5	45.0
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	5200	250	250	3197	86.5	45.0						
Satellite Digital Broadcast	Add	2	Add	1	5200	250	300	3147	87.1	45.0						
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	250	350	3097	87.7	45.0						
FX4 Trim	Add	6	Add	2	5200	250	400	3047	88.4	45.0						
XLT Trim	Add	18	Add	12	5200	250	450	2997	89.0	45.0			</			



OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 11000 lb (4989 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR					
	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)					FRONT (A) (IN)	REAR (B) (IN)	
					I	II		III	IV					V	VI	V
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0												
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	-50	3205	81.0	44.7	5600	-50	-50	3050	79.3	44.7
Limited Slip Rear Axle	Add	0	Add	5	5200	-50	0	3155	81.0	44.7	5600	-50	0	3000	79.9	44.7
Brake Controller	Add	1	Sub	0	5200	-50	50	3105	81.0	44.7	5600	-50	50	2950	80.4	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	100	3055	81.0	44.7	5600	-50	100	2900	81.0	44.7
Skid Plates	Add	20	Add	16	5200	0	-50	3155	81.0	44.7	5600	0	-50	3000	77.3	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	0	0	3105	81.0	44.7	5600	0	0	2950	77.8	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	50	3055	81.0	44.7	5600	0	50	2900	78.3	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	100	3005	81.0	44.7	5600	0	100	2850	78.8	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	150	2955	81.0	44.7	5600	0	150	2800	79.4	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	200	2905	81.0	44.7	5600	0	200	2750	79.9	44.7
Dual Alternator	Add	16	Sub	0	5200	0	250	2855	81.0	44.7	5600	0	250	2700	80.5	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	300	2805	81.0	44.7	5600	0	300	2650	81.0	44.7
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	350	2755	81.0	44.7	5600	0	350	2600	81.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	0	400	2705	81.0	44.7	5600	0	400	2550	81.0	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	50	0	3055	81.0	44.7	5600	50	0	2900	75.6	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	50	3005	81.0	44.7	5600	50	50	2850	76.1	44.7
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	50	100	2955	81.0	44.7	5600	50	100	2800	76.6	44.7
LT 275/65R18E A/S BSW (SRW Only)	Add	22	Add	22	5200	50	150	2905	81.0	44.7	5600	50	150	2750	77.1	44.7
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	50	200	2855	81.0	44.7	5600	50	200	2700	77.6	44.7
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	50	250	2805	81.0	44.7	5600	50	250	2650	78.2	44.7
LT 275/65R20E A/T OWL (SRW Only)	Add	41	Add	41	5200	50	300	2755	81.0	44.7	5600	50	300	2600	78.8	44.7
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	50	350	2705	81.0	44.7	5600	50	350	2550	79.4	44.7
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	50	400	2655	81.0	44.7	5600	50	400	2500	80.0	44.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	100	0	3005	81.0	44.7	5600	100	0	2850	73.3	44.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	100	50	2955	81.0	44.7	5600	100	50	2800	73.8	44.7
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	100	100	2905	81.0	44.7	5600	100	100	2750	74.2	44.7
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	100	150	2855	81.0	44.7	5600	100	150	2700	74.7	44.7
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	100	200	2805	81.0	44.7	5600	100	200	2650	75.2	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	100	250	2755	81.0	44.7	5600	100	250	2600	75.8	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	100	300	2705	81.0	44.7	5600	100	300	2550	76.3	44.7
Spray-in Bedliner	Sub	0	Add	20	5200	100	350	2655	81.0	44.7	5600	100	350	2500	76.9	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	25	Add	24	5200	100	400	2605	81.0	44.7	5600	100	400	2450	77.5	44.7
Side Aux Steps - w/Lights	Add	37	Add	27	5200	150	0	2955	79.1	44.7	5600	150	0	2800	71.0	44.7
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	25	Add	22	5200	150	50	2905	79.7	44.7	5600	150	50	2750	71.4	44.7
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5200	150	100	2855	80.2	44.7	5600	150	100	2700	71.8	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	150	150	2805	80.8	44.7	5600	150	150	2650	72.3	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	150	200	2755	81.0	44.7	5600	150	200	2600	72.8	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	150	250	2705	81.0	44.7	5600	150	250	2550	73.2	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	300	2655	81.0	44.7	5600	150	300	2500	73.8	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	150	350	2605	81.0	44.7	5600	150	350	2450	74.3	44.7
Sliding Rear Window	Add	6	Add	1	5200	150	400	2555	81.0	44.7	5600	150	400	2400	74.8	44.7
Power Sliding Rear Window	Add	6	Add	2	5200	200	0	2905	77.0	44.7	6000	200	0	2750	81.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	200	50	2855	77.5	44.7	6000	200	50	2700	81.0	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	200	100	2805	78.0	44.7	6000	200	100	2650	81.0	44.7
Foglamps	Add	3	Sub	0	5200	200	150	2755	78.6	44.7	6000	200	150	2600	81.0	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	200	200	2705	79.1	44.7	6000	200	200	2550	81.0	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5200	200	250	2655	79.7	44.7	6000	200	250	2500	81.0	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	200	300	2605	80.3	44.7	6000	200	300	2450	81.0	44.7
All Weather Floor Mat	Add	10	Add	6	5200	200	350	2555	81.0	44.7	6000	200	350	2400	81.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	200	400	2505	81.0	44.7	6000	200	400	2350	81.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	250	0	2855	74.8	44.7	6000	250	0	2700	81.0	44.7
Power Equipment Group	Add	15	Add	6	5200	250	50	2805	75.2	44.7	6000	250	50	2650	81.0	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	250	100	2755	75.7	44.7	6000	250	100	2600	81.0	44.7
Cruise Control	Add	3	Add	1	5200	250	150	2705	76.2	44.7	6000	250	150	2550	81.0	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	250	200	2655	76.8	44.7	6000	250	200	2500	81.0	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	250	250	2605	77.3	44.7	6000	250	250	2450	81.0	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	250	300	2555	77.9	44.7	6000	250	300	2400	81.0	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	250	350	2505	78.5	44.7	6000	250	350	2350	81.0	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	250	400	2455	79.1	44.7	6000	250	400	2300	81.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Sub	-20	Add	5	5200	300	0	2805	72.5	44.7	6000	300	0	2650	81.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Add	-5	Sub	-2	5200	300	50	2755	72.9	44.7	6000	300	50	2600	81.0	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	300	100	2705	73.4	44.7	6000	300	100	2550	81.0	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	3	5200	300	150	2655	73.8	44.7	6000	300	150	2500	81.0	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5200	300	200	2605	74.3	44.7	6000	300	200	2450	81.0	44.7
Satellite Digital Broadcast	Add	2	Add	1	5200	300	250	2555	74.8	44.7	6000	300	250	2400	81.0	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Add	0	5200	300	300	2505	75.4	44.7	6000	300	300	2350	81.0	44.7
F34 Trim	Add	7	Add	7	5200	300	350	2455	75.9	44.7	6000	300	350	2300	81.0	44.7
Power Slide Sunroof	Add	20	Add	16	5200	300	400	2405	76.5	44.7	6000	300	400	2250	81.0	44.7
XLT Trim	Add	22	Add	17							6000	350	0	2600	81.0	44.7
Lariat Trim	Add	26	Add	16							6000	350	50	2550	81.0	44.7
King Ranch Option	Add	27	Add	17							6000	350	100	2500	81.0	44.7
Passenger Side Air Bag Delete	Sub	-10	Sub	-1												



OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 11000 lb (4989 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR						
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS			
					FRONT (LB)	REAR (LB)		RATING	FRONT (A) (IN)		REAR (B) (IN)	FRONT (A) (IN)		REAR (B) (IN)			
					I	II	III	IV	V		VI	I	II	III	IV	V	VI
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386													
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	-50	3295	85.1	44.7	5600	-50	-50	2977	76.5	44.7	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	3245	85.7	44.7	5600	-50	0	2927	77.0	44.7	
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	3195	86.3	44.7	5600	-50	50	2877	77.5	44.7	
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	100	3145	86.9	44.7	5600	-50	100	2827	78.0	44.7	
Brake Controller	Add	1	Sub	0	5200	0	-50	3245	83.2	44.7	6000	0	50	2927	85.9	44.7	
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	-50	0	3245	85.7	44.7	6000	0	0	2877	96.7	44.7	
Skid Plates	Add	18	Add	20	5200	-50	50	3195	86.3	44.7	6000	0	50	2827	97.0	44.7	
Rear Stabilizer Bar	Add	2	Add	26	5200	-50	100	3145	86.9	44.7	6000	0	100	2777	97.0	44.7	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	-50	150	3095	87.5	44.7	6000	0	150	2727	97.0	44.7	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	-50	200	3045	88.2	44.7	6000	0	200	2677	97.0	44.7	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	-50	250	2995	88.8	44.7	6000	0	250	2627	97.0	44.7	
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	-50	300	2945	89.5	44.7	6000	0	300	2577	97.0	44.7	
Dual Alternator	Add	16	Sub	0	5200	-50	350	2895	90.3	44.7	6000	0	350	2527	97.0	44.7	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	-50	400	2845	91.0	44.7	6000	0	400	2477	97.0	44.7	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	-50	450	2795	91.8	44.7	6000	0	450	2427	97.0	44.7	
Manual Air Conditioning	Add	34	Sub	-1	5200	-50	500	2745	92.6	44.7	6000	0	500	2377	97.0	44.7	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	-50	3245	83.2	44.7	6000	50	0	2827	94.8	44.7	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	0	0	3195	83.6	44.7	6000	50	0	2777	96.6	44.7	
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5200	0	50	3145	84.4	44.7	6000	50	100	2727	96.5	44.7	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5200	0	100	3095	85.0	44.7	6000	50	150	2677	97.0	44.7	
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5200	0	150	3045	85.6	44.7	6000	50	200	2627	97.0	44.7	
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5200	0	200	2995	86.2	44.7	6000	50	250	2577	97.0	44.7	
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5200	0	250	2945	86.9	44.7	6000	50	300	2527	97.0	44.7	
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5200	0	300	2895	87.5	44.7	6000	50	350	2477	97.0	44.7	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5200	0	350	2845	88.2	44.7	6000	50	400	2427	97.0	44.7	
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5200	0	400	2795	88.9	44.7	6000	50	450	2377	97.0	44.7	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5200	0	450	2745	89.7	44.7	6000	50	500	2327	97.0	44.7	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5200	0	500	2695	90.5	44.7	6000	100	0	2777	92.8	44.7	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5200	50	0	3145	81.9	44.7	6000	100	50	2727	93.6	44.7	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5200	50	0	3095	82.4	44.7	6000	100	100	2677	94.5	44.7	
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5200	50	100	3045	83.0	44.7	6000	100	150	2627	95.4	44.7	
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	50	150	2995	83.6	44.7	6000	100	200	2577	96.3	44.7	
Pickup Bed Extender	Sub	-2	Add	22	5200	50	200	2945	84.2	44.7	6000	100	250	2527	97.0	44.7	
Spray-In Bedliner	Sub	0	Add	16	5200	50	250	2895	84.8	44.7	6000	100	300	2477	97.0	44.7	
Composite Side Aux. Steps - Platform w/Lights	Add	24	Add	18	5200	50	300	2845	85.4	44.7	6000	100	350	2427	97.0	44.7	
5" Tubular Chromed Side Aux. Steps w/Lights (VP Design) - 156" CC	Add	16	Add	20	5200	50	350	2795	86.1	44.7	6000	100	400	2377	97.0	44.7	
6" Angular Chrome Step w/Lights (VP Design)	Add	30	Add	27	5200	50	400	2745	86.8	44.7	6000	100	450	2327	97.0	44.7	
Lower Body Side Molding	Add	2	Add	1	5200	50	450	2695	87.5	44.7	6000	100	500	2277	97.0	44.7	
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	50	500	2645	88.3	44.7	6000	150	0	2727	90.7	44.7	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	100	0	3095	79.9	44.7	6000	150	50	2677	91.5	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	50	3045	80.4	44.7	6000	150	100	2627	92.4	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	100	2995	80.9	44.7	6000	150	150	2577	93.2	44.7	
Sliding Rear Window	Add	6	Add	1	5200	100	150	2945	81.5	44.7	6000	150	200	2527	94.1	44.7	
Power Sliding Rear Window	Add	6	Add	2	5200	100	200	2895	82.1	44.7	6000	150	250	2477	95.1	44.7	
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	100	250	2845	82.7	44.7	6000	150	300	2427	96.0	44.7	
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	100	300	2795	83.3	44.7	6000	150	350	2377	97.0	44.7	
Foglamps	Add	3	Sub	0	5200	100	350	2745	83.9	44.7	6000	150	400	2327	97.0	44.7	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	100	400	2695	84.6	44.7	6000	150	450	2277	97.0	44.7	
XLT Floor Mats Less Logo (Color Keyed)	Add	4	Add	2	5200	100	450	2645	85.3	44.7	6000	150	500	2227	97.0	44.7	
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5200	100	500	2595	86.0	44.7	6000	200	0	2677	88.6	44.7	
All Weather Floor Mat	Add	10	Add	6	5200	150	0	3045	77.8	44.7	6000	200	50	2627	89.3	44.7	
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	150	50	2995	78.3	44.7	6000	200	100	2577	90.2	44.7	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	150	100	2945	78.8	44.7	6000	200	150	2527	91.0	44.7	
Power Equipment Group	Add	12	Add	3	5200	150	150	2895	79.3	44.7	6000	200	200	2477	91.9	44.7	
Adj Gas & Brake Pedals	Add	4	Add	3	5200	150	200	2845	79.9	44.7	6000	200	250	2427	92.8	44.7	
Cruise Control	Add	3	Add	1	5200	150	250	2795	80.5	44.7	6000	200	300	2377	93.7	44.7	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	150	300	2745	81.1	44.7	6000	200	350	2327	94.7	44.7	
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	150	350	2695	81.7	44.7	6000	200	400	2277	95.7	44.7	
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	9	5200	150	400	2645	82.3	44.7	6000	200	450	2227	96.8	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	150	450	2595	83.0	44.7	6000	200	500	2177	97.0	44.7	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	150	500	2545	83.7	44.7	6000	250	0	2627	86.3	44.7	
10-Way Power Seat Adjuster (Driver/Passenger)	20	Add	5	Add	5	5200	200	0	2995	75.7	44.7	6000	250	50	2577	87.1	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	200	50	2945	76.1	44.7	6000	250	100	2527	87.9	44.7	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	200	100	2895	76.6	44.7	6000	250	150	2477	88.7	44.7	
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Add	5	Add	4	5200	200	150	2845	77.1	44.7	6000	250	200	2427	89.5	44.7	
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	6	5200	200	200	2795	77.6	44.7	6000	250	250	2377	90.4	44.7	
Satellite Digital Broadcast	Add	2	Add	1	5200	200	250	2745	78.2	44.7	6000	250	300	2327	91.3	44.7	
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	200	300	2695	78.7	44.7	6000	250	350	2277	92.3	44.7	
FX4 Trim	Add	7	Add	5	5200	200	350	2645	79.3	44.7	6000	250	400	2227	93.3	44.7	
XLT Trim	Add	19	Add	14	5200	200	400	2595	79.9	44.7	6000	250	450	2177	94.3	44.7	
Lariat Trim	Add	24	Add	13	5200	200	450	2									

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 11200 lb (5079 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR							
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS	
				GAWR (LB)	FRONT (LB)	REAR (LB)	RATING		FRONT (A) (IN)	REAR (B) (IN)	GAWR (LB)	FRONT (LB)	REAR (LB)	RATING		FRONT (A) (IN)	REAR (B) (IN)
				I	II	III	IV	V	VI	I	II	III	IV	V	VI		
Less Second Unit Body (not available with 6 3/4" Box) - SRW	Add	7	Sub	-386													
Less Second Unit Body (not available with 6 3/4" Box) - DRW	Add	8	Sub	-428	5200	-50	-50	3302	80.8	44.7	6000	-50	-50	2838	97.0	44.7	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	Add	3	Sub	0	5200	-50	0	3252	81.3	44.7	6000	-50	0	2788	97.0	44.7	
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	3202	81.8	44.7	6000	-50	50	2738	97.0	44.7	
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	100	3152	82.4	44.7	6000	-50	100	2688	97.0	44.7	
Brake Controller	Add	1	Sub	0	5200	0	-50	3252	78.6	44.7	6000	0	-50	2788	96.5	44.7	
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	3202	79.1	44.7	6000	0	0	2738	96.5	44.7	
Skid Plates	Add	19	Add	17	5200	0	50	3152	79.6	44.7	6000	0	50	2688	97.0	44.7	
Rear Stabilizer Bar	Add	2	Add	26	5200	0	100	3102	80.1	44.7	6000	0	100	2638	97.0	44.7	
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	150	3052	80.7	44.7	6000	0	150	2588	97.0	44.7	
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	200	3002	81.2	44.7	6000	0	200	2538	97.0	44.7	
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	38	5200	0	250	2952	81.8	44.7	6000	0	250	2488	97.0	44.7	
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	300	2902	82.3	44.7	6000	0	300	2438	97.0	44.7	
Dual Alternator	Add	16	Sub	0	5200	0	350	2852	82.9	44.7	6000	0	350	2388	97.0	44.7	
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	400	2802	83.6	44.7	6000	0	400	2338	97.0	44.7	
750 CCA/78 AH Battery (6.8L)	Add	2	Sub	0	5200	0	450	2752	84.2	44.7	6000	0	450	2288	97.0	44.7	
Manual Air Conditioning	Add	34	Sub	-1	5200	0	500	2702	84.9	44.7	6000	0	500	2238	97.0	44.7	
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	550	2652	85.6	44.7	6000	0	550	2188	97.0	44.7	
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5600	50	0	3152	97.0	44.7	6000	50	0	2688	94.2	44.7	
LT 245/75R17E A/T OWL	Sub	-1	Sub	-1	5600	50	50	3102	97.0	44.7	6000	50	50	2638	95.1	44.7	
LT 265/70R17E A/T OWL (SRW Only)	Add	11	Add	11	5600	50	100	3052	97.0	44.7	6000	50	100	2588	96.0	44.7	
LT 275/65R18E A/S BSW (SRW only)	Add	22	Add	22	5600	50	150	3002	97.0	44.7	6000	50	150	2538	96.9	44.7	
LT 275/70R18E A/T BSW Premium (SRW Only)	Add	34	Add	34	5600	50	200	2952	97.0	44.7	6000	50	200	2488	97.0	44.7	
LT 275/70R18E A/T OWL Premium (SRW Only)	Add	34	Add	34	5600	50	250	2902	97.0	44.7	6000	50	250	2438	97.0	44.7	
LT 275/65R20E A/T OWL (SRW only)	Add	41	Add	41	5600	50	300	2852	97.0	44.7	6000	50	300	2388	97.0	44.7	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	Sub	-22	Sub	-22	5600	50	350	2802	97.0	44.7	6000	50	350	2338	97.0	44.7	
18X8" Steel Drop Center Road Wheel (SRW Only)	Sub	0	Sub	0	5600	50	400	2752	97.0	44.7	6000	50	400	2288	97.0	44.7	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only)	Sub	-11	Sub	-11	5600	50	450	2702	97.0	44.7	6000	50	450	2238	97.0	44.7	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only)	Sub	-10	Sub	-10	5600	50	500	2652	97.0	44.7	6000	50	500	2188	97.0	44.7	
20X8" Cast Aluminum Wheel (SRW 4x4 only)	Sub	-18	Sub	-18	5600	50	550	2602	97.0	44.7	6000	50	550	2138	97.0	44.7	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only)	Sub	-12	Sub	-12	5600	100	0	3102	96.9	44.7	6000	100	0	2538	91.8	44.7	
20X8" Chrome Clad Cast Aluminum (SRW 4x4 only)	Sub	-16	Sub	-16	5600	100	50	3052	97.0	44.7	6000	100	50	2588	92.6	44.7	
Stepgate (Upgraded Tailgate)	Sub	-9	Add	41	5600	100	100	3002	97.0	44.7	6000	100	100	2538	93.5	44.7	
Pickup Bed Extender	Sub	-2	Add	22	5600	100	150	2952	97.0	44.7	6000	100	150	2488	94.4	44.7	
Spray-In Bedliner	Sub	0	Add	20	5600	100	200	2902	97.0	44.7	6000	100	200	2438	95.4	44.7	
Composite Side Aux. Steps - Platform w/o Lights	Add	28	Add	21	5600	100	250	2852	97.0	44.7	6000	100	250	2388	96.4	44.7	
Side Aux Steps - w/Lights	Add	39	Add	25	5600	100	300	2802	97.0	44.7	6000	100	300	2338	97.0	44.7	
5" Tubular Chromed Side Aux. Steps w/o Lights (VP Design) - 156" CC	Add	26	Add	21	5600	100	350	2752	97.0	44.7	6000	100	350	2288	97.0	44.7	
6" Angular Chrome Step w/o Lights (VP Design)	Add	35	Add	31	5600	100	400	2702	97.0	44.7	6000	100	400	2238	97.0	44.7	
Lower Bodyside Molding	Add	2	Add	1	5600	100	450	2652	97.0	44.7	6000	100	450	2188	97.0	44.7	
Reverse Vehicle Sensor System	Sub	0	Add	1	5600	100	500	2602	97.0	44.7	6000	100	500	2138	97.0	44.7	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5600	100	550	2552	97.0	44.7	6000	100	550	2088	97.0	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	0	3052	94.8	44.7	6000	150	0	2588	89.3	44.7	
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	150	50	3002	95.6	44.7	6000	150	50	2538	90.1	44.7	
Sliding Rear Window	Add	6	Add	1	5600	150	100	2952	96.4	44.7	6000	150	100	2488	91.0	44.7	
Power Sliding Rear Window	Add	6	Add	2	5600	150	150	2902	97.0	44.7	6000	150	150	2438	91.9	44.7	
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	150	200	2852	97.0	44.7	6000	150	200	2388	92.8	44.7	
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5600	150	250	2802	97.0	44.7	6000	150	250	2338	93.7	44.7	
Foglamps	Add	3	Sub	0	5600	150	300	2752	97.0	44.7	6000	150	300	2288	94.7	44.7	
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5600	150	350	2702	97.0	44.7	6000	150	350	2238	95.8	44.7	
XLT Floor Mats less Logo (Color Keyed)	Add	4	Add	2	5600	150	400	2652	97.0	44.7	6000	150	400	2188	96.9	44.7	
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	4	Add	2	5600	150	450	2602	97.0	44.7	6000	150	450	2138	97.0	44.7	
All Weather Floor Mat	Add	10	Add	6	5600	150	500	2552	97.0	44.7	6000	150	500	2088	97.0	44.7	
Electrochromic Rear View Mirror	Add	1	Sub	0	5600	150	550	2502	97.0	44.7	6000	150	550	2038	97.0	44.7	
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	200	0	3002	92.7	44.7	6000	200	0	2538	86.7	44.7	
Power Equipment Group	Add	15	Add	6	5600	200	50	3052	93.4	44.7	6000	200	50	2488	87.5	44.7	
Adj Gas & Brake Pedals	Add	4	Add	3	5600	200	100	2902	94.2	44.7	6000	200	100	2438	88.3	44.7	
Cruise Control	Add	3	Add	1	5600	200	150	2852	95.0	44.7	6000	200	150	2388	89.2	44.7	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	200	200	2802	95.9	44.7	6000	200	200	2338	90.1	44.7	
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	200	250	2752	96.8	44.7	6000	200	250	2288	91.0	44.7	
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	200	300	2702	97.0	44.7	6000	200	300	2238	91.9	44.7	
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	200	350	2652	97.0	44.7	6000	200	350	2188	92.9	44.7	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	200	400	2602	97.0	44.7	6000	200	400	2138	94.0	44.7	
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5600	200	450	2552	97.0	44.7	6000	200	450	2088	95.1	44.7	
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5600	200	500	2502	97.0	44.7	6000	200	500	2038	96.3	44.7	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	200	550	2452	97.0	44.7	6000	200	550	1988	97.0	44.7	
Electronic Premium Stereo/Single CD w/Audiophile (4 speakers/subwoofer)	Add	5	Add	3	5600	250	0	2952	90.5	44.7	6000	250	0	2488	84.1	44.7	
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	7	Add	5	5600	250	50	2902	91.3	44.7	6000	250	50	2438	84.8	44.7	
Satellite Digital Broadcast	Add	2	Add	1	5600	250	100	2852	92.0	44.7	6000	250	100	2388	85.6	44.7	
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	250	150	2802	92.8	44.7	6000	250	150	2338	86.4	44.7	
FX4 Trim	Add	7	Add	7	5600	250	200	2752	93.6	44.7	6000	250	200	2288	87.2	44.7	
Power Slide Sunroof	Add	21	Add	15	5600	2											

OPTION DESCRIPTION	OPTION TABLE		VEHICLE LOADING DATA 6.2L Gasoline Engine 12200 lb (5533 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 12600 lb (5714 kg) GVWR					
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS	
				FRONT (Lb.)	REAR (Lb.)		FRONT (IN)	REAR (IN)		FRONT (IN)	REAR (IN)			
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386										
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428										
PTC (Positive Thermal Coefficient) Heater	Add	3	Sub	0	4250	-50	5456	63.9	44.7	4850	-50	5225	64.9	44.7
Immersion Heater - Engine	Add	1	Sub	0	4250	-50	5406	64.0	44.7	4850	-50	5175	65.1	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4250	-50	5356	64.2	44.7	4850	-50	5125	65.2	44.7
Brake Controller	Add	1	Sub	0	4250	0	5306	64.3	44.7	4850	0	5075	65.4	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4250	0	5406	62.8	44.7	4850	0	5175	63.7	44.7
Skid Plates	Add	16	Add	20	4250	0	5356	62.9	44.7	4850	0	5125	63.9	44.7
Rear Stabilizer Bar	Add	2	Add	26	4250	0	5306	63.0	44.7	4850	0	5075	64.0	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4250	0	100	5256	63.2	44.7	4850	0	100	5025
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4250	0	150	5206	63.3	44.7	4850	0	150	4975
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4250	0	200	5156	63.5	44.7	4850	0	200	4925
Extra Heavy Duty Alternator	Add	3	Sub	0	4250	0	250	5106	63.6	44.7	4850	0	250	4875
Dual Alternator	Add	16	Sub	0	4250	0	300	5056	63.8	44.7	4850	0	300	4825
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4250	0	350	5006	63.9	44.7	4850	0	350	4775
Manual Air Conditioning	Add	34	Sub	-1	4250	0	400	4956	64.1	44.7	4850	0	400	4725
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4250	0	450	4906	64.3	44.7	4850	0	450	4675
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4250	0	500	4856	64.4	44.7	4850	0	500	4625
LT 245/75R17E A/T D/WL	Sub	-1	Sub	-1	4250	50	5306	61.7	44.7	4850	50	0	5075	62.7
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4250	50	50	5256	61.9	44.7	4850	50	50	5025
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4250	50	100	5206	62.0	44.7	4850	50	100	4975
Pickup Bed Extender	Sub	-2	Add	22	4250	50	150	5156	62.1	44.7	4850	50	150	4925
Spray-In Bedliner	Add	1	Add	19	4250	50	200	5106	62.3	44.7	4850	50	200	4875
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4250	50	250	5056	62.4	44.7	4850	50	250	4825
Lower Bodyside Molding	Add	2	Add	1	4250	50	300	5006	62.6	44.7	4850	50	300	4775
Reverse Vehicle Sensor System	Sub	0	Add	1	4250	50	350	4956	62.7	44.7	4850	50	350	4725
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4250	50	400	4906	62.9	44.7	4850	50	400	4675
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4250	50	450	4856	63.0	44.7	4850	50	450	4625
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4250	50	500	4806	63.2	44.7	4850	50	500	4575
Sliding Rear Window	Add	6	Add	1	4400	100	0	5256	64.5	44.7	5000	100	0	5025
Electronic Rear Window (Backless) Defrost	Add	1	Add	2	4400	100	50	5206	64.6	44.7	5000	100	50	4975
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4400	100	100	5156	64.8	44.7	5000	100	100	4925
Foglamps	Add	3	Sub	0	4400	100	150	5106	65.0	44.7	5000	100	150	4875
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4400	100	200	5056	65.1	44.7	5000	100	200	4825
XLT Floor Mats less Logo (Color Keyed)	Add	3	Sub	0	4400	100	250	5006	65.3	44.7	5000	100	250	4775
Floor Mats w/'King Ranch' Logo (Color Keyed luxury)	Add	3	Add	1	4400	100	300	4956	65.5	44.7	5000	100	300	4725
All Weather Floor Mat	Add	6	Add	4	4400	100	350	4906	65.7	44.7	5000	100	350	4675
Electrochromic Rear View Mirror	Add	1	Sub	0	4400	100	400	4856	65.8	44.7	5000	100	400	4625
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4400	100	450	4806	66.0	44.7	5000	100	450	4575
Power Equipment Group	Add	12	Add	3	4400	150	500	4756	66.2	44.7	5000	100	500	4525
Adj Gas & Brake Pedals	Add	4	Add	3	4400	150	0	5206	63.3	44.7	5000	150	0	4975
Cruise Control	Add	3	Add	1	4400	150	50	5156	63.5	44.7	5000	150	50	4925
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	4400	150	100	5106	63.6	44.7	5000	150	100	4875
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4400	150	150	5056	63.8	44.7	5000	150	150	4825
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4400	150	200	5006	63.9	44.7	5000	150	200	4775
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4400	150	250	4956	64.1	44.7	5000	150	250	4725
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4400	150	300	4906	64.3	44.7	5000	150	300	4675
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4400	150	350	4856	64.4	44.7	5000	150	350	4625
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4400	150	400	4806	64.6	44.7	5000	150	400	4575
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4400	150	450	4756	64.8	44.7	5000	150	450	4525
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	4400	200	500	4706	65.0	44.7	5000	200	500	4475
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	4400	200	0	5156	62.1	44.7	5000	200	0	4925
Satellite Digital Broadcast	Add	2	Add	1	4400	200	50	5106	62.3	44.7	5000	200	50	4875
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	4400	200	100	5056	62.4	44.7	5000	200	100	4825
FX4 Trim	Add	6	Add	2	4400	200	150	5006	62.6	44.7	5000	200	150	4775
XLT Trim	Add	16	Add	12	4400	200	200	4956	62.7	44.7	5000	200	200	4725
Passenger Side Air Bag Delete	Sub	-10	Sub	-3	4400	200	250	4906	62.9	44.7	5000	200	250	4675
Flat Splash Guards (SRW)	Add	2	Add	2	4400	200	300	4856	63.0	44.7	5000	200	300	4625
Flat Splash Guards (DRW)	Sub	0	Add	2	4400	200	350	4806	63.2	44.7	5000	200	350	4575
Bed Mat	Add	7	Add	8	4400	200	400	4756	63.3	44.7	5000	200	400	4525
Low Profile Hood Deflector	Add	3	Sub	0	4400	200	450	4706	63.5	44.7	5000	200	450	4475
5th Wheel Hitch Prep Kit	Sub	0	Add	107	4400	200	500	4656	63.7	44.7	5000	200	500	4425
Gooseneck Hitch Kit	Sub	0	Add	8										
5th Wheel Hitch Assembly	Sub	0	Add	134										
Roll-up Tonneau Cover	Add	5	Add	25										
Stainless Steel Simulator Kit (17')	Add	8	Add	8										
Stainless Steel Simulator Kit (19')	Add	9	Add	9										
Cable/Strap Locks	Sub	0	Add	9										
<b>Total Option Weight</b>														

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 12600 lb (5714 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 13000 lb (5896 kg) GVWR					
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		(A) (IN)	(B) (IN)		FRONT (LB)	REAR (LB)		(A) (IN)	(B) (IN)	
					I	II	III	IV	V		VI	I	II	III	IV	V
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	4550	-50	-50	5019	63.2	44.7	5250	-50	-50	4679	66.7	44.7
PTC (Positive Thermal Coefficient) Heater	Add	3	Sub	0	4550	-50	0	4969	63.3	44.7	5250	-50	0	4629	66.9	44.7
Immersion Heater - Engine	Add	1	Sub	0	4550	-50	50	4919	63.5	44.7	5250	-50	50	4579	67.1	44.7
Limited Slip Rear Axle	Sub	0	Add	5	4550	-50	100	4869	63.7	44.7	5250	-50	100	4529	67.3	44.7
Brake Controller	Add	1	Sub	0	4700	0	0	4919	66.7	44.7	5250	0	0	4629	65.2	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4700	0	0	4919	66.7	44.7	5250	0	0	4579	65.3	44.7
Skid Plates	Add	16	Add	20	4700	0	50	4869	66.9	44.7	5250	0	50	4529	65.5	44.7
Rear Stabilizer Bar	Add	2	Add	26	4700	0	100	4819	67.1	44.7	5250	0	100	4479	65.7	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4700	0	150	4769	67.3	44.7	5250	0	150	4429	65.9	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4700	0	200	4719	67.5	44.7	5250	0	200	4379	66.1	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4700	0	250	4669	67.7	44.7	5250	0	250	4329	66.4	44.7
5th Wheel Hitch (MAS Only)	Sub	0	Add	107	4700	0	300	4619	67.9	44.7	5250	0	300	4279	66.6	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4700	0	350	4569	68.1	44.7	5250	0	350	4229	66.8	44.7
Dual Alternator	Add	16	Sub	0	4700	0	400	4519	68.4	44.7	5250	0	400	4179	67.0	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4700	0	450	4469	68.6	44.7	5250	0	450	4129	67.3	44.7
Manual Air Conditioning	Add	34	Sub	-1	4700	0	500	4419	68.8	44.7	5250	0	500	4079	67.5	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4700	0	500	4419	68.8	44.7	5250	0	500	4079	67.5	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4700	50	50	4869	65.3	44.7	5250	50	0	4479	63.8	44.7
LT 245/75R17E A/T DOWL	Sub	-1	Sub	-1	4700	50	100	4769	65.6	44.7	5250	50	100	4429	64.0	44.7
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4700	50	150	4719	65.8	44.7	5250	50	150	4379	64.3	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4700	50	200	4669	66.0	44.7	5250	50	200	4329	64.5	44.7
Pickup Bed Extender	Sub	-2	Add	22	4700	50	250	4619	66.2	44.7	5250	50	250	4279	64.7	44.7
Spray-In Bedliner	Add	1	Add	19	4700	50	300	4569	66.4	44.7	5250	50	300	4229	64.9	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4700	50	350	4519	66.6	44.7	5250	50	350	4179	65.1	44.7
Lower Bodyside Molding	Add	2	Add	1	4700	50	400	4469	66.8	44.7	5250	50	400	4129	65.3	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4700	50	450	4419	67.1	44.7	5250	50	450	4079	65.6	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4700	50	500	4369	67.3	44.7	5250	50	500	4029	65.8	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	100	0	4819	63.8	44.7	5250	100	0	4479	62.2	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4700	100	50	4769	64.0	44.7	5250	100	50	4429	62.4	44.7
Sliding Rear Window	Add	6	Add	1	4700	100	100	4719	64.2	44.7	5250	100	100	4379	62.5	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	4700	100	150	4669	64.3	44.7	5250	100	150	4329	62.7	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4700	100	200	4619	64.5	44.7	5250	100	200	4279	62.9	44.7
Foglamps	Add	3	Sub	0	4700	100	250	4569	64.7	44.7	5250	100	250	4229	63.1	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4700	100	300	4519	64.9	44.7	5250	100	300	4179	63.2	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	3	Add	1	4700	100	350	4469	65.1	44.7	5250	100	350	4129	63.4	44.7
Floor Mats w/"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	4700	100	400	4419	65.3	44.7	5250	100	400	4079	63.6	44.7
All Weather Floor Mat	Add	6	Add	4	4700	100	450	4369	65.5	44.7	5250	100	450	4029	63.8	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4700	100	500	4319	65.7	44.7	5250	100	500	3979	64.0	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4850	150	0	4769	67.3	44.7	5250	150	0	4429	60.6	44.7
Power Equipment Group	Add	12	Add	3	4850	150	50	4719	67.5	44.7	5250	150	50	4379	60.7	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	4850	150	100	4669	67.7	44.7	5250	150	100	4329	60.9	44.7
Cruise Control	Add	3	Add	1	4850	150	150	4619	67.9	44.7	5250	150	150	4279	61.0	44.7
Front Seat - Individual 40/40 w/Center Under Seat Storage	Add	1	Sub	-2	4850	150	200	4569	68.1	44.7	5250	150	200	4229	61.2	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	4850	150	250	4519	68.4	44.7	5250	150	250	4179	61.3	44.7
Crew Cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	4850	150	300	4469	68.6	44.7	5250	150	300	4129	61.5	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	4850	150	350	4419	68.8	44.7	5250	150	350	4079	61.7	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	4850	150	400	4369	69.1	44.7	5250	150	400	4029	61.9	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	4850	150	450	4319	69.3	44.7	5250	150	450	3979	62.0	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	4850	150	500	4269	69.6	44.7	5250	150	500	3929	62.2	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	4850	200	0	4719	65.8	44.7	5250	200	0	4379	58.9	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	4850	200	50	4669	66.0	44.7	5250	200	50	4329	59.1	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	4850	200	100	4619	66.2	44.7	5250	200	100	4279	59.2	44.7
Satellite Digital Broadcast	Add	2	Add	1	4850	200	150	4569	66.4	44.7	5250	200	150	4229	59.3	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	4850	200	200	4519	66.6	44.7	5250	200	200	4179	59.5	44.7
FX4 Trim	Add	6	Add	2	4850	200	250	4469	66.8	44.7	5250	200	250	4129	59.6	44.7
XLT Trim	Add	16	Add	12	4850	200	300	4419	67.1	44.7	5250	200	300	4079	59.7	44.7
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	4850	200	350	4369	67.3	44.7	5250	200	350	4029	59.9	44.7
Flat Splash Guards (SRW)	Add	2	Add	2	4850	200	400	4319	67.5	44.7	5250	200	400	3979	60.0	44.7
Flat Splash Guards (DRW)	Add	0	Add	8	4850	200	450	4269	67.7	44.7	5250	200	450	3929	60.2	44.7
Bed Mat	Add	7	Add	55	4850	200	500	4219	68.0	44.7	5250	200	500	3879	60.4	44.7
Low Profile Hood Deflector	Add	3	Sub	0	4850	250	0	4669	64.3	44.7	5250	250	0	4329	57.2	44.7
5th Wheel Hitch Prep Kit	Sub	0	Add	107	4850	250	50	4619	64.5	44.7	5250	250	50	4279	57.3	44.7
Gooseneck Hitch Kit	Sub	0	Add	8	4850	250	100	4569	64.7	44.7	5250	250	100	4229	57.5	44.7
5th Wheel Hitch Assembly	Sub	0	Add	134	4850	250	150	4519	64.9	44.7	5250	250	150	4179	57.6	44.7
Roll-up Tonneau Cover	Add	5	Add	25	4850	250	200	4469	65.1	44.7	5250	250	200	4129	57.7	44.7
Stainless Steel Simulator Kit (17')	Add	8	Add	8	4850	250	250	4419	65.3	44.7	5250	250	250	4079	57.8	44.7
Stainless Steel Simulator Kit (19')	Add	9	Add	9	4850	250	300	4369	65.5	44.7	5250	250	300	4029	57.9	44.7
Cable/Strap Locks	Sub	0	Add	9	4850	250	350	4319	65.7	44.7	5250	250	350	3979	58.1	44.7
					4850	250	400	4269	65.9	44.7	5250	250	400	3929	58.2	44.7
					4850	250	450	4219	66.1	44.7	5250	250	450	3879	58.3	44.7
					4850	250	500	4169	66.3	44.7	5250	250	500	3829	58.5	44.7

**Total Option Weight**

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	VEHICLE LOADING DATA						VEHICLE LOADING DATA									
			6.2L Gasoline Engine 12600 lb (5714 kg) GVWR						6.7L Diesel Engine 13000 lb (5896 kg) GVWR									
			FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
			GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)				
I	II	III	IV	V	VI	I	II	III	IV	V	VI							
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386														
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	4700	-50	-50	4709	65.7	44.7	5250	-50	-50	4415	63.8	44.7		
PTC (Positive Thermal Coefficient) Heater	Add	3	Sub	0	4700	-50	0	4659	65.9	44.7	5250	-50	0	4365	64.0	44.7		
Immersion Heater - Engine	Add	1	Sub	0	4700	-50	50	4609	66.1	44.7	5250	-50	50	4315	64.2	44.7		
Limited Slip Rear Axle	Sub	0	Add	5	4700	-50	100	4559	66.3	44.7	5250	-50	100	4265	64.4	44.7		
Brake Controller	Add	1	Sub	0	5000	0	0	4859	75.1	44.7	5250	0	0	4365	62.0	44.7		
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5000	0	0	4609	75.4	44.7	5250	0	0	4315	62.2	44.7		
Skid Plates	Add	16	Add	20	5000	0	50	4559	75.7	44.7	5250	0	50	4265	62.3	44.7		
Rear Stabilizer Bar	Add	2	Add	26	5000	0	100	4509	76.1	44.7	5250	0	100	4215	62.5	44.7		
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5000	0	150	4459	76.4	44.7	5250	0	150	4165	62.7	44.7		
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5000	0	200	4409	76.7	44.7	5250	0	200	4115	62.9	44.7		
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	5000	0	250	4359	77.0	44.7	5250	0	250	4065	63.0	44.7		
Extra Heavy Duty Alternator	Add	3	Sub	0	5000	0	300	4309	77.4	44.7	5250	0	300	4015	63.2	44.7		
Dual Alternator	Add	16	Sub	0	5000	0	350	4259	77.7	44.7	5250	0	350	3965	63.4	44.7		
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5000	0	400	4209	78.1	44.7	5250	0	400	3915	63.6	44.7		
Manual Air Conditioning	Add	34	Sub	-1	5000	0	450	4159	78.4	44.7	5250	0	450	3865	63.8	44.7		
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5000	0	500	4109	78.8	44.7	5250	0	500	3815	64.0	44.7		
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5000	50	0	4559	73.9	44.7	5250	50	0	4215	64.3	44.7		
LT 245/75R17E ATDOW	Sub	-1	Sub	-1	5000	50	50	4509	74.1	44.7	5250	50	50	4215	60.5	44.7		
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	5000	50	100	4459	74.4	44.7	5250	50	100	4165	60.6	44.7		
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5000	50	150	4409	74.7	44.7	5250	50	150	4115	60.8	44.7		
Pickup Bed Extender	Sub	-2	Add	22	5000	50	200	4359	75.0	44.7	5250	50	200	4065	60.9	44.7		
Spray-In Bedliner	Add	1	Add	19	5000	50	250	4309	75.4	44.7	5250	50	250	4015	61.1	44.7		
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	5000	50	300	4259	75.7	44.7	5250	50	300	3965	61.3	44.7		
Lower Bodyside Molding	Add	2	Add	1	5000	50	350	4209	76.0	44.7	5250	50	350	3915	61.4	44.7		
Reverse Vehicle Sensor System	Sub	0	Add	1	5000	50	400	4159	76.3	44.7	5250	50	400	3865	61.6	44.7		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5000	50	450	4109	76.7	44.7	5250	50	450	3815	61.8	44.7		
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5000	50	500	4059	77.0	44.7	5250	50	500	3765	62.0	44.7		
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5000	100	0	4509	77.2	44.7	5250	100	0	4215	58.4	44.7		
Sliding Rear Window	Add	6	Add	1	5000	100	50	4459	72.5	44.7	5250	100	50	4165	58.5	44.7		
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5000	100	100	4409	72.8	44.7	5250	100	100	4115	58.7	44.7		
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5000	100	150	4359	73.1	44.7	5250	100	150	4065	58.8	44.7		
Foglamps	Add	3	Sub	0	5000	100	200	4309	73.4	44.7	5250	100	200	4015	58.9	44.7		
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5000	100	250	4259	73.7	44.7	5250	100	250	3965	59.1	44.7		
XLT Floor Mats less Logo (Color Keyed)	Add	3	Add	1	5000	100	300	4209	74.0	44.7	5250	100	300	3915	59.2	44.7		
Floor Mats w/'King Ranch' Logo (Color Keyed luxury)	Add	3	Add	1	5000	100	350	4159	74.3	44.7	5250	100	350	3865	59.4	44.7		
All Weather Floor Mat	Add	6	Add	4	5000	100	400	4109	74.6	44.7	5250	100	400	3815	59.5	44.7		
Electrochromic Rear View Mirror	Add	1	Sub	0	5000	100	450	4059	74.9	44.7	5250	100	450	3765	59.7	44.7		
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5000	100	500	4009	75.3	44.7	5250	100	500	3715	59.8	44.7		
Power Equipment Group	Add	12	Add	3	5000	150	0	4459	70.6	44.7	5250	150	0	4165	56.5	44.7		
Adj Gas & Brake Pedals	Add	4	Add	3	5000	150	50	4409	70.8	44.7	5250	150	50	4115	56.6	44.7		
Cruise Control	Add	3	Add	1	5000	150	100	4359	71.1	44.7	5250	150	100	4065	56.7	44.7		
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5000	150	150	4309	71.4	44.7	5250	150	150	4015	56.8	44.7		
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5000	150	200	4259	71.6	44.7	5250	150	200	3965	56.9	44.7		
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5000	150	250	4209	71.9	44.7	5250	150	250	3915	57.0	44.7		
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5000	150	300	4159	72.2	44.7	5250	150	300	3865	57.1	44.7		
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5000	150	350	4109	72.5	44.7	5250	150	350	3815	57.3	44.7		
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5000	150	400	4059	72.8	44.7	5250	150	400	3765	57.4	44.7		
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5000	150	450	4009	73.1	44.7	5250	150	450	3715	57.5	44.7		
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5000	150	500	3959	73.4	44.7	5250	150	500	3665	57.6	44.7		
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	5000	200	0	4409	68.9	44.7	5250	200	0	4115	54.5	44.7		
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	5000	200	50	4359	69.1	44.7	5250	200	50	4065	54.6	44.7		
Satellite Digital Broadcast	Add	2	Add	1	5000	200	100	4309	69.4	44.7	5250	200	100	4015	54.6	44.7		
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5000	200	150	4259	69.6	44.7	5250	200	150	3965	54.7	44.7		
FX4 Trim	Add	6	Add	2	5000	200	200	4209	69.9	44.7	5250	200	200	3915	54.8	44.7		
XLT Trim	Add	16	Add	12	5000	200	250	4159	70.1	44.7	5250	200	250	3865	54.9	44.7		
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5000	200	300	4109	70.4	44.7	5250	200	300	3815	55.0	44.7		
Flat Splash Guards (SRW)	Add	2	Add	2	5000	200	350	4059	70.7	44.7	5250	200	350	3765	55.1	44.7		
Flat Splash Guards (DRW)	Sub	0	Add	8	5000	200	400	4009	71.0	44.7	5250	200	400	3715	55.2	44.7		
Bed Mat	Add	7	Add	55	5000	200	450	3959	71.2	44.7	5250	200	450	3665	55.3	44.7		
Low Profile Hood Deflector	Add	3	Sub	0	5000	200	500	3909	71.5	44.7	5250	200	500	3615	55.4	44.7		
5th Wheel Hitch Prep Kit	Sub	0	Add	107	5000	250	0	4359	67.1	44.7	5250	250	0	4065	52.4	44.7		
Gooseneck Hitch Kit	Sub	0	Add	8	5000	250	50	4309	67.4	44.7	5250	250	50	4015	52.5	44.7		
5th Wheel Hitch Assembly	Sub	0	Add	134	5000	250	100	4259	67.6	44.7	5250	250	100	3965	52.6	44.7		
Roll-up Tonneau Cover	Add	5	Add	25	5000	250	150	4209	67.8	44.7	5250	250	150	3915	52.6	44.7		
Stainless Steel Simulator Kit (17')	Add	8	Add	8	5000	250	200	4159	68.1	44.7	5250	250	200	3865	52.7	44.7		
Stainless Steel Simulator Kit (19')	Add	9	Add	9	5000	250	250	4109	68.3	44.7	5250	250	250	3815	52.7	44.7		
Cable/Strap Locks	Sub	0	Add	9	5000	250	300	4059	68.5	44.7	5250	250	300	3765	52.8	44.7		
					5000	250	350	4009	68.8	44.7	5250	250	350	3715	52.9	44.7		
					5000	250	400	3959	69.1	44.7	5250	250	400	3665	52.9	44.7		
					5000	250	450	3909	69.3	44.7	5250	250	450	3615	53.0	44.7		
					5000	250	500	3859	69.6	44.7	5250	250	500	3565	53.1	44.7		
					5250	300	0	4309	75.4	44.7	5250	300	0	4015				

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA											
	6.2L Gasoline Engine 12200 lb (5533 kg) GVWR				6.7L Diesel Engine 12800 lb (5805 kg) GVWR											
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	GAWR (Lb.)	OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT	REAR (Lb.)	RATING (Lb.)	CENTER OF GRAVITY ZONE LIMITS	
					FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (IN)	REAR (IN)	FRONT (IN)					REAR (IN)	
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	4800	-50	-50	4956	69.8	44.7	5200	-50	-50	4939	65.1	44.7
PTC (Positive Thermal Coefficient) Heater	Add	3	Sub	0	4800	-50	0	4906	70.1	44.7	5200	-50	0	4889	65.3	44.7
Immersion Heater - Engine	Add	1	Sub	0	4800	-50	50	4856	70.3	44.7	5200	-50	50	4839	65.5	44.7
Limited Slip Rear Axle	Add	1	Sub	0	4800	-50	100	4806	70.5	44.7	5200	-50	100	4789	65.6	44.7
Brake Controller	Add	1	Sub	0	4800	0	-50	4906	68.7	44.7	5600	0	50	4889	75.1	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	4800	0	0	4856	68.9	44.7	5600	0	0	4839	75.4	44.7
Skid Plates	Add	16	Add	20	4800	0	50	4806	69.1	44.7	5600	0	50	4789	75.7	44.7
Rear Stabilizer Bar	Add	2	Add	26	4800	0	100	4756	69.3	44.7	5600	0	100	4739	75.9	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	4800	0	150	4706	69.5	44.7	5600	0	150	4689	76.2	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	4800	0	200	4656	69.8	44.7	5600	0	200	4639	76.6	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	4800	0	250	4606	70.0	44.7	5600	0	250	4589	76.9	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	4800	0	300	4556	70.3	44.7	5600	0	300	4539	77.2	44.7
Dual Alternator	Add	16	Sub	0	4800	0	350	4506	70.5	44.7	5600	0	350	4489	77.5	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	4800	0	400	4456	70.8	44.7	5600	0	400	4439	77.8	44.7
Manual Air Conditioning	Add	34	Sub	-1	4800	0	450	4406	71.0	44.7	5600	0	450	4389	78.2	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	4800	0	500	4356	71.3	44.7	5600	0	500	4339	78.5	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	4800	50	0	4806	67.7	44.7	5600	50	0	4789	74.2	44.7
LT 245/75R17E AT/DWL	Sub	-1	Sub	-1	4800	50	50	4756	67.0	44.7	5600	50	50	4739	74.5	44.7
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	4800	50	100	4706	68.1	44.7	5600	50	100	4689	74.8	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	4800	50	150	4656	68.3	44.7	5600	50	150	4639	75.1	44.7
Pickup Bed Extender	Sub	-2	Add	22	4800	50	200	4606	68.5	44.7	5600	50	200	4589	75.4	44.7
Spray-In Bedliner	Add	1	Add	19	4800	50	250	4556	68.7	44.7	5600	50	250	4539	75.7	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	4800	50	300	4506	69.0	44.7	5600	50	300	4489	76.0	44.7
Lower Bodyside Molding	Add	2	Add	1	4800	50	350	4456	69.2	44.7	5600	50	350	4439	76.3	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	4800	50	400	4406	69.5	44.7	5600	50	400	4389	76.6	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	4800	50	450	4356	69.7	44.7	5600	50	450	4339	77.0	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	50	500	4306	70.0	44.7	5600	50	500	4289	77.3	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	4800	100	0	4756	66.4	44.7	5600	100	0	4739	73.1	44.7
Sliding Rear Window	Add	6	Add	1	4800	100	50	4706	66.6	44.7	5600	100	50	4689	73.3	44.7
Electronic Rear Window (Backless) Defrost	Add	1	Add	2	4800	100	100	4656	66.8	44.7	5600	100	100	4639	73.6	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	4800	100	150	4606	67.0	44.7	5600	100	150	4589	73.9	44.7
Foglamps	Add	3	Sub	0	4800	100	200	4556	67.2	44.7	5600	100	200	4539	74.2	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	4800	100	250	4506	67.5	44.7	5600	100	250	4489	74.5	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	3	Add	1	4800	100	300	4456	67.7	44.7	5600	100	300	4439	74.8	44.7
Floor Mats w/'King Ranch' Logo (Color Keyed luxury)	Add	3	Add	1	4800	100	350	4406	67.9	44.7	5600	100	350	4389	75.1	44.7
All Weather Floor Mat	Add	6	Add	4	4800	100	400	4356	68.1	44.7	5600	100	400	4339	75.4	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	4800	100	450	4306	68.4	44.7	5600	100	450	4289	75.7	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	4800	100	500	4256	68.6	44.7	5600	100	500	4239	76.0	44.7
Power Equipment Group	Add	12	Add	3	5200	150	0	4706	76.8	44.7	5600	150	0	4689	71.9	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5200	150	50	4656	77.1	44.7	5600	150	50	4639	72.1	44.7
Cruise Control	Add	3	Add	1	5200	150	100	4606	77.4	44.7	5600	150	100	4589	72.4	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5200	150	150	4556	77.8	44.7	5600	150	150	4539	72.7	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5200	150	200	4506	78.1	44.7	5600	150	200	4489	72.9	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5200	150	250	4456	78.4	44.7	5600	150	250	4439	73.2	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5200	150	300	4406	78.8	44.7	5600	150	300	4389	73.5	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5200	150	350	4356	79.1	44.7	5600	150	350	4339	73.8	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5200	150	400	4306	79.5	44.7	5600	150	400	4289	74.1	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5200	150	450	4256	79.9	44.7	5600	150	450	4239	74.4	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5200	150	500	4206	80.3	44.7	5600	150	500	4189	74.7	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	5200	200	0	4656	75.7	44.7	5600	200	0	4639	70.6	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	5200	200	50	4606	76.0	44.7	5600	200	50	4589	70.9	44.7
Satellite Digital Broadcast	Add	2	Add	1	5200	200	100	4556	76.3	44.7	5600	200	100	4539	71.2	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5200	200	150	4506	76.6	44.7	5600	200	150	4489	71.4	44.7
FX4 Trim	Add	6	Add	2	5200	200	200	4456	76.9	44.7	5600	200	200	4439	71.7	44.7
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5200	200	250	4406	77.2	44.7	5600	200	250	4389	71.9	44.7
Flat Splash Guards (SRW)	Add	2	Add	2	5200	200	300	4356	77.6	44.7	5600	200	300	4339	72.2	44.7
Flat Splash Guards (DRW)	Sub	0	Add	8	5200	200	400	4256	78.3	44.7	5600	200	400	4239	72.8	44.7
Bed Mat	Add	7	Add	55	5200	200	450	4206	78.6	44.7	5600	200	450	4189	73.1	44.7
Low Profile Hood Deflector	Add	3	Sub	0	5200	200	500	4156	79.0	44.7	5600	200	500	4139	73.4	44.7
5th Wheel Hitch Prep Kit	Sub	0	Add	107												
Gooseneck Hitch Kit	Sub	0	Add	8												
5th Wheel Hitch Assembly	Sub	0	Add	134												
Roll-up Tonneau Cover	Add	5	Add	25												
Stainless Steel Simulator Kit (17")	Add	8	Add	8												
Stainless Steel Simulator Kit (19")	Add	9	Add	9												
Cable/Strap Locks	Sub	0	Add	9												
<b>Total Option Weight</b>																

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

**MY: 2011 Model: F350 DRW 4x4 Cab Type: Super Cab Wheelbase: 158 \***

OPTION DESCRIPTION	OPTION TABLE		VEHICLE LOADING DATA 6.2L Gasoline Engine 12600 lb (5714 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 13000 lb (5896 kg) GVWR							
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS			
				FRONT (LB)	REAR (LB)		(A) (IN)	(B) (IN)		FRONT (LB)	REAR (LB)		(A) (IN)	(B) (IN)		
	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (IV)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (IV)	FRONT (A) (IN)	REAR (B) (IN)				
	I	II	III	IV	V	VI	I	II	III	IV	V	VI				
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386												
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428												
PTC (Positive Thermal Coefficient) Heater	Add	3	Sub	0	5200	-50	0	4492	74.7	44.7	6000	-50	0	4074	83.8	44.7
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	50	4442	75.0	44.7	6000	-50	50	4024	84.2	44.7
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	100	4392	75.3	44.7	6000	-50	100	3974	84.7	44.7
Brake Controller	Add	1	Sub	0	5200	0	-50	4492	72.9	44.7	6000	0	-50	4074	81.8	44.7
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5200	0	0	4442	73.2	44.7	6000	0	0	4024	82.2	44.7
Skid Plates	Add	16	Add	20	5200	0	50	4392	73.5	44.7	6000	0	50	3974	82.7	44.7
Rear Stabilizer Bar	Add	2	Add	26	5200	0	100	4342	73.8	44.7	6000	0	100	3924	83.1	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5200	0	150	4292	74.1	44.7	6000	0	150	3874	83.6	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5200	0	200	4242	74.4	44.7	6000	0	200	3824	84.0	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	5200	0	250	4192	74.7	44.7	6000	0	250	3774	84.5	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	5200	0	300	4142	75.0	44.7	6000	0	300	3724	85.0	44.7
Dual Alternator	Add	16	Sub	0	5200	0	350	4092	75.4	44.7	6000	0	350	3674	85.5	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5200	0	400	4042	75.7	44.7	6000	0	400	3624	86.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	5200	0	450	3992	76.1	44.7	6000	0	450	3574	86.6	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5200	0	500	3942	76.4	44.7	6000	0	500	3524	87.1	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5200	50	0	4392	71.7	44.7	6000	50	0	3974	80.7	44.7
LT 245/75R17E A/T D/WL	Sub	-1	Sub	-1	5200	50	50	4342	72.0	44.7	6000	50	50	3924	81.1	44.7
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	5200	50	100	4292	72.3	44.7	6000	50	100	3874	81.5	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5200	50	150	4242	72.5	44.7	6000	50	150	3824	82.0	44.7
Pickup Bed Extender	Sub	-2	Add	22	5200	50	200	4192	72.8	44.7	6000	50	200	3774	82.4	44.7
Spray-In Bedliner	Add	1	Add	19	5200	50	250	4142	73.1	44.7	6000	50	250	3724	82.9	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	5200	50	300	4092	73.4	44.7	6000	50	300	3674	83.4	44.7
Lower Bodyside Molding	Add	2	Add	1	5200	50	350	4042	73.8	44.7	6000	50	350	3624	83.9	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	5200	50	400	3992	74.1	44.7	6000	50	400	3574	84.4	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5200	50	450	3942	74.4	44.7	6000	50	450	3524	84.9	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	50	500	3892	74.8	44.7	6000	50	500	3474	85.4	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5200	100	0	4342	70.2	44.7	6000	100	0	3924	79.1	44.7
Sliding Rear Window	Add	6	Add	1	5200	100	50	4292	70.4	44.7	6000	100	50	3874	79.5	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5200	100	100	4242	70.7	44.7	6000	100	100	3824	79.9	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5200	100	150	4192	71.0	44.7	6000	100	150	3774	80.3	44.7
Foglamps	Add	3	Sub	0	5200	100	200	4142	71.2	44.7	6000	100	200	3724	80.8	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5200	100	250	4092	71.5	44.7	6000	100	250	3674	81.2	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	3	Add	1	5200	100	300	4042	71.8	44.7	6000	100	300	3624	81.7	44.7
Floor Mats w/'King Ranch' Logo (Color Keyed luxury)	Add	3	Add	1	5200	100	350	3992	72.1	44.7	6000	100	350	3574	82.2	44.7
All Weather Floor Mat	Add	6	Add	4	5200	100	400	3942	72.4	44.7	6000	100	400	3524	82.6	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	5200	100	450	3892	72.7	44.7	6000	100	450	3474	83.1	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5200	100	500	3842	73.1	44.7	6000	100	500	3424	83.7	44.7
Power Equipment Group	Add	12	Add	3	5600	150	0	4292	83.3	44.7	6000	150	0	3874	77.5	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	5600	150	50	4242	83.7	44.7	6000	150	50	3824	77.8	44.7
Cruise Control	Add	3	Add	1	5600	150	100	4192	84.1	44.7	6000	150	100	3774	78.2	44.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	150	150	4142	84.6	44.7	6000	150	150	3724	78.7	44.7
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	150	200	4092	85.0	44.7	6000	150	200	3674	79.1	44.7
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	150	250	4042	85.5	44.7	6000	150	250	3624	79.5	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	150	300	3992	86.0	44.7	6000	150	300	3574	79.9	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	150	350	3942	86.4	44.7	6000	150	350	3524	80.4	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5600	150	400	3892	86.9	44.7	6000	150	400	3474	80.9	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5600	150	450	3842	87.5	44.7	6000	150	450	3424	81.4	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	150	500	3792	88.0	44.7	6000	150	500	3374	81.8	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	5600	200	0	4242	81.9	44.7	6000	200	0	3824	75.8	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	5600	200	50	4192	82.3	44.7	6000	200	50	3774	76.2	44.7
Satellite Digital Broadcast	Add	2	Add	1	5600	200	100	4142	82.7	44.7	6000	200	100	3724	76.5	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	200	150	4092	83.1	44.7	6000	200	150	3674	76.9	44.7
FX4 Trim	Add	6	Add	2	5600	200	200	4042	83.5	44.7	6000	200	200	3624	77.3	44.7
XLT Trim	Add	16	Add	12	5600	200	250	3992	84.0	44.7	6000	200	250	3574	77.7	44.7
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5600	200	300	3942	84.4	44.7	6000	200	300	3524	78.2	44.7
Flat Splash Guards (SRW)	Add	2	Add	2	5600	200	350	3892	84.9	44.7	6000	200	350	3474	78.6	44.7
Flat Splash Guards (DRW)	Sub	0	Add	8	5600	200	400	3842	85.4	44.7	6000	200	400	3424	79.0	44.7
Bed Mat	Add	7	Add	55	5600	200	450	3792	85.9	44.7	6000	200	450	3374	79.5	44.7
Low Profile Hood Deflector	Add	3	Sub	0	5600	200	500	3742	86.4	44.7	6000	200	500	3324	80.0	44.7
5th Wheel Hitch Prep Kit	Sub	0	Add	107	5600	250	0	4192	80.4	44.7	6000	250	0	3774	74.1	44.7
Gooseneck Hitch Kit	Sub	0	Add	8	5600	250	50	4142	80.8	44.7	6000	250	50	3724	74.4	44.7
5th Wheel Hitch Assembly	Sub	0	Add	134	5600	250	100	4092	81.2	44.7	6000	250	100	3674	74.8	44.7
Roll-up Tonneau Cover	Add	5	Add	25	5600	250	150	4042	81.6	44.7	6000	250	150	3624	75.1	44.7
Stainless Steel Simulator Kit (17')	Add	8	Add	8	5600	250	200	3992	82.0	44.7	6000	250	200	3574	75.5	44.7
Stainless Steel Simulator Kit (19')	Add	9	Add	9	5600	250	250	3942	82.4	44.7	6000	250	250	3524	75.9	44.7
Cable/Strap Locks	Sub	0	Add	9	5600	250	300	3892	82.9	44.7	6000	250	300	3474	76.3	44.7
					5600	250	350	3842	83.3	44.7	6000	250	350	3424	76.7	44.7
					5600	250	400	3792	83.8	44.7	6000	250	400	3374	77.2	44.7
					5600	250	450	3742	84.3	44.7	6000	250	450	3324	77.6	44.7
					5600	250	500	3692	84.8	44.7	6000	250	500	3274	78.1	44.7
<b>Total Option Weight</b>																

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

**MY: 2011 Model: F350 DRW 4x4 Cab Type: Crew Cab Wheelbase: 172 \***

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 12600 lb (5714 kg) GVWR										6.7L Diesel Engine 13000 lb (5896 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS						
					GAWR	FRONT (LB)		REAR (LB)	RATING		FRONT (A) (IN)	REAR (B) (IN)		GAWR	FRONT (LB)	REAR (LB)	RATING	FRONT (A) (IN)	REAR (B) (IN)	
			I	II	III	IV	V	VI				IV	V	VI						
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386																
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428																
PTC (Positive Thermal Coefficient) Heater	Add	3	Sub	0	5200	-50	-50	4315	71.5	44.7	6000	-50	-50	3963	81.5	44.7				
Immersion Heater - Engine	Add	1	Sub	0	5200	-50	0	4265	71.8	44.7	6000	-50	0	3913	81.9	44.7				
Limited Slip Rear Axle	Sub	0	Add	5	5200	-50	50	4215	72.0	44.7	6000	-50	50	3863	82.4	44.7				
Brake Controller	Add	1	Sub	0	5200	-50	100	4165	72.3	44.7	6000	-50	100	3813	82.8	44.7				
ESOF w/Auto-Man Locking Hubs	Add	3	Sub	0	5600	0	0	4215	86.4	44.7	6000	0	0	3863	80.1	44.7				
Skid Plates	Add	16	Add	20	5600	0	50	4165	86.8	44.7	6000	0	50	3813	80.5	44.7				
Rear Stabilizer Bar	Add	2	Add	26	5600	0	100	4115	87.3	44.7	6000	0	100	3763	81.0	44.7				
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	5600	0	150	4065	87.8	44.7	6000	0	150	3713	81.4	44.7				
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	5600	0	200	4015	88.3	44.7	6000	0	200	3663	81.9	44.7				
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	5600	0	250	3965	88.8	44.7	6000	0	250	3613	82.4	44.7				
Extra Heavy Duty Alternator	Add	3	Sub	0	5600	0	300	3915	89.3	44.7	6000	0	300	3563	82.8	44.7				
Dual Alternator	Add	16	Sub	0	5600	0	350	3865	89.8	44.7	6000	0	350	3513	83.3	44.7				
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	5600	0	400	3815	90.4	44.7	6000	0	400	3463	83.8	44.7				
Manual Air Conditioning	Add	34	Sub	-1	5600	0	450	3765	90.9	44.7	6000	0	450	3413	84.4	44.7				
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	5600	0	500	3715	91.5	44.7	6000	0	500	3363	84.9	44.7				
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	5600	50	0	4165	84.7	44.7	6000	50	0	3813	78.3	44.7				
LT 245/75R17E AT/DWL	Sub	-1	Sub	-1	5600	50	0	4115	85.2	44.7	6000	50	0	3763	78.7	44.7				
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	5600	50	100	4065	85.7	44.7	6000	50	100	3713	79.1	44.7				
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	5600	50	150	4015	86.1	44.7	6000	50	150	3663	79.5	44.7				
Pickup Bed Extender	Sub	-2	Add	22	5600	50	200	3965	86.6	44.7	6000	50	200	3613	80.0	44.7				
Spray-In Bedliner	Add	1	Add	19	5600	50	250	3915	87.1	44.7	6000	50	250	3563	80.4	44.7				
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	5600	50	300	3865	87.6	44.7	6000	50	300	3513	80.9	44.7				
Lower Body Side Molding	Add	2	Add	1	5600	50	350	3815	88.1	44.7	6000	50	350	3463	81.4	44.7				
Reverse Vehicle Sensor System	Sub	0	Add	1	5600	50	400	3765	88.7	44.7	6000	50	400	3413	81.8	44.7				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	5600	50	450	3715	89.2	44.7	6000	50	450	3363	82.3	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	50	500	3665	89.8	44.7	6000	50	500	3313	82.9	44.7				
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	5600	100	0	4115	83.1	44.7	6000	100	0	3763	76.4	44.7				
Sliding Rear Window	Add	6	Add	1	5600	100	50	4065	83.5	44.7	6000	100	50	3713	76.8	44.7				
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	5600	100	100	4015	84.0	44.7	6000	100	100	3663	77.2	44.7				
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	5600	100	150	3965	84.4	44.7	6000	100	150	3613	77.6	44.7				
Foglamps	Add	3	Sub	0	5600	100	200	3915	84.9	44.7	6000	100	200	3563	78.0	44.7				
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	5600	100	250	3865	85.4	44.7	6000	100	250	3513	78.4	44.7				
XLT Floor Mats Less Logo (Color Keyed)	Add	3	Add	1	5600	100	300	3815	85.9	44.7	6000	100	300	3463	78.9	44.7				
Floor Mats w/'King Ranch' Logo (Color Keyed luxury)	Add	3	Add	1	5600	100	350	3765	86.4	44.7	6000	100	350	3413	79.3	44.7				
All Weather Floor Mat	Add	6	Add	4	5600	100	400	3715	86.9	44.7	6000	100	400	3363	79.8	44.7				
Electrochromic Rear View Mirror	Add	1	Sub	0	5600	100	450	3665	87.4	44.7	6000	100	450	3313	80.3	44.7				
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	5600	100	500	3615	88.0	44.7	6000	100	500	3263	80.8	44.7				
Power Equipment Group	Add	12	Add	3	5600	150	0	4065	81.4	44.7	6000	150	0	3713	74.5	44.7				
Adj Gas & Brake Pedals	Add	4	Add	3	5600	150	50	4015	81.8	44.7	6000	150	50	3663	74.8	44.7				
Cruise Control	Add	3	Add	1	5600	150	100	3965	82.3	44.7	6000	150	100	3613	75.2	44.7				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	Add	1	Sub	-2	5600	150	150	3915	82.7	44.7	6000	150	150	3563	75.6	44.7				
Front Seat - Individual 40/40 Driver & Passenger	Sub	-4	Sub	-3	5600	150	200	3865	83.1	44.7	6000	150	200	3513	76.0	44.7				
Crew cab - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	5600	150	250	3815	83.6	44.7	6000	150	250	3463	76.4	44.7				
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	5600	150	300	3765	84.1	44.7	6000	150	300	3413	76.8	44.7				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	5600	150	350	3715	84.6	44.7	6000	150	350	3363	77.2	44.7				
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	5600	150	400	3665	85.1	44.7	6000	150	400	3313	77.7	44.7				
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	5600	150	450	3615	85.6	44.7	6000	150	450	3263	78.1	44.7				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	5600	150	500	3565	86.1	44.7	6000	150	500	3213	78.6	44.7				
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	5600	200	0	4015	79.7	44.7	6000	200	0	3663	72.5	44.7				
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	5600	200	50	3965	80.1	44.7	6000	200	50	3613	72.8	44.7				
Satellite Digital Broadcast	Add	2	Add	1	5600	200	100	3915	80.5	44.7	6000	200	100	3563	73.2	44.7				
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	5600	200	150	3865	80.9	44.7	6000	200	150	3513	73.5	44.7				
FX4 Trim	Add	6	Add	2	5600	200	200	3815	81.3	44.7	6000	200	200	3463	73.9	44.7				
XLT Trim	Add	16	Add	12	5600	200	250	3765	81.8	44.7	6000	200	250	3413	74.3	44.7				
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	5600	200	300	3715	82.2	44.7	6000	200	300	3363	74.7	44.7				
Flat Splash Guards (SRW)	Add	2	Add	2	5600	200	350	3665	82.7	44.7	6000	200	350	3313	75.1	44.7				
Flat Splash Guards (DRW)	Sub	0	Add	8	5600	200	400	3615	83.2	44.7	6000	200	400	3263	75.5	44.7				
Bed Mat	Add	7	Add	55	5600	200	450	3565	83.7	44.7	6000	200	450	3213	75.9	44.7				
Low Profile Hood Deflector	Add	3	Sub	0	5600	200	500	3515	84.2	44.7	6000	200	500	3163	76.3	44.7				
5th Wheel Hitch Prep Kit	Sub	0	Add	107	5600	250	0	3965	77.9	44.7	6000	250	0	3613	70.4	44.7				
Gooseneck Hitch Kit	Sub	0	Add	8	5600	250	50	3915	78.3	44.7	6000	250	50	3563	70.7	44.7				
5th Wheel Hitch Assembly	Sub	0	Add	134	5600	250	100	3865	78.7	44.7	6000	250	100	3513	71.1	44.7				
Roll-up Tonneau Cover	Add	5	Add	25	5600	250	150	3815	79.1	44.7	6000	250	150	3463	71.4	44.7				
Stainless Steel Simulator Kit (17')	Add	8	Add	8	5600	250	200	3765	79.5	44.7	6000	250	200	3413	71.7	44.7				
Stainless Steel Simulator Kit (19')	Add	9	Add	9	5600	250	250	3715	79.9	44.7	6000	250	250	3363	72.1	44.7				
Cable/Strap Locks	Sub	0	Add	9	5600	250	300	3665	80.4	44.7	6000	250	300	3313	72.5	44.7				
					5600	250	350	3615	80.8	44.7	6000	250	350	3263	72.8	44.7				
					5600	250	400	3565	81.3	44.7	6000	250	400	3213	73.2	44.7				
					5600	250	450	3515	81.7	44.7	6000	250	450	3163	73.6	44.7				
					5600	250	500	3465	82.2	44.7	6000	250	500	3113	74.0	44.7				
					5600	300	0	3915	76.1	44.7	6000	300	0	3563	68.3	44.7				
					5600															



OPTION TABLE				VEHICLE LOADING DATA						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	(Lbs.)	6.7L Diesel Engine 13050 lb (5918 kg) GVWR						
				OPTION WEIGHT			CARGO WEIGHT RATING	CENTER OF GRAVITY ZONE LIMITS		
				FRONT (LB)	REAR (LB)	FRONT (IN)		REAR (IN)		
GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (IN)	REAR (IN)	FRONT (IN)	REAR (IN)			
Less Second Unit Body (not available with 6 3/4' Box) - SRW	Add	7	Sub	-386	6000	-50	-50	4025	80.4	44.7
Less Second Unit Body (not available with 6 3/4' Box) - DRW	Add	8	Sub	-428	6000	-50	-50	3975	80.8	44.7
PTC (Positive Thermal Coefficient) Heater	Add	3	Sub	0	6000	-50	0	3975	81.2	44.7
Immersion Heater - Engine	Add	1	Sub	0	6000	-50	50	3925	81.6	44.7
Limited Slip Rear Axle	Sub	0	Add	5	6000	-50	100	3875	78.6	44.7
Brake Controller	Add	1	Sub	0	6000	0	-50	3975	79.0	44.7
ESC® w/Auto-Man Locking Hubs	Add	3	Sub	0	6000	0	0	3925	79.4	44.7
Skid Plates	Add	16	Add	20	6000	0	50	3875	79.8	44.7
Rear Stabilizer Bar	Add	2	Add	26	6000	0	100	3825	80.2	44.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	Sub	0	Add	57	6000	0	150	3775	80.7	44.7
Rear Auxiliary Spring Package (F250 4x2 Diesel)	Sub	0	Add	38	6000	0	200	3725	81.1	44.7
Rear Auxiliary Spring Package (F250 4x4)	Sub	0	Add	18	6000	0	250	3675	81.6	44.7
Extra Heavy Duty Alternator	Add	3	Sub	0	6000	0	300	3625	82.0	44.7
Dual Alternator	Add	16	Sub	0	6000	0	350	3575	82.5	44.7
750 CCA/78 AH Battery (6.7L)	Add	3	Add	1	6000	0	400	3525	83.0	44.7
Manual Air Conditioning	Add	34	Sub	-1	6000	0	450	3475	83.5	44.7
Dual Zone Electronic Automatic Temperature Control AC	Add	34	Sub	-1	6000	0	500	3425	77.2	44.7
LT 245/75R17E A/T BSW	Sub	-1	Sub	-1	6000	50	0	3875	77.6	44.7
LT 245/75R17E ATOWL	Sub	-1	Sub	-1	6000	50	50	3825	78.0	44.7
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only)	Sub	-52	Sub	-52	6000	50	100	3775	78.4	44.7
Stepgate (Upgraded Tailgate)	Sub	-8	Add	41	6000	50	150	3725	78.8	44.7
Pickup Bed Extender	Sub	-2	Add	22	6000	50	200	3675	79.2	44.7
Spray-In Bedliner	Add	1	Add	19	6000	50	250	3625	79.6	44.7
Composite Side Aux. Steps - Platform w/o Lights	Add	17	Add	13	6000	50	300	3575	80.1	44.7
Lower Bodyside Molding	Add	2	Add	1	6000	50	350	3525	80.5	44.7
Reverse Vehicle Sensor System	Sub	0	Add	1	6000	50	400	3475	81.0	44.7
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors	Add	13	Add	5	6000	50	450	3425	81.5	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	6000	50	500	3375	75.3	44.7
Dual Sail, Pwr Adj Glass, Heated Glass, Built-in Directional	Add	13	Add	5	6000	100	0	3825	75.7	44.7
Sliding Rear Window	Add	6	Add	1	6000	100	50	3775	76.0	44.7
Electronic Rear Window (Backglass) Defrost	Add	1	Add	2	6000	100	100	3725	76.4	44.7
Roof Marker/Clearance Lights - Conv	Add	1	Sub	0	6000	100	150	3675	76.8	44.7
Foglamps	Add	3	Sub	0	6000	100	200	3625	77.2	44.7
Floor Cover-Carpet Ins-Complete Color Keyed	Add	3	Sub	0	6000	100	250	3575	77.6	44.7
XLT Floor Mats less Logo (Color Keyed)	Add	3	Add	1	6000	100	300	3525	78.1	44.7
Floor Mats w"King Ranch" Logo (Color Keyed luxury)	Add	3	Add	1	6000	100	350	3475	78.5	44.7
All Weather Floor Mat	Add	6	Add	4	6000	100	400	3425	79.0	44.7
Electrochromic Rear View Mirror	Add	1	Sub	0	6000	100	450	3375	79.4	44.7
Electrochromic Rear View Mirror w/Video Display	Add	1	Add	1	6000	100	500	3325	73.4	44.7
Power Equipment Group	Add	12	Add	3	6000	150	0	3775	73.7	44.7
Adj Gas & Brake Pedals	Add	4	Add	3	6000	150	50	3725	74.1	44.7
Cruise Control	Add	3	Add	1	6000	150	100	3675	74.4	44.7
Front Seat - Individual 40/40 Driver & Passenger	Add	1	Sub	-2	6000	150	150	3625	74.8	44.7
Front Seat - Second Row 60/40 w/Under Seat Storage	Add	9	Add	9	6000	150	200	3575	75.2	44.7
Heated/Cooled Seats (Driver and Passenger)	Add	3	Add	1	6000	150	300	3475	75.6	44.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust	Add	5	Add	2	6000	150	350	3425	76.0	44.7
10-Way Power Seat Adjuster (Driver/Passenger)	Add	20	Add	5	6000	150	400	3375	76.4	44.7
Less Radio Pre-Equipment Pack (Radio Delete)	Sub	-5	Sub	-2	6000	150	450	3325	76.8	44.7
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	Add	3	Add	2	6000	150	500	3275	77.3	44.7
Electronic Premium Stereo/Single CD w/Audiophile (8 speakers/subwoofer)	Sub	0	Sub	0	6000	200	0	3725	71.4	44.7
AM/FM Stereo/DVD & SDARS/Voice Act Nav System (8 speakers/subwoofer)	Add	3	Add	2	6000	200	50	3675	71.7	44.7
Satellite Digital Broadcast	Add	2	Add	1	6000	200	100	3625	72.1	44.7
SYNC - Media Gateway Module (MGM)	Add	1	Sub	0	6000	200	150	3575	72.4	44.7
FX4 Trim	Add	6	Add	2	6000	200	200	3525	72.7	44.7
XLT Trim	Add	18	Add	12	6000	200	250	3475	73.1	44.7
Passenger Side Air Bag Delete	Sub	-10	Sub	-1	6000	200	300	3425	73.5	44.7
Flat Splash Guards (SRW)	Add	2	Add	2	6000	200	350	3375	73.8	44.7
Flat Splash Guards (DRW)	Sub	0	Add	8	6000	200	400	3325	74.2	44.7
Bed Mat	Add	7	Add	55	6000	200	450	3275	74.6	44.7
Low Profile Hood Deflector	Add	3	Sub	0	6000	200	500	3225	75.1	44.7
5th Wheel Hitch Prep Kit	Sub	0	Add	107	6000	250	0	3675	69.4	44.7
Gooseneck Hitch Kit	Sub	0	Add	8	6000	250	50	3625	69.7	44.7
5th Wheel Hitch Assembly	Sub	0	Add	134	6000	250	100	3575	70.0	44.7
Roll-up Tonneau Cover	Add	5	Add	25	6000	250	150	3525	70.3	44.7
Stainless Steel Simulator Kit (17')	Add	8	Add	8	6000	250	200	3475	70.6	44.7
Stainless Steel Simulator Kit (19')	Add	9	Add	9	6000	250	250	3425	71.0	44.7
Cable/Strap Locks	Sub	0	Add	9	6000	250	300	3375	71.3	44.7
					6000	250	350	3325	71.6	44.7
					6000	250	400	3275	72.0	44.7
					6000	250	450	3225	72.4	44.7
					6000	250	500	3175	72.8	44.7
					6000	300	0	3625	67.3	44.7
					6000	300	50	3575	67.6	44.7
					6000	300	100	3525	67.9	44.7
					6000	300	150	3475	68.1	44.7
					6000	300	200	3425	68.4	44.7
					6000	300	250	3375	68.7	44.7
					6000	300	300	3325	69.1	44.7
					6000	300	350	3275	69.4	44.7
					6000	300	400	3225	69.7	44.7
					6000	300	450	3175	70.0	44.7
					6000	300	500	3125	70.4	44.7

**Total Option Weight**

\* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

NOTE: The descriptions and specifications contained in this manual were in effect at the time this manual was approved for printing. Ford Motor Company reserves the right to discontinue models at any time, or change specifications or design without notice and without incurring any obligation.

### **PUBLICATIONS ORDERING INFORMATION**

To obtain information about ordering additional copies of this publication or to order any other Ford or Lincoln/Mercury publications, call 1-800-782-4356 or visit [www.helminc.com](http://www.helminc.com). Available publications include workshop manuals, wiring diagrams, PC/ED Manuals and Owner Guides.

In addition, you can obtain a publications order form by writing to: Ford Publications, care of Helm Inc., P.O. Box 07150, Detroit, MI 48207.

All rights reserved. Reproduction by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system or translation in whole or part is not permitted without written authorization from Ford Motor Company.

Copyright© 2010, Ford Motor Company.



Additional copies of this brochure can be obtained at  
FMCDealer.com on the Ford intranet.



**TECHNICAL**  
**SUPPORT OPERATIONS**  
Ford Customer Service Division