





FORD PICKUP
TRUCKS

2014 MODEL YEAR CONSUMER INFORMATION



Truck-Camper Loading

 **WARNING:** Improper vehicle loading may adversely affect vehicle handling and stability. Failure to follow loading guide instructions may degrade vehicle handling characteristics, increasing the risk of loss of vehicle control and serious personal injury or death in a crash.

Additional copies of this brochure can be obtained at FMCD dealer.com on the Ford intranet.

TABLE OF CONTENTS

CONSUMER INFORMATION REGULATIONS	i
EXAMPLE PAGE	ii
F-150 HD (4X2)	
REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 5.0L	1
REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 3.5L GTDI	2
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 5.0L	3
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 3.5L GTDI.....	4
SUPERCREW CAB — 156.5 IN (3967 mm) WHEELBASE 5.0L.....	5
SUPERCREW CAB —156.5 IN (3967 mm) WHEELBASE 3.5L GTDI.....	6
F-150 HD (4X4)	
REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 5.0L	7
REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 3.5L GTDI	8
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 5.0L	9
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 3.5L GTDI.....	10
SUPERCREW CAB — 156.5 IN (3967 mm) WHEELBASE 5.0.....	11
SUPERCREW CAB — 156.5 IN (3967 mm) WHEELBASE 3.5L GTDI..	12
F-250 (4X2) (10,000 lb GVWR)	
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE	13
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE	14
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE	15
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE	16
CREW CAB — 172.0 IN (4379 mm) WHEELBASE	17
F-250 (4X4) (10,000 lb GVWR)	
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE	18
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE	19
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE	20
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE	21
CREW CAB — 172.0 IN (4379 mm) WHEELBASE	22
F-250 (4X2) (9,900 lb GVWR)	
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE	23
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE	24
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE	25
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE	26
CREW CAB — 172.0 IN (4379 mm) WHEELBASE	27
F-250 (4X4) (9,900 lb GVWR)	
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE	28
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE	29
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE	30
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE	31
CREW CAB — 172.0 IN (4379 mm) WHEELBASE	32
F-350 f#x2L (10,000 `V`GVWRŽ1+ " Tire)	
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE	33
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE	34
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE	35
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE	36
CREW CAB — 172.0 IN (4379 mm) WHEELBASE	37
F-350 4x2 (10,000 GVWR / 18" All-Season Tires)	
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE	38
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE	39
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE	40
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE	41
CREW CAB — 172.0 IN (4379 mm) WHEELBASE	42
F-350 4x4 (10,000 GVWR / 17" Tires)	
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE	43
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE	44
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE	45
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE	46
CREW CAB — 172.0 IN (4379 mm) WHEELBASE	47
F-350 4x4 (10,000 GVWR / 18" All-Season Tires)	
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE	48
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE	49
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE	50
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE	51
CREW CAB — 172.0 IN (4379 mm) WHEELBASE	52
F-350 4x4 (10,000 GVWR / 18" All-Terrain & 20" Tires)	
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE	53
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE	54
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE	55
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE	56
CREW CAB — 172.0 IN (4379 mm) WHEELBASE	57
F-350 4x2 (9,900 GVWR - 17" Tires)	
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE	58
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE	59
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE	60
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE	61
CREW CAB — 172.0 IN (4379 mm) WHEELBASE	62

F-350 4x2 (9,900 GVWR - 18" All-Season Tires)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 63
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 64
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE65
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE66
CREW CAB — 172.0 IN (4379 mm) WHEELBASE67

F-350 4x4 (9,900 GVWR - 17" Tires)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE68
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE69
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE70
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE71
CREW CAB — 172.0 IN (4379 mm) WHEELBASE72

F-350 4x4 (9,900 GVWR - 18" All-Season Tires)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE73
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE74
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE75
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE76
CREW CAB — 172.0 IN (4379 mm) WHEELBASE77

F-350 4x4 (9,900 GVWR - 18" All-Terrain & 20" Tires)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE78
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE79
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE80
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE81
CREW CAB — 172.0 IN (4379 mm) WHEELBASE82

F-350 4x2 (Variable GVWR - 17" Tires)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE83
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE84
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE85
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE86
CREW CAB — 172.0 IN (4379 mm) WHEELBASE87

F-350 4x4 (Variable GVWR - 17" Tires)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE88
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE89
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE90
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE91
CREW CAB — 172.0 IN (4379 mm) WHEELBASE92

F-350 4x2 (Variable GVWR - 18" All-Season Tires)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE93
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE94
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE95
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE96
CREW CAB — 172.0 IN (4379 mm) WHEELBASE98

F-350 4x4 (Variable GVWR - 18" All-Terrain & 20" Tires)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE100
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE101
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE102
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE103
CREW CAB — 172.0 IN (4379 mm) WHEELBASE104

F-350 4x4 (18/20" All-Terrain Tire)

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE105
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE107
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE109
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE111
CREW CAB — 172.0 IN (4379 mm) WHEELBASE113

F-350 DRW 4x2

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE115
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE116
CREW CAB — 172.0 IN (4379 mm) WHEELBASE117

F-350 DRW 4x4

REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE118
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE119
CREW CAB — 172.0 IN (4379 mm) WHEELBASE120

F-450 DRW 4x4

CREW CAB — 172.0 IN (4379 mm) WHEELBASE121

CONSUMER INFORMATION REGULATIONS

This information is furnished in accordance with the Consumer Information Regulations of the National Highway Traffic Safety Administration, as applicable, by way of the vehicle Owner's Manual or a separate document supplied with the truck. It includes information to determine Cargo Weight Rating and Longitudinal Center of Gravity Zone for any selected F-Series pickup as equipped with factory-installed options.

**F-150 TRUCKS ARE RECOMMENDED FOR CARRYING SLIDE-IN CAMPERS ONLY WHEN EQUIPPED WITH HEAVY DUTY PAYLOAD PACKAGE (8200 LB GVWR).
F-250, F-350 AND F-450 TRUCKS ARE RECOMMENDED FOR CARRYING SLIDE-IN CAMPERS ONLY WHEN EQUIPPED WITH OPTIONAL CAMPER PACKAGE.**

Model	Cab Type	Wheelbase (inches)	GVWR (pounds)
F-150 HD	All	All	8200
F-250/F-350	All	All	All
F-450	Crew Cab	172.4	14000

NOTES:


SLIDE-IN CAMPER USAGE IS NOT RECOMMENDED ON THE FOLLOWING: F-150 SUPERCREW.

THIS PAMPHLET COVERS F-150, F-250, F-350 (8200-13,000 GVWRS) AND F-450 (14,000 GVWR).

LOADING INSTRUCTIONS

Secure loose items to prevent weight shifts that could affect the balance of your vehicle. When the truck camper is loaded, drive onto a scale and weigh the front and the rear wheels separately to determine the axle loads. Individual axle loads should not exceed either of the Gross Axle Weight Ratings (GAWR). The total of the axle loads should not exceed the Gross Vehicle Weight Rating (GVWR). These ratings are given on the vehicle certification label that is located on the left side of the vehicle, normally the dash, hinge pillar, door latch post, or door edge next to the driver. If weight ratings are exceeded, move or remove items to bring all weights below the ratings.

NOTE: All fuel and water tanks should be full and all passengers should be in the truck when it is weighed.



HOW TO DETERMINE MAXIMUM CARGO WEIGHT RATING AND LONGITUDINAL CENTER OF GRAVITY ZONE

This procedure should be followed to determine the Cargo Weight Rating and Center of Gravity Zone for a truck as equipped with factory-installed options. There is a set of tables applicable to each vehicle recommended for carrying a slide-in camper. The first table in each set lists the weight distribution of available optional equipment, and the second table is used to determine the Cargo Weight Rating and the Center of Gravity Zone of the selected vehicle.

STEP ONE – Locate the Option Table in the set that matches the Model, Cab Type, Wheelbase and Gross Vehicle Weight Rating (GVWR) of the vehicle for which you wish to determine the Cargo Weight Rating and the Center of Gravity Zone. Select those options with which you wish to equip your vehicle. Options that are not listed in the Option Table need not be considered in your calculations since they either are not physically compatible when a slide-in camper is installed (e.g., spare tire carrier located in the pickup box) or have only a minor weight effect, which is already included in the Vehicle Loading Data Table.

STEP TWO – Total (add or subtract as indicated) the front and rear weight columns separately as shown in the example. Note: If the vehicle is to be equipped with any SPECIAL ORDER OPTIONS (other than paint or trim), add an additional 20 lbs. to the front and 10 lbs. to the rear total option weights.

STEP THREE – Look at the Vehicle Loading Data Table next to the Option Table

on which you indicated the desired options. Find the row of Option Weights – Columns II and III, that most closely represents but exceeds each of the total front and rear option weights found in step number two. *In some cases there may exist more than one row of option weights – Columns II and III, which will fit a particular vehicle. In these cases use the row with the smaller front GAWR (Column I). This row of figures establishes the pickup's Cargo Weight Rating – Column IV, and Center of Gravity Zone Limits – Columns V and VI.

* If either of your calculated front and rear option weights are greater than the maximums listed in the Table (Columns II and III), you have exceeded the option weight capacity for the vehicle selected. See your dealership for applicable option limitations.

NOTE: Vehicle configurations covered in this manual for which F-Series Camper Package is available should not be used for carrying a slide-in camper unless equipped with the Camper Package. Camper package is standard on F-150 Heavy Duty (HD) and optional on all other F-Series configurations in this manual.

DEFINITIONS – Slide-in camper means a structure with a roof, floor and sides for the purpose of providing shelter for people, and designed to be mounted on and removable from the cargo box area of a truck by the user.

PROPER TRUCK AND CAMPER MATCH

Using the A and B dimensions found in the proper Vehicle Loading Data Table, the required Center of Gravity for a slide-in camper must fall within this zone as shown in the following illustration. The Center of Gravity of the camper is determined by the camper manufacturer and is indicated in literature accompanying campers manufactured after October 1, 1973.

When the truck is used to carry a slide-in camper, the total cargo load of the truck consists of the manufacturer's camper weight figure; the weight of installed additional camper equipment not included in the manufacturer's camper weight figure, the weight of camper cargo, and the weight of the passengers* in the camper. The total cargo load should not exceed the truck's cargo weight rating and the camper's center of gravity should fall within the truck's recommended Center of Gravity Zone when installed.

WARNING – Passengers should be allowed to ride only in seats with proper occupant restraint systems. Persons who are not properly restrained in designated seating positions are much more likely to suffer bodily injury in the event of a collision. Failure to follow may result in serious personal injury or death.

The Cargo Weight Rating and Longitudinal Center of Gravity Location Zone established by this folder are two important factors that have a direct influence on the handling and braking of a truck-camper combination. In addition, other factors such as road and wind conditions, height of camper load and condition of the tires also influence a vehicle's handling and braking. All factors must be considered and reasonable care must be exercised when operating a truck-camper vehicle. Ford offers many options that enhance a vehicle for camper usage. For optimum performance and enjoyment it is suggested that you equip your vehicle with those options specifically intended for camper hauling.

EXAMPLE: F-150 HD (4X2) REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE

OPTION TABLE			VEHICLE LOADING DATA 8200 lbs. (3721 kg) GVWR						VEHICLE LOADING DATA 8200 lbs. (3721 kg) GVWR								
OPTION DESCRIPTION	FRONT(lb)	REAR(lb)	FRONT		OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS		
			GAWR (lb)	FRONT (lb)	FRONT (lb)	REAR (lb)		(A) (in)	(B) (in)	GAWR (lb)	FRONT (lb)	REAR (lb)	(A) (in)		(B) (in)		
			I	II	III	IV	V	VI	I	II	III	IV	V	VI			
Daytime Running Lights	add 1	add 0	3750	0	0	2627	70.9	51.7									
Fog Lamps	add 8	sub 2		0	30	2597	71.2	51.9									
				0	60	2567	71.6	52.0									
				0	90	2537	72.0	52.1									
				0	120	2507	72.3	52.3									
AM/FM Cassette/CD	add 1	add 0		0	150	2477	72.7	52.4									
AM/FM Cassette/6 CD Changer	add 1	add 0		30	0	2597	69.6	50.2									
6 Disc CD Changer w/Audiophile System	add 10	add 8		30	30	2567	69.9	50.3									
				30	60	2537	70.3	50.4									
				30	90	2507	70.6	50.5									
Less Lumbar Support - Driver	sub 2	add 0	30	120	2477	71.0	50.7										
Lumbar Support - Passenger	add 2	add 0	30	150	2447	71.3	50.8										
			60	0	2567	68.2	48.6										
			60	30	2537	68.5	48.7										
			60	60	2507	68.9	48.8										
			60	90	2477	69.2	48.9										
Carpet Floor Covering	add 2	add 0	60	120	2447	69.6	49.0										
Floor Mats - Carpet	add 3	add 1	60	150	2417	69.9	49.1										
Floor Mats - Rubber	add 7	add 4	90	0	2537	66.8	47.0										
			90	30	2507	67.1	47.1										
			90	60	2477	67.5	47.2										
Overhead Console	add 2	add 0	90	90	2447	67.8	47.2										
			90	120	2417	68.1	47.3										
			90	150	2387	68.5	47.4										
			120	0	2507	65.4	45.3										
Sliding Rear Window	add 2	add 2	120	30	2477	65.7	45.4										
Backlight w/Defroster	add 1	add 0	120	60	2447	66.0	45.5										
			120	90	2417	66.3	45.5										
			120	120	2387	66.7	45.6										
			120	150	2357	67.0	45.6										
Cab Steps - Black	add 28	add 19	150	0	2477	64.0	43.7										
Cab Steps - Bright	add 20	add 13	150	30	2447	64.3	43.7										
Electrochromatic Rearview Mirror	add 1	add 0	150	60	2417	64.5	43.7										
Power Mirrors	add 4	add 0	150	90	2387	64.8	43.8										
Power/Heated/Signal Mirrors	add 4	add 1	150	120	2357	65.2	43.8										
Speed Control	add 1	add 0	150	150	2327	65.5	43.8										
Keyless Entry	add 2	add 2															
Chrome Front Bumper	add 3	sub 1															
Engine Block Heater	add 2	add 0															
Front License Plate Bracket	add 1	add 0															
Power Adjustable Pedals	add 3	add 2															
Extended Range Fuel Tank	add 21	add 37															
Reverse Sensing System	add 0	add 1															
Power Windows/Locks	add 1	add 1															
Rear Cargo Storage Unit	add 4	add 6															
Limited Slip Axle	add 0	add 6															
Trailer Tow	sub 11	add 51															
XLT Trim	add 8	add 16															
Tutone Paint	add 2	add 2															
Total Option Weight																	
Note: Be careful not to double count. Each option should only be added once.																	


Choose 60 lbs (front) and 120 lbs (rear) which most closely represents and exceeds the 53 lbs front option weight and the 96 lbs rear option weight.

Total Option Weight Front = 53 lbs / Rear = 96 lbs

Enter the Cargo Weight Rating and the A and B dimensions from the appropriate table in the box below and retain this folder for future reference.

"Cargo Weight Rating" means the value specified by the manufacturer as the cargo-carrying capacity, in pounds, of a vehicle, exclusive of the weight of the occupants (in the vehicle), computed as 150 pounds times the number of designated seating positions.

	Our Example	Your Truck
Cargo Weight Rating	2447 lbs	_____ pounds
Center of Gravity Zone of Dimensions		
A.	69.6 inches	_____ inches
B.	49.0 inches	_____ inches



OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT (LBS)	CENTER OF GRAVITY ZONE LIMITS	
	FRONT	REAR	FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
LIGHTS																
Fog Lamps	add	2	add	0	3750	0	0	2687	68.5	49.8						
RADIOS																
AM/FM/CD Changer	add	1	add	0		0	50	2637	69.0	49.9						
						0	100	2587	69.6	50.1						
						0	150	2537	70.1	50.3						
						0	200	2487	70.7	50.5						
FLOOR COVERINGS																
Carpet Floor Covering	add	2	add	0		50	0	2637	66.3	47.2						
Floor Mats - Carpet	add	3	add	1		50	50	2587	66.8	47.3						
Floor Mats - Rubber	add	2	add	1		50	100	2537	67.3	47.5						
						50	150	2487	67.8	47.6						
						50	200	2437	68.4	47.7						
GLASS																
Sliding Rear Window	add	2	add	2		100	0	2587	64.0	44.5						
						100	50	2537	64.4	44.6						
						100	100	2487	64.9	44.7						
COMFORT/CONVENIENCE																
Cab Steps - Black	add	27	add	18		100	150	2437	65.4	44.8						
Cab Steps - Bright	add	22	add	15		100	200	2387	65.9	44.8						
Box Access Steps	add	14	add	46		150	0	2537	61.6	42.2						
Power Mirrors	add	4	add	0		150	50	2487	62.0	42.2						
Power/Heated/Signal Mirrors	add	4	add	1		150	100	2437	62.5	42.2						
Manual Trailer Tow Mirrors	add	7	add	6		150	150	2387	62.9	42.2						
Power Trailer Tow Mirrors	add	11	add	7		150	200	2337	63.4	42.2						
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	1	add	1												
Extended Range Fuel Tank	add	22	add	38												
Power Windows/Locks	add	1	add	1												
PACKAGES																
Trailer Tow	sub	11	add	51												
TRIM VERSIONS																
XLT Trim	add	2	add	2												
Tutone Paint	add	1	add	1												
WHEELS																
Aluminum Wheels	sub	21	sub	14												
Total Option Weight																

OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT (LBS)	CENTER OF GRAVITY ZONE LIMITS	
						FRONT (LBS)	REAR (LBS)		FRONT (IN)	REAR (IN)		FRONT (LBS)	REAR (LBS)		FRONT (IN)	REAR (IN)
LIGHTS																
Fog Lamps	add	2	add	0												
RADIOS																
AM/FM/CD Changer	add	1	add	0												
FLOOR COVERINGS																
Carpet Floor Covering	add	2	add	0												
Floor Mats - Carpet	add	3	add	1												
Floor Mats - Rubber	add	2	add	1												
GLASS																
Sliding Rear Window	add	2	add	2												
COMFORT/CONVENIENCE																
Cab Steps - Black	add	27	add	18												
Cab Steps - Bright	add	22	add	15												
Box Access Steps	add	14	add	46												
Power Mirrors	add	4	add	0												
Power/Heated/Signal Mirrors	add	4	add	1												
Manual Trailer Tow Mirrors	add	7	add	6												
Power Trailer Tow Mirrors	add	11	add	7												
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	1	add	1												
Extended Range Fuel Tank	add	22	add	38												
Power Windows/Locks	add	1	add	1												
PACKAGES																
Trailer Tow	sub	11	add	51												
TRIM VERSIONS																
XL Trim	add	2	add	2												
Tutone Paint	add	1	add	1												
WHEELS																
Aluminum Wheels	sub	21	sub	14												
Total Option Weight																

OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS	
	FRONT	REAR	FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR
LIGHTS																
Fog Lamps	add	2	add	0	3750	0	0	1831	50.1	42.2	4050	50	0	1781	73.2	42.2
RADIOS																
AM/FM/CD Changer	add	1	add	0		0	50	1781	50.4	42.2		50	50	1731	74.2	42.2
FLOOR COVERINGS																
Carpet Floor Covering	add	3	add	1		0	100	1731	50.6	42.2		50	100	1681	75.2	42.2
Floor Mats - Carpet	add	4	add	2		0	150	1681	50.9	42.2		50	150	1631	76.2	42.2
Floor Mats - Rubber	add	3	add	1		0	200	1631	51.2	42.2		50	200	1581	77.3	42.2
CONSOLE																
Mini Overhead Console	add	2	add	0		0	250	1581	51.6	42.2		50	250	1531	78.5	42.2
Overhead Console	add	7	add	1								100	0	1731	69.5	42.2
Standalone Floor Console	sub	25	sub	14								100	50	1681	70.3	42.2
Flow Through Floor Console	sub	17	sub	9								100	100	1631	71.2	42.2
GLASS																
Sliding Rear Window	add	2	add	2								100	150	1581	72.2	42.2
Power Sliding Rear Window	add	4	add	3								100	200	1531	73.2	42.2
COMFORT/CONVENIENCE																
Tubular Cab Steps - Black	add	25	add	28								150	0	1681	65.5	42.2
Tubular Cab Steps - Bright	add	20	add	23								150	50	1631	66.2	42.2
Platform Style Running Boards	add	13	add	19								150	100	1581	67.0	42.2
Chrome Running Boards	add	11	add	13								150	150	1531	67.9	42.2
Box Access Steps	add	14	add	46								150	200	1481	68.8	42.2
Power Mirrors	add	4	add	0								180	0	1651	63.0	42.2
Power/Heated/Signal Mirrors	add	4	add	1								180	50	1601	63.7	42.2
Manual Trailer Tow Mirrors	add	7	add	6								180	100	1551	64.4	42.2
Power Trailer Tow Mirrors	add	11	add	7								180	150	1501	65.2	42.2
Speed Control	add	1	add	0								180	200	1451	66.0	42.2
Keyless Entry	add	2	add	2								180	250	1401	66.9	42.2
6-Way Power Driver Seat	add	7	add	6												
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	1	add	1												
Extended Range Fuel Tank	add	22	add	38												
Power Windows/Locks	add	2	add	1												
Moonroof	add	23	add	21												
PACKAGES																
Trailer Tow	sub	10	add	50												
TRIM VERSIONS																
XLT Trim	add	2	add	2												
Tutone Paint	add	1	add	1												
WHEELS																
Aluminum Wheels	sub	21	sub	14												
Total Option Weight																

OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT (LBS)	CENTER OF GRAVITY ZONE LIMITS	
						FRONT (LBS)	REAR (LBS)		FRONT (IN)	REAR (IN)		FRONT (LBS)	FRONT (LBS)		REAR (LBS)	FRONT (IN)
LIGHTS																
Fog Lamps	add	2	add	0												
RADIOS																
AM/FM/CD Changer	add	1	add	0												
FLOOR COVERINGS																
Carpet Floor Covering	add	3	add	1												
Floor Mats - Carpet	add	4	add	2												
Floor Mats - Rubber	add	3	add	1												
CONSOLE																
Mini Overhead Console	add	2	add	0												
Overhead Console	add	7	add	1												
Standalone Floor Console	sub	25	sub	14												
Flow Through Floor Console	sub	17	sub	9												
GLASS																
Sliding Rear Window	add	2	add	2												
Power Sliding Rear Window	add	4	add	3												
COMFORT/CONVENIENCE																
Tubular Cab Steps - Black	add	25	add	28												
Tubular Cab Steps - Bright	add	20	add	23												
Platform Style Running Boards	add	13	add	19												
Chrome Running Boards	add	11	add	13												
Box Access Steps	add	14	add	46												
Power Mirrors	add	4	add	0												
Power/Heated/Signal Mirrors	add	4	add	1												
Manual Trailer Tow Mirrors	add	7	add	6												
Power Trailer Tow Mirrors	add	11	add	7												
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
6-Way Power Driver Seat	add	7	add	6												
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	1	add	1												
Extended Range Fuel Tank	add	22	add	38												
Power Windows/Locks	add	2	add	1												
Moonroof	add	23	add	21												
PACKAGES																
Trailer Tow	sub	10	add	50												
TRIM VERSIONS																
XLT Trim	add	2	add	2												
Tutone Paint	add	1	add	1												
WHEELS																
Aluminum Wheels	sub	21	sub	14												
Total Option Weight																

OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS	
	FRONT	REAR	FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR
	(LBS)	(LBS)	(LBS)	(LBS)		(IN)	(IN)		(IN)	(IN)		(IN)	(IN)		(IN)	(IN)
LIGHTS																
Fog Lamps	add	2	add	0												
RADIOS																
AM/FM/CD Changer	add	1	add	0												
Navigation Radio	add	6	add	2												
Subwoofer	add	11	add	11												
FLOOR COVERINGS																
Carpet Floor Covering	add	0	add	0												
Floor Mats - Carpet	add	0	add	0												
Floor Mats - Rubber	add	3	add	1												
CONSOLE																
Mini Overhead Console	sub	5	sub	1												
Overhead Console	add	0	add	0												
Standalone Floor Console	sub	25	sub	14												
Flow Through Floor Console	sub	17	sub	9												
GLASS																
Sliding Rear Window	add	2	add	2												
Power Sliding Rear Window	add	4	add	3												
COMFORT/CONVENIENCE																
Tubular Cab Steps - Black	add	29	add	30												
Tubular Cab Steps - Bright	add	23	add	24												
Platform Style Running Boards	add	19	add	19												
Chrome Running Boards	add	13	add	12												
Angular Step Bars	add	18	add	19												
Box Access Steps	add	16	add	49												
Power Mirrors	add	0	add	0												
Power/Heated/Signal Mirrors	add	1	add	0												
Power/Heated/Signal/Folding Mirrors	add	1	add	1												
Power Trailer Tow Mirrors	add	7	add	7												
Speed Control	add	0	add	0												
Keyless Entry	add	0	add	0												
6-Way Power Driver Seat	add	7	add	6												
10-Way Power Driver & Passenger Seats	add	16	add	12												
Heated Seats or Heated/Cooled Seats	add	4	add	0												
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	1	add	1												
Power Windows/Locks	add	0	add	0												
Moonroof	add	23	add	21												
PACKAGES																
Trailer Tow	sub	10	add	50												
TRIM VERSIONS																
XLT Trim	add	0	add	0												
Lariat Trim	add	15	add	12												
Tutone Paint	add	1	add	1												
Wheel Lip Molding	add	3	add	2												
WHEELS																
Aluminum Wheels	sub	21	sub	14												
Total Option Weight																

OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS	
	FRONT	REAR	FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR			
	(LBS)	(LBS)	(LBS)	(LBS)		(IN)	(IN)		(IN)	(IN)		(IN)	(IN)			
LIGHTS																
Fog Lamps	add	2	add	0												
RADIOS																
AM/FM/CD Changer	add	1	add	0												
Navigation Radio	add	6	add	2												
Subwoofer	add	11	add	11												
FLOOR COVERINGS																
Carpet Floor Covering	add	0	add	0												
Floor Mats - Carpet	add	0	add	0												
Floor Mats - Rubber	add	3	add	1												
CONSOLE																
Mini Overhead Console	sub	5	sub	1												
Overhead Console	add	0	add	0												
Standalone Floor Console	sub	25	sub	14												
Flow Through Floor Console	sub	17	sub	9												
GLASS																
Sliding Rear Window	add	2	add	2												
Power Sliding Rear Window	add	4	add	3												
COMFORT/CONVENIENCE																
Tubular Cab Steps - Black	add	29	add	30												
Tubular Cab Steps - Bright	add	23	add	24												
Platform Style Running Boards	add	19	add	19												
Chrome Running Boards	add	13	add	12												
Angular Step Bars	add	18	add	19												
Box Access Steps	add	16	add	49												
Power Mirrors	add	0	add	0												
Power/Heated/Signal Mirrors	add	1	add	0												
Power/Heated/Signal/Folding Mirrors	add	1	add	1												
Power Trailer Tow Mirrors	add	7	add	7												
Speed Control	add	0	add	0												
Keyless Entry	add	0	add	0												
6-Way Power Driver Seat	add	7	add	6												
10-Way Power Driver & Passenger Seats	add	16	add	12												
Heated Seats or Heated/Cooled Seats	add	4	add	0												
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	1	add	1												
Power Windows/Locks	add	0	add	0												
Moonroof	add	23	add	21												
PACKAGES																
Trailer Tow	sub	10	add	50												
TRIM VERSIONS																
XLT Trim	add	0	add	0												
Lariat Trim	add	15	add	12												
Tutone Paint	add	1	add	1												
Wheel Lip Molding	add	3	add	2												
WHEELS																
Aluminum Wheels	sub	21	sub	14												
Total Option Weight																

OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS	
	FRONT	REAR	FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR			
	(LBS)	(LBS)	(LBS)	(LBS)		(IN)	(IN)		(LBS)	(LBS)		(IN)	(IN)			
LIGHTS																
Fog Lamps	add	2	add	0	4050	0	0	2382	76.1	42.2						
RADIOS																
AM/FM/CD Changer	add	1	add	0		0	50	2332	76.8	42.2						
FLOOR COVERINGS																
Carpet Floor Covering	add	2	add	0		0	100	2282	77.6	42.2						
Floor Mats - Carpet	add	3	add	1		0	150	2232	78.4	42.2						
Floor Mats - Rubber	add	2	add	1		0	200	2182	79.3	42.2						
GLASS																
Sliding Rear Window	add	2	add	2		50	0	2332	73.7	42.2						
COMFORT/CONVENIENCE																
Cab Steps - Black	add	27	add	18		50	50	2282	74.4	42.2						
Cab Steps - Bright	add	22	add	15		50	100	2232	75.2	42.2						
Box Access Steps	add	14	add	46		50	150	2182	76.0	42.2						
Power Mirrors	add	4	add	0		50	200	2132	76.8	42.2						
Power/Heated/Signal Mirrors	add	4	add	1		100	50	2232	72.0	42.2						
Manual Trailer Tow Mirrors	add	7	add	6		100	100	2182	72.7	42.2						
Power Trailer Tow Mirrors	add	11	add	7		100	150	2082	74.2	42.2						
Speed Control	add	1	add	0		150	150	2082	70.7	42.2						
Keyless Entry	add	2	add	2		150	200	2032	71.5	42.2						
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	1	add	1												
Power Windows/Locks	add	1	add	1												
PACKAGES																
Trailer Tow	sub	11	add	51												
TRIM VERSIONS																
XLT Trim	add	2	add	2												
Tutone Paint	add	1	add	1												
4x4 OPTIONS																
Skid Plates	add	21	add	13												
WHEELS																
Aluminum Wheels	sub	21	sub	14												
Total Option Weight																

OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS		
	FRONT	REAR	FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR				
	(LBS)	(LBS)	(LBS)	(LBS)		(IN)	(IN)		(LBS)	(LBS)		(IN)	(IN)				
LIGHTS																	
Fog Lamps	add	2	add	0	4050	I	II	III	IV	V	VI	I	II	III	IV	V	VI
RADIOS																	
AM/FM/CD Changer	add	1	add	0													
FLOOR COVERINGS																	
Carpet Floor Covering	add	2	add	0													
Floor Mats - Carpet	add	3	add	1													
Floor Mats - Rubber	add	2	add	1													
GLASS																	
Sliding Rear Window	add	2	add	2													
COMFORT/CONVENIENCE																	
Cab Steps - Black	add	27	add	18													
Cab Steps - Bright	add	22	add	15													
Box Access Steps	add	14	add	46													
Power Mirrors	add	4	add	0													
Power/Heated/Signal Mirrors	add	4	add	1													
Manual Trailer Tow Mirrors	add	7	add	6													
Power Trailer Tow Mirrors	add	11	add	7													
Speed Control	add	1	add	0													
Keyless Entry	add	2	add	2													
FUNCTIONAL																	
Engine Block Heater	add	2	add	0													
Power Adjustable Pedals	add	1	add	1													
Power Windows/Locks	add	1	add	1													
PACKAGES																	
Trailer Tow	sub	11	add	51													
TRIM VERSIONS																	
XLT Trim	add	2	add	2													
Tutone Paint	add	1	add	1													
4x4 OPTIONS																	
Skid Plates	add	21	add	13													
WHEELS																	
Aluminum Wheels	sub	21	sub	14													
Total Option Weight																	

OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS	
	FRONT	REAR	FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR
	(LBS)	(LBS)	(LBS)	(LBS)		(IN)	(IN)		(LBS)	(LBS)		(IN)	(IN)		(LBS)	(LBS)
LIGHTS					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Fog Lamps	add	2	add	0	4050	0	0	1523	60.6	42.2						
RADIOS																
AM/FM/CD Changer	add	1	add	0		0	50	1473	61.3	42.2						
FLOOR COVERINGS																
Carpet Floor Covering	add	3	add	1		0	100	1423	62.0	42.2						
Floor Mats - Carpet	add	4	add	2		0	150	1373	62.8	42.2						
Floor Mats - Rubber	add	3	add	1		0	200	1323	63.6	42.2						
CONSOLE																
Mini Overhead Console	add	2	add	0		50	0	1473	55.8	42.2						
Overhead Console	add	7	add	1		50	50	1423	56.3	42.2						
Standalone Floor Console	sub	25	sub	14		50	100	1373	56.9	42.2						
Flow Through Floor Console	sub	17	sub	9		50	150	1323	57.5	42.2						
GLASS																
Sliding Rear Window	add	2	add	2		50	200	1273	58.1	42.2						
Power Sliding Rear Window	add	4	add	3		100	0	1423	50.6	42.2						
COMFORT/CONVENIENCE																
Tubular Cab Steps - Black	add	25	add	28		100	50	1373	50.9	42.2						
Tubular Cab Steps - Bright	add	20	add	23		100	100	1323	51.3	42.2						
Platform Style Running Boards	add	13	add	19		100	150	1273	51.7	42.2						
Chrome Running Boards	add	11	add	13		100	200	1223	52.2	42.2						
Box Access Steps	add	14	add	46		150	0	1373	45.0	42.2						
Power Mirrors	add	4	add	0		150	50	1323	45.2	42.2						
Power/Heated/Signal Mirrors	add	4	add	1		150	100	1273	45.3	42.2						
Manual Trailer Tow Mirrors	add	7	add	6		150	150	1223	45.5	42.2						
Power Trailer Tow Mirrors	add	11	add	7		150	200	1173	45.7	42.2						
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
6-Way Power Driver Seat	add	7	add	6												
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	1	add	1												
Power Windows/Locks	add	2	add	1												
Moonroof	add	23	add	21												
PACKAGES																
Trailer Tow	sub	10	add	50												
TRIM VERSIONS																
XLT Trim	add	2	add	2												
Tutone Paint	add	1	add	1												
4x4 OPTIONS																
Skid Plates	add	21	add	13												
WHEELS																
Aluminum Wheels	sub	21	sub	14												
Total Option Weight																

OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS	
						FRONT (LBS)	REAR (LBS)		FRONT (A) (IN)	REAR (B) (IN)		FRONT (LBS)	FRONT (LBS)		REAR (LBS)	FRONT (A) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
LIGHTS					4050											
Fog Lamps	add	2	add	0				1515	64.0	42.2						
RADIOS																
AM/FM/CD Changer	add	1	add	0				1465	64.8	42.2						
FLOOR COVERINGS																
Carpet Floor Covering	add	3	add	1				1415	65.6	42.2						
Floor Mats - Carpet	add	4	add	2				1365	66.5	42.2						
Floor Mats - Rubber	add	3	add	1				1315	67.5	42.2						
CONSOLE																
Mini Overhead Console	add	2	add	0				1465	59.2	42.2						
Overhead Console	add	7	add	1				1415	59.9	42.2						
Standalone Floor Console	sub	25	sub	14				1365	60.6	42.2						
Flow Through Floor Console	sub	17	sub	9				1315	61.3	42.2						
GLASS																
Sliding Rear Window	add	2	add	2				1265	62.1	42.2						
Power Sliding Rear Window	add	4	add	3				100	54.1	42.2						
COMFORT/CONVENIENCE																
Tubular Cab Steps - Black	add	25	add	28				100	54.6	42.2						
Tubular Cab Steps - Bright	add	20	add	23				100	55.1	42.2						
Platform Style Running Boards	add	13	add	19				100	55.7	42.2						
Chrome Running Boards	add	11	add	13				100	56.3	42.2						
Box Access Steps	add	14	add	46				150	48.6	42.2						
Power Mirrors	add	4	add	0				150	48.9	42.2						
Power/Heated/Signal Mirrors	add	4	add	1				150	49.2	42.2						
Manual Trailer Tow Mirrors	add	7	add	6				150	49.6	42.2						
Power Trailer Tow Mirrors	add	11	add	7				150	49.9	42.2						
Speed Control	add	1	add	0												
Keyless Entry	add	2	add	2												
6-Way Power Driver Seat	add	7	add	6												
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	1	add	1												
Power Windows/Locks	add	2	add	1												
Moonroof	add	23	add	21												
PACKAGES																
Trailer Tow	sub	10	add	50												
TRIM VERSIONS																
XLT Trim	add	2	add	2												
Tutone Paint	add	1	add	1												
4x4 OPTIONS																
Skid Plates	add	21	add	13												
WHEELS																
Aluminum Wheels	sub	21	sub	14												
Total Option Weight																

OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS	
	FRONT	REAR	FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR			
	(LBS)	(LBS)	(LBS)	(LBS)		(IN)	(IN)		(LBS)	(LBS)		(IN)	(IN)			
LIGHTS																
Fog Lamps	add	2	add	0												
RADIOS																
AM/FM/CD Changer	add	1	add	0												
Navigation Radio	add	6	add	2												
Subwoofer	add	11	add	11												
FLOOR COVERINGS																
Carpet Floor Covering	add	0	add	0												
Floor Mats - Carpet	add	0	add	0												
Floor Mats - Rubber	add	3	add	1												
CONSOLE																
Mini Overhead Console	sub	5	sub	1												
Overhead Console	add	0	add	0												
Standalone Floor Console	sub	25	sub	14												
Flow Through Floor Console	sub	17	sub	9												
GLASS																
Sliding Rear Window	add	2	add	2												
Power Sliding Rear Window	add	4	add	3												
COMFORT/CONVENIENCE																
Tubular Cab Steps - Black	add	29	add	30												
Tubular Cab Steps - Bright	add	23	add	24												
Platform Style Running Boards	add	19	add	19												
Chrome Running Boards	add	13	add	12												
Angular Step Bars	add	18	add	19												
Box Access Steps	add	16	add	49												
Power Mirrors	add	0	add	0												
Power/Heated/Signal Mirrors	add	1	add	0												
Power/Heated/Signal/Folding Mirrors	add	1	add	1												
Power Trailer Tow Mirrors	add	7	add	7												
Speed Control	add	0	add	0												
Keyless Entry	add	0	add	0												
6-Way Power Driver Seat	add	7	add	6												
10-Way Power Driver & Passenger Seats	add	16	add	12												
Heated Seats or Heated/Cooled Seats	add	4	add	0												
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	1	add	1												
Power Windows/Locks	add	0	add	0												
Moonroof	add	23	add	21												
PACKAGES																
Trailer Tow	sub	10	add	50												
TRIM VERSIONS																
XLT Trim	add	0	add	0												
Lariat Trim	add	15	add	12												
Tutone Paint	add	1	add	1												
Wheel Lip Molding	add	3	add	2												
4x4 OPTIONS																
Skid Plates	add	21	add	13												
WHEELS																
Aluminum Wheels	sub	21	sub	14												
Total Option Weight																

OPTION TABLE					VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR						VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS		FRONT GAWR (LBS)	OPTION WEIGHT		CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS	
	FRONT	REAR	FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR		FRONT	REAR
	(LBS)	(LBS)	(LBS)	(LBS)		(IN)	(IN)		(IN)	(IN)		(IN)	(IN)		(IN)	(IN)
LIGHTS					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Fog Lamps	add	2	add	0	4050	0	0	1440	66.2	42.2						
RADIOS																
AM/FM/CD Changer	add	1	add	0		0	50	1390	67.1	42.2						
Navigation Radio	add	6	add	2		0	100	1340	68.1	42.2						
Subwoofer	add	11	add	11		0	150	1290	69.2	42.2						
						0	200	1240	70.3	42.2						
						50	0	1390	61.5	42.2						
						50	50	1340	62.3	42.2						
FLOOR COVERINGS						50	100	1290	63.1	42.2						
Carpet Floor Covering	add	0	add	0		50	150	1240	64.0	42.2						
Floor Mats - Carpet	add	0	add	0		50	200	1190	65.0	42.2						
Floor Mats - Rubber	add	3	add	1		100	0	1340	56.4	42.2						
						100	50	1290	57.0	42.2						
CONSOLE						100	100	1240	57.7	42.2						
Mini Overhead Console	sub	5	sub	1		100	150	1190	58.4	42.2						
Overhead Console	add	0	add	0		100	200	1140	59.2	42.2						
Standalone Floor Console	sub	25	sub	14		150	0	1290	51.0	42.2						
Flow Through Floor Console	sub	17	sub	9		150	50	1240	51.4	42.2						
						150	100	1190	51.9	42.2						
GLASS						150	150	1140	52.4	42.2						
Sliding Rear Window	add	2	add	2		150	200	1090	52.9	42.2						
Power Sliding Rear Window	add	4	add	3												
COMFORT/CONVENIENCE																
Tubular Cab Steps - Black	add	29	add	30												
Tubular Cab Steps - Bright	add	23	add	24												
Platform Style Running Boards	add	19	add	19												
Chrome Running Boards	add	13	add	12												
Angular Step Bars	add	18	add	19												
Box Access Steps	add	16	add	49												
Power Mirrors	add	0	add	0												
Power/Heated/Signal Mirrors	add	1	add	0												
Power/Heated/Signal/Folding Mirrors	add	1	add	1												
Power Trailer Tow Mirrors	add	7	add	7												
Speed Control	add	0	add	0												
Keyless Entry	add	0	add	0												
6-Way Power Driver Seat	add	7	add	6												
10-Way Power Driver & Passenger Seats	add	16	add	12												
Heated Seats or Heated/Cooled Seats	add	4	add	0												
FUNCTIONAL																
Engine Block Heater	add	2	add	0												
Power Adjustable Pedals	add	1	add	1												
Power Windows/Locks	add	0	add	0												
Moonroof	add	23	add	21												
PACKAGES																
Trailer Tow	sub	10	add	50												
TRIM VERSIONS																
XLT Trim	add	0	add	0												
Lariat Trim	add	15	add	12												
Tutone Paint	add	1	add	1												
Wheel Lip Molding	add	3	add	2												
4x4 OPTIONS																
Skid Plates	add	21	add	13												
WHEELS																
Aluminum Wheels	sub	21	sub	14												
Total Option Weight																

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR													
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)		
XLT Trim (GAS)	10	Add	6	Add																			
XLT Trim (DIESEL)	14	Add	9	Add	3950	-50	-50	3684	61.3	52.5	4550	-50	-50	3041	65.2	45.0							
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	3950	-50	0	3634	61.5	52.5	4550	-50	0	2991	65.5	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	3950	-50	50	3584	61.7	52.6	4550	-50	50	2941	65.8	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	3950	-50	100	3534	61.9	52.7	4550	-50	100	2891	66.1	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	3950	0	-50	3634	59.6	50.6	4550	0	-50	2991	63.2	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	3950	0	0	3584	59.8	50.7	4550	0	0	2941	63.4	45.0							
Brake Controller	1	Add	0	Add	3950	0	50	3534	59.9	50.7	4550	0	50	2891	63.7	45.0							
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	3950	0	100	3484	60.1	50.8	4550	0	100	2841	64.0	45.0							
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4100	50	0	3534	63.8	48.8	4550	50	0	2891	61.3	45.0							
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4100	50	50	3484	64.0	48.8	4550	50	50	2841	61.6	45.0							
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4100	50	100	3434	64.3	48.8	4550	50	100	2791	61.8	45.0							
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4100	50	150	3384	64.5	48.8	4550	50	150	2741	62.1	45.0							
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4100	50	200	3334	64.8	48.8	4550	50	200	2691	62.3	45.0							
5th Wheel Hitch	0	Add	96	Add	4100	50	250	3284	65.0	48.8	4550	50	250	2641	62.6	45.0							
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4100	50	300	3234	65.3	48.9	4550	50	300	2591	62.9	45.0							
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4100	50	350	3184	65.6	48.9	4550	50	350	2541	63.2	45.0							
750 CCA/78 AH Battery	2	Add	0	Add	4100	50	400	3134	65.8	48.9	4550	50	400	2491	63.5	45.0							
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4100	50	450	3084	66.1	48.9	4550	50	450	2441	63.8	45.0							
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4100	100	0	3484	62.1	46.8	4700	100	0	2841	66.4	45.0							
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4100	100	50	3434	62.3	46.8	4700	100	50	2791	66.7	45.0							
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4100	100	100	3384	62.5	46.8	4700	100	100	2741	67.1	45.0							
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4100	100	150	3334	62.7	46.8	4700	100	150	2691	67.4	45.0							
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4100	100	200	3284	62.9	46.8	4700	100	200	2641	67.8	45.0							
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4100	100	250	3234	63.2	46.7	4700	100	250	2591	68.2	45.0							
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4100	100	300	3184	63.4	46.7	4700	100	300	2541	68.6	45.0							
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4100	100	350	3134	63.6	46.7	4700	100	350	2491	69.0	45.0							
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4100	100	400	3084	63.9	46.7	4700	100	400	2441	69.4	45.0							
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4100	100	450	3034	64.2	46.7	4700	100	450	2391	69.9	45.0							
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4100	150	0	3434	60.3	45.0	4700	100	0	2841	66.4	45.0							
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4100	150	50	3384	60.5	45.0	4700	100	50	2791	66.7	45.0							
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4100	150	100	3334	60.6	45.0	4700	100	100	2741	67.1	45.0							
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4100	150	150	3284	60.8	45.0	4700	100	150	2691	67.4	45.0							
Pickup Bed Extender	-2	Minus	21	Add	4100	150	200	3234	61.0	45.0	4700	100	200	2641	67.8	45.0							
Drop-In Bedliner	2	Add	42	Add	4100	150	250	3184	61.2	45.0	4700	150	250	2541	65.9	45.0							
Spray-In Bedliner	1	Add	19	Add	4100	150	300	3134	61.5	45.0	4700	150	300	2491	66.2	45.0							
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4100	150	350	3084	61.7	45.0	4700	150	350	2441	66.6	45.0							
Reverse Vehicle Sensor System	0	Add	1	Add	4100	150	400	3034	61.9	45.0	4700	150	400	2391	67.0	45.0							
Static Rear Video Camera	0	Add	1	Add	4100	150	450	2984	62.1	45.0	4700	150	450	2341	67.4	45.0							
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4250	200	0	3384	64.5	45.0	4700	200	0	2741	62.1	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4250	200	50	3334	64.8	45.0	4700	200	50	2691	62.3	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4250	200	100	3284	65.0	45.0	4700	200	100	2641	62.6	45.0							
Sliding Rear Window	5	Add	2	Add	4250	200	150	3234	65.3	45.0	4700	200	150	2591	62.9	45.0							
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4250	200	200	3184	65.6	45.0	4700	200	200	2541	63.2	45.0							
Foglamps	3	Add	0	Add	4250	200	250	3134	65.8	45.0	4700	200	250	2491	63.5	45.0							
Bright Exhaust Pipe Extension	0	Add	3	Add	4250	200	300	3084	66.1	45.0	4700	200	300	2441	63.8	45.0							
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4250	200	350	3034	66.4	45.0	4700	200	350	2391	64.2	45.0							
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4250	200	400	2984	66.7	45.0	4700	200	400	2341	64.5	45.0							
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4250	200	450	2934	67.1	45.0	4700	200	450	2291	64.9	45.0							
All Weather Floor Mat	4	Add	2	Add	4250	200	0	3384	64.5	45.0	4850	250	0	2691	67.4	45.0							
Electrochromic Rear View Mirror	1	Add	0	Add	4250	200	50	3334	64.8	45.0	4850	250	50	2641	67.8	45.0							
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4250	200	100	3284	65.0	45.0	4850	250	100	2591	68.2	45.0							
Floor Console - Stand alone	-25	Minus	-9	Minus	4250	200	150	3234	65.3	45.0	4850	250	150	2541	68.6	45.0							
Cruise Control	3	Add	1	Add	4250	200	200	3184	65.6	45.0	4850	250	200	2491	69.0	45.0							
Power Equipment Group	12	Add	3	Add	4250	200	250	3134	65.8	45.0	4850	250	250	2441	69.4	45.0							
Adj Gas & Brake Pedals	4	Add	3	Add	4250	200	300	3084	66.1	45.0	4850	250	300	2391	69.9	45.0							
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4250	200	350	3034	66.4	45.0	4850	250	350	2341	70.4	45.0							
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4250	200	400	2984	66.7	45.0	4850	250	400	2291	70.8	45.0							
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6																				

OPTION TABLE	VEHICLE LOADING DATA																							
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						6.7L Diesel Engine 10000 lb (4535 kg) GVWR																	
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS												
				GAWR (Lb.)	FRONT (Lb.)		REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)		GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)							
													I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4400	-50	-50	2733	70.0	45.0	5000	-50	-50	2074	78.0	45.0	5000	-50	-50	2024	78.7	45.0		
XLT Trim (GAS)	13	Add	9	Add	4400	-50	0	2683	70.4	45.0	5000	-50	0	2024	78.7	45.0	5000	-50	0	1974	79.5	45.0		
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	0	2683	70.9	45.0	5000	-50	0	1924	72.2	45.0	5000	-50	0	1874	72.9	45.0		
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	50	2633	71.3	45.0	5000	-50	100	1924	72.9	45.0	5000	-50	100	1874	73.6	45.0		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4400	-50	100	2583	71.8	45.0	5000	-50	150	1874	74.3	45.0	5000	-50	150	1774	75.0	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	200	2483	72.2	45.0	5000	-50	200	1874	75.8	45.0	5000	-50	200	1774	76.5	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	250	2433	72.7	45.0	5000	-50	250	1774	77.2	45.0	5000	-50	250	1674	77.9	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	300	2383	73.3	45.0	5000	-50	300	1774	78.6	45.0	5000	-50	300	1674	79.3	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	350	2333	73.8	45.0	5000	-50	350	1674	80.0	45.0	5000	-50	350	1574	80.7	45.0		
Brake Controller	1	Add	0	Add	4400	0	-50	2683	67.5	45.0	5000	0	-50	2024	74.9	45.0	5000	0	-50	1974	75.6	45.0		
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	0	2633	67.9	45.0	5000	0	0	1974	75.6	45.0	5000	0	0	1924	76.3	45.0		
Rear Stabilizer Bar F250/350 SRW 4X2	0	Add	18	Add	4400	0	50	2583	68.3	45.0	5000	0	50	1924	76.3	45.0	5000	0	50	1874	77.0	45.0		
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	100	2533	68.7	45.0	5000	0	100	1874	77.0	45.0	5000	0	100	1824	77.8	45.0		
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	150	2483	69.1	45.0	5000	0	150	1874	77.8	45.0	5000	0	150	1774	78.5	45.0		
5th Wheel Hitch	0	Add	96	Add	4400	0	200	2433	69.5	45.0	5000	0	200	1774	78.7	45.0	5000	0	200	1724	79.4	45.0		
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	250	2383	70.0	45.0	5000	0	250	1774	79.6	45.0	5000	0	250	1674	80.5	45.0		
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	300	2333	70.5	45.0	5000	0	300	1674	80.5	45.0	5000	0	300	1624	81.0	45.0		
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	350	2283	71.0	45.0	5000	0	350	1624	81.0	45.0	5000	0	350	1574	77.6	45.0		
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	-50	2633	73.8	45.0	5000	50	-50	1974	71.6	45.0	5000	50	-50	1924	72.2	45.0		
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	0	2583	74.3	45.0	5000	50	0	1924	72.2	45.0	5000	50	0	1874	72.9	45.0		
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	50	2533	74.9	45.0	5000	50	50	1874	72.9	45.0	5000	50	50	1824	73.6	45.0		
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	100	2483	75.4	45.0	5000	50	100	1874	73.6	45.0	5000	50	100	1774	74.3	45.0		
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	150	2433	76.0	45.0	5000	50	150	1774	74.3	45.0	5000	50	150	1724	75.0	45.0		
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	-12	Add	19	Add	4550	50	200	2383	76.5	45.0	5000	50	200	1774	75.0	45.0	5000	50	200	1724	75.8	45.0		
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	250	2333	77.2	45.0	5000	50	250	1674	75.8	45.0	5000	50	250	1624	76.7	45.0		
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4400	50	300	2283	67.5	45.0	5000	50	300	1624	76.7	45.0	5000	50	300	1574	77.6	45.0		
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	50	350	2233	68.0	45.0	5000	50	350	1574	77.6	45.0	5000	50	350	1524	78.5	45.0		
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	-50	2583	71.3	45.0	5250	100	-50	1924	81.0	45.0	5250	100	-50	1874	81.0	45.0		
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	0	2533	71.8	45.0	5250	100	0	1874	81.0	45.0	5250	100	0	1824	81.0	45.0		
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	50	2483	72.2	45.0	5250	100	50	1824	81.0	45.0	5250	100	50	1774	81.0	45.0		
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	100	2433	72.7	45.0	5250	100	100	1774	81.0	45.0	5250	100	100	1724	81.0	45.0		
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	150	2383	73.3	45.0	5250	100	150	1724	81.0	45.0	5250	100	150	1674	81.0	45.0		
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	200	2333	73.8	45.0	5250	100	200	1674	81.0	45.0	5250	100	200	1624	81.0	45.0		
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	250	2283	74.4	45.0	5250	100	250	1624	81.0	45.0	5250	100	250	1574	81.0	45.0		
Pickup Bed Extender	-2	Minus	21	Add	4550	100	300	2233	75.0	45.0	5250	100	300	1574	81.0	45.0	5250	100	300	1524	81.0	45.0		
Drop-In Bedliner	2	Add	42	Add	4550	100	350	2183	75.6	45.0	5250	100	350	1524	81.0	45.0	5250	100	350	1474	81.0	45.0		
Spray-In Bedliner	0	Add	16	Add	4550	150	-50	2533	68.7	45.0	5250	150	-50	1874	81.0	45.0	5250	150	-50	1824	81.0	45.0		
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	150	0	2483	69.1	45.0	5250	150	0	1824	81.0	45.0	5250	150	0	1774	81.0	45.0		
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	150	50	2433	69.5	45.0	5250	150	50	1774	81.0	45.0	5250	150	50	1724	81.0	45.0		
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	4550	150	100	2383	70.0	45.0	5250	150	100	1724	81.0	45.0	5250	150	100	1674	81.0	45.0		
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	150	150	2333	70.5	45.0	5250	150	150	1674	81.0	45.0	5250	150	150	1624	81.0	45.0		
Lower Bodyside Molding	2	Add	1	Add	4550	150	200	2283	71.0	45.0	5250	150	200	1624	81.0	45.0	5250	150	200	1574	81.0	45.0		
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	250	2233	71.5	45.0	5250	150	250	1574	81.0	45.0	5250	150	250	1524	81.0	45.0		
Static Rear Video Camera	0	Add	1	Add	4550	150	300	2183	72.0	45.0	5250	150	300	1524	81.0	45.0	5250	150	300	1474	81.0	45.0		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	350	2133	72.6	45.0	5250	150	350	1474	81.0	45.0	5250	150	350	1424	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	200	-50	2483	66.0	45.0	5250	200	-50	1824	81.0	45.0	5250	200	-50	1774	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	200	0	2433	66.3	45.0	5250	200	0	1774	81.0	45.0	5250	200	0	1724	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	200	50	2383	66.7	45.0	5250	200	50	1724	81.0	45.0	5250	200	50	1674	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	200	100	2333	67.1	45.0	5250	200	100	1674	81.0	45.0	5250	200	100	1624	81.0	45.0		
Sliding Rear Window	5	Add	2	Add	4550	200	150	2283	67.5	45.0	5250	200	150	1624	81.0	45.0	5250	200	150	1574	81.0	45.0		
Power Sliding Rear Window	5	Add	3	Add	4550	200	200	2233	68.0	45.0	5250	200	200	1574	81.0	45.0	5250	200	200	1524	81.0	45.0		
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	200	250	2183	68.4	45.0	5250	200	250	1524	81.0	45.0	5250	200	250	1474	81.0	45.0		
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	200	300	2133																

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA											
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR				6.7L Diesel Engine 10000 lb (4535 kg) GVWR											
	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS						
OPTION DESCRIPTION			GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)		
Lariat Trim (GAS)	25	Add	17	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	7	Add	4400	-50	-50	2847	68.5	45.0	5000	-50	-50	2110	74.2	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	0	2797	68.9	45.0	5000	-50	0	2060	74.8	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	50	2747	69.3	45.0	5000	-50	50	2010	75.5	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4400	-50	100	2697	69.7	45.0	5000	-50	100	1960	76.2	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	200	2597	70.5	45.0	5000	-50	200	1860	77.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	250	2547	70.9	45.0	5000	-50	250	1810	78.6	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	300	2497	71.4	45.0	5000	-50	300	1760	79.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	350	2447	71.9	45.0	5000	-50	350	1710	80.4	45.0
Brake Controller	1	Add	0	Add	4400	-50	400	2397	72.4	45.0	5000	-50	400	1660	81.3	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	0	-50	2797	66.1	45.0	5000	0	-50	2060	71.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	0	2747	66.4	45.0	5000	0	0	2010	71.6	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	50	2697	66.7	45.0	5000	0	50	1960	72.2	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	100	2647	67.1	45.0	5000	0	100	1910	72.8	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	150	2597	67.5	45.0	5000	0	150	1860	73.5	45.0
Rear Auxiliary Spring Package (F250/F350 4x4)	0	Add	38	Add	4400	0	200	2547	67.8	45.0	5000	0	200	1810	74.2	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	250	2497	68.2	45.0	5000	0	250	1760	75.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	300	2447	68.7	45.0	5000	0	300	1710	75.7	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	350	2397	69.1	45.0	5000	0	350	1660	76.6	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	400	2347	69.6	45.0	5000	0	400	1610	77.5	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	-50	2747	72.1	45.0	5000	50	-50	2010	67.7	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	0	2697	72.6	45.0	5000	50	0	1960	68.2	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	50	2647	73.1	45.0	5000	50	50	1910	68.7	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	100	2597	73.5	45.0	5000	50	100	1860	69.3	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	150	2547	74.1	45.0	5000	50	150	1810	69.8	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	200	2497	74.6	45.0	5000	50	200	1760	70.5	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	250	2447	75.1	45.0	5000	50	250	1710	71.1	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4550	50	300	2397	75.7	45.0	5000	50	300	1660	71.8	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4550	50	350	2347	76.3	45.0	5000	50	350	1610	72.6	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4550	50	400	2297	76.9	45.0	5000	50	400	1560	73.4	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4550	100	-50	2697	69.7	45.0	5000	100	-50	1960	84.3	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	0	2647	70.1	45.0	5250	100	0	1910	85.2	45.0
LT 275/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	50	2597	70.5	45.0	5250	100	50	1860	86.2	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	100	2547	70.9	45.0	5250	100	100	1810	87.3	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4550	100	150	2497	71.4	45.0	5250	100	150	1760	88.4	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4550	100	200	2447	71.9	45.0	5250	100	200	1710	89.6	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	250	2397	72.4	45.0	5250	100	250	1660	90.9	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	300	2347	72.9	45.0	5250	100	300	1610	92.2	45.0
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	350	2297	73.5	45.0	5250	100	350	1560	93.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	400	2247	74.0	45.0	5250	100	400	1510	95.1	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	150	-50	2647	67.1	45.0	5250	150	-50	1910	81.1	45.0
Drop-In Bedliner	2	Add	35	Add	4550	150	0	2597	67.5	45.0	5250	150	0	1860	82.0	45.0
Spray-In Bedliner	1	Add	19	Add	4550	150	50	2547	67.8	45.0	5250	150	50	1810	82.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	150	100	2497	68.2	45.0	5250	150	100	1760	83.9	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	150	150	2447	68.7	45.0	5250	150	150	1710	85.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	150	200	2397	69.1	45.0	5250	150	200	1660	86.1	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	250	2347	69.6	45.0	5250	150	250	1610	87.3	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	300	2297	70.0	45.0	5250	150	300	1560	88.6	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	350	2247	70.5	45.0	5250	150	350	1510	89.9	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	400	2197	71.0	45.0	5250	150	400	1460	91.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	200	-50	2597	73.5	45.0	5250	200	-50	1860	77.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	200	0	2547	74.1	45.0	5250	200	0	1810	78.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	200	50	2497	74.6	45.0	5250	200	50	1760	79.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4700	200	100	2447	75.1	45.0	5250	200	100	1710	80.4	45.0
Sliding Rear Window	5	Add	2	Add	4700	200	150	2397	75.7	45.0	5250	200	150	1660	81.3	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	200	200	2347	76.3	45.0	5250	200	200	1610	82.4	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	200	250	2297	76.9	45.0	5250	200	250	1560	83.5	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	300	2247	77.5	45.0	5250	200	300	1510	84.7	45.0
Foglamps	3	Add	0	Add	4700	200	350	2197	78.2	45.0	5250	200	350	1460	85.9	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	400	2147	78.9	45.0	5250	200	400	1410	87.3	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	250	-50	2547	70.9	45.0	5250	250	-50	1810	74.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	250	0	2497	71.4	45.0	5250	250	0	1760	75.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	250	50	2447	71.9	45.0	5250	250	50	1710	75.7	45.0
All Weather Floor Mat	6	Add	4	Add	4700	250	100	2397	72.4	45.0	5250	250	100	1660	76.6	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	250	150	2347	72.9	45.0	5250	250	150	1610	77.5	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	250	200	2297	73.5	45.0	5250	250	200	1560	78.4	45.0
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	4700	250	250	2247	74.0	45.0	5250	250	250	1510	79.4	45.0
Cruise Control	3	Add	1	Add	4700	250	300	2197	74.6	45.0	5250	250	300	1460	80.5	45.0
Power Equipment Group	12	Add	3	Add	4700	250	350	2147	75.3	45.0	5250	250	350	1410	81.7	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	400	2097	75.9	45.0	5250	250	400	1360	82.9	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	300	-50	2497	68.2	45.0	5250	300	-50	1760		

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR						
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		FRONT WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT WEIGHT		CENTER OF GRAVITY ZONE LIMITS		
				FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)	REAR (Lb.)	FRONT (A) (IN)	REAR (B) (IN)			
XLT Trim (GAS)	10	Add	6	Add	4400	-50	-50	3274	67.1	46.2	5200	-50	-50	2629	83.2	45.0
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3274	67.1	46.2	5200	-50	-50	2629	83.2	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3224	67.4	46.2	5200	-50	0	2579	83.9	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3174	67.7	46.2	5200	-50	50	2529	84.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	3124	68.0	46.2	5200	-50	100	2479	85.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	150	3074	68.3	46.1	5200	-50	150	2429	86.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	200	3024	68.7	46.1	5200	-50	200	2379	86.9	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	250	2974	69.0	46.1	5200	-50	250	2329	87.7	45.0
Brake Controller	1	Add	0	Add	4400	-50	300	2924	69.4	46.0	5200	-50	300	2279	88.6	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	350	2874	69.7	46.0	5200	-50	350	2229	89.5	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4400	-50	400	2824	70.1	46.0	5200	-50	400	2179	90.5	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4400	-50	450	2774	70.5	45.9	5200	-50	450	2129	91.5	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	-50	500	2724	71.0	45.9	5200	-50	500	2079	92.5	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	-50	3224	65.2	45.0	5200	0	-50	2579	81.2	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4400	0	0	3174	65.5	45.0	5200	0	0	2529	81.9	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	50	3124	65.8	45.0	5200	0	50	2479	82.6	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	100	3074	66.1	45.0	5200	0	100	2429	83.3	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	150	3024	66.4	45.0	5200	0	150	2379	84.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	200	2974	66.7	45.0	5200	0	200	2329	84.8	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4400	0	250	2924	67.0	45.0	5200	0	250	2279	85.6	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4400	0	300	2874	67.4	45.0	5200	0	300	2229	86.4	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4400	0	350	2824	67.7	45.0	5200	0	350	2179	87.3	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4400	0	400	2774	68.1	45.0	5200	0	400	2129	88.3	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4400	0	450	2724	68.4	45.0	5200	0	450	2079	89.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	0	500	2674	68.8	45.0	5200	0	500	2029	90.2	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	50	-50	3174	80.6	45.0	5200	50	-50	2529	79.2	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	50	0	3124	81.2	45.0	5200	50	0	2479	79.8	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	50	50	3074	81.7	45.0	5200	50	50	2429	80.4	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	50	100	3024	82.3	45.0	5200	50	100	2379	81.1	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	50	150	2974	82.8	45.0	5200	50	150	2329	81.8	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4800	50	200	2924	83.4	45.0	5200	50	200	2279	82.6	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4800	50	250	2874	84.0	45.0	5200	50	250	2229	83.4	45.0
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	300	2824	84.7	45.0	5200	50	300	2179	84.2	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	50	350	2774	85.4	45.0	5200	50	350	2129	85.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	50	400	2724	86.0	45.0	5200	50	400	2079	85.9	45.0
Drop-In Bedliner	2	Add	42	Add	4800	50	450	2674	86.8	45.0	5200	50	450	2029	86.9	45.0
Spray-In Bedliner	1	Add	19	Add	4800	50	500	2624	87.5	45.0	5200	50	500	1979	87.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	-50	3124	79.0	45.0	5200	100	-50	2479	77.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	0	3074	79.5	45.0	5200	100	0	2429	77.6	45.0
Static Rear Video Camera	0	Add	1	Add	4800	100	50	3024	80.0	45.0	5200	100	50	2379	78.3	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	100	2974	80.5	45.0	5200	100	100	2329	78.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	150	2924	81.1	45.0	5200	100	150	2279	79.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	100	200	2874	81.7	45.0	5200	100	200	2229	80.3	45.0
Sliding Rear Window	5	Add	2	Add	4800	100	250	2824	82.3	45.0	5200	100	250	2179	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	100	300	2774	82.9	45.0	5200	100	300	2129	81.8	45.0
Foglamps	3	Add	0	Add	4800	100	350	2724	83.5	45.0	5200	100	350	2079	82.6	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	100	400	2674	84.2	45.0	5200	100	400	2029	83.5	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	100	450	2624	84.9	45.0	5200	100	450	1979	84.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	100	500	2574	85.6	45.0	5200	100	500	1929	85.3	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	-50	3074	77.2	45.0	5200	150	-50	2429	74.8	45.0
All Weather Floor Mat	4	Add	2	Add	4800	150	0	3024	77.7	45.0	5200	150	0	2379	75.4	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	50	2974	78.2	45.0	5200	150	50	2329	76.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	100	2924	78.7	45.0	5200	150	100	2279	76.6	45.0
Floor Consolelette - Stand alone	-25	Minus	-9	Minus	4800	150	150	2874	79.3	45.0	5200	150	150	2229	77.2	45.0
Cruise Control	3	Add	1	Add	4800	150	200	2824	79.8	45.0	5200	150	200	2179	77.9	45.0
Power Equipment Group	12	Add	3	Add	4800	150	250	2774	80.4	45.0	5200	150	250	2129	78.6	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	150	300	2724	81.0	45.0	5200	150	300	2079	79.3	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	150	350	2674	81.6	45.0	5200	150	350	2029	80.1	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	150	400	2624	82.3	45.0	5200	150	400	1979	80.9	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	150	450	2574	82.9	45.0	5200	150	450	1929	81.8	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	150	500	2524	83.6	45.0	5200	150	500	1879	82.7	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	200	-50	3024	75.5	45.0	5200	200	-50	2379	72.5	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	0	2974	75.9	45.0	5200	200	0	2329	73.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	50	2924	76.4	45.0	5200	200	50	2279	73.6	45.0
Satellite Digital Broadcast	2	Add	1	Add	4800	200	100	2874	76.9	45.0	5200	200	100	2229	74.2	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	150	2824	77.4	45.0	5200	200	150	2179	74.8	45.0
SYNC Basic - Gen I	1	Add	0	Add	4800	200	200	2774	77.9	45.0	5200	200	200	2129	75.4	45.0
SYNC Finder - Gen II	1	Add	0	Add	4800	200	250	2724	78.5	45.0	5200	200	250	2079	76.0	45.0
FX4 Off-Road Package	2	Add	2	Add	4800	200	300	2674	79.1	45.0	5200	200	300	2029	76.7	45.0
Tracking System - Crew Chief	3	Add	0	Add	4800	200	350	2624	79.7	45.0	5200	200	350	1979	77.5	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	200	400	2574	80.3	45.0	5200	200	400	1929	78.2	45.0
Bed Mat	0	Add	58	Add	4800	200	450	2524	80.9							

OPTION TABLE	FRONT (Lbs.) REAR (Lbs.)				VEHICLE LOADING DATA						VEHICLE LOADING DATA									
					6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						6.7L Diesel Engine 10000 lb (4535 kg) GVWR									
					FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)				
Lariat Trim (GAS)	25	Add	17	Add																
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2546	80.3	45.0	5200	-50	-50	1926	78.2	45.0				
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2496	80.9	45.0	5200	-50	0	1876	79.0	45.0				
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2446	81.0	45.0	5200	-50	50	1826	79.8	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4800	-50	100	2396	81.0	45.0	5200	-50	100	1776	80.7	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4800	-50	150	2346	81.0	45.0	5200	-50	150	1726	81.0	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4800	-50	200	2296	81.0	45.0	5200	-50	200	1676	81.0	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4800	-50	250	2246	81.0	45.0	5200	-50	250	1626	81.0	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	-50	300	2196	81.0	45.0	5200	-50	300	1576	81.0	45.0				
Brake Controller	1	Add	0	Add	4800	-50	350	2146	81.0	45.0	5200	-50	350	1526	81.0	45.0				
ESOF w/Auto-Man Locking Hubs (4X4 only)	1	Add	0	Add	4800	-50	400	2096	81.0	45.0	5200	-50	400	1476	81.0	45.0				
Skid Plates (GAS) 4X4 only	3	Add	0	Add	4800	0	-50	2496	78.1	45.0	5600	0	-50	1876	81.0	45.0				
Skid Plates (DIESEL) 4X4 only	20	Add	19	Add	4800	0	0	2446	78.7	45.0	5600	0	0	1826	81.0	45.0				
Less Urea Emission Tank (DSL only)	17	Add	16	Add	4800	0	50	2396	79.4	45.0	5600	0	50	1776	81.0	45.0				
Rear Stabilizer Bar F250/350 SRW 4X4	-9	Minus	-64	Minus	4800	0	100	2346	80.0	45.0	5600	0	100	1726	81.0	45.0				
Rear Auxiliary Spring Package (F250-F350 4x4)	-1	Minus	12	Add	4800	0	150	2296	80.7	45.0	5600	0	150	1676	81.0	45.0				
5th Wheel Hitch	0	Add	18	Add	4800	0	200	2246	81.0	45.0	5600	0	200	1626	81.0	45.0				
Dual Heavy Duty Alternators (6.7L DSL only)	0	Add	96	Add	4800	0	250	2196	81.0	45.0	5600	0	250	1576	81.0	45.0				
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	16	Add	0	Add	4800	0	300	2146	81.0	45.0	5600	0	300	1526	81.0	45.0				
750 CCA/78 AH Battery	3	Add	0	Add	4800	0	350	2096	81.0	45.0	5600	0	350	1476	81.0	45.0				
Manual Air Conditioning (GAS)	2	Add	0	Add	4800	0	400	2046	81.0	45.0	5600	0	400	1426	81.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (GAS)	32	Add	-1	Minus	4800	50	-50	2446	75.8	45.0	5600	50	-50	1826	81.0	45.0				
Manual Air Conditioning (DIESEL)	34	Add	-1	Minus	4800	50	0	2396	76.4	45.0	5600	50	0	1776	81.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	31	Add	-1	Minus	4800	50	50	2346	77.0	45.0	5600	50	50	1726	81.0	45.0				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	34	Add	-1	Minus	4800	50	100	2296	77.6	45.0	5600	50	100	1676	81.0	45.0				
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	-20	Minus	-20	Minus	4800	50	150	2246	78.3	45.0	5600	50	150	1626	81.0	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	50	200	2196	79.0	45.0	5600	50	200	1576	81.0	45.0				
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	50	250	2146	79.7	45.0	5600	50	250	1526	81.0	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4800	50	300	2096	80.5	45.0	5600	50	300	1476	81.0	45.0				
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	50	350	2046	81.0	45.0	5600	50	350	1426	81.0	45.0				
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	-2	Add	7	Add	4800	100	-50	2396	73.4	45.0	5600	100	-50	1776	81.0	45.0				
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	100	0	2346	74.0	45.0	5600	100	0	1726	81.0	45.0				
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	100	50	2296	74.5	45.0	5600	100	50	1676	81.0	45.0				
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	100	100	2246	75.1	45.0	5600	100	100	1626	81.0	45.0				
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	100	150	2196	75.8	45.0	5600	100	150	1576	81.0	45.0				
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	100	200	2146	76.4	45.0	5600	100	200	1526	81.0	45.0				
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4800	100	250	2096	77.1	45.0	5600	100	250	1476	81.0	45.0				
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4800	100	300	2046	77.8	45.0	5600	100	300	1426	81.0	45.0				
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	100	350	1996	78.6	45.0	5600	100	350	1376	81.0	45.0				
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	400	1946	79.3	45.0	5600	100	400	1326	81.0	45.0				
Pickup Bed Extender	-2	Minus	21	Add	5200	150	-50	2346	81.0	45.0	5600	150	-50	1726	81.0	45.0				
Drop-In Bedliner	2	Add	35	Add	5200	150	0	2296	81.0	45.0	5600	150	0	1676	81.0	45.0				
Spray-In Bedliner	0	Add	16	Add	5200	150	50	2246	81.0	45.0	5600	150	50	1626	81.0	45.0				
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	150	100	2196	81.0	45.0	5600	150	100	1576	81.0	45.0				
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	150	150	2146	81.0	45.0	5600	150	150	1526	81.0	45.0				
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	200	2096	81.0	45.0	5600	150	200	1476	81.0	45.0				
Lower Bodyside Molding	2	Add	1	Add	5200	150	250	2046	81.0	45.0	5600	150	250	1426	81.0	45.0				
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	300	1996	81.0	45.0	5600	150	300	1376	81.0	45.0				
Static Rear Video Camera	0	Add	1	Add	5200	150	350	1946	81.0	45.0	5600	150	350	1326	81.0	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	400	1896	81.0	45.0	5600	150	400	1276	81.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	-50	2296	81.0	45.0	5600	200	-50	1676	81.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	0	2246	81.0	45.0	5600	200	0	1626	81.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	50	2196	81.0	45.0	5600	200	50	1576	81.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	200	100	2146	81.0	45.0	5600	200	100	1526	81.0	45.0				
Sliding Rear Window	5	Add	2	Add	5200	200	150	2096	81.0	45.0	5600	200	150	1476	81.0	45.0				
Power Sliding Rear Window	5	Add	3	Add	5200	200	200	2046	81.0	45.0	5600	200	200	1426	81.0	45.0				
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	250	1996	81.0	45.0	5600	200	250	1376	81.0	45.0				
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	300	1946	81.0	45.0	5600	200	300	1326	81.0	45.0				
Foglamps	3	Add	0	Add	5200	200	350	1896	81.0	45.0	5600	200	350	1276	81.0	45.0				
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	400	1846	81.0	45.0	5600	200	400	1226	81.0	45.0				
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	-50	2246	81.0	45.0	5600	250	-50	1626	81.0	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	250	0	2196	81.0	45.0	5600	250	0	1576	81.0	45.0				
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	250	50	2146	81.0	45.0	5600	250	50	1526	81.0	45.0				
All Weather Floor Mat	6	Add	4	Add	5200	250	100	2096	81.0	45.0	5600	250	100	1476	81.0	45.0				
Electrochromic Rear View Mirror	1	Add	0	Add	5200	250	150	2046	81.0	45.0	5600	250	150	1426	81.0	45.0				
Elect																				

OPTION TABLE	FRONT		REAR		VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)			OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
						FRONT (Lb.)	REAR (Lb.)		FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)	REAR (Lb.)		FRONT (A) (IN)	REAR (B) (IN)	
						GAWR	FRONT	REAR	RATING	FRONT (A)	REAR (B)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A)	REAR (B)
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	2347	77.4	45.0	5600	-50	-50	1718	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	2297	78.0	45.0	5600	-50	0	1668	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2247	78.7	45.0	5600	-50	50	1618	81.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4800	-50	100	2197	79.4	45.0	5600	-50	100	1568	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4800	-50	150	2147	80.1	45.0	5600	-50	150	1518	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	-50	250	2047	81.0	45.0	5600	-50	250	1418	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	-50	300	1997	81.0	45.0	5600	-50	300	1368	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	-50	350	1947	81.0	45.0	5600	-50	350	1318	81.0	45.0
Brake Controller	1	Add	0	Add	4800	-50	400	1897	81.0	45.0	5600	-50	400	1268	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	-50	2297	81.0	45.0	5600	0	-50	1668	81.0	45.0
Skid Plates (GAS) 4x4 only	20	Add	19	Add	5200	0	0	2247	81.0	45.0	5600	0	0	1618	81.0	45.0
Skid Plates (DIESEL) 4x4 only	19	Add	14	Add	5200	0	50	2197	81.0	45.0	5600	0	50	1568	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	64	Minus	5200	0	100	2147	81.0	45.0	5600	0	100	1518	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4x4	-1	Minus	12	Add	5200	0	150	2097	81.0	45.0	5600	0	150	1468	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	200	2047	81.0	45.0	5600	0	200	1418	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	250	1997	81.0	45.0	5600	0	250	1368	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	300	1947	81.0	45.0	5600	0	300	1318	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	350	1897	81.0	45.0	5600	0	350	1268	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	400	1847	81.0	45.0	5600	0	400	1218	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	-50	2247	81.0	45.0	5600	-50	-50	1618	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	0	2197	81.0	45.0	5600	50	0	1568	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	50	2147	81.0	45.0	5600	50	50	1518	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	100	2097	81.0	45.0	5600	50	100	1468	81.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	150	2047	81.0	45.0	5600	50	150	1418	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5200	50	200	1997	81.0	45.0	5600	50	200	1368	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	250	1947	81.0	45.0	5600	50	250	1318	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	300	1897	81.0	45.0	5600	50	300	1268	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	350	1847	81.0	45.0	5600	50	350	1218	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	400	1797	81.0	45.0	5600	50	400	1168	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	-50	2197	81.0	45.0	5600	100	-50	1568	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	0	2147	81.0	45.0	5600	100	0	1518	81.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	5200	100	50	2097	81.0	45.0	5600	100	50	1468	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	100	100	2047	81.0	45.0	5600	100	100	1418	81.0	45.0
LT 255/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	150	1997	81.0	45.0	5600	100	150	1368	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	100	200	1947	81.0	45.0	5600	100	200	1318	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	250	1897	81.0	45.0	5600	100	250	1268	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	300	1847	81.0	45.0	5600	100	300	1218	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	350	1797	81.0	45.0	5600	100	350	1168	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	400	1747	81.0	45.0	5600	100	400	1118	81.0	45.0
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	-50	2147	81.0	45.0	5600	150	-50	1518	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	0	2097	81.0	45.0	5600	150	0	1468	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	50	2047	81.0	45.0	5600	150	50	1418	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	100	1997	81.0	45.0	5600	150	100	1368	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	150	1947	81.0	45.0	5600	150	150	1318	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	200	1897	81.0	45.0	5600	150	200	1268	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	250	1847	81.0	45.0	5600	150	250	1218	81.0	45.0
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	150	300	1797	81.0	45.0	5600	150	300	1168	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	350	1747	81.0	45.0	5600	150	350	1118	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	400	1697	81.0	45.0	5600	150	400	1068	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	-50	2097	81.0	45.0	5600	200	-50	1468	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	0	2047	81.0	45.0	5600	200	0	1418	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	50	1997	81.0	45.0	5600	200	50	1368	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	100	1947	81.0	45.0	5600	200	100	1318	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	150	1897	81.0	45.0	5600	200	150	1268	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	200	1847	81.0	45.0	5600	200	200	1218	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	200	250	1797	81.0	45.0	5600	200	250	1168	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	300	1747	81.0	45.0	5600	200	300	1118	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	350	1697	81.0	45.0	5600	200	350	1068	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	400	1647	81.0	45.0	5600	200	400	1018	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	-50	2047	81.0	45.0	6000	250	-50	1418	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	0	1997	81.0	45.0	6000	250	0	1368	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	50	1947	81.0	45.0	6000	250	50	1318	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	100	1897	81.0	45.0	6000	250	100	1268	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	250	150	1847	81.0	45.0	6000	250	150	1218	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	250	200	1797	81.0	45.0	6000	250	200	1168	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	250	250	1747	81.0	45.0	6000	250	250	1118	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	250	300	1697	81.0	45.0	6000	250	300	1068	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	250	350	1647	81.0	45.0	6000	250	350	1018	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	250	400	1597	81.0	45.0	6000	250	400	968	81.0	45.0
Floor Consolelet - Stand alone	-25															

OPTION TABLE	FRONT				REAR				VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR							
	OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS			
					FRONT (LB)	REAR (LB)	FRONT (IN)	REAR (IN)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (IN)	REAR (B) (IN)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (IN)	REAR (B) (IN)		
					I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add																		
XLT Trim (GAS)	13	Add	9	Add	5200	-50	-50	2233	97.0	45.0	5600	-50	-50	1512	97.0	45.0						
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	0	2183	97.0	45.0	5600	-50	0	1462	97.0	45.0						
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	50	2133	97.0	45.0	5600	-50	50	1412	97.0	45.0						
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	5200	-50	100	2083	97.0	45.0	5600	-50	100	1362	97.0	45.0						
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	5200	-50	150	2033	97.0	45.0	5600	-50	150	1312	97.0	45.0						
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	5200	-50	250	1933	97.0	45.0	5600	-50	250	1212	97.0	45.0						
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	-50	300	1883	97.0	45.0	5600	-50	300	1162	97.0	45.0						
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	-50	350	1833	97.0	45.0	5600	-50	350	1112	97.0	45.0						
Brake Controller	1	Add	0	Add	5200	-50	400	1783	97.0	45.0	5600	-50	400	1062	97.0	45.0						
ESC/F w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	-50	450	1733	97.0	45.0	5600	-50	450	1012	97.0	45.0						
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	-50	500	1683	97.0	45.0	5600	-50	500	962	97.0	45.0						
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	-50	2183	97.0	45.0	5600	-50	550	912	97.0	45.0						
Less Urea Emission Tank (DSL only)	-97	Minus	64	Minus	5200	0	0	2133	97.0	45.0	6000	0	-50	1462	97.0	45.0						
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	50	2083	97.0	45.0	6000	0	0	1412	97.0	45.0						
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	100	2033	97.0	45.0	6000	0	50	1362	97.0	45.0						
5th Wheel Hitch	0	Add	96	Add	5200	0	150	1983	97.0	45.0	6000	0	100	1312	97.0	45.0						
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	200	1933	97.0	45.0	6000	0	150	1262	97.0	45.0						
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	250	1883	97.0	45.0	6000	0	200	1212	97.0	45.0						
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	300	1833	97.0	45.0	6000	0	250	1162	97.0	45.0						
Manual Air Conditioning (GAS)	32	Add	-1	Add	5200	0	350	1783	97.0	45.0	6000	0	300	1112	97.0	45.0						
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Add	5200	0	400	1733	97.0	45.0	6000	0	350	1062	97.0	45.0						
Manual Air Conditioning (DIESEL)	31	Add	-1	Add	5200	0	450	1683	97.0	45.0	6000	0	400	1012	97.0	45.0						
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Add	5200	0	500	1633	97.0	45.0	6000	0	450	962	97.0	45.0						
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	-50	2133	95.2	45.0	6000	0	50	912	97.0	45.0						
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Minus	19	Add	5200	50	0	2083	96.3	45.0	6000	0	550	862	97.0	45.0						
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	50	2033	97.0	45.0	6000	50	-50	1412	97.0	45.0						
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	100	1983	97.0	45.0	6000	50	0	1362	97.0	45.0						
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	150	1933	97.0	45.0	6000	50	50	1312	97.0	45.0						
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	200	1883	97.0	45.0	6000	50	100	1262	97.0	45.0						
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	250	1833	97.0	45.0	6000	50	150	1212	97.0	45.0						
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	50	300	1783	97.0	45.0	6000	50	200	1162	97.0	45.0						
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	5200	50	350	1733	97.0	45.0	6000	50	250	1112	97.0	45.0						
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	3	Minus	5200	50	400	1683	97.0	45.0	6000	50	300	1062	97.0	45.0						
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	50	450	1633	97.0	45.0	6000	50	350	1012	97.0	45.0						
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	50	500	1583	97.0	45.0	6000	50	400	962	97.0	45.0						
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	-50	2083	92.2	45.0	6000	50	450	912	97.0	45.0						
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	0	2033	93.3	45.0	6000	50	500	862	97.0	45.0						
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	50	1983	94.4	45.0	6000	50	550	812	97.0	45.0						
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	100	1933	95.6	45.0	6000	100	-50	1362	97.0	45.0						
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	150	1883	96.9	45.0	6000	100	0	1312	97.0	45.0						
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	200	1833	97.0	45.0	6000	100	50	1262	97.0	45.0						
Pickup Bed Extender	-2	Minus	21	Add	5200	100	250	1783	97.0	45.0	6000	100	100	1212	97.0	45.0						
Drop-In Bedliner	2	Add	42	Add	5200	100	300	1733	97.0	45.0	6000	100	150	1162	97.0	45.0						
Spray-In Bedliner	0	Add	20	Add	5200	100	350	1683	97.0	45.0	6000	100	200	1112	97.0	45.0						
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	400	1633	97.0	45.0	6000	100	250	1062	97.0	45.0						
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	100	450	1583	97.0	45.0	6000	100	300	1012	97.0	45.0						
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	100	500	1533	97.0	45.0	6000	100	350	962	97.0	45.0						
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	-50	2033	89.0	45.0	6000	100	400	912	97.0	45.0						
Lower Bodyside Molding	2	Add	1	Add	5200	150	0	1983	90.1	45.0	6000	100	450	862	97.0	45.0						
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	50	1933	91.1	45.0	6000	100	500	812	97.0	45.0						
Static Rear Video Camera	0	Add	1	Add	5200	150	100	1883	92.3	45.0	6000	100	550	762	97.0	45.0						
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	150	1833	93.5	45.0	6000	150	-50	1312	97.0	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	200	1783	94.8	45.0	6000	150	0	1262	97.0	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	250	1733	96.1	45.0	6000	150	50	1212	97.0	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	300	1683	97.0	45.0	6000	150	100	1162	97.0	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	350	1633	97.0	45.0	6000	150	150	1112	97.0	45.0						
Sliding Rear Window	5	Add	2	Add	5200	150	400	1583	97.0	45.0	6000	150	200	1062	97.0	45.0						
Power Sliding Rear Window	5	Add	3	Add	5200	150	450	1533	97.0	45.0	6000	150	250	1012	97.0	45.0						

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR							
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		
	QTY	ADD	REAR	FRONT	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (LB)	REAR (LB)	
																	I
Lariat Trim (GAS)	25	Add	17	Add													
XLT Trim (GAS)	10	Add	7	Add	4250	-50	-50	2845	66.0	45.0	4850	-50	-50	2173	71.9	45.0	
Lariat Trim (DIESEL)	30	Add	20	Add	4250	-50	0	2795	66.3	45.0	4850	-50	0	2123	72.5	45.0	
XLT Trim (DIESEL)	20	Add	13	Add	4250	-50	50	2745	66.6	45.0	4850	-50	50	2073	73.0	45.0	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4250	-50	100	2695	67.0	45.0	4850	-50	100	2023	73.7	45.0	
Immersion Heater - Engine	1	Add	0	Add	4250	-50	150	2645	67.4	45.0	4850	-50	150	1973	74.3	45.0	
Electronic Locking Differential (Gasoline) SRW only, AXLE RATIO: 3.73	2	Add	11	Add	4250	-50	200	2595	67.7	45.0	4850	-50	200	1923	75.0	45.0	
Electronic Locking Differential (Gasoline) SRW only, AXLE RATIO: 4.30	2	Add	13	Add	4250	-50	250	2545	68.1	45.0	4850	-50	250	1873	75.7	45.0	
Electronic Locking Differential (Diesel) SRW only, AXLE RATIO: 3.55	2	Add	1	Add	4250	-50	300	2495	68.5	45.0	4850	-50	300	1823	76.5	45.0	
Electronic Locking Differential (Diesel) SRW only, AXLE RATIO: 3.31	2	Add	1	Add	4250	-50	350	2445	68.9	45.0	4850	-50	350	1773	77.3	45.0	
Brake Controller	1	Add	0	Add	4250	0	-50	2795	63.8	45.0	4850	0	-50	2123	69.1	45.0	
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4250	0	0	2745	64.1	45.0	4850	0	0	2073	69.6	45.0	
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4250	0	50	2695	64.4	45.0	4850	0	50	2023	70.2	45.0	
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4250	0	100	2645	64.7	45.0	4850	0	100	1973	70.7	45.0	
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4250	0	150	2595	65.0	45.0	4850	0	150	1923	71.3	45.0	
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4250	0	200	2545	65.3	45.0	4850	0	200	1873	72.0	45.0	
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4250	0	250	2495	65.7	45.0	4850	0	250	1823	72.6	45.0	
5th Wheel Hitch	0	Add	96	Add	4250	0	300	2445	66.0	45.0	4850	0	300	1773	73.3	45.0	
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4250	0	350	2395	66.4	45.0	4850	0	350	1723	74.1	45.0	
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	50	-50	2745	69.2	45.0	5000	50	-50	2073	76.5	45.0	
750 CCA/78 AH Battery	2	Add	0	Add	4400	50	0	2695	69.6	45.0	5000	50	0	2023	77.2	45.0	
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	50	50	2645	70.0	45.0	5000	50	50	1973	77.9	45.0	
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	50	100	2595	70.5	45.0	5000	50	100	1923	78.7	45.0	
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4400	50	150	2545	70.9	45.0	5000	50	150	1873	79.5	45.0	
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4400	50	200	2495	71.4	45.0	5000	50	200	1823	80.4	45.0	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4400	50	250	2445	71.9	45.0	5000	50	250	1773	81.0	45.0	
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4400	50	300	2395	72.4	45.0	5000	50	300	1723	81.0	45.0	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4400	50	350	2345	72.9	45.0	5000	50	350	1673	81.0	45.0	
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4400	100	-50	2695	67.0	45.0	5000	100	-50	2023	73.7	45.0	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	100	0	2645	67.4	45.0	5000	100	0	1973	74.3	45.0	
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4400	100	50	2595	67.7	45.0	5000	100	50	1923	75.0	45.0	
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4400	100	100	2545	68.1	45.0	5000	100	100	1873	75.7	45.0	
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4400	100	150	2495	68.5	45.0	5000	100	150	1823	76.5	45.0	
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4400	100	200	2445	68.9	45.0	5000	100	200	1773	77.3	45.0	
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4400	100	250	2395	69.4	45.0	5000	100	250	1723	78.2	45.0	
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4400	100	300	2345	69.8	45.0	5000	100	300	1673	79.1	45.0	
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4400	100	350	2295	70.3	45.0	5000	100	350	1623	80.0	45.0	
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4400	150	-50	2645	64.7	45.0	5000	150	-50	1973	70.7	45.0	
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4400	150	0	2595	65.0	45.0	5000	150	0	1923	71.3	45.0	
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4400	150	50	2545	65.3	45.0	5000	150	50	1873	72.0	45.0	
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4400	150	100	2495	65.7	45.0	5000	150	100	1823	72.6	45.0	
Pickup Bed Extender	-2	Minus	21	Add	4400	150	150	2445	66.0	45.0	5000	150	150	1773	73.3	45.0	
Drop-In Bedliner	2	Add	35	Add	4400	150	200	2395	66.4	45.0	5000	150	200	1723	74.1	45.0	
Spray-In Bedliner	0	Add	16	Add	4400	150	250	2345	66.8	45.0	5000	150	250	1673	74.8	45.0	
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4400	150	300	2295	67.2	45.0	5000	150	300	1623	75.7	45.0	
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	4400	150	350	2245	67.7	45.0	5000	150	350	1573	76.6	45.0	
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	200	-50	2595	70.5	45.0	5250	200	-50	1923	81.0	45.0	
Lower Bodyside Molding	2	Add	1	Add	4550	200	0	2545	70.9	45.0	5250	200	0	1873	81.0	45.0	
Reverse Vehicle Sensor System	0	Add	1	Add	4550	200	50	2495	71.4	45.0	5250	200	50	1823	81.0	45.0	
Static Rear Video Camera	0	Add	1	Add	4550	200	100	2445	71.9	45.0	5250	200	100	1773	81.0	45.0	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	200	150	2395	72.4	45.0	5250	200	150	1723	81.0	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-In Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	200	200	2345	72.9	45.0	5250	200	200	1673	81.0	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-In Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	200	250	2295	73.4	45.0	5250	200	250	1623	81.0	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-In Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	200	300	2245	74.0	45.0	5250	200	300	1573	81.0	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-In Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	200	350	2195	74.6	45.0	5250	200	350	1523	81.0	45.0	
Sliding Rear Window	5	Add	2	Add	4550	250	-50	2545	68.1	45.0	5250	250	-50	1873	81.0	45.0	
Power Sliding Rear Window	5	Add	3	Add	4550	250	0	2495	68.5	45.0	5250	250	0	1823	81.0	45.0	
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	250	50	2445	68.9	45.0	5250	250	50	1773	81.0	45.0	
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	250	100	2395	69.4	45.0	5250	250	100	1723	81.0	45.0	
Foglamps	3	Add	0	Add	4550	250	150	2345	69.8	45.0	5250	250	150	1673	81.0	45.0	
Bright Exhaust Pipe Extension	0	Add	3	Add	4550	250	200	2295	70.3	45.0	5250	250	200	1623	81.0	45.0	
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4550	250	250	2245	70.8	45.0	5250	250	250	1573	81.0	45.0	
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4550	250	300	2195	71.4	45.0	5250	250	300	1523	81.0	45.0	
XLT Floor Mats Less Logo (Color Keyed)	3	Add	2	Add	4550	250	350	2145	71.9	45.0	5250	250	350	1473	81.0	45.0	
All Weather Floor Mat	6	Add	4	Add	4550	300	-50	2495	65.7	45.0	5250	300	-50	1823	80.4	45.0	
Electrochromic Rear View Mirror	1	Add	0	Add	4550	300	0	2445	66.0	45.0	5250	300	0	1773	81.0	45.0	
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4550	300	50	2395	66.4	45.0	5250	300	50	1723	81.0	45.0	
Floor Console - Stand alone	-25	Minus	-9	Minus	4550	300	100	2345	66.8	45.0	5250	300	100	1673	81.0	45.0	
Cruise Control	3	Add															

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA											
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR										6.7L Diesel Engine 9900 lb (4490 kg) GVWR											
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	REAR (Lbs.)	FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)			GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)			
Lariat Trim (GAS)	29	Add	19	Add	4400	-50	-50	2633	70.9	45.0	5000	-50	-50	1974	79.5	45.0	5000	-50	-50	1924	80.3	45.0
XLT Trim (GAS)	13	Add	9	Add	4400	-50	0	2583	71.3	45.0	5000	-50	0	1924	80.3	45.0	5000	-50	0	1874	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	50	2533	71.8	45.0	5000	-50	50	1874	81.0	45.0	5000	-50	100	1824	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	100	2483	72.2	45.0	5000	-50	100	1824	81.0	45.0	5000	-50	150	1774	81.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4400	-50	150	2433	72.7	45.0	5000	-50	150	1774	81.0	45.0	5000	-50	200	1724	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4400	-50	200	2383	73.3	45.0	5000	-50	200	1724	81.0	45.0	5000	-50	250	1674	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	250	2333	73.8	45.0	5000	-50	250	1674	81.0	45.0	5000	-50	300	1624	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	300	2283	74.4	45.0	5000	-50	300	1624	81.0	45.0	5000	-50	350	1574	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	350	2233	75.0	45.0	5000	-50	350	1574	81.0	45.0	5000	-50	400	1524	81.0	45.0
Brake Controller	1	Add	0	Add	4400	0	-50	2583	68.3	45.0	5000	0	-50	1924	76.3	45.0	5000	0	-50	1874	77.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	0	2533	68.7	45.0	5000	0	0	1874	77.0	45.0	5000	0	0	1824	77.8	45.0
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	50	2483	69.1	45.0	5000	0	50	1824	77.8	45.0	5000	0	100	1774	78.7	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	100	2433	69.5	45.0	5000	0	100	1774	78.7	45.0	5000	0	150	1724	79.6	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	150	2383	70.0	45.0	5000	0	150	1724	79.6	45.0	5000	0	200	1674	80.5	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	200	2333	70.5	45.0	5000	0	200	1674	80.5	45.0	5000	0	250	1624	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	250	2283	71.0	45.0	5000	0	250	1624	81.0	45.0	5000	0	300	1574	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	300	2233	71.5	45.0	5000	0	300	1574	81.0	45.0	5000	0	350	1524	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	350	2183	72.0	45.0	5000	0	350	1524	81.0	45.0	5000	0	400	1474	79.6	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	-50	2533	74.9	45.0	5000	50	-50	1874	72.9	45.0	5000	50	-50	1824	73.6	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	0	2483	75.4	45.0	5000	50	0	1824	73.6	45.0	5000	50	0	1774	74.3	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	0	2433	76.0	45.0	5000	50	0	1774	74.3	45.0	5000	50	0	1724	75.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	100	2383	76.5	45.0	5000	50	100	1724	75.0	45.0	5000	50	100	1674	75.8	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	150	2333	77.2	45.0	5000	50	150	1674	75.8	45.0	5000	50	150	1624	76.7	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	200	2283	77.8	45.0	5000	50	200	1624	76.7	45.0	5000	50	200	1574	77.6	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	250	2233	78.5	45.0	5000	50	250	1574	77.6	45.0	5000	50	250	1524	78.6	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4400	50	300	2183	68.4	45.0	5000	50	300	1524	78.6	45.0	5000	50	300	1474	79.6	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	50	350	2133	68.9	45.0	5000	50	350	1474	79.6	45.0	5000	50	350	1424	81.0	45.0
LT 245/75R17E AT BSW (SRW only)	-2	Minus	-3	Minus	4550	100	-50	2483	72.2	45.0	5250	100	-50	1824	81.0	45.0	5250	100	-50	1774	81.0	45.0
LT 265/70R17E AT OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	0	2433	72.7	45.0	5250	100	0	1774	81.0	45.0	5250	100	0	1724	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	50	2383	73.3	45.0	5250	100	50	1724	81.0	45.0	5250	100	50	1674	81.0	45.0
LT 275/65R20E AT OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	100	2333	73.8	45.0	5250	100	100	1674	81.0	45.0	5250	100	100	1624	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	150	2283	74.4	45.0	5250	100	150	1624	81.0	45.0	5250	100	150	1574	81.0	45.0
Less Jack - 2-Ton (Including Tool)	1	Add	-12	Minus	4550	100	200	2233	75.0	45.0	5250	100	200	1574	81.0	45.0	5250	100	200	1524	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	250	2183	75.6	45.0	5250	100	250	1524	81.0	45.0	5250	100	250	1474	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	300	2133	76.2	45.0	5250	100	300	1474	81.0	45.0	5250	100	300	1424	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	4550	100	350	2083	76.9	45.0	5250	100	350	1424	81.0	45.0	5250	100	350	1374	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	4550	150	-50	2433	69.5	45.0	5250	150	-50	1774	81.0	45.0	5250	150	-50	1724	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	150	0	2383	70.0	45.0	5250	150	0	1724	81.0	45.0	5250	150	0	1674	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	150	50	2333	70.5	45.0	5250	150	50	1674	81.0	45.0	5250	150	50	1624	81.0	45.0
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	4550	150	100	2283	71.0	45.0	5250	150	100	1624	81.0	45.0	5250	150	100	1574	81.0	45.0
5" Tubular Chrome Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	150	150	2233	71.5	45.0	5250	150	150	1574	81.0	45.0	5250	150	150	1524	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	200	2183	72.0	45.0	5250	150	200	1524	81.0	45.0	5250	150	200	1474	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	250	2133	72.6	45.0	5250	150	250	1474	81.0	45.0	5250	150	250	1424	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	300	2083	73.2	45.0	5250	150	300	1424	81.0	45.0	5250	150	300	1374	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	350	2033	73.8	45.0	5250	150	350	1374	81.0	45.0	5250	150	350	1324	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	200	-50	2383	76.5	45.0	5250	200	-50	1724	81.0	45.0	5250	200	-50	1674	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	200	0	2333	77.2	45.0	5250	200	0	1674	81.0	45.0	5250	200	0	1624	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	200	50	2283	77.8	45.0	5250	200	50	1624	81.0	45.0	5250	200	50	1574	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	1	Add	3	Add	4700	200	100	2233	78.5	45.0	5250	200	100	1574	81.0	45.0	5250	200	100	1524	81.0	45.0
Sliding Rear Window	5	Add	2	Add	4700	200	150	2183	79.2	45.0	5250	200	150	1524	81.0	45.0	5250	200	150	1474	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	200	200	2133	79.9	45.0	5250	200	200	1474	81.0	45.0	5250	200	200	1424	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	200	250	2083	80.7	45.0	5250	200	250	1424	81.0	45.0	5250	200	250	1374	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	300	2033	81.0	45.0												

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA											
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR				6.7L Diesel Engine 9900 lb (4490 kg) GVWR											
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT		CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT (Lb.)	CARGO WEIGHT (Lb.)	FRONT		CENTER OF GRAVITY ZONE LIMITS			
				GAWR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)				FRONT (A) (IN)	REAR (B) (IN)				
Lariat Trim (GAS)	25	Add	17	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	7	Add	4400	-50	-50	2747	69.3	45.0	5000	-50	-50	2010	75.5	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	0	2697	69.7	45.0	5000	-50	0	1960	76.2	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	50	2647	70.1	45.0	5000	-50	50	1910	77.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4400	-50	100	2597	70.5	45.0	5000	-50	100	1860	77.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4400	-50	150	2547	70.9	45.0	5000	-50	150	1810	78.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4400	-50	200	2497	71.4	45.0	5000	-50	200	1760	79.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4400	-50	250	2447	71.9	45.0	5000	-50	250	1710	80.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	300	2397	72.4	45.0	5000	-50	300	1660	81.3	45.0
Brake Controller	2	Add	1	Add	4400	-50	350	2347	72.9	45.0	5000	-50	350	1610	82.4	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	1	Add	0	Add	4400	-50	400	2297	73.5	45.0	5000	-50	400	1560	83.5	45.0
Skid Plates (GAS) 4X4 only	3	Add	0	Add	4400	-50	450	2247	74.0	45.0	5000	-50	450	1510	84.7	45.0
Skid Plates (DIESEL) 4X4 only	18	Add	21	Add	4400	-50	500	2197	74.6	45.0	5000	-50	500	1460	85.9	45.0
Less Urea Emission Tank (DSL only)	19	Add	22	Add	4400	0	-50	2697	66.7	45.0	5000	0	-50	1960	72.2	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-97	Minus	-64	Minus	4400	0	0	2647	67.1	45.0	5000	0	0	1910	72.8	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	-1	Minus	12	Add	4400	0	50	2597	67.5	45.0	5000	0	50	1860	73.5	45.0
5th Wheel Hitch	0	Add	38	Add	4400	0	100	2547	67.8	45.0	5000	0	100	1810	74.2	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	0	Add	96	Add	4400	0	150	2497	68.2	45.0	5000	0	150	1760	75.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	16	Add	0	Add	4400	0	200	2447	68.7	45.0	5000	0	200	1710	75.7	45.0
750 CCA/78 AH Battery	3	Add	0	Add	4400	0	250	2397	69.1	45.0	5000	0	250	1660	76.6	45.0
Manual Air Conditioning (GAS)	2	Add	0	Add	4400	0	300	2347	69.6	45.0	5000	0	300	1610	77.5	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	32	Add	-1	Minus	4400	0	350	2297	70.0	45.0	5000	0	350	1560	78.4	45.0
Manual Air Conditioning (DIESEL)	34	Add	-1	Minus	4400	0	400	2247	70.5	45.0	5000	0	400	1510	79.4	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	31	Add	-1	Minus	4400	0	450	2197	71.0	45.0	5000	0	450	1460	80.5	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	34	Add	-1	Minus	4400	0	500	2147	71.6	45.0	5000	0	500	1410	81.7	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	-20	Minus	-20	Minus	4550	50	-50	2647	73.1	45.0	5000	50	-50	1910	68.7	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	0	2597	73.5	45.0	5000	50	0	1860	69.3	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	50	2547	74.1	45.0	5000	50	50	1810	69.8	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4550	50	100	2497	74.6	45.0	5000	50	100	1760	70.5	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4550	50	150	2447	75.1	45.0	5000	50	150	1710	71.1	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4550	50	200	2397	75.7	45.0	5000	50	200	1660	71.8	45.0
LT 245/75R17E A/T BSW (SRW only)	1	Add	7	Add	4550	50	250	2347	76.3	45.0	5000	50	250	1610	72.6	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	-2	Minus	-3	Minus	4550	50	300	2297	76.9	45.0	5000	50	300	1560	73.4	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	6	Add	9	Add	4550	50	350	2247	77.5	45.0	5000	50	350	1510	74.2	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	10	Add	16	Add	4550	50	400	2197	78.2	45.0	5000	50	400	1460	75.1	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4550	50	450	2147	78.9	45.0	5000	50	450	1410	76.1	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	24	Add	37	Add	4550	50	500	2097	79.7	45.0	5000	50	500	1360	77.1	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	0	2547	70.9	45.0	5250	100	0	1810	87.3	45.0
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	50	2497	71.4	45.0	5250	100	50	1760	88.4	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	100	2447	71.9	45.0	5250	100	100	1710	89.6	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	150	2397	72.4	45.0	5250	100	150	1660	90.9	45.0
Drop-In Bedliner	2	Add	35	Add	4550	100	200	2347	72.9	45.0	5250	100	200	1610	92.2	45.0
Spray-In Bedliner	1	Add	19	Add	4550	100	250	2297	73.5	45.0	5250	100	250	1560	93.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	100	300	2247	74.0	45.0	5250	100	300	1510	95.1	45.0
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	4550	100	350	2197	74.6	45.0	5250	100	350	1460	96.8	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	100	400	2147	75.3	45.0	5250	100	400	1410	97.0	45.0
Lower Body Side Molding	2	Add	1	Add	4550	100	450	2097	75.9	45.0	5250	100	450	1360	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	100	500	2047	76.6	45.0	5250	100	500	1310	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	-50	2547	67.8	45.0	5250	150	-50	1810	82.9	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	0	2497	68.2	45.0	5250	150	0	1760	83.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	50	2447	68.7	45.0	5250	150	50	1710	85.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	100	2397	69.1	45.0	5250	150	100	1660	86.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	150	2347	69.6	45.0	5250	150	150	1610	87.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	150	200	2297	70.0	45.0	5250	150	200	1560	88.6	45.0
Sliding Rear Window	5	Add	2	Add	4550	150	250	2247	70.5	45.0	5250	150	250	1510	89.9	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	150	300	2197	71.0	45.0	5250	150	300	1460	91.3	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	350	2147	71.6	45.0	5250	150	350	1410	92.9	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	400	2097	72.1	45.0	5250	150	400	1360	94.5	45.0
Foglamps	3	Add	0	Add	4550	150	450	2047	72.7	45.0	5250	150	450	1310	96.3	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4550	150	500	1997	73.4	45.0	5250	150	500	1260	97.0	45.0
Driver Front Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	-50	2497	74.6	45.0	5250	200	-50	1760	79.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	200	0	2447	75.1	45.0	5250	200	0	1710	80.4	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	50	2397	75.7	45.0	5250	200	50	1660	81.3	45.0
All Weather Floor Mat	6	Add	4	Add	4700	200	100	2347	76.3	45.0	5250	200	100	1610	82.4	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	150	2297	76.9	45.0	5250	200	150	1560	83.5	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	200	2247	77.5	45.0	5250	200	200	1510	84.7	45.0
Floor Console - Stand alone	-25	Minus	-9	Minus	4700	200	250	2197	78.2	45.0	5250	200	250	1460	85.9	45.0
Cruise Control	3	Add	1	Add	4700	200	300	2147	78.9	45.0	5250	200	300	1410	87.3	45.0
Power Equipment Group	12	Add	3	Add	4700	200	350	2097	79.7	45.0	5250	200	350	1360	88.7	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	200	400	2047	80.5	45.0	5250	200	400	1310	90.3	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	200	450	1997	81.3	45.0	5250	200	450	1260	92.0	45.0
Front Seat - Individual 40/20/40 w/Center																

OPTION DESCRIPTION	OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR																
	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS								
					GAWR (Lb.)		FRONT (Lb.)		REAR (Lb.)		RATING (Lb.)		FRONT (A) (IN)		REAR (B) (IN)		GAWR (Lb.)		FRONT (A) (IN)		REAR (B) (IN)						
					I		II		III		IV		V		VI		I		II		III		IV		V		VI
Lariat Trim (GAS)	29	Add	19	Add																							
XLT Trim (GAS)	13	Add	9	Add	4550	-50	-50	2528	74.9	45.0	5250	-50	-50	1801	94.3	45.0											
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	0	2478	75.4	45.0	5250	-50	0	1751	95.7	45.0											
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	0	2428	76.0	45.0	5250	-50	0	1701	97.0	45.0											
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4550	-50	100	2378	76.6	45.0	5250	-50	100	1651	97.0	45.0											
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4550	-50	150	2328	77.2	45.0	5250	-50	150	1601	97.0	45.0											
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4550	-50	200	2278	77.8	45.0	5250	-50	200	1551	97.0	45.0											
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4550	-50	250	2228	78.5	45.0	5250	-50	250	1501	97.0	45.0											
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	300	2178	79.2	45.0	5250	-50	300	1451	97.0	45.0											
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	350	2128	79.9	45.0	5250	-50	350	1401	97.0	45.0											
Brake Controller	1	Add	0	Add	4550	-50	400	2078	80.7	45.0	5250	-50	400	1351	97.0	45.0											
ESOF w/Auto-Man Locking Hubs (4x4 only)	3	Add	0	Add	4550	-50	500	1978	82.4	45.0	5250	-50	500	1251	97.0	45.0											
Skid Plates (GAS) 4x4 only	18	Add	21	Add	4550	0	-50	2478	71.9	45.0	5250	0	-50	1751	90.7	45.0											
Skid Plates (DIESEL) 4x4 only	23	Add	18	Add	4550	0	0	2428	72.4	45.0	5250	0	0	1701	92.0	45.0											
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	50	2378	73.0	45.0	5250	0	50	1651	93.3	45.0											
Rear Stabilizer Bar F250/350 SRW 4x4	-1	Minus	12	Add	4550	0	100	2328	73.5	45.0	5250	0	100	1601	94.8	45.0											
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	150	2278	74.1	45.0	5250	0	150	1551	96.3	45.0											
5th Wheel Hitch	0	Add	96	Add	4550	0	200	2228	74.6	45.0	5250	0	200	1501	97.0	45.0											
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	250	2178	75.3	45.0	5250	0	250	1451	97.0	45.0											
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	300	2128	75.9	45.0	5250	0	300	1401	97.0	45.0											
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	350	2078	76.6	45.0	5250	0	350	1351	97.0	45.0											
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	400	2028	77.3	45.0	5250	0	400	1301	97.0	45.0											
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	0	500	1928	78.8	45.0	5250	0	500	1201	97.0	45.0											
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	-50	2428	79.5	45.0	5250	50	-50	1701	86.9	45.0											
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	0	2378	80.2	45.0	5250	50	0	1651	88.1	45.0											
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4700	50	50	2328	80.9	45.0	5250	50	50	1601	89.4	45.0											
18X8" Steel Drop Center Road Wheel (SRW 4x4 only w/17" Steel Wheel STD)	12	Minus	19	Add	4700	50	100	2278	81.6	45.0	5250	50	100	1551	90.7	45.0											
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4700	50	150	2228	82.4	45.0	5250	50	150	1501	92.1	45.0											
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4700	50	200	2178	83.2	45.0	5250	50	200	1451	93.7	45.0											
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4700	50	250	2128	84.0	45.0	5250	50	250	1401	95.3	45.0											
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	300	2078	84.9	45.0	5250	50	300	1351	97.0	45.0											
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	350	2028	85.8	45.0	5250	50	350	1301	97.0	45.0											
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4700	50	400	1978	86.7	45.0	5250	50	400	1251	97.0	45.0											
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	4700	50	500	1878	88.8	45.0	5250	50	500	1151	97.0	45.0											
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	100	-50	2378	76.6	45.0	5250	100	-50	1651	82.9	45.0											
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4700	100	0	2328	77.2	45.0	5250	100	0	1601	84.0	45.0											
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	6	Add	4700	100	50	2278	77.8	45.0	5250	100	50	1551	85.2	45.0											
LT 275/65R18E A/S BSW (SRW Only) 17" STD	10	Add	16	Add	4700	100	100	2228	78.5	45.0	5250	100	100	1501	86.4	45.0											
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4700	100	150	2178	79.2	45.0	5250	100	150	1451	87.7	45.0											
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4700	100	200	2128	79.9	45.0	5250	100	200	1401	89.1	45.0											
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4700	100	250	2078	80.7	45.0	5250	100	250	1351	90.7	45.0											
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4700	100	300	2028	81.5	45.0	5250	100	300	1301	92.3	45.0											
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4700	100	350	1978	82.4	45.0	5250	100	350	1251	94.1	45.0											
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	100	400	1928	83.3	45.0	5250	100	400	1201	96.0	45.0											
Pickup Bed Extender	-2	Minus	21	Add	4700	100	500	1828	85.2	45.0	5250	100	500	1101	97.0	45.0											
Drop-In Bedliner	2	Add	42	Add	4700	150	-50	2328	73.5	45.0	5250	150	-50	1601	78.6	45.0											
Spray-In Bedliner	0	Add	20	Add	4700	150	0	2278	74.1	45.0	5250	150	0	1551	79.6	45.0											
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4700	150	50	2228	74.6	45.0	5250	150	50	1501	80.6	45.0											
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	150	100	2178	75.3	45.0	5250	150	100	1451	81.8	45.0											
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	4700	150	150	2128	75.9	45.0	5250	150	150	1401	83.0	45.0											
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4700	150	200	2078	76.6	45.0	5250	150	200	1351	84.3	45.0											
Lower Bodyside Molding	2	Add	1	Add	4700	150	250	2028	77.3	45.0	5250	150	250	1301	85.7	45.0											
Reverse Vehicle Sensor System	0	Add	1	Add	4700	150	300	1978	78.0	45.0	5250	150	300	1251	87.2	45.0											
Static Rear Video Camera	0	Add	1	Add	4700	150	350	1928	78.8	45.0	5250	150	350	1201	88.8	45.0											
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	150	400	1878	79.6	45.0	5250	150	400	1151	90.6	45.0											
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	150	500	1778	81.4	45.0	5250	150	500	1051	94.6	45.0											
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4850	200	-50	2278	81.6	45.0	5250	200	-50	1551	74.0	45.0											
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4850	200	0	2228	82.4	45.0	5250	200	0	1501	74.9	45.0											
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4850	200	50	2178	83.2	45.0	5250	200	50	1451	75.8	45.0											
Sliding Rear Window	5	Add	2	Add	4850	200	100	2128	84.0	45.0	5250	200	100	1401	76.8	45.0											
Power Sliding Rear Window	5	Add	3	Add	4850	200	150	2078	84.9	45.0	5250	200	150	1351	77.9	45.0											
Electronic Rear Window (Backglass) Defrost - SO/CC only	1	Add	2	Add	4850	200	200	2028	85.8	45.0	5250	200															

OPTION TABLE	FRONT (Lbs.) REAR (Lbs.)				VEHICLE LOADING DATA						VEHICLE LOADING DATA									
					6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						6.7L Diesel Engine 9900 lb (4490 kg) GVWR									
					FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)				
XLT Trim (GAS)	10	Add	6	Add	4400	-50	-50	3174	67.7	45.0	5200	-50	-50	2529	84.6	45.0				
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3174	67.7	45.0	5200	-50	-50	2479	85.3	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3124	68.0	45.0	5200	-50	0	2479	85.3	45.0				
Immersion Heater - Engine	1	Add	0	Add	4400	-50	0	3074	68.3	45.0	5200	-50	0	2429	86.1	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	3024	68.7	45.0	5200	-50	100	2379	86.9	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	150	2974	69.0	45.0	5200	-50	150	2329	87.7	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	200	2924	69.4	45.0	5200	-50	200	2279	88.6	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	250	2874	69.7	45.0	5200	-50	250	2229	89.5	45.0				
Brake Controller	1	Add	0	Add	4400	-50	300	2824	70.1	45.0	5200	-50	300	2179	90.5	45.0				
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	350	2774	70.5	45.0	5200	-50	350	2129	91.5	45.0				
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4400	-50	400	2724	71.0	45.0	5200	-50	400	2079	92.5	45.0				
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4400	-50	450	2674	71.4	45.0	5200	-50	450	2029	93.6	45.0				
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	-50	500	2624	71.8	45.0	5200	-50	500	1979	94.8	45.0				
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	-50	3124	65.8	45.0	5200	0	-50	2479	82.6	45.0				
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4400	0	0	3074	66.1	45.0	5200	0	0	2429	83.3	45.0				
5th Wheel Hitch	0	Add	96	Add	4400	0	50	3024	66.4	45.0	5200	0	50	2379	84.0	45.0				
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	100	2974	66.7	45.0	5200	0	100	2329	84.8	45.0				
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	150	2924	67.0	45.0	5200	0	150	2279	85.6	45.0				
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	200	2874	67.4	45.0	5200	0	200	2229	86.4	45.0				
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4400	0	250	2824	67.7	45.0	5200	0	250	2179	87.3	45.0				
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4400	0	300	2774	68.1	45.0	5200	0	300	2129	88.3	45.0				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-120	Minus	-20	Minus	4400	0	350	2724	68.4	45.0	5200	0	350	2079	89.2	45.0				
18X8" Steel Drop Center Road Wheel (SRW only w/17" Steel Wheel STD)	-20	Minus	19	Add	4400	0	400	2674	68.8	45.0	5200	0	400	2029	90.2	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4400	0	450	2624	69.2	45.0	5200	0	450	1979	91.3	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	0	500	2574	69.6	45.0	5200	0	500	1929	92.4	45.0				
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	50	-50	3074	81.7	45.0	5200	50	-50	2429	80.4	45.0				
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	50	0	3024	82.3	45.0	5200	50	0	2379	81.1	45.0				
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	50	50	2974	82.8	45.0	5200	50	50	2329	81.8	45.0				
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	50	100	2924	83.4	45.0	5200	50	100	2279	82.6	45.0				
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	50	150	2874	84.0	45.0	5200	50	150	2229	83.4	45.0				
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4800	50	200	2824	84.7	45.0	5200	50	200	2179	84.2	45.0				
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4800	50	250	2774	85.4	45.0	5200	50	250	2129	85.0	45.0				
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	300	2724	86.0	45.0	5200	50	300	2079	85.9	45.0				
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	50	350	2674	86.8	45.0	5200	50	350	2029	86.9	45.0				
Pickup Bed Extender	-2	Minus	21	Add	4800	50	400	2624	87.5	45.0	5200	50	400	1979	87.9	45.0				
Drop-In Bedliner	2	Add	42	Add	4800	50	450	2574	88.3	45.0	5200	50	450	1929	88.9	45.0				
Spray-In Bedliner	1	Add	19	Add	4800	50	500	2524	89.1	45.0	5200	50	500	1879	90.0	45.0				
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	-50	3024	80.0	45.0	5200	100	-50	2379	78.3	45.0				
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	0	2974	80.5	45.0	5200	100	0	2329	78.9	45.0				
Static Rear Video Camera	0	Add	1	Add	4800	100	50	2924	81.1	45.0	5200	100	50	2279	79.6	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	100	2874	81.7	45.0	5200	100	100	2229	80.3	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	150	2824	82.3	45.0	5200	100	150	2179	81.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	100	200	2774	82.9	45.0	5200	100	200	2129	81.8	45.0				
Sliding Rear Window	5	Add	2	Add	4800	100	250	2724	83.5	45.0	5200	100	250	2079	82.6	45.0				
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	100	300	2674	84.2	45.0	5200	100	300	2029	83.5	45.0				
Foglamps	3	Add	0	Add	4800	100	350	2624	84.9	45.0	5200	100	350	1979	84.4	45.0				
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	100	400	2574	85.6	45.0	5200	100	400	1929	85.3	45.0				
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	100	450	2524	86.4	45.0	5200	100	450	1879	86.3	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	100	500	2474	87.1	45.0	5200	100	500	1829	87.4	45.0				
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	-50	2974	78.2	45.0	5200	150	-50	2329	76.0	45.0				
All Weather Floor Mat	4	Add	2	Add	4800	150	0	2924	78.7	45.0	5200	150	0	2279	76.6	45.0				
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	50	2874	79.3	45.0	5200	150	50	2229	77.2	45.0				
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	100	2824	79.8	45.0	5200	150	100	2179	77.9	45.0				
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	4800	150	150	2774	80.4	45.0	5200	150	150	2129	78.6	45.0				
Cruise Control	3	Add	1	Add	4800	150	200	2724	81.0	45.0	5200	150	200	2079	79.3	45.0				
Power Equipment Group	12	Add	3	Add	4800	150	250	2674	81.6	45.0	5200	150	250	2029	80.1	45.0				
Adj Gas & Brake Pedals	4	Add	3	Add	4800	150	300	2624	82.3	45.0	5200	150	300	1979	80.9	45.0				
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	150	350	2574	82.9	45.0	5200	150	350	1929	81.8	45.0				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	150	400	2524	83.6	45.0	5200	150	400	1879	82.7	45.0				
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	150	450	2474	84.4	45.0	5200	150	450	1829	83.6	45.0				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	150	500	2424	85.1	45.0	5200	150	500	1779	84.7	45.0				
Cloth Seats	-2	Minus	-1	Minus	4800	200	-50	2924	76.4	45.0	5200	200	-50	2279	73.6	45.0				
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	0	2874	76.9	45.0	5200	200	0	2229	74.2	45.0				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	50	2824	77.4	45.0	5200	200	50	2179	74.8	45.0				
Satellite Digital Broadcast	2	Add	1	Add	4800	200	100	2774	77.9	45.0	5200	200	100	2129	75.4	45.0				
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	150	2724	78.5	45.0	5200	200	150	2079	76.0	45.0				
SYNC Basic - Gen I	1	Add	0	Add	4800	200	200	2674	79.1	45.0	5200	200	200	2029	76.7	45.0				
SYNC Finder - Gen II	1	Add	0	Add	4800	200	250	2624	79.7	45.0	5200	200	250	1979	77.5	45.0				
FX4 Off-Road Package	2	Add	2	Add	4800	200	300	2574	80.3	45.0	5200	200	300	1929	78.2	45.0				
Tracking System - Crew Chief	3	Add	0	Add	4800	200	350	2524	80.9	45.0	5200	200	350	1879	79.0	45.0				
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	200	400	2474	81.6	45.0	5200	200	400	1829	79.9	45.0				
Bed Mat	0	Add	58</																	

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA														
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR				6.7L Diesel Engine 9900 lb (4490 kg) GVWR														
	OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		REAR											
		FRONT (LB.)	REAR (LB.)	FRONT (LB.)	REAR (LB.)	FRONT (LB.)	REAR (LB.)	FRONT (LB.)	REAR (LB.)										
Lariat Trim (GAS)	25	Add	17	Add															
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2346	81.0	45.0	5200	-50	-50	1826	79.8	45.0			
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2396	81.0	45.0	5200	-50	0	1776	80.7	45.0			
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2346	81.0	45.0	5200	-50	50	1726	81.0	45.0			
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4800	-50	100	2296	81.0	45.0	5200	-50	100	1626	81.0	45.0			
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4800	-50	150	2246	81.0	45.0	5200	-50	150	1626	81.0	45.0			
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4800	-50	200	2196	81.0	45.0	5200	-50	200	1576	81.0	45.0			
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4800	-50	250	2146	81.0	45.0	5200	-50	250	1526	81.0	45.0			
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	-50	300	2096	81.0	45.0	5200	-50	300	1476	81.0	45.0			
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	-50	350	2046	81.0	45.0	5200	-50	350	1426	81.0	45.0			
Brake Controller	1	Add	0	Add	4800	0	-50	2396	79.4	45.0	5600	0	-50	1776	81.0	45.0			
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	0	2346	80.0	45.0	5600	0	0	1726	81.0	45.0			
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	50	2296	80.7	45.0	5600	0	50	1676	81.0	45.0			
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	0	100	2246	81.0	45.0	5600	0	100	1626	81.0	45.0			
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	150	2196	81.0	45.0	5600	0	150	1576	81.0	45.0			
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	200	2146	81.0	45.0	5600	0	200	1526	81.0	45.0			
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	250	2096	81.0	45.0	5600	0	250	1476	81.0	45.0			
5th Wheel Hitch	0	Add	96	Add	4800	0	300	2046	81.0	45.0	5600	0	300	1426	81.0	45.0			
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	350	1996	81.0	45.0	5600	0	350	1376	81.0	45.0			
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	-50	2346	77.0	45.0	5600	50	-50	1726	81.0	45.0			
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	0	2296	77.6	45.0	5600	50	0	1676	81.0	45.0			
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	50	50	2246	78.3	45.0	5600	50	50	1626	81.0	45.0			
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	50	100	2196	79.0	45.0	5600	50	100	1576	81.0	45.0			
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	50	150	2146	79.7	45.0	5600	50	150	1526	81.0	45.0			
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	50	200	2096	80.5	45.0	5600	50	200	1476	81.0	45.0			
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4800	50	250	2046	81.0	45.0	5600	50	250	1426	81.0	45.0			
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	50	300	1996	81.0	45.0	5600	50	300	1376	81.0	45.0			
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	50	350	1946	81.0	45.0	5600	50	350	1326	81.0	45.0			
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4800	100	-50	2296	74.5	45.0	5600	100	-50	1676	81.0	45.0			
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	100	0	2246	75.1	45.0	5600	100	0	1626	81.0	45.0			
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4800	100	50	2196	75.8	45.0	5600	100	50	1576	81.0	45.0			
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4800	100	100	2146	76.4	45.0	5600	100	100	1526	81.0	45.0			
LT 245/75R17E A/T BSW (SRW Only)	-2	Minus	-3	Minus	4800	100	150	2096	77.1	45.0	5600	100	150	1476	81.0	45.0			
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	100	200	2046	77.8	45.0	5600	100	200	1426	81.0	45.0			
LT 275/65R18E A/S BSW (SRW Only) 17" STD	10	Add	16	Add	4800	100	250	1996	78.6	45.0	5600	100	250	1376	81.0	45.0			
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	100	300	1946	79.3	45.0	5600	100	300	1326	81.0	45.0			
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	100	350	1896	80.2	45.0	5600	100	350	1276	81.0	45.0			
LT 275/65R20E A/T OWL (SRW Only) 17" STD	27	Add	39	Add	5200	150	-50	2246	81.0	45.0	5600	150	-50	1626	81.0	45.0			
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	150	0	2196	81.0	45.0	5600	150	0	1576	81.0	45.0			
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	50	2146	81.0	45.0	5600	150	50	1526	81.0	45.0			
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	100	2096	81.0	45.0	5600	150	100	1476	81.0	45.0			
Pickup Bed Extender	-2	Minus	21	Add	5200	150	150	2046	81.0	45.0	5600	150	150	1426	81.0	45.0			
Drop-In Bedliner	2	Add	35	Add	5200	150	200	1996	81.0	45.0	5600	150	200	1376	81.0	45.0			
Spray-In Bedliner	0	Add	16	Add	5200	150	250	1946	81.0	45.0	5600	150	250	1326	81.0	45.0			
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	150	300	1896	81.0	45.0	5600	150	300	1276	81.0	45.0			
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	150	350	1846	81.0	45.0	5600	150	350	1226	81.0	45.0			
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	-50	2196	81.0	45.0	5600	200	-50	1576	81.0	45.0			
Lower Bodyside Molding	2	Add	1	Add	5200	200	0	2146	81.0	45.0	5600	200	0	1526	81.0	45.0			
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	50	2096	81.0	45.0	5600	200	50	1476	81.0	45.0			
Static Rear Video Camera	0	Add	1	Add	5200	200	100	2046	81.0	45.0	5600	200	100	1426	81.0	45.0			
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	150	1996	81.0	45.0	5600	200	150	1376	81.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	200	1946	81.0	45.0	5600	200	200	1326	81.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	250	1896	81.0	45.0	5600	200	250	1276	81.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	300	1846	81.0	45.0	5600	200	300	1226	81.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	200	350	1796	81.0	45.0	5600	200	350	1176	81.0	45.0			
Sliding Rear Window	5	Add	2	Add	5200	250	-50	2146	81.0	45.0	5600	250	-50	1526	81.0	45.0			
Power Sliding Rear Window	5	Add	3	Add	5200	250	0	2096	81.0	45.0	5600	250	0	1476	81.0	45.0			
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	50	2046	81.0	45.0	5600	250	50	1426	81.0	45.0			
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	100	1996	81.0	45.0	5600	250	100	1376	81.0	45.0			
Foglamps	3	Add	0	Add	5200	250	150	1946	81.0	45.0	5600	250	150	1326	81.0	45.0			
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	200	1896	81.0	45.0	5600	250	200	1276	81.0	45.0			
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	250	1846	81.0	45.0	5600	250	250	1226	81.0	45.0			
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	250	300	1796	81.0	45.0	5600	250	300	1176	81.0	45.0			
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	250	350	1746	81.0	45.0	5600	250	350	1126	81.0	45.0			
All Weather Floor Mat	6	Add	4	Add	5200	300	-50	2096	81.0	45.0	5600	300	-50	1476	81.0	45.0			
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	0	2046	81.0	45.0	56								

OPTION TABLE	VEHICLE LOADING DATA						VEHICLE LOADING DATA													
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						6.7L Diesel Engine 9900 lb (4490 kg) GVWR													
	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
OPTION DESCRIPTION						GAWR	FRONT	REAR	RATING	FRONT (A)	REAR (B)	GAWR	FRONT	REAR	RATING	FRONT (A)	REAR (B)			
						(Lb.)	(Lb.)	(Lb.)	(Lb.)	(In)	(In)	(Lb.)	(Lb.)	(Lb.)	(In)	(In)	(Lb.)	(Lb.)	(Lb.)	(In)
						I	II	III	IV	V	VI	I	II	III	IV	V	VI			
Lariat Trim (GAS)	25	Add	17	Add																
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2344	75.9	45.0	45.0	5600	-50	-50	1619	97.0	45.0			
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2294	76.6	45.0	45.0	5600	-50	0	1569	97.0	45.0			
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2244	77.2	45.0	45.0	5600	-50	50	1519	97.0	45.0			
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4800	-50	100	2194	77.9	45.0	45.0	5600	-50	100	1469	97.0	45.0			
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4800	-50	150	2144	78.6	45.0	45.0	5600	-50	150	1419	97.0	45.0			
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4800	-50	200	2094	79.3	45.0	45.0	5600	-50	200	1369	97.0	45.0			
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4800	-50	250	2044	80.1	45.0	45.0	5600	-50	250	1319	97.0	45.0			
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	13	Add	4800	-50	300	1994	80.9	45.0	45.0	5600	-50	300	1269	97.0	45.0			
Brake Controller	2	Add	1	Add	4800	-50	350	1944	81.7	45.0	45.0	5600	-50	350	1219	97.0	45.0			
ESOF w/Auto-Man Locking Hubs (4X4 only)	1	Add	0	Add	4800	-50	400	1894	82.6	45.0	45.0	5600	-50	400	1169	97.0	45.0			
Skid Plates (GAS) 4X4 only	3	Add	0	Add	4800	-50	450	1844	83.6	45.0	45.0	5600	-50	450	1119	97.0	45.0			
Skid Plates (DIESEL) 4X4 only	18	Add	21	Add	4800	-50	500	1794	84.6	45.0	45.0	5600	-50	500	1069	97.0	45.0			
Less Urea Emission Tank (DSL only)	19	Minus	-64	Minus	5200	0	-50	2294	97.0	45.0	45.0	5600	0	-50	1569	97.0	45.0			
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	50	2194	97.0	45.0	45.0	5600	0	50	1469	97.0	45.0			
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	100	2144	97.0	45.0	45.0	5600	0	100	1419	97.0	45.0			
5th Wheel Hitch	0	Add	96	Add	5200	0	150	2094	97.0	45.0	45.0	5600	0	150	1369	97.0	45.0			
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	200	2044	97.0	45.0	45.0	5600	0	200	1319	97.0	45.0			
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	250	1994	97.0	45.0	45.0	5600	0	250	1269	97.0	45.0			
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	300	1944	97.0	45.0	45.0	5600	0	300	1219	97.0	45.0			
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	0	350	1894	97.0	45.0	45.0	5600	0	350	1169	97.0	45.0			
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	0	400	1844	97.0	45.0	45.0	5600	0	400	1119	97.0	45.0			
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	0	450	1794	97.0	45.0	45.0	5600	0	450	1069	97.0	45.0			
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	0	500	1744	97.0	45.0	45.0	5600	0	500	1019	97.0	45.0			
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	-50	2244	97.0	45.0	45.0	5600	50	-50	1519	97.0	45.0			
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5200	50	0	2194	97.0	45.0	45.0	5600	50	0	1469	97.0	45.0			
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	50	2144	97.0	45.0	45.0	5600	50	50	1419	97.0	45.0			
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	100	2094	97.0	45.0	45.0	5600	50	100	1369	97.0	45.0			
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	150	2044	97.0	45.0	45.0	5600	50	150	1319	97.0	45.0			
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	200	1994	97.0	45.0	45.0	5600	50	200	1269	97.0	45.0			
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	50	250	1944	97.0	45.0	45.0	5600	50	250	1219	97.0	45.0			
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	50	300	1894	97.0	45.0	45.0	5600	50	300	1169	97.0	45.0			
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	50	350	1844	97.0	45.0	45.0	5600	50	350	1119	97.0	45.0			
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	50	400	1794	97.0	45.0	45.0	5600	50	400	1069	97.0	45.0			
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	50	450	1744	97.0	45.0	45.0	5600	50	450	1019	97.0	45.0			
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	50	500	1694	97.0	45.0	45.0	5600	50	500	969	97.0	45.0			
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	-50	2194	95.9	45.0	45.0	5600	100	-50	1469	95.5	45.0			
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	0	2144	97.0	45.0	45.0	5600	100	0	1419	97.0	45.0			
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	50	2094	97.0	45.0	45.0	5600	100	50	1369	97.0	45.0			
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	100	2044	97.0	45.0	45.0	5600	100	100	1319	97.0	45.0			
Pickup Bed Extender	-2	Minus	21	Add	5200	100	150	1994	97.0	45.0	45.0	5600	100	150	1269	97.0	45.0			
Drop-In Bedliner	2	Add	35	Add	5200	100	200	1944	97.0	45.0	45.0	5600	100	200	1219	97.0	45.0			
Spray-In Bedliner	1	Add	19	Add	5200	100	250	1894	97.0	45.0	45.0	5600	100	250	1169	97.0	45.0			
Composite Side Aux. Steps - Platform w/Lights (SRW only)	25	Add	18	Add	5200	100	300	1844	97.0	45.0	45.0	5600	100	300	1119	97.0	45.0			
6" Angular Chrome Step w/o Lights - (SRW only)	18	Add	15	Add	5200	100	350	1794	97.0	45.0	45.0	5600	100	350	1069	97.0	45.0			
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	100	400	1744	97.0	45.0	45.0	5600	100	400	1019	97.0	45.0			
Lower Bodyside Molding	2	Add	1	Add	5200	100	450	1694	97.0	45.0	45.0	5600	100	450	969	97.0	45.0			
Reverse Vehicle Sensor System	0	Add	1	Add	5200	100	500	1644	97.0	45.0	45.0	5600	100	500	919	97.0	45.0			
Static Rear Video Camera	0	Add	1	Add	5200	150	-50	2144	93.3	45.0	45.0	5600	150	-50	1419	91.6	45.0			
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	0	2094	94.4	45.0	45.0	6000	150	0	1369	97.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	50	2044	95.5	45.0	45.0	6000	150	50	1319	97.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	100	1994	96.7	45.0	45.0	6000	150	100	1269	97.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	150	1944	97.0	45.0	45.0	6000	150	150	1219	97.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	200	1894	97.0	45.0	45.0	6000	150	200	1169	97.0	45.0			
Sliding Rear Window	5	Add	2	Add	5200	150	250	1844	97.0	45.0	45.0	6000	150	250	1119	97.0	45.0			
Power Sliding Rear Window	5	Add	3	Add	5200	150	300	1794	97.0	45.0	45.0	6000	150	300	1069	97.0	45.0			
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	350	1744	97.0	45.0	45.0	6000	150	350	1019	97.0	45.0			
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	150	400	1694	97.0	45.0	45.0	6000	150	400	969	97.0	45.0			
Foglamps	3	Add	0	Add	5200	150	450	1644	97.0	45.0	45.0	6000	150	450	919	97.0	45.0			
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	150	500	1594	97.0	45.0	45.0	6000	150	500	869	97.0	45.0			
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	-50	2094	90.6	45.0	45.0	6000	200	-50	1369	97.0	45.0			
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	0	2044	91.7	45.0	45.0	6000	200	0	1319	97.0	45.0			
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	50	1994	92.8	45.0	45.0	6000	200	50	1269	97.0	45.0			
All Weather Floor Mat	6	Add	4	Add	5200	200	100	1944	93.9	45.0	45.0	6000	200	100	1219	97.0	45.0			
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	150	1894	95.1	45.0	45.0	6000	200	150	1169	97.0	45.0			
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	200	1844	96.4	45.0	45.0	6000	200	200	1119	97.0	45.0			
Floor Console - Stand alone	-25	Minus	-9	Minus	5200	200	250	1794	97.0	45.0	45.0	6000	200	250	1069	97.0	45.0			
Cruise Control	3	Add	1	Add	5200	200	300	1744	97.0	45.0	45.0	6000	200	300	1019	97.0	45.0			
Power Equipment Group	12	Add	3	Add	5200	200	350	1694	97.0	45.0	45.0	6000	200	35						

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA											
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR				6.7L Diesel Engine 9900 lb (4490 kg) GVWR											
	FRONT (Lbs.)	REAR (Lbs.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	REAR (Lbs.)	CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS				
			FRONT (Lb.)	REAR (Lb.)		RATING (Lb.)	FRONT (A) (IN)			REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)				
Lariat Trim (GAS)	29	Add	19	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	13	Add	9	Add	5200	-50	-50	2133	97.0	45.0	5600	-50	-50	1412	97.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	0	2083	97.0	45.0	5600	-50	0	1362	97.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	0	2033	97.0	45.0	5600	-50	0	1312	97.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	5200	-50	100	1983	97.0	45.0	5600	-50	100	1262	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	5200	-50	150	1933	97.0	45.0	5600	0	0	1362	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	5200	-50	200	1883	97.0	45.0	5600	0	0	1312	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	5200	-50	250	1833	97.0	45.0	5600	0	50	1262	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	-50	300	1783	97.0	45.0	5600	0	100	1212	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	-50	350	1733	97.0	45.0	5600	0	150	1162	97.0	45.0
Brake Controller	1	Add	0	Add	5200	-50	400	1683	97.0	45.0	5600	0	200	1112	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	-50	450	1633	97.0	45.0	5600	0	250	1062	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	-50	500	1583	97.0	45.0	5600	0	300	1012	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	-50	550	1533	97.0	45.0	5600	0	350	962	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	-50	2083	97.0	45.0	5600	0	400	912	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	0	2033	97.0	45.0	5600	0	450	862	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	0	1983	97.0	45.0	5600	0	500	812	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	0	1933	97.0	45.0	5600	0	550	762	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	150	1883	97.0	45.0	6000	50	0	1262	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	200	1833	97.0	45.0	6000	50	0	1212	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	250	1783	97.0	45.0	6000	50	100	1162	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	0	300	1733	97.0	45.0	6000	50	150	1112	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	0	350	1683	97.0	45.0	6000	50	200	1062	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	0	400	1633	97.0	45.0	6000	50	250	1012	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	0	450	1583	97.0	45.0	6000	50	300	962	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	0	500	1533	97.0	45.0	6000	50	350	912	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW only w/17" Steel Wheel STD)	-12	Minus	19	Add	5200	0	550	1483	97.0	45.0	6000	50	400	862	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	-50	2033	97.0	45.0	6000	50	450	812	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	0	1983	97.0	45.0	6000	50	500	762	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	50	1933	97.0	45.0	6000	50	550	712	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	100	1883	97.0	45.0	6000	100	0	1212	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	150	1833	97.0	45.0	6000	100	50	1162	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	50	200	1783	97.0	45.0	6000	100	100	1112	97.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	5200	50	250	1733	97.0	45.0	6000	100	150	1062	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	50	300	1683	97.0	45.0	6000	100	200	1012	97.0	45.0
LT 265/70R17E A/T OWL (SRW only) 17" STD	6	Add	9	Add	5200	50	350	1633	97.0	45.0	6000	100	250	962	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	50	400	1583	97.0	45.0	6000	100	300	912	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 only) 17" STD	26	Add	39	Add	5200	50	450	1533	97.0	45.0	6000	100	350	862	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 only) 17" STD	24	Add	37	Add	5200	50	500	1483	97.0	45.0	6000	100	400	812	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	50	550	1433	97.0	45.0	6000	100	450	762	97.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	-50	1983	94.4	45.0	6000	100	500	712	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	0	1933	95.6	45.0	6000	100	550	662	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	50	1883	96.9	45.0	6000	150	0	1162	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	100	1833	97.0	45.0	6000	150	50	1112	97.0	45.0
Drop-In Bedliner	0	Add	42	Add	5200	100	150	1783	97.0	45.0	6000	150	100	1062	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	100	200	1733	97.0	45.0	6000	150	150	1012	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	250	1683	97.0	45.0	6000	150	200	962	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	100	300	1633	97.0	45.0	6000	150	250	912	97.0	45.0
6" Angular Chrome Step w/o Lights - (SRW only)	24	Add	19	Add	5200	100	350	1583	97.0	45.0	6000	150	300	862	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	100	400	1533	97.0	45.0	6000	150	350	812	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	100	450	1483	97.0	45.0	6000	150	400	762	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	100	500	1433	97.0	45.0	6000	150	450	712	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	100	550	1383	97.0	45.0	6000	150	500	662	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	-50	1933	91.1	45.0	6000	150	550	612	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	0	1883	92.3	45.0	6000	200	0	1112	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	50	1833	93.5	45.0	6000	200	50	1062	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	100	1783	94.8	45.0	6000	200	100	1012	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	150	1733	96.1	45.0	6000	200	150	962	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	200	1683	97.0	45.0	6000	200	200	912	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	250	1633	97.0	45.0	6000	200	250	862	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	300	1583	97.0	45.0	6000	200	300	812	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	150	350	1533	97.0	45.0	6000	200	350	762	97.0	45.0
Foglamps	3	Add	0	Add	5200	150	400	1483	97.0	45.0	6000	200	400	712	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	150	450	1433	97.0	45.0	6000	200	450	662	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	150	500	1383	97.0	45.0	6000	200	500	612	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	150	550	1333	97.0	45.0	6000	200	550	562	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	-50	1883	87.7	45.0	6000	250	0	1062	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	200	0	1833	88.8	45.0	6000	250	50	1012	97.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	200	50	1783	89.9	45.0	6000	250	100	962	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	100	1733	91.2	45.0	6000	250	150	912	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	150	1683	92.4	45.0	6000	250	200	862	97.0	45.0
Floor Console -																

MY: 2014 Model: F350 4x2 (10,000 GVWR 17" Tires) Cab Type: Regular Cab Wheelbase: 137 *										
OPTION TABLE					VEHICLE LOADING DATA					
					6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
	QTY	CHG	QTY	CHG	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add						
XLT Trim (DIESEL)	14	Add	9	Add	4550	-50	-50	2974	65.6	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4550	-50	0	2924	65.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4550	-50	50	2874	66.2	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4550	-50	100	2824	66.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4550	-50	150	2774	66.9	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	200	2724	67.2	45.0
Brake Controller	2	Add	1	Add	4550	-50	250	2674	67.6	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	1	Add	0	Add	4550	-50	300	2624	68.0	45.0
Skid Plates (GAS) 4X4 only	3	Add	0	Add	4550	-50	350	2574	68.3	45.0
Skid Plates (DIESEL) 4X4 only	18	Add	22	Add	4550	-50	400	2524	68.8	45.0
Less Urea Emission Tank (DSL only)	16	Add	19	Add	4550	-50	450	2474	69.2	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-97	Minus	-64	Minus	4550	0	-50	2924	63.5	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	-1	Minus	12	Add	4550	0	0	2874	63.8	45.0
5th Wheel Hitch	0	Add	18	Add	4550	0	50	2824	64.1	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	0	Add	96	Add	4550	0	100	2774	64.4	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	16	Add	0	Add	4550	0	150	2724	64.7	45.0
750 CCA/78 AH Battery	3	Add	0	Add	4550	0	200	2674	65.0	45.0
Manual Air Conditioning (GAS)	2	Add	0	Add	4550	0	250	2624	65.3	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4550	0	300	2574	65.7	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	30	Add	-1	Minus	4550	0	350	2524	66.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	-20	Minus	-20	Minus	4550	0	400	2474	66.4	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	0	450	2424	66.8	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4700	50	-50	2874	68.6	45.0
LT 245/75R17E A/T BSW (SRW only)	-9	Minus	-3	Minus	4700	50	0	2824	69.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	-2	Minus	-3	Minus	4700	50	50	2774	69.3	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	6	Add	9	Add	4700	50	100	2724	69.7	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	10	Add	16	Add	4700	50	150	2674	70.1	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4700	50	200	2624	70.6	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	24	Add	37	Add	4700	50	250	2574	71.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	27	Add	39	Add	4700	50	300	2524	71.5	45.0
Less Jack- 2-Ton (including Tool)	15	Add	-107	Minus	4700	50	350	2474	71.9	45.0
Stepgate (Upgraded Tailgate)	1	Add	-12	Minus	4700	50	400	2424	72.4	45.0
Pickup Bed Extender	-8	Minus	41	Add	4700	50	450	2374	73.0	45.0
Drop-In Bedliner	-2	Minus	21	Add	4700	100	-50	2824	66.5	45.0
Spray-In Bedliner	2	Add	42	Add	4700	100	0	2774	66.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	1	Add	19	Add	4700	100	50	2724	67.2	45.0
Reverse Vehicle Sensor System	18	Add	11	Add	4700	100	100	2674	67.6	45.0
Static Rear Video Camera	0	Add	1	Add	4700	100	150	2624	68.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	0	Add	1	Add	4700	100	200	2574	68.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	9	Add	3	Add	4700	100	250	2524	68.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	10	Add	4	Add	4700	100	300	2474	69.2	45.0
Sliding Rear Window	1	Add	0	Add	4700	100	350	2424	69.6	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	5	Add	2	Add	4700	100	400	2374	70.1	45.0
Foglamps	1	Add	0	Add	4700	100	450	2324	70.5	45.0
Bright Exhaust Pipe Extension	3	Add	0	Add	4700	150	-50	2774	64.4	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	0	Add	3	Add	4700	150	0	2724	64.7	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	-6	Minus	0	Add	4700	150	50	2674	65.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	0	Add	4700	150	100	2624	65.3	45.0
All Weather Floor Mat	3	Add	1	Add	4700	150	150	2574	65.7	45.0
Electrochromic Rear View Mirror	4	Add	2	Add	4700	150	200	2524	66.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	0	Add	4700	150	250	2474	66.4	45.0
Floor Consolette - Stand alone	1	Add	1	Add	4700	150	300	2424	66.8	45.0
Cruise Control	-25	Minus	-9	Minus	4700	150	350	2374	67.2	45.0
Power Equipment Group	3	Add	1	Add	4700	150	400	2324	67.6	45.0
Adj Gas & Brake Pedals	12	Add	3	Add	4700	150	450	2274	68.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	4	Add	3	Add	4850	200	-50	2724	69.7	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	11	Add	5	Add	4850	200	0	2674	70.1	45.0
Front Seat - Individual 40/40 Driver & Passenger	1	Add	0	Add	4850	200	50	2624	70.6	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	-16	Minus	-6	Minus	4850	200	100	2574	71.0	45.0
Cloth Seats	8	Add	4	Add	4850	200	150	2524	71.5	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-2	Minus	-1	Minus	4850	200	200	2474	71.9	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	-4	Minus	-1	Minus	4850	200	250	2424	72.4	45.0
Satellite Digital Broadcast	3	Add	2	Add	4850	200	300	2374	73.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4850	200	350	2324	73.5	45.0
SYNC Basic - Gen I	1	Add	1	Add	4850	200	400	2274	74.1	45.0
SYNC Finder - Gen II	1	Add	0	Add	4850	200	450	2224	74.6	45.0
FX4 Off-Road Package	2	Add	2	Add						
Tracking System - Crew Chief	3	Add	0	Add						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add						
Bed Mat	0	Add	58	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	5	Add	25	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR								
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
	QTY	CHG	QTY	CHG	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	ZONE LIMITS	
											I	II
Lariat Trim (GAS)	25	Add	17	Add								
XLT Trim (GAS)	10	Add	7	Add	4850	-50	-50	2207	71.6	45.0		
Lariat Trim (DIESEL)	30	Add	20	Add	4850	-50	0	2157	72.1	45.0		
XLT Trim (DIESEL)	20	Add	13	Add	4850	-50	50	2107	72.7	45.0		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4850	-50	100	2057	73.3	45.0		
1	Add	0	Add	4850	-50	150	2007	73.9	45.0			
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4850	-50	200	1957	74.6	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4850	-50	250	1907	75.3	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4850	-50	300	1857	76.0	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4850	-50	350	1807	76.8	45.0		
Brake Controller	1	Add	0	Add	4850	0	-50	2157	68.8	45.0		
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4850	0	0	2107	69.3	45.0		
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4850	0	50	2057	69.9	45.0		
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4850	0	100	2007	70.4	45.0		
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4850	0	150	1957	71.0	45.0		
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4850	0	200	1907	71.6	45.0		
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4850	0	250	1857	72.2	45.0		
5th Wheel Hitch	0	Add	96	Add	4850	0	300	1807	72.9	45.0		
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4850	0	350	1757	73.6	45.0		
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5000	50	-50	2107	76.1	45.0		
750 CCA/78 AH Battery	2	Add	0	Add	5000	50	0	2057	76.7	45.0		
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5000	50	50	2007	77.5	45.0		
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5000	50	100	1957	78.2	45.0		
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5000	50	150	1907	79.0	45.0		
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5000	50	200	1857	79.9	45.0		
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5000	50	250	1807	80.7	45.0		
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5000	50	300	1757	81.0	45.0		
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5000	50	350	1707	81.0	45.0		
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5000	100	-50	2057	73.3	45.0		
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5000	100	0	2007	73.9	45.0		
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5000	100	50	1957	74.6	45.0		
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5000	100	100	1907	75.3	45.0		
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5000	100	150	1857	76.0	45.0		
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5000	100	200	1807	76.8	45.0		
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5000	100	250	1757	77.6	45.0		
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5000	100	300	1707	78.5	45.0		
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5000	100	350	1657	79.4	45.0		
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5000	150	-50	2007	70.4	45.0		
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5000	150	0	1957	71.0	45.0		
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5000	150	50	1907	71.6	45.0		
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5000	150	100	1857	72.2	45.0		
Pickup Bed Extender	-2	Minus	21	Add	5000	150	150	1807	72.9	45.0		
Drop-In Bedliner	2	Add	35	Add	5000	150	200	1757	73.6	45.0		
Spray-In Bedliner	0	Add	16	Add	5000	150	250	1707	74.4	45.0		
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5000	150	300	1657	75.2	45.0		
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5000	150	350	1607	76.0	45.0		
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5250	200	-50	1957	81.0	45.0		
Lower Bodyside Molding	2	Add	1	Add	5250	200	0	1907	81.0	45.0		
Reverse Vehicle Sensor System	0	Add	1	Add	5250	200	50	1857	81.0	45.0		
Static Rear Video Camera	0	Add	1	Add	5250	200	100	1807	81.0	45.0		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5250	200	150	1757	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5250	200	200	1707	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5250	200	250	1657	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5250	200	300	1607	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5250	200	350	1557	81.0	45.0		
Sliding Rear Window	5	Add	2	Add	5250	250	-50	1907	81.0	45.0		
Power Sliding Rear Window	5	Add	3	Add	5250	250	0	1857	81.0	45.0		
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5250	250	50	1807	81.0	45.0		
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5250	250	100	1757	81.0	45.0		
Foglamps	3	Add	0	Add	5250	250	150	1707	81.0	45.0		
Bright Exhaust Pipe Extension	0	Add	3	Add	5250	250	200	1657	81.0	45.0		
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5250	250	250	1607	81.0	45.0		
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5250	250	300	1557	81.0	45.0		
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5250	250	350	1507	81.0	45.0		
All Weather Floor Mat	6	Add	4	Add	5250	300	-50	1857	79.9	45.0		
Electrochromic Rear View Mirror	1	Add	0	Add	5250	300	0	1807	80.7	45.0		
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5250	300	50	1757	81.0	45.0		
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	5250	300	100	1707	81.0	45.0		
Cruise Control	3	Add	1	Add	5250	300	150	1657	81.0	45.0		
Power Equipment Group	12	Add	3	Add	5250	300	200	1607	81.0	45.0		
Adj Gas & Brake Pedals	4	Add	3	Add	5250	300	250	1557	81.0	45.0		
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5250	300	300	1507	81.0	45.0		
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5250	300	350	1457	81.0	45.0		
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus								
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add								
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add								
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add								
Cloth Seats	-2	Minus	-1	Minus								
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus								
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add								
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add								
Satellite Digital Broadcast	2	Add	1	Add								
High Definition & Satellite Digital Broadcast	2	Add	1	Add								
SYNC Basic - Gen I	1	Add	0	Add								
SYNC Finder - Gen II	1	Add	0	Add								
FX4 Off-Road Package	2	Add	2	Add								
Tracking System - Crew Chief	3	Add	0	Add								
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add								
Bed Mat	0	Add	44	Add								
Cable/Strap Locks	0	Add	9	Add								
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add								
Roll-up Tonneau Cover	4	Add	22	Add								
Wheel Well Liner - SRW only	0	Add	7	Add								
Gooseneck Hitch Kit	0	Add	10	Add								
Total Option Weight												

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE	VEHICLE LOADING DATA						VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						6.7L Diesel Engine 10000 lb (4535 kg) GVWR									
	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS						
OPTION DESCRIPTION			GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)		
			I	II	III	IV	V	VI	I	II	III	IV	V	VI		
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4400	-50	-50	2808	68.8	45.0	5000	-50	-50	2074	74.7	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	0	2758	69.2	45.0	5000	-50	0	2024	75.4	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	50	2708	69.6	45.0	5000	-50	50	1974	76.1	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4400	-50	100	2658	70.0	45.0	5000	-50	100	1924	76.8	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4400	-50	150	2608	70.4	45.0	5000	-50	150	1874	77.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4400	-50	200	2558	70.8	45.0	5000	-50	200	1824	78.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4400	-50	250	2508	71.3	45.0	5000	-50	250	1774	79.3	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	300	2458	71.8	45.0	5000	-50	300	1724	80.2	45.0
Brake Controller	2	Add	1	Add	4400	-50	350	2408	72.3	45.0	5000	-50	350	1674	81.1	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	1	Add	0	Add	4400	-50	400	2358	72.8	45.0	5000	-50	400	1624	82.2	45.0
Skid Plates (GAS) 4X4 only	3	Add	0	Add	4400	-50	450	2308	73.3	45.0	5000	-50	450	1574	83.3	45.0
Skid Plates (DIESEL) 4X4 only	18	Add	21	Add	4400	-50	500	2258	73.9	45.0	5000	-50	500	1524	84.4	45.0
Less Urea Emission Tank (DSL only)	-19	Minus	-22	Add	4400	0	-50	2758	66.3	45.0	5000	0	-50	2024	71.5	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	97	Minus	-64	Minus	4400	0	0	2708	66.7	45.0	5000	0	0	1974	72.1	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	-1	Minus	12	Add	4400	0	50	2658	67.0	45.0	5000	0	50	1924	72.7	45.0
5th Wheel Hitch	0	Add	38	Add	4400	0	100	2608	67.4	45.0	5000	0	100	1874	73.4	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	0	Add	96	Add	4400	0	150	2558	67.8	45.0	5000	0	150	1824	74.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	16	Add	0	Add	4400	0	200	2508	68.2	45.0	5000	0	200	1774	74.8	45.0
750 CCA/78 AH Battery	3	Add	0	Add	4400	0	250	2458	68.6	45.0	5000	0	250	1724	75.6	45.0
Manual Air Conditioning (GAS)	2	Add	0	Add	4400	0	300	2408	69.0	45.0	5000	0	300	1674	76.4	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	32	Add	-1	Minus	4400	0	350	2358	69.4	45.0	5000	0	350	1624	77.3	45.0
Manual Air Conditioning (DIESEL)	34	Add	-1	Minus	4400	0	400	2308	69.9	45.0	5000	0	400	1574	78.2	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	31	Add	-1	Minus	4400	0	450	2258	70.4	45.0	5000	0	450	1524	79.2	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	34	Add	-1	Minus	4400	0	500	2208	70.9	45.0	5000	0	500	1474	80.3	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	-20	Minus	-20	Minus	4550	50	-50	2708	72.5	45.0	5250	50	-50	1974	88.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	0	2658	73.0	45.0	5250	50	0	1924	89.1	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	50	2608	73.4	45.0	5250	50	50	1874	90.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4550	50	100	2558	73.9	45.0	5250	50	100	1824	91.4	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4550	50	150	2508	74.5	45.0	5250	50	150	1774	92.6	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4550	50	200	2458	75.0	45.0	5250	50	200	1724	93.9	45.0
LT 245/75R17E A/T BSW (SRW only)	6	Minus	-3	Minus	4550	50	300	2358	76.1	45.0	5250	50	300	1624	96.8	45.0
LT 265/70R17E A/T OWL (SRW only) 17" STD	2	Add	9	Add	4550	50	350	2308	76.8	45.0	5250	50	350	1574	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	50	400	2258	77.4	45.0	5250	50	400	1524	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4550	50	450	2208	78.1	45.0	5250	50	450	1474	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4550	50	500	2158	78.8	45.0	5250	50	500	1424	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	-50	2658	70.0	45.0	5250	100	-50	1924	85.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	0	2608	70.4	45.0	5250	100	0	1874	86.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	50	2558	70.8	45.0	5250	100	50	1824	87.1	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	100	2508	71.3	45.0	5250	100	100	1774	88.2	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	150	2458	71.8	45.0	5250	100	150	1724	89.3	45.0
Drop-In Bedliner	2	Add	35	Add	4550	100	200	2408	72.3	45.0	5250	100	200	1674	90.6	45.0
Spray-In Bedliner	1	Add	19	Add	4550	100	250	2358	72.8	45.0	5250	100	250	1624	91.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	100	300	2308	73.3	45.0	5250	100	300	1574	93.3	45.0
5" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	4550	100	350	2258	73.9	45.0	5250	100	350	1524	94.8	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	100	400	2208	74.5	45.0	5250	100	400	1474	96.4	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	100	450	2158	75.1	45.0	5250	100	450	1424	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	100	500	2108	75.8	45.0	5250	100	500	1374	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	-50	2608	67.4	45.0	5250	150	-50	1874	81.8	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	0	2558	67.8	45.0	5250	150	0	1824	82.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	50	2508	68.2	45.0	5250	150	50	1774	83.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	100	2458	68.6	45.0	5250	150	100	1724	84.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	150	2408	69.0	45.0	5250	150	150	1674	85.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	150	200	2358	69.4	45.0	5250	150	200	1624	87.0	45.0
Sliding Rear Window	5	Add	2	Add	4550	150	250	2308	69.9	45.0	5250	150	250	1574	88.3	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	150	300	2258	70.4	45.0	5250	150	300	1524	89.6	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	350	2208	70.9	45.0	5250	150	350	1474	91.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	400	2158	71.4	45.0	5250	150	400	1424	92.5	45.0
Foglamps	3	Add	0	Add	4550	150	450	2108	72.0	45.0	5250	150	450	1374	94.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4550	150	500	2058	72.6	45.0	5250	150	500	1324	95.9	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	-50	2558	73.9	45.0	5250	200	-50	1824	78.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	200	0	2508	74.5	45.0	5250	200	0	1774	79.3	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	50	2458	75.0	45.0	5250	200	50	1724	80.2	45.0
All Weather Floor Mat	6	Add	4	Add	4700	200	100	2408	75.6	45.0	5250	200	100	1674	81.1	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	150	2358	76.1	45.0	5250	200	150	1624	82.2	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	200	2308	76.8	45.0	5250	200	200	1574	83.3	45.0
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	4700	200	250	2258	77.4	45.0	5250	200	250	1524	84.4	45.0
Cruise Control	3	Add	1	Add	4700	200	300	2208	78.1	45.0	5250	200	300	1474	85.7	45.0
Power Equipment Group	12	Add	3	Add	4700	200	350	2158	78.8	45.0	5250	200	350	1424	87.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	200	400	2108	79.5	45.0	5250	200	400	1374	88.4	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	200	450	2058	80.3	45.0	5250	200	450	1324	89.9	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	200	500	2008	81.1	45.0	5250	200	500	1274	91.6	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	-50	2508	71.3	45.0	5250	250	-50	1774	74.8	45.0
8-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	250	0	2458	71.8	45.0	5250	250	0	1724	75.6	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	250	50	2408	72.3	45.0	5250	250	50	1674	76.4	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	250	100	2358	72.8	45.0	5250	250	100	1624	77.3	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	250	150	2308	73.3	45.0	5250	250	150	1574	78.2	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	250	200	2258	73.9	45.0	5250	250	200	1524	79.2	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	250	250	2208	74.5	45.0	5250	250	250	1474	80.3	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
	FRONT (Lbs.)	REAR (Lbs.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	REAR (Lbs.)	GAWR (Lb.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
			FRONT (Lb.)	REAR (Lb.)		RATING (Lb.)	FRONT (A) (IN)				REAR (B) (IN)	FRONT (Lb.)		REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)
			I	II	III	IV	V	VI	I	II	III	IV	V	VI		
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4550	-50	-50	2560	74.5	45.0	5250	-50	-50	1864	92.8	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	0	2510	75.1	45.0	5250	-50	0	1814	94.1	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	50	2460	75.6	45.0	5250	-50	50	1764	95.4	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4550	-50	100	2410	76.2	45.0	5250	-50	100	1714	96.8	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	200	2310	77.4	45.0	5250	-50	200	1614	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	250	2260	78.1	45.0	5250	-50	250	1564	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	300	2210	78.8	45.0	5250	-50	300	1514	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	350	2160	79.5	45.0	5250	-50	350	1464	97.0	45.0
Brake Controller	1	Add	0	Add	4550	-50	400	2110	80.2	45.0	5250	-50	400	1414	97.0	45.0
ESC/F w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	-50	500	2010	81.8	45.0	5250	-50	500	1314	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	0	2460	72.1	45.0	5250	0	0	1764	90.5	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	50	2410	72.6	45.0	5250	0	50	1714	91.7	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	100	2360	73.1	45.0	5250	0	100	1664	93.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	150	2310	73.7	45.0	5250	0	150	1614	94.4	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	200	2260	74.3	45.0	5250	0	200	1564	95.9	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	250	2210	74.9	45.0	5250	0	250	1514	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	300	2160	75.5	45.0	5250	0	300	1464	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	350	2110	76.1	45.0	5250	0	350	1414	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	400	2060	76.8	45.0	5250	0	400	1364	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	500	1960	78.3	45.0	5250	0	500	1264	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	0	2410	79.8	45.0	5250	50	0	1714	86.7	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	50	2360	80.4	45.0	5250	50	50	1664	87.9	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	100	2310	81.2	45.0	5250	50	100	1614	89.1	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4700	50	150	2260	81.9	45.0	5250	50	150	1564	90.4	45.0
18X8" Steel Drop Center Road Wheel (SRW 4x4 only w/17" Steel Wheel STD)	12	Minus	9	Add	4700	50	200	2210	82.7	45.0	5250	50	200	1514	91.8	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4700	50	250	2160	83.5	45.0	5250	50	250	1464	93.3	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4700	50	300	2110	84.3	45.0	5250	50	300	1414	94.9	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4700	50	350	2060	85.2	45.0	5250	50	350	1364	96.6	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	400	2010	86.1	45.0	5250	50	400	1314	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	500	1910	88.1	45.0	5250	50	500	1214	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4700	100	0	2360	76.8	45.0	5250	100	0	1664	82.7	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	4700	100	50	2310	77.4	45.0	5250	100	50	1614	83.8	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	100	100	2260	78.1	45.0	5250	100	100	1564	84.9	45.0
LT 245/70R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4700	100	150	2210	78.8	45.0	5250	100	150	1514	86.1	45.0
LT 265/70R17E A/T OWL (SRW only) 17" STD	6	Add	9	Add	4700	100	200	2160	79.5	45.0	5250	100	200	1464	87.4	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4700	100	250	2110	80.2	45.0	5250	100	250	1414	88.8	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 only) 17" STD	26	Add	39	Add	4700	100	300	2060	81.0	45.0	5250	100	300	1364	90.3	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 only) 17" STD	24	Add	37	Add	4700	100	350	2010	81.8	45.0	5250	100	350	1314	91.9	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4700	100	400	1960	82.7	45.0	5250	100	400	1264	93.7	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4700	100	500	1860	84.6	45.0	5250	100	500	1164	97.0	45.0
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4700	150	0	2310	73.7	45.0	5250	150	0	1614	78.4	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	150	50	2260	74.3	45.0	5250	150	50	1564	79.4	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	150	100	2210	74.9	45.0	5250	150	100	1514	80.4	45.0
Drop-In Bedliner	2	Add	42	Add	4700	150	150	2160	75.5	45.0	5250	150	150	1464	81.5	45.0
Spray-In Bedliner	0	Add	20	Add	4700	150	200	2110	76.1	45.0	5250	150	200	1414	82.7	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4700	150	250	2060	76.8	45.0	5250	150	250	1364	84.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	150	300	2010	77.5	45.0	5250	150	300	1314	85.4	45.0
6" Angular Chrome Step w/Lights - (SRW only)	24	Add	19	Add	4700	150	350	1960	78.3	45.0	5250	150	350	1264	86.9	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4700	150	400	1910	79.1	45.0	5250	150	400	1214	88.5	45.0
Lower Bodyside Molding	2	Add	1	Add	4700	150	500	1810	80.8	45.0	5250	150	500	1114	92.1	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4850	200	0	2260	81.9	45.0	5250	200	0	1564	73.9	45.0
Static Rear Video Camera	0	Add	1	Add	4850	200	50	2210	82.7	45.0	5250	200	50	1514	74.7	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4850	200	100	2160	83.5	45.0	5250	200	100	1464	75.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4850	200	150	2110	84.3	45.0	5250	200	150	1414	76.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4850	200	200	2060	85.2	45.0	5250	200	200	1364	77.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4850	200	250	2010	86.1	45.0	5250	200	250	1314	78.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4850	200	300	1960	87.1	45.0	5250	200	300	1264	80.0	45.0
Sliding Rear Window	5	Add	2	Add	4850	200	350	1910	88.1	45.0	5250	200	350	1214	81.4	45.0
Power Sliding Rear Window	5	Add	3	Add	4850	200	400	1860	89.2	45.0	5250	200	400	1164	82.8	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4850	200	500	1760	91.5	45.0	5250	200	500	1064	86.1	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4850	250	0	2210	78.8	45.0	5250	250	0	1514	69.0	45.0
Foglamps	3	Add	0	Add	4850	250	50	2160	79.5	45.0	5250	250	50	1464	69.8	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4850	250	100	2110	80.2	45.0	5250	250	100	1414	70.5	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4850	250	150	2060	81.0	45.0	5250	250	150	1364	71.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4850	250	200	2010	81.8	45.0	5250	250	200	1314	72.3	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4850	250	250	1960	82.7	45.0	5250	250	250	1264	73.2	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4850	250	300	1910	83.6	45.0	5250	250	300	1214	74.3	45.0
All Weather Floor Mat	7	Add	4	Add	4850	250	350	1860	84.6	45.0	5250	250	350	1164	75.4	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4850	250	400	1810	85.6	45.0	5250	250</				

OPTION TABLE				VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR								
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	FRONT (A)		REAR (B)					
					(IN)	(IN)						
XLT Trim (GAS)	10	Add	6	Add	I	II	III	IV	V	VI		
XLT Trim (DIESEL)	14	Add	9	Add	4550	-50	-50	2974	65.6	45.0		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	0	2924	65.9	45.0		
Immersion Heater - Engine	1	Add	0	Add	4550	-50	50	2874	66.2	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	100	2824	66.5	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	150	2774	66.9	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	200	2724	67.2	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	250	2674	67.6	45.0		
Brake Controller	1	Add	0	Add	4550	-50	300	2624	68.0	45.0		
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	-50	350	2574	68.3	45.0		
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4550	-50	400	2524	68.8	45.0		
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4550	-50	450	2474	69.2	45.0		
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	-50	2924	63.5	45.0		
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	0	2874	63.8	45.0		
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4550	0	50	2824	64.1	45.0		
5th Wheel Hitch	0	Add	96	Add	4550	0	100	2774	64.4	45.0		
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	150	2724	64.7	45.0		
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	200	2674	65.0	45.0		
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	250	2624	65.3	45.0		
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4550	0	300	2574	65.7	45.0		
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4550	0	350	2524	66.0	45.0		
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	0	400	2474	66.4	45.0		
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	0	450	2424	66.8	45.0		
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4700	50	-50	2874	68.6	45.0		
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4700	50	0	2824	69.0	45.0		
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4700	50	50	2774	69.3	45.0		
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	50	100	2724	69.7	45.0		
Pickup Bed Extender	-2	Minus	21	Add	4700	50	150	2674	70.1	45.0		
Drop-In Bedliner	2	Add	42	Add	4700	50	200	2624	70.6	45.0		
Spray-In Bedliner	1	Add	19	Add	4700	50	250	2574	71.0	45.0		
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4700	50	300	2524	71.5	45.0		
Reverse Vehicle Sensor System	0	Add	1	Add	4700	50	350	2474	71.9	45.0		
Static Rear Video Camera	0	Add	1	Add	4700	50	400	2424	72.4	45.0		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	50	450	2374	73.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	100	-50	2824	66.5	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	100	0	2774	66.9	45.0		
Sliding Rear Window	5	Add	2	Add	4700	100	50	2724	67.2	45.0		
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	100	100	2674	67.6	45.0		
Foglamps	3	Add	0	Add	4700	100	150	2624	68.0	45.0		
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	100	200	2574	68.3	45.0		
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	100	250	2524	68.8	45.0		
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4700	100	300	2474	69.2	45.0		
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4700	100	350	2424	69.6	45.0		
All Weather Floor Mat	4	Add	2	Add	4700	100	400	2374	70.1	45.0		
Electrochromic Rear View Mirror	1	Add	0	Add	4700	100	450	2324	70.5	45.0		
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	150	-50	2774	64.4	45.0		
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	4700	150	0	2724	64.7	45.0		
Cruise Control	3	Add	1	Add	4700	150	50	2674	65.0	45.0		
Power Equipment Group	12	Add	3	Add	4700	150	100	2624	65.3	45.0		
Adj Gas & Brake Pedals	4	Add	3	Add	4700	150	150	2574	65.7	45.0		
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4700	150	200	2524	66.0	45.0		
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	150	250	2474	66.4	45.0		
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	150	300	2424	66.8	45.0		
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	150	350	2374	67.2	45.0		
Cloth Seats	-2	Minus	-1	Minus	4700	150	400	2324	67.6	45.0		
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	150	450	2274	68.0	45.0		
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4850	200	-50	2724	69.7	45.0		
Satellite Digital Broadcast	2	Add	1	Add	4850	200	0	2674	70.1	45.0		
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4850	200	50	2624	70.6	45.0		
SYNC Basic - Gen I	1	Add	0	Add	4850	200	100	2574	71.0	45.0		
SYNC Finder - Gen II	1	Add	0	Add	4850	200	150	2524	71.5	45.0		
FX4 Off-Road Package	2	Add	2	Add	4850	200	200	2474	71.9	45.0		
Tracking System - Crew Chief	3	Add	0	Add	4850	200	250	2424	72.4	45.0		
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4850	200	300	2374	73.0	45.0		
Bed Mat	0	Add	58	Add	4850	200	350	2324	73.5	45.0		
Cable/Strap Locks	0	Add	9	Add	4850	200	400	2274	74.1	45.0		
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4850	200	450	2224	74.6	45.0		
Roll-up Tonneau Cover	5	Add	25	Add								
Wheel Well Liner - SRW only	0	Add	7	Add								
Gooseneck Hitch Kit	0	Add	10	Add								

Total Option Weight

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
	QTY	CHG	QTY	CHG	GAWR (Lb.)	FRONT	REAR	RATING (LB)	FRONT (A)	REAR (B)
						(LB)	(LB)		(IN)	(IN)
Lariat Trim (GAS)	25	Add	17	Add						
XLT Trim (GAS)	10	Add	7	Add	4850	-50	-50	2207	71.6	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4850	-50	0	2157	72.1	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4850	-50	0	2107	72.7	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4850	-50	100	2057	73.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4850	-50	150	2007	73.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4850	-50	200	1957	74.6	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4850	-50	250	1907	75.3	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4850	-50	300	1857	76.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4850	-50	350	1807	76.8	45.0
Brake Controller	1	Add	0	Add	4850	0	-50	2157	68.8	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4850	0	0	2107	69.3	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4850	0	50	2057	69.9	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4850	0	100	2007	70.4	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4850	0	150	1957	71.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	0	Add	12	Add	4850	0	200	1907	71.6	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4850	0	250	1857	72.2	45.0
5th Wheel Hitch	0	Add	96	Add	4850	0	300	1807	72.9	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4850	0	350	1757	73.6	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5000	50	-50	2107	76.1	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5000	50	0	2057	76.7	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5000	50	50	2007	77.5	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5000	50	100	1957	78.2	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5000	50	150	1907	79.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5000	50	200	1857	79.9	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5000	50	250	1807	80.7	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5000	50	300	1757	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5000	50	350	1707	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5000	100	-50	2057	73.3	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5000	100	0	2007	73.9	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5000	100	50	1957	74.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5000	100	100	1907	75.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	5000	100	150	1857	76.0	45.0
Drop-In Bedliner	2	Add	35	Add	5000	100	200	1807	76.8	45.0
Spray-In Bedliner	0	Add	16	Add	5000	100	250	1757	77.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5000	100	300	1707	78.5	45.0
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5000	100	350	1657	79.4	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5000	150	-50	2007	70.4	45.0
Lower Bodyside Molding	2	Add	1	Add	5000	150	0	1957	71.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5000	150	50	1907	71.6	45.0
Static Rear Video Camera	0	Add	1	Add	5000	150	100	1857	72.2	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5000	150	150	1807	72.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5000	150	200	1757	73.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5000	150	250	1707	74.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5000	150	300	1657	75.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5000	150	350	1607	76.0	45.0
Sliding Rear Window	5	Add	2	Add	5250	200	-50	1957	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5250	200	0	1907	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5250	200	50	1857	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5250	200	100	1807	81.0	45.0
Foglamps	3	Add	0	Add	5250	200	150	1757	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5250	200	200	1707	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5250	200	250	1657	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5250	200	300	1607	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5250	200	350	1557	81.0	45.0
All Weather Floor Mat	6	Add	4	Add	5250	250	-50	1907	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5250	250	0	1857	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5250	250	50	1807	81.0	45.0
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	5250	250	100	1757	81.0	45.0
Cruise Control	3	Add	1	Add	5250	250	150	1707	81.0	45.0
Power Equipment Group	12	Add	3	Add	5250	250	200	1657	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5250	250	250	1607	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5250	250	300	1557	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5250	250	350	1507	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5250	300	-50	1857	79.9	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5250	300	0	1807	80.7	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5250	300	50	1757	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5250	300	100	1707	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5250	300	150	1657	81.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5250	300	200	1607	81.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5250	300	250	1557	81.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5250	300	300	1507	81.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5250	300	350	1457	81.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add						
SYNC Basic - Gen I	1	Add	0	Add						
SYNC Finder - Gen II	1	Add	0	Add						
FX4 Off-Road Package	2	Add	2	Add						
Tracking System - Crew Chief	3	Add	0	Add						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add						
Bed Mat	0	Add	44	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	4	Add	22	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA							
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR										6.7L Diesel Engine 10000 lb (4535 kg) GVWR							
	FRONT		REAR		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)			
Lariat Trim (GAS)	29	Add	19	Add														
XLT Trim (GAS)	13	Add	9	Add	4400	-50	-50	2684	70.3	45.0	5000	-50	-50	2037	78.6	45.0		
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	0	2644	70.8	45.0	5000	-50	0	1987	79.4	45.0		
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	50	2594	71.2	45.0	5000	-50	50	1937	80.2	45.0		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4400	-50	100	2544	71.7	45.0	5000	-50	100	1887	81.0	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4400	-50	150	2494	72.1	45.0	5000	0	0	1987	75.4	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	11	Add	4400	-50	200	2444	72.6	45.0	5000	0	0	1937	76.1	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	250	2394	73.1	45.0	5000	0	50	1887	76.9	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	300	2344	73.7	45.0	5000	0	100	1837	77.7	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	350	2294	74.2	45.0	5000	0	150	1787	78.5	45.0		
Brake Controller	1	Add	0	Add	4400	-50	400	2244	74.8	45.0	5000	0	200	1737	79.4	45.0		
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	-50	2644	67.8	45.0	5000	0	250	1687	80.3	45.0		
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	0	2594	68.2	45.0	5000	0	300	1637	81.0	45.0		
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	50	2544	68.6	45.0	5000	0	350	1587	81.0	45.0		
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	100	2494	69.0	45.0	5000	0	400	1537	81.0	45.0		
5th Wheel Hitch	0	Add	96	Add	4400	0	150	2444	69.4	45.0	5000	50	0	1887	72.7	45.0		
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	200	2394	69.9	45.0	5000	50	50	1837	73.4	45.0		
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	250	2344	70.4	45.0	5000	50	100	1787	74.1	45.0		
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	300	2294	70.8	45.0	5000	50	150	1737	74.9	45.0		
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	0	350	2244	71.4	45.0	5000	50	200	1687	75.7	45.0		
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	0	400	2194	71.9	45.0	5000	50	250	1637	76.5	45.0		
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	-50	2594	74.2	45.0	5000	50	300	1587	77.4	45.0		
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	0	2544	74.7	45.0	5000	50	350	1537	78.4	45.0		
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	50	2494	75.3	45.0	5000	50	400	1487	79.4	45.0		
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	100	2444	75.8	45.0	5250	100	0	1837	81.0	45.0		
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	150	2394	76.4	45.0	5250	100	50	1787	81.0	45.0		
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4550	50	200	2344	77.0	45.0	5250	100	100	1737	81.0	45.0		
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4550	50	250	2294	77.7	45.0	5250	100	150	1687	81.0	45.0		
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	50	300	2244	78.3	45.0	5250	100	200	1637	81.0	45.0		
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	50	350	2194	79.0	45.0	5250	100	250	1587	81.0	45.0		
Pickup Bed Extender	-2	Minus	21	Add	4550	50	400	2144	79.7	45.0	5250	100	300	1537	81.0	45.0		
Drop-In Bedliner	2	Add	42	Add	4550	100	-50	2544	71.7	45.0	5250	100	350	1487	81.0	45.0		
Spray-In Bedliner	0	Add	16	Add	4550	100	0	2494	72.1	45.0	5250	100	400	1437	81.0	45.0		
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	100	50	2444	72.6	45.0	5250	150	0	1787	81.0	45.0		
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	100	100	2394	73.1	45.0	5250	150	50	1737	81.0	45.0		
6" Angular Chrome Step w/o Lights (-SRW only)	24	Add	19	Add	4550	100	150	2344	73.7	45.0	5250	150	100	1687	81.0	45.0		
5" Tubular Chrome Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	100	200	2294	74.2	45.0	5250	150	150	1637	81.0	45.0		
Lower Bodyside Molding	2	Add	1	Add	4550	100	250	2244	74.8	45.0	5250	150	200	1587	81.0	45.0		
Reverse Vehicle Sensor System	0	Add	1	Add	4550	100	300	2194	75.4	45.0	5250	150	250	1537	81.0	45.0		
Static Rear Video Camera	0	Add	1	Add	4550	100	350	2144	76.1	45.0	5250	150	300	1487	81.0	45.0		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	100	400	2094	76.8	45.0	5250	150	350	1437	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	-50	2494	69.0	45.0	5250	150	400	1387	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	0	2444	69.4	45.0	5250	200	0	1737	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	50	2394	69.9	45.0	5250	200	50	1687	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	150	100	2344	70.4	45.0	5250	200	100	1637	81.0	45.0		
Sliding Rear Window	5	Add	2	Add	4550	150	150	2294	70.8	45.0	5250	200	150	1587	81.0	45.0		
Power Sliding Rear Window	5	Add	3	Add	4550	150	200	2244	71.4	45.0	5250	200	200	1537	81.0	45.0		
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	250	2194	71.9	45.0	5250	200	250	1487	81.0	45.0		
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	300	2144	72.4	45.0	5250	200	300	1437	81.0	45.0		
Foglamps	3	Add	0	Add	4550	150	350	2094	73.0	45.0	5250	200	350	1387	81.0	45.0		
Bright Exhaust Pipe Extension	0	Add	3	Add	4550	150	400	2044	73.6	45.0	5250	200	400	1337	81.0	45.0		
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	-50	2444	75.8	45.0	5250	250	50	1637	81.0	45.0		
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	200	0	2394	76.4	45.0	5250	250	100	1587	81.0	45.0		
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	50	2344	77.0	45.0	5250	250	150	1537	81.0	45.0		
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	200	100	2294	77.7	45.0	5250	250	200	1487	81.0	45.0		
All Weather Floor Mat	7	Add	4	Add	4700	200	150	2244	78.3	45.0	5250	250	250	1437	81.0	45.0		
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	200	2194	79.0	45.0	5250	250	300	1387	81.0	45.0		
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	250	2144	79.7	45.0	5250	250	350	1337	81.0	45.0		
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	4700	200	300	2094	80.5	45.0	5250	250	400	1287	81.0	45.0		
Cruise Control	3	Add	1	Add	4700	200	350	2044	81.0	45.0	5250	300	50	1587	77.4	45.0		
Power Equipment Group	15	Add	6	Add	4700	200	400	1994	81.0	45.0	5250	300	100	1537	78.4	45.0		
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	-50	2394	73.1	45.0	5250	300	150	1487	79.4	45.0		
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	250	0	2344	73.7	45.0	5250	300	200	1437	80.5	45.0		
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	50	2294	74.2	45.0	5250	300	250	1387	81.0	45.0		
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	100	2244	74.8	45.0	5250	300	300	1337	81.0	45.0		
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	4700	250	150	2194	75.4	45.0	5250	300	350	1287	81.0	45.0		
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	250	200	2144	76.1	45.0	5250	300	400	1237	81.0	45.0		
10-Way Power Seat Adjuster (Driver/Passenger)																		

OPTION DESCRIPTION	OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR												
	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS				
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	
	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV	XV	XVI	XVII	XVIII	XIX	XX	XXI	XXII	XXIII
Lariat Trim (GAS)	25	Add	17	Add	4400	-50	-50	2808	68.8	45.0	5000	-50	-50	2074	74.7	45.0							
XLT Trim (GAS)	10	Add	7	Add	4400	-50	0	2758	69.2	45.0	5000	-50	0	2024	75.4	45.0							
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	50	2708	69.6	45.0	5000	-50	50	1974	76.1	45.0							
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	100	2658	70.0	45.0	5000	-50	100	1924	76.8	45.0							
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	150	2608	70.4	45.0	5000	-50	150	1874	77.6	45.0							
Immersion Heater - Engine	1	Add	0	Add	4400	-50	200	2558	70.8	45.0	5000	-50	200	1824	78.4	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	250	2508	71.3	45.0	5000	-50	250	1774	79.3	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	300	2458	71.8	45.0	5000	-50	300	1724	80.2	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	350	2408	72.3	45.0	5000	-50	350	1674	81.1	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	0	Add	4400	-50	400	2358	72.8	45.0	5000	-50	400	1624	82.2	45.0							
Brake Controller	3	Add	0	Add	4400	-50	450	2308	73.3	45.0	5000	-50	450	1574	83.3	45.0							
ESOF w/Auto-Man Locking Hubs (4X4 only)	18	Add	21	Add	4400	-50	500	2258	73.9	45.0	5000	-50	500	1524	84.4	45.0							
Skid Plates (GAS) 4X4 only	19	Add	22	Add	4400	0	-50	2758	66.3	45.0	5000	0	-50	2024	71.5	45.0							
Skid Plates (DIESEL) 4X4 only	-97	Minus	-64	Minus	4400	0	0	2708	66.7	45.0	5000	0	0	1974	72.1	45.0							
Less Urea Emission Tank (DSL only)	-1	Minus	12	Add	4400	0	50	2658	67.0	45.0	5000	0	50	1924	72.7	45.0							
Rear Stabilizer Bar F250/350 SRW 4X4	0	Add	38	Add	4400	0	100	2608	67.4	45.0	5000	0	100	1874	73.4	45.0							
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	96	Add	4400	0	150	2558	67.8	45.0	5000	0	150	1824	74.1	45.0							
5th Wheel Hitch	16	Add	0	Add	4400	0	200	2508	68.2	45.0	5000	0	200	1774	74.8	45.0							
Dual Heavy Duty Alternators (6.7L DSL only)	3	Add	0	Add	4400	0	250	2458	68.6	45.0	5000	0	250	1724	75.6	45.0							
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	2	Add	0	Add	4400	0	300	2408	69.0	45.0	5000	0	300	1674	76.4	45.0							
750 CCA/78 AH Battery	32	Add	-1	Minus	4400	0	350	2358	69.4	45.0	5000	0	350	1624	77.3	45.0							
Manual Air Conditioning (GAS)	34	Add	-1	Minus	4400	0	400	2308	69.9	45.0	5000	0	400	1574	78.2	45.0							
Dual Zone Electronic Automatic Temperature Control AC (GAS)	31	Add	-1	Minus	4400	0	450	2258	70.4	45.0	5000	0	450	1524	79.2	45.0							
Manual Air Conditioning (DIESEL)	34	Add	-1	Minus	4400	0	500	2208	70.9	45.0	5000	0	500	1474	80.3	45.0							
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	-22	Minus	-22	Minus	4550	50	-50	2708	72.5	45.0	5250	50	-50	1974	88.1	45.0							
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	0	2658	73.0	45.0	5250	50	0	1924	89.1	45.0							
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	50	2608	73.4	45.0	5250	50	50	1874	90.2	45.0							
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-17	Add	24	Add	4550	50	100	2558	73.9	45.0	5250	50	100	1824	91.4	45.0							
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	-120	Minus	4550	50	150	2508	74.5	45.0	5250	50	150	1774	92.6	45.0							
Less Spare Tire (including carrier) - 18" steel STD	1	Add	-12	Minus	4550	50	200	2458	75.0	45.0	5250	50	200	1724	93.9	45.0							
Less Jack- 2-Ton (including Tool)	-8	Minus	41	Add	4550	50	250	2408	75.6	45.0	5250	50	250	1674	95.3	45.0							
Stepgate (Upgraded Tailgate)	-2	Minus	21	Add	4550	50	300	2358	76.1	45.0	5250	50	300	1624	96.8	45.0							
Pickup Bed Extender	2	Add	35	Add	4550	50	350	2308	76.8	45.0	5250	50	350	1574	97.0	45.0							
Drop-in Bedliner	1	Add	19	Add	4550	50	400	2258	77.4	45.0	5250	50	400	1524	97.0	45.0							
Spray-In Bedliner	25	Add	18	Add	4550	50	450	2208	78.1	45.0	5250	50	450	1474	97.0	45.0							
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	15	Add	4550	50	500	2158	78.8	45.0	5250	50	500	1424	97.0	45.0							
8" Angular Chrome Step w/o Lights (SRW only)	16	Add	15	Add	4550	100	-50	2658	70.0	45.0	5250	100	-50	1924	85.0	45.0							
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	2	Add	1	Add	4550	100	0	2608	70.4	45.0	5250	100	0	1874	86.0	45.0							
Lower Bayside Molding	0	Add	1	Add	4550	100	50	2558	70.8	45.0	5250	100	50	1824	87.1	45.0							
Reverse Vehicle Sensor System	0	Add	1	Add	4550	100	100	2508	71.3	45.0	5250	100	100	1774	88.2	45.0							
Static Rear Video Camera	9	Add	3	Add	4550	100	150	2458	71.8	45.0	5250	100	150	1724	89.3	45.0							
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	10	Add	4	Add	4550	100	200	2408	72.3	45.0	5250	100	200	1674	90.6	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	16	Add	6	Add	4550	100	250	2358	72.8	45.0	5250	100	250	1624	91.9	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	1	Add	0	Add	4550	100	300	2308	73.3	45.0	5250	100	300	1574	93.3	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	7	Add	3	Add	4550	100	350	2258	73.9	45.0	5250	100	350	1524	94.8	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	5	Add	2	Add	4550	100	400	2208	74.5	45.0	5250	100	400	1474	96.4	45.0							
Sliding Rear Window	3	Add	3	Add	4550	100	450	2158	75.1	45.0	5250	100	450	1424	97.0	45.0							
Power Sliding Rear Window	1	Add	2	Add	4550	100	500	2108	75.8	45.0	5250	100	500	1374	97.0	45.0							
Electronic Rear Window (Backglass) Defrost - SC/CC only	0	Add	0	Add	4550	150	-50	2608	67.4	45.0	5250	150	-50	1874	81.8	45.0							
Roof Marker/Clearance Lights - Conv (SRW only)	3	Add	0	Add	4550	150	0	2558	67.8	45.0	5250	150	0	1824	82.7	45.0							
Foglamps	0	Add	3	Add	4550	150	50	2508	68.2	45.0	5250	150	50	1774	83.7	45.0							
Bright Exhaust Pipe Extension	-6	Minus	0	Add	4550	150	100	2458	68.6	45.0	5250	150	100	1724	84.8	45.0							
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	4	Add	0	Add	4550	150	150	2408	69.0	45.0	5250	150	150	1674	85.9	45.0							
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	2	Add	4550	150	200	2358	69.4	45.0	5250	150	200	1624	87.0	45.0							
XLT Floor Mats less Logo (Color Keyed)	6	Add	4	Add	4550	150	250	2308	69.9	45.0	5250	150	250	1574	88.3	45.0							
All Weather Floor Mat	1	Add	0	Add	4550	150	300	2258	70.4	45.0	5250	150	300	1524	89.6	45.0							
Electrochromic Rear View Mirror	1	Add	1	Add	4550	150	350	2208	70.9	45.0	5250	150	350	1474	91.0	45.0							
Electrochromic Rear View Mirror w/Video Display	-25	Minus	-9	Minus	4550	150	400	2158	71.4	45.0</													

OPTION TABLE				VEHICLE LOADING DATA								VEHICLE LOADING DATA											
				6.2L Gasoline Engine 10000 lb (4535 kg) GVWR								6.7L Diesel Engine 10000 lb (4535 kg) GVWR											
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)		
Lariat Trim (GAS)	29	Add	19	Add																			
XLT Trim (GAS)	13	Add	9	Add	4550	-50	-50	2560	74.5	45.0	5250	-50	-50	1864	92.8	45.0							
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	0	2510	75.1	45.0	5250	-50	0	1814	94.1	45.0							
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	50	2460	75.6	45.0	5250	-50	50	1764	95.4	45.0							
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4550	-50	100	2410	76.2	45.0	5250	-50	100	1714	96.8	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4550	-50	150	2360	76.8	45.0	5250	-50	150	1664	97.0	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4550	-50	200	2310	77.4	45.0	5250	-50	200	1614	97.0	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4550	-50	250	2260	78.1	45.0	5250	-50	250	1564	97.0	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	300	2210	78.8	45.0	5250	-50	300	1514	97.0	45.0							
Brake Controller	2	Add	1	Add	4550	-50	350	2160	79.5	45.0	5250	-50	350	1464	97.0	45.0							
ESOF w/Auto-Man Locking Hubs (4X4 only)	1	Add	0	Add	4550	-50	400	2110	80.2	45.0	5250	-50	400	1414	97.0	45.0							
Skid Plates (GAS) 4X4 only	3	Add	0	Add	4550	-50	500	2010	81.8	45.0	5250	-50	500	1314	97.0	45.0							
Skid Plates (DIESEL) 4X4 only	18	Add	21	Add	4550	0	0	2460	72.1	45.0	5250	0	0	1764	90.5	45.0							
Less Urea Emission Tank (DSL only)	23	Add	18	Add	4550	0	50	2410	72.6	45.0	5250	0	50	1714	91.7	45.0							
Rear Stabilizer Bar F250/350 SRW 4X4	-97	Minus	-64	Minus	4550	0	100	2360	73.1	45.0	5250	0	100	1664	93.0	45.0							
Rear Auxiliary Spring Package (F250-F350 4x4)	-1	Minus	12	Add	4550	0	150	2310	73.7	45.0	5250	0	150	1614	94.4	45.0							
5th Wheel Hitch	0	Add	38	Add	4550	0	200	2260	74.3	45.0	5250	0	200	1564	95.9	45.0							
Dual Heavy Duty Alternators (6.7L DSL only)	0	Add	96	Add	4550	0	250	2210	74.9	45.0	5250	0	250	1514	97.0	45.0							
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	16	Add	0	Add	4550	0	300	2160	75.5	45.0	5250	0	300	1464	97.0	45.0							
750 CCA/78 AH Battery	3	Add	0	Add	4550	0	350	2110	76.1	45.0	5250	0	350	1414	97.0	45.0							
Manual Air Conditioning (GAS)	2	Add	0	Add	4550	0	400	2060	76.8	45.0	5250	0	400	1364	97.0	45.0							
Dual Zone Electronic Automatic Temperature Control AC (GAS)	32	Add	-1	Minus	4550	0	500	1960	78.3	45.0	5250	0	500	1264	97.0	45.0							
Manual Air Conditioning (DIESEL)	34	Add	-1	Minus	4700	50	0	2410	79.8	45.0	5250	50	0	1714	86.7	45.0							
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	31	Add	-1	Minus	4700	50	50	2360	80.4	45.0	5250	50	50	1664	87.9	45.0							
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	34	Add	-1	Minus	4700	50	100	2310	81.2	45.0	5250	50	100	1614	89.1	45.0							
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	50	150	2260	81.9	45.0	5250	50	150	1564	90.4	45.0							
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4700	50	200	2210	82.7	45.0	5250	50	200	1514	91.8	45.0							
LT 275/65R20E A/T OWL (SRW only) 18" STD	-22	Minus	-22	Minus	4700	50	250	2160	83.5	45.0	5250	50	250	1464	93.3	45.0							
Less Spare Tire (including carrier) - 18" steel STD	17	Add	24	Add	4700	50	300	2110	84.3	45.0	5250	50	300	1414	94.9	45.0							
Less Jack- 2-Ton (including Tool)	17	Add	-12	Minus	4700	50	350	2060	85.2	45.0	5250	50	350	1364	96.6	45.0							
Stepgate (Upgraded Tailgate)	1	Add	-12	Minus	4700	50	400	2010	86.1	45.0	5250	50	400	1314	97.0	45.0							
Pickup Bed Extender	-8	Minus	41	Add	4700	50	500	1910	88.1	45.0	5250	50	500	1214	97.0	45.0							
Drop-In Bedliner	2	Add	42	Add	4700	100	50	2360	76.8	45.0	5250	100	0	1664	82.7	45.0							
Spray-In Bedliner	0	Add	20	Add	4700	100	50	2310	77.4	45.0	5250	100	50	1614	83.8	45.0							
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	0	Add	40	Add	4700	100	100	2260	78.1	45.0	5250	100	100	1564	84.9	45.0							
Side Aux Steps - w/Lights (SRW only)	28	Add	19	Add	4700	100	150	2210	78.8	45.0	5250	100	150	1514	86.1	45.0							
6" Angular Chrome Step w/o Lights (SRW only)	38	Add	26	Add	4700	100	200	2160	79.5	45.0	5250	100	200	1464	87.4	45.0							
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	19	Add	4700	100	250	2110	80.2	45.0	5250	100	250	1414	88.8	45.0							
Lower Bodyside Molding	24	Add	16	Add	4700	100	300	2060	81.0	45.0	5250	100	300	1364	90.3	45.0							
Reverse Vehicle Sensor System	0	Add	1	Add	4700	100	350	2010	81.8	45.0	5250	100	350	1314	91.9	45.0							
Static Rear Video Camera	2	Add	1	Add	4700	100	400	1960	82.7	45.0	5250	100	400	1264	93.7	45.0							
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	0	Add	1	Add	4700	100	500	1860	84.6	45.0	5250	100	500	1164	97.0	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	9	Add	3	Add	4700	150	0	2310	73.7	45.0	5250	150	0	1614	78.4	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	10	Add	4	Add	4700	150	50	2260	74.3	45.0	5250	150	50	1564	79.4	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	16	Add	6	Add	4700	150	100	2210	74.9	45.0	5250	150	100	1514	80.4	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	1	Add	0	Add	4700	150	150	2160	75.5	45.0	5250	150	150	1464	81.5	45.0							
Sliding Rear Window	7	Add	3	Add	4700	150	200	2110	76.1	45.0	5250	150	200	1414	82.7	45.0							
Power Sliding Rear Window	5	Add	2	Add	4700	150	250	2060	76.8	45.0	5250	150	250	1364	84.0	45.0							
Electronic Rear Window (Backglass) Defrost - SC/CC only	5	Add	3	Add	4700	150	300	2010	77.5	45.0	5250	150	300	1314	85.4	45.0							
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	2	Add	4700	150	350	1960	78.3	45.0	5250	150	350	1264	86.9	45.0							
Foglamps	1	Add	0	Add	4700	150	400	1910	79.1	45.0	5250	150	400	1214	88.5	45.0							
Bright Exhaust Pipe Extension	3	Add	0	Add	4700	150	500	1810	80.8	45.0	5250	150	500	1114	92.1	45.0							
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	0	Add	3	Add	4850	200	0	2260	81.9	45.0	5250	200	0	1564	73.9	45.0							
Floor Cover-Carpet Ins-Complete Color Keyed	-6	Minus	0	Add	4850	200	50	2210	82.7	45.0	5250	200	50	1514	74.7	45.0							
XLT Floor Mats less Logo (Color Keyed)	4	Add	1	Add	4850	200	100	2160	83.5	45.0	5250	200	100	1464	75.7	45.0							
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4850	200	150	2110	84.3	45.0	5250	200	150	1414	76.6	45.0							
All Weather Floor Mat	4	Add	2	Add	4850	200	200	2060	85.2	45.0	5250	200	200	1364	77.7	45.0							
Electrochromic Rear View Mirror	7	Add	4	Add	4850	200	250	2010	86.1	45.0	5250	200	250	1314	78.8	45.0							
Electrochromic Rear View Mirror w/Video Display	1	Add	0	Add	4850	200	300	1960	87.1	45.0	5250	200	300	1264	80.0	45.0							
Floor Console/ette - Stand alone	1	Add	1	Add	4850	200	350	1910	88.1	45.0	5250	200	350	1214	81.4	45.0							
Cruise Control	-25	Minus	-																				

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR										6.7L Diesel Engine 10000 lb (4535 kg) GVWR									
	OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS			
		GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)		FRONT (A) (IN)	REAR (B) (IN)						
	I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI		
Lariat Trim (GAS)	25	Add	17	Add																
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2406	75.2	45.0	5600	-50	-50	1672	97.0	45.0				
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2356	75.8	45.0	5600	-50	0	1622	97.0	45.0				
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2306	76.4	45.0	5600	-50	50	1572	97.0	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2256	77.0	45.0	5600	-50	100	1522	97.0	45.0				
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2356	97.0	45.0	5600	0	-50	1622	97.0	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2306	97.0	45.0	5600	0	0	1572	97.0	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2256	97.0	45.0	5600	0	50	1522	97.0	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2206	97.0	45.0	5600	0	100	1472	97.0	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2156	97.0	45.0	5600	0	150	1422	97.0	45.0				
Brake Controller	1	Add	0	Add	5200	0	200	2106	97.0	45.0	5600	0	200	1372	97.0	45.0				
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	2056	97.0	45.0	5600	0	250	1322	97.0	45.0				
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	2006	97.0	45.0	5600	0	300	1272	97.0	45.0				
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	350	1956	97.0	45.0	5600	0	350	1222	97.0	45.0				
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1906	97.0	45.0	5600	0	400	1172	97.0	45.0				
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	1856	97.0	45.0	5600	0	450	1122	97.0	45.0				
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1806	97.0	45.0	5600	0	500	1072	97.0	45.0				
5th Wheel Hitch	0	Add	96	Add	5200	50	-50	2306	97.0	45.0	5600	50	0	1522	97.0	45.0				
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2256	97.0	45.0	5600	50	50	1472	97.0	45.0				
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	2206	97.0	45.0	5600	50	100	1422	97.0	45.0				
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	2156	97.0	45.0	5600	50	150	1372	97.0	45.0				
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	2106	97.0	45.0	5600	50	200	1322	97.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	2056	97.0	45.0	5600	50	250	1272	97.0	45.0				
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	2006	97.0	45.0	5600	50	300	1222	97.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1956	97.0	45.0	5600	50	350	1172	97.0	45.0				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	350	1906	97.0	45.0	5600	50	400	1122	97.0	45.0				
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5200	50	400	1856	97.0	45.0	5600	50	450	1072	97.0	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	4	Minus	5200	50	450	1806	97.0	45.0	5600	50	500	1022	97.0	45.0				
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	500	1756	97.0	45.0	5600	100	0	1472	97.0	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	-50	2306	97.0	45.0	5600	100	50	1422	97.0	45.0				
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	0	2206	95.6	45.0	5600	100	100	1372	97.0	45.0				
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	50	2156	96.7	45.0	5600	100	150	1322	97.0	45.0				
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	100	100	2106	97.0	45.0	5600	100	200	1272	97.0	45.0				
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	150	2056	97.0	45.0	5600	100	250	1222	97.0	45.0				
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	100	200	2006	97.0	45.0	5600	100	300	1172	97.0	45.0				
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	250	1956	97.0	45.0	5600	100	350	1122	97.0	45.0				
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	300	1906	97.0	45.0	5600	100	400	1072	97.0	45.0				
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	350	1856	97.0	45.0	5600	100	450	1022	97.0	45.0				
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	400	1806	97.0	45.0	5600	100	500	972	97.0	45.0				
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	450	1756	97.0	45.0	5600	150	0	1422	93.9	45.0				
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	500	1706	97.0	45.0	5600	150	50	1372	95.5	45.0				
Pickup Bed Extender	-2	Minus	21	Add	5200	150	-50	2206	92.0	45.0	5600	150	100	1322	97.0	45.0				
Drop-In Bedliner	2	Add	35	Add	5200	150	0	2156	93.0	45.0	5600	150	150	1272	97.0	45.0				
Spray-In Bedliner	1	Add	19	Add	5200	150	50	2106	94.1	45.0	5600	150	200	1222	97.0	45.0				
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	150	100	2056	95.2	45.0	5600	150	250	1172	97.0	45.0				
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	150	150	2006	96.4	45.0	5600	150	300	1122	97.0	45.0				
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	200	1956	97.0	45.0	5600	150	350	1072	97.0	45.0				
Lower Bodyside Molding	2	Add	1	Add	5200	150	250	1906	97.0	45.0	5600	150	400	1022	97.0	45.0				
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	300	1856	97.0	45.0	5600	150	450	972	97.0	45.0				
Static Rear Video Camera	0	Add	1	Add	5200	150	350	1806	97.0	45.0	5600	150	500	922	97.0	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	400	1756	97.0	45.0	6000	200	0	1372	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	450	1706	97.0	45.0	6000	200	50	1322	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	500	1656	97.0	45.0	6000	200	100	1272	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	-50	2156	89.4	45.0	6000	200	150	1222	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	200	0	2106	90.4	45.0	6000	200	200	1172	97.0	45.0				
Sliding Rear Window	5	Add	2	Add	5200	200	50	2056	91.4	45.0	6000	200	250	1122	97.0	45.0				
Power Sliding Rear Window	5	Add	3	Add	5200	200	100	2006	92.5	45.0	6000	200	300	1072	97.0	45.0				
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	150	1956	93.6	45.0	6000	200	350	1022	97.0	45.0				
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	200	1906	94.8	45.0	6000	200	400	972	97.0	45.0				
Foglamps	3	Add	0	Add	5200	200	250	1856	96.1	45.0	6000	200	450	922	97.0	45.0				
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	300	1806	97.0	45.0	6000	200	500	872	97.0	45.0				
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	350	1756	97.0	45.0	6000	250	0	1322	97.0	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	400	1706	97.0	45.0	6000	250	50	1272	97.0	45.0				
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	450	1656	97.0	45.0	6000	250	100	1222	97.0	45.0				
All Weather Floor Mat	6																			

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR													
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
				GAWR	FRONT (LB)	REAR (LB)	RATING	FRONT (A)	REAR (B)	GAWR	FRONT (LB)	REAR (LB)	RATING	FRONT (A)	REAR (B)	GAWR	FRONT (LB)	REAR (LB)	RATING	FRONT (A)	REAR (B)		
Lariat Trim (GAS)	29	Add	19	Add																			
XLT Trim (GAS)	13	Add	9	Add	5200	-50	-50	2196	97.0	45.0	5600	-50	-50	1460	97.0	45.0							
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	0	2146	97.0	45.0	5600	-50	0	1410	97.0	45.0							
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	0	2096	97.0	45.0	5600	-50	0	1360	97.0	45.0							
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	5200	-50	100	2046	97.0	45.0	5600	-50	100	1310	97.0	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	5200	0	-50	2146	97.0	45.0	5600	0	-50	1410	97.0	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	5200	0	0	2096	97.0	45.0	5600	0	0	1360	97.0	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	5200	0	50	2046	97.0	45.0	5600	0	50	1310	97.0	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	1996	97.0	45.0	5600	0	100	1260	97.0	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	1946	97.0	45.0	5600	0	150	1210	97.0	45.0							
Brake Controller	1	Add	0	Add	5200	0	200	1896	97.0	45.0	5600	0	200	1160	97.0	45.0							
ESC/F w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1846	97.0	45.0	5600	0	250	1110	97.0	45.0							
Skid Plates (GAS) 4x4 only	18	Add	21	Add	5200	0	300	1796	97.0	45.0	5600	0	300	1060	97.0	45.0							
Skid Plates (DIESEL) 4x4 only	23	Add	18	Add	5200	0	350	1746	97.0	45.0	5600	0	350	1010	97.0	45.0							
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1696	97.0	45.0	5600	0	400	960	97.0	45.0							
Rear Stabilizer Bar F250/F350 SRW 4X4	-1	Minus	12	Add	5200	0	450	1646	97.0	45.0	5600	0	450	910	97.0	45.0							
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1596	97.0	45.0	5600	0	500	860	97.0	45.0							
5th Wheel Hitch	0	Add	96	Add	5200	0	550	1546	97.0	45.0	5600	0	550	810	97.0	45.0							
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2046	97.0	45.0	6000	50	0	1310	97.0	45.0							
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	1996	97.0	45.0	6000	50	50	1260	97.0	45.0							
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	1946	97.0	45.0	6000	50	100	1210	97.0	45.0							
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	1896	97.0	45.0	6000	50	150	1160	97.0	45.0							
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	1846	97.0	45.0	6000	50	200	1110	97.0	45.0							
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	1796	97.0	45.0	6000	50	250	1060	97.0	45.0							
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1746	97.0	45.0	6000	50	300	1010	97.0	45.0							
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	350	1696	97.0	45.0	6000	50	350	960	97.0	45.0							
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Minus	19	Add	5200	50	400	1646	97.0	45.0	6000	50	400	910	97.0	45.0							
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	450	1596	97.0	45.0	6000	50	450	860	97.0	45.0							
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	500	1546	97.0	45.0	6000	50	500	810	97.0	45.0							
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	550	1496	97.0	45.0	6000	50	550	760	97.0	45.0							
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	0	1996	94.1	45.0	6000	100	0	1260	97.0	45.0							
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	50	1946	95.3	45.0	6000	100	50	1210	97.0	45.0							
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	100	1896	96.6	45.0	6000	100	100	1160	97.0	45.0							
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	5200	100	150	1846	97.0	45.0	6000	100	150	1110	97.0	45.0							
LT 245/75R17E A/T BSW (SRW Only)	-2	Minus	-3	Minus	5200	100	200	1796	97.0	45.0	6000	100	200	1060	97.0	45.0							
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	250	1746	97.0	45.0	6000	100	250	1010	97.0	45.0							
LT 275/65R18E A/S BSW (SRW Only) 17" STD	10	Add	16	Add	5200	100	300	1696	97.0	45.0	6000	100	300	960	97.0	45.0							
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	350	1646	97.0	45.0	6000	100	350	910	97.0	45.0							
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	400	1596	97.0	45.0	6000	100	400	860	97.0	45.0							
LT 275/65R20E A/T OWL (SRW Only) 17" STD	27	Add	39	Add	5200	100	450	1546	97.0	45.0	6000	100	450	810	97.0	45.0							
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	500	1496	97.0	45.0	6000	100	500	760	97.0	45.0							
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	550	1446	97.0	45.0	6000	100	550	710	97.0	45.0							
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	0	1946	90.9	45.0	6000	150	0	1210	97.0	45.0							
Pickup Bed Extender	-2	Minus	21	Add	5200	150	50	1896	92.0	45.0	6000	150	50	1160	97.0	45.0							
Drop-In Bedliner	2	Add	42	Add	5200	150	100	1846	93.2	45.0	6000	150	100	1110	97.0	45.0							
Spray-In Bedliner	0	Add	20	Add	5200	150	150	1796	94.5	45.0	6000	150	150	1060	97.0	45.0							
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	200	1746	95.8	45.0	6000	150	200	1010	97.0	45.0							
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	250	1696	97.0	45.0	6000	150	250	960	97.0	45.0							
6" Angular Chrome Step w/o Lights - (SRW only)	24	Add	19	Add	5200	150	300	1646	97.0	45.0	6000	150	300	910	97.0	45.0							
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	350	1596	97.0	45.0	6000	150	350	860	97.0	45.0							
Lower Bodyside Molding	2	Add	1	Add	5200	150	400	1546	97.0	45.0	6000	150	400	810	97.0	45.0							
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	450	1496	97.0	45.0	6000	150	450	760	97.0	45.0							
Static Rear Video Camera	0	Add	3	Add	5200	150	500	1446	97.0	45.0	6000	150	500	710	97.0	45.0							
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	550	1396	97.0	45.0	6000	150	550	660	97.0	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	0	1896	87.5	45.0	6000	200	0	1160	97.0	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	50	1846	88.5	45.0	6000	200	50	1110	97.0	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	100	1796	89.7	45.0	6000	200	100	1060	97.0	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	200	150	1746	90.9	45.0	6000	200	150	1010	97.0	45.0							

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR						
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	REAR (Lbs.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (LB)	REAR (LB)		RATING (LB)	FRONT (A) (IN)			REAR (B) (IN)	FRONT (LB)		REAR (LB)	RATING (LB)	FRONT (A) (IN)
					GAWR	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
XLT Trim (GAS)	10	Add	6	Add													
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3202	66.9	45.0	5200	-50	-50	2554	84.3	45.0	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3152	67.2	45.0	5200	-50	0	2504	85.0	45.0	
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3102	67.5	45.0	5200	-50	50	2454	85.7	45.0	
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	3052	67.8	45.0	5200	-50	100	2404	86.5	45.0	
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	150	3002	68.1	45.0	5200	-50	-50	2554	84.3	45.0	
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	200	2952	68.5	45.0	5200	-50	0	2504	85.0	45.0	
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	250	2902	68.8	45.0	5200	-50	50	2454	85.7	45.0	
Brake Controller	1	Add	0	Add	4400	-50	300	2852	69.2	45.0	5200	-50	100	2404	86.5	45.0	
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	350	2802	69.6	45.0	5200	-50	200	2304	88.2	45.0	
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4400	-50	400	2752	70.0	45.0	5200	-50	250	2254	89.1	45.0	
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4400	-50	450	2702	70.4	45.0	5200	-50	300	2204	90.0	45.0	
Less Urea Emission Tank (DSL only)	-97	Minus	64	Minus	4400	-50	500	2652	70.8	45.0	5200	-50	350	2154	91.0	45.0	
Rear Stabilizer Bar F250/350 SRW 4x4	-1	Minus	12	Add	4800	0	0	3102	82.9	45.0	5200	-50	400	2104	92.0	45.0	
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	50	3052	83.5	45.0	5200	-50	450	2054	93.1	45.0	
5th Wheel Hitch	0	Add	96	Add	4800	0	100	3002	84.1	45.0	5200	-50	500	2004	94.2	45.0	
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	150	2952	84.7	45.0	5200	0	-50	2504	82.2	45.0	
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	0	200	2902	85.4	45.0	5200	0	0	2454	82.9	45.0	
750 CCA/78 AH Battery	2	Add	0	Add	4800	0	250	2852	86.0	45.0	5200	0	50	2404	83.7	45.0	
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	0	300	2802	86.7	45.0	5200	0	100	2354	84.4	45.0	
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	0	350	2752	87.4	45.0	5200	0	-50	2504	82.2	45.0	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	0	400	2702	88.1	45.0	5200	0	0	2454	82.9	45.0	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	0	450	2652	88.9	45.0	5200	0	50	2404	83.7	45.0	
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	0	500	2602	89.7	45.0	5200	0	100	2354	84.4	45.0	
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	4800	50	0	3052	81.3	45.0	5200	0	200	2254	86.1	45.0	
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	4800	50	50	3002	81.8	45.0	5200	0	250	2204	86.9	45.0	
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4800	50	100	2952	82.4	45.0	5200	0	300	2154	87.8	45.0	
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4800	50	150	2902	83.0	45.0	5200	0	350	2104	88.8	45.0	
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	200	2852	83.6	45.0	5200	0	400	2054	89.8	45.0	
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	50	250	2802	84.2	45.0	5200	0	450	2004	90.8	45.0	
Pickup Bed Extender	-2	Minus	21	Add	4800	50	300	2752	84.9	45.0	5200	0	500	1954	91.9	45.0	
Drop-In Bedliner	2	Add	42	Add	4800	50	350	2702	85.6	45.0	5200	50	-50	2454	80.2	45.0	
Spray-In Bedliner	1	Add	19	Add	4800	50	400	2652	86.3	45.0	5200	50	0	2404	80.8	45.0	
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	50	450	2602	87.0	45.0	5200	50	50	2354	81.5	45.0	
Reverse Vehicle Sensor System	0	Add	1	Add	4800	50	500	2552	87.8	45.0	5200	50	100	2304	82.3	45.0	
Static Rear Video Camera	0	Add	1	Add	4800	100	0	3002	79.5	45.0	5200	50	-50	2454	80.2	45.0	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	50	2952	80.1	45.0	5200	50	0	2404	80.8	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	100	2902	80.6	45.0	5200	50	50	2354	81.5	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	100	150	2852	81.2	45.0	5200	50	100	2304	82.3	45.0	
Sliding Rear Window	5	Add	2	Add	4800	100	200	2802	81.8	45.0	5200	50	200	2204	83.8	45.0	
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	100	250	2752	82.4	45.0	5200	50	250	2154	84.7	45.0	
Foglamps	3	Add	0	Add	4800	100	300	2702	83.1	45.0	5200	50	300	2104	85.5	45.0	
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	100	350	2652	83.7	45.0	5200	50	350	2054	86.4	45.0	
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	100	400	2602	84.4	45.0	5200	50	400	2004	87.4	45.0	
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	100	450	2552	85.1	45.0	5200	50	450	1954	88.4	45.0	
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	100	500	2502	85.9	45.0	5200	50	500	1904	89.5	45.0	
All Weather Floor Mat	4	Add	2	Add	4800	150	0	2952	77.8	45.0	5200	100	-50	2404	78.0	45.0	
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	50	2902	78.3	45.0	5200	100	0	2354	78.6	45.0	
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	100	2852	78.8	45.0	5200	100	50	2304	79.3	45.0	
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	4800	150	150	2802	79.4	45.0	5200	100	100	2254	80.0	45.0	
Cruise Control	3	Add	1	Add	4800	150	200	2752	79.9	45.0	5200	100	-50	2404	78.0	45.0	
Power Equipment Group	12	Add	3	Add	4800	150	250	2702	80.5	45.0	5200	100	0	2354	78.6	45.0	
Adj Gas & Brake Pedals	4	Add	3	Add	4800	150	300	2652	81.1	45.0	5200	100	50	2304	79.3	45.0	
MyFord Touch - Level III (NA on 6.8L gas) (w new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	150	350	2602	81.8	45.0	5200	100	100	2254	80.0	45.0	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	150	400	2552	82.4	45.0	5200	100	200	2154	81.5	45.0	
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	150	450	2502	83.1	45.0	5200	100	250	2104	82.3	45.0	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	150	500	2452	83.9	45.0	5200	100	300	2054	83.1	45.0	
Cloth Seats	-2	Minus	-1	Minus	4800	200	0	2902	75.9	45.0	5200	100	350	2004	84.0	45.0	
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	50	2852	76.4	45.0	5200	100	400	1954	84.9	45.0	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	100	2802	76.9	45.0	5200	100	450	1904	85.9	45.0	
Satellite Digital Broadcast	2	Add	1	Add	4800	200	150	2752	77.4	45.0	5200	100	500	1854	86.9	45.0	
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	200	2702	78.0	45.0	5200	150	-50	2354	75.7	45.0	
SYNC Basic - Gen I	1	Add	0	Add	4800	200	250	2652	78.6	45.0	5200	150	0	2304	76.3	45.0	
SYNC Finder - Gen II	1	Add	0	Add	4800	200	300	2602	79.1	45.0	5200	150	50	2254	76.9	45.0	
FX4 Off-Road Package	2	Add	2	Add	4800	200	350	2552	79.8	45.0	5200	150	100	2204	77.6	45.0	
Tracking System - Crew Chief	3	Add	0	Add	4800	200	400	2502	80.4	45.0	5200	150	-50	2354	75.7	45.0	
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	200	450	2452	81.1	45.0	5200	150	0	2304	76.3	45.0	
Bed Mat	0	Add	58	Add	4800	200	500	2402	81.7	45.0	5200	150	50	2254	76.9	45.0	
Cable/Strap Locks	0	Add	9	Add	4800	250	0	2852	74.0	45.0	5200	150	100	2204	77.6		

OPTION TABLE	OPTION DESCRIPTION				VEHICLE LOADING DATA						VEHICLE LOADING DATA							
					6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						6.7L Diesel Engine 10000 lb (4535 kg) GVWR							
					FRONT		REAR		CENTER OF GRAVITY ZONE LIMITS		FRONT		REAR		CENTER OF GRAVITY ZONE LIMITS			
					FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)	REAR (B) (IN)		
Lariat Trim (GAS)	29	Add	19	Add														
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	2309	77.8	45.0	5600	-50	-50	1652	81.0	45.0		
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	2259	78.5	45.0	5600	-50	0	1602	81.0	45.0		
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2209	79.2	45.0	5600	-50	50	1552	81.0	45.0		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2159	79.9	45.0	5600	-50	100	1502	81.0	45.0		
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2259	81.0	45.0	5600	0	-50	1602	81.0	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2209	81.0	45.0	5600	0	0	1552	81.0	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2159	81.0	45.0	5600	0	50	1502	81.0	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2109	81.0	45.0	5600	0	100	1452	81.0	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2059	81.0	45.0	5600	0	150	1402	81.0	45.0		
Brake Controller	1	Add	0	Add	5200	0	200	2009	81.0	45.0	5600	0	200	1352	81.0	45.0		
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1959	81.0	45.0	5600	0	250	1302	81.0	45.0		
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	300	1909	81.0	45.0	5600	0	300	1252	81.0	45.0		
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	350	1859	81.0	45.0	5600	0	350	1202	81.0	45.0		
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1809	81.0	45.0	5600	0	400	1152	81.0	45.0		
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	0	2159	81.0	45.0	5600	50	0	1502	81.0	45.0		
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	50	2109	81.0	45.0	5600	50	50	1452	81.0	45.0		
5th Wheel Hitch	0	Add	96	Add	5200	50	100	2059	81.0	45.0	5600	50	100	1402	81.0	45.0		
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	150	2009	81.0	45.0	5600	50	150	1352	81.0	45.0		
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	200	1959	81.0	45.0	5600	50	200	1302	81.0	45.0		
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	250	1909	81.0	45.0	5600	50	250	1252	81.0	45.0		
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	300	1859	81.0	45.0	5600	50	300	1202	81.0	45.0		
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	350	1809	81.0	45.0	5600	50	350	1152	81.0	45.0		
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	400	1759	81.0	45.0	5600	50	400	1102	81.0	45.0		
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	0	2109	81.0	45.0	5600	100	0	1452	81.0	45.0		
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	50	2059	81.0	45.0	5600	100	50	1402	81.0	45.0		
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	100	2009	81.0	45.0	5600	100	100	1352	81.0	45.0		
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	150	1959	81.0	45.0	5600	100	150	1302	81.0	45.0		
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	200	1909	81.0	45.0	5600	100	200	1252	81.0	45.0		
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	250	1859	81.0	45.0	5600	100	250	1202	81.0	45.0		
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	300	1809	81.0	45.0	5600	100	300	1152	81.0	45.0		
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5200	100	350	1759	81.0	45.0	5600	100	350	1102	81.0	45.0		
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	400	1709	81.0	45.0	5600	100	400	1052	81.0	45.0		
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	5200	150	0	2059	81.0	45.0	5600	150	0	1402	81.0	45.0		
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	150	50	2009	81.0	45.0	5600	150	50	1352	81.0	45.0		
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	150	100	1959	81.0	45.0	5600	150	100	1302	81.0	45.0		
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	150	1909	81.0	45.0	5600	150	150	1252	81.0	45.0		
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	200	1859	81.0	45.0	5600	150	200	1202	81.0	45.0		
Pickup Bed Extender	-2	Minus	21	Add	5200	150	250	1809	81.0	45.0	5600	150	250	1152	81.0	45.0		
Drop-In Bedliner	2	Add	42	Add	5200	150	300	1759	81.0	45.0	5600	150	300	1102	81.0	45.0		
Spray-In Bedliner	0	Add	16	Add	5200	150	350	1709	81.0	45.0	5600	150	350	1052	81.0	45.0		
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	400	1659	81.0	45.0	5600	150	400	1002	81.0	45.0		
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	0	2009	81.0	45.0	5600	200	0	1352	81.0	45.0		
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	200	50	1959	81.0	45.0	5600	200	50	1302	81.0	45.0		
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	100	1909	81.0	45.0	5600	200	100	1252	81.0	45.0		
Lower Bodyside Molding	2	Add	1	Add	5200	200	150	1859	81.0	45.0	5600	200	150	1202	81.0	45.0		
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	200	1809	81.0	45.0	5600	200	200	1152	81.0	45.0		
Static Rear Video Camera	0	Add	1	Add	5200	200	250	1759	81.0	45.0	5600	200	250	1102	81.0	45.0		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	300	1709	81.0	45.0	5600	200	300	1052	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	350	1659	81.0	45.0	5600	200	350	1002	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	400	1609	81.0	45.0	5600	200	400	952	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	250	0	1959	81.0	45.0	6000	250	0	1302	81.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	50	1909	81.0	45.0	6000	250	50	1252	81.0	45.0		
Sliding Rear Window	5	Add	2	Add	5200	250	100	1859	81.0	45.0	6000	250	100	1202	81.0	45.0		
Power Sliding Rear Window	5	Add	3	Add	5200	250	150	1809	81.0	45.0	6000	250	150	1152	81.0	45.0		
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	200	1759	81.0	45.0	6000	250	200	1102	81.0	45.0		
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	250	1709	81.0	45.0	6000	250	250	1052	81.0	45.0		
Foglamps	3	Add	0	Add	5200	250	300	1659	81.0	45.0	6000	250	300	1002	81.0	45.0		
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	350	1609	81.0	45.0	6000	250	350	952	81.0	45.0		
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	400	1559	81.0	45.0	6000	250	400	902	81.0	45.0		
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	0	1909	81.0	45.0	6000	300	0	1252	81.0	45.0		
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	50	1859	81.0	45.0	6000	300	50	1202	81.0	45.0		
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	100	1809	81.0	45.0	6000	300	100	1152	81.0	45.0		
All Weather Floor Mat	7	Add	4	Add	5200	300	150	1759	81.0	45.0	6000	300	150	1102	81.0	45.0		
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	200	1709	81.0	45.0	6000	300	200	1052	81.0	45.0		
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	250	1659	81.0	45.0	6000	300	250	1002	81.0	45.0		
Floor Consoleette - Stand alone	-25	Minus	-9	Minus	5200	300	300	1609	81.0	45.0	6000	300	300	952	81.0	45.0		
Cruise Control	3																	

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR								
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS			
	QTY	ADD	QTY	ADD		FRONT (A)	FRONT (B)		FRONT (A)	FRONT (B)		FRONT (A)	FRONT (B)		FRONT (A)	FRONT (B)	FRONT (A)	FRONT (B)
Lariat Trim (GAS)	25	Add	17	Add														
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2406	75.2	45.0	5600	-50	-50	1672	97.0	45.0		
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2356	75.8	45.0	5600	-50	0	1622	97.0	45.0		
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2306	76.4	45.0	5600	-50	50	1572	97.0	45.0		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2256	77.0	45.0	5600	-50	100	1522	97.0	45.0		
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2356	97.0	45.0	5600	0	-50	1622	97.0	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2306	97.0	45.0	5600	0	0	1572	97.0	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2256	97.0	45.0	5600	0	50	1522	97.0	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2206	97.0	45.0	5600	0	100	1472	97.0	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2156	97.0	45.0	5600	0	150	1422	97.0	45.0		
Brake Controller	1	Add	0	Add	5200	0	200	2106	97.0	45.0	5600	0	200	1372	97.0	45.0		
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	2056	97.0	45.0	5600	0	250	1322	97.0	45.0		
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	2006	97.0	45.0	5600	0	300	1272	97.0	45.0		
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	350	1956	97.0	45.0	5600	0	350	1222	97.0	45.0		
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1906	97.0	45.0	5600	0	400	1172	97.0	45.0		
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	1856	97.0	45.0	5600	0	450	1122	97.0	45.0		
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1806	97.0	45.0	5600	0	500	1072	97.0	45.0		
5th Wheel Hitch	0	Add	96	Add	5200	50	-50	2306	97.0	45.0	5600	50	0	1522	97.0	45.0		
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2256	97.0	45.0	5600	50	0	1472	97.0	45.0		
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	2206	97.0	45.0	5600	50	100	1422	97.0	45.0		
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	2156	97.0	45.0	5600	50	150	1372	97.0	45.0		
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	2106	97.0	45.0	5600	50	200	1322	97.0	45.0		
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	2056	97.0	45.0	5600	50	250	1272	97.0	45.0		
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	2006	97.0	45.0	5600	50	300	1222	97.0	45.0		
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1956	97.0	45.0	5600	50	350	1172	97.0	45.0		
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	1906	97.0	45.0	5600	50	400	1122	97.0	45.0		
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	400	1856	97.0	45.0	5600	50	450	1072	97.0	45.0		
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	450	1806	97.0	45.0	5600	50	500	1022	97.0	45.0		
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	500	1756	97.0	45.0	5600	100	0	1472	97.0	45.0		
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	50	-50	2306	97.0	45.0	5600	100	50	1422	97.0	45.0		
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	0	2206	95.6	45.0	5600	100	100	1372	97.0	45.0		
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	5200	100	50	2156	96.7	45.0	5600	100	150	1322	97.0	45.0		
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	100	100	2106	97.0	45.0	5600	100	200	1272	97.0	45.0		
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	100	150	2056	97.0	45.0	5600	100	250	1222	97.0	45.0		
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	200	2006	97.0	45.0	5600	100	300	1172	97.0	45.0		
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	250	1956	97.0	45.0	5600	100	350	1122	97.0	45.0		
Pickup Bed Extender	-2	Minus	21	Add	5200	100	300	1906	97.0	45.0	5600	100	400	1072	97.0	45.0		
Drop-In Bedliner	2	Add	35	Add	5200	100	350	1856	97.0	45.0	5600	100	450	1022	97.0	45.0		
Spray-In Bedliner	1	Add	19	Add	5200	100	400	1806	97.0	45.0	5600	100	500	972	97.0	45.0		
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	450	1756	97.0	45.0	5600	150	0	1422	93.9	45.0		
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	100	500	1706	97.0	45.0	5600	150	50	1372	95.5	45.0		
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	-50	2206	92.0	45.0	5600	150	100	1322	97.0	45.0		
Lower Bodyside Molding	2	Add	1	Add	5200	150	0	2156	93.0	45.0	5600	150	150	1272	97.0	45.0		
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	50	2106	94.1	45.0	5600	150	200	1222	97.0	45.0		
Static Rear Video Camera	0	Add	1	Add	5200	150	100	2056	95.2	45.0	5600	150	250	1172	97.0	45.0		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	150	2006	96.4	45.0	5600	150	300	1122	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	200	1956	97.0	45.0	5600	150	350	1072	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	250	1906	97.0	45.0	5600	150	400	1022	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	300	1856	97.0	45.0	5600	150	450	972	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	350	1806	97.0	45.0	5600	150	500	922	97.0	45.0		
Sliding Rear Window	5	Add	2	Add	5200	150	400	1756	97.0	45.0	6000	200	0	1372	97.0	45.0		
Power Sliding Rear Window	5	Add	3	Add	5200	150	450	1706	97.0	45.0	6000	200	50	1322	97.0	45.0		
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	500	1656	97.0	45.0	6000	200	100	1272	97.0	45.0		
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	-50	2156	89.4	45.0	6000	200	150	1222	97.0	45.0		
Foglamps	3	Add	0	Add	5200	200	0	2106	90.4	45.0	6000	200	200	1172	97.0	45.0		
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	50	2056	91.4	45.0	6000	200	250	1122	97.0	45.0		
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	100	2006	92.5	45.0	6000	200	300	1072	97.0	45.0		
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	150	1956	93.6	45.0	6000	200	350	1022	97.0	45.0		
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	200	1906	94.8	45.0	6000	200	400	972	97.0	45.0		
All Weather Floor Mat	6	Add	4	Add	5200	200	250	1856	96.1	45.0	6000	200	450	922	97.0	45.0		
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	300	1806	97.0	45.0	6000	200	500	872	97.0	45.0		
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	350	1756	97.0	45.0	6000	250	0	1322	97.0	45.0		
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	5200	200	400	1706	97.0	45.0	6000	250	50	1272	97.0	45.0		
Cruise Control	3	Add	1	Add	5200	200	450	1656	97.0	45.0	6000	250	100	1222	97.0	45.0		
Power Equipment Group	12	Add	3	Add	5200	200	500	1606	97.0	45.0	6000	250	150	1172	97.0	45.0		
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	-50	2106	86.6	45.0	6000	250	200	1122	97.0	45.0		
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	250	0	2056	87.6	45.0	6000	250	250	1072	97.0	45.0		
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	50	2006	88.6	45.0	6000	250	300	1022	97.0	45.0		
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	100	1956	89.6	45.0	6000	250	350	972	97.0	45.0		
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5200	250	150	1906	90.7	45.0	6000	250	400	922	97.0	45.0		
10																		

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA								
						6.2L Gasoline Engine 10000 lb (4535 kg) GVWR					6.7L Diesel Engine 10000 lb (4535 kg) GVWR								
	FRONT (Lbs.)		REAR (Lbs.)			FRONT		OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
OPTION DESCRIPTION					GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)			
																			I
Lariat Trim (GAS)	29	Add	19	Add															
XLT Trim (GAS)	13	Add	9	Add	5200	-50	-50	2196	97.0	45.0	5600	-50	-50	1460	97.0	45.0			
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	0	2146	97.0	45.0	5600	-50	0	1410	97.0	45.0			
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	50	2096	97.0	45.0	5600	-50	50	1360	97.0	45.0			
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	5200	-50	100	2046	97.0	45.0	5600	-50	100	1310	97.0	45.0			
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	5200	0	-50	2146	97.0	45.0	5600	0	-50	1410	97.0	45.0			
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	5200	0	0	2096	97.0	45.0	5600	0	0	1360	97.0	45.0			
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	5200	0	50	2046	97.0	45.0	5600	0	50	1310	97.0	45.0			
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	100	1996	97.0	45.0	5600	0	100	1260	97.0	45.0			
Brake Controller	1	Add	0	Add	5200	0	150	1946	97.0	45.0	5600	0	150	1210	97.0	45.0			
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	200	1896	97.0	45.0	5600	0	200	1160	97.0	45.0			
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	250	1846	97.0	45.0	5600	0	250	1110	97.0	45.0			
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	300	1796	97.0	45.0	5600	0	300	1060	97.0	45.0			
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	350	1746	97.0	45.0	5600	0	350	1010	97.0	45.0			
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	400	1696	97.0	45.0	5600	0	400	960	97.0	45.0			
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	450	1646	97.0	45.0	5600	0	450	910	97.0	45.0			
5th Wheel Hitch	0	Add	96	Add	5200	0	500	1596	97.0	45.0	5600	0	500	860	97.0	45.0			
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2046	97.0	45.0	6000	50	0	1310	97.0	45.0			
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	1996	97.0	45.0	6000	50	50	1260	97.0	45.0			
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	1946	97.0	45.0	6000	50	100	1210	97.0	45.0			
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	1896	97.0	45.0	6000	50	150	1160	97.0	45.0			
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	1846	97.0	45.0	6000	50	200	1110	97.0	45.0			
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	1796	97.0	45.0	6000	50	250	1060	97.0	45.0			
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1746	97.0	45.0	6000	50	300	1010	97.0	45.0			
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	1696	97.0	45.0	6000	50	350	960	97.0	45.0			
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	400	1646	97.0	45.0	6000	50	400	910	97.0	45.0			
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	450	1596	97.0	45.0	6000	50	450	860	97.0	45.0			
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	500	1546	97.0	45.0	6000	50	500	810	97.0	45.0			
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	550	1496	97.0	45.0	6000	50	550	760	97.0	45.0			
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	0	1996	94.1	45.0	6000	100	0	1260	97.0	45.0			
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5200	100	50	1946	95.3	45.0	6000	100	50	1210	97.0	45.0			
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	100	1896	96.6	45.0	6000	100	100	1160	97.0	45.0			
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	5200	100	150	1846	97.0	45.0	6000	100	150	1110	97.0	45.0			
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	100	200	1796	97.0	45.0	6000	100	200	1060	97.0	45.0			
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	100	250	1746	97.0	45.0	6000	100	250	1010	97.0	45.0			
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	300	1696	97.0	45.0	6000	100	300	960	97.0	45.0			
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	350	1646	97.0	45.0	6000	100	350	910	97.0	45.0			
Pickup Bed Extender	-2	Minus	21	Add	5200	100	400	1596	97.0	45.0	6000	100	400	860	97.0	45.0			
Drop-In Bedliner	0	Add	42	Add	5200	100	450	1546	97.0	45.0	6000	100	450	810	97.0	45.0			
Spray-In Bedliner	0	Add	20	Add	5200	100	500	1496	97.0	45.0	6000	100	500	760	97.0	45.0			
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	550	1446	97.0	45.0	6000	100	550	710	97.0	45.0			
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	0	1946	90.9	45.0	6000	150	0	1210	97.0	45.0			
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	150	50	1896	92.0	45.0	6000	150	50	1160	97.0	45.0			
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	100	1846	93.2	45.0	6000	150	100	1110	97.0	45.0			
Lower Bodyside Molding	2	Add	1	Add	5200	150	150	1796	94.5	45.0	6000	150	150	1060	97.0	45.0			
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	200	1746	95.8	45.0	6000	150	200	1010	97.0	45.0			
Static Rear Video Camera	0	Add	1	Add	5200	150	250	1696	97.0	45.0	6000	150	250	960	97.0	45.0			
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	300	1646	97.0	45.0	6000	150	300	910	97.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	350	1596	97.0	45.0	6000	150	350	860	97.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	400	1546	97.0	45.0	6000	150	400	810	97.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	450	1496	97.0	45.0	6000	150	450	760	97.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	500	1446	97.0	45.0	6000	150	500	710	97.0	45.0			
Sliding Rear Window	5	Add	2	Add	5200	150	550	1396	97.0	45.0	6000	150	550	660	97.0	45.0			
Power Sliding Rear Window	5	Add	3	Add	5200	200	0	1896	87.5	45.0	6000	200	0	1160	97.0	45.0			
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	50	1846	88.5	45.0	6000	200	50	1110	97.0	45.0			
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	100	1796	89.7	45.0	6000	200	100	1060	97.0	45.0			
Foglamps	3	Add	0	Add	5200	200	150	1746	90.9	45.0	6000	200	150	1010	97.0	45.0			
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	200	1696	92.1	45.0	6000	200	200	960	97.0	45.0			
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	250	1646	93.5	45.0	6000	200	250	910	97.0	45.0			
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	300	1596	94.9	45.0	6000	200	300	860	97.0	45.0			
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	350	1546	96.4	45.0	6000	200	350	810	97.0	45.0			
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	200	400	1496	97.0	45.0	6000	200	400	760	97.0	45.0			
All Weather Floor Mat	7	Add	4	Add	5200	200	450	1446	97.0	45.0	6000	200	450	710	97.0	45.0			
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	500	1396	97.0	45.0	6000	200	500	660	97.0	45.0			
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	550	1346	97.0	45.0	6000	200	550	610	97.0	45.0			
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	5600	250	0	1846	97.0	45.0	6000	250	0	1110	97.0	45.0			
Cruise Control	3	Add	1	Add	5600	250	50	1796	97.0	45.0	6000	250	50	1060	97.0	45.0			
Power Equipment Group	15	Add	6	Add	5600	250	100	1746	97.0	45.0	6000	250	100	1010	97.0	45.0			
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	150	1696	97.0	45.0	6000	250	150	960	97.0	45.0			
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	200	1646	97.0	45.0	6000	250	200	910	97.0	45.0			
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	250	1596	97.0	45.0	6000	250	250	860	97.0	45.0			
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	250	300	1546	97.0	45.0	6000	250	300	810	97.0	45.0			
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	5600	250	350	1496	97.0	45.0	6000	250	350						

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR								
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS						
					FRONT (Lb.)	REAR (Lb.)		RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)		REAR (Lb.)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)			
					I	II	III	IV	V	VI	I	II	III	IV	V	VI			
XLT Trim (GAS)	10	Add	6	Add															
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	3202	66.9	45.0	5200	-50	50	2554	84.3	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3152	67.2	45.0	5200	-50	0	2504	85.0	45.0			
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3102	67.5	45.0	5200	-50	50	2454	85.7	45.0			
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	3052	67.8	45.0	5200	-50	100	2404	86.5	45.0			
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	150	3002	68.1	45.0	5200	-50	150	2354	84.3	45.0			
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	200	2952	68.5	45.0	5200	-50	0	2504	85.0	45.0			
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	250	2902	68.8	45.0	5200	-50	50	2454	85.7	45.0			
Brake Controller	1	Add	0	Add	4400	-50	300	2852	69.2	45.0	5200	-50	100	2404	86.5	45.0			
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	350	2802	69.6	45.0	5200	-50	200	2304	88.2	45.0			
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4400	-50	400	2752	70.0	45.0	5200	-50	250	2254	89.1	45.0			
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4400	-50	450	2702	70.4	45.0	5200	-50	300	2204	90.0	45.0			
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	-50	500	2652	70.8	45.0	5200	-50	350	2154	91.0	45.0			
Rear Stabilizer Bar F250/350 SRW 4x4	-1	Minus	12	Add	4800	0	0	3102	82.9	45.0	5200	-50	400	2104	92.0	45.0			
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	50	3052	83.5	45.0	5200	-50	450	2054	93.1	45.0			
5th Wheel Hitch	0	Add	96	Add	4800	0	100	3002	84.1	45.0	5200	-50	500	2004	94.2	45.0			
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	150	2952	84.7	45.0	5200	0	-50	2504	82.2	45.0			
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	0	200	2902	85.4	45.0	5200	0	0	2454	82.9	45.0			
750 CCA/78 AH Battery	2	Add	0	Add	4800	0	250	2852	86.0	45.0	5200	0	50	2404	83.7	45.0			
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	0	300	2802	86.7	45.0	5200	0	100	2354	84.4	45.0			
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	0	350	2752	87.4	45.0	5200	0	-50	2504	82.2	45.0			
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	0	400	2702	88.1	45.0	5200	0	0	2454	82.9	45.0			
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	0	450	2652	88.9	45.0	5200	0	50	2404	83.7	45.0			
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	0	500	2602	89.7	45.0	5200	0	100	2354	84.4	45.0			
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	4800	50	0	3052	81.3	45.0	5200	0	200	2254	86.1	45.0			
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	4800	50	50	3002	81.8	45.0	5200	0	250	2204	86.9	45.0			
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	4800	50	100	2952	82.4	45.0	5200	0	300	2154	87.8	45.0			
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	150	2902	83.0	45.0	5200	0	350	2104	88.8	45.0			
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	50	200	2852	83.6	45.0	5200	0	400	2054	89.8	45.0			
Pickup Bed Extender	-2	Minus	21	Add	4800	50	250	2802	84.2	45.0	5200	0	450	2004	90.8	45.0			
Drop-In Bedliner	2	Add	42	Add	4800	50	300	2752	84.9	45.0	5200	0	500	1954	91.9	45.0			
Spray-In Bedliner	1	Add	19	Add	4800	50	350	2702	85.6	45.0	5200	50	-50	2454	80.2	45.0			
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	50	400	2652	86.3	45.0	5200	50	0	2404	80.8	45.0			
Reverse Vehicle Sensor System	0	Add	1	Add	4800	50	450	2602	87.0	45.0	5200	50	50	2354	81.5	45.0			
Static Rear Video Camera	0	Add	1	Add	4800	50	500	2552	87.8	45.0	5200	50	100	2304	82.3	45.0			
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	0	3002	79.5	45.0	5200	50	-50	2454	80.2	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	50	2952	80.1	45.0	5200	50	0	2404	80.8	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	100	100	2902	80.6	45.0	5200	50	50	2354	81.5	45.0			
Sliding Rear Window	5	Add	2	Add	4800	100	150	2852	81.2	45.0	5200	50	100	2304	82.3	45.0			
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	100	200	2802	81.8	45.0	5200	50	200	2204	83.8	45.0			
Foglamps	3	Add	0	Add	4800	100	250	2752	82.4	45.0	5200	50	250	2154	84.7	45.0			
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	100	300	2702	83.1	45.0	5200	50	300	2104	85.5	45.0			
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	100	350	2652	83.7	45.0	5200	50	350	2054	86.4	45.0			
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	100	400	2602	84.4	45.0	5200	50	400	2004	87.4	45.0			
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	100	450	2552	85.1	45.0	5200	50	450	1954	88.4	45.0			
All Weather Floor Mat	4	Add	2	Add	4800	100	500	2502	85.9	45.0	5200	50	500	1904	89.5	45.0			
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	0	2952	77.8	45.0	5200	100	-50	2404	78.0	45.0			
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	50	2902	78.3	45.0	5200	100	0	2354	78.6	45.0			
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	4800	150	100	2852	78.8	45.0	5200	100	50	2304	79.3	45.0			
Cruise Control	3	Add	1	Add	4800	150	150	2802	79.4	45.0	5200	100	100	2254	80.0	45.0			
Power Equipment Group	12	Add	3	Add	4800	150	200	2752	79.9	45.0	5200	100	-50	2404	78.0	45.0			
Adj Gas & Brake Pedals	4	Add	3	Add	4800	150	250	2702	80.5	45.0	5200	100	0	2354	78.6	45.0			
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	150	300	2652	81.1	45.0	5200	100	50	2304	79.3	45.0			
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	150	350	2602	81.8	45.0	5200	100	100	2254	80.0	45.0			
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	150	400	2552	82.4	45.0	5200	100	200	2154	81.5	45.0			
8-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	150	450	2502	83.1	45.0	5200	100	250	2104	82.3	45.0			
Cloth Seats	-2	Minus	-1	Minus	4800	150	500	2452	83.9	45.0	5200	100	300	2054	83.1	45.0			
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	0	2902	75.9	45.0	5200	100	350	2004	84.0	45.0			
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	50	2852	76.4	45.0	5200	100	400	1954	84.9	45.0			
Satellite Digital Broadcast	2	Add	1	Add	4800	200	100	2802	76.9	45.0	5200	100	450	1904	85.9	45.0			
High Definition & Satellite Digital Broadcast	1	Add	1	Add	4800	200	150	2752	77.4	45.0	5200	100	500	1854	86.9	45.0			
SYNC Basic - Gen I	1	Add	0	Add	4800	200	200	2702	78.0	45.0	5200	150	-50	2354	75.7	45.0			
SYNC Finder - Gen II	1	Add	0	Add	4800	200	250	2652	78.6	45.0	5200	150	0	2304	76.3	45.0			
FX4 Off-Road Package	2	Add	2	Add	4800	200	300	2602	79.1	45.0	5200	150	50	2254	76.9	45.0			
Tracking System - Crew Chief	3	Add	0	Add	4800	200	350	2552	79.8	45.0	5200	150	100	2204	77.6	45.0			
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	200	400	2502											

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)		
															I	II
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2489	81.0	45.0	5200	-50	-50	1850	79.5	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2439	81.0	45.0	5200	-50	0	1800	80.4	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2389	81.0	45.0	5200	-50	50	1750	81.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2339	81.0	45.0	5200	-50	100	1700	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	0	-50	2439	78.8	45.0	5600	0	-50	1800	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	0	2389	79.4	45.0	5600	0	0	1750	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	50	2339	80.1	45.0	5600	0	50	1700	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	100	2289	80.8	45.0	5600	0	100	1650	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	150	2239	81.0	45.0	5600	0	150	1600	81.0	45.0
Brake Controller	1	Add	0	Add	4800	0	200	2189	81.0	45.0	5600	0	200	1550	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	250	2139	81.0	45.0	5600	0	250	1500	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	300	2089	81.0	45.0	5600	0	300	1450	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	0	350	2039	81.0	45.0	5600	0	350	1400	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	0	2339	77.1	45.0	5600	50	0	1700	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	50	2289	77.7	45.0	5600	50	50	1650	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	100	2239	78.4	45.0	5600	50	100	1600	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	50	150	2189	79.1	45.0	5600	50	150	1550	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	200	2139	79.8	45.0	5600	50	200	1500	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	250	2089	80.6	45.0	5600	50	250	1450	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	300	2039	81.0	45.0	5600	50	300	1400	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	50	350	1989	81.0	45.0	5600	50	350	1350	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	0	2289	74.6	45.0	5600	100	0	1650	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	50	2239	75.2	45.0	5600	100	50	1600	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	100	2189	75.9	45.0	5600	100	100	1550	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	150	2139	76.5	45.0	5600	100	150	1500	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-26	Minus	4800	100	200	2089	77.2	45.0	5600	100	200	1450	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-22	Minus	4800	100	250	2039	77.9	45.0	5600	100	250	1400	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	4800	100	300	1989	78.7	45.0	5600	100	300	1350	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	100	350	1939	79.5	45.0	5600	100	350	1300	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	150	0	2239	81.0	45.0	5600	150	0	1600	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	150	50	2189	81.0	45.0	5600	150	50	1550	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	150	100	2139	81.0	45.0	5600	150	100	1500	81.0	45.0
Less Jack- 2-Ton (including Tool)	-1	Add	-12	Minus	5200	150	150	2089	81.0	45.0	5600	150	150	1450	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	200	2039	81.0	45.0	5600	150	200	1400	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	250	1989	81.0	45.0	5600	150	250	1350	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	300	1939	81.0	45.0	5600	150	300	1300	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	350	1889	81.0	45.0	5600	150	350	1250	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	0	2189	81.0	45.0	5600	200	0	1550	81.0	45.0
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	200	50	2139	81.0	45.0	5600	200	50	1500	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	100	2089	81.0	45.0	5600	200	100	1450	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	150	2039	81.0	45.0	5600	200	150	1400	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	200	1989	81.0	45.0	5600	200	200	1350	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	250	1939	81.0	45.0	5600	200	250	1300	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	300	1889	81.0	45.0	5600	200	300	1250	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	350	1839	81.0	45.0	5600	200	350	1200	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	0	2139	81.0	45.0	5600	250	0	1500	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	250	50	2089	81.0	45.0	5600	250	50	1450	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	100	2039	81.0	45.0	5600	250	100	1400	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	150	1989	81.0	45.0	5600	250	150	1350	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	200	1939	81.0	45.0	5600	250	200	1300	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	250	1889	81.0	45.0	5600	250	250	1250	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	300	1839	81.0	45.0	5600	250	300	1200	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	350	1789	81.0	45.0	5600	250	350	1150	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	0	2089	81.0	45.0	5600	300	0	1450	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	50	2039	81.0	45.0	5600	300	50	1400	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	300	100	1989	81.0	45.0	5600	300	100	1350	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	150	1939	81.0	45.0	5600	300	150	1300	81.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	300	200	1889	81.0	45.0	5600	300	200	1250	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	250	1839	81.0	45.0	5600	300	250	1200	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	300	1789	81.0	45.0	5600	300	300	1150	81.0	45.0
Floor Console - Stand alone	-25	Minus	-9	Minus	5200	300	350	1739	81.0	45.0	5600	300	350	1100	81.0	45.0
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA											
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR										6.7L Diesel Engine 10000 lb (4535 kg) GVWR											
	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS			
OPTION DESCRIPTION						GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)					
																						I
Lariat Trim (GAS)	25	Add	17	Add																		
XLT Trim (GAS)	10	Add	7	Add		4800	-50	-50	2406	75.2	45.0	5600	-50	-50	1672	97.0	45.0					
Lariat Trim (DIESEL)	30	Add	20	Add		4800	-50	0	2356	75.8	45.0	5600	-50	0	1622	97.0	45.0					
XLT Trim (DIESEL)	20	Add	13	Add		4800	-50	50	2306	76.4	45.0	5600	-50	50	1572	97.0	45.0					
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add		4800	-50	100	2256	77.0	45.0	5600	-50	100	1522	97.0	45.0					
Immersion Heater - Engine	1	Add	0	Add		5200	0	-50	2356	97.0	45.0	5600	0	-50	1622	97.0	45.0					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add		5200	0	0	2306	97.0	45.0	5600	0	0	1572	97.0	45.0					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add		5200	0	50	2256	97.0	45.0	5600	0	50	1522	97.0	45.0					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add		5200	0	100	2206	97.0	45.0	5600	0	100	1472	97.0	45.0					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add		5200	0	150	2156	97.0	45.0	5600	0	150	1422	97.0	45.0					
Brake Controller	1	Add	0	Add		5200	0	200	2106	97.0	45.0	5600	0	200	1372	97.0	45.0					
ESOF w/Auto-Man Locking Hubs (4x4 only)	3	Add	0	Add		5200	0	250	2056	97.0	45.0	5600	0	250	1322	97.0	45.0					
Skid Plates (GAS) 4x4 only	18	Add	21	Add		5200	0	300	2006	97.0	45.0	5600	0	300	1272	97.0	45.0					
Skid Plates (DIESEL) 4x4 only	19	Add	22	Add		5200	0	350	1956	97.0	45.0	5600	0	350	1222	97.0	45.0					
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus		5200	0	400	1906	97.0	45.0	5600	0	400	1172	97.0	45.0					
Rear Stabilizer Bar F250/350 SRW 4x4	-1	Minus	12	Add		5200	0	450	1856	97.0	45.0	5600	0	450	1122	97.0	45.0					
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add		5200	0	500	1806	97.0	45.0	5600	0	500	1072	97.0	45.0					
5th Wheel Hitch	0	Add	96	Add		5200	50	-50	2306	97.0	45.0	5600	50	0	1522	97.0	45.0					
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add		5200	50	0	2256	97.0	45.0	5600	50	0	1472	97.0	45.0					
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add		5200	50	50	2206	97.0	45.0	5600	50	100	1422	97.0	45.0					
750 CCA/78 AH Battery	2	Add	0	Add		5200	50	100	2156	97.0	45.0	5600	50	150	1372	97.0	45.0					
Manual Air Conditioning (GAS)	32	Add	-1	Minus		5200	50	150	2106	97.0	45.0	5600	50	200	1322	97.0	45.0					
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus		5200	50	200	2056	97.0	45.0	5600	50	250	1272	97.0	45.0					
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus		5200	50	250	2006	97.0	45.0	5600	50	300	1222	97.0	45.0					
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus		5200	50	300	1956	97.0	45.0	5600	50	350	1172	97.0	45.0					
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus		5200	50	350	1906	97.0	45.0	5600	50	400	1122	97.0	45.0					
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus		5200	50	400	1856	97.0	45.0	5600	50	450	1072	97.0	45.0					
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus		5200	50	450	1806	97.0	45.0	5600	50	500	1022	97.0	45.0					
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus		5200	50	500	1756	97.0	45.0	5600	100	0	1472	97.0	45.0					
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus		5200	50	-50	2306	97.0	45.0	5600	100	50	1422	97.0	45.0					
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus		5200	100	0	2206	95.6	45.0	5600	100	100	1372	97.0	45.0					
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add		5200	100	50	2156	96.7	45.0	5600	100	150	1322	97.0	45.0					
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus		5200	100	100	2106	97.0	45.0	5600	100	200	1272	97.0	45.0					
Less Jack- 2-Ton (including Tool)	-1	Minus	-12	Minus		5200	100	150	2056	97.0	45.0	5600	100	250	1222	97.0	45.0					
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add		5200	100	200	2006	97.0	45.0	5600	100	300	1172	97.0	45.0					
Pickup Bed Extender	-2	Minus	21	Add		5200	100	250	1956	97.0	45.0	5600	100	350	1122	97.0	45.0					
Drop-In Bedliner	2	Add	35	Add		5200	100	300	1906	97.0	45.0	5600	100	400	1072	97.0	45.0					
Spray-In Bedliner	1	Add	19	Add		5200	100	350	1856	97.0	45.0	5600	100	450	1022	97.0	45.0					
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add		5200	100	400	1806	97.0	45.0	5600	100	500	972	97.0	45.0					
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add		5200	100	450	1756	97.0	45.0	5600	150	0	1422	93.9	45.0					
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add		5200	100	500	1706	97.0	45.0	5600	150	50	1372	95.5	45.0					
Lower Bodyside Molding	2	Add	1	Add		5200	150	-50	2206	92.0	45.0	5600	150	100	1322	97.0	45.0					
Reverse Vehicle Sensor System	0	Add	1	Add		5200	150	0	2156	93.0	45.0	5600	150	150	1272	97.0	45.0					
Static Rear Video Camera	0	Add	1	Add		5200	150	50	2106	94.1	45.0	5600	150	200	1222	97.0	45.0					
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add		5200	150	100	2056	95.2	45.0	5600	150	250	1172	97.0	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add		5200	150	150	2006	96.4	45.0	5600	150	300	1122	97.0	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add		5200	150	200	1956	97.0	45.0	5600	150	350	1072	97.0	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add		5200	150	250	1906	97.0	45.0	5600	150	400	1022	97.0	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add		5200	150	300	1856	97.0	45.0	5600	150	450	972	97.0	45.0					
Sliding Rear Window	5	Add	2	Add		5200	150	350	1806	97.0	45.0	5600	150	500	922	97.0	45.0					
Power Sliding Rear Window	5	Add	3	Add		5200	150	400	1756	97.0	45.0	6000	200	0	1372	97.0	45.0					
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add		5200	150	450	1706	97.0	45.0	6000	200	50	1322	97.0	45.0					
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add		5200	150	500	1656	97.0	45.0	6000	200	100	1272	97.0	45.0					
Foglamps	3	Add	0	Add		5200	200	-50	2156	89.4	45.0	6000	200	150	1222	97.0	45.0					
Bright Exhaust Pipe Extension	0	Add	3	Add		5200	200	0	2106	90.4	45.0	6000	200	200	1172	97.0	45.0					
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add		5200	200	50	2056	91.4	45.0	6000	200	250	1122	97.0	45.0					
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add		5200	200	100	2006	92.5	45.0	6000	200	300	1072	97.0	45.0					
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add		5200	200	150	1956	93.6	45.0	6000	200	350	1022	97.0	45.0					
All Weather Floor Mat	6	Add	4	Add		5200	200	200	1906	94.8	45.0	6000	200	400	972	97.0	45.0					
Electrochromic Rear View Mirror	1	Add	0	Add		5200	2															

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA							
	FRONT					REAR					6.2L Gasoline Engine 10000 lb (4535 kg) GVWR				6.7L Diesel Engine 10000 lb (4535 kg) GVWR			
	OPTION DESCRIPTION		FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS					
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)			
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	2196	97.0	45.0	5600	-50	-50	1460	97.0	45.0		
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	2146	97.0	45.0	5600	-50	0	1410	97.0	45.0		
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	0	2146	97.0	45.0	5600	-50	0	1410	97.0	45.0		
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	50	2096	97.0	45.0	5600	-50	50	1360	97.0	45.0		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	100	2046	97.0	45.0	5600	-50	100	1310	97.0	45.0		
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2146	97.0	45.0	5600	0	-50	1410	97.0	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2096	97.0	45.0	5600	0	0	1360	97.0	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2046	97.0	45.0	5600	0	50	1310	97.0	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	1996	97.0	45.0	5600	0	100	1260	97.0	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	1946	97.0	45.0	5600	0	150	1210	97.0	45.0		
Brake Controller	1	Add	0	Add	5200	0	200	1896	97.0	45.0	5600	0	200	1160	97.0	45.0		
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1846	97.0	45.0	5600	0	250	1110	97.0	45.0		
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	1796	97.0	45.0	5600	0	300	1060	97.0	45.0		
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	350	1746	97.0	45.0	5600	0	350	1010	97.0	45.0		
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1696	97.0	45.0	5600	0	400	960	97.0	45.0		
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	1646	97.0	45.0	5600	0	450	910	97.0	45.0		
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1596	97.0	45.0	5600	0	500	860	97.0	45.0		
5th Wheel Hitch	0	Add	96	Add	5200	0	550	1546	97.0	45.0	5600	0	550	810	97.0	45.0		
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2046	97.0	45.0	6000	50	0	1310	97.0	45.0		
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	1996	97.0	45.0	6000	50	50	1260	97.0	45.0		
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	1946	97.0	45.0	6000	50	100	1210	97.0	45.0		
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	1896	97.0	45.0	6000	50	150	1160	97.0	45.0		
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	1846	97.0	45.0	6000	50	200	1110	97.0	45.0		
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	1796	97.0	45.0	6000	50	250	1060	97.0	45.0		
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1746	97.0	45.0	6000	50	300	1010	97.0	45.0		
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	1696	97.0	45.0	6000	50	350	960	97.0	45.0		
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-26	Minus	5200	50	400	1646	97.0	45.0	6000	50	400	910	97.0	45.0		
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	450	1596	97.0	45.0	6000	50	450	860	97.0	45.0		
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	500	1546	97.0	45.0	6000	50	500	810	97.0	45.0		
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	550	1496	97.0	45.0	6000	50	550	760	97.0	45.0		
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	0	1996	94.1	45.0	6000	100	0	1260	97.0	45.0		
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5200	100	50	1946	95.3	45.0	6000	100	50	1210	97.0	45.0		
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	100	100	1896	96.6	45.0	6000	100	100	1160	97.0	45.0		
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	100	150	1846	97.0	45.0	6000	100	150	1110	97.0	45.0		
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	200	1796	97.0	45.0	6000	100	200	1060	97.0	45.0		
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	250	1746	97.0	45.0	6000	100	250	1010	97.0	45.0		
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	300	1696	97.0	45.0	6000	100	300	960	97.0	45.0		
Pickup Bed Extender	-2	Minus	21	Add	5200	100	350	1646	97.0	45.0	6000	100	350	910	97.0	45.0		
Drop-In Bedliner	2	Add	42	Add	5200	100	400	1596	97.0	45.0	6000	100	400	860	97.0	45.0		
Spray-In Bedliner	0	Add	20	Add	5200	100	450	1546	97.0	45.0	6000	100	450	810	97.0	45.0		
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	500	1496	97.0	45.0	6000	100	500	760	97.0	45.0		
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	100	550	1446	97.0	45.0	6000	100	550	710	97.0	45.0		
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	150	0	1946	90.9	45.0	6000	150	0	1210	97.0	45.0		
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	50	1896	92.0	45.0	6000	150	50	1160	97.0	45.0		
Lower Bodyside Molding	2	Add	1	Add	5200	150	100	1846	93.2	45.0	6000	150	100	1110	97.0	45.0		
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	150	1796	94.5	45.0	6000	150	150	1060	97.0	45.0		
Static Rear Video Camera	0	Add	1	Add	5200	150	200	1746	95.8	45.0	6000	150	200	1010	97.0	45.0		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	250	1696	97.0	45.0	6000	150	250	960	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	300	1646	97.0	45.0	6000	150	300	910	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	350	1596	97.0	45.0	6000	150	350	860	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	400	1546	97.0	45.0	6000	150	400	810	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	450	1496	97.0	45.0	6000	150	450	760	97.0	45.0		
Sliding Rear Window	5	Add	2	Add	5200	150	500	1446	97.0	45.0	6000	150	500	710	97.0	45.0		
Power Sliding Rear Window	5	Add	3	Add	5200	150	550	1396	97.0	45.0	6000	150	550	660	97.0	45.0		
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	0	1896	87.5	45.0	6000	200	0	1160	97.0	45.0		
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	50	1846	88.5	45.0	6000	200	50	1110	97.0	45.0		
Foglamps	3	Add	0	Add	5200	200	100	1796	89.7	45.0	6000	200	100	1060	97.0	45.0		
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	150	1746	90.9	45.0	6000	200	150	1010	97.0	45.0		
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	200	1696	92.1	45.0	6000	200	200	960	97.0	45.0		
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	250	1646	93.5	45.0	6000	200	250	910	97.0	45.0		
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	300	1596	94.9	45.0	6000	200	300	860	97.0	45.0		
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	200	350	1546	96.4	45.0	6000	200	350	810	97.0	45.0		
All Weather Floor Mat	7	Add	4	Add	5200	200	400	1496	97.0	45.0	6000	200	400	760	97.0	45.0		
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	450	1446	97.0	45.0	6000	200	450	710	97.0	45.0		
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	500	1396	97.0	45.0	6000	200	500	660	97.0	45.0		
Floor Console - Stand alone	-25	Minus	-9	Minus	5200	200	550	1346	97.0	45.0	6000	200	550	610	97.0	45.0		
Cruise Control	3	Add	1	Add	5600	250	0	1846	97.0	45.0	6000	250	0	1110	97.0	45.0		
Power Equipment Group	15	Add	6	Add	5600	250	50	1796	97.0	45.0	6000	250	50	1060	97.0	45.0		
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	100	1746	97.0	45.0	6000	250	100	1010	97.0	45.0		
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	150	1696	97.0	45.0	6000	250	150	960	97.0	45.0		
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	200	1646	97.0	45.0	60							

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS				
				FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)	FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)			
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4250	-50	-50	2777	66.4	45.0	4850	-50	-50	2107	72.7	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4250	-50	0	2727	66.8	45.0	4850	-50	0	2057	73.3	45.0
XLT Trim (DIESEL)	30	Add	13	Add	4250	-50	50	2677	67.1	45.0	4850	-50	50	2007	73.9	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4250	-50	100	2627	67.5	45.0	4850	-50	100	1957	74.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4250	0	-50	2727	64.2	45.0	4850	0	-50	2057	69.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4250	0	0	2677	64.5	45.0	4850	0	0	2007	70.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4250	0	50	2627	64.8	45.0	4850	0	50	1957	71.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.11	2	Add	1	Add	4250	0	100	2577	65.1	45.0	4850	0	100	1907	71.6	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4250	0	150	2527	65.5	45.0	4850	0	150	1857	72.2	45.0
Brake Controller	1	Add	0	Add	4400	50	0	2627	70.2	45.0	5000	50	0	1957	78.2	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	50	50	2577	70.6	45.0	5000	50	50	1907	79.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4400	50	100	2527	71.1	45.0	5000	50	100	1857	79.9	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4400	50	150	2477	71.5	45.0	5000	50	150	1807	80.7	45.0
Less Urea Emission Tank (DSL only)	17	Minus	-64	Minus	4400	50	200	2427	72.0	45.0	5000	50	200	1757	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-97	Minus	12	Add	4400	50	250	2377	72.5	45.0	5000	50	250	1707	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4400	50	300	2327	73.1	45.0	5000	50	300	1657	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4400	50	350	2277	73.6	45.0	5000	50	350	1607	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	50	400	2227	74.2	45.0	5000	50	400	1557	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	50	450	2177	74.8	45.0	5000	50	450	1507	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	100	0	2577	67.9	45.0	5000	100	0	1907	75.3	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	100	50	2527	68.3	45.0	5000	100	50	1857	76.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	100	100	2477	68.7	45.0	5000	100	100	1807	76.8	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4400	100	150	2427	69.1	45.0	5000	100	150	1757	77.6	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4400	100	200	2377	69.6	45.0	5000	100	200	1707	78.5	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4400	100	250	2327	70.0	45.0	5000	100	250	1657	79.4	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4400	100	300	2277	70.5	45.0	5000	100	300	1607	80.4	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4400	100	350	2227	71.0	45.0	5000	100	350	1557	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4400	100	400	2177	71.5	45.0	5000	100	400	1507	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	100	450	2127	72.1	45.0	5000	100	450	1457	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4400	150	0	2527	65.5	45.0	5000	150	0	1857	72.2	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4400	150	50	2477	65.8	45.0	5000	150	50	1807	72.9	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4400	150	100	2427	66.2	45.0	5000	150	100	1757	73.6	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4400	150	150	2377	66.6	45.0	5000	150	150	1707	74.4	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4400	150	200	2327	67.0	45.0	5000	150	200	1657	75.2	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4400	150	250	2277	67.4	45.0	5000	150	250	1607	76.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4400	150	300	2227	67.8	45.0	5000	150	300	1557	76.9	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4400	150	350	2177	68.3	45.0	5000	150	350	1507	77.9	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4400	150	400	2127	68.8	45.0	5000	150	400	1457	78.9	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4400	150	450	2077	69.3	45.0	5000	150	450	1407	80.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	200	0	2477	71.5	45.0	5250	200	0	1807	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	200	50	2427	72.0	45.0	5250	200	50	1757	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	4550	200	100	2377	72.5	45.0	5250	200	100	1707	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	4550	200	150	2327	73.1	45.0	5250	200	150	1657	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	200	200	2277	73.6	45.0	5250	200	200	1607	81.0	45.0
8" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	4550	200	250	2227	74.2	45.0	5250	200	250	1557	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	200	300	2177	74.8	45.0	5250	200	300	1507	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	200	350	2127	75.4	45.0	5250	200	350	1457	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	200	400	2077	76.1	45.0	5250	200	400	1407	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	200	450	2027	76.8	45.0	5250	200	450	1357	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	250	0	2427	69.1	45.0	5250	250	0	1757	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	250	50	2377	69.6	45.0	5250	250	50	1707	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	250	100	2327	70.0	45.0	5250	250	100	1657	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	250	150	2277	70.5	45.0	5250	250	150	1607	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	250	200	2227	71.0	45.0	5250	250	200	1557	81.0	45.0
Sliding Rear Window	5	Add	2	Add	4550	250	250	2177	71.5	45.0	5250	250	250	1507	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	250	300	2127	72.1	45.0	5250	250	300	1457	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	250	350	2077	72.7	45.0	5250	250	350	1407	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	250	400	2027	73.3	45.0	5250	250	400	1357	81.0	45.0
Foglamps	3	Add	0	Add	4550	250	450	1977	73.9	45.0	5250	250	450	1307	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add												
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add												
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add												
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add												
All Weather Floor Mat	6	Add	4	Add												
Electrochromic Rear View Mirror	1	Add	0	Add												
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add												
Floor Console/ette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22													

OPTION TABLE	VEHICLE LOADING DATA						VEHICLE LOADING DATA																
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						6.7L Diesel Engine 9900 lb (4490 kg) GVWR																
	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS				
OPTION DESCRIPTION						GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)
Lariat Trim (GAS)	29	Add	19	Add		4400	-50	-50	2584	71.2	45.0	5000	-50	-50	1937	80.2	45.0	5000	-50	-50	1937	80.2	45.0
XLT Trim (GAS)	13	Add	9	Add		4400	-50	0	2544	71.7	45.0	5000	-50	0	1887	81.0	45.0	5000	-50	0	1887	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add		4400	-50	0	2494	71.7	45.0	5000	-50	0	1837	81.0	45.0	5000	-50	0	1837	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add		4400	-50	50	2494	72.1	45.0	5000	-50	50	1787	81.0	45.0	5000	-50	100	1787	81.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add		4400	-50	100	2444	72.6	45.0	5000	-50	100	1837	81.0	45.0	5000	-50	100	1837	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add		4400	0	-50	2544	68.6	45.0	5000	0	-50	1887	76.9	45.0	5000	0	-50	1887	76.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add		4400	0	0	2494	69.0	45.0	5000	0	0	1837	77.7	45.0	5000	0	0	1837	77.7	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add		4400	0	50	2444	69.4	45.0	5000	0	50	1787	78.5	45.0	5000	0	100	1787	78.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add		4400	0	100	2394	69.9	45.0	5000	0	100	1737	79.4	45.0	5000	0	150	1737	79.4	45.0
Brake Controller	1	Add	1	Add		4400	0	150	2344	70.4	45.0	5000	0	150	1687	80.3	45.0	5000	0	200	1687	80.3	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus		4400	0	200	2294	70.8	45.0	5000	0	200	1637	81.0	45.0	5000	0	250	1637	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X2	18	Add	18	Add		4400	0	250	2244	71.4	45.0	5000	0	250	1587	81.0	45.0	5000	0	300	1587	81.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add		4400	0	300	2194	71.9	45.0	5000	0	300	1537	81.0	45.0	5000	0	350	1537	81.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add		4400	0	350	2144	72.4	45.0	5000	0	350	1487	81.0	45.0	5000	0	400	1487	81.0	45.0
5th Wheel Hitch	0	Add	96	Add		4400	0	400	2094	73.0	45.0	5000	0	400	1437	81.0	45.0	5000	0	450	1437	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add		4400	0	450	2044	73.6	45.0	5000	0	450	1387	81.0	45.0	5000	0	500	1387	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add		4550	50	0	2444	75.8	45.0	5000	50	0	1787	74.1	45.0	5000	50	0	1787	74.1	45.0
750 CCA/78 AH Battery	2	Add	0	Add		4550	50	50	2394	76.4	45.0	5000	50	50	1737	74.9	45.0	5000	50	50	1737	74.9	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus		4550	50	100	2344	77.0	45.0	5000	50	100	1687	75.7	45.0	5000	50	150	1687	75.7	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus		4550	50	150	2294	77.7	45.0	5000	50	150	1637	76.5	45.0	5000	50	200	1637	76.5	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus		4550	50	200	2244	78.3	45.0	5000	50	200	1587	77.4	45.0	5000	50	250	1587	77.4	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus		4550	50	250	2194	79.0	45.0	5000	50	250	1537	78.4	45.0	5000	50	300	1537	78.4	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus		4550	50	300	2144	79.7	45.0	5000	50	300	1487	79.4	45.0	5000	50	350	1487	79.4	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add		4550	50	350	2094	80.5	45.0	5000	50	350	1437	80.5	45.0	5000	50	400	1437	80.5	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus		4550	50	400	2044	81.0	45.0	5000	50	400	1387	81.0	45.0	5000	50	450	1387	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus		4550	50	450	1994	81.0	45.0	5000	50	450	1337	81.0	45.0	5000	50	500	1337	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus		4550	50	500	1944	81.0	45.0	5000	50	500	1287	81.0	45.0	5000	50	550	1287	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus		4550	100	0	2394	73.1	45.0	5000	100	0	1737	70.4	45.0	5000	100	0	1737	70.4	45.0
LT 265/70R17E A/T OWL (SRW only) 17" STD	6	Add	9	Add		4550	100	50	2344	73.7	45.0	5000	100	50	1687	71.1	45.0	5000	100	50	1687	71.1	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add		4550	100	100	2294	74.2	45.0	5000	100	100	1637	71.8	45.0	5000	100	150	1637	71.8	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add		4550	100	150	2244	74.8	45.0	5000	100	150	1587	72.5	45.0	5000	100	200	1587	72.5	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus		4550	100	200	2194	75.4	45.0	5000	100	200	1537	73.3	45.0	5000	100	250	1537	73.3	45.0
Less Jack - 2-Ton (including Tool)	-1	Add	-12	Minus		4550	100	250	2144	76.1	45.0	5000	100	250	1487	74.2	45.0	5000	100	300	1487	74.2	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add		4550	100	300	2094	76.8	45.0	5000	100	300	1437	75.1	45.0	5000	100	350	1437	75.1	45.0
Pickup Bed Extender	-2	Minus	21	Add		4550	100	350	2044	77.5	45.0	5000	100	350	1387	76.1	45.0	5000	100	400	1387	76.1	45.0
Drop-In Bedliner	2	Add	42	Add		4550	100	400	1994	78.2	45.0	5000	100	400	1337	77.1	45.0	5000	100	450	1337	77.1	45.0
Spray-In Bedliner	0	Add	16	Add		4550	100	450	1944	79.0	45.0	5000	100	450	1287	78.2	45.0	5000	100	500	1287	78.2	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add		4550	100	500	1894	79.8	45.0	5000	100	500	1237	79.5	45.0	5000	100	550	1237	79.5	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add		4550	150	0	2344	70.4	45.0	5250	150	0	1687	81.0	45.0	5250	150	0	1687	81.0	45.0
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add		4550	150	50	2294	70.8	45.0	5250	150	50	1637	81.0	45.0	5250	150	50	1637	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add		4550	150	100	2244	71.4	45.0	5250	150	100	1587	81.0	45.0	5250	150	100	1587	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add		4550	150	150	2194	71.9	45.0	5250	150	150	1537	81.0	45.0	5250	150	150	1537	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add		4550	150	200	2144	72.4	45.0	5250	150	200	1487	81.0	45.0	5250	150	200	1487	81.0	45.0
Static Rear Video Camera	0	Add	1	Add		4550	150	250	2094	73.0	45.0	5250	150	250	1437	81.0	45.0	5250	150	250	1437	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add		4550	150	300	2044	73.6	45.0	5250	150	300	1387	81.0	45.0	5250	150	300	1387	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add		4550	150	350	1994	74.3	45.0	5250	150	350	1337	81.0	45.0	5250	150	350	1337	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add		4550	150	400	1944	75.0	45.0	5250	150	400	1287	81.0	45.0	5250	150	400	1287	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add		4550	150	450	1894	75.7	45.0	5250	150	450	1237	81.0	45.0	5250	150	450	1237	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add		4550	150	500	1844	76.4	45.0	5250	150	500	1187	81.0	45.0	5250	150	500	1187	81.0	45.0
Sliding Rear Window	5	Add	2	Add		4700	200	50	2244	78.3	45.0	5250	200	50	1587	81.0	45.0	5250	200	50	1587	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add		4700	200	100	2194	79.0	45.0	5250	200	100	1537	81.0	45.0	5250	200	100	1537	81.0	45.0

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR						
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		FRONT CENTER OF GRAVITY ZONE LIMITS				FRONT CENTER OF GRAVITY ZONE LIMITS				
				FRONT (Lb.)	REAR (Lb.)	FRONT (A) (IN)	FRONT (B) (IN)	FRONT (A) (IN)	FRONT (B) (IN)	FRONT (A) (IN)	FRONT (B) (IN)					
				FRONT (Lb.)	REAR (Lb.)	RATING (LB)	FRONT (A) (IN)	FRONT (B) (IN)	FRONT (A) (IN)	FRONT (B) (IN)	FRONT (A) (IN)	FRONT (B) (IN)				
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4400	-50	-50	2708	69.6	45.0	5000	-50	-50	1974	76.1	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	0	2658	70.0	45.0	5000	-50	0	1924	76.8	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	50	2608	70.4	45.0	5000	-50	50	1874	77.6	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	100	2558	70.8	45.0	5000	-50	100	1824	78.4	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	0	-50	2658	67.0	45.0	5000	0	-50	1924	72.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	0	2608	67.4	45.0	5000	0	0	1874	73.4	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	50	2558	67.8	45.0	5000	0	50	1824	74.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	100	2508	68.2	45.0	5000	0	100	1774	74.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	150	2458	68.6	45.0	5000	0	150	1724	75.6	45.0
Brake Controller	1	Add	0	Add	4400	0	200	2408	69.0	45.0	5000	0	200	1674	76.4	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	0	250	2358	69.4	45.0	5000	0	250	1624	77.3	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	300	2308	69.9	45.0	5000	0	300	1574	78.2	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	350	2258	70.4	45.0	5000	0	350	1524	79.2	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	400	2208	70.9	45.0	5000	0	400	1474	80.3	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	450	2158	71.4	45.0	5000	0	450	1424	81.4	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4400	0	500	2108	72.0	45.0	5000	0	500	1374	82.7	45.0
5th Wheel Hitch	0	Add	96	Add	4550	50	0	2558	73.9	45.0	5250	50	0	1824	91.4	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	50	50	2508	74.5	45.0	5250	50	50	1774	92.6	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	100	2458	75.0	45.0	5250	50	100	1724	93.9	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	150	2408	75.6	45.0	5250	50	150	1674	95.3	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	200	2358	76.1	45.0	5250	50	200	1624	96.8	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	250	2308	76.8	45.0	5250	50	250	1574	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	300	2258	77.4	45.0	5250	50	300	1524	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	350	2208	78.1	45.0	5250	50	350	1474	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-20	Minus	-20	Minus	4550	50	400	2158	78.8	45.0	5250	50	400	1424	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	450	2108	79.5	45.0	5250	50	450	1374	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	500	2058	80.3	45.0	5250	50	500	1324	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4550	100	0	2508	71.3	45.0	5250	100	0	1774	88.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4550	100	50	2458	71.8	45.0	5250	100	50	1724	89.3	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4550	100	100	2408	72.3	45.0	5250	100	100	1674	90.6	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4550	100	150	2358	72.8	45.0	5250	100	150	1624	91.9	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	200	2308	73.3	45.0	5250	100	200	1574	93.3	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	250	2258	73.9	45.0	5250	100	250	1524	94.8	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	300	2208	74.5	45.0	5250	100	300	1474	96.4	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4550	100	350	2158	75.1	45.0	5250	100	350	1424	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4550	100	400	2108	75.8	45.0	5250	100	400	1374	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	450	2058	76.4	45.0	5250	100	450	1324	97.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	500	2008	77.1	45.0	5250	100	500	1274	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	150	0	2458	68.6	45.0	5250	150	0	1724	84.8	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	150	50	2408	69.0	45.0	5250	150	50	1674	85.9	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	150	100	2358	69.4	45.0	5250	150	100	1624	87.0	45.0
Drop-In Bedliner	2	Add	35	Add	4550	150	150	2308	69.9	45.0	5250	150	150	1574	88.3	45.0
Spray-In Bedliner	1	Add	19	Add	4550	150	200	2258	70.4	45.0	5250	150	200	1524	89.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	150	250	2208	70.9	45.0	5250	150	250	1474	91.0	45.0
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	4550	150	300	2158	71.4	45.0	5250	150	300	1424	92.5	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	150	350	2108	72.0	45.0	5250	150	350	1374	94.2	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	400	2058	72.6	45.0	5250	150	400	1324	95.9	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	450	2008	73.2	45.0	5250	150	450	1274	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	500	1958	73.9	45.0	5250	150	500	1224	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	200	0	2408	75.6	45.0	5250	200	0	1674	81.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	200	50	2358	76.1	45.0	5250	200	50	1624	82.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	200	100	2308	76.8	45.0	5250	200	100	1574	83.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	200	150	2258	77.4	45.0	5250	200	150	1524	84.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4700	200	200	2208	78.1	45.0	5250	200	200	1474	85.7	45.0
Sliding Rear Window	5	Add	2	Add	4700	200	250	2158	78.8	45.0	5250	200	250	1424	87.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	200	300	2108	79.5	45.0	5250	200	300	1374	88.4	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	200	350	2058	80.3	45.0	5250	200	350	1324	89.9	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	400	2008	81.1	45.0	5250	200	400	1274	91.6	45.0
Fog lamps	3	Add	0	Add	4700	200	450	1958	81.9	45.0	5250	200	450	1224	93.4	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	500	1908	82.8	45.0	5250	200	500	1174	95.3	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	250	0	2358	72.8	45.0	5250	250	0	1624	77.3	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	250	50	2308	73.3	45.0	5250	250	50	1574	78.2	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	250	100	2258	73.9	45.0	5250	250	100	1524	79.2	45.0
All Weather Floor Mat	6	Add	4	Add	4700	250	150	2208	74.5	45.0	5250	250	150	1474	80.3	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	250	200	2158	75.1	45.0	5250	250	200	1424	81.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	250	250	2108	75.8	45.0	5250	250	250	1374	82.7	45.0
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	4700	250	300	2058	76.4	45.0	5250	250	300	1324	84.0	45.0
Cruise Control	3	Add	1	Add	4700	250	350	2008	77.1	45.0	5250	250	350	1274	85.4	45.0
Power Equipment Group	12	Add	3	Add	4700	250	400	1958	77.9	45.0	5250	250	400	1224	86.9	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	450	1908	78.7	45.0	5250	250	450	1174	88.6	

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR								VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR							
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS			
					FRONT (Lb.)	REAR (Lb.)		FRONT (A) (IN)	REAR (B) (IN)					FRONT (A) (IN)	REAR (B) (IN)					
					I	II	III	IV	V	VI	I	II	III	IV	V	VI				
Lariat Trim (GAS)	29	Add	19	Add																
XLT Trim (GAS)	13	Add	9	Add	4550	-50	-50	2460	75.6	45.0	5250	-50	-50	1764	95.4	45.0				
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	0	2410	76.2	45.0	5250	-50	0	1714	96.8	45.0				
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	50	2360	76.8	45.0	5250	-50	50	1664	97.0	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	100	2310	77.4	45.0	5250	-50	100	1614	97.0	45.0				
Immersion Heater - Engine	1	Add	0	Add	4550	-50	150	2260	78.1	45.0	5250	0	-50	1714	91.7	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	200	2210	78.8	45.0	5250	0	0	1664	93.0	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	250	2160	79.5	45.0	5250	0	50	1614	94.4	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	300	2110	80.2	45.0	5250	0	100	1564	95.9	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	350	2060	81.0	45.0	5250	0	150	1514	97.0	45.0				
Brake Controller	1	Add	0	Add	4550	-50	400	2010	81.8	45.0	5250	0	200	1464	97.0	45.0				
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	-50	500	1910	83.6	45.0	5250	0	250	1414	97.0	45.0				
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	0	2360	73.1	45.0	5250	0	300	1364	97.0	45.0				
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	50	2310	73.7	45.0	5250	0	350	1314	97.0	45.0				
Less Urea Emission Tank (DSL only)	-7	Minus	-64	Minus	4550	0	100	2260	74.3	45.0	5250	0	400	1264	97.0	45.0				
Rear Stabilizer Bar F250/350 SRW 4x4	-1	Minus	12	Add	4550	0	150	2210	74.9	45.0	5250	0	450	1214	97.0	45.0				
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	200	2160	75.5	45.0	5250	0	500	1164	97.0	45.0				
5th Wheel Hitch	0	Add	96	Add	4550	0	250	2110	76.1	45.0	5250	50	0	1614	89.1	45.0				
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	300	2060	76.8	45.0	5250	50	50	1564	90.4	45.0				
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	350	2010	77.5	45.0	5250	50	100	1514	91.8	45.0				
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	400	1960	78.3	45.0	5250	50	150	1464	93.3	45.0				
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	500	1860	79.9	45.0	5250	50	200	1414	94.9	45.0				
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	0	2310	81.2	45.0	5250	50	250	1364	96.6	45.0				
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	0	2260	81.9	45.0	5250	50	300	1314	97.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	100	2210	82.7	45.0	5250	50	350	1264	97.0	45.0				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4700	50	150	2160	83.5	45.0	5250	50	400	1214	97.0	45.0				
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Minus	19	Add	4700	50	200	2110	84.3	45.0	5250	50	450	1164	97.0	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4700	50	250	2060	85.2	45.0	5250	50	500	1114	97.0	45.0				
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4700	50	300	2010	86.1	45.0	5250	100	0	1564	84.9	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4700	50	350	1960	87.1	45.0	5250	100	50	1514	86.1	45.0				
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	400	1910	88.1	45.0	5250	100	100	1464	87.4	45.0				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	500	1810	90.3	45.0	5250	100	150	1414	88.8	45.0				
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4700	100	0	2260	78.1	45.0	5250	100	200	1364	90.3	45.0				
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	4700	100	50	2210	78.8	45.0	5250	100	250	1314	91.9	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	100	100	2160	79.5	45.0	5250	100	300	1264	93.7	45.0				
LT 245/75R17E A/T OWL (SRW only)	6	Minus	-3	Minus	4700	100	150	2110	80.2	45.0	5250	100	350	1214	95.6	45.0				
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	0	Add	4700	100	200	2060	81.0	45.0	5250	100	400	1164	97.0	45.0				
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4700	100	250	2010	81.8	45.0	5250	100	450	1114	97.0	45.0				
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4700	100	300	1960	82.7	45.0	5250	100	500	1064	97.0	45.0				
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4700	100	350	1910	83.6	45.0	5250	150	0	1514	80.4	45.0				
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4700	100	400	1860	84.6	45.0	5250	150	50	1464	81.5	45.0				
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4700	100	500	1760	86.6	45.0	5250	150	100	1414	82.7	45.0				
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4700	150	0	2210	74.9	45.0	5250	150	150	1364	84.0	45.0				
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	150	50	2160	75.5	45.0	5250	150	200	1314	85.4	45.0				
Pickup Bed Extender	-2	Minus	21	Add	4700	150	100	2110	76.1	45.0	5250	150	250	1264	86.9	45.0				
Drop-In Bedliner	2	Add	42	Add	4700	150	150	2060	76.8	45.0	5250	150	300	1214	88.5	45.0				
Spray-In Bedliner	0	Add	20	Add	4700	150	200	2010	77.5	45.0	5250	150	350	1164	90.2	45.0				
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4700	150	250	1960	78.3	45.0	5250	150	400	1114	92.1	45.0				
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	150	300	1910	79.1	45.0	5250	150	450	1064	94.2	45.0				
6" Angular Chrome Step w/o Lights - (SRW only)	6	Add	19	Add	4700	150	350	1860	79.9	45.0	5250	150	500	1014	96.4	45.0				
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4700	150	400	1810	80.8	45.0	5250	200	0	1464	75.7	45.0				
Lower Bodyside Molding	2	Add	1	Add	4700	150	500	1710	82.7	45.0	5250	200	50	1414	76.6	45.0				
Reverse Vehicle Sensor System	0	Add	1	Add	4850	200	0	2160	83.5	45.0	5250	200	100	1364	77.7	45.0				
Static Rear Video Camera	0	Add	1	Add	4850	200	50	2110	84.3	45.0	5250	200	150	1314	78.8	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4850	200	100	2060	85.2	45.0	5250	200	200	1264	80.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4850	200	150	2010	86.1	45.0	5250	200	250	1214	81.4	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4850	200	200	1960	87.1	45.0	5250	200	300	1164	82.8	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	7	Add	0	Add	4850	200	250	1910	88.1	45.0	5250	200	350	1114	84.4	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	5	Add	2	Add	4850	200	300	1860	89.2	45.0	5250	200	400	1064	86.1	45.0				
Sliding Rear Window	5	Add	2	Add	4850	200	350	1810	90.3	45.0	5250	200	450	1014	87.9	45.0				
Power Sliding Rear Window	5	Add	3	Add	4850	200	400	1760	91.5	45.0	5250	200	500	964	90.0	45.0				
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4850	200	500	1660	94.2	45.0	5250	250	0	1414	70.5	45.0				
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4850	250	0	2110	80.2	45.0	5250	250	50	1364	71.4	45.0				
Foglamps	3	Add	0	Add	4850	250	50	2060	81.0	45.0	5250	250	100	1314	72.3	45.0				
Bright Exhaust Pipe Extension	0	Add	3	Add	4850	250	100	2010	81.8	45.0	5250	250	150	1264	73.2	45.0				
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4850	250	150	1960	82.7	45.0	5250	250	200	1214	74.3	45.0				

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS			
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (A) (IN)	REAR (B) (IN)		FRONT (Lb.)	REAR (Lb.)	FRONT (A) (IN)	REAR (B) (IN)					
	I	II	III	IV	V	VI	I	II	III	IV	V	VI				
XLT Trim (GAS)	10	Add	6	Add												
XLT Trim (DIESEL)	14	Add	9	Add	4100	-50	-50	3515	67.8	45.0	4550	-50	-50	2874	66.2	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4100	-50	0	3465	68.0	45.0	4550	-50	0	2824	66.5	45.0
Immersion Heater - Engine	1	Add	0	Add	4100	-50	50	3415	68.3	45.0	4550	-50	50	2774	66.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4100	-50	100	3365	68.6	45.0	4550	-50	100	2724	67.2	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4100	0	-50	3465	66.1	45.0	4550	0	-50	2824	64.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4100	0	0	3415	66.3	45.0	4550	0	0	2774	64.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4100	0	50	3365	66.6	45.0	4550	0	50	2724	64.7	45.0
Brake Controller	1	Add	0	Add	4100	0	100	3315	66.9	45.0	4550	0	100	2674	65.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4100	0	150	3265	67.2	45.0	4550	0	150	2624	65.3	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4250	50	0	3365	70.7	45.0	4550	50	0	2724	62.2	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4250	50	50	3315	71.0	45.0	4550	50	50	2674	62.5	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4250	50	100	3265	71.4	45.0	4550	50	100	2624	62.7	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4250	50	150	3215	71.8	45.0	4550	50	150	2574	63.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4250	50	200	3165	72.1	45.0	4550	50	200	2524	63.3	45.0
5th Wheel Hitch	0	Add	96	Add	4250	50	250	3115	72.5	45.0	4550	50	250	2474	63.6	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4250	50	300	3065	72.9	45.0	4550	50	300	2424	64.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4250	50	350	3015	73.3	45.0	4550	50	350	2374	64.3	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4250	50	400	2965	73.8	45.0	4550	50	400	2324	64.7	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4250	50	450	2915	74.2	45.0	4550	50	450	2274	65.0	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4250	100	0	3315	69.0	45.0	4550	100	0	2674	59.9	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4250	100	50	3265	69.3	45.0	4550	100	50	2624	60.1	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4250	100	100	3215	69.6	45.0	4550	100	100	2574	60.4	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4250	100	150	3165	70.0	45.0	4550	100	150	2524	60.6	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4250	100	200	3115	70.3	45.0	4550	100	200	2474	60.9	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4250	100	250	3065	70.7	45.0	4550	100	250	2424	61.1	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4250	100	300	3015	71.1	45.0	4550	100	300	2374	61.4	45.0
Pickup Bed Extender	-2	Minus	21	Add	4250	100	350	2965	71.5	45.0	4550	100	350	2324	61.7	45.0
Drop-In Bedliner	2	Add	42	Add	4250	100	400	2915	71.9	45.0	4550	100	400	2274	62.0	45.0
Spray-In Bedliner	1	Add	19	Add	4250	100	450	2865	72.3	45.0	4550	100	450	2224	62.3	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4250	150	0	3265	67.2	45.0	4550	150	0	2624	57.5	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4250	150	50	3215	67.5	45.0	4550	150	50	2574	57.7	45.0
Static Rear Video Camera	0	Add	1	Add	4250	150	100	3165	67.8	45.0	4550	150	100	2524	57.9	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4250	150	150	3115	68.1	45.0	4550	150	150	2474	58.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4250	150	200	3065	68.4	45.0	4550	150	200	2424	58.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4250	150	250	3015	68.8	45.0	4550	150	250	2374	58.5	45.0
Sliding Rear Window	5	Add	2	Add	4250	150	300	2965	69.1	45.0	4550	150	300	2324	58.8	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4250	150	350	2915	69.5	45.0	4550	150	350	2274	59.0	45.0
Foglamps	3	Add	0	Add	4250	150	400	2865	69.9	45.0	4550	150	400	2224	59.3	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4250	150	450	2815	70.3	45.0	4550	150	450	2174	59.5	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4400	200	0	3215	71.8	45.0	4700	200	0	2574	63.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4400	200	50	3165	72.1	45.0	4700	200	50	2524	63.3	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4400	200	100	3115	72.5	45.0	4700	200	100	2474	63.6	45.0
All Weather Floor Mat	4	Add	2	Add	4400	200	150	3065	72.9	45.0	4700	200	150	2424	64.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4400	200	200	3015	73.3	45.0	4700	200	200	2374	64.3	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4400	200	250	2965	73.8	45.0	4700	200	250	2324	64.7	45.0
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	4400	200	300	2915	74.2	45.0	4700	200	300	2274	65.0	45.0
Cruise Control	3	Add	1	Add	4400	200	350	2865	74.7	45.0	4700	200	350	2224	65.4	45.0
Power Equipment Group	12	Add	3	Add	4400	200	400	2815	75.1	45.0	4700	200	400	2174	65.8	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4400	200	450	2765	75.6	45.0	4700	200	450	2124	66.2	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4400	250	0	3165	70.0	45.0	4700	250	0	2524	60.6	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4400	250	50	3115	70.3	45.0	4700	250	50	2474	60.9	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4400	250	100	3065	70.7	45.0	4700	250	100	2424	61.1	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4400	250	150	3015	71.1	45.0	4700	250	150	2374	61.4	45.0
Cloth Seats	-2	Minus	-1	Minus	4400	250	200	2965	71.5	45.0	4700	250	200	2324	61.7	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4400	250	250	2915	71.9	45.0	4700	250	250	2274	62.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4400	250	300	2865	72.3	45.0	4700	250	300	2224	62.3	45.0
Satellite Digital Broadcast	2	Add	1	Add	4400	250	350	2815	72.7	45.0	4700	250	350	2174	62.7	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4400	250	400	2765	73.2	45.0	4700	250	400	2124	63.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	4400	250	450	2715	73.6	45.0	4700	250	450	2074	63.4	45.0
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA								
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR										6.7L Diesel Engine 9900 lb (4490 kg) GVWR								
	FRONT (Lbs.)		REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS				
					FRONT (LB)	REAR (LB)		FRONT (A) (IN)	REAR (B) (IN)	FRONT (LB.)	FRONT (LB)	REAR (LB)	RATING		FRONT (A) (IN)	REAR (B) (IN)			
OPTION DESCRIPTION	I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Lariat Trim (GAS)	29	Add	19	Add															
XLT Trim (GAS)	13	Add	9	Add	4400	-50	-50	2594	71.2	45.0	5000	-50	-50	1937	80.2	45.0			
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	0	2544	71.7	45.0	5000	-50	0	1887	81.0	45.0			
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	50	2494	72.1	45.0	5000	-50	50	1837	81.0	45.0			
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	100	2444	72.6	45.0	5000	-50	100	1787	81.0	45.0			
Immersion Heater - Engine	1	Add	0	Add	4400	0	-50	2544	68.6	45.0	5000	0	-50	1887	76.9	45.0			
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	0	2494	69.0	45.0	5000	0	0	1837	77.7	45.0			
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	50	2444	69.4	45.0	5000	0	50	1787	78.5	45.0			
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	100	2394	69.9	45.0	5000	0	100	1737	79.4	45.0			
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	150	2344	70.4	45.0	5000	0	150	1687	80.3	45.0			
Brake Controller	1	Add	0	Add	4400	0	200	2294	70.8	45.0	5000	0	200	1637	81.0	45.0			
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	250	2244	71.4	45.0	5000	0	250	1587	81.0	45.0			
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	300	2194	71.9	45.0	5000	0	300	1537	81.0	45.0			
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	350	2144	72.4	45.0	5000	0	350	1487	81.0	45.0			
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	400	2094	73.0	45.0	5000	0	400	1437	81.0	45.0			
5th Wheel Hitch	0	Add	96	Add	4400	0	450	2044	73.6	45.0	5000	0	450	1387	81.0	45.0			
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	500	1994	74.3	45.0	5000	0	500	1337	81.0	45.0			
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	0	2444	75.8	45.0	5000	50	0	1787	74.1	45.0			
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	50	2394	76.4	45.0	5000	50	50	1737	74.9	45.0			
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	100	2344	77.0	45.0	5000	50	100	1687	75.7	45.0			
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	150	2294	77.7	45.0	5000	50	150	1637	76.5	45.0			
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	200	2244	78.3	45.0	5000	50	200	1587	77.4	45.0			
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	250	2194	79.0	45.0	5000	50	250	1537	78.4	45.0			
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	300	2144	79.7	45.0	5000	50	300	1487	79.4	45.0			
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	350	2094	80.5	45.0	5000	50	350	1437	80.5	45.0			
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	400	2044	81.0	45.0	5000	50	400	1387	81.0	45.0			
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4550	50	450	1994	81.0	45.0	5000	50	450	1337	81.0	45.0			
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4550	50	500	1944	81.0	45.0	5000	50	500	1287	81.0	45.0			
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	0	2394	73.1	45.0	5000	100	0	1737	70.4	45.0			
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	50	2344	73.7	45.0	5000	100	50	1687	71.1	45.0			
Pickup Bed Extender	-2	Minus	21	Add	4550	100	100	2294	74.2	45.0	5000	100	100	1637	71.8	45.0			
Drop-In Bedliner	2	Add	42	Add	4550	100	150	2244	74.8	45.0	5000	100	150	1587	72.5	45.0			
Spray-In Bedliner	0	Add	16	Add	4550	100	200	2194	75.4	45.0	5000	100	200	1537	73.3	45.0			
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	100	250	2144	76.1	45.0	5000	100	250	1487	74.2	45.0			
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	100	300	2094	76.8	45.0	5000	100	300	1437	75.1	45.0			
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	4550	100	350	2044	77.5	45.0	5000	100	350	1387	76.1	45.0			
6" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	100	400	1994	78.2	45.0	5000	100	400	1337	77.1	45.0			
Lower Bodyside Molding	2	Add	1	Add	4550	100	450	1944	79.0	45.0	5000	100	450	1287	78.2	45.0			
Reverse Vehicle Sensor System	0	Add	1	Add	4550	100	500	1894	79.8	45.0	5000	100	500	1237	79.5	45.0			
Static Rear Video Camera	0	Add	1	Add	4550	150	0	2344	70.4	45.0	5250	150	0	1687	81.0	45.0			
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	50	2294	70.8	45.0	5250	150	50	1637	81.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	100	2244	71.4	45.0	5250	150	100	1587	81.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	150	2194	71.9	45.0	5250	150	150	1537	81.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	200	2144	72.4	45.0	5250	150	200	1487	81.0	45.0			
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	150	250	2094	73.0	45.0	5250	150	250	1437	81.0	45.0			
Sliding Rear Window	5	Add	2	Add	4550	150	300	2044	73.6	45.0	5250	150	300	1387	81.0	45.0			
Power Sliding Rear Window	5	Add	3	Add	4550	150	350	1994	74.3	45.0	5250	150	350	1337	81.0	45.0			
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	400	1944	75.0	45.0	5250	150	400	1287	81.0	45.0			
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	450	1894	75.7	45.0	5250	150	450	1237	81.0	45.0			
Foglamps	3	Add	0	Add	4550	150	500	1844	76.4	45.0	5250	150	500	1187	81.0	45.0			
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	50	2244	78.3	45.0	5250	200	50	1587	81.0	45.0			
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	100	2194	79.0	45.0	5250	200	100	1537	81.0	45.0			
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	200	150	2144	79.7	45.0	5250	200	150	1487	81.0	45.0			
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	200	2094	80.5	45.0	5250	200	200	1437	81.0	45.0			
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	200	250	2044	81.0	45.0	5250	200	250	1387	81.0	45.0			
All Weather Floor Mat	7	Add	4	Add	4700	200	300	1994	81.0	45.0	5250	200	300	1337	81.0	45.0			
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	350	1944	81.0	45.0	5250	200	350	1287	81.0	45.0			
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	400	1894	81.0	45.0	5250	200	400	1237	81.0	45.0			
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	4700	200	450	1844	81.0	45.0	5250	200	450	1187	81.0	45.0			
Cruise Control	3	Add	1	Add	4700	200	500	1794	81.0	45.0	5250	200	500	1137	81.0	45.0			
Power Equipment Group	15	Add	6	Add	4700	250	50	2194	75.4	45.0	5250	250	50	1537	81.0	45.0			
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	100	2144	76.1	45.0	5250	250	100	1487	81.0	45.0			
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	250	150	2094	76.8	45.0	5250	250	150	1437	81.0	45.0			
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	200	2044	77.5	45.0	5250	250	200	1387	81.0	45.0			
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	250	1994	78.2	45.0	5250	250	250	1337	81.0	45.0			
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	4700	250	300	1944	79.0	45.0	5250	250	300	1287	81.0	45.0			
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	250	350	1894	79.8	45.0	5250	250	350	1237	81.0	45.0			
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	250	400	1844	80.7	45.0	5250	250	400	1187	81.0	45.0			
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	250	450	1794	81.0	45.0	5250	250	450	1137	81.0	45.0			
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4700	250	500	1744	81.0	45.0	5250	250	500	1087	81.0	45.0			
Cloth Seats	-2	Minus	-1	Minus	4700	300	0	2194	71.9	45.0	5250	300	0	1537	78.4	45.0			
King Ranch Leather	4	Add	2	Add	4700	300	50	2144	72.4	45.0	5250	300	50	1487	79.4	45.0			
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	300	100	2094	73.0	45.0	5250	300	100	1437	80.5	45.0			
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	300	150	2044	73.6	45.0	5250	300	150	1387	81.0	45.0			
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4700	300	200	1994	74.3	45.0	5250	300	200	1337	81.0	45.0			
Satellite Digital Broadcast	2	Add	1	Add	4700	300	250	1944	75.0	45.0	5250	300	250	1287	81.0				

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR														
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS					
	ADD	MINUS	ADD	MINUS	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)		
	I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add																				
XLT Trim (GAS)	10	Add	7	Add	4400	-50	-50	2708	69.6	45.0	5000	-50	-50	1974	76.1	45.0								
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	0	2658	70.0	45.0	5000	-50	0	1924	76.8	45.0								
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	50	2608	70.4	45.0	5000	-50	50	1874	77.6	45.0								
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	100	2558	70.8	45.0	5000	-50	100	1824	78.4	45.0								
Immersion Heater - Engine	1	Add	0	Add	4400	0	-50	2658	67.0	45.0	5000	0	-50	1924	72.7	45.0								
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	0	2608	67.4	45.0	5000	0	0	1874	73.4	45.0								
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	50	2558	67.8	45.0	5000	0	50	1824	74.1	45.0								
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	100	2508	68.2	45.0	5000	0	100	1774	74.8	45.0								
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	150	2458	68.6	45.0	5000	0	150	1724	75.6	45.0								
Brake Controller	1	Add	0	Add	4400	0	200	2408	69.0	45.0	5000	0	200	1674	76.4	45.0								
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	0	250	2358	69.4	45.0	5000	0	250	1624	77.3	45.0								
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	300	2308	69.9	45.0	5000	0	300	1574	78.2	45.0								
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	350	2258	70.4	45.0	5000	0	350	1524	79.2	45.0								
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	400	2208	70.9	45.0	5000	0	400	1474	80.3	45.0								
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	450	2158	71.4	45.0	5000	0	450	1424	81.4	45.0								
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4400	0	500	2108	72.0	45.0	5000	0	500	1374	82.7	45.0								
5th Wheel Hitch	0	Add	96	Add	4550	50	0	2558	73.9	45.0	5250	50	0	1824	91.4	45.0								
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	50	50	2508	74.5	45.0	5250	50	50	1774	92.6	45.0								
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	100	2458	75.0	45.0	5250	50	100	1724	93.9	45.0								
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	150	2408	75.6	45.0	5250	50	150	1674	95.3	45.0								
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	200	2358	76.1	45.0	5250	50	200	1624	96.8	45.0								
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	250	2308	76.8	45.0	5250	50	250	1574	97.0	45.0								
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	300	2258	77.4	45.0	5250	50	300	1524	97.0	45.0								
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	350	2208	78.1	45.0	5250	50	350	1474	97.0	45.0								
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	400	2158	78.8	45.0	5250	50	400	1424	97.0	45.0								
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	450	2108	79.5	45.0	5250	50	450	1374	97.0	45.0								
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	500	2058	80.3	45.0	5250	50	500	1324	97.0	45.0								
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4550	100	0	2508	71.3	45.0	5250	100	0	1774	88.2	45.0								
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4550	100	50	2458	71.8	45.0	5250	100	50	1724	89.3	45.0								
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	100	2408	72.3	45.0	5250	100	100	1674	90.6	45.0								
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	150	2358	72.8	45.0	5250	100	150	1624	91.9	45.0								
Pickup Bed Extender	-2	Minus	21	Add	4550	100	200	2308	73.3	45.0	5250	100	200	1574	93.3	45.0								
Drop-In Bedliner	2	Add	35	Add	4550	100	250	2258	73.9	45.0	5250	100	250	1524	94.8	45.0								
Spray-In Bedliner	1	Add	19	Add	4550	100	300	2208	74.5	45.0	5250	100	300	1474	96.4	45.0								
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	100	350	2158	75.1	45.0	5250	100	350	1424	97.0	45.0								
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	4550	100	400	2108	75.8	45.0	5250	100	400	1374	97.0	45.0								
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	100	450	2058	76.4	45.0	5250	100	450	1324	97.0	45.0								
Lower Bodyside Molding	2	Add	1	Add	4550	100	500	2008	77.1	45.0	5250	100	500	1274	97.0	45.0								
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	0	2458	68.6	45.0	5250	150	0	1724	84.8	45.0								
Static Rear Video Camera	0	Add	1	Add	4550	150	50	2408	69.0	45.0	5250	150	50	1674	85.9	45.0								
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	100	2358	69.4	45.0	5250	150	100	1624	87.0	45.0								
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	150	2308	69.9	45.0	5250	150	150	1574	88.3	45.0								
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	200	2258	70.4	45.0	5250	150	200	1524	89.6	45.0								
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	250	2208	70.9	45.0	5250	150	250	1474	91.0	45.0								
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	150	300	2158	71.4	45.0	5250	150	300	1424	92.5	45.0								
Sliding Rear Window	5	Add	2	Add	4550	150	350	2108	72.0	45.0	5250	150	350	1374	94.2	45.0								
Power Sliding Rear Window	5	Add	3	Add	4550	150	400	2058	72.6	45.0	5250	150	400	1324	95.9	45.0								
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	450	2008	73.2	45.0	5250	150	450	1274	97.0	45.0								
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	500	1958	73.9	45.0	5250	150	500	1224	97.0	45.0								
Foglamps	3	Add	0	Add	4700	200	0	2408	75.6	45.0	5250	200	0	1674	81.1	45.0								
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	50	2358	76.1	45.0	5250	200	50	1624	82.2	45.0								
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	100	2308	76.8	45.0	5250	200	100	1574	83.3	45.0								
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	200	150	2258	77.4	45.0	5250	200	150	1524	84.4	45.0								
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	200	2208	78.1	45.0	5250	200	200	1474	85.7	45.0								
All Weather Floor Mat	6	Add	4	Add	4700	200	250	2158	78.8	45.0	5250	200	250	1424	87.0	45.0								
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	300	2108																

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA										
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR										6.7L Diesel Engine 9900 lb (4490 kg) GVWR										
	OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	REAR (Lbs.)	FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)	FRONT (LB)			REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)				
			I	II	III	IV	V	VI				I	II	III	IV	V	VI				
Lariat Trim (GAS)	29	Add	19	Add																	
XLT Trim (GAS)	13	Add	9	Add	4550	-50	-50	2460	75.6	45.0	5250	-50	-50	1764	95.4	45.0					
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	0	2410	76.2	45.0	5250	-50	0	1714	96.8	45.0					
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	50	2360	76.8	45.0	5250	-50	50	1664	97.0	45.0					
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4550	-50	100	2310	77.4	45.0	5250	-50	100	1614	97.0	45.0					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4550	-50	150	2260	78.1	45.0	5250	0	-50	1714	91.7	45.0					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4550	-50	200	2210	78.8	45.0	5250	0	0	1664	93.0	45.0					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4550	-50	250	2160	79.5	45.0	5250	0	50	1614	94.4	45.0					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	300	2110	80.2	45.0	5250	0	100	1564	95.9	45.0					
Brake Controller	1	Add	0	Add	4550	-50	350	2060	81.0	45.0	5250	0	150	1514	97.0	45.0					
ESOF w/Auto-Man Locking Hubs (4X4 only)	1	Add	0	Add	4550	-50	400	2010	81.8	45.0	5250	0	200	1464	97.0	45.0					
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	0	2360	73.1	45.0	5250	0	300	1364	97.0	45.0					
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	50	2310	73.7	45.0	5250	0	350	1314	97.0	45.0					
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	100	2260	74.3	45.0	5250	0	400	1264	97.0	45.0					
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	150	2210	74.9	45.0	5250	0	450	1214	97.0	45.0					
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	200	2160	75.5	45.0	5250	0	500	1164	97.0	45.0					
5th Wheel Hitch	0	Add	96	Add	4550	0	250	2110	76.1	45.0	5250	50	0	1614	89.1	45.0					
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	300	2060	76.8	45.0	5250	50	50	1564	90.4	45.0					
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	350	2010	77.5	45.0	5250	50	100	1514	91.8	45.0					
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	400	1960	78.3	45.0	5250	50	150	1464	93.3	45.0					
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	500	1860	79.9	45.0	5250	50	200	1414	94.9	45.0					
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	0	2310	81.2	45.0	5250	50	250	1364	96.6	45.0					
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	50	2260	81.9	45.0	5250	50	300	1314	97.0	45.0					
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	100	2210	82.7	45.0	5250	50	350	1264	97.0	45.0					
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	50	150	2160	83.5	45.0	5250	50	400	1214	97.0	45.0					
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4700	50	200	2110	84.3	45.0	5250	50	450	1164	97.0	45.0					
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	50	250	2060	85.2	45.0	5250	50	500	1114	97.0	45.0					
LT 275/65R20E AT OWL (SRW only) 18" STD	17	Add	24	Add	4700	50	300	2010	86.1	45.0	5250	100	0	1564	84.9	45.0					
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4700	50	350	1960	87.1	45.0	5250	100	50	1514	86.1	45.0					
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4700	50	400	1910	88.1	45.0	5250	100	100	1464	87.4	45.0					
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	50	500	1810	90.3	45.0	5250	100	150	1414	88.8	45.0					
Pickup Bed Extender	-2	Minus	21	Add	4700	100	0	2260	78.1	45.0	5250	100	200	1364	90.3	45.0					
Drop-In Bedliner	2	Add	42	Add	4700	100	50	2210	78.8	45.0	5250	100	250	1314	91.9	45.0					
Spray-In Bedliner	0	Add	20	Add	4700	100	100	2160	79.5	45.0	5250	100	300	1264	93.7	45.0					
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4700	100	150	2110	80.2	45.0	5250	100	350	1214	95.6	45.0					
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	100	200	2060	81.0	45.0	5250	100	400	1164	97.0	45.0					
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	4700	100	250	2010	81.8	45.0	5250	100	450	1114	97.0	45.0					
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4700	100	300	1960	82.7	45.0	5250	100	500	1064	97.0	45.0					
Lower Bodyside Molding	2	Add	1	Add	4700	100	350	1910	83.6	45.0	5250	150	0	1514	80.4	45.0					
Reverse Vehicle Sensor System	0	Add	1	Add	4700	100	400	1860	84.6	45.0	5250	150	50	1464	81.5	45.0					
Static Rear Video Camera	0	Add	1	Add	4700	100	500	1760	86.6	45.0	5250	150	100	1414	82.7	45.0					
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	150	0	2210	74.9	45.0	5250	150	150	1364	84.0	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	150	50	2160	75.5	45.0	5250	150	200	1314	85.4	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	150	100	2110	76.1	45.0	5250	150	250	1264	86.9	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	150	150	2060	76.8	45.0	5250	150	300	1214	88.5	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4700	150	200	2010	77.5	45.0	5250	150	350	1164	90.2	45.0					
Sliding Rear Window	5	Add	2	Add	4700	150	250	1960	78.3	45.0	5250	150	400	1114	92.1	45.0					
Power Sliding Rear Window	5	Add	3	Add	4700	150	300	1910	79.1	45.0	5250	150	450	1064	94.2	45.0					
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	150	350	1860	79.9	45.0	5250	150	500	1014	96.4	45.0					
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	150	400	1810	80.8	45.0	5250	200	0	1464	75.7	45.0					
Foglamps	3	Add	0	Add	4700	150	500	1710	82.7	45.0	5250	200	50	1414	76.6	45.0					
Bright Exhaust Pipe Extension	0	Add	3	Add	4850	200	0	2160	83.5	45.0	5250	200	100	1364	77.7	45.0					
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4850	200	50	2110	84.3	45.0	5250	200	150	1314	78.8	45.0					
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4850	200	100	2060	85.2	45.0	5250	200	200	1264	80.0	45.0					
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4850	200	150	2010	86.1	45.0	5250	200	250	1214	81.4	45.0					
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	7	Add	4	Add	4850	200	200	1960	87.1	45.0	5250	200	300	1164	82.8	45.0					
All Weather Floor Mat	7	Add	4	Add	4850	200	250	1910	88.1	45.0	5250	200	350	1114	84.4	45.0					
Electrochromic Rear View Mirror	1	Add	0	Add	4850	200	300	1860	89.2	45.0	5250	200	400	1064	86.1	45.0					
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4850	200	350	1810	90.3	45.0	5250	200	450	1014	87.9	45.0					
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	4850	200	400	1760	91.5	45.0	5250	200	500	964	90.0	45.0					
Cruise Control	3	Add	1	Add	4850	200	500	1660	94.2	45.0	5250	250	0	1414	70.5	45.0					
Power Equipment Group	15	Add	6	Add	4850	250	0	2110	80.2	45.0	5250	250	50	1364	71.4	45.0					
Adj Gas & Brake Pedals	4	Add	3	Add	4850	250	50	2060	81.0	45.0	5250	250	100	1314	72.3	45.0					
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4850	250	100	2010	81.8	45.0	5250	250	150	1264	73.2	45.0					
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4850	250	150	1960	82.7	45.0	5250	250	200	1214	74.3	45.0					
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	250	200	1910	83.6	45.0	5250	250	250	1164	75.4	45.0					
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	4850	250	250	1860	84.6	45.0	5250	250	300	1114	76.6	45.0					
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4850	250	300	1810	85.6	45.0	5250	250	350	1064	78.0	45.0					
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4850	250	350	1760	86.6	45.0	5250	250	400	1014	79.4	45.0					
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4850	250	400	1710	87.8	45.0	5250	250	450	964	81.1	45.0					
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4850	250	500	1610	90.2	45.0	5250	250	500	914	82.9	45.0					
Cloth Seats	-2	Minus	-1	Minus	4850	300	0	2060	76.8	45.0	5250	300									

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR												
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		
				FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (IN)	REAR (IN)	FRONT (Lb.)	REAR (Lb.)	FRONT (IN)	REAR (IN)	FRONT (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (IN)	REAR (IN)
XLT Trim (GAS)	10	Add	6	Add																		
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3102	67.5	45.0	5200	-50	-50	2454	85.7	45.0						
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4400	-50	0	3052	67.8	45.0	5200	-50	0	2404	86.5	45.0						
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4400	-50	50	3002	68.1	45.0	5200	-50	50	2354	87.3	45.0						
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	11	Add	4400	-50	100	2952	68.5	45.0	5200	-50	100	2304	88.2	45.0						
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	13	Add	4800	0	-50	3052	83.5	45.0	5200	0	-50	2404	83.7	45.0						
Brake Controller	2	Add	1	Add	4800	0	0	3002	84.1	45.0	5200	0	0	2354	84.4	45.0						
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	50	2952	84.7	45.0	5200	0	50	2304	85.2	45.0						
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	200	2802	86.7	45.0	5200	0	250	2104	88.8	45.0						
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	250	2752	87.4	45.0	5200	0	300	2054	89.8	45.0						
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	300	2702	88.1	45.0	5200	0	350	2004	90.8	45.0						
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	350	2652	88.9	45.0	5200	0	400	1954	91.9	45.0						
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	400	2602	89.7	45.0	5200	0	450	1904	93.1	45.0						
5th Wheel Hitch	0	Add	96	Add	4800	0	450	2552	90.5	45.0	5200	0	500	1854	94.3	45.0						
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	500	2502	91.3	45.0	5200	50	0	2304	82.3	45.0						
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	0	2952	82.4	45.0	5200	50	50	2254	83.0	45.0						
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	50	2902	83.0	45.0	5200	50	100	2204	83.8	45.0						
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	100	2852	83.6	45.0	5200	50	200	2104	85.5	45.0						
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	150	2802	84.2	45.0	5200	50	250	2054	86.4	45.0						
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4800	50	200	2752	84.9	45.0	5200	50	300	2004	87.4	45.0						
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	50	250	2702	85.6	45.0	5200	50	350	1954	88.4	45.0						
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	50	300	2652	86.3	45.0	5200	50	400	1904	89.5	45.0						
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	50	350	2602	87.0	45.0	5200	50	450	1854	90.6	45.0						
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	50	400	2552	87.8	45.0	5200	50	500	1804	91.8	45.0						
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	50	450	2502	88.6	45.0	5200	100	0	2254	80.0	45.0						
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	50	500	2452	89.4	45.0	5200	100	50	2204	80.7	45.0						
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	100	0	2902	80.6	45.0	5200	100	100	2154	81.5	45.0						
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	100	50	2852	81.2	45.0	5200	100	200	2054	83.1	45.0						
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4800	100	100	2802	81.8	45.0	5200	100	250	2004	84.0	45.0						
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4800	100	150	2752	82.4	45.0	5200	100	300	1954	84.9	45.0						
Less Jack- 2-Ton (Including Tool)	1	Add	-12	Minus	4800	100	200	2702	83.1	45.0	5200	100	350	1904	85.9	45.0						
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	250	2652	83.7	45.0	5200	100	400	1854	86.9	45.0						
Pickup Bed Extender	-2	Minus	21	Add	4800	100	300	2602	84.4	45.0	5200	100	450	1804	88.0	45.0						
Drop-In Bedliner	2	Add	42	Add	4800	100	350	2552	85.1	45.0	5200	100	500	1754	89.1	45.0						
Spray-In Bedliner	1	Add	19	Add	4800	100	400	2502	85.9	45.0	5200	150	0	2204	77.6	45.0						
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	450	2452	86.6	45.0	5200	150	50	2154	78.3	45.0						
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	500	2402	87.5	45.0	5200	150	100	2104	79.0	45.0						
Static Rear Video Camera	0	Add	1	Add	4800	150	0	2852	78.8	45.0	5200	150	200	2004	80.6	45.0						
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	150	50	2802	79.4	45.0	5200	150	250	1954	81.4	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	150	100	2752	79.9	45.0	5200	150	300	1904	82.3	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	150	150	2702	80.5	45.0	5200	150	350	1854	83.2	45.0						
Sliding Rear Window	5	Add	2	Add	4800	150	200	2652	81.1	45.0	5200	150	400	1804	84.2	45.0						
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	250	2602	81.8	45.0	5200	150	450	1754	85.2	45.0						
Foglamps	3	Add	0	Add	4800	150	300	2552	82.4	45.0	5200	150	500	1704	86.3	45.0						
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	350	2502	83.1	45.0	5200	200	0	2154	75.1	45.0						
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	400	2452	83.9	45.0	5200	200	50	2104	75.8	45.0						
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	450	2402	84.6	45.0	5200	200	100	2054	76.4	45.0						
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	500	2352	85.4	45.0	5200	200	200	1954	77.9	45.0						
All Weather Floor Mat	4	Add	2	Add	4800	200	0	2802	76.9	45.0	5200	200	250	1904	78.7	45.0						
Electrochromic Rear View Mirror	1	Add	0	Add	4800	200	50	2752	77.4	45.0	5200	200	300	1854	79.5	45.0						
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	200	100	2702	78.0	45.0	5200	200	350	1804	80.4	45.0						
Floor Console - Stand alone	-25	Minus	-9	Minus	4800	200	150	2652	78.6	45.0	5200	200	400	1754	81.3	45.0						
Cruise Control	3	Add	1	Add	4800	200	200	2602	79.1	45.0	5200	200	450	1704	82.3	45.0						
Power Equipment Group	12	Add	3	Add	4800	200	250	2552	79.8	45.0	5200	200	500	1654	83.4	45.0						
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	300	2502	80.4	45.0	5600	250	0	2104	97.0	45.0						
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	200	350	2452	81.1	45.0	5600	250	50	2054	97.0	45.0						
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	400	2402	81.7	45.0	5600	250	100	2004	97.0	45.0						
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	450	2352	82.5	45.0	5600	250	200	1904	97.0	45.0						
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	200	500	2302	83.2	45.0	5600	250	250	1854	97.0	45.0						
Cloth Seats	-2	Minus	-1	Minus	4800	250	0	2752	74.9	45.0	5600	250	300	1804	97.0	45.0						
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	250	50	2702	75.5	45.0	5600	250	350									

OPTION DESCRIPTION	OPTION TABLE			VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR							
	FRONT (Lbs.)	REAR (Lbs.)	ADD	FRONT		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS	
				GAWR	FRONT (LB)	REAR (LB)	RATING (LB)		FRONT (A) (IN)	REAR (B) (IN)	GAWR	FRONT (LB)	REAR (LB)	RATING (LB)		FRONT (A) (IN)	REAR (B) (IN)
				I	II	III	IV	V	VI	I	II	III	IV	V	VI		
Lariat Trim (GAS)	29	Add	19	Add													
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	2209	79.2	45.0	5600	-50	-50	1552	81.0	45.0	
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	2159	79.9	45.0	5600	-50	0	1502	81.0	45.0	
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2109	80.7	45.0	5600	-50	50	1452	81.0	45.0	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2059	81.0	45.0	5600	-50	100	1402	81.0	45.0	
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2159	81.0	45.0	5600	0	-50	1502	81.0	45.0	
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2109	81.0	45.0	5600	0	0	1452	81.0	45.0	
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2059	81.0	45.0	5600	0	50	1402	81.0	45.0	
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2009	81.0	45.0	5600	0	100	1352	81.0	45.0	
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	1959	81.0	45.0	5600	0	150	1302	81.0	45.0	
Brake Controller	1	Add	0	Add	5200	0	200	1909	81.0	45.0	5600	0	200	1252	81.0	45.0	
ESC® w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1859	81.0	45.0	5600	0	250	1202	81.0	45.0	
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	300	1809	81.0	45.0	5600	0	300	1152	81.0	45.0	
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	350	1759	81.0	45.0	5600	0	350	1102	81.0	45.0	
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1709	81.0	45.0	5600	0	400	1052	81.0	45.0	
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	0	2059	81.0	45.0	5600	50	0	1402	81.0	45.0	
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	50	2009	81.0	45.0	5600	50	50	1352	81.0	45.0	
5th Wheel Hitch	0	Add	96	Add	5200	50	100	1959	81.0	45.0	5600	50	100	1302	81.0	45.0	
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	150	1909	81.0	45.0	5600	50	150	1252	81.0	45.0	
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	200	1859	81.0	45.0	5600	50	200	1202	81.0	45.0	
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	250	1809	81.0	45.0	5600	50	250	1152	81.0	45.0	
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	300	1759	81.0	45.0	5600	50	300	1102	81.0	45.0	
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	350	1709	81.0	45.0	5600	50	350	1052	81.0	45.0	
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	400	1659	81.0	45.0	5600	50	400	1002	81.0	45.0	
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	0	2009	81.0	45.0	5600	100	0	1352	81.0	45.0	
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	100	50	1959	81.0	45.0	5600	100	50	1302	81.0	45.0	
18X8" Steel Drop Center Road Wheel (SRW 4x4 only w/17" Steel Wheel STD)	12	Add	19	Add	5200	100	100	1909	81.0	45.0	5600	100	100	1252	81.0	45.0	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	100	150	1859	81.0	45.0	5600	100	150	1202	81.0	45.0	
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	100	200	1809	81.0	45.0	5600	100	200	1152	81.0	45.0	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	100	250	1759	81.0	45.0	5600	100	250	1102	81.0	45.0	
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	300	1709	81.0	45.0	5600	100	300	1052	81.0	45.0	
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	350	1659	81.0	45.0	5600	100	350	1002	81.0	45.0	
20X8" Chrome Clad Alum Wheel - 1 (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	400	1609	81.0	45.0	5600	100	400	952	81.0	45.0	
20X8" Platinum Chrome Clad Alum Wheel - 1 (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	5200	150	0	1959	81.0	45.0	5600	150	0	1302	81.0	45.0	
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	150	50	1909	81.0	45.0	5600	150	50	1252	81.0	45.0	
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	150	100	1859	81.0	45.0	5600	150	100	1202	81.0	45.0	
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	150	150	1809	81.0	45.0	5600	150	150	1152	81.0	45.0	
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	150	200	1759	81.0	45.0	5600	150	200	1102	81.0	45.0	
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	150	250	1709	81.0	45.0	5600	150	250	1052	81.0	45.0	
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	150	300	1659	81.0	45.0	5600	150	300	1002	81.0	45.0	
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	150	350	1609	81.0	45.0	5600	150	350	952	81.0	45.0	
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	400	1559	81.0	45.0	5600	150	400	902	81.0	45.0	
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	200	0	1909	81.0	45.0	5600	200	0	1252	81.0	45.0	
Pickup Bed Extender	-2	Minus	21	Add	5200	200	50	1859	81.0	45.0	5600	200	50	1202	81.0	45.0	
Drop-In Bedliner	2	Add	42	Add	5200	200	100	1809	81.0	45.0	5600	200	100	1152	81.0	45.0	
Spray-In Bedliner	0	Add	16	Add	5200	200	150	1759	81.0	45.0	5600	200	150	1102	81.0	45.0	
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	200	200	1709	81.0	45.0	5600	200	200	1052	81.0	45.0	
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	250	1659	81.0	45.0	5600	200	250	1002	81.0	45.0	
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	200	300	1609	81.0	45.0	5600	200	300	952	81.0	45.0	
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	350	1559	81.0	45.0	5600	200	350	902	81.0	45.0	
Lower Bodyside Molding	2	Add	1	Add	5200	200	400	1509	81.0	45.0	5600	200	400	852	81.0	45.0	
Reverse Vehicle Sensor System	0	Add	1	Add	5200	250	0	1859	81.0	45.0	6000	250	0	1202	81.0	45.0	
Static Rear Video Camera	0	Add	1	Add	5200	250	50	1809	81.0	45.0	6000	250	50	1152	81.0	45.0	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	250	100	1759	81.0	45.0	6000	250	100	1102	81.0	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	150	1709	81.0	45.0	6000	250	150	1052	81.0	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	200	1659	81.0	45.0	6000	250	200	1002	81.0	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	250	250	1609	81.0	45.0	6000	250	250	952	81.0	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	300	1559	81.0	45.0	6000	250	300	902	81.0	45.0	
Sliding Rear Window	5	Add	2	Add	5200	250	350	1509	81.0	45.0	6000	250	350	852	81.0	45.0	
Power Sliding Rear Window	3	Add	3	Add	5200	250	400	1459	81.0	45.0	6000	250	400	802	81.0	45.0	
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	300	0	1809	81.0	45.0	6000	300	0	1152	81.0	45.0	
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	300	50	1759	81.0	45.0	6000	300	50	1102	81.0	45.0	
Foglamps	3	Add	0	Add	5200	300	100	1709	81.0	45.0	6000	300	100	1052	81.0	45.0	
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	150	1659	81.0	45.0	6000	300	150	1002	81.0	45.0	
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	200	1609	81.0	45.0	6000	300	200	952	81.0	45.0	
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	250	1559	81.0	45.0	6000	300	250	902	81.0	45.0	
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	300	1509	81.0	45.0	6000	300	300	852	81.0	45.0	
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	350	1459	81.0	45.0	6000	300	350	802	81.0	45.0	
All Weather Floor Mat	7	Add	4	Add	5200	300	400	1409	81.0	45.0	6000	300	400	752	81.0	45.0	
Electrochromic Rear View Mirror	1	Add	0	Add							6000	350	0	1102	81.0	45.0	
Electrochromic Rear View Mirror w/Video Display	1	Add															

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA											
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR				6.7L Diesel Engine 9900 lb (4490 kg) GVWR											
	OPTION DESCRIPTION	FRONT	REAR	CENTER OF GRAVITY ZONE LIMITS	FRONT	OPTION	CARGO	CENTER OF GRAVITY ZONE LIMITS	FRONT	OPTION	CARGO	CENTER OF GRAVITY ZONE LIMITS				
		(Lbs.)	(Lbs.)			WEIGHT	WEIGHT			WEIGHT	WEIGHT		(Lb.)	(Lb.)	(Lb.)	(Lb.)
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	2306	76.4	45.0	5600	-50	-50	1572	97.0	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2256	77.0	45.0	5600	-50	0	1522	97.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2256	77.0	45.0	5600	-50	0	1522	97.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2206	77.7	45.0	5600	-50	50	1472	97.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2156	78.4	45.0	5600	-50	100	1422	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2256	97.0	45.0	5600	0	-50	1522	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2206	97.0	45.0	5600	0	0	1472	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2156	97.0	45.0	5600	0	50	1422	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2106	97.0	45.0	5600	0	100	1372	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2056	97.0	45.0	5600	0	150	1322	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	2006	97.0	45.0	5600	0	200	1272	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1956	97.0	45.0	5600	0	250	1222	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	1906	97.0	45.0	5600	0	300	1172	97.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	350	1856	97.0	45.0	5600	0	350	1122	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1806	97.0	45.0	5600	0	400	1072	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	1756	97.0	45.0	5600	0	450	1022	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1706	97.0	45.0	5600	0	500	972	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	-50	2206	97.0	45.0	5600	50	0	1422	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2156	97.0	45.0	5600	50	50	1372	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	2106	97.0	45.0	5600	50	100	1322	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	2056	97.0	45.0	5600	50	150	1272	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	2006	97.0	45.0	5600	50	200	1222	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	1956	97.0	45.0	5600	50	250	1172	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	1906	97.0	45.0	5600	50	300	1122	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1856	97.0	45.0	5600	50	350	1072	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	350	1806	97.0	45.0	5600	50	400	1022	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5200	50	400	1756	97.0	45.0	5600	50	450	972	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	450	1706	97.0	45.0	5600	50	500	922	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	500	1656	97.0	45.0	5600	100	0	1372	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	100	-50	2156	96.7	45.0	5600	100	50	1322	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	0	2106	97.0	45.0	5600	100	100	1272	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	50	2056	97.0	45.0	5600	100	150	1222	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	100	100	2006	97.0	45.0	5600	100	200	1172	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	150	1956	97.0	45.0	5600	100	250	1122	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	100	200	1906	97.0	45.0	5600	100	300	1072	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	250	1856	97.0	45.0	5600	100	350	1022	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	300	1806	97.0	45.0	5600	100	400	972	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	350	1756	97.0	45.0	5600	100	450	922	97.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	400	1706	97.0	45.0	5600	100	500	872	97.0	45.0
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	450	1656	97.0	45.0	5600	150	0	1322	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	500	1606	97.0	45.0	5600	150	50	1272	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	-50	2106	94.1	45.0	5600	150	100	1222	97.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	0	2056	95.2	45.0	5600	150	150	1172	97.0	45.0
Spray-In Bedliner	1	Add	19	Add	5200	150	50	2006	96.4	45.0	5600	150	200	1122	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	150	100	1956	97.0	45.0	5600	150	250	1072	97.0	45.0
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	150	150	1906	97.0	45.0	5600	150	300	1022	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	200	1856	97.0	45.0	5600	150	350	972	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	250	1806	97.0	45.0	5600	150	400	922	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	300	1756	97.0	45.0	5600	150	450	872	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	350	1706	97.0	45.0	5600	150	500	822	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	400	1656	97.0	45.0	6000	200	0	1272	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	450	1606	97.0	45.0	6000	200	50	1222	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	500	1556	97.0	45.0	6000	200	100	1172	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	-50	2056	91.4	45.0	6000	200	150	1122	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	200	0	2006	92.5	45.0	6000	200	200	1072	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	50	1956	93.6	45.0	6000	200	250	1022	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	100	1906	94.8	45.0	6000	200	300	972	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	150	1856	96.1	45.0	6000	200	350	922	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	200	1806	97.0	45.0	6000	200	400	872	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	250	1756	97.0	45.0	6000	200	450	822	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	300	1706	97.0	45.0	6000	200	500	772	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	350	1656	97.0	45.0	6000	250	0	1222	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	400	1606	97.0	45.0	6000	250	50	1172	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	450	1556	97.0	45.0	6000	250	100	1122	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	500	1506	97.0	45.0	6000	250	150	1072	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	250	-50	2006	88.6	45.0	6000	250	200	1022	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	250	0	1956	89.6	45.0	6000	250	250	972	97.0	45.0
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	5200	250	50	1906	90.7	45.0	6000	250	300	922	97.0	45.0
Cruise Control	3	Add	1	Add	5200	250	100	1856	91.8	45.0	6000	250	350	872	97.0	45.0
Power Equipment Group	12	Add	3	Add	5200	250	150	1806	93.1	45.0	6000	250	400	822	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add												

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR										
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	
				I	II	III	IV	V	VI	I	II	III	IV	V	VI					
Lariat Trim (GAS)	29	Add	19	Add																
XLT Trim (GAS)	13	Add	9	Add	5200	-50	2096	97.0	45.0	5600	-50	1360	97.0	45.0						
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	0	2046	97.0	45.0	5600	-50	0	1310	97.0	45.0				
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	50	1996	97.0	45.0	5600	-50	50	1260	97.0	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	5200	-50	100	1946	97.0	45.0	5600	-50	100	1210	97.0	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	1996	97.0	45.0	5600	0	0	1260	97.0	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	1946	97.0	45.0	5600	0	50	1210	97.0	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	1896	97.0	45.0	5600	0	100	1160	97.0	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	1846	97.0	45.0	5600	0	150	1110	97.0	45.0				
Brake Controller	1	Add	0	Add	5200	0	200	1796	97.0	45.0	5600	0	200	1060	97.0	45.0				
ESC/F w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1746	97.0	45.0	5600	0	250	1010	97.0	45.0				
Skid Plates (GAS) 4x4 only	18	Add	21	Add	5200	0	300	1696	97.0	45.0	5600	0	300	960	97.0	45.0				
Skid Plates (DIESEL) 4x4 only	23	Add	18	Add	5200	0	350	1646	97.0	45.0	5600	0	350	910	97.0	45.0				
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1596	97.0	45.0	5600	0	400	860	97.0	45.0				
Rear Stabilizer Bar F250/F350 SRW 4x4	-1	Minus	12	Add	5200	0	450	1546	97.0	45.0	5600	0	450	810	97.0	45.0				
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1496	97.0	45.0	5600	0	500	760	97.0	45.0				
5th Wheel Hitch	0	Add	96	Add	5200	0	550	1446	97.0	45.0	5600	0	550	710	97.0	45.0				
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	1946	97.0	45.0	6000	50	0	1210	97.0	45.0				
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	1896	97.0	45.0	6000	50	50	1160	97.0	45.0				
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	1846	97.0	45.0	6000	50	100	1110	97.0	45.0				
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	1796	97.0	45.0	6000	50	150	1060	97.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	1746	97.0	45.0	6000	50	200	1010	97.0	45.0				
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	1696	97.0	45.0	6000	50	250	960	97.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1646	97.0	45.0	6000	50	300	910	97.0	45.0				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	350	1596	97.0	45.0	6000	50	350	860	97.0	45.0				
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Minus	19	Add	5200	50	400	1546	97.0	45.0	6000	50	400	810	97.0	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	450	1496	97.0	45.0	6000	50	450	760	97.0	45.0				
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	500	1446	97.0	45.0	6000	50	500	710	97.0	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	550	1396	97.0	45.0	6000	50	550	660	97.0	45.0				
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	0	1896	96.6	45.0	6000	100	0	1160	97.0	45.0				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	50	1846	97.0	45.0	6000	100	50	1110	97.0	45.0				
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	100	1796	97.0	45.0	6000	100	100	1060	97.0	45.0				
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Minus	9	Add	5200	100	150	1746	97.0	45.0	6000	100	150	1010	97.0	45.0				
LT 245/75R17E A/T BSW (SRW Only)	-2	Minus	-3	Minus	5200	100	200	1696	97.0	45.0	6000	100	200	960	97.0	45.0				
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	250	1646	97.0	45.0	6000	100	250	910	97.0	45.0				
LT 275/65R18E A/S BSW (SRW Only) 17" STD	10	Add	16	Add	5200	100	300	1596	97.0	45.0	6000	100	300	860	97.0	45.0				
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	350	1546	97.0	45.0	6000	100	350	810	97.0	45.0				
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	400	1496	97.0	45.0	6000	100	400	760	97.0	45.0				
LT 275/65R20E A/T OWL (SRW Only) 17" STD	27	Add	39	Add	5200	100	450	1446	97.0	45.0	6000	100	450	710	97.0	45.0				
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	500	1396	97.0	45.0	6000	100	500	660	97.0	45.0				
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	550	1346	97.0	45.0	6000	100	550	610	97.0	45.0				
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	0	1846	93.2	45.0	6000	150	0	1110	97.0	45.0				
Pickup Bed Extender	-2	Minus	21	Add	5200	150	50	1796	94.5	45.0	6000	150	50	1060	97.0	45.0				
Drop-In Bedliner	2	Add	42	Add	5200	150	100	1746	95.8	45.0	6000	150	100	1010	97.0	45.0				
Spray-In Bedliner	0	Add	20	Add	5200	150	150	1696	97.0	45.0	6000	150	150	960	97.0	45.0				
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	200	1646	97.0	45.0	6000	150	200	910	97.0	45.0				
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	250	1596	97.0	45.0	6000	150	250	860	97.0	45.0				
5" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	150	300	1546	97.0	45.0	6000	150	300	810	97.0	45.0				
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	350	1496	97.0	45.0	6000	150	350	760	97.0	45.0				
Lower Bodyside Molding	2	Add	1	Add	5200	150	400	1446	97.0	45.0	6000	150	400	710	97.0	45.0				
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	450	1396	97.0	45.0	6000	150	450	660	97.0	45.0				
Static Rear Video Camera	0	Add	1	Add	5200	150	500	1346	97.0	45.0	6000	150	500	610	97.0	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	550	1296	97.0	45.0	6000	150	550	560	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	0	1796	89.7	45.0	6000	200	0	1060	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	50	1746	90.9	45.0	6000	200	50	1010	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	100	1696	92.1	45.0	6000	200	100	960	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	200	150	1646	93.5	45.0	6000	200	150	910	97.0	45.0				
Sliding Rear Window	5	Add	2	Add	5200	200	200	1596	94.9	45.0	6000	200	200	860	97.0	45.0				
Power Sliding Rear Window	5	Add	3	Add	5200	200	250	1546	96.4	45.0	6000	200	250	810	97.0	45.0				
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	300	1496	97.0	45.0	6000	200	300	760	97.0	45.0				
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	350	1446	97.0	45.0	6000	200	350	710	97.0	45.0				
Foglamps	3	Add	0	Add	5200	200	400	1396	97.0	45.0	6000	200	400	660	97.0	45.0				
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	450	1346	97.0	45.0	6000	200	450	610	97.0	45.0				
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	500	1296	97.0	45.0	6000	200	500	560	97.0	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	550	1246	97.0	45.0	6000	200	550	510	97.0	45.0				
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5600	250	0	1746	97.0	45.0	6000	250	0	1010	97.0	45.0				
Floor Mats w/"King Ranch" Logo (Color Keyed) CC only	3	Add	2	Add	5600	250	50	1696	97.0	45.0	6000	250	50	960	97.0	45.0				
All Weather Floor Mat	7	Add	4	Add	5600	250	100	1646	97.0	45.0	6000	250	100	910	97.0	45.0				
Electrochromic Rear View Mirror	1	Add	0	Add	5600	250	150	1596	97.0	45.0	6000	250	150	860	97.0	45.0				
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5600	250	200	1546	97.0	45.0	6000	250	200	810	97.0	45.0				
Floor Console - Stand alone	-25	Minus	-9	Minus	5600	250	250	1496	97.0	45.0	6000	250	250	760	97.0	45.0				
Cruise Control	3	Add	1	Add	5600															

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR								
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS			
						FRONT (A)	REAR (B)		FRONT (A)	REAR (B)		FRONT (A)	REAR (B)		FRONT (A)	REAR (B)	FRONT (A)	REAR (B)
XLT Trim (GAS)	10	Add	6	Add	4800	0	-50	3052	83.5	45.0	5200	0	-50	2404	85.7	45.0		
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3102	67.5	45.0	5200	-50	-50	2454	85.7	45.0		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3052	67.8	45.0	5200	-50	0	2404	86.5	45.0		
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3002	68.1	45.0	5200	-50	50	2354	87.3	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	2952	68.5	45.0	5200	-50	100	2304	88.2	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	-50	3052	83.5	45.0	5200	0	-50	2404	83.7	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	0	3002	84.1	45.0	5200	0	0	2354	84.4	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	50	2952	84.7	45.0	5200	0	50	2304	85.2	45.0		
Brake Controller	1	Add	0	Add	4800	0	100	2902	85.4	45.0	5200	0	100	2254	86.1	45.0		
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	150	2852	86.0	45.0	5200	0	200	2154	87.8	45.0		
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	200	2802	86.7	45.0	5200	0	250	2104	88.8	45.0		
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	250	2752	87.4	45.0	5200	0	300	2054	89.8	45.0		
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	300	2702	88.1	45.0	5200	0	350	2004	90.8	45.0		
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	350	2652	88.9	45.0	5200	0	400	1954	91.9	45.0		
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	400	2602	89.7	45.0	5200	0	450	1904	93.1	45.0		
5th Wheel Hitch	0	Add	96	Add	4800	0	450	2552	90.5	45.0	5200	0	500	1854	94.3	45.0		
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	500	2502	91.3	45.0	5200	50	0	2304	82.3	45.0		
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	0	2952	82.4	45.0	5200	50	50	2254	83.0	45.0		
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	50	2902	83.0	45.0	5200	50	100	2204	83.8	45.0		
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	100	2852	83.6	45.0	5200	50	200	2104	85.5	45.0		
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	150	2802	84.2	45.0	5200	50	250	2054	86.4	45.0		
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	200	2752	84.9	45.0	5200	50	300	2004	87.4	45.0		
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	250	2702	85.6	45.0	5200	50	350	1954	88.4	45.0		
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	50	300	2652	86.3	45.0	5200	50	400	1904	89.5	45.0		
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	4800	50	350	2602	87.0	45.0	5200	50	450	1854	90.6	45.0		
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	4800	50	400	2552	87.8	45.0	5200	50	500	1804	91.8	45.0		
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4800	50	450	2502	88.6	45.0	5200	100	0	2254	80.0	45.0		
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4800	50	500	2452	89.4	45.0	5200	100	50	2204	80.7	45.0		
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	100	0	2902	80.6	45.0	5200	100	100	2154	81.5	45.0		
Steppgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	50	2852	81.2	45.0	5200	100	200	2054	83.1	45.0		
Pickup Bed Extender	-2	Minus	21	Add	4800	100	100	2802	81.8	45.0	5200	100	250	2004	84.0	45.0		
Drop-In Bedliner	2	Add	42	Add	4800	100	150	2752	82.4	45.0	5200	100	300	1954	84.9	45.0		
Spray-In Bedliner	1	Add	19	Add	4800	100	200	2702	83.1	45.0	5200	100	350	1904	85.9	45.0		
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	250	2652	83.7	45.0	5200	100	400	1854	86.9	45.0		
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	300	2602	84.4	45.0	5200	100	450	1804	88.0	45.0		
Static Rear Video Camera	0	Add	1	Add	4800	100	350	2552	85.1	45.0	5200	100	500	1754	89.1	45.0		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	400	2502	85.9	45.0	5200	150	0	2204	77.6	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	450	2452	86.6	45.0	5200	150	50	2154	78.3	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	100	500	2402	87.5	45.0	5200	150	100	2104	79.0	45.0		
Sliding Rear Window	5	Add	2	Add	4800	150	0	2852	78.8	45.0	5200	150	200	2004	80.6	45.0		
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	50	2802	79.4	45.0	5200	150	250	1954	81.4	45.0		
Foglamps	3	Add	0	Add	4800	150	100	2752	79.9	45.0	5200	150	300	1904	82.3	45.0		
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	150	2702	80.5	45.0	5200	150	350	1854	83.2	45.0		
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	200	2652	81.1	45.0	5200	150	400	1804	84.2	45.0		
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	250	2602	81.8	45.0	5200	150	450	1754	85.2	45.0		
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	300	2552	82.4	45.0	5200	150	500	1704	86.3	45.0		
All Weather Floor Mat	4	Add	2	Add	4800	150	350	2502	83.1	45.0	5200	200	0	2154	75.1	45.0		
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	400	2452	83.9	45.0	5200	200	50	2104	75.8	45.0		
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	450	2402	84.6	45.0	5200	200	100	2054	76.4	45.0		
Floor Console - Stand alone	-25	Minus	-9	Minus	4800	150	500	2352	85.4	45.0	5200	200	200	1954	77.9	45.0		
Cruise Control	3	Add	1	Add	4800	200	0	2802	76.9	45.0	5200	200	250	1904	78.7	45.0		
Power Equipment Group	12	Add	3	Add	4800	200	50	2752	77.4	45.0	5200	200	300	1854	79.5	45.0		
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	100	2702	78.0	45.0	5200	200	350	1804	80.4	45.0		
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 speakers)	11	Add	5	Add	4800	200	150	2652	78.6	45.0	5200	200	400	1754	81.3	45.0		
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	200	2602	79.1	45.0	5200	200	450	1704	82.3	45.0		
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	250	2552	79.8	45.0	5200	200	500	1654	83.4	45.0		
8-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	200	300	2502	80.4	45.0	5600	250	0	2104	97.0	45.0		
Cloth Seats	-2	Minus	-1	Minus	4800	200	350	2452	81.1	45.0	5600	250	50	2054	97.0	45.0		
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	400	2402	81.7	45.0	5600	250	100	2004	97.0	45.0		
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	450	2352	82.5	45.0	5600	250	200	1904	97.0	45.0		
Satellite Digital Broadcast	2	Add	1	Add	4800	200	500	2302	83.2	45.0	5600	250	250	1854	97.0	45.0		
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	250	0	2752	74.9	45.0	5600	250	300	1804	97.0	45.0		
SYNC Basic - Gen I	1	Add	0	Add	4800	250	50	2702	75.5	45.0	5600	250	350	1754	97.0	45.0		
SYNC Finder - Gen II	1	Add	0	Add	4800	250	100	2652	76.0	45.0	5600	250	400	1704	97.0	45.0		
FX4 Off-Road Package	2	Add	2	Add	4800	250	150	2602	76.5	45.0	5600	250	450	1654	97.0	45.0		
Tracking System - Crew Chief	3	Add	0	Add	4800	250	200	2552	77.1	45.0	5600	250	500	1604	97.0	45.0		
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	250	250	2502	77.7	45.0								
Bed Mat	0	Add	58	Add	4800	250	300	2452	78.3	45.0								
Cable/Strap Locks	0	Add	9	Add	4800	250	350	2402	78.9	45.0								
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4800	250	400	2352	79.6	45.0								
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	450	2302	80.2	45.0								
Wheel Well Liner - SRW only	0	Add	7	Add	4800	250	500	2252	81.0	45.0								

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA												
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR				6.7L Diesel Engine 9900 lb (4490 kg) GVWR												
	FRONT		REAR		FRONT		REAR										
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)									
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	VEHICLE LOADING DATA				VEHICLE LOADING DATA										
			FRONT		REAR		FRONT		REAR								
			FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)							
VEHICLE LOADING DATA				VEHICLE LOADING DATA													
6.2L Gasoline Engine 9900 lb (4490 kg) GVWR				6.7L Diesel Engine 9900 lb (4490 kg) GVWR													
FRONT		REAR		FRONT		REAR											
FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)										
VEHICLE LOADING DATA				VEHICLE LOADING DATA													
6.2L Gasoline Engine 9900 lb (4490 kg) GVWR				6.7L Diesel Engine 9900 lb (4490 kg) GVWR													
FRONT		REAR		FRONT		REAR											
FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)										
VEHICLE LOADING DATA				VEHICLE LOADING DATA													
6.2L Gasoline Engine 9900 lb (4490 kg) GVWR				6.7L Diesel Engine 9900 lb (4490 kg) GVWR													
FRONT		REAR		FRONT		REAR											
FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)										
Lariat Trim (GAS)	29	Add	19	Add													
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	2209	79.2	45.0	5600	-50	-50	1552	81.0	45.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	2159	79.9	45.0	5600	-50	0	1502	81.0	45.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2109	80.7	45.0	5600	-50	50	1452	81.0	45.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2059	81.0	45.0	5600	-50	100	1402	81.0	45.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2159	81.0	45.0	5600	0	-50	1502	81.0	45.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2109	81.0	45.0	5600	0	0	1452	81.0	45.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2059	81.0	45.0	5600	0	50	1402	81.0	45.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2009	81.0	45.0	5600	0	100	1352	81.0	45.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	1959	81.0	45.0	5600	0	150	1302	81.0	45.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	1909	81.0	45.0	5600	0	200	1252	81.0	45.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1859	81.0	45.0	5600	0	250	1202	81.0	45.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	300	1809	81.0	45.0	5600	0	300	1152	81.0	45.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	350	1759	81.0	45.0	5600	0	350	1102	81.0	45.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1709	81.0	45.0	5600	0	400	1052	81.0	45.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	0	2059	81.0	45.0	5600	50	0	1402	81.0	45.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	50	2009	81.0	45.0	5600	50	50	1352	81.0	45.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	100	1959	81.0	45.0	5600	50	100	1302	81.0	45.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	150	1909	81.0	45.0	5600	50	150	1252	81.0	45.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	200	1859	81.0	45.0	5600	50	200	1202	81.0	45.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	250	1809	81.0	45.0	5600	50	250	1152	81.0	45.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	300	1759	81.0	45.0	5600	50	300	1102	81.0	45.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	350	1709	81.0	45.0	5600	50	350	1052	81.0	45.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	400	1659	81.0	45.0	5600	50	400	1002	81.0	45.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	0	2009	81.0	45.0	5600	100	0	1352	81.0	45.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	50	1959	81.0	45.0	5600	100	50	1302	81.0	45.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	100	1909	81.0	45.0	5600	100	100	1252	81.0	45.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	150	1859	81.0	45.0	5600	100	150	1202	81.0	45.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	200	1809	81.0	45.0	5600	100	200	1152	81.0	45.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	250	1759	81.0	45.0	5600	100	250	1102	81.0	45.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	300	1709	81.0	45.0	5600	100	300	1052	81.0	45.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5200	100	350	1659	81.0	45.0	5600	100	350	1002	81.0	45.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	400	1609	81.0	45.0	5600	100	400	952	81.0	45.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	5200	150	0	1959	81.0	45.0	5600	150	0	1302	81.0	45.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	150	50	1909	81.0	45.0	5600	150	50	1252	81.0	45.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	150	100	1859	81.0	45.0	5600	150	100	1202	81.0	45.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	150	1809	81.0	45.0	5600	150	150	1152	81.0	45.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	200	1759	81.0	45.0	5600	150	200	1102	81.0	45.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	250	1709	81.0	45.0	5600	150	250	1052	81.0	45.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	300	1659	81.0	45.0	5600	150	300	1002	81.0	45.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	350	1609	81.0	45.0	5600	150	350	952	81.0	45.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	400	1559	81.0	45.0	5600	150	400	902	81.0	45.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	0	1909	81.0	45.0	5600	200	0	1252	81.0	45.0	45.0
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	200	50	1859	81.0	45.0	5600	200	50	1202	81.0	45.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	100	1809	81.0	45.0	5600	200	100	1152	81.0	45.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	150	1759	81.0	45.0	5600	200	150	1102	81.0	45.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	200	1709	81.0	45.0	5600	200	200	1052	81.0	45.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	250	1659	81.0	45.0	5600	200	250	1002	81.0	45.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	300	1609	81.0	45.0	5600	200	300	952	81.0	45.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	350	1559	81.0	45.0	5600	200	350	902	81.0	45.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	400	1509	81.0	45.0	5600	200	400	852	81.0	45.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	250	0	1859	81.0	45.0	6000	250	0	1202	81.0	45.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	50	1809	81.0	45.0	6000	250	50	1152	81.0	45.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	100	1759	81.0	45.0	6000	250	100	1102	81.0	45.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	150	1709	81.0	45.0	6000	250	150	1052	81.0	45.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	200	1659	81.0	45.0	6000	250	200	1002	81.0	45.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	250	1609	81.0	45.0	6000	250	250	952	81.0	45.0	45.0
Foglamps	3	Add	0	Add	5200	250	300	1559	81.0	45.0	6000	250	300	902	81.0	45.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	350	1509	81.0	45.0	6000	250	350	852	81.0	45.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	400	1459	81.0	45.0	6000	250	400	802	81.0	45.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	0	1809	81.0	45.0	6000	300	0	1152	81.0	45.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	50	1759	81.0	45.0	6000	300	50	1102	81.0	45.0	

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	OPTION WEIGHT (Lb.)	REAR (Lb.)	RATING (Lb.)	CENTER OF GRAVITY ZONE LIMITS			
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING	FRONT (A) (IN)					REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	
				I	II	III	IV	V					VI	I	II	III
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2306	76.4	45.0	5600	-50	-50	1572	97.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2256	77.0	45.0	5600	-50	0	1522	97.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2206	77.7	45.0	5600	-50	50	1472	97.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2156	78.4	45.0	5600	-50	100	1422	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2256	97.0	45.0	5600	0	-50	1522	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2206	97.0	45.0	5600	0	0	1472	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2156	97.0	45.0	5600	0	50	1422	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2106	97.0	45.0	5600	0	100	1372	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2056	97.0	45.0	5600	0	150	1322	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	2006	97.0	45.0	5600	0	200	1272	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1956	97.0	45.0	5600	0	250	1222	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	1906	97.0	45.0	5600	0	300	1172	97.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	350	1856	97.0	45.0	5600	0	350	1122	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1806	97.0	45.0	5600	0	400	1072	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	1756	97.0	45.0	5600	0	450	1022	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1706	97.0	45.0	5600	0	500	972	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	-50	2206	97.0	45.0	5600	50	0	1422	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2156	97.0	45.0	5600	50	50	1372	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	2106	97.0	45.0	5600	50	100	1322	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	2056	97.0	45.0	5600	50	150	1272	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	2006	97.0	45.0	5600	50	200	1222	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	1956	97.0	45.0	5600	50	250	1172	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	1906	97.0	45.0	5600	50	300	1122	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1856	97.0	45.0	5600	50	350	1072	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	1806	97.0	45.0	5600	50	400	1022	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	400	1756	97.0	45.0	5600	50	450	972	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	450	1706	97.0	45.0	5600	50	500	922	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	500	1656	97.0	45.0	5600	100	0	1372	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	-50	2156	96.7	45.0	5600	100	50	1322	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	0	2106	97.0	45.0	5600	100	100	1272	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	5200	100	50	2056	97.0	45.0	5600	100	150	1222	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	100	100	2006	97.0	45.0	5600	100	200	1172	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	100	150	1956	97.0	45.0	5600	100	250	1122	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	200	1906	97.0	45.0	5600	100	300	1072	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	250	1856	97.0	45.0	5600	100	350	1022	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	300	1806	97.0	45.0	5600	100	400	972	97.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	100	350	1756	97.0	45.0	5600	100	450	922	97.0	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	400	1706	97.0	45.0	5600	100	500	872	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	450	1656	97.0	45.0	5600	150	0	1322	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	100	500	1606	97.0	45.0	5600	150	50	1272	97.0	45.0
6" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	-50	2106	94.1	45.0	5600	150	100	1222	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	0	2056	95.2	45.0	5600	150	150	1172	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	50	2006	96.4	45.0	5600	150	200	1122	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	100	1956	97.0	45.0	5600	150	250	1072	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	150	1906	97.0	45.0	5600	150	300	1022	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	200	1856	97.0	45.0	5600	150	350	972	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	250	1806	97.0	45.0	5600	150	400	922	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	300	1756	97.0	45.0	5600	150	450	872	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	350	1706	97.0	45.0	5600	150	500	822	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	400	1656	97.0	45.0	6000	200	0	1272	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	450	1606	97.0	45.0	6000	200	50	1222	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	500	1556	97.0	45.0	6000	200	100	1172	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	-50	2056	91.4	45.0	6000	200	150	1122	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	0	2006	92.5	45.0	6000	200	200	1072	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	50	1956	93.6	45.0	6000	200	250	1022	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	100	1906	94.8	45.0	6000	200	300	972	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	150	1856	96.1	45.0	6000	200	350	922	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	200	1806	97.0	45.0	6000	200	400	872	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	250	1756	97.0	45.0	6000	200	450	822	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	300	1706	97.0	45.0	6000	200	500	772	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	350	1656	97.0	45.0	6000	250	0	1222	97.0	45.0
Floor Console - Stand alone	-25	Minus	-9	Minus	5200	200	400	1606	97.0	45.0	6000	250	50	1172	97.0	45.0
Cruise Control	3	Add	1	Add	5200	200	450	1556	97.0	45.0	6000	250	100	1122	97.0	45.0
Power Equipment Group	12	Add	3	Add	5200	200	500	1506	97.0	45.0	6000	250	150	1072	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	-50	2006	88.6	45.0	6000	250	200	1022	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 speakers)	15	Add	10	Add	5200	250	0	1956	89.6	45.0	6000	250	250	972	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	50	1906	90.7	45.0	6000	250	300	922	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	100	1856	91.8	45.0	6000	250	350	872	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5200	250	150	1806	93.1	45.0	6000	250	400	822	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	200	1756	94.3	45.0	6000	250	450	772	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	250	1706	95.7	45.0	6000	250	500	722	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	250	300	1656	97.0	45.0	6000	300	0	1172	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	250	350	1606	97.0	45.0	6000	300	50	1122	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	250	400	1556	97.0	45.0	6000	300	100	1072	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	250	450	1506	97.0	45.0	6000	300	150	1022	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5200	250	500	1456	97.0	45.0	6000	300	200	972	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	300	-50	1956	85.6	45.0	6000	300	250	922	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5200	300	0	1906	86.5	45.0	6000	300	350	822	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5200	300	50	1856	87.6	45.0	6000	300	400	772	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add												

OPTION DESCRIPTION	OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR									
	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	FRONT (B) (IN)	FRONT (A) (IN)	FRONT (B) (IN)	FRONT (A) (IN)	FRONT (B) (IN)	FRONT (A) (IN)	FRONT (B) (IN)	FRONT (A) (IN)	FRONT (B) (IN)	FRONT (A) (IN)	FRONT (B) (IN)	FRONT (A) (IN)	FRONT (B) (IN)	FRONT (A) (IN)	FRONT (B) (IN)
	I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	2096	97.0	45.0	5600	-50	-50	1360	97.0	45.0	45.0	45.0	45.0	45.0
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	2046	97.0	45.0	5600	-50	0	1310	97.0	45.0	45.0	45.0	45.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	50	1996	97.0	45.0	5600	-50	50	1260	97.0	45.0	45.0	45.0	45.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	100	1946	97.0	45.0	5600	-50	100	1210	97.0	45.0	45.0	45.0	45.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	0	2046	97.0	45.0	5600	-50	0	1310	97.0	45.0	45.0	45.0	45.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	1996	97.0	45.0	5600	0	0	1260	97.0	45.0	45.0	45.0	45.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	1946	97.0	45.0	5600	0	50	1210	97.0	45.0	45.0	45.0	45.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	1896	97.0	45.0	5600	0	100	1160	97.0	45.0	45.0	45.0	45.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	1846	97.0	45.0	5600	0	150	1110	97.0	45.0	45.0	45.0	45.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	1796	97.0	45.0	5600	0	200	1060	97.0	45.0	45.0	45.0	45.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	1746	97.0	45.0	5600	0	250	1010	97.0	45.0	45.0	45.0	45.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	1696	97.0	45.0	5600	0	300	960	97.0	45.0	45.0	45.0	45.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	1646	97.0	45.0	5600	0	350	910	97.0	45.0	45.0	45.0	45.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	400	1596	97.0	45.0	5600	0	400	860	97.0	45.0	45.0	45.0	45.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	1546	97.0	45.0	5600	0	450	810	97.0	45.0	45.0	45.0	45.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	1496	97.0	45.0	5600	0	500	760	97.0	45.0	45.0	45.0	45.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	550	1446	97.0	45.0	5600	0	550	710	97.0	45.0	45.0	45.0	45.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	0	1946	97.0	45.0	6000	50	0	1210	97.0	45.0	45.0	45.0	45.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	1896	97.0	45.0	6000	50	50	1160	97.0	45.0	45.0	45.0	45.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	1846	97.0	45.0	6000	50	100	1110	97.0	45.0	45.0	45.0	45.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	1796	97.0	45.0	6000	50	150	1060	97.0	45.0	45.0	45.0	45.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	1746	97.0	45.0	6000	50	200	1010	97.0	45.0	45.0	45.0	45.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	1696	97.0	45.0	6000	50	250	960	97.0	45.0	45.0	45.0	45.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	1646	97.0	45.0	6000	50	300	910	97.0	45.0	45.0	45.0	45.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	-24	Minus	-22	Minus	5200	50	350	1596	97.0	45.0	6000	50	350	860	97.0	45.0	45.0	45.0	45.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-26	Minus	5200	50	400	1546	97.0	45.0	6000	50	400	810	97.0	45.0	45.0	45.0	45.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-22	Minus	5200	50	450	1496	97.0	45.0	6000	50	450	760	97.0	45.0	45.0	45.0	45.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-15	Minus	5200	50	500	1446	97.0	45.0	6000	50	500	710	97.0	45.0	45.0	45.0	45.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	550	1396	97.0	45.0	6000	50	550	660	97.0	45.0	45.0	45.0	45.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-11	Minus	5200	100	0	1896	96.6	45.0	6000	100	0	1160	97.0	45.0	45.0	45.0	45.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-10	Minus	5200	100	50	1846	97.0	45.0	6000	100	50	1110	97.0	45.0	45.0	45.0	45.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	21	Add	5200	100	100	1796	97.0	45.0	6000	100	100	1060	97.0	45.0	45.0	45.0	45.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	23	Add	5200	100	150	1746	97.0	45.0	6000	100	150	1010	97.0	45.0	45.0	45.0	45.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	21	Add	5200	100	200	1696	97.0	45.0	6000	100	200	960	97.0	45.0	45.0	45.0	45.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	-120	Minus	5200	100	250	1646	97.0	45.0	6000	100	250	910	97.0	45.0	45.0	45.0	45.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-12	Minus	5200	100	300	1596	97.0	45.0	6000	100	300	860	97.0	45.0	45.0	45.0	45.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	350	1546	97.0	45.0	6000	100	350	810	97.0	45.0	45.0	45.0	45.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	400	1496	97.0	45.0	6000	100	400	760	97.0	45.0	45.0	45.0	45.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	450	1446	97.0	45.0	6000	100	450	710	97.0	45.0	45.0	45.0	45.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	100	500	1396	97.0	45.0	6000	100	500	660	97.0	45.0	45.0	45.0	45.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	100	550	1346	97.0	45.0	6000	100	550	610	97.0	45.0	45.0	45.0	45.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	0	1846	93.2	45.0	6000	150	0	1110	97.0	45.0	45.0	45.0	45.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	50	1796	94.5	45.0	6000	150	50	1060	97.0	45.0	45.0	45.0	45.0	45.0
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	150	100	1746	95.8	45.0	6000	150	100	1010	97.0	45.0	45.0	45.0	45.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	150	1696	97.0	45.0	6000	150	150	960	97.0	45.0	45.0	45.0	45.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	200	1646	97.0	45.0	6000	150	200	910	97.0	45.0	45.0	45.0	45.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	250	1596	97.0	45.0	6000	150	250	860	97.0	45.0	45.0	45.0	45.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	300	1546	97.0	45.0	6000	150	300	810	97.0	45.0	45.0	45.0	45.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	350	1496	97.0	45.0	6000	150	350	760	97.0	45.0	45.0	45.0	45.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	400	1446	97.0	45.0	6000	150	400	710	97.0	45.0	45.0	45.0	45.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	450	1396	97.0	45.0	6000	150	450	660	97.0	45.0	45.0	45.0	45.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	500	1346	97.0	45.0	6000	150	500	610	97.0	45.0	45.0	45.0	45.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	550	1296	97.0	45.0	6000	150	550	560	97.0	45.0	45.0	45.0	45.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	0	1796	89.7	45.0	6000	200	0	1060	97.0	45.0	45.0	45.0	45.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	50	1746	90.9	45.0	6000	200	50	1010	97.0	45.0	45.0	45.0	45.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	100	1696	92.1	45.0	6000	200	100	960	9					

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR					VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR								
OPTION DESCRIPTION				FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS			
				GAWR (Lb.)		FRONT (LB)	FRONT (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
				I	II	III	IV	V	VI		I	II	III	IV	V	VI	
XLT Trim (GAS)	10	Add	6	Add													
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3102	67.5	45.0	5200	-50	-50	2454	85.7	45.0	
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3052	67.8	45.0	5200	-50	0	2404	86.5	45.0	
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3002	68.1	45.0	5200	-50	50	2354	87.3	45.0	
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	2952	68.5	45.0	5200	-50	100	2304	88.2	45.0	
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	-50	3052	83.5	45.0	5200	0	-50	2404	83.7	45.0	
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	0	3002	84.1	45.0	5200	0	0	2354	84.4	45.0	
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	50	2952	84.7	45.0	5200	0	50	2304	85.2	45.0	
Brake Controller	3	Add	0	Add	4800	0	100	2902	85.4	45.0	5200	0	100	2254	86.1	45.0	
ESOF w/Auto-Man Locking Hubs (4X4 only)	1	Add	0	Add	4800	0	150	2852	86.0	45.0	5200	0	200	2154	87.8	45.0	
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	200	2802	86.7	45.0	5200	0	250	2104	88.8	45.0	
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	250	2752	87.4	45.0	5200	0	300	2054	89.8	45.0	
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	300	2702	88.1	45.0	5200	0	350	2004	90.8	45.0	
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	350	2652	88.9	45.0	5200	0	400	1954	91.9	45.0	
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	400	2602	89.7	45.0	5200	0	450	1904	93.1	45.0	
5th Wheel Hitch	0	Add	96	Add	4800	0	450	2552	90.5	45.0	5200	0	500	1854	94.3	45.0	
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	500	2502	91.3	45.0	5200	50	0	2304	82.3	45.0	
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	0	2952	82.4	45.0	5200	50	50	2254	83.0	45.0	
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	50	2902	83.0	45.0	5200	50	100	2204	83.8	45.0	
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	100	2852	83.6	45.0	5200	50	200	2104	85.5	45.0	
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	150	2802	84.2	45.0	5200	50	250	2054	86.4	45.0	
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	200	2752	84.9	45.0	5200	50	300	2004	87.4	45.0	
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	250	2702	85.6	45.0	5200	50	350	1954	88.4	45.0	
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	50	300	2652	86.3	45.0	5200	50	400	1904	89.5	45.0	
LT 275/70R18E AT OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	4800	50	350	2602	87.0	45.0	5200	50	450	1854	90.6	45.0	
LT 275/65R20E AT OWL (SRW only) 18" STD	2	Add	1	Add	4800	50	400	2552	87.8	45.0	5200	50	500	1804	91.8	45.0	
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	4800	50	450	2502	88.6	45.0	5200	100	0	2254	80.0	45.0	
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	500	2452	89.4	45.0	5200	100	50	2204	80.7	45.0	
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	0	2902	80.6	45.0	5200	100	100	2154	81.5	45.0	
Pickup Bed Extender	-2	Minus	21	Add	4800	100	50	2852	81.2	45.0	5200	100	200	2054	83.1	45.0	
Drop-In Bedliner	2	Add	42	Add	4800	100	100	2802	81.8	45.0	5200	100	250	2004	84.0	45.0	
Spray-In Bedliner	1	Add	19	Add	4800	100	150	2752	82.4	45.0	5200	100	300	1954	84.9	45.0	
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	200	2702	83.1	45.0	5200	100	350	1904	85.9	45.0	
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	250	2652	83.7	45.0	5200	100	400	1854	86.9	45.0	
Static Rear Video Camera	0	Add	1	Add	4800	100	300	2602	84.4	45.0	5200	100	450	1804	88.0	45.0	
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	350	2552	85.1	45.0	5200	100	500	1754	89.1	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	400	2502	85.9	45.0	5200	150	0	2204	77.6	45.0	
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	100	450	2452	86.6	45.0	5200	150	50	2154	78.3	45.0	
Sliding Rear Window	5	Add	2	Add	4800	100	500	2402	87.5	45.0	5200	150	100	2104	79.0	45.0	
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	0	2852	78.8	45.0	5200	150	200	2004	80.6	45.0	
Foglamps	3	Add	0	Add	4800	150	50	2802	79.4	45.0	5200	150	250	1954	81.4	45.0	
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	100	2752	79.9	45.0	5200	150	300	1904	82.3	45.0	
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	150	2702	80.5	45.0	5200	150	350	1854	83.2	45.0	
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	200	2652	81.1	45.0	5200	150	400	1804	84.2	45.0	
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	250	2602	81.8	45.0	5200	150	450	1754	85.2	45.0	
All Weather Floor Mat	4	Add	2	Add	4800	150	300	2552	82.4	45.0	5200	150	500	1704	86.3	45.0	
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	350	2502	83.1	45.0	5200	200	0	2154	75.1	45.0	
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	400	2452	83.9	45.0	5200	200	50	2104	75.8	45.0	
Floor Console/tee - Stand alone	-25	Minus	-9	Minus	4800	150	450	2402	84.6	45.0	5200	200	100	2054	76.4	45.0	
Cruise Control	3	Add	1	Add	4800	150	500	2352	85.4	45.0	5200	200	200	1954	77.9	45.0	
Power Equipment Group	12	Add	3	Add	4800	200	0	2802	76.9	45.0	5200	200	250	1904	78.7	45.0	
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	50	2752	77.4	45.0	5200	200	300	1854	79.5	45.0	
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	200	100	2702	78.0	45.0	5200	200	350	1804	80.4	45.0	
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	150	2652	78.6	45.0	5200	200	400	1754	81.3	45.0	
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	200	2602	79.1	45.0	5200	200	450	1704	82.3	45.0	
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	200	250	2552	79.8	45.0	5200	200	500	1654	83.4	45.0	
Cloth Seats	-2	Minus	-1	Minus	4800	200	300	2502	80.4	45.0	5600	250	0	2104	97.0	45.0	
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	350	2452	81.1	45.0	5600	250	50	2054	97.0	45.0	
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	400	2402	81.7	45.0	5600	250	100	2004	97.0	45.0	
Satellite Digital Broadcast	2	Add	1	Add	4800	200	450	2352	82.5	45.0	5600	250	200	1904	97.0	45.0	
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	500	2302	83.2	45.0	5600	250	250	1854	97.0	45.0	
SYNC Basic - Gen I	1	Add	0	Add	4800	250	0	2752	74.9	45.0	5600	250	300	1804	97.0	45.0	
SYNC Finder - Gen II	1	Add	0	Add	4800	250	50	2702	75.5	45.0	5600	250	350	1754	97.0	45.0	
FX4 Off-Road Package	2	Add	2	Add	4800	250	100	2652	76.0	45.0	5600	250	400	1704	97.0	45.0	
Tracking System - Crew Chief	3	Add	0	Add	4800	250	150	2602	76.5	45.0	5600	250	450	1654	97.0	45.0	
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	250	200	2552	77.1	45.0	5600	250	500	1604	97.0	45.0	
Bed Mat	0	Add	58	Add	4800	250	250	2502	77.7	45.0							
Cable/Strap Locks	0	Add	9	Add	4800	250	300	2452	78.3	45.0							
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4800	250	350	2402	78.9	45.0							
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	400	2352	79.6	45.0							
Wheel Well Liner - SRW only	0	Add	7	Add	4800	250	450	2302	80.2	45.0							
Gooseneck Hitch Kit	0	Add	10	Add	4800	250	500	2252	81.0	45.0							
Total Option Weight																	

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA 6.2L Diesel Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR										
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
	Add	Min	Add	Min	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	2389	81.0	45.0	5200	-50	-50	1750	81.0	45.0				
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2339	81.0	45.0	5200	-50	0	1700	81.0	45.0				
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	2289	81.0	45.0	5200	-50	50	1650	81.0	45.0				
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	2239	81.0	45.0	5200	-50	100	1600	81.0	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	0	0	2289	80.8	45.0	5600	0	0	1650	81.0	45.0				
Immersion Heater - Engine	1	Add	0	Add	4800	0	50	2339	80.1	45.0	5600	0	50	1700	81.0	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	50	2239	81.0	45.0	5600	0	50	1600	81.0	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	100	2189	81.0	45.0	5600	0	100	1550	81.0	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	150	2139	81.0	45.0	5600	0	150	1500	81.0	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	0	Add	4800	0	200	2089	81.0	45.0	5600	0	200	1450	81.0	45.0				
Brake Controller	1	Add	0	Add	4800	0	250	2039	81.0	45.0	5600	0	250	1400	81.0	45.0				
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	300	1989	81.0	45.0	5600	0	300	1350	81.0	45.0				
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	350	1939	81.0	45.0	5600	0	350	1300	81.0	45.0				
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	0	2239	78.4	45.0	5600	50	0	1600	81.0	45.0					
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	50	2189	79.1	45.0	5600	50	50	1550	81.0	45.0				
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	100	2139	79.8	45.0	5600	50	100	1500	81.0	45.0				
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	150	2089	80.6	45.0	5600	50	150	1450	81.0	45.0				
5th Wheel Hitch	0	Add	96	Add	4800	50	200	2039	81.0	45.0	5600	50	200	1400	81.0	45.0				
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	250	1989	81.0	45.0	5600	50	250	1350	81.0	45.0				
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	300	1939	81.0	45.0	5600	50	300	1300	81.0	45.0				
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	350	1889	81.0	45.0	5600	50	350	1250	81.0	45.0				
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	100	0	2189	75.9	45.0	5600	100	0	1550	81.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	50	2139	76.5	45.0	5600	100	50	1500	81.0	45.0				
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	100	2089	77.2	45.0	5600	100	100	1450	81.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	150	2039	77.9	45.0	5600	100	150	1400	81.0	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	200	1989	78.7	45.0	5600	100	200	1350	81.0	45.0				
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4800	100	250	1939	79.5	45.0	5600	100	250	1300	81.0	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	300	1889	80.3	45.0	5600	100	300	1250	81.0	45.0				
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	4800	100	350	1839	81.0	45.0	5600	100	350	1200	81.0	45.0				
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	100	0	2139	81.0	45.0	5600	150	0	1500	81.0	45.0				
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	150	50	2089	81.0	45.0	5600	150	50	1450	81.0	45.0				
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	150	100	2039	81.0	45.0	5600	150	100	1400	81.0	45.0				
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	150	150	1989	81.0	45.0	5600	150	150	1350	81.0	45.0				
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	200	1939	81.0	45.0	5600	150	200	1300	81.0	45.0				
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	250	1889	81.0	45.0	5600	150	250	1250	81.0	45.0				
Pickup Bed Extender	-2	Minus	21	Add	5200	150	300	1839	81.0	45.0	5600	150	300	1200	81.0	45.0				
Drop-In Bedliner	2	Add	35	Add	5200	150	350	1789	81.0	45.0	5600	150	350	1150	81.0	45.0				
Spray-In Bedliner	0	Add	16	Add	5200	200	0	2089	81.0	45.0	5600	200	0	1450	81.0	45.0				
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	50	2039	81.0	45.0	5600	200	50	1400	81.0	45.0				
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	200	100	1989	81.0	45.0	5600	200	100	1350	81.0	45.0				
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	150	1939	81.0	45.0	5600	200	150	1300	81.0	45.0				
Lower Bodyside Molding	2	Add	1	Add	5200	200	200	1889	81.0	45.0	5600	200	200	1250	81.0	45.0				
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	250	1839	81.0	45.0	5600	200	250	1200	81.0	45.0				
Static Rear Video Camera	0	Add	1	Add	5200	200	300	1789	81.0	45.0	5600	200	300	1150	81.0	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	10	Add	4	Add	5200	200	350	1739	81.0	45.0	5600	200	350	1100	81.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	6	Add	5200	250	0	2039	81.0	45.0	5600	250	0	1400	81.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	50	1989	81.0	45.0	5600	250	50	1350	81.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	250	100	1939	81.0	45.0	5600	250	100	1300	81.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	150	1889	81.0	45.0	5600	250	150	1250	81.0	45.0				
Sliding Rear Window	5	Add	2	Add	5200	250	200	1839	81.0	45.0	5600	250	200	1200	81.0	45.0				
Power Sliding Rear Window	5	Add	3	Add	5200	250	250	1789	81.0	45.0	5600	250	250	1150	81.0	45.0				
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	300	1739	81.0	45.0	5600	250	300	1100	81.0	45.0				
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	350	1689	81.0	45.0	5600	250	350	1050	81.0	45.0				
Foglamps	3	Add	0	Add	5200	300	0	1989	81.0	45.0	5600	300	0	1350	81.0	45.0				
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	50	1939	81.0	45.0	5600	300	50	1300	81.0	45.0				
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	100	1889	81.0	45.0	5600	300	100	1250	81.0	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	300	150	1839	81.0	45.0	5600	300	150	1200	81.0	45.0				
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	200	1789	81.0	45.0	5600	300	200	1150	81.0	45.0				
All Weather Floor Mat	6	Add	4	Add	5200	300	250	1739	81.0	45.0	5600	300	250	1100	81.0	45.0				
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	300	1689	81.0	45.0	5600	300	300	1050	81.0	45.0				
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	350	1639	81.0	45.0	5600	300	350	1000	81.0	45.0				
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	5200	300	0	2139	81.0	45.0	5600	300	0	1500	81.0	45.0				
Cruise Control	3	Add	1	Add																
Power Equipment Group	12	Add	3	Add																
Adj Gas & Brake Pedals	4	Add	3	Add																
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add																
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add																
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus																
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add																
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add																
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add																
Cloth Seats	-2	Minus	-1	Minus																
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus																
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add																
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add																
Satellite Digital Broadcast	2	Add	1	Add																
High Definition & Satellite Digital Broadcast	2	Add	1	Add																
SYNC Basic - Gen I	1	Add	0	Add																
SYNC Finder - Gen II	1	Add	0	Add																
FX4 Off-Road Package	2	Add	2	Add																
Tracking System - Crew Chief	3	Add	0	Add																
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add																
Bed Mat	0	Add	44	Add																
Cable/Strap Locks	0	Add	9	Add																
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add																
Roll-up Tonneau Cover	4	Add	22	Add																
Wheel Well Liner - SRW only	0	Add	7	Add																
Gooseneck Hitch Kit	0	Add	10	Add																

Total Option Weight
 * This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA											
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR				6.7L Diesel Engine 9900 lb (4490 kg) GVWR											
	FRONT		REAR		FRONT		REAR									
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)								
OPTION DESCRIPTION				VEHICLE LOADING DATA				VEHICLE LOADING DATA								
				OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		
				FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)			
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	2209	79.2	45.0	5600	-50	-50	1552	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	2159	79.9	45.0	5600	-50	0	1502	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2109	80.7	45.0	5600	-50	50	1452	81.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2059	81.0	45.0	5600	-50	100	1402	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2159	81.0	45.0	5600	0	-50	1502	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2109	81.0	45.0	5600	0	0	1452	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2059	81.0	45.0	5600	0	50	1402	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2009	81.0	45.0	5600	0	100	1352	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	1959	81.0	45.0	5600	0	150	1302	81.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	1909	81.0	45.0	5600	0	200	1252	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1859	81.0	45.0	5600	0	250	1202	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	300	1809	81.0	45.0	5600	0	300	1152	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	350	1759	81.0	45.0	5600	0	350	1102	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1709	81.0	45.0	5600	0	400	1052	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	0	2059	81.0	45.0	5600	50	0	1402	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	50	2009	81.0	45.0	5600	50	50	1352	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	100	1959	81.0	45.0	5600	50	100	1302	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	150	1909	81.0	45.0	5600	50	150	1252	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	200	1859	81.0	45.0	5600	50	200	1202	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	250	1809	81.0	45.0	5600	50	250	1152	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	300	1759	81.0	45.0	5600	50	300	1102	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	350	1709	81.0	45.0	5600	50	350	1052	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	400	1659	81.0	45.0	5600	50	400	1002	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	0	2009	81.0	45.0	5600	100	0	1352	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	50	1959	81.0	45.0	5600	100	50	1302	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	100	1909	81.0	45.0	5600	100	100	1252	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	150	1859	81.0	45.0	5600	100	150	1202	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	200	1809	81.0	45.0	5600	100	200	1152	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	250	1759	81.0	45.0	5600	100	250	1102	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	300	1709	81.0	45.0	5600	100	300	1052	81.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5200	100	350	1659	81.0	45.0	5600	100	350	1002	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	100	400	1609	81.0	45.0	5600	100	400	952	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	150	0	1959	81.0	45.0	5600	150	0	1302	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	150	50	1909	81.0	45.0	5600	150	50	1252	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	100	1859	81.0	45.0	5600	150	100	1202	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	150	1809	81.0	45.0	5600	150	150	1152	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	200	1759	81.0	45.0	5600	150	200	1102	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	250	1709	81.0	45.0	5600	150	250	1052	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	300	1659	81.0	45.0	5600	150	300	1002	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	350	1609	81.0	45.0	5600	150	350	952	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	400	1559	81.0	45.0	5600	150	400	902	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	200	0	1909	81.0	45.0	5600	200	0	1252	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	50	1859	81.0	45.0	5600	200	50	1202	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	100	1809	81.0	45.0	5600	200	100	1152	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	150	1759	81.0	45.0	5600	200	150	1102	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	200	1709	81.0	45.0	5600	200	200	1052	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	250	1659	81.0	45.0	5600	200	250	1002	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	300	1609	81.0	45.0	5600	200	300	952	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	350	1559	81.0	45.0	5600	200	350	902	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	400	1509	81.0	45.0	5600	200	400	852	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	0	1859	81.0	45.0	6000	250	0	1202	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	50	1809	81.0	45.0	6000	250	50	1152	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	100	1759	81.0	45.0	6000	250	100	1102	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	150	1709	81.0	45.0	6000	250	150	1052	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	200	1659	81.0	45.0	6000	250	200	1002	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	250	1609	81.0	45.0	6000	250	250	952	81.0	45.0
Bright Exhaust Pipe Extension	0	Minus	3	Add	5200	250	300	1559	81.0	45.0	6000	250	300	902	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	350	1509	81.0	45.0	6000	250	350	852	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	250	400	1459	81.0	45.0	6000	250	400	802	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	0	1809	81.0	45.0	6000	300	0	1152	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	50	1759	81.0	45.0	6000	300	50	1102	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	300	100	1709	81.0	45.0	6000	300	100	1052	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	150	1659	81.0	45.0	6000	300	150	1002	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	200	1609	81.0	45.0	6000	300	200	952	81.0	45.0
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	5200	300	250	1559	81.0	45.0	6000	300	250	902	81.0	45.0
Cruise Control	3	Add	1	Add	5200	300	300	1509	81.0	45.0	6000	300	300	852	81.0	45.0
Power Equipment Group	15	Add	6	Add	5200	300	350	1459	81.0	45.0	6000	300	350	802	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	300	400	1409	81.0	45.0	6000	300	400	752	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add							6000	350	0	1102	81	

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR											
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS			
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add																	
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2306	76.4	45.0	5600	-50	-50	1572	97.0	45.0					
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2256	77.0	45.0	5600	-50	0	1522	97.0	45.0					
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2206	77.7	45.0	5600	-50	50	1472	97.0	45.0					
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2156	78.4	45.0	5600	-50	100	1422	97.0	45.0					
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2256	97.0	45.0	5600	0	-50	1522	97.0	45.0					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2206	97.0	45.0	5600	0	0	1472	97.0	45.0					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2156	97.0	45.0	5600	0	50	1422	97.0	45.0					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2106	97.0	45.0	5600	0	100	1372	97.0	45.0					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2056	97.0	45.0	5600	0	150	1322	97.0	45.0					
Brake Controller	1	Add	0	Add	5200	0	200	2006	97.0	45.0	5600	0	200	1272	97.0	45.0					
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1956	97.0	45.0	5600	0	250	1222	97.0	45.0					
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	1906	97.0	45.0	5600	0	300	1172	97.0	45.0					
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	350	1856	97.0	45.0	5600	0	350	1122	97.0	45.0					
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1806	97.0	45.0	5600	0	400	1072	97.0	45.0					
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	1756	97.0	45.0	5600	0	450	1022	97.0	45.0					
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1706	97.0	45.0	5600	0	500	972	97.0	45.0					
5th Wheel Hitch	0	Add	96	Add	5200	50	-50	2206	97.0	45.0	5600	50	0	1422	97.0	45.0					
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2156	97.0	45.0	5600	50	50	1372	97.0	45.0					
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	2106	97.0	45.0	5600	50	100	1322	97.0	45.0					
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	2056	97.0	45.0	5600	50	150	1272	97.0	45.0					
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	2006	97.0	45.0	5600	50	200	1222	97.0	45.0					
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	1956	97.0	45.0	5600	50	250	1172	97.0	45.0					
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	1906	97.0	45.0	5600	50	300	1122	97.0	45.0					
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1856	97.0	45.0	5600	50	350	1072	97.0	45.0					
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	1806	97.0	45.0	5600	50	400	1022	97.0	45.0					
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	400	1756	97.0	45.0	5600	50	450	972	97.0	45.0					
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	450	1706	97.0	45.0	5600	50	500	922	97.0	45.0					
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	500	1656	97.0	45.0	5600	100	0	1372	97.0	45.0					
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	-50	2156	96.7	45.0	5600	100	50	1322	97.0	45.0					
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	100	0	2106	97.0	45.0	5600	100	100	1272	97.0	45.0					
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	100	50	2056	97.0	45.0	5600	100	150	1222	97.0	45.0					
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	100	2006	97.0	45.0	5600	100	200	1172	97.0	45.0					
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	150	1956	97.0	45.0	5600	100	250	1122	97.0	45.0					
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	200	1906	97.0	45.0	5600	100	300	1072	97.0	45.0					
Pickup Bed Extender	-2	Minus	21	Add	5200	100	250	1856	97.0	45.0	5600	100	350	1022	97.0	45.0					
Drop-In Bedliner	2	Add	35	Add	5200	100	300	1806	97.0	45.0	5600	100	400	972	97.0	45.0					
Spray-In Bedliner	1	Add	19	Add	5200	100	350	1756	97.0	45.0	5600	100	450	922	97.0	45.0					
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	400	1706	97.0	45.0	5600	100	500	872	97.0	45.0					
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	100	450	1656	97.0	45.0	5600	150	0	1322	97.0	45.0					
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	100	500	1606	97.0	45.0	5600	150	50	1272	97.0	45.0					
Lower Bodyside Molding	2	Add	1	Add	5200	150	-50	2106	94.1	45.0	5600	150	100	1222	97.0	45.0					
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	0	2056	95.2	45.0	5600	150	150	1172	97.0	45.0					
Static Rear Video Camera	0	Add	1	Add	5200	150	50	2006	96.4	45.0	5600	150	200	1122	97.0	45.0					
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	100	1956	97.0	45.0	5600	150	250	1072	97.0	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	150	1906	97.0	45.0	5600	150	300	1022	97.0	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	200	1856	97.0	45.0	5600	150	350	972	97.0	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	250	1806	97.0	45.0	5600	150	400	922	97.0	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	300	1756	97.0	45.0	5600	150	450	872	97.0	45.0					
Sliding Rear Window	5	Add	2	Add	5200	150	350	1706	97.0	45.0	5600	150	500	822	97.0	45.0					
Power Sliding Rear Window	5	Add	3	Add	5200	150	400	1656	97.0	45.0	6000	200	0	1272	97.0	45.0					
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	450	1606	97.0	45.0	6000	200	50	1222	97.0	45.0					
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	150	500	1556	97.0	45.0	6000	200	100	1172	97.0	45.0					
Foglamps	3	Add	0	Add	5200	200	-50	2056	91.4	45.0	6000	200	150	1122	97.0	45.0					
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	0	2006	92.5	45.0	6000	200	200	1072	97.0	45.0					
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	50	1956	93.6	45.0	6000	200	250	1022	97.0	45.0					
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	100	1906	94.8	45.0	6000	200	300	972	97.0	45.0					
XLT Floor Mats Less Logo (Color Keyed)	3	Add	2	Add	5200	200	150	1856	96.1	45.0	6000	200	350	922	97.0	45.0					
All Weather Floor Mat	6	Add	4	Add	5200	200	200	1806	97.0	45.0	6000	200	400	872	97.0	45.0					
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	250	1756	97.0	45.0	6000	200	450	822	97.0	45.0					
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	300	1706	97.0	45.0	6000	200	500	772	97.0	45.0					
Floor Console - Stand alone	-25	Minus	-9	Minus	5200	200	350	1656	97.0	45.0	6000	250	0	1222	97.0	45.0					
Cruise Control	3	Add	1	Add	5200	200	400	1606	97.0	45.0	6000	250									

OPTION TABLE	VEHICLE LOADING DATA												VEHICLE LOADING DATA											
	6.2L Gasoline Engine 9900 lb (4490 kg) GVWR												6.7L Diesel Engine 9900 lb (4490 kg) GVWR											
	OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS				
		GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)			
Lariat Trim (GAS)	29	Add	19	Add																				
XLT Trim (GAS)	13	Add	9	Add	5200	-50	-50	2096	97.0	45.0	5600	-50	-50	1360	97.0	45.0								
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	0	2046	97.0	45.0	5600	-50	0	1310	97.0	45.0								
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	50	1996	97.0	45.0	5600	-50	50	1260	97.0	45.0								
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	100	1946	97.0	45.0	5600	-50	100	1210	97.0	45.0								
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2046	97.0	45.0	5600	0	-50	1310	97.0	45.0								
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	1996	97.0	45.0	5600	0	0	1260	97.0	45.0								
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	1946	97.0	45.0	5600	0	50	1210	97.0	45.0								
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	1896	97.0	45.0	5600	0	100	1160	97.0	45.0								
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	1846	97.0	45.0	5600	0	150	1110	97.0	45.0								
Brake Controller	1	Add	0	Add	5200	0	200	1796	97.0	45.0	5600	0	200	1060	97.0	45.0								
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1746	97.0	45.0	5600	0	250	1010	97.0	45.0								
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	1696	97.0	45.0	5600	0	300	960	97.0	45.0								
Skid Plates (DIESEL) 4X4 only	32	Add	18	Add	5200	0	350	1646	97.0	45.0	5600	0	350	910	97.0	45.0								
Less Urea Emission Tank (DSL only)	-27	Minus	-64	Minus	5200	0	400	1596	97.0	45.0	5600	0	400	860	97.0	45.0								
Rear Stabilizer Bar F250/350 SRW 4x4	-1	Minus	12	Add	5200	0	450	1546	97.0	45.0	5600	0	450	810	97.0	45.0								
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1496	97.0	45.0	5600	0	500	760	97.0	45.0								
5th Wheel Hitch	0	Add	96	Add	5200	0	550	1446	97.0	45.0	5600	0	550	710	97.0	45.0								
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	1946	97.0	45.0	6000	50	0	1210	97.0	45.0								
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	1896	97.0	45.0	6000	50	50	1160	97.0	45.0								
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	1846	97.0	45.0	6000	50	100	1110	97.0	45.0								
Manual Air Conditioning (GAS)	32	Add	-1	Add	5200	50	150	1796	97.0	45.0	6000	50	150	1060	97.0	45.0								
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Add	5200	50	200	1746	97.0	45.0	6000	50	200	1010	97.0	45.0								
Manual Air Conditioning (DIESEL)	31	Add	-1	Add	5200	50	250	1696	97.0	45.0	6000	50	250	960	97.0	45.0								
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Add	5200	50	300	1646	97.0	45.0	6000	50	300	910	97.0	45.0								
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	1596	97.0	45.0	6000	50	350	860	97.0	45.0								
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-26	Minus	5200	50	400	1546	97.0	45.0	6000	50	400	810	97.0	45.0								
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	450	1496	97.0	45.0	6000	50	450	760	97.0	45.0								
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	500	1446	97.0	45.0	6000	50	500	710	97.0	45.0								
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	550	1396	97.0	45.0	6000	50	550	660	97.0	45.0								
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	0	1896	96.6	45.0	6000	100	0	1160	97.0	45.0								
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5200	100	50	1846	97.0	45.0	6000	100	50	1110	97.0	45.0								
LT 275/70R18E A/T OWL Premium (SRW 4x4 only)	-2	Minus	-2	Minus	5200	100	100	1796	97.0	45.0	6000	100	100	1060	97.0	45.0								
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	100	150	1746	97.0	45.0	6000	100	150	1010	97.0	45.0								
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	200	1696	97.0	45.0	6000	100	200	960	97.0	45.0								
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	250	1646	97.0	45.0	6000	100	250	910	97.0	45.0								
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	300	1596	97.0	45.0	6000	100	300	860	97.0	45.0								
Pickup Bed Extender	-2	Minus	21	Add	5200	100	350	1546	97.0	45.0	6000	100	350	810	97.0	45.0								
Drop-In Bedliner	2	Add	42	Add	5200	100	400	1496	97.0	45.0	6000	100	400	760	97.0	45.0								
Spray-In Bedliner	0	Add	20	Add	5200	100	450	1446	97.0	45.0	6000	100	450	710	97.0	45.0								
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	500	1396	97.0	45.0	6000	100	500	660	97.0	45.0								
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	100	550	1346	97.0	45.0	6000	100	550	610	97.0	45.0								
6" Angular Chrome Step w/o Lights - (SRW only)	24	Add	19	Add	5200	150	0	1846	93.2	45.0	6000	150	0	1110	97.0	45.0								
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	50	1796	94.5	45.0	6000	150	50	1060	97.0	45.0								
Lower Bodyside Molding	2	Add	1	Add	5200	150	100	1746	95.8	45.0	6000	150	100	1010	97.0	45.0								
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	150	1696	97.0	45.0	6000	150	150	960	97.0	45.0								
Static Rear Video Camera	0	Add	1	Add	5200	150	200	1646	97.0	45.0	6000	150	200	910	97.0	45.0								
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	250	1596	97.0	45.0	6000	150	250	860	97.0	45.0								
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	300	1546	97.0	45.0	6000	150	300	810	97.0	45.0								
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	350	1496	97.0	45.0	6000	150	350	760	97.0	45.0								
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	400	1446	97.0	45.0	6000	150	400	710	97.0	45.0								
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	450	1396	97.0	45.0	6000	150	450	660	97.0	45.0								
Sliding Rear Window	5	Add	2	Add	5200	150	500	1346	97.0	45.0	6000	150	500	610	97.0	45.0								
Power Sliding Rear Window	5	Add	3	Add	5200	150	550	1296	97.0	45.0	6000	150	550	560	97.0	45.0								
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	0	1796	89.7	45.0	6000	200	0	1060	97.0	45.0								
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	50	1746	90.9	45.0	6000	200	50	1010	97.0	45.0								
Foglamps	3	Add	0	Add	5200	200	100	1696	92.1	45.0	6000	200	100	960	97.0	45.0								
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	150	1646	93.5	45.0	6000	200	150	910	97.0	45.0								
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	200	1596	94.9	45.0	6000	200	200	860	97.0	45.0								
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	250	1546	96.4	45.0	6000	200	250	810	97.0	45.0								
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	300	1496	97.0	45.0	6000	200	300	760	97.0	45.0								
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add																				

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA											
	6.2L Gasoline Engine 10000 lb (4535 kg) GVWR				6.7L Diesel Engine 10700 lb (4853 kg) GVWR											
	OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT (Lb.)	OPTION WEIGHT (Lb.)		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS (IN)						
		FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)		FRONT (Lb.)	FRONT (Lb.)		REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)				
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4250	-50	-50	2877	65.8	45.0	4850	-50	-50	2907	65.9	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4250	-50	0	2827	66.1	45.0	4850	-50	0	2857	66.2	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4250	-50	50	2777	66.4	45.0	4850	-50	50	2807	66.5	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4250	-50	100	2727	66.8	45.0	4850	-50	100	2757	66.8	45.0
Immersion Heater - Engine	1	Add	0	Add	4250	0	-50	2827	63.6	45.0	4850	0	-50	2857	63.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4250	0	0	2777	63.9	45.0	4850	0	0	2807	64.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4250	0	50	2727	64.2	45.0	4850	0	50	2757	64.3	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4250	0	100	2677	64.5	45.0	4850	0	100	2707	64.6	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4250	0	150	2627	64.8	45.0	4850	0	150	2657	64.9	45.0
Brake Controller	1	Add	0	Add	4400	50	0	2727	69.4	45.0	5000	50	0	2757	69.4	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	50	50	2677	69.8	45.0	5000	50	50	2707	69.8	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4400	50	100	2627	70.2	45.0	5000	50	100	2657	70.2	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4400	50	150	2577	70.6	45.0	5000	50	150	2607	70.6	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	50	200	2527	71.1	45.0	5000	50	200	2557	71.1	45.0
Rear Stabilizer Bar F250/350 SRW 4x4	-1	Minus	12	Add	4400	50	250	2477	71.5	45.0	5000	50	250	2507	71.6	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4400	50	300	2427	72.0	45.0	5000	50	300	2457	72.0	45.0
5th Wheel Hitch	0	Add	96	Add	4400	50	350	2377	72.5	45.0	5000	50	350	2407	72.5	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	100	0	2677	67.1	45.0	5000	100	0	2707	67.2	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	100	50	2627	67.5	45.0	5000	100	50	2657	67.6	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	100	100	2577	67.9	45.0	5000	100	100	2607	67.9	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	100	150	2527	68.3	45.0	5000	100	150	2557	68.3	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	100	200	2477	68.7	45.0	5000	100	200	2507	68.7	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4400	100	250	2427	69.1	45.0	5000	100	250	2457	69.2	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4400	100	300	2377	69.6	45.0	5000	100	300	2407	69.6	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4400	100	350	2327	70.0	45.0	5000	100	350	2357	70.1	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4400	150	0	2627	64.8	45.0	5000	150	0	2657	64.9	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4400	150	50	2577	65.1	45.0	5000	150	50	2607	65.2	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4400	150	100	2527	65.5	45.0	5000	150	100	2557	65.5	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	150	150	2477	65.8	45.0	5000	150	150	2507	65.9	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4400	150	200	2427	66.2	45.0	5000	150	200	2457	66.3	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4400	150	250	2377	66.6	45.0	5000	150	250	2407	66.7	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4400	150	300	2327	67.0	45.0	5000	150	300	2357	67.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4400	150	350	2277	67.4	45.0	5000	150	350	2307	67.5	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	200	0	2577	70.6	45.0	5250	200	0	2607	70.6	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4550	200	50	2527	71.1	45.0	5250	200	50	2557	70.6	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4550	200	100	2477	71.5	45.0	5250	200	100	2507	71.2	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	200	150	2427	72.0	45.0	5250	200	150	2457	71.8	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	200	200	2377	72.5	45.0	5250	200	200	2407	72.4	45.0
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4550	200	250	2327	73.1	45.0	5250	200	250	2357	72.9	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	200	300	2277	73.6	45.0	5250	200	300	2307	73.8	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	200	350	2227	74.2	45.0	5250	200	350	2257	74.5	45.0
Drop-In Bedliner	2	Add	35	Add	4550	250	0	2527	68.3	45.0	5250	250	0	2557	73.9	45.0
Spray-In Bedliner	0	Add	16	Add	4550	250	50	2477	68.7	45.0	5250	250	50	2507	74.4	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	250	100	2427	69.1	45.0	5250	250	100	2457	74.9	45.0
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	4550	250	150	2377	69.6	45.0	5250	250	150	2407	75.5	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	250	200	2327	70.0	45.0	5250	250	200	2357	76.1	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	250	250	2277	70.5	45.0	5250	250	250	2307	76.7	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	250	300	2227	71.0	45.0	5250	250	300	2257	77.3	45.0
Static Rear Video Camera	0	Add	1	Add	4550	250	350	2177	71.5	45.0	5250	250	350	2207	78.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add												
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add												
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add												
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add												
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add												
Sliding Rear Window	5	Add	2	Add												
Power Sliding Rear Window	5	Add	3	Add												
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add												
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add												
Foglamps	3	Add	0	Add												
Bright Exhaust Pipe Extension	0	Add	3	Add												
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add												
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add												
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add												
All Weather Floor Mat	6	Add	4	Add												
Electrochromic Rear View Mirror	1	Add	0	Add												
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add												
Floor Console/ette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												

OPTION TABLE	VEHICLE LOADING DATA															
	6.2L Gasoline Engine 10200 lb (4626 kg) GVWR						6.7L Diesel Engine 10800 lb (4898 kg) GVWR									
	FRONT (Lbs.)		REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
OPTION DESCRIPTION																
				FRONT (LB.)	FRONT (LB.)	REAR (LB.)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (LB.)	FRONT (LB.)	REAR (LB.)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4400	-50	-50	2894	68.8	45.0	5000	-50	-50	2837	69.9	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	0	2844	69.2	45.0	5000	-50	0	2787	70.3	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	50	2794	69.5	45.0	5000	-50	50	2737	70.8	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4400	-50	100	2744	69.9	45.0	5000	-50	100	2687	71.2	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4400	0	-50	2844	66.4	45.0	5000	0	-50	2787	67.5	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4400	0	0	2794	66.7	45.0	5000	0	0	2737	67.9	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4400	0	50	2744	67.1	45.0	5000	0	50	2687	68.3	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	100	2694	67.4	45.0	5000	0	100	2637	68.7	45.0
Brake Controller	1	Add	0	Add	4400	0	150	2644	67.8	45.0	5000	0	150	2587	69.1	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	200	2594	68.2	45.0	5000	0	200	2537	69.5	45.0
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	300	2494	69.0	45.0	5000	0	300	2487	70.4	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	350	2444	69.4	45.0	5000	0	350	2387	70.8	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	400	2394	69.9	45.0	5000	50	0	2687	65.4	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	450	2344	70.4	45.0	5000	50	50	2637	65.7	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	500	2294	70.8	45.0	5000	50	100	2587	66.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	0	2744	72.8	45.0	5000	50	150	2537	66.4	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	50	2694	73.2	45.0	5000	50	200	2487	66.8	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	100	2644	73.7	45.0	5000	50	250	2437	67.1	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	150	2594	74.2	45.0	5000	50	300	2387	67.6	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	200	2544	74.7	45.0	5000	50	350	2337	68.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	250	2494	75.3	45.0	5250	100	0	2637	77.5	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	300	2444	75.8	45.0	5250	100	50	2587	78.1	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	350	2394	76.4	45.0	5250	100	100	2537	78.7	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	400	2344	77.0	45.0	5250	100	150	2487	79.3	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4550	50	450	2294	77.7	45.0	5250	100	200	2437	80.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4550	50	500	2244	78.3	45.0	5250	100	250	2387	80.6	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	0	2694	70.3	45.0	5250	100	300	2337	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	50	2644	70.8	45.0	5250	100	350	2287	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	100	2594	71.2	45.0	5250	150	0	2587	75.1	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	150	2544	71.7	45.0	5250	150	50	2537	75.6	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	200	2494	72.1	45.0	5250	150	100	2487	76.2	45.0
Less Jack- 2-Ton (Including Tool)	1	Add	-12	Minus	4550	100	250	2444	72.6	45.0	5250	150	150	2437	76.8	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	300	2394	73.1	45.0	5250	150	200	2387	77.4	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	350	2344	73.7	45.0	5250	150	250	2337	78.0	45.0
Drop-In Bedliner	2	Add	42	Add	4550	100	400	2294	74.2	45.0	5250	150	300	2287	78.7	45.0
Spray-In Bedliner	0	Add	16	Add	4550	100	450	2244	74.8	45.0	5250	150	350	2237	79.3	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	100	500	2194	75.4	45.0	5250	200	0	2537	72.5	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	150	0	2644	67.8	45.0	5250	200	50	2487	73.0	45.0
5" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4550	150	50	2594	68.2	45.0	5250	200	100	2437	73.6	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	150	100	2544	68.6	45.0	5250	200	150	2387	74.1	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	150	2494	69.0	45.0	5250	200	200	2337	74.7	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	200	2444	69.4	45.0	5250	200	250	2287	75.2	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	250	2394	69.9	45.0	5250	200	300	2237	75.8	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	300	2344	70.4	45.0	5250	200	350	2187	76.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	350	2294	70.8	45.0	5250	250	0	2487	69.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	400	2244	71.4	45.0	5250	250	50	2437	70.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	450	2194	71.9	45.0	5250	250	100	2387	70.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	150	500	2144	72.4	45.0	5250	250	150	2337	71.3	45.0
Sliding Rear Window	5	Add	2	Add	4700	200	50	2544	74.7	45.0	5250	250	200	2287	71.8	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	200	100	2494	75.3	45.0	5250	250	250	2237	72.4	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	200	150	2444	75.8	45.0	5250	250	300	2187	72.9	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	200	2394	76.4	45.0	5250	250	350	2137	73.5	45.0
Foglamps	3	Add	0	Add	4700	200	250	2344	77.0	45.0	5250	300	0	2437	67.1	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	300	2294	77.7	45.0	5250	300	50	2387	67.6	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	350	2244	78.3	45.0	5250	300	100	2337	68.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	200	400	2194	79.0	45.0	5250	300	150	2287	68.4	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	450	2144	79.7	45.0	5250	300	200	2237	68.9	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	200	500	2094	80.5	45.0	5250	300	250	2187	69.3	45.0
All Weather Floor Mat	7	Add	4	Add	4700	250	50	2494	72.1	45.0	5250	300	300	2137	69.8	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	250	100	2444	72.6	45.0	5250	300	350	2087	70.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	250	150	2394	73.1	45.0						
Floor Console - Stand alone	-25	Minus	-9	Minus	4700	250	200	2344	73.7	45.0						
Cruise Control	3	Add	1	Add	4700	250	250	2294	74.2	45.0						
Power Equipment Group	15	Add	6	Add	4700	250	300	2244	74.8	45.0						
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	350	2194	75.4	45.0						
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	250	400	2144	76.1	45.0						
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	450	2094	76.8	45.0						
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	500	2044	77.5	45.0						
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	4700	300	0	2494	69.0	45.0						
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	300	50	2444	69.4	45.0						
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	300	100	2394								

OPTION TABLE	FRONT				REAR				VEHICLE LOADING DATA 6.2L Gasoline Engine 10200 lb (4626 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10800 lb (4898 kg) GVWR							
	OPTION DESCRIPTION		FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS				
			(Lbs.)	(Lbs.)	(Lb.)	(Lb.)	(Lb.)	FRONT (A)	REAR (B)	(Lb.)	(Lb.)	(Lb.)	FRONT (A)	REAR (B)	(Lb.)	(Lb.)	(Lb.)	FRONT (A)	REAR (B)			
					I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add																		
XLT Trim (GAS)	10	Add	7	Add	4400	-50	-50	3008	67.4	45.0	5000	-50	-50	2874	67.2	45.0						
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	0	2958	67.7	45.0	5000	-50	0	2824	67.6	45.0						
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	50	2908	68.1	45.0	5000	-50	50	2774	67.9	45.0						
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	100	2858	68.4	45.0	5000	-50	100	2724	68.3	45.0						
Immersion Heater - Engine	1	Add	0	Add	4400	0	-50	2958	65.1	45.0	5000	0	-50	2824	64.8	45.0						
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	0	2908	65.4	45.0	5000	0	0	2774	65.1	45.0						
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	50	2858	65.7	45.0	5000	0	50	2724	65.4	45.0						
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	100	2808	66.0	45.0	5000	0	100	2674	65.7	45.0						
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	150	2758	66.3	45.0	5000	0	150	2624	66.1	45.0						
Brake Controller	1	Add	0	Add	4400	0	200	2708	66.7	45.0	5000	0	200	2574	66.4	45.0						
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	0	250	2658	67.0	45.0	5000	0	250	2524	66.8	45.0						
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	300	2608	67.4	45.0	5000	0	300	2474	67.2	45.0						
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	350	2558	67.8	45.0	5000	0	350	2424	67.6	45.0						
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	400	2508	68.2	45.0	5000	0	400	2374	68.0	45.0						
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	450	2458	68.6	45.0	5000	0	450	2324	68.4	45.0						
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4400	0	500	2408	69.0	45.0	5000	0	500	2274	68.9	45.0						
5th Wheel Hitch	0	Add	96	Add	4550	50	0	2858	71.2	45.0	5000	50	0	2724	62.5	45.0						
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	50	50	2808	71.6	45.0	5000	50	50	2674	62.8	45.0						
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	100	2758	72.0	45.0	5000	50	100	2624	63.1	45.0						
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	150	2708	72.5	45.0	5000	50	150	2574	63.4	45.0						
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	200	2658	73.0	45.0	5000	50	200	2524	63.7	45.0						
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	250	2608	73.4	45.0	5000	50	250	2474	64.0	45.0						
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	300	2558	73.9	45.0	5000	50	300	2424	64.3	45.0						
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	350	2508	74.5	45.0	5000	50	350	2374	64.7	45.0						
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	400	2458	75.0	45.0	5000	50	400	2324	65.0	45.0						
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	450	2408	75.6	45.0	5000	50	450	2274	65.4	45.0						
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	500	2358	76.1	45.0	5000	50	500	2224	65.8	45.0						
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4550	100	0	2808	68.8	45.0	5000	100	0	2674	59.8	45.0						
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4550	100	50	2758	69.2	45.0	5000	100	50	2624	60.1	45.0						
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4550	100	100	2708	69.6	45.0	5000	100	100	2574	60.3	45.0						
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4550	100	150	2658	70.0	45.0	5000	100	150	2524	60.5	45.0						
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	200	2608	70.4	45.0	5000	100	200	2474	60.8	45.0						
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	250	2558	70.8	45.0	5000	100	250	2424	61.1	45.0						
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	300	2508	71.3	45.0	5000	100	300	2374	61.3	45.0						
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4550	100	350	2458	71.8	45.0	5000	100	350	2324	61.6	45.0						
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4550	100	400	2408	72.3	45.0	5000	100	400	2274	61.9	45.0						
LT 275/65R20E A/T OWL (SRW only) 17" STD	-27	Add	39	Add	4550	100	450	2358	72.8	45.0	5000	100	450	2224	62.2	45.0						
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	500	2308	73.3	45.0	5000	100	500	2174	62.6	45.0						
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4550	150	0	2758	66.3	45.0	5000	150	0	2624	57.0	45.0						
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	150	50	2708	66.7	45.0	5000	150	50	2574	57.2	45.0						
Pickup Bed Extender	-2	Minus	21	Add	4550	150	100	2658	67.0	45.0	5000	150	100	2524	57.4	45.0						
Drop-In Bedliner	2	Add	35	Add	4550	150	150	2608	67.4	45.0	5000	150	150	2474	57.6	45.0						
Spray-In Bedliner	1	Add	19	Add	4550	150	200	2558	67.8	45.0	5000	150	200	2424	57.8	45.0						
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	150	250	2508	68.2	45.0	5000	150	250	2374	58.0	45.0						
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	4550	150	300	2458	68.6	45.0	5000	150	300	2324	58.2	45.0						
5" Tubular Chrome Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	150	350	2408	69.0	45.0	5000	150	350	2274	58.5	45.0						
Lower Bodyside Molding	2	Add	1	Add	4550	150	400	2358	69.4	45.0	5000	150	400	2224	58.7	45.0						
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	450	2308	69.9	45.0	5000	150	450	2174	58.9	45.0						
Static Rear Video Camera	0	Add	1	Add	4550	150	500	2258	70.4	45.0	5000	150	500	2124	59.2	45.0						
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	200	0	2708	72.5	45.0	5250	200	0	2574	69.5	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	200	50	2658	73.0	45.0	5250	200	50	2524	69.9	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	200	100	2608	73.4	45.0	5250	200	100	2474	70.4	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	200	150	2558	73.9	45.0	5250	200	150	2424	70.8	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4700	200	200	2508	74.5	45.0	5250	200	200	2374	71.3	45.0						
Sliding Rear Window	5	Add	2	Add	4700	200	250	2458	75.0	45.0	5250	200	250	2324	71.8	45.0						
Power Sliding Rear Window	5	Add	3	Add	4700	200	300	2408	75.6	45.0	5250	200	300	2274	72.4	45.0						
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	200	350	2358	76.1	45.0	5250	200	350	2224	72.9	45.0						
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	400	2308	76.8	45.0	5250	200	400	2174	73.5	45.						

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10500 lb (4762 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11100 lb (5034 kg) GVWR											
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS			
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)
Lariat Trim (GAS)	29	Add	19	Add																	
XLT Trim (GAS)	13	Add	9	Add	4550	-50	-50	3060	70.2	51.1	5250	-50	-50	2964	76.2	50.7					
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	0	3010	70.6	51.2	5250	-50	0	2914	76.7	50.7					
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	50	2960	70.9	51.2	5250	-50	50	2864	77.2	50.8					
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4550	-50	100	2910	71.3	51.3	5250	-50	100	2814	77.7	50.8					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4550	-50	150	2860	71.8	51.4	5250	0	-50	2914	73.7	47.8					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4550	-50	200	2810	72.2	51.4	5250	0	0	2864	74.1	47.8					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4550	-50	250	2760	72.6	51.5	5250	0	50	2814	74.6	47.8					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	300	2710	73.1	51.5	5250	0	100	2764	75.1	47.8					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	350	2660	73.5	51.6	5250	0	150	2714	75.6	47.7					
Brake Controller	1	Add	0	Add	4550	-50	400	2610	74.0	51.7	5250	0	200	2664	76.1	47.7					
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	-50	500	2510	75.1	51.8	5250	0	250	2614	76.7	47.7					
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	0	2960	68.0	48.3	5250	0	300	2564	77.2	47.7					
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	50	2910	68.4	48.3	5250	0	350	2514	77.8	47.7					
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	100	2860	68.7	48.3	5250	0	400	2464	78.4	47.7					
Rear Stabilizer Bar F250/350 SRW 4x4	-1	Minus	12	Add	4550	0	150	2810	69.1	48.4	5250	0	450	2414	79.0	47.7					
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	200	2760	69.5	48.4	5250	0	500	2364	79.7	47.7					
5th Wheel Hitch	0	Add	96	Add	4550	0	250	2710	69.9	48.4	5250	50	0	2814	71.6	45.0					
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	300	2660	70.3	48.4	5250	50	50	2764	72.0	45.0					
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	350	2610	70.7	48.4	5250	50	100	2714	72.4	45.0					
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	400	2560	71.2	48.4	5250	50	150	2664	72.9	45.0					
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	500	2460	72.1	48.4	5250	50	200	2614	73.4	45.0					
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	0	2910	74.3	45.4	5250	50	250	2564	73.9	45.0					
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	0	2860	74.8	45.3	5250	50	300	2514	74.4	45.0					
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	100	2810	75.2	45.3	5250	50	350	2464	74.9	45.0					
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4700	50	150	2760	75.7	45.2	5250	50	400	2414	75.5	45.0					
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	-12	Minus	19	Add	4700	50	200	2710	76.3	45.2	5250	50	450	2364	76.0	45.0					
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4700	50	250	2660	76.8	45.1	5250	50	500	2314	76.7	45.0					
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4700	50	300	2610	77.3	45.1	5250	100	0	2764	68.9	45.0					
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4700	50	350	2560	77.9	45.0	5250	100	50	2714	69.2	45.0					
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	400	2510	78.5	45.0	5250	100	100	2664	69.6	45.0					
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	500	2410	79.8	45.0	5250	100	150	2614	70.1	45.0					
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4700	100	0	2860	71.8	45.0	5250	100	200	2564	70.5	45.0					
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	4700	100	50	2810	72.2	45.0	5250	100	250	2514	70.9	45.0					
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	100	100	2760	72.6	45.0	5250	100	300	2464	71.4	45.0					
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4700	100	150	2710	73.1	45.0	5250	100	350	2414	71.9	45.0					
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4700	100	200	2660	73.5	45.0	5250	100	400	2364	72.4	45.0					
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4700	100	250	2610	74.0	45.0	5250	100	450	2314	72.9	45.0					
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4700	100	300	2560	74.5	45.0	5250	100	500	2264	73.5	45.0					
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4700	100	350	2510	75.1	45.0	5250	150	0	2714	66.1	45.0					
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4700	100	400	2460	75.6	45.0	5250	150	50	2664	66.4	45.0					
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4700	100	500	2360	76.8	45.0	5250	150	100	2614	66.8	45.0					
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4850	150	0	2810	78.3	45.0	5250	150	150	2564	67.1	45.0					
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4850	150	50	2760	78.9	45.0	5250	150	200	2514	67.5	45.0					
Pickup Bed Extender	-2	Minus	21	Add	4850	150	100	2710	79.4	45.0	5250	150	250	2464	67.9	45.0					
Drop-In Bedliner	2	Add	42	Add	4850	150	150	2660	80.0	45.0	5250	150	300	2414	68.3	45.0					
Spray-In Bedliner	0	Add	20	Add	4850	150	200	2610	80.6	45.0	5250	150	350	2364	68.8	45.0					
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4850	150	250	2560	81.3	45.0	5250	150	400	2314	69.2	45.0					
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4850	150	300	2510	81.9	45.0	5250	150	450	2264	69.7	45.0					
6" Angular Chrome Step w/o Lights - (SRW only)	24	Add	19	Add	4850	150	350	2460	82.6	45.0	5250	150	500	2214	70.2	45.0					
5" Tubular Chrome Side Aux. Steps w/o Lights - (SRW only)	24	Add	16	Add	4850	150	400	2410	83.4	45.0	5250	200	0	2664	63.2	45.0					
Lower Bodyside Molding	2	Add	1	Add	4850	150	500	2310	84.9	45.0	5250	200	50	2614	63.5	45.0					
Reverse Vehicle Sensor System	0	Add	1	Add	5000	200	0	2760	85.1	45.0	5250	200	100	2564	63.8	45.0					
Static Rear Video Camera	0	Add	1	Add	5000	200	50	2710	85.8	45.0	5250	200	150	2514	64.1	45.0					
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5000	200	100	2660	86.5	45.0	5250	200	200	2464	64.4	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5000	200	150	2610	87.2	45.0	5250	200	250	2414	64.8	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5000	200	200	2560	88.0	45.0	5250	200	300	2364	65.1	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5000	200	250	2510	88.8	45.0	5250	200	350	2314	65.5	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5000	200	300	2460	89.6	45.0	5250	200	400	2264	65.9	45.0					
Sliding Rear Window	5	Add	2	Add	5000	200	350	2410	90.5	45.0	5250	200	450	2214	66.3	45.0					
Power Sliding Rear Window	5	Add	3	Add	5000	200	400	2360	91.4	45.0	5250	200	500	2164	66.7	45.0					
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5000	200	500	2260	93.3	45.0	5250	250	0	2614	60.2	45.0					
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5000	250	0	2710	82.6	45.0	5250	250	50	2564	60.4	45.0					
Foglamps	3	Add	0	Add	5000	250	50	2660	83.3	45.0	5250	250	100	2514	60.7	45.0					
Bright Exhaust Pipe Extension	0	Add	3	Add	5000	250	100	2610	83.9	45.0	5250	250	150	2464	60.9	45.0					
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5000	250	150	2560	84.6	45.0	5250	250	200	2414	61.2	45.0					
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5000	250	200	2510	85.4	45.0	5250	250	250	2364	61.5	45.0					
XLT Floor Mats Less Logo (Color Keyed)	3	Add	2	Add	5000	250	250	2460	86.1	45.0	5250	250	300	2314	61.8	45.0					
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5000	250	300	2410	86.9	45.0	5250	250	350	2264	62.1	45.0					
All Weather Floor Mat	7	Add	4	Add	5000	250	350	2360	87.8	45.0	5250	250	400	2214	62.4	45.0					
Electrochromic Rear View Mirror	1	Add	0	Add																	

OPTION TABLE				VEHICLE LOADING DATA						VEHICLE LOADING DATA												
				6.2L Gasoline Engine 10400 lb (4717 kg) GVWR						6.7L Diesel Engine 10800 lb (4898 kg) GVWR												
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS				
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)		FRONT (A) (IN)	REAR (B) (IN)		GAWR (Lb.)	FRONT (LB)		REAR (LB)	RATING (LB)		FRONT (A) (IN)	REAR (B) (IN)			
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI	
XLT Trim (GAS)	10	Add	6	Add																		
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3602	64.8	53.8	5200	-50	-50	3354	75.6	47.5						
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3552	65.0	53.9	5200	-50	0	3304	76.0	47.5						
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3502	65.2	54.0	5200	-50	50	3254	76.4	47.5						
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4400	-50	100	3452	65.5	54.1	5200	-50	100	3204	76.9	47.5						
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	-50	3552	78.5	52.0	5200	0	-50	3304	73.9	45.4						
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	0	3502	78.9	52.0	5200	0	0	3254	74.3	45.4						
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	50	3452	79.4	52.1	5200	0	50	3204	74.7	45.3						
Brake Controller	3	Add	0	Add	4800	0	100	3402	79.8	52.2	5200	0	100	3154	75.2	45.3						
ESOF w/Auto-Man Locking Hubs (4X4 only)	1	Add	0	Add	4800	0	150	3352	80.3	52.2	5200	0	200	3054	76.1	45.2						
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	200	3302	80.8	52.3	5200	0	250	3004	76.5	45.2						
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	250	3252	81.3	52.3	5200	0	300	2954	77.0	45.1						
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	300	3202	81.8	52.4	5200	0	350	2904	77.5	45.1						
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	350	3152	82.4	52.5	5200	0	400	2854	78.0	45.0						
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	400	3102	82.9	52.6	5200	0	450	2804	78.6	45.0						
5th Wheel Hitch	0	Add	96	Add	4800	0	450	3052	83.5	52.6	5200	0	500	2754	79.1	45.0						
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	500	3002	84.1	52.7	5200	50	0	3204	72.6	45.0						
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	0	3452	77.4	50.1	5200	50	50	3154	73.0	45.0						
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	50	3402	77.8	50.1	5200	50	100	3104	73.4	45.0						
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	100	3352	78.3	50.2	5200	50	200	3004	74.2	45.0						
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	150	3302	78.7	50.2	5200	50	250	2954	74.7	45.0						
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4800	50	200	3252	79.2	50.2	5200	50	300	2904	75.2	45.0						
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	50	250	3202	79.7	50.3	5200	50	350	2854	75.6	45.0						
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	50	300	3152	80.2	50.3	5200	50	400	2804	76.1	45.0						
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	50	350	3102	80.7	50.3	5200	50	450	2754	76.6	45.0						
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	50	400	3052	81.3	50.4	5200	50	500	2704	77.2	45.0						
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	50	450	3002	81.8	50.4	5200	100	0	3154	70.8	45.0						
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	50	500	2952	82.4	50.5	5200	100	50	3104	71.2	45.0						
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	100	0	3402	75.8	48.1	5200	100	100	3054	71.6	45.0						
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	100	50	3352	76.2	48.1	5200	100	200	2954	72.4	45.0						
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4800	100	100	3302	76.7	48.1	5200	100	250	2904	72.8	45.0						
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4800	100	150	3252	77.1	48.1	5200	100	300	2854	73.2	45.0						
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	100	200	3202	77.6	48.1	5200	100	350	2804	73.7	45.0						
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	250	3152	78.0	48.1	5200	100	400	2754	74.2	45.0						
Pickup Bed Extender	-2	Minus	21	Add	4800	100	300	3102	78.5	48.1	5200	100	450	2704	74.6	45.0						
Drop-In Bedliner	2	Add	42	Add	4800	100	350	3052	79.0	48.1	5200	100	500	2654	75.1	45.0						
Spray-In Bedliner	1	Add	19	Add	4800	100	400	3002	79.5	48.1	5200	150	0	3104	69.0	45.0						
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	450	2952	80.1	48.2	5200	150	50	3054	69.3	45.0						
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	500	2902	80.6	48.2	5200	150	100	3004	69.7	45.0						
Static Rear Video Camera	0	Add	1	Add	4800	150	0	3352	74.2	46.1	5200	150	200	2904	70.4	45.0						
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	150	50	3302	74.6	46.1	5200	150	250	2854	70.8	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	150	100	3252	75.0	46.0	5200	150	300	2804	71.2	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	150	150	3202	75.4	46.0	5200	150	350	2754	71.7	45.0						
Sliding Rear Window	5	Add	2	Add	4800	150	200	3152	75.9	46.0	5200	150	400	2704	72.1	45.0						
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	250	3102	76.3	45.9	5200	150	450	2654	72.6	45.0						
Foglamps	3	Add	0	Add	4800	150	300	3052	76.8	45.9	5200	150	500	2604	73.0	45.0						
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	350	3002	77.3	45.9	5200	200	0	3054	67.1	45.0						
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	400	2952	77.8	45.8	5200	200	50	3004	67.4	45.0						
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	450	2902	78.3	45.8	5200	200	100	2954	67.7	45.0						
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	500	2852	78.8	45.8	5200	200	200	2854	68.4	45.0						
All Weather Floor Mat	4	Add	2	Add	4800	200	0	3302	72.5	45.0	5200	200	250	2804	68.8	45.0						
Electrochromic Rear View Mirror	1	Add	0	Add	4800	200	50	3252	72.9	45.0	5200	200	300	2754	69.2	45.0						
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	200	100	3202	73.3	45.0	5200	200	350	2704	69.6	45.0						
Floor Console - Stand alone	-25	Minus	-9	Minus	4800	200	150	3152	73.7	45.0	5200	200	400	2654	70.0	45.0						
Cruise Control	3	Add	1	Add	4800	200	200	3102	74.1	45.0	5200	200	450	2604	70.4	45.0						
Power Equipment Group	12	Add	3	Add	4800	200	250	3052	74.5	45.0	5200	200	500	2554	70.8	45.0						
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	300	3002	75.0	45.0	5600	250	0	3004	83.4	45.0						
MyFord Touch - Level III (NA on 6.8L gas) w/ new Sony Audio - 8, 12 speakers	11	Add	5	Add	4800	200	350	2952	75.4	45.0	5600	250	50	2954	84.0	45.0						
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	400	2902	75.9	45.0	5600	250	100	2904	84.6	45.0						
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	450	2852	76.4	45.0	5600	250	200	2804	85.9	45.0						
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	200	500	2802	76.9	45.0	5600	250	250	2754	86.6	45.0						
Cloth Seats	-2	Minus	-1	Minus	4800	250	0	3252	70.8	45.0	5600	250	300	2704	87.3	45.0						
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	250	50	3202	71.1	45.0	5600	250	350	2654	88.0	45.0						
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	250	100	3152	71.5	45.0	5600	250	400	2604	88.8	45.0						
Satellite Digital Broadcast	2	Add	1	Add	4800	250	150	3102	71.9	45.0	5600	250	450	2554	89.6	45.0						
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	250	200	3052	72.3	45.0	5600	250	500	2504	90.5	45.0						
SYNC Basic - Gen I	1	Add	0	Add	4800	250	250	3002	72.7	45.0												
SYNC Finder - Gen II	1	Add	0	Add	4800	250	300	2952	73.1	45.0												
FX4 Off-Road Package	2	Add	2	Add	4800	250	350	2902	73.5	45.0												

OPTION DESCRIPTION	OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10500 lb (4762 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11100 lb (5034 kg) GVWR									
	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)
	I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II
Lariat Trim (GAS)	25	Add	17	Add																
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2989	75.5	47.6	5200	-50	-50	2950	67.7	49.0				
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2939	75.9	47.6	5200	-50	0	2900	68.0	49.1				
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2889	76.4	47.6	5200	-50	50	2850	68.4	49.1				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2839	76.9	47.6	5200	-50	100	2800	68.7	49.1				
Immersion Heater - Engine	1	Add	0	Add	4800	0	-50	2939	73.5	45.2	5600	0	-50	2900	81.0	46.6				
Electronic Locking Differential (Gasoline) SRW only, AXLE RATIO: 3.73	2	Add	11	Add	4800	0	0	2889	74.0	45.1	5600	0	0	2850	81.0	46.6				
Electronic Locking Differential (Gasoline) SRW only, AXLE RATIO: 4.30	2	Add	13	Add	4800	0	50	2839	74.4	45.1	5600	0	50	2800	81.0	46.6				
Electronic Locking Differential (Diesel) SRW only, AXLE RATIO: 3.55	2	Add	1	Add	4800	0	100	2789	74.9	45.0	5600	0	100	2750	81.0	46.5				
Electronic Locking Differential (Diesel) SRW only, AXLE RATIO: 3.31	2	Add	1	Add	4800	0	150	2739	75.4	45.0	5600	0	150	2700	81.0	46.5				
Brake Controller	1	Add	0	Add	4800	0	200	2689	75.9	45.0	5600	0	200	2650	81.0	46.5				
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	250	2639	76.4	45.0	5600	0	250	2600	81.0	46.5				
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	300	2589	77.0	45.0	5600	0	300	2550	81.0	46.4				
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	0	350	2539	77.6	45.0	5600	0	350	2500	81.0	46.4				
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	0	2839	71.9	45.0	5600	50	0	2800	81.0	45.0				
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	50	2789	72.4	45.0	5600	50	50	2750	81.0	45.0				
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	100	2739	72.8	45.0	5600	50	100	2700	81.0	45.0				
5th Wheel Hitch	0	Add	96	Add	4800	50	150	2689	73.3	45.0	5600	50	150	2650	81.0	45.0				
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	200	2639	73.8	45.0	5600	50	200	2600	81.0	45.0				
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	250	2589	74.3	45.0	5600	50	250	2550	81.0	45.0				
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	300	2539	74.8	45.0	5600	50	300	2500	81.0	45.0				
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	50	350	2489	75.3	45.0	5600	50	350	2450	81.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	0	2789	69.8	45.0	5600	100	0	2750	81.0	45.0				
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	50	2739	70.2	45.0	5600	100	50	2700	81.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	100	2689	70.6	45.0	5600	100	100	2650	81.0	45.0				
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-20	Minus	-20	Minus	4800	100	150	2639	71.1	45.0	5600	100	150	2600	81.0	45.0				
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	100	200	2589	71.5	45.0	5600	100	200	2550	81.0	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	100	250	2539	72.0	45.0	5600	100	250	2500	81.0	45.0				
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4800	100	300	2489	72.5	45.0	5600	100	300	2450	81.0	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	100	350	2439	73.0	45.0	5600	100	350	2400	81.0	45.0				
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	150	0	2739	81.0	45.0	5600	150	0	2700	80.0	45.0				
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	150	50	2689	81.0	45.0	5600	150	50	2650	80.6	45.0				
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	150	100	2639	81.0	45.0	5600	150	100	2600	81.0	45.0				
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	150	150	2589	81.0	45.0	5600	150	150	2550	81.0	45.0				
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	150	200	2539	81.0	45.0	5600	150	200	2500	81.0	45.0				
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	150	250	2489	81.0	45.0	5600	150	250	2450	81.0	45.0				
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	150	300	2439	81.0	45.0	5600	150	300	2400	81.0	45.0				
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	150	350	2389	81.0	45.0	5600	150	350	2350	81.0	45.0				
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	200	0	2689	81.0	45.0	5600	200	0	2650	78.0	45.0				
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	200	50	2639	81.0	45.0	5600	200	50	2600	78.5	45.0				
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	200	100	2589	81.0	45.0	5600	200	100	2550	79.1	45.0				
Pickup Bed Extender	-2	Minus	21	Add	5200	200	150	2539	81.0	45.0	5600	200	150	2500	79.8	45.0				
Drop-In Bedliner	2	Add	35	Add	5200	200	200	2489	81.0	45.0	5600	200	200	2450	80.4	45.0				
Spray-In Bedliner	0	Add	16	Add	5200	200	250	2439	81.0	45.0	5600	200	250	2400	81.0	45.0				
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	300	2389	81.0	45.0	5600	200	300	2350	81.0	45.0				
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	200	350	2339	81.0	45.0	5600	200	350	2300	81.0	45.0				
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	250	0	2639	81.0	45.0	5600	250	0	2600	75.8	45.0				
Lower Bodyside Molding	2	Add	1	Add	5200	250	50	2589	81.0	45.0	5600	250	50	2550	76.4	45.0				
Reverse Vehicle Sensor System	0	Add	1	Add	5200	250	100	2539	81.0	45.0	5600	250	100	2500	76.9	45.0				
Static Rear Video Camera	0	Add	1	Add	5200	250	150	2489	81.0	45.0	5600	250	150	2450	77.5	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	250	200	2439	81.0	45.0	5600	250	200	2400	78.1	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	250	2389	81.0	45.0	5600	250	250	2350	78.8	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	300	2339	81.0	45.0	5600	250	300	2300	79.5	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	250	350	2289	81.0	45.0	5600	250	350	2250	80.2	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	300	0	2589	81.0	45.0	5600	300	0	2550	73.6	45.0				
Sliding Rear Window	5	Add	2	Add	5200	300	50	2539	81.0	45.0	5600	300	50	2500	74.1	45.0				
Power Sliding Rear Window	5	Add	3	Add	5200	300	100	2489	81.0	45.0	5600	300	100	2450	74.6	45.0				
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	300	150	2439	81.0	45.0	5600	300	150	2400	75.2	45.0				
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	300	200	2389	81.0	45.0	5600	300	200	2350	75.8	45.0				
Foglamps	3	Add	0	Add	5200	300	250	2339	81.0	45.0	5600	300	250	2300	76.4	45.0				
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	300	2289	81.0	45.0	5600	300	300	2250	77.0	45.0				
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	350	2239	81.0	45.0	5600	300	350	2200						

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10600 lb (4807 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR					
	29	Add	19	Add	FRONT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
					OPTION WEIGHT	WEIGHT	WEIGHT	WEIGHT	FRONT (A)	REAR (B)	FRONT (A)	REAR (B)	FRONT (A)	REAR (B)		
					(LB)	(LB)	(LB)	(LB)	(IN)	(IN)	(IN)	(IN)	(IN)	(IN)		
Lariat Trim (GAS)																
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	2909	71.7	45.5	5600	-50	-50	2852	81.0	46.7
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	2859	72.1	45.4	5600	-50	0	2802	81.0	46.7
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2809	72.5	45.4	5600	-50	50	2752	81.0	46.7
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2759	73.0	45.3	5600	-50	100	2702	81.0	46.7
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2859	81.0	45.0	5600	0	-50	2802	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2809	81.0	45.0	5600	0	0	2752	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2759	81.0	45.0	5600	0	50	2702	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2709	81.0	45.0	5600	0	100	2652	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2659	81.0	45.0	5600	0	150	2602	81.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	2609	81.0	45.0	5600	0	200	2552	81.0	45.0
ESOP w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	2559	81.0	45.0	5600	0	250	2502	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	300	2509	81.0	45.0	5600	0	300	2452	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	350	2459	81.0	45.0	5600	0	350	2402	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	2409	81.0	45.0	5600	0	400	2352	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	0	2759	81.0	45.0	5600	50	0	2702	80.7	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	50	2709	81.0	45.0	5600	50	50	2652	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	100	2659	81.0	45.0	5600	50	100	2602	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	150	2609	81.0	45.0	5600	50	150	2552	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	200	2559	81.0	45.0	5600	50	200	2502	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	250	2509	81.0	45.0	5600	50	250	2452	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	300	2459	81.0	45.0	5600	50	300	2402	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	350	2409	81.0	45.0	5600	50	350	2352	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	400	2359	81.0	45.0	5600	50	400	2302	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	0	2709	81.0	45.0	5600	100	0	2652	78.4	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	100	50	2659	81.0	45.0	5600	100	50	2602	78.9	45.0
18X8" Steel Drop Center Road Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-12	Minus	-19	Minus	5200	100	100	2609	81.0	45.0	5600	100	100	2552	79.5	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	100	150	2559	81.0	45.0	5600	100	150	2502	80.2	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	100	200	2509	81.0	45.0	5600	100	200	2452	80.8	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	100	250	2459	81.0	45.0	5600	100	250	2402	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	300	2409	81.0	45.0	5600	100	300	2352	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	350	2359	81.0	45.0	5600	100	350	2302	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	7	Add	5200	100	400	2309	81.0	45.0	5600	100	400	2252	81.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	5200	150	0	2659	81.0	45.0	5600	150	0	2602	75.9	45.0
LT 245/75R17E A/T BSW (SRW Only)	-2	Minus	-3	Minus	5200	150	50	2609	81.0	45.0	5600	150	50	2552	76.5	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	150	100	2559	81.0	45.0	5600	150	100	2502	77.1	45.0
LT 275/65R18E A/S BSW (SRW Only) 17" STD	10	Add	16	Add	5200	150	150	2509	81.0	45.0	5600	150	150	2452	77.6	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	150	200	2459	81.0	45.0	5600	150	200	2402	78.3	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	150	250	2409	81.0	45.0	5600	150	250	2352	78.9	45.0
LT 275/65R20E A/T OWL (SRW Only) 17" STD	27	Add	39	Add	5200	150	300	2359	81.0	45.0	5600	150	300	2302	79.6	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	150	350	2309	81.0	45.0	5600	150	350	2252	80.3	45.0
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	400	2259	81.0	45.0	5600	150	400	2202	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	200	0	2609	81.0	45.0	5600	200	0	2552	73.4	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	200	50	2559	81.0	45.0	5600	200	50	2502	73.9	45.0
Drop-In Bedliner	2	Add	42	Add	5200	200	100	2509	81.0	45.0	5600	200	100	2452	74.5	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	150	2459	81.0	45.0	5600	200	150	2402	75.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	200	200	2409	81.0	45.0	5600	200	200	2352	75.6	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	250	2359	81.0	45.0	5600	200	250	2302	76.2	45.0
8" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	200	300	2309	81.0	45.0	5600	200	300	2252	76.8	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	350	2259	81.0	45.0	5600	200	350	2202	77.5	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	400	2209	81.0	45.0	5600	200	400	2152	78.2	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	250	0	2559	81.0	45.0	5600	250	0	2502	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	250	50	2509	81.0	45.0	5600	250	50	2452	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	250	100	2459	81.0	45.0	5600	250	100	2402	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	150	2409	81.0	45.0	5600	250	150	2352	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	200	2359	81.0	45.0	5600	250	200	2302	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	7	Add	0	Add	5200	250	250	2309	81.0	45.0	5600	250	250	2252	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	300	2259	81.0	45.0	5600	250	300	2202	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	350	2209	81.0	45.0	5600	250	350	2152	81.0	45.0
Power Sliding Rear Window	6	Add	3	Add	5200	250	400	2159	81.0	45.0	5600	250	400	2102	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	300	0	2509	78.6	45.0	6000	300	0	2452	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	300	50	2459	79.2	45.0	6000	300	50	2402	81.0	45.0
Foglamps	3	Add	0	Add	5200	300	100	2409	79.8	45.0	6000	300	100	2352	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	150	2359	80.5	45.0	6000	300	150	2302	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	200	2309	81.0	45.0	6000	300	200	2252	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	250	2259	81.0	45.0	6000	300	250	2202	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	300	2209	81.0	45.0	6000	300	300	2152	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	350	2159	81.0	45.0	6000	300	350	2102	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	300	400	2109	81.0	45.0	6000	300	400	2052	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add							6000	350	0	2402	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add							6000	350				

OPTION TABLE				VEHICLE LOADING DATA								VEHICLE LOADING DATA											
				6.2L Gasoline Engine 10700 lb (4853 kg) GVWR								6.7L Diesel Engine 11200 lb (5079 kg) GVWR											
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)		
Lariat Trim (GAS)	25	Add	17	Add																			
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	3106	69.1	49.3	5600	-50	-50	2872	81.6	45.0							
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	3056	69.4	49.3	5600	-50	0	2822	82.2	45.0							
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	3006	69.8	49.4	5600	-50	50	2772	82.9	45.0							
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2956	70.1	49.4	5600	-50	100	2722	83.5	45.0							
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	3056	87.5	46.8	5600	0	-50	2822	79.4	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	3006	88.2	46.7	5600	0	0	2772	80.0	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2956	88.8	46.7	5600	0	50	2722	80.6	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2906	89.5	46.7	5600	0	100	2672	81.2	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2856	90.3	46.7	5600	0	150	2622	81.8	45.0							
Brake Controller	1	Add	0	Add	5200	0	200	2806	91.0	46.6	5600	0	200	2572	82.5	45.0							
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	2756	91.8	46.6	5600	0	250	2522	83.2	45.0							
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	2706	92.6	46.6	5600	0	300	2472	83.9	45.0							
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	350	2656	93.5	46.6	5600	0	350	2422	84.7	45.0							
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	2606	94.3	46.5	5600	0	400	2372	85.4	45.0							
Rear Stabilizer Bar F250/350 SRW 4x4	-1	Minus	12	Add	5200	0	450	2556	95.2	46.5	5600	0	450	2322	86.2	45.0							
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	2506	96.2	46.5	5600	0	500	2272	87.1	45.0							
5th Wheel Hitch	0	Add	96	Add	5200	50	-50	3006	85.5	45.0	5600	50	0	2722	77.7	45.0							
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2956	86.2	45.0	5600	50	0	2672	78.3	45.0							
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	2906	86.8	45.0	5600	50	100	2622	78.8	45.0							
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	2856	87.5	45.0	5600	50	150	2572	79.4	45.0							
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	2806	88.2	45.0	5600	50	200	2522	80.1	45.0							
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	2756	88.9	45.0	5600	50	250	2472	80.7	45.0							
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	2706	89.7	45.0	5600	50	300	2422	81.4	45.0							
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	2656	90.5	45.0	5600	50	350	2372	82.1	45.0							
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	350	2606	91.3	45.0	5600	50	400	2322	82.8	45.0							
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5200	50	400	2556	92.2	45.0	5600	50	450	2272	83.6	45.0							
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	450	2506	93.0	45.0	5600	50	500	2222	84.4	45.0							
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	500	2456	94.0	45.0	5600	100	0	2672	75.3	45.0							
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	100	0	2906	84.1	45.0	5600	100	50	2622	75.8	45.0							
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	50	2856	84.7	45.0	5600	100	100	2572	76.4	45.0							
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	100	2806	85.4	45.0	5600	100	150	2522	76.9	45.0							
LT 245/75R17E A/T BSW (SRW Only)	-2	Minus	-3	Minus	5200	100	150	2756	86.1	45.0	5600	100	200	2472	77.5	45.0							
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	200	2706	86.8	45.0	5600	100	250	2422	78.1	45.0							
LT 275/65R18E A/S BSW (SRW Only) 17" STD	10	Add	16	Add	5200	100	250	2656	87.5	45.0	5600	100	300	2372	78.8	45.0							
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	300	2606	88.3	45.0	5600	100	350	2322	79.4	45.0							
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	350	2556	89.1	45.0	5600	100	400	2272	80.1	45.0							
LT 275/65R20E A/T OWL (SRW Only) 17" STD	27	Add	39	Add	5200	100	400	2506	89.9	45.0	5600	100	450	2222	80.9	45.0							
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	450	2456	90.7	45.0	5600	100	500	2172	81.6	45.0							
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	500	2406	91.6	45.0	5600	150	0	2622	72.8	45.0							
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	0	2856	82.0	45.0	5600	150	50	2572	73.3	45.0							
Pickup Bed Extender	-2	Minus	21	Add	5200	150	50	2806	82.6	45.0	5600	150	100	2522	73.8	45.0							
Drop-In Bedliner	2	Add	35	Add	5200	150	100	2756	83.2	45.0	5600	150	150	2472	74.3	45.0							
Spray-In Bedliner	1	Add	19	Add	5200	150	150	2706	83.9	45.0	5600	150	200	2422	74.9	45.0							
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	150	200	2656	84.5	45.0	5600	150	250	2372	75.4	45.0							
6" Angular Chrome Step w/o Lights - (SRW only)	18	Add	15	Add	5200	150	250	2606	85.2	45.0	5600	150	300	2322	76.0	45.0							
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	300	2556	86.0	45.0	5600	150	350	2272	76.7	45.0							
Lower Bodyside Molding	2	Add	1	Add	5200	150	350	2506	86.7	45.0	5600	150	400	2222	77.3	45.0							
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	400	2456	87.5	45.0	5600	150	450	2172	78.0	45.0							
Static Rear Video Camera	0	Add	1	Add	5200	150	450	2406	88.4	45.0	5600	150	500	2122	78.7	45.0							
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	500	2356	89.2	45.0	6000	200	0	2572	94.8	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	0	2806	79.8	45.0	6000	200	50	2522	95.7	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	50	2756	80.3	45.0	6000	200	100	2472	96.7	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	100	2706	80.9	45.0	6000	200	150	2422	97.0	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	200	150	2656	81.6	45.0	6000	200	200	2372	97.0	45.0							
Sliding Rear Window	5	Add	2	Add	5200	200	200	2606	82.2	45.0	6000	200	250	2322	97.0	45.0							
Power Sliding Rear Window	5	Add	3	Add	5200	200	250	2556	82.9	45.0	6000	200	300	2272	97.0	45.0							
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	300	2506	83.6	45.0	6000	200	350	2222	97.0	45.0							
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	350	2456	84.3	45.0	6000	200	400	2172	97.0	45.0							
Foglamps	3	Add	0	Add	5200	200	400	2406	85.1</														

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10800 lb (4898 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT			CENTER OF GRAVITY ZONE LIMITS			OPTION WEIGHT			CENTER OF GRAVITY ZONE LIMITS			
				FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)				
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	2996	87.3	47.7	5600	-50	2660	79.0	45.0		
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	2946	88.0	47.7	5600	-50	0	2610	79.6	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	50	2896	88.7	47.7	5600	-50	50	2560	80.2	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	100	2846	89.4	47.7	5600	-50	100	2510	80.8	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	5200	0	-50	2946	85.1	45.0	5600	0	-50	2610	76.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2896	85.7	45.0	5600	0	0	2560	76.8	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2846	86.4	45.0	5600	0	50	2510	77.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2796	87.1	45.0	5600	0	100	2460	78.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2746	87.8	45.0	5600	0	150	2410	78.6	45.0
Brake Controller	1	Add	0	Add	5200	0	200	2696	85.5	45.0	5600	0	200	2360	79.3	45.0
ESC w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	2646	85.3	45.0	5600	0	250	2310	80.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	2596	90.1	45.0	5600	0	300	2260	80.7	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	350	2546	90.9	45.0	5600	0	350	2210	81.4	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	2496	91.8	45.0	5600	0	400	2160	82.2	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	2446	92.7	45.0	5600	0	450	2110	83.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	2396	93.6	45.0	5600	0	500	2060	83.8	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	550	2346	94.6	45.0	5600	0	550	2010	84.7	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2846	83.4	45.0	6000	50	0	2510	87.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	2796	84.0	45.0	6000	50	50	2460	87.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	2746	84.6	45.0	6000	50	100	2410	87.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	2696	85.3	45.0	6000	50	150	2360	87.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	2646	86.0	45.0	6000	50	200	2310	87.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	2596	86.8	45.0	6000	50	250	2260	87.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	2546	87.5	45.0	6000	50	300	2210	87.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-12	Minus	-20	Minus	5200	50	350	2496	88.3	45.0	6000	50	350	2160	87.0	45.0
18X8" Steel Drop Center Road Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-10	Minus	19	Add	5200	50	400	2446	89.2	45.0	6000	50	400	2110	87.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	450	2396	90.0	45.0	6000	50	450	2060	87.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	500	2346	90.9	45.0	6000	50	500	2010	87.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	550	2296	91.8	45.0	6000	50	550	1960	87.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	0	2796	80.9	45.0	6000	100	0	2460	87.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	50	2746	81.5	45.0	6000	100	50	2410	87.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	-1	Add	7	Add	5200	100	100	2696	82.1	45.0	6000	100	100	2360	87.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	5200	100	150	2646	82.8	45.0	6000	100	150	2310	87.0	45.0
LT 245/75R17E A/T BSW (SRW Only)	-2	Minus	-3	Minus	5200	100	200	2596	83.4	45.0	6000	100	200	2260	87.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	250	2546	84.1	45.0	6000	100	250	2210	87.0	45.0
LT 275/65R18E A/S BSW (SRW Only) 17" STD	10	Add	16	Add	5200	100	300	2496	84.9	45.0	6000	100	300	2160	87.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	350	2446	85.6	45.0	6000	100	350	2110	87.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	400	2396	86.4	45.0	6000	100	400	2060	87.0	45.0
LT 275/65R20E A/T OWL (SRW Only) 17" STD	27	Add	39	Add	5200	100	450	2346	87.2	45.0	6000	100	450	2010	87.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	500	2296	88.1	45.0	6000	100	500	1960	87.0	45.0
Less Jack - 2-ton (including Tool)	1	Add	-12	Minus	5200	100	550	2246	89.0	45.0	6000	100	550	1910	87.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	0	2746	78.4	45.0	6000	150	0	2410	96.5	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	50	2696	78.9	45.0	6000	150	50	2360	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	100	2646	79.5	45.0	6000	150	100	2310	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	150	150	2596	80.1	45.0	6000	150	150	2260	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	200	2546	80.8	45.0	6000	150	200	2210	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	250	2496	81.4	45.0	6000	150	250	2160	97.0	45.0
8" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	150	300	2446	82.1	45.0	6000	150	300	2110	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/Lights (SRW only)	24	Add	16	Add	5200	150	350	2396	82.8	45.0	6000	150	350	2060	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	400	2346	83.6	45.0	6000	150	400	2010	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	450	2296	84.3	45.0	6000	150	450	1960	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	500	2246	85.1	45.0	6000	150	500	1910	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	550	2196	86.0	45.0	6000	150	550	1860	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	0	2696	75.7	45.0	6000	200	0	2360	93.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	50	2646	76.3	45.0	6000	200	50	2310	94.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	7	Add	0	Add	5200	200	100	2596	76.8	45.0	6000	200	100	2260	95.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	200	150	2546	77.4	45.0	6000	200	150	2210	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	200	2496	78.0	45.0	6000	200	200	2160	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	250	2446	78.6	45.0	6000	200	250	2110	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	300	2396	79.2	45.0	6000	200	300	2060	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	350	2346	79.9	45.0	6000	200	350	2010	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	400	2296	80.6	45.0	6000	200	400	1960	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	450	2246	81.3	45.0	6000	200	450	1910	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	500	2196	82.1	45.0	6000	200	500	1860	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	550	2146	82.9	45.0	6000	200	550	1810	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5600	250	0	2646	97.0	45.0	6000	250	0	2310	91.2	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5600	250	50	2596	97.0	45.0	6000	250	50	2260	92.1	45.0
All Weather Floor Mat	7	Add	4	Add	5600	250	100	2546	97.0	45.0	6000	250	100	2210	93.1	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5600	250	150	2496	97.0	45.0	6000	250	150	2160	94.2	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5600	250	200	2446	97.0	45.0	6000	250	200	2110	95.3	45.0
Floor Consolelet - Stand alone	-25	Minus	-9	Minus												

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10500 lb (4762 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11000 lb (4989 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS			
	FRONT	REAR	FRONT	REAR	FRONT	REAR		FRONT (A)	REAR (B)	FRONT	REAR		FRONT (A)	REAR (B)		
	(I)	(II)	(III)	(IV)	(V)	(VI)	(IN)	(IN)	(I)	(II)	(III)	(IV)	(V)	(VI)		
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4250	-50	-50	3321	62.5	45.0	4850	-50	-50	3151	63.5	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4250	-50	0	3271	62.7	45.0	4850	-50	0	3101	63.7	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4250	-50	50	3221	62.9	45.0	4850	-50	50	3051	64.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4250	-50	100	3171	63.2	45.0	4850	-50	100	3001	64.3	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	0	-50	3271	67.0	45.0	5000	0	-50	3101	68.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	0	3221	67.3	45.0	5000	0	0	3051	68.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	50	3171	67.6	45.0	5000	0	50	3001	69.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	100	3121	67.9	45.0	5000	0	100	2951	69.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	150	3071	68.3	45.0	5000	0	150	2901	69.7	45.0
Brake Controller	1	Add	0	Add	4400	0	200	3021	68.6	45.0	5000	0	200	2851	70.1	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	0	250	2971	69.0	45.0	5000	0	250	2801	70.5	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4400	0	300	2921	69.3	45.0	5000	0	300	2751	70.9	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4400	0	350	2871	69.7	45.0	5000	0	350	2701	71.4	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	50	0	3171	65.4	45.0	5000	50	0	3001	66.6	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	50	50	3121	65.7	45.0	5000	50	50	2951	67.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4400	50	100	3071	66.0	45.0	5000	50	100	2901	67.3	45.0
5th Wheel Hitch	0	Add	96	Add	4400	50	150	3021	66.3	45.0	5000	50	150	2851	67.6	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	50	200	2971	66.6	45.0	5000	50	200	2801	68.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	50	250	2921	66.9	45.0	5000	50	250	2751	68.3	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	50	300	2871	67.2	45.0	5000	50	300	2701	68.7	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	50	350	2821	67.6	45.0	5000	50	350	2651	69.1	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	100	0	3121	63.4	45.0	5000	100	0	2951	64.6	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4400	100	50	3071	63.7	45.0	5000	100	50	2901	64.8	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4400	100	100	3021	63.9	45.0	5000	100	100	2851	65.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4400	100	150	2971	64.2	45.0	5000	100	150	2801	65.5	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4400	100	200	2921	64.5	45.0	5000	100	200	2751	65.8	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4400	100	250	2871	64.8	45.0	5000	100	250	2701	66.1	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4400	100	300	2821	65.1	45.0	5000	100	300	2651	66.4	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4400	100	350	2771	65.4	45.0	5000	100	350	2601	66.8	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	150	0	3071	68.3	45.0	5250	150	0	2901	74.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	150	50	3021	68.6	45.0	5250	150	50	2851	75.1	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	150	100	2971	69.0	45.0	5250	150	100	2801	75.6	45.0
Drop-In Bedliner	2	Add	35	Add	4550	150	150	2921	69.3	45.0	5250	150	150	2751	76.1	45.0
Spray-In Bedliner	0	Add	16	Add	4550	150	200	2871	69.7	45.0	5250	150	200	2701	76.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	150	250	2821	70.1	45.0	5250	150	250	2651	77.1	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	150	300	2771	70.5	45.0	5250	150	300	2601	77.7	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	150	350	2721	70.9	45.0	5250	150	350	2551	78.3	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	200	0	3021	66.3	45.0	5250	200	0	2851	72.6	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	200	50	2971	66.6	45.0	5250	200	50	2801	73.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	200	100	2921	66.9	45.0	5250	200	100	2751	73.5	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	200	150	2871	67.2	45.0	5250	200	150	2701	74.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	200	200	2821	67.6	45.0	5250	200	200	2651	74.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	200	250	2771	67.9	45.0	5250	200	250	2601	75.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	200	300	2721	68.3	45.0	5250	200	300	2551	75.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	200	350	2671	68.7	45.0	5250	200	350	2501	76.1	45.0
Sliding Rear Window	5	Add	2	Add	4550	250	0	2971	64.2	45.0	5250	250	0	2801	70.5	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	250	50	2921	64.5	45.0	5250	250	50	2751	70.9	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	250	100	2871	64.8	45.0	5250	250	100	2701	71.4	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	250	150	2821	65.1	45.0	5250	250	150	2651	71.8	45.0
Foglamps	3	Add	0	Add	4550	250	200	2771	65.4	45.0	5250	250	200	2601	72.3	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4550	250	250	2721	65.7	45.0	5250	250	250	2551	72.7	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4550	250	300	2671	66.0	45.0	5250	250	300	2501	73.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4550	250	350	2621	66.4	45.0	5250	250	350	2451	73.7	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add												
All Weather Floor Mat	6	Add	4	Add												
Electrochromic Rear View Mirror	1	Add	0	Add												
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add												
Floor Console - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10700 lb (4853 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR													
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (IN)	REAR (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (IN)	REAR (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (IN)	REAR (IN)		
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI		
Lariat Trim (GAS)	29	Add	19	Add																			
XLT Trim (GAS)	13	Add	9	Add	4400	-50	-50	3339	65.0	45.0	5000	-50	-50	3382	65.4	50.3							
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	0	3289	65.3	45.0	5000	-50	0	3332	65.7	50.3							
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	50	3239	65.5	45.0	5000	-50	50	3282	65.9	50.3							
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4400	-50	100	3189	65.8	45.0	5000	-50	100	3232	66.2	50.4							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	4400	0	0	3289	62.9	45.0	5000	0	0	3332	63.3	48.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	4400	0	0	3239	63.1	45.0	5000	0	0	3282	63.6	48.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	4400	0	50	3189	63.4	45.0	5000	0	50	3232	63.8	48.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	100	3139	63.6	45.0	5000	0	100	3182	64.1	48.0							
Brake Controller	1	Add	0	Add	4400	0	150	3089	63.9	45.0	5000	0	150	3132	64.3	48.0							
Less Urea Emission Tank (DSL only)	1	Add	0	Add	4400	0	200	3039	64.1	45.0	5000	0	200	3082	64.6	48.0							
Rear Stabilizer Bar F250/350 SRW 4X2	-97	Minus	-64	Minus	4400	0	250	2989	64.4	45.0	5000	0	250	3032	64.9	48.0							
Rear Auxiliary Spring Package (F250 4x2 Gas)	-1	Minus	18	Add	4400	0	300	2939	64.7	45.0	5000	0	300	2982	65.1	48.0							
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	57	Add	4400	0	350	2889	65.0	45.0	5000	0	350	2932	65.4	48.0							
5th Wheel Hitch	0	Add	38	Add	4400	0	400	2839	65.3	45.0	5250	50	0	3232	73.5	45.5							
Dual Heavy Duty Alternators (6.7L DSL only)	0	Add	96	Add	4400	0	450	2789	65.6	45.0	5250	50	50	3182	73.9	45.5							
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	16	Add	0	Add	4400	0	500	2739	65.9	45.0	5250	50	100	3132	74.3	45.5							
750 CCA/78 AH Battery	3	Add	0	Add	4550	50	0	3189	68.3	45.0	5250	50	150	3082	74.7	45.4							
Manual Air Conditioning (GAS)	2	Add	0	Add	4550	50	50	3139	68.6	45.0	5250	50	200	3032	75.2	45.4							
Dual Zone Electronic Automatic Temperature Control AC (GAS)	32	Add	-1	Minus	4550	50	100	3089	68.9	45.0	5250	50	250	2982	75.6	45.3							
Manual Air Conditioning (DIESEL)	34	Add	-1	Minus	4550	50	150	3039	69.3	45.0	5250	50	300	2932	76.1	45.3							
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	31	Add	-1	Minus	4550	50	200	2989	69.6	45.0	5250	50	350	2882	76.6	45.2							
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	34	Add	-1	Minus	4550	50	250	2939	70.0	45.0	5250	100	0	3182	71.4	45.0							
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	300	2889	70.4	45.0	5250	100	50	3132	71.8	45.0							
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	350	2839	70.8	45.0	5250	100	100	3082	72.2	45.0							
LT 275/65R20E AT OWL (SRW only) 18" STD	-22	Minus	-22	Minus	4550	50	400	2789	71.2	45.0	5250	100	150	3032	72.6	45.0							
Less Spare Tire (including carrier) - 18" steel STD	17	Add	24	Add	4550	50	450	2739	71.6	45.0	5250	100	200	2982	73.0	45.0							
Less Jack- 2-Ton (including Tool)	17	Add	-120	Minus	4550	50	500	2689	72.0	45.0	5250	100	250	2932	73.4	45.0							
Stepgate (Upgraded Tailgate)	1	Add	-12	Minus	4550	100	0	3139	66.1	45.0	5250	100	300	2882	73.9	45.0							
Pickup Bed Extender	-8	Minus	41	Add	4550	100	50	3089	66.4	45.0	5250	100	350	2832	74.3	45.0							
Drop-In Bedliner	-2	Minus	21	Add	4550	100	100	3039	66.7	45.0	5250	150	0	3132	69.3	45.0							
Spray-In Bedliner	2	Add	42	Add	4550	100	150	2989	67.0	45.0	5250	150	50	3082	69.7	45.0							
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	0	Add	16	Add	4550	100	200	2939	67.3	45.0	5250	150	100	3032	70.0	45.0							
Side Aux Steps - w/Lights (SRW only)	28	Add	19	Add	4550	100	250	2889	67.7	45.0	5250	150	150	2982	70.4	45.0							
6" Angular Chrome Step w/o Lights -(SRW only)	38	Add	26	Add	4550	100	300	2839	68.0	45.0	5250	150	200	2932	70.8	45.0							
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	19	Add	4550	100	350	2789	68.4	45.0	5250	150	250	2882	71.2	45.0							
Lower Bodyside Molding	2	Add	1	Add	4550	100	450	2689	69.1	45.0	5250	150	350	2782	72.0	45.0							
Reverse Vehicle Sensor System	0	Add	1	Add	4550	100	500	2639	69.5	45.0	5250	200	0	3082	71.1	45.0							
Static Rear Video Camera	0	Add	1	Add	4550	150	0	3089	63.9	45.0	5250	200	50	3032	67.4	45.0							
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	50	3039	64.1	45.0	5250	200	100	2982	67.8	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	100	2989	64.4	45.0	5250	200	150	2932	68.1	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	150	2939	64.7	45.0	5250	200	200	2882	68.4	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	200	2889	65.0	45.0	5250	200	250	2832	68.8	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	150	250	2839	65.3	45.0	5250	200	300	2782	69.2	45.0							
Sliding Rear Window	5	Add	2	Add	4550	150	300	2789	65.6	45.0	5250	200	350	2732	69.6	45.0							
Power Sliding Rear Window	5	Add	3	Add	4550	150	350	2739	65.9	45.0	5250	250	0	3032	64.9	45.0							
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	400	2689	66.2	45.0	5250	250	50	2982	65.1	45.0							
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	450	2639	66.6	45.0	5250	250	100	2932	65.4	45.0							
Foglamps	3	Add	0	Add	4550	150	500	2589	66.9	45.0	5250	250	150	2882	65.7	45.0							
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	50	2989	69.6	45.0	5250	250	200	2832	66.1	45.0							
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	100	2939	70.0	45.0	5250	250	250	2782	66.4	45.0							
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	200	150	2889	70.4	45.0	5250	250	300	2732	66.7	45.0							
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	200	2839	70.8	45.0	5250	250	350	2682	67.1	45.0							
Floor Mats w/"King Ranch" Logo (Color Keyed Luxury) CC only	3	Add	2	Add	4700	200	250	2789	71.2	45.0	5250	300	0	2982	62.5	45.0							
All Weather Floor Mat	7	Add	4	Add	4700	200	300	2739	71.6	45.0	5250	300	50	2932	62.8	45.0							
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	350	2689	72.0	45.0	5250	300	100	2882	63.0	45.0							
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	400	2639	72.5	45.0	5250	300	150	2832	63.3	45.0							
Floor Console - Stand alone	-25	Minus	-9	Minus	4700	200	450	2589	73.0	45.0	5250	300	200	2782	63.6	45.0							
Cruise Control	3	Add	1	Add	4700	200	500	2539	73.5	45.0	5250	300	250	2732	63.9	45.0							
Power Equipment Group	15	Add	6	Add	4700	250	50	2939	67.3	45.0	5250	300	300	2682	64.2	45.0							

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10900 lb (4943 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR													
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)		
Lariat Trim (GAS)	25	Add	17	Add																			
XLT Trim (GAS)	10	Add	7	Add	4400	-50	-50	3652	63.0	53.2	5000	-50	-50	3518	62.7	52.5							
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	0	3602	63.2	53.3	5000	-50	0	3468	62.9	52.6							
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	50	3552	63.5	53.3	5000	-50	50	3418	63.2	52.6							
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4400	-50	100	3502	63.7	53.4	5000	-50	100	3368	63.4	52.7							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	0	3552	61.2	51.1	5250	0	0	3418	72.4	50.3							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	50	3502	61.4	51.1	5250	0	50	3368	72.8	50.4							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	100	3452	61.6	51.2	5250	0	100	3318	73.1	50.4							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	150	3402	61.8	51.2	5250	0	150	3268	73.5	50.4							
Brake Controller	1	Add	0	Add	4400	0	200	3352	62.0	51.3	5250	0	200	3218	73.9	50.5							
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	0	250	3302	62.2	51.3	5250	0	250	3168	74.3	50.5							
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	300	3252	62.5	51.4	5250	0	300	3118	74.8	50.5							
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	350	3202	62.7	51.4	5250	0	350	3068	75.2	50.6							
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	400	3152	62.9	51.5	5250	0	400	3018	75.7	50.6							
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	450	3102	63.2	51.6	5250	0	450	2968	76.1	50.7							
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4400	0	500	3052	63.4	51.6	5250	0	500	2918	76.6	50.7							
5th Wheel Hitch	0	Add	96	Add	4550	50	0	3502	65.9	48.9	5250	50	0	3368	70.4	48.0							
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	50	50	3452	66.2	48.9	5250	50	50	3318	70.8	48.0							
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	100	3402	66.5	48.9	5250	50	100	3268	71.1	48.0							
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	150	3352	66.7	48.9	5250	50	150	3218	71.5	48.0							
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	200	3302	67.0	48.9	5250	50	200	3168	71.8	48.0							
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	250	3252	67.3	48.9	5250	50	250	3118	72.2	48.0							
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	300	3202	67.6	49.0	5250	50	300	3068	72.6	48.0							
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	350	3152	67.9	49.0	5250	50	350	3018	73.0	48.0							
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	400	3102	68.3	49.0	5250	50	400	2968	73.5	48.0							
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	450	3052	68.6	49.0	5250	50	450	2918	73.9	48.0							
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	500	3002	68.9	49.0	5250	50	500	2868	74.4	48.0							
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4550	100	0	3452	63.9	46.6	5250	100	0	3318	68.4	45.6							
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4550	100	50	3402	64.1	46.6	5250	100	50	3268	68.7	45.6							
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	100	3352	64.4	46.6	5250	100	100	3218	69.0	45.6							
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	150	3302	64.6	46.6	5250	100	150	3168	69.4	45.5							
Pickup Bed Extender	-2	Minus	21	Add	4550	100	200	3252	64.9	46.5	5250	100	200	3118	69.7	45.5							
Drop-In Bedliner	2	Add	35	Add	4550	100	250	3202	65.2	46.5	5250	100	250	3068	70.1	45.4							
Spray-In Bedliner	1	Add	19	Add	4550	100	300	3152	65.4	46.5	5250	100	300	3018	70.4	45.4							
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	100	350	3102	65.7	46.5	5250	100	350	2968	70.8	45.4							
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	4550	100	400	3052	66.0	46.4	5250	100	400	2918	71.2	45.3							
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	100	450	3002	66.3	46.4	5250	100	450	2868	71.6	45.3							
Lower Bodyside Molding	2	Add	1	Add	4550	100	500	2952	66.6	46.4	5250	100	500	2818	72.0	45.2							
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	0	3402	61.8	45.0	5250	150	0	3268	66.3	45.0							
Static Rear Video Camera	0	Add	1	Add	4550	150	50	3352	62.0	45.0	5250	150	50	3218	66.6	45.0							
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	100	3302	62.2	45.0	5250	150	100	3168	66.9	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	150	3252	62.5	45.0	5250	150	150	3118	67.2	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	200	3202	62.7	45.0	5250	150	200	3068	67.5	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	250	3152	62.9	45.0	5250	150	250	3018	67.8	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	150	300	3102	63.2	45.0	5250	150	300	2968	68.1	45.0							
Sliding Rear Window	5	Add	2	Add	4550	150	350	3052	63.4	45.0	5250	150	350	2918	68.5	45.0							
Power Sliding Rear Window	5	Add	3	Add	4550	150	400	3002	63.7	45.0	5250	150	400	2868	68.9	45.0							
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	450	2952	64.0	45.0	5250	150	450	2818	69.2	45.0							
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	500	2902	64.2	45.0	5250	150	500	2768	69.6	45.0							
Foglamps	3	Add	0	Add	4700	200	0	3352	66.7	45.0	5250	200	0	3218	64.1	45.0							
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	50	3302	67.0	45.0	5250	200	50	3168	64.4	45.0							
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	100	3252	67.3	45.0	5250	200	100	3118	64.6	45.0							
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	200	150	3202	67.6	45.0	5250	200	150	3068	64.9	45.0							
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	200	3152	67.9	45.0	5250	200	200	3018	65.2	45.0							
All Weather Floor Mat	6	Add	4	Add	4700	200	250	3102	68.3	45.0	5250	200	250	2968	65.5	45.0							
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	300	3052	68.6	45.0	5250	200	300	2918	65.8	45.0							
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	350	3002	68.9	45.0	5250	200	350	2868	66.1	45.0							
Floor Console - Stand alone	-25	Minus	-9	Minus	4700	200	400	2952	69.3	45.0	5250	200	400	2818	66.4	45.0							
Cruise Control	3	Add	1	Add	4700	200	450	2902	69.7	45.0	5250	200	450	2768	66.8	45.0			</				

OPTION TABLE				VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
	QTY	CHG	QTY	CHG	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
Lariat Trim (GAS)	25	Add	17	Add						
XLT Trim (GAS)	10	Add	7	Add	5000	-50	-50	3418	63.2	48.0
Lariat Trim (DIESEL)	30	Add	20	Add	5000	-50	0	3368	63.4	48.0
XLT Trim (DIESEL)	20	Add	13	Add	5000	-50	50	3318	63.6	48.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5000	-50	100	3288	63.9	48.0
Immersion Heater - Engine	1	Add	0	Add	5250	0	-50	3368	72.8	45.7
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5250	0	0	3318	73.1	45.6
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5250	0	50	3268	73.5	45.6
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5250	0	100	3218	73.9	45.6
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5250	0	150	3168	74.3	45.5
Brake Controller	1	Add	0	Add	5250	0	200	3118	74.8	45.5
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5250	0	250	3068	75.2	45.4
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5250	0	300	3018	75.7	45.4
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5250	0	350	2968	76.1	45.4
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5250	0	400	2918	76.6	45.3
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5250	0	450	2868	77.1	45.3
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5250	0	500	2818	77.6	45.2
5th Wheel Hitch	0	Add	96	Add	5250	50	0	3268	71.1	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5250	50	50	3218	71.5	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5250	50	100	3168	71.8	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5250	50	150	3118	72.2	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5250	50	200	3068	72.6	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5250	50	250	3018	73.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5250	50	300	2968	73.5	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5250	50	350	2918	73.9	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5250	50	400	2868	74.4	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5250	50	450	2818	74.8	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5250	50	500	2768	75.3	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5250	100	0	3218	69.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5250	100	50	3168	69.4	45.0
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5250	100	100	3118	69.7	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5250	100	150	3068	70.1	45.0
Pickup Bed Extender	-2	Minus	21	Add	5250	100	200	3018	70.4	45.0
Drop-In Bedliner	2	Add	35	Add	5250	100	250	2968	70.8	45.0
Spray-In Bedliner	1	Add	19	Add	5250	100	300	2918	71.2	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5250	100	350	2868	71.6	45.0
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5250	100	400	2818	72.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5250	100	450	2768	72.5	45.0
Lower Bodyside Molding	2	Add	1	Add	5250	100	500	2718	72.9	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5250	150	0	3168	66.9	45.0
Static Rear Video Camera	0	Add	1	Add	5250	150	50	3118	67.2	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5250	150	100	3068	67.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5250	150	150	3018	67.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5250	150	200	2968	68.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5250	150	250	2918	68.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5250	150	300	2868	68.9	45.0
Sliding Rear Window	5	Add	2	Add	5250	150	350	2818	69.2	45.0
Power Sliding Rear Window	5	Add	3	Add	5250	150	400	2768	69.6	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5250	150	450	2718	70.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5250	150	500	2668	70.4	45.0
Foglamps	3	Add	0	Add	5250	200	0	3118	64.6	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5250	200	50	3068	64.9	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5250	200	100	3018	65.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5250	200	150	2968	65.5	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5250	200	200	2918	65.8	45.0
All Weather Floor Mat	6	Add	4	Add	5250	200	250	2868	66.1	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5250	200	300	2818	66.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5250	200	350	2768	66.8	45.0
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	5250	200	400	2718	67.1	45.0
Cruise Control	3	Add	1	Add	5250	200	450	2668	67.5	45.0
Power Equipment Group	12	Add	3	Add	5250	200	500	2618	67.8	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5250	250	0	3068	62.3	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5250	250	50	3018	62.6	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5250	250	100	2968	62.8	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5250	250	150	2918	63.1	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5250	250	200	2868	63.3	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5250	250	250	2818	63.6	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5250	250	300	2768	63.9	45.0
Cloth Seats	-2	Minus	-1	Minus	5250	250	350	2718	64.2	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5250	250	400	2668	64.5	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5250	250	450	2618	64.8	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5250	250	500	2568	65.2	45.0
Satellite Digital Broadcast	2	Add	1	Add						
High Definition & Satellite Digital Broadcast	2	Add	1	Add						
SYNC Basic - Gen I	1	Add	0	Add						
SYNC Finder - Gen II	1	Add	0	Add						
FX4 Off-Road Package	2	Add	2	Add						
Tracking System - Crew Chief	3	Add	0	Add						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add						
Bed Mat	0	Add	58	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	5	Add	25	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 11000 lb (4989 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT (LB)	CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT (LB)	CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS	
	QTY	ADD	QTY	ADD	GAWR (Lb.)	FRONT (IN)			REAR (IN)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)			FRONT (IN)	REAR (IN)
							I	II					III	IV		
Lariat Trim (GAS)	29	Add	19	Add	4550	-50	-50	3505	66.3	52.6	5250	-50	-50	3309	72.1	47.2
XLT Trim (GAS)	13	Add	9	Add	4550	-50	0	3455	66.6	52.7	5250	-50	0	3259	72.5	47.2
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	0	3455	66.6	52.7	5250	-50	0	3259	72.5	47.2
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	0	3405	66.9	52.8	5250	-50	0	3209	72.9	47.2
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	100	3355	67.1	52.9	5250	-50	100	3159	73.3	47.2
Immersion Heater - Engine	1	Add	0	Add	4550	-50	150	3305	67.4	52.9	5250	0	-50	3259	69.8	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	200	3255	67.7	53.0	5250	0	0	3209	70.2	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	250	3205	68.0	53.1	5250	0	0	3159	70.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	300	3155	68.4	53.2	5250	0	100	3109	70.9	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	350	3105	68.7	53.2	5250	0	150	3059	71.3	45.0
Brake Controller	1	Add	0	Add	4550	-50	400	3055	69.0	53.3	5250	0	200	3009	71.7	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	-50	500	2955	69.7	53.5	5250	0	250	2959	72.1	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	0	3405	64.3	50.3	5250	0	300	2909	72.5	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	50	3355	64.6	50.3	5250	0	350	2859	72.9	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	100	3305	64.8	50.3	5250	0	400	2809	73.4	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	150	3255	65.1	50.4	5250	0	450	2759	73.8	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	200	3205	65.4	50.4	5250	0	500	2709	74.3	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	250	3155	65.6	50.4	5250	50	0	3159	67.8	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	300	3105	65.9	50.5	5250	50	50	3109	68.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	350	3055	66.2	50.5	5250	50	100	3059	68.5	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	400	3005	66.5	50.5	5250	50	150	3009	68.8	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	500	2905	67.2	50.6	5250	50	200	2959	69.2	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	0	3355	69.7	47.7	5250	50	250	2909	69.5	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	0	3305	70.0	47.7	5250	50	300	2859	69.9	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	100	3255	70.4	47.7	5250	50	350	2809	70.3	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	50	150	3205	70.7	47.7	5250	50	400	2759	70.7	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4700	50	200	3155	71.1	47.7	5250	50	450	2709	71.1	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	50	250	3105	71.5	47.7	5250	50	500	2659	71.5	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4700	50	300	3055	71.9	47.7	5250	100	0	3109	65.4	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4700	50	350	3005	72.2	47.7	5250	100	50	3059	65.6	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4700	50	400	2955	72.7	47.7	5250	100	100	3009	65.9	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	50	500	2855	73.5	47.7	5250	100	150	2959	66.2	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	100	0	3305	67.4	45.1	5250	100	200	2909	66.6	45.0
Drop-In Bedliner	0	Add	42	Add	4700	100	50	3255	67.7	45.1	5250	100	250	2859	66.9	45.0
Spray-In Bedliner	0	Add	20	Add	4700	100	100	3205	68.0	45.0	5250	100	300	2809	67.2	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4700	100	150	3155	68.4	45.0	5250	100	350	2759	67.6	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	100	200	3105	68.7	45.0	5250	100	400	2709	67.9	45.0
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	4700	100	250	3055	69.0	45.0	5250	100	450	2659	68.3	45.0
6" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4700	100	300	3005	69.4	45.0	5250	100	500	2609	68.7	45.0
Lower Bodyside Molding	2	Add	1	Add	4700	100	350	2955	69.7	45.0	5250	150	0	3059	62.8	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4700	100	400	2905	70.1	45.0	5250	150	50	3009	63.1	45.0
Static Rear Video Camera	0	Add	1	Add	4700	100	500	2805	70.9	45.0	5250	150	100	2959	63.3	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	150	0	3255	65.1	45.0	5250	150	150	2909	63.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	150	50	3205	65.4	45.0	5250	150	200	2859	63.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	150	100	3155	65.6	45.0	5250	150	250	2809	64.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	150	150	3105	65.9	45.0	5250	150	300	2759	64.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4700	150	200	3055	66.2	45.0	5250	150	350	2709	64.7	45.0
Sliding Rear Window	5	Add	2	Add	4700	150	250	3005	66.5	45.0	5250	150	400	2659	65.1	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	150	300	2955	66.8	45.0	5250	150	450	2609	65.4	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	150	350	2905	67.2	45.0	5250	150	500	2559	65.7	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	150	400	2855	67.5	45.0	5250	200	0	3009	60.2	45.0
Foglamps	3	Add	0	Add	4700	150	500	2755	68.2	45.0	5250	200	50	2959	60.4	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4850	200	0	3205	70.7	45.0	5250	200	100	2909	60.6	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4850	200	50	3155	71.1	45.0	5250	200	150	2859	60.8	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4850	200	100	3105	71.5	45.0	5250	200	200	2809	61.1	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4850	200	150	3055	71.9	45.0	5250	200	250	2759	61.3	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4850	200	200	3005	72.2	45.0	5250	200	300	2709	61.6	45.0
All Weather Floor Mat	7	Add	4	Add	4850	200	250	2955	72.7	45.0	5250	200	350	2659	61.8	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4850	200	300	2905	73.1	45.0	5250	200	400	2609	62.1	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4850	200	350	2855	73.5	45.0	5250	200	450	2559	62.4	45.0
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	4850	200	400	2805	74.0	45.0	5250	200	500	2509	62.6	45.0
Cruise Control	3	Add	1	Add	4850	200	500	2705	74.9	45.0	5250	250	0	2959	57.5	45.0
Power Equipment Group	15	Add	6	Add	4850	250	0	3155	68.4	45.0	5250	250	50	2909	57.7	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4850	250	50	3105	68.7	45.0	5250	250	100	2859	57.8	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4850	250	100	3055	69.0	45.0	5250	250	150	2809	58.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4850	250	150	3005	69.4	45.0	5250	250	200	2759	58.2	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	250	200	2955	69.7	45.0	5250	250	250	2709	58.4	45.0
Crew cab - Second Row 60/40 Under Seat Storage	9	Add	9	Add	4850	250	250	2905	70.1	45.0	5250	250	300	2659	58.6	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4850	250	300	2855	70.5	45.0	5250	250	350	2609	58.8	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4850	250	350	2805	70.9	45.0	5250	250	400	2559	59.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4850	250	400	2755	71.3	45.0	5250	250	450	2509	59.2	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4850	250	500	2655	72.2	45.0	5250	250	500	2459	59.4	45.0
Cloth Seats	-2	Minus	-1	Minus	4850	300	0	3105	65.9	45.0	5250	300	0	2909	54.7	45.0
King Ranch Leather	4	Add	2	Add	4850	300	50	3055	66.2	45.0	5250	300	50	2859	54.8	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4850	300	100	3005	66.5	45.0	5250	300	100	2809	54.9	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4850	300	150	2955	66.8	45.0	5250	300	150	2759	55.1	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4850	300	200	2905	67.2	45.0	5250	300	200	2709	55.2	45.0
Satellite Digital Broadcast	2	Add	1	Add	4850	300	250	2855	67.5	45.0	5250	300	250	2659	55.3	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4850	300	300	2805	67.8	45.0	5250	300	300	2609	55.5	45.0
SYNC Basic - Gen I	1	Add	0	Add	4850	300	350	2755	68.2	45.0	5250	300	350	2559	55.6	

OPTION TABLE				VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		
	FRONT (LB)	REAR (LB)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)		REAR (B) (IN)		
	I	II	III	IV	V	VI				
Lariat Trim (GAS)	29	Add	19	Add						
XLT Trim (GAS)	13	Add	9	Add	5250	-50	-50	3209	72.9	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5250	-50	0	3159	73.3	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5250	-50	50	3109	73.7	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	5250	-50	100	3059	74.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	1	Add	0	Add	5250	0	-50	3159	70.5	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	5250	0	0	3109	70.9	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	5250	0	50	3059	71.3	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5250	0	100	3009	71.7	45.0
Brake Controller	2	Add	1	Add	5250	0	150	2959	72.1	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	1	Add	0	Add	5250	0	200	2909	72.5	45.0
Skid Plates (GAS) 4X4 only	3	Add	0	Add	5250	0	250	2859	72.9	45.0
Skid Plates (DIESEL) 4X4 only	18	Add	21	Add	5250	0	300	2809	73.4	45.0
Less Urea Emission Tank (DSL only)	23	Add	18	Add	5250	0	350	2759	73.8	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-97	Minus	-64	Minus	5250	0	400	2709	74.3	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	-1	Minus	12	Add	5250	0	450	2659	74.8	45.0
5th Wheel Hitch	0	Add	38	Add	5250	0	500	2609	75.3	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	0	Add	96	Add	5250	50	0	3059	68.5	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	16	Add	0	Add	5250	50	50	3009	68.8	45.0
750 CCA/78 AH Battery	3	Add	0	Add	5250	50	100	2959	69.2	45.0
Manual Air Conditioning (GAS)	2	Add	0	Add	5250	50	150	2909	69.5	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	32	Add	-1	Minus	5250	50	200	2859	69.9	45.0
Manual Air Conditioning (DIESEL)	34	Add	-1	Minus	5250	50	250	2809	70.3	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	31	Add	-1	Minus	5250	50	300	2759	70.7	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	34	Add	-1	Minus	5250	50	350	2709	71.1	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5250	50	400	2659	71.5	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5250	50	450	2609	72.0	45.0
LT 275/65R20E AT OWL (SRW only) 18" STD	-22	Minus	-22	Minus	5250	50	500	2559	72.5	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	24	Add	5250	100	0	3009	65.9	45.0
Less Jack - 2-Ton (including Tool)	17	Add	-120	Minus	5250	100	50	2959	66.2	45.0
Steppage (Upgraded Tailgate)	1	Add	-12	Minus	5250	100	100	2909	66.6	45.0
Pickup Bed Extender	-8	Minus	41	Add	5250	100	150	2859	66.9	45.0
Drop-In Bedliner	-2	Minus	21	Add	5250	100	200	2809	67.2	45.0
Spray-In Bedliner	2	Add	42	Add	5250	100	250	2759	67.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	0	Add	20	Add	5250	100	300	2709	67.9	45.0
Side Aux Steps - w/Lights (SRW only)	28	Add	19	Add	5250	100	350	2659	68.3	45.0
6" Angular Chrome Step w/o Lights (SRW only)	38	Add	26	Add	5250	100	400	2609	68.7	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	19	Add	5250	100	450	2559	69.1	45.0
Lower Bodyside Molding	24	Add	16	Add	5250	100	500	2509	69.5	45.0
Reverse Vehicle Sensor System	2	Add	1	Add	5250	150	0	2959	63.3	45.0
Static Rear Video Camera	0	Add	1	Add	5250	150	50	2909	63.6	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	0	Add	1	Add	5250	150	100	2859	63.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	9	Add	3	Add	5250	150	150	2809	64.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	10	Add	4	Add	5250	150	200	2759	64.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	16	Add	6	Add	5250	150	250	2709	64.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	1	Add	0	Add	5250	150	300	2659	65.1	45.0
Sliding Rear Window	7	Add	3	Add	5250	150	350	2609	65.4	45.0
Power Sliding Rear Window	5	Add	2	Add	5250	150	400	2559	65.7	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	5	Add	3	Add	5250	150	450	2509	66.1	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	2	Add	5250	150	500	2459	66.5	45.0
Foglamps	1	Add	0	Add	5250	200	0	2909	60.6	45.0
Bright Exhaust Pipe Extension	3	Add	0	Add	5250	200	50	2859	60.8	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	0	Add	3	Add	5250	200	100	2809	61.1	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	-6	Minus	0	Add	5250	200	150	2759	61.3	45.0
XLT Floor Mats less Logo (Color Keyed)	4	Add	1	Add	5250	200	200	2709	61.6	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5250	200	250	2659	61.8	45.0
All Weather Floor Mat	3	Add	2	Add	5250	200	300	2609	62.1	45.0
Electrochromic Rear View Mirror	7	Add	4	Add	5250	200	350	2559	62.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	0	Add	5250	200	400	2509	62.6	45.0
Floor Console/ette - Stand alone	1	Add	1	Add	5250	200	450	2459	62.9	45.0
Cruise Control	-25	Minus	-9	Minus	5250	200	500	2409	63.3	45.0
Power Equipment Group	3	Add	1	Add	5250	250	0	2859	57.8	45.0
Adj Gas & Brake Pedals	15	Add	6	Add	5250	250	50	2809	58.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	4	Add	3	Add	5250	250	100	2759	58.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	15	Add	10	Add	5250	250	150	2709	58.4	45.0
Front Seat - Individual 40/40 Driver & Passenger	1	Add	0	Add	5250	250	200	2659	58.6	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	-16	Minus	-6	Minus	5250	250	250	2609	58.8	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	9	Add	9	Add	5250	250	300	2559	59.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	8	Add	4	Add	5250	250	350	2509	59.2	45.0
Heated/Cooled Seats (Driver and Passenger)	23	Add	9	Add	5250	250	400	2459	59.4	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5250	250	450	2409	59.7	45.0
Cloth Seats	3	Add	1	Add	5250	250	500	2359	59.9	45.0
King Ranch Leather	-2	Minus	-1	Minus	5250	300	0	2809	54.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	4	Add	2	Add	5250	300	50	2759	55.1	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	-4	Minus	-1	Minus	5250	300	100	2709	55.2	45.0
Sony Branded Premium Stereo/Single CD	3	Add	2	Add	5250	300	150	2659	55.3	45.0
Satellite Digital Broadcast	11	Add	8	Add	5250	300	200	2609	55.5	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5250	300	250	2559	55.6	45.0
SYNC Basic - Gen I	2	Add	1	Add	5250	300	300	2509	55.8	45.0
SYNC Finder - Gen II	1	Add	0	Add	5250	300	350	2459	55.9	45.0
FX4 Off-Road Package	1	Add	0	Add	5250	300	400	2409	56.1	45.0
Power Slide Sunroof (Moonroof) CC only	2	Add	2	Add	5250	300	450	2359	56.3	45.0
Tracking System - Crew Chief	20	Add	16	Add	5250	300	500	2309	56.5	45.0
King Ranch Option (leather seats & trim) CC only	3	Add	0	Add						
King Ranch with Chromed Accent Option	6	Add	3	Add						
Platinum Package	6	Add	3	Add						
Flat Splash Guards (SRW) 2 front/2rear	6	Add	3	Add						
Bed Mat	2	Add	2	Add						
Cable/Strap Locks	0	Add	58	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	9	Add						
Roll-up Tonneau Cover	0	Add	126	Add						
Wheel Well Liner - SRW only	5	Add	25	Add						
Gooseneck Hitch Kit	0	Add	7	Add						
0	0	Add	10	Add						

Total Option Weight

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10500 lb (4762 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11000 lb (4989 kg) GVWR													
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS				
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
																							I
XLT Trim (GAS)	10	Add	6	Add																			
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3642	64.4	45.0	5200	-50	-50	3499	73.6	45.0							
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3592	64.7	45.0	5200	-50	0	3449	74.0	45.0							
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3542	64.9	45.0	5200	-50	50	3399	74.3	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	3492	65.2	45.0	5200	-50	100	3349	74.7	45.0							
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	-50	3592	78.0	45.0	5200	0	-50	3449	72.0	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	0	3542	78.4	45.0	5200	0	0	3399	72.3	45.0							
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	50	3492	78.9	45.0	5200	0	50	3349	72.7	45.0							
Brake Controller	1	Add	0	Add	4800	0	100	3442	79.3	45.0	5200	0	100	3299	73.1	45.0							
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	150	3392	79.8	45.0	5200	0	200	3199	73.9	45.0							
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	200	3342	80.3	45.0	5200	0	250	3149	74.3	45.0							
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	250	3292	80.8	45.0	5200	0	300	3099	74.7	45.0							
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	300	3242	81.3	45.0	5200	0	350	3049	75.1	45.0							
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	350	3192	81.8	45.0	5200	0	400	2999	75.6	45.0							
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	400	3142	82.3	45.0	5200	0	450	2949	76.1	45.0							
5th Wheel Hitch	0	Add	96	Add	4800	0	450	3092	82.9	45.0	5200	0	500	2899	76.6	45.0							
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	500	3042	83.5	45.0	5200	50	0	3349	70.7	45.0							
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	0	3492	76.9	45.0	5200	50	50	3299	71.0	45.0							
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	50	3442	77.3	45.0	5200	50	100	3249	71.4	45.0							
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	100	3392	77.8	45.0	5200	50	200	3149	72.1	45.0							
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	150	3342	78.2	45.0	5200	50	250	3099	72.5	45.0							
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	200	3292	78.7	45.0	5200	50	300	3049	72.9	45.0							
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	250	3242	79.2	45.0	5200	50	350	2999	73.3	45.0							
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	50	300	3192	79.7	45.0	5200	50	400	2949	73.7	45.0							
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	4800	50	350	3142	80.2	45.0	5200	50	450	2899	74.2	45.0							
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	4800	50	400	3092	80.7	45.0	5200	50	500	2849	74.7	45.0							
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4800	50	450	3042	81.2	45.0	5200	100	0	3299	68.9	45.0							
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4800	50	500	2992	81.8	45.0	5200	100	50	3249	69.2	45.0							
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	4800	100	0	3442	75.4	45.0	5200	100	100	3199	69.6	45.0							
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	50	3392	75.8	45.0	5200	100	200	3099	70.3	45.0							
Pickup Bed Extender	-2	Minus	21	Add	4800	100	100	3342	76.2	45.0	5200	100	250	3049	70.6	45.0							
Drop-In Bedliner	2	Add	42	Add	4800	100	150	3292	76.6	45.0	5200	100	300	2999	71.0	45.0							
Spray-In Bedliner	1	Add	19	Add	4800	100	200	3242	77.1	45.0	5200	100	350	2949	71.4	45.0							
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	250	3192	77.5	45.0	5200	100	400	2899	71.8	45.0							
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	300	3142	78.0	45.0	5200	100	450	2849	72.2	45.0							
Static Rear Video Camera	0	Add	1	Add	4800	100	350	3092	78.5	45.0	5200	100	500	2799	72.7	45.0							
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	400	3042	79.0	45.0	5200	150	0	3249	67.1	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	450	2992	79.5	45.0	5200	150	50	3199	67.4	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	100	500	2942	80.0	45.0	5200	150	100	3149	67.7	45.0							
Sliding Rear Window	5	Add	2	Add	4800	150	0	3392	73.7	45.0	5200	150	200	3049	68.4	45.0							
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	50	3342	74.1	45.0	5200	150	250	2999	68.7	45.0							
Foglamps	3	Add	0	Add	4800	150	100	3292	74.5	45.0	5200	150	300	2949	69.1	45.0							
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	150	3242	74.9	45.0	5200	150	350	2899	69.5	45.0							
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	200	3192	75.4	45.0	5200	150	400	2849	69.8	45.0							
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	250	3142	75.8	45.0	5200	150	450	2799	70.2	45.0							
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	300	3092	76.3	45.0	5200	150	500	2749	70.6	45.0							
All Weather Floor Mat	4	Add	2	Add	4800	150	350	3042	76.7	45.0	5200	200	0	3199	65.3	45.0							
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	400	2992	77.2	45.0	5200	200	50	3149	65.6	45.0							
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	450	2942	77.7	45.0	5200	200	100	3099	65.9	45.0							
Floor Console - Stand alone	-25	Minus	-9	Minus	4800	150	500	2892	78.2	45.0	5200	200	200	2999	66.5	45.0							
Cruise Control	3	Add	1	Add	4800	200	0	3342	72.1	45.0	5200	200	250	2949	66.8	45.0							
Power Equipment Group	12	Add	3	Add	4800	200	50	3292	72.4	45.0	5200	200	300	2899	67.1	45.0							
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	100	3242	72.8	45.0	5200	200	350	2849	67.4	45.0							
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	200	150	3192	73.2	45.0	5200	200	400	2799	67.8	45.0							
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	200	3142	73.6	45.0	5200	200	450	2749	68.2	45.0							
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	250	3092	74.0	45.0	5200	200	500	2699	68.5	45.0							
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	200	300	3042	74.5	45.0	5600	250	0	3149	80.8	45.0							
Cloth Seats	-2	Minus	-1	Minus	4800	200	350	2992	74.9	45.0	5600	250	50	3099	81.3	45.0	</						

OPTION DESCRIPTION	OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 10600 lb (4807 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR					
	FRONT (Lbs.)		REAR (Lbs.)		FRONT (Lb.)	OPTION WEIGHT (Lb.)		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS (IN)		FRONT (Lb.)	OPTION WEIGHT (Lb.)		CARGO WEIGHT (Lb.)	CENTER OF GRAVITY ZONE LIMITS (IN)	
	ADD	DEL	ADD	DEL		FRONT (A)	REAR (B)		FRONT (A)	REAR (B)		FRONT (A)	REAR (B)		FRONT (A)	REAR (B)
	I	II	III	IV	V	VI	I	II	III	IV	V	VI				
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	3034	74.1	45.0	5600	-50	-50	2995	81.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2984	74.5	45.0	5600	-50	0	2945	81.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2934	75.0	45.0	5600	-50	50	2895	81.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4800	-50	100	2884	75.4	45.0	5600	-50	100	2845	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	0	2934	72.5	45.0	5600	0	0	2895	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	50	2884	73.0	45.0	5600	0	50	2845	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	100	2834	73.4	45.0	5600	0	100	2795	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	150	2784	73.9	45.0	5600	0	150	2745	81.0	45.0
Brake Controller	1	Add	0	Add	4800	0	200	2734	74.4	45.0	5600	0	200	2695	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	250	2684	74.8	45.0	5600	0	250	2645	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	300	2634	75.4	45.0	5600	0	300	2595	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	0	350	2584	75.9	45.0	5600	0	350	2545	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	0	2884	70.5	45.0	5600	50	0	2845	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	50	2834	70.9	45.0	5600	50	50	2795	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	100	2784	71.3	45.0	5600	50	100	2745	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	50	150	2734	71.8	45.0	5600	50	150	2695	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	200	2684	72.2	45.0	5600	50	200	2645	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	250	2634	72.7	45.0	5600	50	250	2595	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	300	2584	73.1	45.0	5600	50	300	2545	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	50	350	2534	73.6	45.0	5600	50	350	2495	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	0	2834	68.4	45.0	5600	100	0	2795	80.4	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	50	2784	68.8	45.0	5600	100	50	2745	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	100	2734	69.2	45.0	5600	100	100	2695	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	150	2684	69.6	45.0	5600	100	150	2645	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4800	100	200	2634	70.0	45.0	5600	100	200	2595	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	250	2584	70.4	45.0	5600	100	250	2545	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	4800	100	300	2534	70.8	45.0	5600	100	300	2495	81.0	45.0
20X8" Chrome Clad Alum Wheel - 18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	100	350	2484	71.3	45.0	5600	100	350	2445	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	150	0	2784	81.0	45.0	5600	150	0	2745	78.4	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	5200	150	50	2734	81.0	45.0	5600	150	50	2695	79.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	150	100	2684	81.0	45.0	5600	150	100	2645	79.5	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	150	150	2634	81.0	45.0	5600	150	150	2595	80.2	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	200	2584	81.0	45.0	5600	150	200	2545	80.8	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	250	2534	81.0	45.0	5600	150	250	2495	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	300	2484	81.0	45.0	5600	150	300	2445	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	350	2434	81.0	45.0	5600	150	350	2395	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	0	2734	81.0	45.0	5600	200	0	2695	76.3	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	50	2684	81.0	45.0	5600	200	50	2645	76.9	45.0
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	200	100	2634	81.0	45.0	5600	200	100	2595	77.4	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	150	2584	81.0	45.0	5600	200	150	2545	78.0	45.0
Lower Body-side Molding	2	Add	1	Add	5200	200	200	2534	81.0	45.0	5600	200	200	2495	78.6	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	250	2484	81.0	45.0	5600	200	250	2445	79.2	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	300	2434	81.0	45.0	5600	200	300	2395	79.9	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	350	2384	81.0	45.0	5600	200	350	2345	80.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	0	2684	81.0	45.0	5600	250	0	2645	74.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	50	2634	81.0	45.0	5600	250	50	2595	74.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	250	100	2584	81.0	45.0	5600	250	100	2545	75.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	150	2534	81.0	45.0	5600	250	150	2495	75.8	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	200	2484	81.0	45.0	5600	250	200	2445	76.3	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	250	2434	81.0	45.0	5600	250	250	2395	76.9	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	300	2384	81.0	45.0	5600	250	300	2345	77.6	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	350	2334	81.0	45.0	5600	250	350	2295	78.2	45.0
Foglamps	3	Add	0	Add	5200	300	0	2634	80.7	45.0	5600	300	0	2595	72.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	50	2584	81.0	45.0	5600	300	50	2545	72.4	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	100	2534	81.0	45.0	5600	300	100	2495	72.9	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	300	150	2484	81.0	45.0	5600	300	150	2445	73.4	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	200	2434	81.0	45.0	5600	300	200	2395	74.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	300	250	2384	81.0	45.0	5600	300	250	2345	74.5	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	300	2334	81.0	45.0	5600	300	300	2295	75.1	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	350	2284	81.0	45.0	5600	300	350	2245	75.7	45.0
Floor Console - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add</														

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 10800 lb (4898 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11300 lb (5125 kg) GVWR					
		Add		Add	FRONT WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
					FRONT (LB)	REAR (LB)	FRONT (A)	REAR (B)	FRONT (A)	REAR (B)	FRONT (A)	REAR (B)	FRONT (A)	REAR (B)		
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	3053	69.5	45.0	5600	-50	-50	2896	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	3003	69.8	45.0	5600	-50	0	2846	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2953	70.2	45.0	5600	-50	50	2796	81.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2903	70.6	45.0	5600	-50	100	2746	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	3003	81.0	45.0	5600	0	-50	2846	80.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2953	81.0	45.0	5600	0	0	2796	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2903	81.0	45.0	5600	0	50	2746	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2853	81.0	45.0	5600	0	100	2696	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2803	81.0	45.0	5600	0	150	2646	81.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	2753	81.0	45.0	5600	0	200	2596	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	2703	81.0	45.0	5600	0	250	2546	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	300	2653	81.0	45.0	5600	0	300	2496	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	350	2603	81.0	45.0	5600	0	350	2446	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	2553	81.0	45.0	5600	0	400	2396	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	0	2903	81.0	45.0	5600	50	0	2746	78.9	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	50	2853	81.0	45.0	5600	50	50	2696	79.5	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	100	2803	81.0	45.0	5600	50	100	2646	80.1	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	150	2753	81.0	45.0	5600	50	150	2596	80.7	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	200	2703	81.0	45.0	5600	50	200	2546	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	250	2653	81.0	45.0	5600	50	250	2496	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	300	2603	81.0	45.0	5600	50	300	2446	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	350	2553	81.0	45.0	5600	50	350	2396	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	400	2503	81.0	45.0	5600	50	400	2346	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	0	2853	81.0	45.0	5600	100	0	2696	76.6	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	50	2803	81.0	45.0	5600	100	50	2646	77.2	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	100	2753	81.0	45.0	5600	100	100	2596	77.7	45.0
18X8" Cast Alum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	150	2703	81.0	45.0	5600	100	150	2546	78.3	45.0
20X8" Cast Alum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	200	2653	81.0	45.0	5600	100	200	2496	78.9	45.0
20X8" Cast Alum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	250	2603	81.0	45.0	5600	100	250	2446	79.5	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	300	2553	81.0	45.0	5600	100	300	2396	80.2	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5200	100	350	2503	81.0	45.0	5600	100	350	2346	80.9	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	400	2453	81.0	45.0	5600	100	400	2296	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	5200	150	0	2803	81.0	45.0	5600	150	0	2646	74.2	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	150	50	2753	81.0	45.0	5600	150	50	2596	74.7	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	150	100	2703	81.0	45.0	5600	150	100	2546	75.2	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	150	2653	81.0	45.0	5600	150	150	2496	75.8	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	200	2603	81.0	45.0	5600	150	200	2446	76.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	250	2553	81.0	45.0	5600	150	250	2396	76.9	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	300	2503	81.0	45.0	5600	150	300	2346	77.6	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	350	2453	81.0	45.0	5600	150	350	2296	78.2	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	400	2403	81.0	45.0	5600	150	400	2246	78.9	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	0	2753	80.3	45.0	6000	200	0	2596	81.0	45.0
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	200	50	2703	80.9	45.0	6000	200	50	2546	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	100	2653	81.0	45.0	6000	200	100	2496	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	150	2603	81.0	45.0	6000	200	150	2446	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	200	2553	81.0	45.0	6000	200	200	2396	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	250	2503	81.0	45.0	6000	200	250	2346	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	300	2453	81.0	45.0	6000	200	300	2296	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	350	2403	81.0	45.0	6000	200	350	2246	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	400	2353	81.0	45.0	6000	200	400	2196	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	250	0	2703	78.0	45.0	6000	250	0	2546	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	50	2653	78.6	45.0	6000	250	50	2496	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	100	2603	79.2	45.0	6000	250	100	2446	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	150	2553	79.8	45.0	6000	250	150	2396	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	200	2503	80.4	45.0	6000	250	200	2346	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	250	2453	81.0	45.0	6000	250	250	2296	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	300	2403	81.0	45.0	6000	250	300	2246	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	350	2353	81.0	45.0	6000	250	350	2196	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	400	2303	81.0	45.0	6000	250	400	2146	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	0	2653	75.6	45.0	6000	300	0	2496	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	50	2603	76.2	45.0	6000	300	50	2446	81.0	45.0
Floor Mats w/King Ranch* Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	100	2553	76.7	45.0	6000	300	100	2396	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	300	150	2503	77.3	45.0	6000	300	150	2346	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	200	2453	77.9	45.0	6000	300	200	2296	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	250	2403	78.5	45.0	6000	300	250	2246	81.0	45.0
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	5200	300	300	2353	79.2	45.0	6000	300	300	2196	81.0	45.0
Cruise Control	3	Add	1	Add	5200	300	350	2303	79.8	45.0	6000	300	350	2146	81.0	45.0
Power Equipment Group	15	Add	6	Add	5200	300	400	2253	80.6	45.0	6000	300	400	2096	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add							6000	350	0	2446	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add							6000	350	50	2396	81.0	45.0

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 10800 lb (4898 kg) GVWR										6.7L Diesel Engine 11300 lb (5125 kg) GVWR									
	FRONT		REAR		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)				
Lariat Trim (GAS)	25	Add	17	Add	5200	-50	3151	87.7	45.0	5600	-50	-50	2917	80.0	45.0					
XLT Trim (GAS)	10	Add	7	Add	5200	-50	3101	88.4	45.0	5600	-50	-50	2867	80.5	45.0					
Lariat Trim (DIESEL)	30	Add	20	Add	5200	-50	3051	89.0	45.0	5600	-50	-50	2817	81.1	45.0					
XLT Trim (DIESEL)	20	Add	13	Add	5200	-50	3001	89.7	45.0	5600	-50	-50	2767	81.7	45.0					
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	5200	0	3101	85.8	45.0	5600	0	-50	2867	77.8	45.0					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	3051	86.5	45.0	5600	0	0	2817	78.3	45.0					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	3001	87.1	45.0	5600	0	50	2767	78.8	45.0					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2951	87.8	45.0	5600	0	100	2717	79.4	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2901	88.5	45.0	5600	0	150	2667	80.0	45.0				
Brake Controller	1	Add	0	Add	5200	0	200	2851	89.2	45.0	5600	0	200	2617	80.6	45.0				
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	2801	89.9	45.0	5600	0	250	2567	81.3	45.0				
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	2751	90.7	45.0	5600	0	300	2517	81.9	45.0				
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	350	2701	91.5	45.0	5600	0	350	2467	82.6	45.0				
Less Urea Emission Tank (DSL only)	-9	Minus	-64	Minus	5200	0	400	2651	92.3	45.0	5600	0	400	2417	83.3	45.0				
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	-12	Minus	5200	0	450	2601	93.1	45.0	5600	0	450	2367	84.1	45.0				
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	2551	94.0	45.0	5600	0	500	2317	84.9	45.0				
5th Wheel Hitch	0	Add	96	Add	5200	50	-50	3051	83.9	45.0	5600	50	0	2767	76.0	45.0				
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	3001	84.5	45.0	5600	50	50	2717	76.5	45.0				
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	2951	85.1	45.0	5600	50	100	2667	77.0	45.0				
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	2901	85.7	45.0	5600	50	150	2617	77.6	45.0				
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	2851	86.4	45.0	5600	50	200	2567	78.2	45.0				
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	2801	87.1	45.0	5600	50	250	2517	78.8	45.0				
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	2751	87.8	45.0	5600	50	300	2467	79.4	45.0				
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	2701	88.5	45.0	5600	50	350	2417	80.1	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	2651	89.3	45.0	5600	50	400	2367	80.7	45.0				
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	400	2601	90.1	45.0	5600	50	450	2317	81.5	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	450	2551	90.9	45.0	5600	50	500	2267	82.2	45.0				
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	500	2501	91.8	45.0	5600	100	0	2717	73.6	45.0				
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	0	2951	82.4	45.0	5600	100	50	2667	74.1	45.0				
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	50	2901	83.0	45.0	5600	100	100	2617	74.6	45.0				
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	5200	100	100	2851	83.6	45.0	5600	100	150	2567	75.1	45.0				
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	100	150	2801	84.3	45.0	5600	100	200	2517	75.6	45.0				
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	100	200	2751	84.9	45.0	5600	100	250	2467	76.2	45.0				
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	250	2701	85.6	45.0	5600	100	300	2417	76.8	45.0				
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	300	2651	86.3	45.0	5600	100	350	2367	77.4	45.0				
Pickup Bed Extender	-2	Minus	21	Add	5200	100	350	2601	87.1	45.0	5600	100	400	2317	78.0	45.0				
Drop-In Bedliner	2	Add	35	Add	5200	100	400	2551	87.8	45.0	5600	100	450	2267	78.7	45.0				
Spray-In Bedliner	1	Add	19	Add	5200	100	450	2501	88.6	45.0	5600	100	500	2217	79.4	45.0				
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	500	2451	89.5	45.0	6000	150	0	2667	94.8	45.0				
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	150	0	2901	80.3	45.0	6000	150	50	2617	95.7	45.0				
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	50	2851	80.9	45.0	6000	150	100	2567	96.6	45.0				
Lower Bodyside Molding	2	Add	1	Add	5200	150	100	2801	81.4	45.0	6000	150	150	2517	97.0	45.0				
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	150	2751	82.1	45.0	6000	150	200	2467	97.0	45.0				
Static Rear Video Camera	0	Add	1	Add	5200	150	200	2701	82.7	45.0	6000	150	250	2417	97.0	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	250	2651	83.3	45.0	6000	150	300	2367	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	300	2601	84.0	45.0	6000	150	350	2317	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	350	2551	84.7	45.0	6000	150	400	2267	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	1	Add	0	Add	5200	150	400	2501	85.5	45.0	6000	150	450	2217	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	450	2451	86.2	45.0	6000	150	500	2167	97.0	45.0				
Sliding Rear Window	5	Add	2	Add	5200	150	500	2401	87.0	45.0	6000	200	0	2617	92.7	45.0				
Power Sliding Rear Window	5	Add	3	Add	5200	200	0	2851	78.1	45.0	6000	200	50	2567	93.6	45.0				
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	50	2801	78.6	45.0	6000	200	100	2517	94.5	45.0				
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	100	2751	79.2	45.0	6000	200	150	2467	95.4	45.0				
Foglamps	3	Add	0	Add	5200	200	150	2701	79.8	45.0	6000	200	200	2417	96.4	45.0				
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	200	2651	80.4	45.0	6000	200	250	2367	97.0	45.0				
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	250	2601	81.0	45.0	6000	200	300	2317	97.0	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	300	2551	81.6	45.0	6000	200	350	2267	97.0	45.0				
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	350	2501	82.3	45.0	6000	200	400	2217	97.0	45.0				
All Weather Floor Mat	6	Add	4	Add	5200	200	400	2451	83.0	45.0	6000	200	450	2167	97.0	45.0				
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	450	2401	83.7	45.0	6000	200	500	2117	97.0	45.0				
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	500	2351	84.5	45.0	6000	250	0	2567	90.5	45.0				
Floor Console - Stand alone	-25	Minus	-9	Minus	5200	250	0	2801	75.8	45.0	6000	250	50	2517	91.3	45.0				
Cruise Control	3	Add	1	Add	5200	250	50	2751	76.3	45.0	6000	250	100	2467	92.2	45.0				
Power Equipment Group	12	Add	3	Add	5200	250	100	2701	76.8	45.0	6000	250	150	2417	93.1	45.0				
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	150	2651	77.4	45.0	6000	250	200	2367	94.1	45.0				
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	250	200	2601	77.9	45.0	6000	250	250	2317	95.1	45.0				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	250	2551	78.5	45.0	6000	250	300	2267	96.1	45.0				
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	300	2501	79.2	45.0	6000	250	350	2217	97.0	45.0				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5200	250	350	2451	79.8	45.0	6000	250	400	2167	97.0	45.0				
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	400	2401	80.5	45.0	6000	250	450	2117	97.0	45.0				
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	450	2351	81.1	45.0	60									

OPTION TABLE	VEHICLE LOADING DATA										VEHICLE LOADING DATA									
	6.2L Gasoline Engine 11000 lb (4989 kg) GVWR										6.7L Diesel Engine 11300 lb (5125 kg) GVWR									
	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)	FRONT (Lb.)
Lariat Trim (GAS)	29	Add	19	Add																
XLT Trim (GAS)	13	Add	9	Add	5600	-50	-50	3140	97.0	45.0	5600	-50	-50	2704	77.1	45.0				
Lariat Trim (DIESEL)	34	Add	23	Add	5600	-50	0	3090	97.0	45.0	5600	-50	0	2654	77.7	45.0				
XLT Trim (DIESEL)	24	Add	16	Add	5600	-50	50	3040	97.0	45.0	5600	-50	50	2604	78.2	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5600	-50	100	2990	97.0	45.0	5600	-50	100	2554	78.8	45.0				
Immersion Heater - Engine	1	Add	0	Add	5600	0	-50	3090	97.0	45.0	5600	0	-50	2654	74.4	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5600	0	0	3040	97.0	45.0	5600	0	0	2604	74.9	45.0				
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5600	0	50	2990	97.0	45.0	5600	0	50	2554	75.4	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5600	0	100	2940	97.0	45.0	5600	0	100	2504	76.0	45.0				
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5600	0	150	2890	97.0	45.0	5600	0	150	2454	76.6	45.0				
Brake Controller	1	Add	0	Add	5600	0	200	2840	97.0	45.0	5600	0	200	2404	77.2	45.0				
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5600	0	250	2790	97.0	45.0	5600	0	250	2354	77.8	45.0				
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5600	0	300	2740	97.0	45.0	5600	0	300	2304	78.4	45.0				
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5600	0	350	2690	97.0	45.0	5600	0	350	2254	79.1	45.0				
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5600	0	400	2640	97.0	45.0	5600	0	400	2204	79.8	45.0				
Rear Stabilizer Bar F250/350 SRW 4x4	-1	Minus	12	Add	5600	0	450	2590	97.0	45.0	5600	0	450	2154	80.6	45.0				
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5600	0	500	2540	97.0	45.0	5600	0	500	2104	81.3	45.0				
5th Wheel Hitch	0	Add	96	Add	5600	0	550	2490	97.0	45.0	5600	0	550	2054	82.1	45.0				
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5600	50	0	2990	97.0	45.0	6000	50	0	2554	97.0	45.0				
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5600	50	50	2940	97.0	45.0	6000	50	50	2504	97.0	45.0				
750 CCA/78 AH Battery	2	Add	0	Add	5600	50	100	2890	97.0	45.0	6000	50	100	2454	97.0	45.0				
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5600	50	150	2840	97.0	45.0	6000	50	150	2404	97.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5600	50	200	2790	97.0	45.0	6000	50	200	2354	97.0	45.0				
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5600	50	250	2740	97.0	45.0	6000	50	250	2304	97.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5600	50	300	2690	97.0	45.0	6000	50	300	2254	97.0	45.0				
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	50	350	2640	97.0	45.0	6000	50	350	2204	97.0	45.0				
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5600	50	400	2590	97.0	45.0	6000	50	400	2154	97.0	45.0				
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	50	450	2540	97.0	45.0	6000	50	450	2104	97.0	45.0				
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	50	500	2490	97.0	45.0	6000	50	500	2054	97.0	45.0				
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	50	550	2440	97.0	45.0	6000	50	550	2004	97.0	45.0				
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5600	100	0	2940	97.0	45.0	6000	100	0	2504	96.7	45.0				
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5600	100	50	2890	97.0	45.0	6000	100	50	2454	97.0	45.0				
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5600	100	100	2840	97.0	45.0	6000	100	100	2404	97.0	45.0				
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18" STD	15	Add	23	Add	5600	100	150	2790	97.0	45.0	6000	100	150	2354	97.0	45.0				
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5600	100	200	2740	97.0	45.0	6000	100	200	2304	97.0	45.0				
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5600	100	250	2690	97.0	45.0	6000	100	250	2254	97.0	45.0				
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5600	100	300	2640	97.0	45.0	6000	100	300	2204	97.0	45.0				
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5600	100	350	2590	97.0	45.0	6000	100	350	2154	97.0	45.0				
Pickup Bed Extender	-2	Minus	21	Add	5600	100	400	2540	97.0	45.0	6000	100	400	2104	97.0	45.0				
Drop-In Bedliner	2	Add	42	Add	5600	100	450	2490	97.0	45.0	6000	100	450	2054	97.0	45.0				
Spray-In Bedliner	0	Add	20	Add	5600	100	500	2440	97.0	45.0	6000	100	500	2004	97.0	45.0				
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5600	100	550	2390	97.0	45.0	6000	100	550	1954	97.0	45.0				
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5600	150	0	2890	97.0	45.0	6000	150	0	2454	94.1	45.0				
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5600	150	50	2840	97.0	45.0	6000	150	50	2404	95.1	45.0				
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5600	150	100	2790	97.0	45.0	6000	150	100	2354	96.1	45.0				
Lower Bodyside Molding	2	Add	1	Add	5600	150	150	2740	97.0	45.0	6000	150	150	2304	97.0	45.0				
Reverse Vehicle Sensor System	0	Add	1	Add	5600	150	200	2690	97.0	45.0	6000	150	200	2254	97.0	45.0				
Static Rear Video Camera	0	Add	1	Add	5600	150	250	2640	97.0	45.0	6000	150	250	2204	97.0	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5600	150	300	2590	97.0	45.0	6000	150	300	2154	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5600	150	350	2540	97.0	45.0	6000	150	350	2104	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5600	150	400	2490	97.0	45.0	6000	150	400	2054	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5600	150	450	2440	97.0	45.0	6000	150	450	2004	97.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5600	150	500	2390	97.0	45.0	6000	150	500	1954	97.0	45.0				
Sliding Rear Window	5	Add	2	Add	5600	150	550	2340	97.0	45.0	6000	150	550	1904	97.0	45.0				
Power Sliding Rear Window	5	Add	3	Add	5600	200	0	2840	97.0	45.0	6000	200	0	2404	91.5	45.0				
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5600	200	50	2790	97.0	45.0	6000	200	50	2354	92.4	45.0				
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5600	200	100	2740	97.0	45.0	6000	200	100	2304	93.4	45.0				
Foglamps	3	Add	0	Add	5600	200	150	2690	97.0	45.0	6000	200	150	2254	94.4	45.0				
Bright Exhaust Pipe Extension	0	Add	3	Add	5600	200	200	2640	97.0	45.0	6000	200	200	2204	95.5	45.0				
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5600	200	250	2590	97.0	45.0	6000	200	250	2154	96.6	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5600	200	300	2540	97.0	45.0	6000	200	300	2104	97.0	45.0				
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5600	200	350	2490	97.0	45.0	6000	200	350	2054	97.0	45.0				
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5600	200	400	2440	97.0	45.0	6000	200								

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 11000 lb (5034 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR											
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS			
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING	FRONT (A) (IN)	REAR (B) (IN)
				I	II	III	IV	V	VI	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add																	
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	4208	61.8	52.1	5200	-50	-50	3965	70.1	46.0					
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	4158	61.9	52.2	5200	-50	0	3915	70.4	46.0					
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	4108	62.1	52.2	5200	-50	50	3865	70.7	46.0					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	4058	62.3	52.3	5200	-50	100	3815	71.0	45.9					
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	-50	4158	73.5	50.5	5200	0	-50	3915	68.6	45.0					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	0	4108	73.8	50.5	5200	0	0	3865	68.9	45.0					
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	50	4058	74.1	50.6	5200	0	50	3815	69.2	45.0					
Brake Controller	1	Add	0	Add	4800	0	100	4008	74.4	50.6	5200	0	100	3765	69.5	45.0					
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	150	3958	74.8	50.6	5200	0	200	3665	70.1	45.0					
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	200	3908	75.1	50.7	5200	0	250	3615	70.4	45.0					
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	250	3858	75.5	50.7	5200	0	300	3565	70.7	45.0					
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	300	3808	75.8	50.8	5200	0	350	3515	71.0	45.0					
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	350	3758	76.2	50.8	5200	0	400	3465	71.3	45.0					
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	400	3708	76.6	50.8	5200	0	450	3415	71.7	45.0					
5th Wheel Hitch	0	Add	96	Add	4800	0	450	3658	77.0	50.9	5200	0	500	3365	72.0	45.0					
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	500	3608	77.4	50.9	5200	50	0	3815	67.4	45.0					
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	0	4058	72.4	48.9	5200	50	50	3765	67.7	45.0					
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	50	4008	72.7	48.9	5200	50	100	3715	67.9	45.0					
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	100	3958	73.0	48.9	5200	50	200	3615	68.5	45.0					
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	150	3908	73.4	48.9	5200	50	250	3565	68.8	45.0					
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	200	3858	73.7	48.9	5200	50	300	3515	69.1	45.0					
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	250	3808	74.0	49.0	5200	50	350	3465	69.4	45.0					
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	50	300	3758	74.4	49.0	5200	50	400	3415	69.7	45.0					
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	4800	50	350	3708	74.7	49.0	5200	50	450	3365	70.0	45.0					
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	4800	50	400	3658	75.1	49.0	5200	50	500	3315	70.3	45.0					
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	4800	50	450	3608	75.5	49.0	5200	100	0	3765	65.8	45.0					
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	500	3558	75.9	49.0	5200	100	50	3715	66.1	45.0					
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	0	4008	71.0	47.2	5200	100	100	3665	66.3	45.0					
Pickup Bed Extender	-2	Minus	21	Add	4800	100	50	3958	71.3	47.2	5200	100	200	3565	66.8	45.0					
Drop-In Bedliner	2	Add	42	Add	4800	100	100	3908	71.6	47.2	5200	100	250	3515	67.1	45.0					
Spray-In Bedliner	1	Add	19	Add	4800	100	150	3858	71.9	47.2	5200	100	300	3465	67.4	45.0					
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	200	3808	72.2	47.2	5200	100	350	3415	67.7	45.0					
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	250	3758	72.6	47.1	5200	100	400	3365	68.0	45.0					
Static Rear Video Camera	0	Add	1	Add	4800	100	300	3708	72.9	47.1	5200	100	450	3315	68.3	45.0					
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	350	3658	73.2	47.1	5200	100	500	3265	68.6	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	400	3608	73.6	47.1	5200	150	0	3715	64.2	45.0					
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	100	450	3558	74.0	47.1	5200	150	50	3665	64.5	45.0					
Sliding Rear Window	5	Add	2	Add	4800	100	500	3508	74.3	47.1	5200	150	100	3615	64.7	45.0					
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	0	3958	69.6	45.5	5200	150	200	3515	65.2	45.0					
Foglamps	3	Add	0	Add	4800	150	50	3908	69.9	45.4	5200	150	250	3465	65.4	45.0					
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	100	3858	70.1	45.4	5200	150	300	3415	65.7	45.0					
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	150	3808	70.4	45.4	5200	150	350	3365	65.9	45.0					
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	200	3758	70.7	45.3	5200	150	400	3315	66.2	45.0					
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	250	3708	71.0	45.3	5200	150	450	3265	66.5	45.0					
All Weather Floor Mat	4	Add	2	Add	4800	150	300	3658	71.4	45.2	5200	150	500	3215	66.8	45.0					
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	350	3608	71.7	45.2	5600	200	0	3665	77.5	45.0					
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	400	3558	72.0	45.2	5600	200	50	3615	77.9	45.0					
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	4800	150	450	3508	72.4	45.1	5600	200	100	3565	78.4	45.0					
Cruise Control	3	Add	1	Add	4800	150	500	3458	72.7	45.1	5600	200	200	3465	79.3	45.0					
Power Equipment Group	12	Add	3	Add	4800	200	0	3908	68.1	45.0	5600	200	250	3415	79.7	45.0					
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	50	3858	68.4	45.0	5600	200	300	3365	80.2	45.0					
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	200	100	3808	68.6	45.0	5600	200	350	3315	80.7	45.0					
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	150	3758	68.9	45.0	5600	200	400	3265	81.2	45.0					
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	200	3708	69.2	45.0	5600	200	450	3215	81.7	45.0					
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4800	200	250	3658	69.5	45.0	5600	200	500	3165	82.2	45.0					
Cloth Seats	-2	Minus	-1	Minus	4800	200	300	3608	69.8	45.0	5600	250	0	3615	76.1	45.0					
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	350	3558	70.1	45.0	5600	250	50	3565	76.4	45.0					
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	400	3508	70.4	45.0	5600	250	100	3515	76.9	45.0					
Satellite Digital Broadcast	2	Add	1	Add	4800	200	450	3458	70.7	45.0	5600	250	200	3415	77.7	45.0					
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	500	3408	71.1	45.0	5600	250	250	3365	78.1	45.0					
SYNC Basic - Gen I	1	Add	0	Add	4800	250	0	3858	66.6	45.0	5600	250	300	3315	78.6	45.0					
SYNC Finder - Gen II	1	Add	0	Add	4800	250	50	3808	66.8	45.0	5600	250	350	3265	79.1	45.0					
FX4 Off-Road Package	2	Add	2	Add	4800	250	100	3758	67.1	45.0	5600	250	400	3215	79.6	45.0					
Tracking System - Crew Chief	3	Add	0	Add	4800	250	150	3708	67.4	45.0	5600	250	450	3165</							

OPTION TABLE				VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
	QTY	ADD	QTY	ADD	GAWR (Lb.)	FRONT (LB)			FRONT (A) (IN)	REAR (B) (IN)
						FRONT (LB)	REAR (LB)	RATING (LB)		
XLT Trim (GAS)	10	Add	6	Add						
XLT Trim (DIESEL)	14	Add	9	Add	5200	-50	-50	3865	70.7	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	0	3815	71.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	-50	50	3765	71.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	-50	100	3715	71.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	-50	3815	69.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	0	3765	69.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	50	3715	69.8	45.0
Brake Controller	1	Add	0	Add	5200	0	100	3665	70.1	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	200	3565	70.7	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	5200	0	250	3515	71.0	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	5200	0	300	3465	71.3	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	350	3415	71.7	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	400	3365	72.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	5200	0	450	3315	72.4	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	500	3265	72.8	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	3715	67.9	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	3665	68.2	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	3615	68.5	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	5200	50	200	3515	69.1	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	5200	50	250	3465	69.4	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	300	3415	69.7	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	3365	70.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	50	400	3315	70.3	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	50	450	3265	70.7	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	50	500	3215	71.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	0	3665	66.3	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	50	3615	66.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	100	3565	66.8	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	200	3465	67.4	45.0
Drop-In Bedliner	2	Add	42	Add	5200	100	250	3415	67.7	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	300	3365	68.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	5200	100	350	3315	68.3	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	100	400	3265	68.6	45.0
Static Rear Video Camera	0	Add	1	Add	5200	100	450	3215	68.9	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	100	500	3165	69.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	0	3615	64.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	50	3565	64.9	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	100	3515	65.2	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	150	200	3415	65.7	45.0
Foglamps	3	Add	0	Add	5200	150	250	3365	65.9	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	150	300	3315	66.2	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	150	350	3265	66.5	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	5200	150	400	3215	66.8	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	5200	150	450	3165	67.1	45.0
All Weather Floor Mat	4	Add	2	Add	5200	150	500	3115	67.4	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5600	200	0	3565	78.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5600	200	50	3515	78.8	45.0
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	5600	200	100	3465	79.3	45.0
Cruise Control	3	Add	1	Add	5600	200	200	3365	80.2	45.0
Power Equipment Group	12	Add	3	Add	5600	200	250	3315	80.7	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	200	300	3265	81.2	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	5600	200	350	3215	81.7	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	200	400	3165	82.2	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	200	450	3115	82.8	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5600	200	500	3065	83.3	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	250	0	3515	76.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	250	50	3465	77.3	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	250	100	3415	77.7	45.0
Satellite Digital Broadcast	2	Add	1	Add	5600	250	200	3315	78.6	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5600	250	250	3265	79.1	45.0
SYNC Basic - Gen I	1	Add	0	Add	5600	250	300	3215	79.6	45.0
SYNC Finder - Gen II	1	Add	0	Add	5600	250	350	3165	80.1	45.0
FX4 Off-Road Package	2	Add	2	Add	5600	250	400	3115	80.6	45.0
Tracking System - Crew Chief	3	Add	0	Add	5600	250	450	3065	81.1	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5600	250	500	3015	81.7	45.0
Bed Mat	0	Add	58	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	5	Add	25	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 11100 lb (5034 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR												
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS			
		Add	17	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI	FRONT (A)	REAR (B)	FRONT (A)	REAR (B)		
																					FRONT (LB)	REAR (LB)
Lariat Trim (GAS)	25	Add	17	Add																		
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	3500	70.0	45.0	5600	-50	-50	3263	81.0	45.0						
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	3450	70.4	45.0	5600	-50	0	3213	81.0	45.0						
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	3400	70.7	45.0	5600	-50	50	3163	81.0	45.0						
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	3350	71.0	45.0	5600	-50	100	3113	81.0	45.0						
Immersion Heater - Engine	1	Add	0	Add	4800	0	-50	3450	68.3	45.0	5600	0	-50	3213	80.0	45.0						
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	0	3400	68.6	45.0	5600	0	0	3163	80.5	45.0						
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	50	3350	68.9	45.0	5600	0	50	3113	81.0	45.0						
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	100	3300	69.2	45.0	5600	0	100	3063	81.0	45.0						
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	150	3250	69.6	45.0	5600	0	150	3013	81.0	45.0						
Brake Controller	1	Add	0	Add	4800	0	200	3200	69.9	45.0	5600	0	200	2963	81.0	45.0						
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	250	3150	70.3	45.0	5600	0	250	2913	81.0	45.0						
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	300	3100	70.6	45.0	5600	0	300	2863	81.0	45.0						
Skid Plates (DIESEL) 4X4 only	17	Minus	16	Add	4800	0	350	3050	71.0	45.0	5600	0	350	2813	81.0	45.0						
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	0	3350	66.8	45.0	5600	50	0	3113	78.8	45.0						
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	50	3300	67.1	45.0	5600	50	50	3063	79.3	45.0						
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	100	3250	67.4	45.0	5600	50	100	3013	79.8	45.0						
5th Wheel Hitch	0	Add	96	Add	4800	50	150	3200	67.7	45.0	5600	50	150	2963	80.3	45.0						
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	200	3150	68.0	45.0	5600	50	200	2913	80.9	45.0						
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	250	3100	68.3	45.0	5600	50	250	2863	81.0	45.0						
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	300	3050	68.7	45.0	5600	50	300	2813	81.0	45.0						
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	50	350	3000	69.0	45.0	5600	50	350	2763	81.0	45.0						
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	100	0	3300	81.0	45.0	5600	100	0	3063	76.9	45.0						
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	100	50	3250	81.0	45.0	5600	100	50	3013	77.4	45.0						
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	100	3200	81.0	45.0	5600	100	100	2963	77.9	45.0						
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	150	3150	81.0	45.0	5600	100	150	2913	78.4	45.0						
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	200	3100	81.0	45.0	5600	100	200	2863	79.0	45.0						
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	250	3050	81.0	45.0	5600	100	250	2813	79.5	45.0						
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	300	3000	81.0	45.0	5600	100	300	2763	80.1	45.0						
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	350	2950	81.0	45.0	5600	100	350	2713	80.7	45.0						
LT 275/70R18E A/T OWL Premium (SRW 4x4 only) 18" STD	-2	Minus	-2	Minus	5200	150	0	3250	80.5	45.0	5600	150	0	3013	75.1	45.0						
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	150	50	3200	81.0	45.0	5600	150	50	2963	75.5	45.0						
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	150	100	3150	81.0	45.0	5600	150	100	2913	76.0	45.0						
Less Jack - 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	150	3100	81.0	45.0	5600	150	150	2863	76.5	45.0						
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	200	3050	81.0	45.0	5600	150	200	2813	77.0	45.0						
Pickup Bed Extender	-2	Minus	21	Add	5200	150	250	3000	81.0	45.0	5600	150	250	2763	77.5	45.0						
Drop-In Bedliner	2	Add	35	Add	5200	150	300	2950	81.0	45.0	5600	150	300	2713	78.1	45.0						
Spray-In Bedliner	0	Add	16	Add	5200	150	350	2900	81.0	45.0	5600	150	350	2663	78.7	45.0						
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	0	3200	78.8	45.0	5600	200	0	2963	73.1	45.0						
6" Angular Chrome Step w/o Lights - (SRW only)	18	Add	15	Add	5200	200	50	3150	79.3	45.0	5600	200	50	2913	73.6	45.0						
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	100	3100	79.8	45.0	5600	200	100	2863	74.0	45.0						
Lower Bodyside Molding	2	Add	1	Add	5200	200	150	3050	80.3	45.0	5600	200	150	2813	74.5	45.0						
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	200	3000	80.8	45.0	5600	200	200	2763	75.0	45.0						
Static Rear Video Camera	0	Add	1	Add	5200	200	250	2950	81.0	45.0	5600	200	250	2713	75.5	45.0						
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	300	2900	81.0	45.0	5600	200	300	2663	76.0	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	350	2850	81.0	45.0	5600	200	350	2613	76.5	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	0	3150	77.0	45.0	5600	250	0	2913	71.1	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	250	50	3100	77.5	45.0	5600	250	50	2863	71.6	45.0						
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	100	3050	78.0	45.0	5600	250	100	2813	72.0	45.0						
Sliding Rear Window	5	Add	2	Add	5200	250	150	3000	78.5	45.0	5600	250	150	2763	72.4	45.0						
Power Sliding Rear Window	5	Add	3	Add	5200	250	200	2950	79.0	45.0	5600	250	200	2713	72.9	45.0						
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	250	2900	79.5	45.0	5600	250	250	2663	73.3	45.0						
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	300	2850	80.1	45.0	5600	250	300	2613	73.8	45.0						
Foglamps	3	Add	0	Add	5200	250	350	2800	80.7	45.0	5600	250	350	2563	74.3	45.0						
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	0	3100	75.2	45.0	5600	300	0	2863	69.1	45.0						
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	50	3050	75.6	45.0	5600	300	50	2813	69.5	45.0						
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	300	100	3000	76.1	45.0	5600	300	100	2763	69.8	45.0						
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	150	2950	76.6	45.0	5600	300	150	2713	70.2	45.0						
All Weather Floor Mat	6	Add	4	Add	5200	300	200	2900	77.1	45.0	5600	300	200	2663	70.7	45.0						
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	250	2850	77.6	45.0	5600	300	250	2								

OPTION TABLE				VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR								
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
	FRONT (Lb.)	FRONT (LB)	REAR (LB)	REAR (LB)	FRONT (LB)	FRONT (LB)	REAR (LB)	RATING (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
												I
Lariat Trim (GAS)	25	Add	17	Add	5600	-50	-50	3163	81.0	45.0		
XLT Trim (GAS)	10	Add	7	Add	5600	-50	0	3113	81.0	45.0		
Lariat Trim (DIESEL)	30	Add	20	Add	5600	-50	50	3063	81.0	45.0		
XLT Trim (DIESEL)	20	Add	13	Add	5600	-50	100	3013	81.0	45.0		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5600	0	0	3113	81.0	45.0		
Immersion Heater - Engine	1	Add	0	Add	5600	0	0	3063	81.0	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5600	0	50	3013	81.0	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5600	0	100	2963	81.0	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5600	0	150	2913	81.0	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5600	0	200	2863	81.0	45.0		
Brake Controller	1	Add	0	Add	5600	0	250	2813	81.0	45.0		
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5600	0	300	2763	81.0	45.0		
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5600	0	350	2713	81.0	45.0		
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	5600	50	0	3013	79.8	45.0		
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5600	50	50	2963	80.3	45.0		
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5600	50	100	2913	80.9	45.0		
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	5600	50	150	2863	81.0	45.0		
5th Wheel Hitch	0	Add	96	Add	5600	50	200	2813	81.0	45.0		
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5600	50	250	2763	81.0	45.0		
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5600	50	300	2713	81.0	45.0		
750 CCA/78 AH Battery	2	Add	0	Add	5600	50	350	2663	81.0	45.0		
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5600	100	0	2963	77.9	45.0		
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5600	100	50	2913	78.4	45.0		
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5600	100	100	2863	79.0	45.0		
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5600	100	150	2813	79.5	45.0		
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	100	200	2763	80.1	45.0		
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	100	250	2713	80.7	45.0		
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	100	300	2663	81.0	45.0		
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5600	150	0	2913	76.0	45.0		
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5600	150	50	2863	76.5	45.0		
LT 275/65R20E A/T OWL (SRW only) 18" STD	18	Add	-128	Minus	5600	150	100	2813	77.0	45.0		
Less Spare Tire (including carrier) - 18" steel STD	1	Add	-12	Minus	5600	150	200	2763	78.1	45.0		
Less Jack- 2-Ton (including Tool)	-8	Minus	41	Add	5600	150	250	2713	78.7	45.0		
Stepgate (Upgraded Tailgate)	-2	Minus	21	Add	5600	150	300	2663	79.2	45.0		
Pickup Bed Extender	2	Add	35	Add	5600	150	350	2613	79.9	45.0		
Drop-In Bedliner	0	Add	16	Add	5600	200	0	2863	74.0	45.0		
Spray-In Bedliner	25	Add	18	Add	5600	200	50	2813	74.5	45.0		
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	15	Add	5600	200	100	2763	75.0	45.0		
6" Angular Chrome Step w/o Lights (SRW only)	2	Add	1	Add	5600	200	150	2713	75.5	45.0		
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	0	Add	1	Add	5600	200	200	2663	76.0	45.0		
Lower Bodyside Molding	0	Add	1	Add	5600	200	250	2613	76.5	45.0		
Reverse Vehicle Sensor System	9	Add	3	Add	5600	200	300	2563	77.1	45.0		
Static Rear Video Camera	10	Add	4	Add	5600	200	350	2513	77.7	45.0		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	16	Add	6	Add	5600	250	0	2813	72.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	1	Add	0	Add	5600	250	50	2763	72.4	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	7	Add	3	Add	5600	250	100	2713	72.9	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	5	Add	2	Add	5600	250	150	2663	73.3	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	5	Add	3	Add	5600	250	200	2613	73.8	45.0		
Sliding Rear Window	1	Add	2	Add	5600	250	250	2563	74.3	45.0		
Power Sliding Rear Window	1	Add	0	Add	5600	250	300	2513	74.9	45.0		
Electronic Rear Window (Backglass) Defrost - SC/CC only	3	Add	0	Add	5600	250	350	2463	75.4	45.0		
Roof Marker/Clearance Lights - Conv (SRW only)	0	Add	3	Add	5600	300	0	2763	69.8	45.0		
Foglamps	-6	Minus	0	Add	5600	300	50	2713	70.2	45.0		
Bright Exhaust Pipe Extension	4	Add	0	Add	5600	300	100	2663	70.7	45.0		
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	3	Add	2	Add	5600	300	150	2613	71.1	45.0		
Floor Cover-Carpet Ins-Complete Color Keyed	6	Add	4	Add	5600	300	200	2563	71.6	45.0		
XLT Floor Mats less Logo (Color Keyed)	1	Add	0	Add	5600	300	250	2513	72.0	45.0		
All Weather Floor Mat	1	Add	1	Add	5600	300	300	2463	72.5	45.0		
Electrochromic Rear View Mirror	-25	Minus	-9	Minus	5600	300	350	2413	73.0	45.0		
Electrochromic Rear View Mirror w/Video Display	3	Add	1	Add								
Floor Console - Stand alone	3	Add	1	Add								
Cruise Control	12	Add	3	Add								
Power Equipment Group	4	Add	3	Add								
Adj Gas & Brake Pedals	15	Add	10	Add								
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	1	Add	0	Add								
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	-16	Minus	-6	Minus								
Front Seat - Individual 40/40 Driver & Passenger	8	Add	4	Add								
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	23	Add	9	Add								
10-Way Power Seat Adjuster (Driver/Passenger)	3	Add	1	Add								
Heated/Cooled Seats (Driver and Passenger)	-2	Minus	-1	Minus								
Cloth Seats	-4	Minus	-1	Minus								
Less Radio Pre-Equipment Pack (Radio Delete)	3	Add	2	Add								
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	9	Add	6	Add								
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	2	Add	1	Add								
Satellite Digital Broadcast	2	Add	1	Add								
High Definition & Satellite Digital Broadcast	1	Add	0	Add								
SYNC Basic - Gen I	1	Add	0	Add								
SYNC Finder - Gen II	2	Add	2	Add								
FX4 Off-Road Package	3	Add	0	Add								
Tracking System - Crew Chief	2	Add	2	Add								
Flat Splash Guards (SRW) 2 front/2rear	0	Add	44	Add								
Bed Mat	0	Add	9	Add								
Cable/Strap Locks	0	Add	126	Add								
5th Wheel Hitch Assembly - SRW only	4	Add	22	Add								
Roll-up Tonneau Cover	0	Add	7	Add								
Wheel Well Liner - SRW only	0	Add	10	Add								
Gooseneck Hitch Kit												
Total Option Weight												

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA											
	6.2L Gasoline Engine 11300 lb (5125 kg) GVWR				6.7L Diesel Engine 11500 lb (5215 kg) GVWR											
	FRONT (Lbs.)	REAR (Lbs.)	FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	FRONT	OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS						
OPTION DESCRIPTION			GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)		
			I	II	III	IV	V	VI	I	II	III	IV	V	VI		
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	3520	66.0	45.0	5600	-50	-50	3060	80.2	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	3470	66.3	45.0	5600	-50	0	3010	80.7	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	3420	66.6	45.0	5600	-50	50	2960	81.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	3370	66.8	45.0	5600	-50	100	2910	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	3470	81.0	45.0	5600	0	-50	3010	78.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	3420	81.0	45.0	5600	0	0	2960	78.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	3370	81.0	45.0	5600	0	50	2910	79.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	3320	81.0	45.0	5600	0	100	2860	79.7	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	3270	81.0	45.0	5600	0	150	2810	80.2	45.0
Brake Controller	1	Add	0	Add	5200	0	200	3220	81.0	45.0	5600	0	200	2760	80.8	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	3170	81.0	45.0	5600	0	250	2710	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	300	3120	81.0	45.0	5600	0	300	2660	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	350	3070	81.0	45.0	5600	0	350	2610	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	3020	81.0	45.0	5600	0	400	2560	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	0	3370	80.7	45.0	5600	50	0	2910	76.5	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	50	3320	81.0	45.0	5600	50	50	2860	77.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	100	3270	81.0	45.0	5600	50	100	2810	77.5	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	150	3220	81.0	45.0	5600	50	150	2760	78.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	200	3170	81.0	45.0	5600	50	200	2710	78.6	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	250	3120	81.0	45.0	5600	50	250	2660	79.1	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	300	3070	81.0	45.0	5600	50	300	2610	79.7	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	350	3020	81.0	45.0	5600	50	350	2560	80.4	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	400	2970	81.0	45.0	5600	50	400	2510	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	0	3320	78.9	45.0	5600	100	0	2860	74.2	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	50	3270	79.3	45.0	5600	100	50	2810	74.7	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	100	3220	79.8	45.0	5600	100	100	2760	75.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	150	3170	80.3	45.0	5600	100	150	2710	75.7	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	200	3120	80.9	45.0	5600	100	200	2660	76.2	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	250	3070	81.0	45.0	5600	100	250	2610	76.7	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	300	3020	81.0	45.0	5600	100	300	2560	77.3	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5200	100	350	2970	81.0	45.0	5600	100	350	2510	77.9	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	100	400	2920	81.0	45.0	5600	100	400	2460	78.5	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	150	0	3270	77.0	45.0	5600	150	0	2810	71.9	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	150	50	3220	77.4	45.0	5600	150	50	2760	72.3	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	100	3170	77.9	45.0	5600	150	100	2710	72.8	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	150	3120	78.4	45.0	5600	150	150	2660	73.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	200	3070	78.8	45.0	5600	150	200	2610	73.7	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	250	3020	79.4	45.0	5600	150	250	2560	74.3	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	300	2970	79.9	45.0	5600	150	300	2510	74.8	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	350	2920	80.4	45.0	5600	150	350	2460	75.3	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	400	2870	81.0	45.0	5600	150	400	2410	75.9	45.0
6" Angular Chrome Step w/o Lights - (SRW only)	24	Add	19	Add	5200	200	0	3220	75.0	45.0	6000	200	0	2760	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	50	3170	75.4	45.0	6000	200	50	2710	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	100	3120	75.9	45.0	6000	200	100	2660	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	150	3070	76.3	45.0	6000	200	150	2610	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	200	3020	76.8	45.0	6000	200	200	2560	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	250	2970	77.3	45.0	6000	200	250	2510	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	300	2920	77.8	45.0	6000	200	300	2460	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	350	2870	78.3	45.0	6000	200	350	2410	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	400	2820	78.8	45.0	6000	200	400	2360	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	0	3170	72.9	45.0	6000	250	0	2710	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	50	3120	73.3	45.0	6000	250	50	2660	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	100	3070	73.8	45.0	6000	250	100	2610	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	150	3020	74.2	45.0	6000	250	150	2560	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	200	2970	74.6	45.0	6000	250	200	2510	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	250	2920	75.1	45.0	6000	250	250	2460	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	300	2870	75.6	45.0	6000	250	300	2410	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	350	2820	76.0	45.0	6000	250	350	2360	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	250	400	2770	76.6	45.0	6000	250	400	2310	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	0	3120	70.8	45.0	6000	300	0	2660	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	50	3070	71.2	45.0	6000	300	50	2610	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	300	100	3020	71.6	45.0	6000	300	100	2560	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	150	2970	72.0	45.0	6000	300	150	2510	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	200	2920	72.4	45.0	6000	300	200	2460	81.0	45.0
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	5200	300	250	2870	72.8	45.0	6000	300	250	2410	81.0	45.0
Cruise Control	3	Add	1	Add	5200	300	300	2820	73.3	45.0	6000	300	300	2360	81.0	45.0
Power Equipment Group	15	Add	6	Add	5200	300	350	2770	73.7	45.0	6000	300	350	2310	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	300	400	2720	74.2	45.0	6000	300	400	2260	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add							6000	350	0	2610	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add							6000	350	50	2560	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus							6000	350	100	2510	81.0	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add							6000	350	150	2460	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add							6000	350	200	2410	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add							6000	350	250	2360	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add							6000	350	300	2310	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add							6000	350	350	2260	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus							6000	350	400	2210	81.0	45.0
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add</														

OPTION TABLE				VEHICLE LOADING DATA						
				6.7L Diesel Engine 11400 lb (5170 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT	CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
	QTY	ADD	QTY	ADD	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add						
XLT Trim (GAS)	13	Add	9	Add	5600	-50	-50	2960	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5600	-50	0	2910	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5600	-50	50	2860	81.0	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	5600	-50	100	2810	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.373	1	Add	0	Add	5600	0	-50	2910	79.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	11	Add	5600	0	0	2860	79.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	13	Add	5600	0	50	2810	80.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5600	0	100	2760	80.8	45.0
Brake Controller	1	Add	0	Add	5600	0	150	2710	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5600	0	200	2660	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5600	0	250	2610	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5600	0	300	2560	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5600	0	350	2510	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	0	Add	12	Add	5600	50	0	2460	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5600	50	50	2410	77.5	45.0
5th Wheel Hitch	0	Add	96	Add	5600	50	100	2360	78.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5600	50	150	2310	78.6	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5600	50	200	2260	79.1	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5600	50	250	2210	80.4	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5600	50	300	2160	79.7	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5600	50	350	2110	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5600	50	400	2060	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5600	100	0	2010	75.2	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	100	50	2710	75.7	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5600	100	100	2660	76.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	100	150	2610	76.7	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	100	200	2560	77.3	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	100	250	2510	77.9	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5600	100	300	2460	78.5	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5600	100	350	2410	79.1	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5600	100	400	2360	79.8	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5600	150	0	2710	72.8	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5600	150	50	2660	73.3	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5600	150	100	2610	73.7	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5600	150	150	2560	74.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	5600	150	200	2510	74.8	45.0
Drop-In Bedliner	2	Add	42	Add	5600	150	250	2460	75.3	45.0
Spray-In Bedliner	0	Add	16	Add	5600	150	300	2410	75.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5600	150	350	2360	76.5	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5600	150	400	2310	77.1	45.0
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	6000	200	0	2660	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	6000	200	50	2610	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	6000	200	100	2560	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	6000	200	150	2510	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	6000	200	200	2460	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	6000	200	250	2410	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	6000	200	300	2360	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	6000	200	350	2310	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	6000	200	400	2260	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	6000	250	0	2610	81.0	45.0
Sliding Rear Window	5	Add	2	Add	6000	250	50	2560	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	6000	250	100	2510	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	6000	250	150	2460	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	6000	250	200	2410	81.0	45.0
Foglamps	3	Add	0	Add	6000	250	250	2360	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	6000	250	300	2310	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	6000	250	350	2260	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	6000	250	400	2210	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	6000	300	0	2560	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	6000	300	50	2510	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	6000	300	100	2460	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	6000	300	150	2410	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	6000	300	200	2360	81.0	45.0
Floor Console/ette - Stand alone	-25	Minus	-9	Minus	6000	300	250	2310	81.0	45.0
Cruise Control	3	Add	1	Add	6000	300	300	2260	81.0	45.0
Power Equipment Group	15	Add	6	Add	6000	300	350	2210	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	6000	300	400	2160	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	6000	350	0	2510	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	6000	350	50	2460	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	6000	350	100	2410	81.0	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	6000	350	150	2360	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	6000	350	200	2310	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	6000	350	250	2260	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	6000	350	300	2210	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	6000	350	350	2160	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus	6000	350	400	2110	81.0	45.0
King Ranch Leather	4	Add	2	Add						
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus						
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add						
Sony Branded Premium Stereo/Single CD	11	Add	8	Add						
Satellite Digital Broadcast	2	Add	1	Add						
High Definition & Satellite Digital Broadcast	2	Add	1	Add						
SYNC Basic - Gen I	1	Add	0	Add						
SYNC Finder - Gen II	1	Add	0	Add						
FX4 Off-Road Package	2	Add	2	Add						
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add						
Tracking System - Crew Chief	3	Add	0	Add						
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add						
King Ranch with Chromed Accent Option	6	Add	3	Add						
Platinum Package	6	Add	3	Add						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add						
Bed Mat	0	Add	44	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	4	Add	22	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		VEHICLE LOADING DATA 6.2L Gasoline Engine 11000 lb (4989 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR					
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	CENTER OF GRAVITY ZONE LIMITS		
					FRONT (Lb.)	REAR (Lb.)		RATING (LB)	FRONT (A) (IN)					REAR (B) (IN)	RATING (LB)	FRONT (A) (IN)
					I	II	III	IV	V					VI	I	II
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	3217	70.8	45.0	5600	-50	-50	3086	77.6	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	3267	71.2	45.0	5600	-50	0	3036	78.1	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	3267	71.5	45.0	5600	-50	0	2986	78.6	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	3167	71.9	45.0	5600	-50	100	2936	79.1	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4800	0	-50	3267	68.8	45.0	5600	0	-50	3036	75.5	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	0	3217	69.1	45.0	5600	0	0	2986	75.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	50	3167	69.4	45.0	5600	0	50	2936	76.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	100	3117	69.8	45.0	5600	0	100	2886	76.9	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	150	3067	70.1	45.0	5600	0	150	2836	77.4	45.0
Brake Controller	1	Add	0	Add	4800	0	200	3017	70.5	45.0	5600	0	200	2786	77.9	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	250	2967	70.9	45.0	5600	0	250	2736	78.5	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4800	0	300	2917	71.3	45.0	5600	0	300	2686	79.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4800	0	350	2867	71.7	45.0	5600	0	350	2636	79.6	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	400	2817	72.1	45.0	5600	0	400	2586	80.3	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	450	2767	72.5	45.0	5600	0	450	2536	80.9	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4800	0	500	2717	73.0	45.0	5600	0	500	2486	81.6	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	-50	3217	86.3	45.0	5600	50	0	2936	73.7	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	3167	86.9	45.0	5600	50	0	2886	74.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	3117	87.5	45.0	5600	50	100	2836	74.6	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	3067	88.1	45.0	5600	50	150	2786	75.1	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	3017	88.8	45.0	5600	50	200	2736	75.6	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	2967	89.5	45.0	5600	50	250	2686	76.1	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	2917	90.2	45.0	5600	50	300	2636	76.6	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	2867	91.0	45.0	5600	50	350	2586	77.2	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	2817	91.7	45.0	5600	50	400	2536	77.8	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	400	2767	92.5	45.0	5600	50	450	2486	78.4	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	450	2717	93.3	45.0	5600	50	500	2436	79.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	500	2667	94.2	45.0	5600	100	0	2886	71.4	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	0	3117	85.0	45.0	5600	100	50	2836	71.8	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 only) 18" STD	-2	Minus	-2	Minus	5200	100	50	3067	85.6	45.0	5600	100	100	2786	72.3	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	100	100	3017	86.2	45.0	5600	100	150	2736	72.7	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	150	2967	86.8	45.0	5600	100	200	2686	73.2	45.0
Less Jack - 2-Ton (including tool)	1	Add	-12	Minus	5200	100	200	2917	87.5	45.0	5600	100	250	2636	73.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	250	2867	88.2	45.0	5600	100	300	2586	74.1	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	300	2817	88.9	45.0	5600	100	350	2536	74.7	45.0
Drop-In Bedliner	2	Add	35	Add	5200	100	350	2767	89.7	45.0	5600	100	400	2486	75.2	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	400	2717	90.4	45.0	5600	100	450	2436	75.8	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	450	2667	91.2	45.0	5600	100	500	2386	76.3	45.0
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	5200	100	500	2617	92.1	45.0	6000	150	0	2836	91.3	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	0	3067	83.0	45.0	6000	150	50	2786	92.1	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	50	3017	83.6	45.0	6000	150	100	2736	92.9	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	100	2967	84.2	45.0	6000	150	150	2686	93.8	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	150	2917	84.8	45.0	6000	150	200	2636	94.6	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	200	2867	85.5	45.0	6000	150	250	2586	95.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	250	2817	86.1	45.0	6000	150	300	2536	96.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	300	2767	86.8	45.0	6000	150	350	2486	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	350	2717	87.5	45.0	6000	150	400	2436	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	400	2667	88.3	45.0	6000	150	450	2386	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	450	2617	89.0	45.0	6000	150	500	2336	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	500	2567	89.8	45.0	6000	200	0	2786	89.3	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	0	3017	81.0	45.0	6000	200	50	2736	90.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	50	2967	81.5	45.0	6000	200	100	2686	90.8	45.0
Foglamps	3	Add	0	Add	5200	200	100	2917	82.1	45.0	6000	200	150	2636	91.6	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	150	2867	82.7	45.0	6000	200	200	2586	92.5	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	200	2817	83.3	45.0	6000	200	250	2536	93.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	250	2767	84.0	45.0	6000	200	300	2486	94.3	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	300	2717	84.6	45.0	6000	200	350	2436	95.2	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	350	2667	85.3	45.0	6000	200	400	2386	96.2	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	400	2617	86.0	45.0	6000	200	450	2336	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	450	2567	86.8	45.0	6000	200	500	2286	97.0	45.0
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	5200	200	500	2517	87.5	45.0	6000	250	0	2736	87.1	45.0
Cruise Control	3	Add	1	Add	5200	250	0	2967	78.9	45.0	6000	250	50	2686	87.9	45.0
Power Equipment Group	12	Add	3	Add	5200	250	50	2917	79.4	45.0	6000	250	100	2636	88.6	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	100	2867	79.9	45.0	6000	250	150	2586	89.4	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	250	150	2817	80.5	45.0	6000	250	200	2536	90.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	200	2767	81.1	45.0	6000	250	250	2486	91.1	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	250	2717	81.7	45.0	6000	250	300	2436	92.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5200	250	300	2667	82.3	45.0	6000	250	350	2386	92.9	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	350	2617	83.0	45.0	6000	250	400	2336	93.9	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	400	2567	83.7	45.0	6000	250	450	2286	94.9	45.0
Cloth Seats	-2	Minus	-1													

OPTION TABLE				VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR								
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
					FRONT (Lb.)	FRONT (LB)		REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
						I	II					III
Lariat Trim (GAS)	25	Add	17	Add	5600	-50	-50	2986	78.6	45.0		
XLT Trim (GAS)	10	Add	7	Add	5600	-50	0	2936	79.1	45.0		
Lariat Trim (DIESEL)	30	Add	20	Add	5600	-50	0	2886	79.6	45.0		
XLT Trim (DIESEL)	20	Add	13	Add	5600	-50	50	2836	80.2	45.0		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5600	0	100	2936	76.4	45.0		
Immersion Heater - Engine	1	Add	0	Add	5600	0	50	2886	76.9	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5600	0	50	2836	77.4	45.0		
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5600	0	100	2786	77.9	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5600	0	150	2736	78.5	45.0		
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5600	0	200	2686	79.0	45.0		
Brake Controller	1	Add	0	Add	5600	0	250	2636	79.6	45.0		
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5600	0	300	2586	80.3	45.0		
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5600	0	350	2536	80.9	45.0		
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5600	0	400	2486	81.6	45.0		
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5600	0	450	2436	82.3	45.0		
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5600	0	500	2386	83.0	45.0		
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5600	50	0	2836	74.6	45.0		
5th Wheel Hitch	0	Add	96	Add	5600	50	50	2786	75.1	45.0		
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5600	50	100	2736	75.6	45.0		
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5600	50	150	2686	76.1	45.0		
750 CCA/78 AH Battery	2	Add	0	Add	5600	50	200	2636	76.6	45.0		
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5600	50	250	2586	77.2	45.0		
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5600	50	300	2536	77.8	45.0		
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5600	50	350	2486	78.4	45.0		
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5600	50	400	2436	79.0	45.0		
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	50	450	2386	79.7	45.0		
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5600	50	500	2336	80.3	45.0		
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	100	0	2786	72.3	45.0		
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	100	50	2736	72.7	45.0		
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5600	100	100	2686	73.2	45.0		
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5600	100	150	2636	73.6	45.0		
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5600	100	200	2586	74.1	45.0		
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5600	100	250	2536	74.7	45.0		
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5600	100	300	2486	75.2	45.0		
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5600	100	350	2436	75.8	45.0		
Pickup Bed Extender	-2	Minus	21	Add	5600	100	400	2386	76.3	45.0		
Drop-In Bedliner	2	Add	35	Add	5600	100	450	2336	77.0	45.0		
Spray-In Bedliner	1	Add	19	Add	5600	100	500	2286	77.6	45.0		
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	6000	150	0	2736	92.9	45.0		
6" Angular Chrome Step w/o Lights (SRW only)	18	Add	15	Add	6000	150	50	2686	93.8	45.0		
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	6000	150	100	2636	94.6	45.0		
Lower Bodyside Molding	2	Add	1	Add	6000	150	150	2586	95.5	45.0		
Reverse Vehicle Sensor System	0	Add	1	Add	6000	150	200	2536	96.5	45.0		
Static Rear Video Camera	0	Add	1	Add	6000	150	250	2486	97.0	45.0		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	6000	150	300	2436	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	6000	150	350	2386	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	6000	150	400	2336	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	6000	150	450	2286	97.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	6000	150	500	2236	97.0	45.0		
Sliding Rear Window	5	Add	2	Add	6000	200	0	2686	90.8	45.0		
Power Sliding Rear Window	5	Add	3	Add	6000	200	50	2636	91.6	45.0		
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	6000	200	100	2586	92.5	45.0		
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	6000	200	150	2536	93.4	45.0		
Foglamps	3	Add	0	Add	6000	200	200	2486	94.3	45.0		
Bright Exhaust Pipe Extension	0	Add	3	Add	6000	200	250	2436	95.2	45.0		
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	6000	200	300	2386	96.2	45.0		
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	6000	200	350	2336	97.0	45.0		
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	6000	200	400	2286	97.0	45.0		
All Weather Floor Mat	6	Add	4	Add	6000	200	450	2236	97.0	45.0		
Electrochromic Rear View Mirror	1	Add	0	Add	6000	200	500	2186	97.0	45.0		
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	6000	250	0	2636	88.6	45.0		
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	6000	250	50	2586	89.4	45.0		
Cruise Control	3	Add	1	Add	6000	250	100	2536	90.2	45.0		
Power Equipment Group	12	Add	3	Add	6000	250	150	2486	91.1	45.0		
Adj Gas & Brake Pedals	4	Add	3	Add	6000	250	200	2436	92.0	45.0		
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	6000	250	250	2386	92.9	45.0		
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	6000	250	300	2336	93.9	45.0		
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	6000	250	350	2286	94.9	45.0		
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	6000	250	400	2236	95.9	45.0		
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	6000	250	450	2186	97.0	45.0		
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	6000	250	500	2136	97.0	45.0		
Cloth Seats	-2	Minus	-1	Minus	6000	300	0	2586	86.4	45.0		
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	6000	300	50	2536	87.1	45.0		
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	6000	300	100	2486	87.9	45.0		
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	6000	300	150	2436	88.7	45.0		
Satellite Digital Broadcast	2	Add	1	Add	6000	300	200	2386	89.6	45.0		
High Definition & Satellite Digital Broadcast	2	Add	1	Add	6000	300	250	2336	90.5	45.0		
SYNC Basic - Gen I	1	Add	0	Add	6000	300	300	2286	92.4	45.0		
SYNC Finder - Gen II	1	Add	0	Add	6000	300	350	2236	93.4	45.0		
FX4 Off-Road Package	2	Add	2	Add	6000	300	400	2186	94.5	45.0		
Tracking System - Crew Chief	3	Add	0	Add	6000	300	450	2136	95.6	45.0		
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	6000	300	500	2086	95.6	45.0		
Bed Mat	0	Add	58	Add								
Cable/Strap Locks	0	Add	9	Add								
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add								
Roll-up Tonneau Cover	5	Add	25	Add								
Wheel Well Liner - SRW only	0	Add	7	Add								
Gooseneck Hitch Kit	0	Add	10	Add								

Total Option Weight
 * This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE	VEHICLE LOADING DATA				VEHICLE LOADING DATA											
	6.2L Gasoline Engine 11200 lb (5079 kg) GVWR				6.7L Diesel Engine 11500 lb (5215 kg) GVWR											
	FRONT (Lbs.)	REAR (Lbs.)	OPTION WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT (Lbs.)	REAR (Lbs.)	OPTION WEIGHT		CENTER OF GRAVITY ZONE LIMITS					
			GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)			FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	3307	81.8	45.0	5600	-50	-50	2871	74.6	45.0
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	3257	82.4	45.0	5600	-50	0	2821	75.1	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	0	3257	82.4	45.0	5600	-50	0	2821	75.1	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	50	3207	82.9	45.0	5600	-50	50	2771	75.6	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	100	3157	83.4	45.0	5600	-50	100	2721	76.1	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	3257	79.7	45.0	6000	0	-50	2821	96.5	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	3207	80.2	45.0	6000	0	0	2771	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	3157	80.7	45.0	6000	0	50	2721	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	3107	81.2	45.0	6000	0	100	2671	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	3057	81.8	45.0	6000	0	150	2621	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	3007	82.4	45.0	6000	0	200	2571	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	2957	82.9	45.0	6000	0	250	2521	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	2907	83.5	45.0	6000	0	300	2471	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	350	2857	84.2	45.0	6000	0	350	2421	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	2807	84.8	45.0	6000	0	400	2371	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	2757	85.5	45.0	6000	0	450	2321	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	2707	86.2	45.0	6000	0	500	2271	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	550	2657	86.9	45.0	6000	0	550	2221	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	3157	78.0	45.0	6000	50	0	2721	95.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	3107	78.5	45.0	6000	50	50	2671	96.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	3057	79.0	45.0	6000	50	100	2621	96.9	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	3007	79.5	45.0	6000	50	150	2571	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	2957	80.0	45.0	6000	50	200	2521	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	2907	80.6	45.0	6000	50	250	2471	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	2857	81.1	45.0	6000	50	300	2421	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	2807	81.7	45.0	6000	50	350	2371	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	400	2757	82.3	45.0	6000	50	400	2321	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	450	2707	83.0	45.0	6000	50	450	2271	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	500	2657	83.6	45.0	6000	50	500	2221	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	550	2607	84.3	45.0	6000	50	550	2171	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	0	3107	75.7	45.0	6000	100	0	2671	92.8	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5200	100	50	3057	76.1	45.0	6000	100	50	2621	93.6	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 only w/18" Steel Wheel STD)	-2	Minus	-2	Minus	5200	100	100	3007	76.6	45.0	6000	100	100	2571	94.5	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	100	150	2957	77.1	45.0	6000	100	150	2521	95.4	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	200	2907	77.6	45.0	6000	100	200	2471	96.4	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	250	2857	78.1	45.0	6000	100	250	2421	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	300	2807	78.7	45.0	6000	100	300	2371	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	350	2757	79.2	45.0	6000	100	350	2321	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	100	400	2707	79.8	45.0	6000	100	400	2271	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	100	450	2657	80.4	45.0	6000	100	450	2221	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	500	2607	81.0	45.0	6000	100	500	2171	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	100	550	2557	81.7	45.0	6000	100	550	2121	97.0	45.0
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	5200	150	0	3057	73.3	45.0	6000	150	0	2621	90.3	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	50	3007	73.8	45.0	6000	150	50	2571	91.2	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	100	2957	74.2	45.0	6000	150	100	2521	92.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	150	2907	74.6	45.0	6000	150	150	2471	92.9	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	200	2857	75.1	45.0	6000	150	200	2421	93.8	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	250	2807	75.6	45.0	6000	150	250	2371	94.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	300	2757	76.1	45.0	6000	150	300	2321	95.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	350	2707	76.6	45.0	6000	150	350	2271	96.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	400	2657	77.1	45.0	6000	150	400	2221	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	450	2607	77.7	45.0	6000	150	450	2171	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	500	2557	78.3	45.0	6000	150	500	2121	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	550	2507	78.9	45.0	6000	150	550	2071	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5600	200	0	3007	93.8	45.0	6000	200	0	2571	87.8	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5600	200	50	2957	94.6	45.0	6000	200	50	2521	88.6	45.0
Foglamps	3	Add	0	Add	5600	200	100	2907	95.4	45.0	6000	200	100	2471	89.4	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5600	200	150	2857	96.2	45.0	6000	200	150	2421	90.3	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5600	200	200	2807	97.0	45.0	6000	200	200	2371	91.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5600	200	250	2757	97.0	45.0	6000	200	250	2321	92.1	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5600	200	300	2707	97.0	45.0	6000	200	300	2271	93.1	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5600	200	350	2657	97.0	45.0	6000	200	350	2221	94.1	45.0
All Weather Floor Mat	7	Add	4	Add	5600	200	400	2607	97.0	45.0	6000	200	400	2171	95.2	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5600	200	450	2557	97.0	45.0	6000	200	450	2121	96.3	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5600	200	500	2507	97.0	45.0	6000	200	500	2071	97.0	45.0
Floor Console - Stand alone	-25	Minus	-9	Minus	5600	200	550	2457	97.0	45.0	6000	200	550	2021	97.0	45.0
Cruise Control	3	Add	1	Add	5600	250	0	2957	91.7	45.0	6000	250	0	2521	85.2	45.0
Power Equipment Group	15	Add	6	Add	5600	250	50	2907	92.4	45.0	6000	250	50	2471	85.9	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	100	2857	93.2	45.0	6000	250	100	2421	86.7	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	150	2807	94.0	45.0	6000	250	150	2371	87.5	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	200	2757	94.9	45.0	6000	250	200			

OPTION TABLE				VEHICLE LOADING DATA						
				6.7L Diesel Engine 11400 lb (5170 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)		OPTION WEIGHT				CENTER OF GRAVITY ZONE LIMITS		
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	
				I	II	III	IV	V	VI	
Lariat Trim (GAS)	29	Add	19	Add						
XLT Trim (GAS)	13	Add	9	Add	5600	-50	-50	2771	75.6	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5600	-50	0	2721	76.1	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5600	-50	50	2671	76.6	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5600	-50	100	2621	77.2	45.0
Immersion Heater - Engine	1	Add	0	Add	6000	0	-50	2721	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	6000	0	0	2671	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	6000	0	50	2621	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	6000	0	100	2571	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	6000	0	150	2521	97.0	45.0
Brake Controller	1	Add	0	Add	6000	0	200	2471	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	6000	0	250	2421	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	6000	0	300	2371	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	6000	0	350	2321	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	6000	0	400	2271	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4x4	0	Add	38	Add	6000	0	450	2221	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	6000	0	500	2171	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	6000	0	550	2121	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	6000	50	0	2621	96.9	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	6000	50	50	2571	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	6000	50	100	2521	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	6000	50	150	2471	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	6000	50	200	2421	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	6000	50	250	2371	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	6000	50	300	2321	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	6000	50	350	2271	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	6000	50	400	2221	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	6000	50	450	2171	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	6000	50	500	2121	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	6000	50	550	2071	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	6000	100	0	2571	94.5	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	6000	100	50	2521	95.4	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	6000	100	100	2471	96.4	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	6000	100	150	2421	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	6000	100	200	2371	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	6000	100	250	2321	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	6000	100	300	2271	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	6000	100	350	2221	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	6000	100	400	2171	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	6000	100	450	2121	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	6000	100	500	2071	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	6000	100	550	2021	97.0	45.0
6" Angular Chrome Step w/o Lights (SRW only)	24	Add	19	Add	6000	150	0	2521	92.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	6000	150	50	2471	92.9	45.0
Lower Bodyside Molding	2	Add	1	Add	6000	150	100	2421	93.8	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	6000	150	150	2371	94.8	45.0
Static Rear Video Camera	0	Add	1	Add	6000	150	200	2321	95.8	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	6000	150	250	2271	96.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	6000	150	300	2221	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	6000	150	350	2171	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	6000	150	400	2121	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	6000	150	450	2071	97.0	45.0
Sliding Rear Window	5	Add	2	Add	6000	150	500	2021	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	6000	150	550	1971	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	6000	200	0	2471	89.4	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	6000	200	50	2421	90.3	45.0
Foglamps	3	Add	0	Add	6000	200	100	2371	91.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	6000	200	150	2321	92.1	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	6000	200	200	2271	93.1	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	6000	200	250	2221	94.1	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	6000	200	300	2171	95.2	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	6000	200	350	2121	96.3	45.0
All Weather Floor Mat	7	Add	4	Add	6000	200	400	2071	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	6000	200	450	2021	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	6000	200	500	1971	97.0	45.0
Floor Console - Stand alone	-25	Minus	-9	Minus	6000	200	550	1921	97.0	45.0
Cruise Control	3	Add	1	Add	6000	250	0	2421	86.7	45.0
Power Equipment Group	15	Add	6	Add	6000	250	50	2371	87.5	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	6000	250	100	2321	88.4	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	6000	250	150	2271	89.3	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	6000	250	200	2221	90.2	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	6000	250	250	2171	91.2	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	6000	250	300	2121	92.2	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	6000	250	350	2071	93.3	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	6000	250	400	2021	94.4	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	6000	250	450	1971	95.6	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	6000	250	500	1921	96.8	45.0
Cloth Seats	-2	Minus	-1	Minus	6000	250	550	1871	97.0	45.0
King Ranch Leather	4	Add	2	Add	6000	300	0	2371	83.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	6000	300	50	2321	84.7	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	6000	300	100	2271	85.5	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	6000	300	150	2221	86.3	45.0
Satellite Digital Broadcast	2	Add	1	Add	6000	300	200	2171	87.2	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	6000	300	250	2121	88.1	45.0
SYNC Basic - Gen I	1	Add	0	Add	6000	300	300	2071	89.1	45.0
SYNC Finder - Gen II	1	Add	0	Add	6000	300	350	2021	90.1	45.0
FX4 Off-Road Package	2	Add	2	Add	6000	300	400	1971	91.2	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	6000	300	450	1921	92.3	45.0
Tracking System - Crew Chief	3	Add	0	Add	6000	300	500	1871	93.5	45.0
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add	6000	300	550	1821	94.8	45.0
King Ranch with Chromed Accent Option	6	Add	3	Add						
Platinum Package	6	Add	3	Add						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add						
Bed Mat	0	Add	58	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	5	Add	25	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 13500 lb (6122 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 14000 lb (6349 kg) GVWR													
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
				GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)
XLT Trim (GAS)	10	Add	6	Add																			
XLT Trim (DIESEL)	14	Add	9	Add	4250	-50	-50	6692	60.6	52.5	4550	-50	-50	6550	55.1	51.0							
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4250	-50	0	6642	60.7	52.5	4550	-50	0	6500	55.1	51.0							
Immersion Heater - Engine	1	Add	0	Add	4250	-50	50	6592	60.8	52.5	4550	-50	50	6450	55.2	51.0							
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add	4250	-50	100	6542	60.9	52.6	4550	-50	100	6400	55.2	51.1							
Brake Controller	1	Add	0	Add	4250	-50	150	6492	61.0	52.6	4550	-50	150	6350	55.3	51.1							
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4250	-50	200	6442	61.1	52.7	4550	-50	200	6300	55.4	51.1							
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4250	-50	250	6392	61.2	52.7	4550	-50	250	6250	55.4	51.1							
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4250	-50	300	6342	61.3	52.7	4550	-50	300	6200	55.5	51.2							
5th Wheel Hitch	0	Add	96	Add	4250	-50	350	6292	61.4	52.8	4550	-50	350	6150	55.5	51.2							
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4250	-50	400	6242	61.5	52.8	4550	-50	400	6100	55.6	51.2							
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4250	-50	450	6192	61.6	52.8	4550	-50	450	6050	55.7	51.2							
750 CCA/78 AH Battery	2	Add	0	Add	4250	0	-50	6642	59.6	51.5	4700	0	-50	6500	57.2	50.0							
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4250	0	0	6592	59.7	51.5	4700	0	0	6450	57.3	50.0							
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4250	0	50	6542	59.8	51.5	4700	0	50	6400	57.4	50.0							
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-36	Minus	4250	0	100	6492	59.9	51.6	4700	0	100	6350	57.4	50.0							
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus	4250	0	150	6442	60.0	51.6	4700	0	150	6300	57.5	50.0							
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus	4250	0	200	6392	60.1	51.6	4700	0	200	6250	57.6	50.0							
16 Minus -111	16	Minus	-111	Minus	4250	0	250	6342	60.2	51.6	4700	0	250	6200	57.7	50.0							
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus	4250	0	300	6292	60.3	51.7	4700	0	300	6150	57.8	50.1							
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4250	0	350	6242	60.4	51.7	4700	0	350	6100	57.8	50.1							
Pickup Bed Extender	-2	Minus	21	Add	4250	0	400	6192	60.5	51.7	4700	0	400	6050	57.9	50.1							
Drop-In Bedliner	2	Add	42	Add	4250	0	450	6142	60.6	51.8	4700	0	450	6000	58.0	50.1							
Spray-In Bedliner	1	Add	19	Add	4250	50	-50	6592	58.7	50.5	4700	50	-50	6450	56.2	48.9							
Reverse Vehicle Sensor System	0	Add	1	Add	4250	50	0	6542	58.8	50.5	4700	50	0	6400	56.3	48.9							
Static Rear Video Camera	0	Add	1	Add	4250	50	50	6492	58.8	50.5	4700	50	50	6350	56.4	48.9							
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4250	50	100	6442	58.9	50.5	4700	50	100	6300	56.4	48.9							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4250	50	150	6392	59.0	50.5	4700	50	150	6250	56.5	48.9							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4250	50	200	6342	59.1	50.6	4700	50	200	6200	56.6	48.9							
Sliding Rear Window	5	Add	2	Add	4250	50	250	6292	59.2	50.6	4700	50	250	6150	56.6	49.0							
Foglamps	3	Add	0	Add	4250	50	300	6242	59.3	50.6	4700	50	300	6100	56.7	49.0							
Bright Exhaust Pipe Extension	0	Add	3	Add	4250	50	350	6192	59.4	50.6	4700	50	350	6050	56.8	49.0							
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4250	50	400	6142	59.5	50.7	4700	50	400	6000	56.9	49.0							
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4250	50	450	6092	59.6	50.7	4700	50	450	5950	56.9	49.0							
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4400	100	-50	6542	60.9	49.4	4700	100	-50	6400	55.2	47.8							
All Weather Floor Mat	4	Add	2	Add	4400	100	0	6492	61.0	49.5	4700	100	0	6350	55.3	47.8							
Electrochromic Rear View Mirror	1	Add	0	Add	4400	100	50	6442	61.1	49.5	4700	100	50	6300	55.4	47.8							
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4400	100	100	6392	61.2	49.5	4700	100	100	6250	55.4	47.8							
Floor Console - Stand alone	-25	Minus	-9	Minus	4400	100	150	6342	61.3	49.5	4700	100	150	6200	55.5	47.8							
Cruise Control	3	Add	1	Add	4400	100	200	6292	61.4	49.5	4700	100	200	6150	55.5	47.8							
Power Equipment Group	12	Add	3	Add	4400	100	250	6242	61.5	49.5	4700	100	250	6100	55.6	47.8							
Adj Gas & Brake Pedals	4	Add	3	Add	4400	100	300	6192	61.6	49.5	4700	100	300	6050	55.7	47.8							
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4400	100	350	6142	61.7	49.5	4700	100	350	6000	55.7	47.8							
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4400	100	400	6092	61.8	49.6	4700	100	400	5950	55.8	47.8							
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4400	100	450	6042	61.9	49.6	4700	100	450	5900	55.9	47.8							
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4400	150	-50	6492	59.9	48.4	4850	150	-50	6350	57.4	46.8							
Cloth Seats	-2	Minus	-1	Minus	4400	150	0	6442	60.0	48.4	4850	150	0	6300	57.5	46.8							
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4400	150	50	6392	60.1	48.4	4850	150	50	6250	57.6	46.7							
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4400	150	100	6342	60.2	48.4	4850	150	100	6200	57.7	46.7							
Satellite Digital Broadcast	2	Add	1	Add	4400	150	150	6292	60.3	48.4	4850	150	150	6150	57.8	46.7							
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4400	150	200	6242	60.4	48.4	4850	150	200	6100	57.8	46.7							
SYNC Basic - Gen I	1	Add	0	Add	4400	150	250	6192	60.5	48.4	4850	150	250	6050	57.9	46.7							
SYNC Finder - Gen II	1	Add	0	Add	4400	150	300	6142	60.6	48.4	4850	150	300	6000	58.0	46.7							
Tracking System - Crew Chief	3	Add	0	Add	4400	150	350	6092	60.7	48.4	4850	150	350	5950	58.1	46.7							
Flat Splash Guards (DRW) only 2 rear	0	Add	2	Add	4400	150	400	6042	60.8	48.4	4850	150	400	5900	58.2	46.7							
Bed Mat	0	Add	58	Add	4400	150	450	5992	60.9	48.4	4850	150	450	5850	58.3	46.7							
Cable/Strap Locks	0	Add	9	Add	4400	200	-50	6442	58.9	47.3	4850	200	-50	6300	56.4	45.7							
5th Wheel Hitch Assembly - DRW only	0	Add	142	Add	4400	200	0	6392	59.0	47.3	4850	200	0	6250	56.5	45.6							
Roll-up Tonneau Cover	5	Add	25	Add	4400	200	50	6342	59.1	47.3	4850	200	50	6200	56.6	45.6							
Stainless Steel Simulator Kit - DRW only	9	Add	9	Add	4400	200	100	6292	59.2														

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 13900 lb (6304 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 14000 lb (6349 kg) GVWR						
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS		OPTION WEIGHT		CARGO WEIGHT (LB)	CENTER OF GRAVITY ZONE LIMITS			
	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (A) (IN)	REAR (B) (IN)		FRONT (A) (IN)	REAR (B) (IN)	FRONT (A) (IN)	REAR (B) (IN)					
	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)				
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4400	-50	-50	6244	56.1	52.4	5000	-50	-50	5601	56.5	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	0	6194	56.1	52.4	5000	-50	0	5551	56.5	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	50	6144	56.2	52.4	5000	-50	50	5501	56.6	45.0
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	100	6094	56.3	52.5	5000	-50	100	5451	56.7	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	150	6044	56.3	52.5	5000	-50	150	5401	56.8	45.0
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add	4400	-50	200	5994	56.4	52.6	5000	-50	200	5351	56.9	45.0
Brake Controller	1	Add	0	Add	4400	-50	250	5944	56.5	52.6	5000	-50	250	5301	56.9	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	-50	300	5894	56.6	52.6	5000	-50	300	5251	57.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	-50	350	5844	56.6	52.7	5000	-50	350	5201	57.1	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	-50	400	5794	56.7	52.7	5000	-50	400	5151	57.2	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	-50	6194	58.7	51.1	5250	0	-50	5551	62.2	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	0	6144	58.8	51.2	5250	0	0	5501	62.4	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	50	6094	58.9	51.2	5250	0	50	5451	62.5	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	100	6044	59.0	51.2	5250	0	100	5401	62.6	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	150	5994	59.0	51.2	5250	0	150	5351	62.8	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	0	200	5944	59.1	51.3	5250	0	200	5301	62.9	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	0	250	5894	59.2	51.3	5250	0	250	5251	63.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	0	300	5844	59.3	51.3	5250	0	300	5201	63.2	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-34	Minus	4550	0	350	5794	59.4	51.4	5250	0	350	5151	63.3	45.0
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus	4550	0	400	5744	59.5	51.4	5250	0	400	5101	63.5	45.0
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus	4550	50	-50	6144	57.5	49.9	5250	50	-50	5501	60.9	45.0
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	16	Minus	-111	Minus	4550	50	0	6094	57.6	49.9	5250	50	0	5451	61.0	45.0
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus	4550	50	50	6044	57.6	49.9	5250	50	50	5401	61.2	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	50	100	5994	57.7	49.9	5250	50	100	5351	61.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	50	150	5944	57.8	49.9	5250	50	150	5301	61.4	45.0
Drop-In Bedliner	2	Add	35	Add	4550	50	200	5894	57.9	50.0	5250	50	200	5251	61.5	45.0
Spray-In Bedliner	1	Add	19	Add	4550	50	250	5844	58.0	50.0	5250	50	250	5201	61.7	45.0
6" Angular Chrome Step w/o Lights	-6	Minus	-4	Minus	4550	50	300	5794	58.1	50.0	5250	50	300	5151	61.8	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights	-7	Minus	-5	Minus	4550	50	350	5744	58.2	50.0	5250	50	350	5101	61.9	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	50	400	5694	58.3	50.0	5250	50	400	5051	62.1	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	100	-50	6094	56.3	48.6	5250	100	-50	5451	59.6	45.0
Static Rear Video Camera	0	Add	1	Add	4550	100	0	6044	56.3	48.6	5250	100	0	5401	59.7	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	100	50	5994	56.4	48.6	5250	100	50	5351	59.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	100	100	5944	56.5	48.6	5250	100	100	5301	59.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	100	150	5894	56.6	48.6	5250	100	150	5251	60.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	100	200	5844	56.6	48.6	5250	100	200	5201	60.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	100	250	5794	56.7	48.6	5250	100	250	5151	60.3	45.0
Sliding Rear Window	5	Add	2	Add	4550	100	300	5744	56.8	48.6	5250	100	300	5101	60.4	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	100	350	5694	56.9	48.6	5250	100	350	5051	60.5	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	100	400	5644	56.9	48.6	5250	100	400	5001	60.6	45.0
Foglamps	3	Add	0	Add	4700	150	-50	6044	59.0	47.3	5250	150	-50	5401	58.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	150	0	5994	59.0	47.3	5250	150	0	5351	58.3	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	150	50	5944	59.1	47.3	5250	150	50	5301	58.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	150	100	5894	59.2	47.3	5250	150	100	5251	58.5	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	150	150	5844	59.3	47.3	5250	150	150	5201	58.6	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	-	-	-	-	4700	150	200	5794	59.4	47.3	5250	150	200	5151	58.7	45.0
All Weather Floor Mat	6	Add	4	Add	4700	150	250	5744	59.5	47.3	5250	150	250	5101	58.8	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	150	300	5694	59.6	47.3	5250	150	300	5051	59.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	150	350	5644	59.7	47.2	5250	150	350	5001	59.1	45.0
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	4700	150	400	5594	59.8	47.2	5250	150	400	4951	59.2	45.0
Cruise Control	3	Add	1	Add	4700	200	-50	5994	57.7	46.0	5250	200	-50	5351	56.9	45.0
Power Equipment Group	12	Add	3	Add	4700	200	0	5944	57.8	46.0	5250	200	0	5301	56.9	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	200	50	5894	57.9	45.9	5250	200	50	5251	57.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	200	100	5844	58.0	45.9	5250	200	100	5201	57.1	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	200	150	5794	58.1	45.9	5250	200	150	5151	57.2	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	200	200	5744	58.2	45.9	5250	200	200	5101	57.3	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	200	250	5694	58.3	45.9	5250	200	250	5051	57.4	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	200	300	5644	58.3	45.8	5250	200	300	5001	57.5	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	200	350	5594	58.4	45.8	5250	200	350	4951	57.6	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	200	400	5544	58.5	45.8	5250	200	400	4901	57.7	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	250	-50	5944	56.5	45.0	5250	250	-50	5301	55.4	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	250	0	5894	56.6	45.0	5250	250	0	5251	55.5	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	4700	250	50	5844	56.6	45.0	5250	250	50	5201	55.6	45.0
Satellite Digital Broadcast	2	Add	1	Add	4700	250	100	5794	56.7	45.0	5250	250	100	5151	55.7	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4700	250	150	5744	56.8	45.0	5250	250	150	5101	55.7	45.0
SYNC Basic - Gen I	1	Add	0	Add	4700	250	200	5694	56.9	45.0	5250	250	200	5051	55.8	45.0
SYNC Finder - Gen II	1	Add	0	Add	4700	250	250	5644	56.9	45.0	5250	250	250	5001	55.9	45.0
Tracking System - Crew Chief	3	Add	0	Add	4700	250	300	5594	57.0	45.0	5250	250	300	4951	56.0	45.0
Flat Splash Guards (DRW) only 2 rear	0	Add	2	Add	4700	250	350	5544	57.1	45.0	5250	250	350	4901	56.1	45.0
Bed Mat	0	Add	58	Add	4700	250	400	5494	57.2	45.0	5250	250	400	4851	56.2	45.0
Cable/Strap Locks	0	Add	9	Add	4850	300	-50	5894	59.2	45.0	5250					

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 14000 lb (6349 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 14000 lb (6349 kg) GVWR													
OPTION DESCRIPTION				FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
				GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (Lb.)	REAR (Lb.)	RATING (Lb.)	FRONT (A) (IN)	REAR (B) (IN)		
Lariat Trim (GAS)	29	Add	19	Add																			
XLT Trim (GAS)	13	Add	9	Add	4550	-50	-50	6118	57.4	51.9	5250	-50	-50	5381	61.6	45.0							
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	0	6068	57.5	51.9	5250	-50	0	5331	61.7	45.0							
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	50	6018	57.6	52.0	5250	-50	50	5281	61.9	45.0							
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat Immersion Heater - Engine	3	Add	0	Add	4550	-50	100	5968	57.7	52.0	5250	-50	100	5231	62.0	45.0							
Limited Slip Rear Axle (350/450 DRW only)	1	Add	0	Add	4550	-50	150	5918	57.8	52.0	5250	-50	150	5181	62.1	45.0							
Brake Controller	0	Add	11	Add	4550	-50	200	5868	57.8	52.1	5250	-50	200	5131	62.3	45.0							
Less Urea Emission Tank (DSL only)	1	Add	0	Add	4550	-50	250	5818	57.9	52.1	5250	-50	250	5081	62.4	45.0							
Rear Auxiliary Spring Package (F250 4x2 Diesel)	-97	Minus	-64	Minus	4550	-50	300	5768	58.0	52.1	5250	-50	300	5031	62.6	45.0							
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	38	Add	4550	-50	350	5718	58.1	52.2	5250	-50	350	4981	62.7	45.0							
5th Wheel Hitch	0	Add	57	Add	4550	-50	400	5668	58.2	52.2	5250	-50	400	4931	62.9	45.0							
Dual Heavy Duty Alternators (6.7L DSL only)	0	Add	96	Add	4550	-50	450	5618	58.3	52.2	5250	-50	450	4881	63.0	45.0							
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	16	Add	0	Add	4550	-50	500	5568	58.4	52.3	5250	-50	500	4831	63.2	45.0							
750 CCA/78 AH Battery	3	Add	0	Add	4700	0	-50	6068	60.4	50.5	5250	0	-50	5331	60.1	45.0							
Manual Air Conditioning (GAS)	2	Add	0	Add	4700	0	0	6018	60.5	50.5	5250	0	0	5281	60.2	45.0							
Dual Zone Electronic Automatic Temperature Control AC (GAS)	32	Add	-1	Minus	4700	0	50	5968	60.6	50.6	5250	0	50	5231	60.4	45.0							
Manual Air Conditioning (DIESEL)	34	Add	-1	Minus	4700	0	100	5918	60.7	50.6	5250	0	100	5181	60.5	45.0							
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	31	Add	-1	Minus	4700	0	150	5868	60.8	50.6	5250	0	150	5131	60.6	45.0							
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	34	Add	-1	Minus	4700	0	200	5818	60.9	50.6	5250	0	200	5081	60.7	45.0							
LT 245/75R17E AT BSW (DRW only)	-32	Minus	-36	Minus	4700	0	250	5768	61.0	50.6	5250	0	250	5031	60.8	45.0							
LT 245/75R17E AT OWL (DRW only)	-2	Minus	-5	Minus	4700	0	300	5718	61.1	50.7	5250	0	300	4981	61.0	45.0							
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	-3	Minus	-6	Minus	4700	0	350	5668	61.2	50.7	5250	0	350	4931	61.1	45.0							
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	-6	Minus	-111	Minus	4700	0	400	5618	61.4	50.7	5250	0	400	4881	61.2	45.0							
Stepgate (Upgraded Tailgate)	2	Add	-20	Minus	4700	0	450	5568	61.5	50.7	5250	0	450	4831	61.4	45.0							
Pickup Bed Extender	-8	Minus	41	Add	4700	0	500	5518	61.6	50.8	5250	0	500	4781	61.5	45.0							
Drop-In Bedliner	-2	Minus	21	Add	4700	50	-50	6018	59.0	49.1	5250	50	-50	5281	58.6	45.0							
Spray-In Bedliner	2	Add	42	Add	4700	50	0	5968	59.1	49.1	5250	50	0	5231	58.7	45.0							
Side Aux Steps - w/Lights (DRW only)	0	Add	20	Add	4700	50	50	5918	59.2	49.1	5250	50	50	5181	58.8	45.0							
6" Angular Chrome Step w/o Lights	11	Add	7	Add	4700	50	100	5868	59.3	49.1	5250	50	100	5131	58.9	45.0							
5" Tubular Chromed Side Aux. Steps w/o Lights	-2	Minus	-2	Minus	4700	50	150	5818	59.4	49.1	5250	50	150	5081	59.0	45.0							
Lower Bodyside Molding	-3	Minus	-3	Minus	4700	50	200	5768	59.5	49.1	5250	50	200	5031	59.1	45.0							
Reverse Vehicle Sensor System	2	Add	1	Add	4700	50	250	5718	59.6	49.2	5250	50	250	4981	59.2	45.0							
Static Rear Video Camera	0	Add	1	Add	4700	50	300	5668	59.7	49.2	5250	50	300	4931	59.4	45.0							
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	50	350	5618	59.8	49.2	5250	50	350	4881	59.5	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	50	400	5518	60.0	49.2	5250	50	400	4781	59.7	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	50	500	5468	60.1	49.2	5250	50	500	4731	59.8	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	100	-50	5968	57.7	47.7	5250	100	-50	5231	57.1	45.0							
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4700	100	0	5918	57.8	47.7	5250	100	0	5181	57.1	45.0							
Sliding Rear Window	5	Add	2	Add	4700	100	50	5868	57.8	47.7	5250	100	50	5131	57.2	45.0							
Power Sliding Rear Window	5	Add	3	Add	4700	100	100	5818	57.9	47.7	5250	100	100	5081	57.3	45.0							
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	100	150	5768	58.0	47.7	5250	100	150	5031	57.4	45.0							
Foglamps	3	Add	0	Add	4700	100	200	5718	58.1	47.7	5250	100	200	4981	57.5	45.0							
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	100	250	5668	58.2	47.6	5250	100	250	4931	57.6	45.0							
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-4	Minus	0	Add	4700	100	300	5618	58.3	47.6	5250	100	300	4881	57.7	45.0							
Floor Cover-Carpet Ins-Complete Color Keyed	6	Add	1	Add	4700	100	350	5568	58.4	47.6	5250	100	350	4831	57.8	45.0							
XLT Floor Mats less Logo (Color Keyed)	3	Add	3	Add	4700	100	400	5518	58.5	47.6	5250	100	400	4781	57.9	45.0							
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	100	450	5468	58.6	47.6	5250	100	450	4731	58.0	45.0							
All Weather Floor Mat	7	Add	4	Add	4700	100	500	5418	58.7	47.6	5250	100	500	4681	58.1	45.0							
Electrochromic Rear View Mirror	1	Add	0	Add	4850	150	-50	5918	60.7	46.2	5250	150	-50	5181	55.5	45.0							
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4850	150	0	5868	60.8	46.2	5250	150	0	5131	55.6	45.0							
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	4850	150	50	5818	60.9	46.2	5250	150	50	5081	55.6	45.0							
Cruise Control	3	Add	1	Add	4850	150	100	5768	61.0	46.2	5250	150	100	5031	55.7	45.0							
Power Equipment Group	15	Add	6	Add	4850	150	150	5718	61.1	46.1	5250	150	150	4981	55.8	45.0							
Adj Gas & Brake Pedals	4	Add	3	Add	4850	150	200	5668	61.2	46.1	5250	150	200	4931	55.9	45.0							
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4850	150	250	5618	61.4	46.1	5250	150	250	4881	55.9	45.0							
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4850	150	300	5568	61.5	46.1	5250	150	300	4831	56.0	45.0							
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	150	350	5518	61.6	46.1	5250	150	350	4781	56.1	45.0							
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	4850	150	400	5468	61.7	46.1	5250	150	400	4731	56.2	45.0							
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4850	150	450	5418	61.8	46.0	5250	150	450	4681	56.3	45.0							
10-Way Power Seat Adjuster (Driver/Passenger)																							

OPTION TABLE	FRONT (Lbs.)				REAR (Lbs.)				VEHICLE LOADING DATA						VEHICLE LOADING DATA					
									6.2L Gasoline Engine 14000 lb (6349 kg) GVWR						6.7L Diesel Engine 14000 lb (6349 kg) GVWR					
									FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT	
FRONT (Lb.)		REAR (Lb.)		RATING (Lb.)		FRONT (A) REAR (B) (IN)		FRONT (Lb.)		REAR (Lb.)		RATING (Lb.)		FRONT (A) REAR (B) (IN)						
OPTION DESCRIPTION	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lbs.)	REAR (Lbs.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)	FRONT (Lb.)	REAR (Lb.)				
Lariat Trim (GAS)	25	Add	17	Add	5200	-50	5933	68.3	45.8	5600	-50	5198	65.1	45.0						
XLT Trim (GAS)	10	Add	7	Add	5200	-50	5833	68.5	45.8	5600	-50	5148	65.2	45.0						
Lariat Trim (DIESEL)	30	Add	20	Add	5200	-50	5833	68.7	45.8	5600	-50	5098	65.4	45.0						
XLT Trim (DIESEL)	20	Add	13	Add	5200	-50	5733	68.9	45.8	5600	-50	5048	65.6	45.0						
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	5733	69.1	45.7	5600	-50	4998	65.8	45.0						
Immersion Heater - Engine	1	Add	0	Add	5200	-50	5683	69.2	45.7	5600	-50	200	4948	65.9	45.0					
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add	5200	-50	5633	69.4	45.7	5600	-50	250	4898	66.1	45.0					
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	-50	5533	69.6	45.7	5600	-50	300	4848	66.3	45.0					
Brake Controller	1	Add	0	Add	5200	-50	5533	69.8	45.7	5600	-50	350	4798	66.5	45.0					
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	-50	5433	70.0	45.6	5600	-50	400	4748	66.7	45.0					
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	-50	5383	70.2	45.0	5600	-50	450	4698	66.9	45.0					
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	-50	5283	70.4	45.0	5600	-50	500	4648	67.1	45.0					
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	5183	70.6	45.0	5600	0	550	4598	67.3	45.0					
5th Wheel Hitch	0	Add	96	Add	5200	0	5083	70.8	45.0	5600	0	600	4548	67.5	45.0					
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	5033	71.0	45.0	5600	0	650	4498	67.7	45.0					
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	5033	71.2	45.0	5600	0	700	4448	67.9	45.0					
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	5033	71.4	45.0	5600	0	750	4398	68.1	45.0					
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	0	250	5583	68.2	45.0	5600	0	250	4848	64.7	45.0				
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	0	300	5533	68.4	45.0	5600	0	300	4798	64.9	45.0				
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	0	350	5483	68.6	45.0	5600	0	350	4748	65.0	45.0				
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	0	400	5433	68.8	45.0	5600	0	400	4698	65.2	45.0				
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-36	Minus	5200	50	-50	5383	66.0	45.0	5600	50	-50	5098	62.3	45.0				
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus	5200	50	0	5783	66.1	45.0	5600	50	0	5048	62.4	45.0				
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus	5200	50	50	5733	66.3	45.0	5600	50	50	4998	62.6	45.0				
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	16	Minus	-11	Minus	5200	50	100	5683	66.5	45.0	5600	50	100	4948	62.7	45.0				
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus	5200	50	150	5633	66.6	45.0	5600	50	150	4898	62.9	45.0				
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	50	200	5583	66.8	45.0	5600	50	200	4848	63.1	45.0				
Pickup Bed Extender	-2	Minus	21	Add	5200	50	250	5533	67.0	45.0	5600	50	250	4798	63.2	45.0				
Drop-In Bedliner	2	Add	35	Add	5200	50	300	5483	67.1	45.0	5600	50	300	4748	63.4	45.0				
Spray-In Bedliner	1	Add	19	Add	5200	50	350	5433	67.3	45.0	5600	50	350	4698	63.5	45.0				
6" Angular Chrome Step w/o Lights	-6	Minus	-4	Minus	5200	50	400	5383	67.5	45.0	5600	50	400	4648	63.7	45.0				
5" Tubular Chromed Side Aux. Steps w/o Lights	-7	Minus	-5	Minus	5200	100	-50	5783	64.8	45.0	5600	100	-50	5048	60.9	45.0				
Lower Bodyside Molding	2	Add	1	Add	5200	100	0	5733	64.9	45.0	5600	100	0	4998	61.0	45.0				
Reverse Vehicle Sensor System	0	Add	1	Add	5200	100	50	5683	65.1	45.0	5600	100	50	4948	61.1	45.0				
Static Rear Video Camera	0	Add	1	Add	5200	100	100	5633	65.2	45.0	5600	100	100	4898	61.3	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	100	150	5583	65.4	45.0	5600	100	150	4848	61.4	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	100	200	5533	65.5	45.0	5600	100	200	4798	61.6	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	100	250	5483	65.7	45.0	5600	100	250	4748	61.7	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	100	300	5433	65.9	45.0	5600	100	300	4698	61.9	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	100	350	5383	66.0	45.0	5600	100	350	4648	62.0	45.0				
Sliding Rear Window	5	Add	2	Add	5200	100	400	5333	66.2	45.0	5600	100	400	4598	62.2	45.0				
Power Sliding Rear Window	5	Add	3	Add	5200	150	-50	5733	63.6	45.0	6000	150	-50	4998	72.1	45.0				
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	0	5683	63.7	45.0	6000	150	0	4948	72.3	45.0				
Foglamps	3	Add	0	Add	5200	150	50	5633	63.8	45.0	6000	150	50	4898	72.6	45.0				
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	150	100	5583	64.0	45.0	6000	150	100	4848	72.8	45.0				
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	150	150	5533	64.1	45.0	6000	150	150	4798	73.1	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	150	200	5483	64.3	45.0	6000	150	200	4748	73.4	45.0				
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	150	250	5433	64.4	45.0	6000	150	250	4698	73.6	45.0				
All Weather Floor Mat	6	Add	4	Add	5200	150	300	5383	64.6	45.0	6000	150	300	4648	73.9	45.0				
Electrochromic Rear View Mirror	1	Add	0	Add	5200	150	350	5333	64.7	45.0	6000	150	350	4598	74.2	45.0				
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	150	400	5283	64.9	45.0	6000	150	400	4548	74.5	45.0				
Floor Console - Stand alone	-25	Minus	-9	Minus	5200	200	-50	5683	62.3	45.0	6000	200	-50	4948	70.7	45.0				
Cruise Control	3	Add	1	Add	5200	200	0	5633	62.4	45.0	6000	200	0	4898	71.0	45.0				
Power Equipment Group	12	Add	3	Add	5200	200	50	5583	62.6	45.0	6000	200	50	4848	71.2	45.0				
Adj Gas & Brake Pedals	4	Add	3	Add	5200	200	100	5533	62.7	45.0	6000	200	100	4798	71.4	45.0				
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	200	150	5483	62.8	45.0	6000	200	150	4748	71.7	45.0				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	200	200	5433	63.0	45.0	6000	200	200	4698	71.9	45.0				
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	200	250	5383	63.1	45.0	6000	200	250	4648	72.2	45.0				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5200	200	300	5333	63.2	45.0	6000	200	300	4598	72.5	45.0				
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	200	350	5283	63.4	45.0	6000	200	350	4548	72.7	45.0				
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	200	400	5233	63.5	45.0	6000	200	400	4498	73.0	45.0				
Cloth Seats	-2	Minus	-1	Minus	5200	250	-50	5633	61.0	45.0	6000	250	-50	4898	69.3	45.0				
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	250	0	5583	61.1	45.0	6000	250	0	4848	69.6	45.0				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	250	50	5533	61.3	45.0	6000	250	50	4798	69.8	45.0				
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	250	100	5483	61.4	45.0	6000	250	100	4748	70.0	45.0				
Satellite Digital Broadcast	2	Add	1	Add	5200	250	150	5433	61.5	45.0	6000	250	150	4698	70.3	45.0				
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	250	200	5383	61.6	45.0	6000	250	200	4648	70.5	45.0				
SYNC Basic - Gen I	1	Add	0	Add	5200	250	250	5333	61.8	45.0										

OPTION TABLE				VEHICLE LOADING DATA 6.2L Gasoline Engine 14000 lb (6349 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 14000 lb (6349 kg) GVWR										
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A)	REAR (B)	FRONT (IN)	REAR (IN)	FRONT (A)	REAR (B)	FRONT (IN)	REAR (IN)	FRONT (A)	REAR (B)	FRONT (IN)	REAR (IN)	FRONT (A)	REAR (B)	FRONT (IN)	REAR (IN)
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	5715	66.9	45.0	6000	-50	-50	4980	75.5	45.0				
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	5665	67.0	45.0	6000	-50	0	4930	75.8	45.0				
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	0	5665	67.0	45.0	6000	-50	0	4930	75.8	45.0				
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	50	5615	67.2	45.0	6000	-50	50	4880	76.1	45.0				
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	100	5565	67.4	45.0	6000	-50	100	4830	76.3	45.0				
Immersion Heater - Engine	1	Add	0	Add	5200	-50	150	5515	67.5	45.0	6000	-50	150	4780	76.6	45.0				
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add	5200	-50	200	5465	67.7	45.0	6000	-50	200	4730	76.9	45.0				
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	-50	250	5415	67.9	45.0	6000	-50	250	4680	77.3	45.0				
Brake Controller	1	Add	0	Add	5200	-50	300	5365	68.1	45.0	6000	-50	300	4630	77.6	45.0				
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	-50	350	5315	68.3	45.0	6000	-50	350	4580	77.9	45.0				
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	-50	400	5265	68.5	45.0	6000	-50	400	4530	78.2	45.0				
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	-50	450	5215	68.7	45.0	6000	-50	450	4480	78.6	45.0				
Rear Auxiliary Spring Package (F250-F350 4x4, not available in F450)	0	Add	38	Add	5200	-50	500	5165	68.9	45.0	6000	-50	500	4430	78.9	45.0				
5th Wheel Hitch	0	Add	96	Add	5200	0	-50	5665	65.5	45.0	6000	0	-50	4930	74.0	45.0				
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	0	5615	65.7	45.0	6000	0	0	4880	74.3	45.0				
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	50	5565	65.8	45.0	6000	0	50	4830	74.6	45.0				
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	100	5515	66.0	45.0	6000	0	100	4780	74.8	45.0				
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	0	150	5465	66.1	45.0	6000	50	150	4680	73.6	45.0				
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	0	200	5415	66.3	45.0	6000	50	200	4630	73.8	45.0				
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	0	250	5365	66.5	45.0	6000	50	250	4580	74.1	45.0				
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	0	300	5315	66.7	45.0	6000	50	300	4530	74.4	45.0				
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-36	Minus	5200	0	350	5265	66.8	45.0	6000	50	350	4480	74.7	45.0				
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus	5200	0	400	5215	67.0	45.0	6000	50	400	4430	75.0	45.0				
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus	5200	0	450	5165	67.2	45.0	6000	50	450	4380	75.3	45.0				
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	16	Minus	-111	Minus	5200	0	500	5115	67.4	45.0	6000	50	500	4330	75.6	45.0				
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus	5200	50	-50	5615	64.1	45.0	6000	50	-50	4880	72.5	45.0				
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	50	0	5565	64.3	45.0	6000	50	0	4830	72.8	45.0				
Pickup Bed Extender	-2	Minus	21	Add	5200	50	50	5515	64.4	45.0	6000	50	50	4780	73.0	45.0				
Drop-In Bedliner	2	Add	42	Add	5200	50	100	5465	64.6	45.0	6000	100	100	4680	71.7	45.0				
Spray-In Bedliner	0	Add	20	Add	5200	50	150	5415	64.7	45.0	6000	100	150	4630	72.0	45.0				
Side Aux Steps - w/Lights (DRW only)	11	Add	7	Add	5200	50	200	5365	64.9	45.0	6000	100	200	4580	72.2	45.0				
6" Angular Chrome Step w/o Lights	-2	Minus	-2	Minus	5200	50	250	5315	65.0	45.0	6000	100	250	4530	72.5	45.0				
5" Tubular Chromed Side Aux. Steps w/o Lights	-3	Minus	-3	Minus	5200	50	300	5265	65.2	45.0	6000	100	300	4480	72.8	45.0				
Lower Bodyside Molding	2	Add	1	Add	5200	50	350	5215	65.4	45.0	6000	100	350	4430	73.1	45.0				
Reverse Vehicle Sensor System	0	Add	1	Add	5200	50	400	5165	65.5	45.0	6000	100	400	4380	73.4	45.0				
Static Rear Video Camera	0	Add	1	Add	5200	50	450	5115	65.7	45.0	6000	100	450	4330	73.6	45.0				
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	50	500	5065	65.9	45.0	6000	100	500	4280	73.9	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	100	-50	5565	62.7	45.0	6000	100	-50	4830	71.0	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	100	0	5515	62.9	45.0	6000	100	0	4780	71.2	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	100	50	5465	63.0	45.0	6000	150	50	4680	69.9	45.0				
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	100	100	5415	63.1	45.0	6000	150	100	4630	70.1	45.0				
Sliding Rear Window	5	Add	2	Add	5200	100	150	5365	63.3	45.0	6000	150	150	4580	70.4	45.0				
Power Sliding Rear Window	5	Add	3	Add	5200	100	200	5315	63.4	45.0	6000	150	200	4530	70.6	45.0				
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	100	250	5265	63.6	45.0	6000	150	250	4480	70.9	45.0				
Foglamps	3	Add	0	Add	5200	100	300	5215	63.7	45.0	6000	150	300	4430	71.1	45.0				
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	100	350	5165	63.9	45.0	6000	150	350	4380	71.4	45.0				
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	100	400	5115	64.0	45.0	6000	150	400	4330	71.7	45.0				
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	100	450	5065	64.2	45.0	6000	150	450	4280	71.9	45.0				
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	100	500	5015	64.3	45.0	6000	150	500	4230	72.2	45.0				
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	150	-50	5515	61.3	45.0	6000	150	-50	4780	69.4	45.0				
All Weather Floor Mat	7	Add	4	Add	5200	150	0	5465	61.4	45.0	6000	200	0	4680	68.0	45.0				
Electrochromic Rear View Mirror	1	Add	0	Add	5200	150	50	5415	61.5	45.0	6000	200	50	4630	68.3	45.0				
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	150	100	5365	61.7	45.0	6000	200	100	4580	68.5	45.0				
Floor Consolelet - Stand alone	-25	Minus	-9	Minus	5200	150	150	5315	61.8	45.0	6000	200	150	4530	68.7	45.0				
Cruise Control	3	Add	1	Add	5200	150	200	5265	61.9	45.0	6000	200	200	4480	68.9	45.0				
Power Equipment Group	15	Add	6	Add	5200	150	250	5215	62.1	45.0	6000	200	250	4430	69.2	45.0				
Adj Gas & Brake Pedals	4	Add	3	Add	5200	150	300	5165	62.2	45.0	6000	200	300	4380	69.4	45.0				
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	150	350	5115	62.3	45.0	6000	200	350	4330	69.7	45.0				
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	150	400	5065	62.5	45.0	6000	200	400	4280	69.9	45.0				
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	150	450	5015	62.6	45.0	6000	200	450	4230	70.2	45.0				
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	5200	150	500	4965	62.8	45.0	6000	200	500	4180	70.4	45.0				
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5600	200	-50	5465	72.5	45.0	6000	250	-50	4680	66.2	45.0				
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	200	0	5415	72.7	45.0	6000	250	0	4630	66.4	45.0				
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	200	50	5365	72.9	45.0	6000	250	50	4580	66.6	45.0				
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	200	100	5315	73.1	45.0	6000	250	100	4530	66.8	45.0				
Cloth Seats	-2	Minus	-1	Minus	5600	200	150	5265	73.4	45.0	6000	250	150	4480	67.0	45.0				
King Ranch Leather	4	Add	2	Add	5600	200	200	5215	73.6	45.0	6000	250	200	4430	67.2	45.0				
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	200	250	5165	73.9	45.0	6000	250	250	4380	67.5	45.0				
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	200	300	5115	74.1	45.0	6000	250	300	4330	67.7	45.0				
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	200	350	5065	74.4	45.0	6000	250	350	4280	67.9	45.0				
Satellite Digital Broadcast	2	Add	1	Add	5600	200	400	5015												

OPTION TABLE					VEHICLE LOADING DATA 6.7L Diesel Engine 14000 lb (6349 kg) GVWR							
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT		OPTION WEIGHT		CARGO WEIGHT		CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A)		REAR (B)	
									(IN)	(IN)	(IN)	(IN)
Lariat Trim (GAS)	29	Add	19	Add								
XLT Trim (GAS)	13	Add	9	Add	6000	-50	-50	4989	74.7	45.0		
Lariat Trim (DIESEL)	34	Add	23	Add	6000	-50	0	4939	75.0	45.0		
XLT Trim (DIESEL)	24	Add	16	Add	6000	-50	50	4889	75.2	45.0		
PTC (Positive Thermal Coefficient) Heater / Marketed as Rapid Heat	3	Add	0	Add	6000	-50	100	4839	75.5	45.0		
Immersion Heater - Engine	1	Add	0	Add	6000	0	150	4739	74.3	45.0		
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add	6000	0	200	4689	74.6	45.0		
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	6000	0	250	4639	74.9	45.0		
Brake Controller	1	Add	0	Add	6000	0	300	4589	75.2	45.0		
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	6000	0	350	4539	75.5	45.0		
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	6000	0	400	4489	75.8	45.0		
Skid Plates (GAS) 4X4 only	18	Add	21	Add	6000	0	450	4439	76.1	45.0		
5th Wheel Hitch	0	Add	96	Add	6000	0	500	4389	76.4	45.0		
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	6000	0	-50	4939	73.2	45.0		
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	6000	0	0	4889	73.5	45.0		
750 CCA/78 AH Battery	2	Add	0	Add	6000	0	50	4839	73.7	45.0		
Manual Air Conditioning (GAS)	32	Add	-1	Minus	6000	0	100	4789	74.0	45.0		
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	6000	50	150	4689	72.7	45.0		
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	6000	50	200	4639	73.0	45.0		
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	6000	50	250	4589	73.3	45.0		
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-36	Minus	6000	50	300	4539	73.6	45.0		
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus	6000	50	350	4489	73.8	45.0		
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus	6000	50	400	4439	74.1	45.0		
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	-16	Minus	-111	Minus	6000	50	450	4389	74.4	45.0		
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus	6000	50	500	4339	74.7	45.0		
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	6000	50	-50	4889	71.7	45.0		
Pickup Bed Extender	-2	Minus	21	Add	6000	50	0	4839	72.0	45.0		
Drop-In Bedliner	2	Add	42	Add	6000	50	50	4789	72.2	45.0		
Spray-In Bedliner	0	Add	20	Add	6000	100	100	4689	70.9	45.0		
Side Aux Steps - w/Lights (DRW only)	11	Add	7	Add	6000	100	150	4639	71.1	45.0		
6" Angular Chrome Step w/o Lights	-2	Minus	-2	Minus	6000	100	200	4589	71.4	45.0		
5" Tubular Chromed Side Aux. Steps w/o Lights	-3	Minus	-3	Minus	6000	100	250	4539	71.7	45.0		
Lower Bodyside Molding	2	Add	1	Add	6000	100	300	4489	71.9	45.0		
Reverse Vehicle Sensor System	0	Add	1	Add	6000	100	350	4439	72.2	45.0		
Static Rear Video Camera	0	Add	1	Add	6000	100	400	4389	72.5	45.0		
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	6000	100	450	4339	72.7	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	6000	100	500	4289	73.0	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	6000	100	-50	4839	70.2	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	6000	100	0	4789	70.4	45.0		
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	6000	150	50	4689	69.1	45.0		
Sliding Rear Window	5	Add	2	Add	6000	150	100	4639	69.3	45.0		
Power Sliding Rear Window	5	Add	3	Add	6000	150	150	4589	69.5	45.0		
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	6000	150	200	4539	69.8	45.0		
Foglamps	3	Add	0	Add	6000	150	250	4489	70.0	45.0		
Bright Exhaust Pipe Extension	0	Add	3	Add	6000	150	300	4439	70.2	45.0		
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	6000	150	350	4389	70.5	45.0		
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	6000	150	400	4339	70.8	45.0		
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	6000	150	450	4289	71.0	45.0		
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	6000	150	500	4239	71.3	45.0		
All Weather Floor Mat	7	Add	4	Add	6000	150	-50	4789	68.6	45.0		
Electrochromic Rear View Mirror	1	Add	0	Add	6000	200	0	4689	67.2	45.0		
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	6000	200	50	4639	67.4	45.0		
Floor Console - Stand alone	-25	Minus	-9	Minus	6000	200	100	4589	67.6	45.0		
Cruise Control	3	Add	1	Add	6000	200	150	4539	67.9	45.0		
Power Equipment Group	15	Add	6	Add	6000	200	200	4489	68.1	45.0		
Adj Gas & Brake Pedals	4	Add	3	Add	6000	200	250	4439	68.3	45.0		
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	6000	200	300	4389	68.5	45.0		
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	6000	200	350	4339	68.8	45.0		
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	6000	200	400	4289	69.0	45.0		
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	6000	200	450	4239	69.3	45.0		
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	6000	200	500	4189	69.5	45.0		
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	6000	250	-50	4689	65.4	45.0		
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	6000	250	0	4639	65.6	45.0		
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	6000	250	50	4589	65.8	45.0		
Cloth Seats	-2	Minus	-1	Minus	6000	250	100	4539	66.0	45.0		
King Ranch Leather	4	Add	2	Add	6000	250	150	4489	66.2	45.0		
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	6000	250	200	4439	66.4	45.0		
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	6000	250	250	4389	66.6	45.0		
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	6000	250	300	4339	66.8	45.0		
Satellite Digital Broadcast	2	Add	1	Add	6000	250	350	4289	67.0	45.0		
High Definition & Satellite Digital Broadcast	2	Add	1	Add	6000	250	400	4239	67.2	45.0		
SYNC Basic - Gen I	1	Add	0	Add	6000	250	450	4189	67.5	45.0		
SYNC Finder - Gen II	1	Add	0	Add	6000	300	500	4089	65.8	45.0		
FX4 Off-Road Package	2	Add	2	Add	6000	300	-50	4639	63.7	45.0		
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	6000	300	0	4589	63.9	45.0		
Tracking System - Crew Chief	3	Add	0	Add	6000	300	50	4539	64.1	45.0		
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add	6000	300	100	4489	64.2	45.0		
King Ranch with Chromed Accent Option	6	Add	3	Add	6000	300	150	4439	64.4	45.0		
Platinum Package	6	Add	3	Add	6000	300	200	4389	64.6	45.0		
Flat Splash Guards (DRW) only 2 rear	0	Add	2	Add	6000	300	250	4339	64.8	45.0		
Bed Mat	0	Add	58	Add	6000	300	300	4289	65.0	45.0		
Cable/Strap Locks	0	Add	9	Add	6000	300	350	4239	65.2	45.0		
5th Wheel Hitch Assembly - DRW only	0	Add	142	Add	6000	300	400	4189	65.4	45.0		
Roll-up Tonneau Cover	5	Add	25	Add	6000	300	450	4139	65.6	45.0		
Stainless Steel Simulator Kit - DRW only	9	Add	9	Add	6000	300	500	4089	65.8	45.0		
Gooseneck Hitch Kit	0	Add	10	Add								
Total Option Weight												

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

NOTE: The descriptions and specifications contained in this manual were in effect at the time this manual was approved for printing. Ford Motor Company reserves the right to discontinue models at any time, or change specifications or design without notice and without incurring any obligation.

PUBLICATIONS ORDERING INFORMATION

To obtain information about ordering additional copies of this publication or to order any other Ford or Lincoln publications, call 1-800-782-4356 or visit www.helminc.com. Available publications include workshop manuals, wiring diagrams, PC/ED Manuals and Owner Guides.

In addition, you can obtain a publications order form by writing to: Ford Publications, care of Helm Inc., P.O. Box 07150, Detroit, MI 48207.

All rights reserved. Reproduction by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system or translation in whole or part is not permitted without written authorization from Ford Motor Company.

Copyright© 2011, Ford Motor Company.



Additional copies of this brochure can be obtained at
FMCDealer.com on the Ford intranet.



TECHNICAL
SUPPORT OPERATIONS
Ford Customer Service Division