FORD PICKUP TRUCKS

2015 MODEL YEAR CONSUMER INFORMATION



Truck-Camper Loading

WARNING: Improper vehicle loading may adversely affect vehicle handling and stability. Failure to follow loading guide instructions may degrade vehicle handling characteristics, increasing the risk of loss of vehicle control and serious personal injury or death in a crash.

Additional copies of this brochure can be obtained at FMCDealer.com on the Ford intranet.

TABLE OF CONTENTS

CONSUMER INFORMATION REGULATIONS i
EXAMPLE PAGE.....ii

HERITAGE F-150 HD (4X2)
REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 5.0L 1
REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 3.5L GTDI 2
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 5.0L 3
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 3.5L GTDI..... 4
SUPERCREW CAB — 156.5 IN (3967 mm) WHEELBASE 5.0L.....5
SUPERCREW CAB —156.5 IN (3967 mm) WHEELBASE 3.5L GTDI..... 6

HERITAGE F-150 HD (4X4)
REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 5.0L 7
REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE 3.5L GTDI 8
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 5.0L 9
SUPER CAB — 163.0 IN (4143 mm) WHEELBASE 3.5L GTDI.....10
SUPERCREW CAB — 156.5 IN (3967 mm) WHEELBASE 5.0L 11
SUPERCREW CAB — 156.5 IN (3967 mm) WHEELBASE 3.5L GTDI… 12

F-150 HD (4X2)
REGULAR CAB — 141.1 IN (3584 mm) WHEELBASE 5.0L 13
REGULAR CAB — 141.1 IN (3584 mm) WHEELBASE 3.5L GTDI 14
SUPER CAB — 163.7 IN (4158 mm) WHEELBASE 5.0L 15
SUPER CAB — 163.7 IN (4158 mm) WHEELBASE 3.5L GTDI.....16
CREW CAB — 156.8 IN (3983 mm) WHEELBASE 5.0L 17
CREW CAB — 156.8 IN (3983 mm) WHEELBASE 3.5L GTDI……..18

F-150 HD (4X4)
REGULAR CAB — 141.1 IN (3584 mm) WHEELBASE 5.0L 19
REGULAR CAB — 141.1 IN (3584 mm) WHEELBASE 3.5L GTDI 20
SUPER CAB — 163.7 IN (4158 mm) WHEELBASE 5.0L 21
SUPER CAB — 163.7 IN (4158 mm) WHEELBASE 3.5L GTDI..... 22
CREW CAB — 156.8 IN (3983 mm) WHEELBASE 5.0L 23
CREW CAB — 156.8 IN (3983 mm) WHEELBASE 3.5L GTDI…….. 24

F-250 (4X2) (10,000 lb GVWR)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 25
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 26
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 27
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 28
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 29

F-250 (4X4) (10,000 lb GVWR)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 30
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 31
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 32
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 33
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 34

F-250 (4X2) (9,900 lb GVWR)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 35
SUPER CAB — 142.0 IN (3602mm) WHEELBASE.....36
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE..... 37
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE ……..... 38
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 39

F-250 (4X4) (9,900 lb GVWR)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE.....40
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 41
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 42
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 43
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 44

F-350 4x2 (10,000 GVWR / 17" Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 45
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 46
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 47
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 48
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 49

F-350 4x2 (10,000 GVWR / 18" All-Season Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 50
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 51
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 52
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 53
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 54

F-350 4x4 (10,000 GVWR / 17" Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 55
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 56
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 57
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 58
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 59

F-350 4x4 (10,000 GVWR / 18" All-Season Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 60
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 61
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 62
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 63
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 64

F-350 4x4 (10,000 GVWR / 18" All-Terrain & 20" Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 65
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 66
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 67
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 68
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 69

F-350 4x2 (9,900 GVWR - 17" Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 70
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 71
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 72
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 73
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 74

F-350 4x2 (9,900 GVWR - 18" All-Season Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 75
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 76
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 77
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 78
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 79

F-350 4x4 (9,900 GVWR - 17" Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 80
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 81
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 82
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 83
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 84

F-350 4x4 (9,900 GVWR - 18" All-Season Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 85
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 86
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 87
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 88
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 89

F-350 4x4 (9,900 GVWR - 18" All-Terrain & 20" Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 90
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 91
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 92
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 93
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 94

F-350 4x2 (Variable GVWR - 17" Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 95
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 96
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 97
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 98
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 99

F-350 4x4 (Variable GVWR - 17" Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 100
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 101
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 102
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 103
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 104

F-350 4x2 (Variable GVWR - 18" All-Season Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 105
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 106
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 107
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 108
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 109

F-350 4x4 (18/20" All-Season Tires)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 110
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 111
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 112
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 113
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 114

F-350 4x4 (18/20" All-Terrain Tire)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 115
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 116
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 117
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 118
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 119

F-350 SRW 4x2 (Variable GVWR - 18" All-Season Tires - California)
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 120
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 121

F-350 4x4 (18/20" All-Terrain Tire - California)
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 122
SUPER CAB — 142.0 IN (3602 mm) WHEELBASE 123
CREW CAB — 156. 0 IN (3967 mm) WHEELBASE 124
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 125
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 126

F-350 DRW 4x2
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 127
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 128
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 129

F-350 DRW 4x4
REGULAR CAB — 137.0 IN (3480 mm) WHEELBASE 130
SUPER CAB — 158.0 IN (4013 mm) WHEELBASE 131
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 132
F-450 DRW 4x4
CREW CAB — 172.0 IN (4379 mm) WHEELBASE 133

CONSUMER INFORMATION REGULATIONS

This information is furnished in accordance with the Consumer Information Regulations of the National Highway Traffic Safety Administration, as applicable, by way of the vehicle Owner's Manual or a separate document supplied with the truck. It includes information to determine Cargo Weight Rating and Longitudinal Center of Gravity Zone for any selected F-Series pickup as equipped with factory-installed options.

F-150 TRUCKS ARE RECOMMENDED FOR CARRYING SLIDE-IN CAMPERS ONLY WHEN EQUIPPED WITH HEAVY DUTY PAYLOAD PACKAGE (8200 LB GVWR).

F-250, F-350 AND F-450 TRUCKS ARE RECOMMENDED FOR CARRYING SLIDE-IN CAMPERS ONLY WHEN EQUIPPED WITH OPTIONAL CAMPER PACKAGE.

Model	Cab Type	Wheelbase (inches)	GVWR (pounds)
F-150 HD	All	All	8200
F-250/F-350	All	All	All
F-450	Crew Cab	172.4	14000

NOTES:

SLIDE-IN CAMPER USAGE IS NOT RECOMMENDED ON THE FOLLOWING: F-150 SUPERCREW.

THIS PAMPHLET COVERS F-150, F-250, F-350 (8200-13,000 GVWRS) AND F-450 (14,000 GVWR).

LOADING INSTRUCTIONS

Secure loose items to prevent weight shifts that could affect the balance of your vehicle. When the truck camper is loaded, drive onto a scale and weigh the front and the rear wheels separately to determine the axle loads. Individual axle loads should not exceed either of the Gross Axle Weight Ratings (GAWR). The total of the axle loads should not exceed the Gross Vehicle Weight Rating (GVWR). These ratings are given on the vehicle certification label that is located on the left side of the vehicle, normally the dash, hinge pillar, door latch post, or door edge next to the driver. If weight ratings are exceeded, move or remove items to bring all weights below the ratings.

NOTE: All fuel and water tanks should be full and all passengers should be in the truck when it is weighed.



HOW TO DETERMINE MAXIMUM CARGO WEIGHT RATING AND LONGITUDINAL CENTER OF GRAVITY ZONE

This procedure should be followed to determine the Cargo Weight Rating and Center of Gravity Zone for a truck as equipped with factory-installed options. There is a set of tables applicable to each vehicle recommended for carrying a slide-in camper. The first table in each set lists the weight distribution of available optional equipment, and the second table is used to determine the Cargo Weight Rating and the Center of Gravity Zone of the selected vehicle.

STEP ONE – Locate the Option Table in the set that matches the Model, Cab Type, Wheelbase and Gross Vehicle Weight Rating (GVWR) of the vehicle for which you wish to determine the Cargo Weight Rating and the Center of Gravity Zone. Select those options with which you wish to equip your vehicle. Options that are not listed in the Option Table need not be considered in your calculations since they either are not physically compatible when a slide-in camper is installed (e.g., spare tire carrier located in the pickup box) or have only a minor weight effect, which is already included in the Vehicle Loading Data Table.

STEP TWO – Total (add or subtract as indicated) the front and rear weight columns separately as shown in the example. Note: If the vehicle is to be equipped with any SPECIAL ORDER OPTIONS (other than paint or trim), add an additional 20 lbs. to the front and 10 lbs. to the rear total option weights.

STEP THREE – Look at the Vehicle Loading Data Table next to the Option Table on which you indicated the desired options. Find the row of Option Weights – Columns II and III, that most closely represents but exceeds each of the total front and rear option weights found in step number two. *In some cases there may exist more than one row of option weights – Columns II and III, which will fit a particular vehicle. In these cases use the row with the smaller front GAWR (Column I). This row of figures establishes the pickup's Cargo Weight Rating – Column IV, and Center of Gravity Zone Limits – Columns V and VI.

* If either of your calculated front and rear option weights are greater than the maximums listed in the Table (Columns II and III), you have exceeded the option weight capacity for the vehicle selected. See your dealership for applicable option limitations.

NOTE: Vehicle configurations covered in this manual for which F-Series Camper Package is available should not be used for carrying a slide-in camper unless equipped with the Camper Package. Camper package is standard on F-150 Heavy Duty (HD) and optional on all other F-Series configurations in this manual.

DEFINITIONS – Slide-in camper means a structure with a roof, floor and sides for the purpose of providing shelter for people, and designed to be mounted on and removable from the cargo box area of a truck by the user.

PROPER TRUCK AND CAMPER MATCH

Using the A and B dimensions found in the proper Vehicle Loading Data Table, the required Center of Gravity for a slide-in camper must fall within this zone as shown in the following illustration. The Center of Gravity of the camper is determined by the camper manufacturer and is indicated in literature accompanying campers manufactured after October 1, 1973.

When the truck is used to carry a slide-in camper, the total cargo load of the truck consists of the manufacturer's camper weight figure; the weight of installed additional camper equipment not included in the manufacturer's camper weight figure, the weight of camper cargo, and the weight of the passengers* in the camper. The total cargo load should not exceed the truck's cargo weight rating and the camper's center of gravity should fall within the truck's recommended Center of Gravity Zone when installed.

WARNING – Passengers should be allowed to ride only in seats with proper occupant restraint systems. Persons who are not properly restrained in designated seating positions are much more likely to suffer bodily injury in the event of a collision. Failure to follow may result in serious personal injury or death.

The Cargo Weight Rating and Longitudinal Center of Gravity Location Zone established by this folder are two important factors that have a direct influence on the handling and braking of a truck-camper combination. In addition, other factors such as road and wind conditions, height of camper load and condition of the tires also influence a vehicle's handling and braking. All factors must be considered and reasonable care must be exercised when operating a truck-camper vehicle. Ford offers many options that enhance a vehicle for camper usage. For optimum performance and enjoyment it is suggested that you equip your vehicle with those options specifically intended for camper hauling.

EXAMPLE: F-150 HD (4X2) REGULAR CAB — 144.5 IN (3671 mm) WHEELBASE

OPTION TABLE			VEHICLE LOADING DATA 8200 lbs. (3721 kg) GVWR						VEHICLE LOADING DATA 8200 lbs. (3721 kg) GVWR					
OPTION DESCRIPTION	FRONT(lb)	REAR(lb)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (in)	FRONT GAWR (lb)	OPTION WEIGHT FRONT (lb)	OPTION WEIGHT REAR (lb)	CARGO WEIGHT RATING (lb)	CENTER OF GRAVITY ZON LIMITS FRONT (A) (in)	CENTER OF GRAVITY ZON LIMITS REAR (B) (in)
			I	II	III	IV	V	VI	I	II	III	IV	V	VI
Daytime Running Lights	add 1	add 0	3750	0	0	2627	70.9	51.7						
Fog Lamps	add 8	sub 2		0	30	2597	71.2	51.9						
				0	60	2567	71.6	52.0						
				0	90	2537	72.0	52.1						
AM/FM Cassette/CD	add 1	add 0		0	120	2507	72.3	52.3						
AM/FM Cassette/6 CD Changer	add 1	add 0		0	150	2477	72.7	52.4						
6 Disc CD Changer w/Audiophile System	add 10	add 8		30	0	2597	69.6	50.2						
				30	30	2567	69.9	50.3						
				30	60	2537	70.3	50.4						
				30	90	2507	70.6	50.5						
Less Lumbar Support - Driver	sub 2	add 0		30	120	2477	71.0	50.7						
Lumbar Support - Passenger	add 2	add 0		30	150	2447	71.3	50.8						
				60	0	2567	68.2	48.6						
				60	30	2537	68.5	48.7						
				60	60	2507	68.9	48.8						
Carpet Floor Covering	add 2	add 0		60	90	2477	69.2	48.9						
Floor Mats - Carpet	add 3	add 1		60	120	2447	69.6	49.0						
Floor Mats - Rubber	add 7	add 4		60	150	2417	69.9	49.1						
				90	0	2537	66.8	47.0						
				90	30	2507	67.1	47.1						
				90	60	2477	67.5	47.2						
Overhead Console	add 2	add 0		90	90	2447	67.8	47.2						
				90	120	2417	68.1	47.3						
				90	150	2387	68.5	47.4						
				120	0	2507	65.4	45.3						
Sliding Rear Window	add 2	add 2		120	30	2477	65.7	45.4						
Backlight w/Defroster	add 1	add 0		120	60	2447	66.0	45.5						
				120	90	2417	66.3	45.5						
				120	120	2387	66.7	45.6						
				120	150	2357	67.0	45.6						
Cab Steps - Black	add 28	add 19		150	0	2477	64.0	43.7						
Cab Steps - Bright	add 20	add 13		150	30	2447	64.3	43.7						
Electrochromatic Rearview Mirror	add 1	add 0		150	60	2417	64.5	43.7						
Power Mirrors	add 4	add 0		150	90	2387	64.8	43.8						
Power/Heated/Signal Mirrors	add 4	add 1		150	120	2357	65.2	43.8						
Speed Control	add 1	add 0		150	150	2327	65.5	43.8						
Keyless Entry	add 2	add 2												
Chrome Front Bumper	add 3	sub 1												
Engine Block Heater	add 2	add 0												
Front License Plate Bracket	add 1	add 0												
Power Adjustable Pedals	add 3	add 2												
Extended Range Fuel Tank	add 21	add 37												
Reverse Sensing System	add 0	add 1												
Power Windows/Locks	add 1	add 1												
Rear Cargo Storage Unit	add 4	add 6												
Limited Slip Axle	add 0	add 6												
Trailer Tow	sub 11	add 51												
XLT Trim	add 8	add 16												
Tutone Paint	add 2	add 2												
Total Option Weight														

Note: Be careful not to double count. Each option should only be added once.

Choose 60 lbs (front) and 120 lbs (rear) which most closely represents and exceeds the 53 lbs front option weight and the 96 lbs rear option weight.

Total Option Weight Front = 53 lbs / Rear = 96 lbs

EXAMPLE

Enter the Cargo Weight Rating and the A and B dimensions from the appropriate table in the box below and retain this folder for future reference.

"Cargo Weight Rating" means the value specified by the manufacturer as the cargo-carrying capacity, in pounds, of a vehicle, exclusive of the weight of the occupants (in the vehicle), computed as 150 pounds times the number of designated seating positions.

	Our Example	Your Truck
Cargo Weight Rating	2447 lbs	_____ pounds
Center of Gravity Zone of Dimensions		
A.	69.6 inches	_____ inches
B.	49.0 inches	_____ inches



MY: 2015 Model: Heritage F-150 5.0L HD 4 X 2 Cab Type: Regular Cab Wheelbase: 144.5 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
FLOOR COVERINGS				
Carpet Floor Covering	add	2	add	0
Floor Mats - Carpet	add	3	add	1
Floor Mats - Rubber	add	2	add	1
GLASS				
Sliding Rear Window	add	2	add	2
COMFORT/CONVENIENCE				
Cab Steps - Black	add	27	add	18
Cab Steps - Bright	add	22	add	15
Box Access Steps	add	14	add	46
Power Mirrors	add	4	add	0
Power/Heated/Signal Mirrors	add	4	add	1
Manual Trailer Tow Mirrors	add	7	add	6
Power Trailer Tow Mirrors	add	11	add	7
Speed Control	add	1	add	0
Keyless Entry	add	2	add	2
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Extended Range Fuel Tank	add	22	add	38
Power Windows/Locks	add	1	add	1
PACKAGES				
Trailer Tow	sub	11	add	51
TRIM VERSIONS				
XLT Trim	add	2	add	2
Tutone Paint	add	1	add	1
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	2687	68.5	49.8
	0	50	2637	69.0	49.9
	0	100	2587	69.6	50.1
	0	150	2537	70.1	50.3
	0	200	2487	70.7	50.5
	50	0	2637	66.3	47.2
	50	50	2587	66.8	47.3
	50	100	2537	67.3	47.5
	50	150	2487	67.8	47.6
	50	200	2437	68.4	47.7
	100	0	2587	64.0	44.5
	100	50	2537	64.4	44.6
	100	100	2487	64.9	44.7
	100	150	2437	65.4	44.8
	100	200	2387	65.9	44.8
	150	0	2537	61.6	42.2
	150	50	2487	62.0	42.2
	150	100	2437	62.5	42.2
	150	150	2387	62.9	42.2
	150	200	2337	63.4	42.2

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI

MY: 2015 Model: Heritage F-150 3.5L GTDI HD 4 X 2 Cab Type: Regular Cab Wheelbase: 144.5 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
FLOOR COVERINGS				
Carpet Floor Covering	add	2	add	0
Floor Mats - Carpet	add	3	add	1
Floor Mats - Rubber	add	2	add	1
GLASS				
Sliding Rear Window	add	2	add	2
COMFORT/CONVENIENCE				
Cab Steps - Black	add	27	add	18
Cab Steps - Bright	add	22	add	15
Box Access Steps	add	14	add	46
Power Mirrors	add	4	add	0
Power/Heated/Signal Mirrors	add	4	add	1
Manual Trailer Tow Mirrors	add	7	add	6
Power Trailer Tow Mirrors	add	11	add	7
Speed Control	add	1	add	0
Keyless Entry	add	2	add	2
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Extended Range Fuel Tank	add	22	add	38
Power Windows/Locks	add	1	add	1
PACKAGES				
Trailer Tow	sub	11	add	51
TRIM VERSIONS				
XLT Trim	add	2	add	2
Tutone Paint	add	1	add	1
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	2667	68.7	49.8
	0	50	2617	69.2	50.0
	0	100	2567	69.8	50.2
	0	150	2517	70.4	50.4
	0	200	2467	71.0	50.6
	50	0	2617	66.5	47.3
	50	50	2567	67.0	47.4
	50	100	2517	67.5	47.5
	50	150	2467	68.0	47.6
	50	200	2417	68.6	47.8
	100	0	2567	64.2	44.6
	100	50	2517	64.6	44.6
	100	100	2467	65.1	44.7
	100	150	2417	65.6	44.8
	100	200	2367	66.1	44.9
	150	0	2517	61.8	42.2
	150	50	2467	62.2	42.2
	150	100	2417	62.6	42.2
	150	150	2367	63.1	42.2
	150	200	2317	63.6	42.2

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI

MY: 2015 Model: Heritage F-150 5.0L HD 4 X 2 Cab Type: Super Cab Wheelbase: 163.0 IN

OPTION TABLE

OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
FLOOR COVERINGS				
Carpet Floor Covering	add	3	add	1
Floor Mats - Carpet	add	4	add	2
Floor Mats - Rubber	add	3	add	1
CONSOLE				
Mini Overhead Console	add	2	add	0
Overhead Console	add	7	add	1
Standalone Floor Console	sub	25	sub	14
Flow Through Floor Console	sub	17	sub	9
GLASS				
Sliding Rear Window	add	2	add	2
Power Sliding Rear Window	add	4	add	3
COMFORT/CONVENIENCE				
Tubular Cab Steps - Black	add	25	add	28
Tubular Cab Steps - Bright	add	20	add	23
Platform Style Running Boards	add	13	add	19
Chrome Running Boards	add	11	add	13
Box Access Steps	add	14	add	46
Power Mirrors	add	4	add	0
Power/Heated/Signal Mirrors	add	4	add	1
Manual Trailer Tow Mirrors	add	7	add	6
Power Trailer Tow Mirrors	add	11	add	7
Speed Control	add	1	add	0
Keyless Entry	add	2	add	2
6-Way Power Driver Seat	add	7	add	6
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Extended Range Fuel Tank	add	22	add	38
Power Windows/Locks	add	2	add	1
Moonroof	add	23	add	21
PACKAGES				
Trailer Tow	sub	10	add	50
TRIM VERSIONS				
XLT Trim	add	2	add	2
Tutone Paint	add	1	add	1
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA
8200 LBS. (3721 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1831	50.1	42.2
	0	50	1781	50.4	42.2
	0	100	1731	50.6	42.2
	0	150	1681	50.9	42.2
	0	200	1631	51.2	42.2
	0	250	1581	51.6	42.2

VEHICLE LOADING DATA
8200 LBS. (3721 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
4050	50	0	1781	73.2	42.2
	50	50	1731	74.2	42.2
	50	100	1681	75.2	42.2
	50	150	1631	76.2	42.2
	50	200	1581	77.3	42.2
	50	250	1531	78.5	42.2
	100	0	1731	69.5	42.2
	100	50	1681	70.3	42.2
	100	100	1631	71.2	42.2
	100	150	1581	72.2	42.2
	100	200	1531	73.2	42.2
	100	250	1481	74.3	42.2
	150	0	1681	65.5	42.2
	150	50	1631	66.2	42.2
	150	100	1581	67.0	42.2
	150	150	1531	67.9	42.2
	150	200	1481	68.8	42.2
	150	250	1431	69.8	42.2
	180	0	1651	63.0	42.2
	180	50	1601	63.7	42.2
	180	100	1551	64.4	42.2
	180	150	1501	65.2	42.2
	180	200	1451	66.0	42.2
	180	250	1401	66.9	42.2

MY: 2015 Model: Heritage F-150 3.5L GTDI HD 4 X 2 Cab Type: Super Cab Wheelbase: 163.0 IN

OPTION TABLE

OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
FLOOR COVERINGS				
Carpet Floor Covering	add	3	add	1
Floor Mats - Carpet	add	4	add	2
Floor Mats - Rubber	add	3	add	1
CONSOLE				
Mini Overhead Console	add	2	add	0
Overhead Console	add	7	add	1
Standalone Floor Console	sub	25	sub	14
Flow Through Floor Console	sub	17	sub	9
GLASS				
Sliding Rear Window	add	2	add	2
Power Sliding Rear Window	add	4	add	3
COMFORT/CONVENIENCE				
Tubular Cab Steps - Black	add	25	add	28
Tubular Cab Steps - Bright	add	20	add	23
Platform Style Running Boards	add	13	add	19
Chrome Running Boards	add	11	add	13
Box Access Steps	add	14	add	46
Power Mirrors	add	4	add	0
Power/Heated/Signal Mirrors	add	4	add	1
Manual Trailer Tow Mirrors	add	7	add	6
Power Trailer Tow Mirrors	add	11	add	7
Speed Control	add	1	add	0
Keyless Entry	add	2	add	2
6-Way Power Driver Seat	add	7	add	6
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Extended Range Fuel Tank	add	22	add	38
Power Windows/Locks	add	2	add	1
Moonroof	add	23	add	21
PACKAGES				
Trailer Tow	sub	10	add	50
TRIM VERSIONS				
XLT Trim	add	2	add	2
Tutone Paint	add	1	add	1
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA
8200 LBS. (3721 Kg) GVWR

	OPTION WEIGHT			CENTER OF GRAVITY ZONE LIMITS		
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	CARGO WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)	
I	II	III	IV	V	VI	
3750	0	0	1826	50.1	42.2	
	0	50	1776	50.4	42.2	
	0	100	1726	50.7	42.2	
	0	150	1676	51.0	42.2	
	0	200	1626	51.3	42.2	
	0	250	1576	51.6	42.2	

VEHICLE LOADING DATA
8200 LBS. (3721 Kg) GVWR

	OPTION WEIGHT			CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	CARGO WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
4050	50	0	1776	73.3	42.2
	50	50	1726	74.3	42.2
	50	100	1676	75.3	42.2
	50	150	1626	76.3	42.2
	50	200	1576	77.5	42.2
	50	250	1526	78.7	42.2
	100	0	1726	69.6	42.2
	100	50	1676	70.4	42.2
	100	100	1626	71.3	42.2
	100	150	1576	72.3	42.2
	100	200	1526	73.3	42.2
	100	250	1476	74.4	42.2
	150	0	1676	65.6	42.2
	150	50	1626	66.3	42.2
	150	100	1576	67.1	42.2
	150	150	1526	68.0	42.2
	150	200	1476	68.9	42.2
	150	250	1426	69.9	42.2

MY: 2015 Model: Heritage F-150 5.0L HD 4 X 2 Cab Type: SuperCrew Cab Wheelbase: 156.5 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
Navigation Radio	add	6	add	2
Subwoofer	add	11	add	11
FLOOR COVERINGS				
Carpet Floor Covering	add	0	add	0
Floor Mats - Carpet	add	0	add	0
Floor Mats - Rubber	add	3	add	1
CONSOLE				
Mini Overhead Console	sub	5	sub	1
Overhead Console	add	0	add	0
Standalone Floor Console	sub	25	sub	14
Flow Through Floor Console	sub	17	sub	9
GLASS				
Sliding Rear Window	add	2	add	2
Power Sliding Rear Window	add	4	add	3
COMFORT/CONVENIENCE				
Tubular Cab Steps - Black	add	29	add	30
Tubular Cab Steps - Bright	add	23	add	24
Platform Style Running Boards	add	19	add	19
Chrome Running Boards	add	13	add	12
Angular Step Bars	add	18	add	19
Box Access Steps	add	16	add	49
Power Mirrors	add	0	add	0
Power/Heated/Signal Mirrors	add	1	add	0
Power/Heated/Signal/Folding Mirrors	add	1	add	1
Power Trailer Tow Mirrors	add	7	add	7
Speed Control	add	0	add	0
Keyless Entry	add	0	add	0
6-Way Power Driver Seat	add	7	add	6
10-Way Power Driver & Passenger Seats	add	16	add	12
Heated Seats or Heated/Cooled Seats	add	4	add	0
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Power Windows/Locks	add	0	add	0
Moonroof	add	23	add	21
PACKAGES				
Trailer Tow	sub	10	add	50
TRIM VERSIONS				
XLT Trim	add	0	add	0
Lariat Trim	add	15	add	12
Tutone Paint	add	1	add	1
Wheel Lip Molding	add	3	add	2
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1748	55.3	42.2
	0	50	1698	55.8	42.2
	0	100	1648	56.2	42.2
	0	150	1598	56.7	42.2
	0	200	1548	57.2	42.2
	0	250	1498	57.8	42.2
	40	0	1708	52.0	42.2
	40	50	1658	52.3	42.2
	40	100	1608	52.7	42.2
	40	150	1558	53.1	42.2
	40	200	1508	53.5	42.2
	40	250	1458	54.0	42.2
	80	0	1668	48.5	42.2
	80	50	1618	48.8	42.2
	80	100	1568	49.0	42.2
	80	150	1518	49.3	42.2
	80	200	1468	49.6	42.2
	80	250	1418	49.9	42.2
	120	0	1628	44.9	42.2
	120	50	1578	45.0	42.2
	120	100	1528	45.2	42.2
	120	150	1478	45.3	42.2
	120	200	1428	45.5	42.2
	120	250	1378	45.7	42.2

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI

MY: 2015 Model: Heritage F-150 3.5L GTDI HD 4 X 2 Cab Type: SuperCrew Cab Wheelbase: 156.5 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
Navigation Radio	add	6	add	2
Subwoofer	add	11	add	11
FLOOR COVERINGS				
Carpet Floor Covering	add	0	add	0
Floor Mats - Carpet	add	0	add	0
Floor Mats - Rubber	add	3	add	1
CONSOLE				
Mini Overhead Console	sub	5	sub	1
Overhead Console	add	0	add	0
Standalone Floor Console	sub	25	sub	14
Flow Through Floor Console	sub	17	sub	9
GLASS				
Sliding Rear Window	add	2	add	2
Power Sliding Rear Window	add	4	add	3
COMFORT/CONVENIENCE				
Tubular Cab Steps - Black	add	29	add	30
Tubular Cab Steps - Bright	add	23	add	24
Platform Style Running Boards	add	19	add	19
Chrome Running Boards	add	13	add	12
Angular Step Bars	add	18	add	19
Box Access Steps	add	16	add	49
Power Mirrors	add	0	add	0
Power/Heated/Signal Mirrors	add	1	add	0
Power/Heated/Signal/Folding Mirrors	add	1	add	1
Power Trailer Tow Mirrors	add	7	add	7
Speed Control	add	0	add	0
Keyless Entry	add	0	add	0
6-Way Power Driver Seat	add	7	add	6
10-Way Power Driver & Passenger Seats	add	16	add	12
Heated Seats or Heated/Cooled Seats	add	4	add	0
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Power Windows/Locks	add	0	add	0
Moonroof	add	23	add	21
PACKAGES				
Trailer Tow	sub	10	add	50
TRIM VERSIONS				
XLT Trim	add	0	add	0
Lariat Trim	add	15	add	12
Tutone Paint	add	1	add	1
Wheel Lip Molding	add	3	add	2
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1746	53.7	42.2
	0	50	1696	54.1	42.2
	0	100	1646	54.5	42.2
	0	150	1596	55.0	42.2
	0	200	1546	55.4	42.2
	0	250	1496	55.9	42.2
	40	0	1706	50.4	42.2
	40	50	1656	50.7	42.2
	40	100	1606	51.0	42.2
	40	150	1556	51.3	42.2
	40	200	1506	51.7	42.2
	40	250	1456	52.1	42.2
	80	0	1666	46.8	42.2
	80	50	1616	47.0	42.2
	80	100	1566	47.2	42.2
	80	150	1516	47.5	42.2
	80	200	1466	47.7	42.2
	80	250	1416	48.0	42.2
	120	0	1626	43.1	42.2
	120	50	1576	43.2	42.2
	120	100	1526	43.3	42.2
	120	150	1476	43.4	42.2
	120	200	1426	43.5	42.2
	120	250	1376	43.6	42.2

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI

MY: 2015 Model: Heritage F-150 5.0L HD 4 X 4 Cab Type: Regular Cab Wheelbase: 144.5 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
FLOOR COVERINGS				
Carpet Floor Covering	add	2	add	0
Floor Mats - Carpet	add	3	add	1
Floor Mats - Rubber	add	2	add	1
GLASS				
Sliding Rear Window	add	2	add	2
COMFORT/CONVENIENCE				
Cab Steps - Black	add	27	add	18
Cab Steps - Bright	add	22	add	15
Box Access Steps	add	14	add	46
Power Mirrors	add	4	add	0
Power/Heated/Signal Mirrors	add	4	add	1
Manual Trailer Tow Mirrors	add	7	add	6
Power Trailer Tow Mirrors	add	11	add	7
Speed Control	add	1	add	0
Keyless Entry	add	2	add	2
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Power Windows/Locks	add	1	add	1
PACKAGES				
Trailer Tow	sub	11	add	51
TRIM VERSIONS				
XLT Trim	add	2	add	2
Tutone Paint	add	1	add	1
4x4 OPTIONS				
Skid Plates	add	21	add	13
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
4050	0	0	2382	76.1	42.2
	0	50	2332	76.8	42.2
	0	100	2282	77.6	42.2
	0	150	2232	78.4	42.2
	0	200	2182	79.3	42.2
	50	0	2332	73.7	42.2
	50	50	2282	74.4	42.2
	50	100	2232	75.2	42.2
	50	150	2182	76.0	42.2
	50	200	2132	76.8	42.2
	100	0	2282	71.3	42.2
	100	50	2232	72.0	42.2
	100	100	2182	72.7	42.2
	100	150	2132	73.4	42.2
	100	200	2082	74.2	42.2
	150	0	2232	68.7	42.2
	150	50	2182	69.4	42.2
	150	100	2132	70.0	42.2
	150	150	2082	70.7	42.2
	150	200	2032	71.5	42.2

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI

MY: 2015 Model: Heritage F-150 3.5L GTDI HD 4 X 4 Cab Type: Regular Cab Wheelbase: 144.5 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
FLOOR COVERINGS				
Carpet Floor Covering	add	2	add	0
Floor Mats - Carpet	add	3	add	1
Floor Mats - Rubber	add	2	add	1
GLASS				
Sliding Rear Window	add	2	add	2
COMFORT/CONVENIENCE				
Cab Steps - Black	add	27	add	18
Cab Steps - Bright	add	22	add	15
Box Access Steps	add	14	add	46
Power Mirrors	add	4	add	0
Power/Heated/Signal Mirrors	add	4	add	1
Manual Trailer Tow Mirrors	add	7	add	6
Power Trailer Tow Mirrors	add	11	add	7
Speed Control	add	1	add	0
Keyless Entry	add	2	add	2
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Power Windows/Locks	add	1	add	1
PACKAGES				
Trailer Tow	sub	11	add	51
TRIM VERSIONS				
XLT Trim	add	2	add	2
Tutone Paint	add	1	add	1
4x4 OPTIONS				
Skid Plates	add	21	add	13
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
4050	0	0	2383	77.7	42.2
	0	50	2333	78.5	42.2
	0	100	2283	79.4	42.2
	0	150	2233	80.2	42.2
	0	200	2183	81.1	42.2
	50	0	2333	75.4	42.2
	50	50	2283	76.2	42.2
	50	100	2233	77.0	42.2
	50	150	2183	77.8	42.2
	50	200	2133	78.7	42.2
	100	0	2283	73.0	42.2
	100	50	2233	73.8	42.2
	100	100	2183	74.5	42.2
	100	150	2133	75.3	42.2
	100	200	2083	76.1	42.2
	150	0	2233	70.5	42.2
	150	50	2183	71.2	42.2
	150	100	2133	71.9	42.2
	150	150	2083	72.7	42.2
	150	200	2033	73.4	42.2

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI

MY: 2015 Model: Heritage F-150 5.0L HD 4 X 4 Cab Type: Super Cab Wheelbase: 163.0 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
FLOOR COVERINGS				
Carpet Floor Covering	add	3	add	1
Floor Mats - Carpet	add	4	add	2
Floor Mats - Rubber	add	3	add	1
CONSOLE				
Mini Overhead Console	add	2	add	0
Overhead Console	add	7	add	1
Standalone Floor Console	sub	25	sub	14
Flow Through Floor Console	sub	17	sub	9
GLASS				
Sliding Rear Window	add	2	add	2
Power Sliding Rear Window	add	4	add	3
COMFORT/CONVENIENCE				
Tubular Cab Steps - Black	add	25	add	28
Tubular Cab Steps - Bright	add	20	add	23
Platform Style Running Boards	add	13	add	19
Chrome Running Boards	add	11	add	13
Box Access Steps	add	14	add	46
Power Mirrors	add	4	add	0
Power/Heated/Signal Mirrors	add	4	add	1
Manual Trailer Tow Mirrors	add	7	add	6
Power Trailer Tow Mirrors	add	11	add	7
Speed Control	add	1	add	0
Keyless Entry	add	2	add	2
6-Way Power Driver Seat	add	7	add	6
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Power Windows/Locks	add	2	add	1
Moonroof	add	23	add	21
PACKAGES				
Trailer Tow	sub	10	add	50
TRIM VERSIONS				
XLT Trim	add	2	add	2
Tutone Paint	add	1	add	1
4x4 OPTIONS				
Skid Plates	add	21	add	13
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
4050	0	0	1523	60.6	42.2
	0	50	1473	61.3	42.2
	0	100	1423	62.0	42.2
	0	150	1373	62.8	42.2
	0	200	1323	63.6	42.2
	50	0	1473	55.8	42.2
	50	50	1423	56.3	42.2
	50	100	1373	56.9	42.2
	50	150	1323	57.5	42.2
	50	200	1273	58.1	42.2
	100	0	1423	50.6	42.2
	100	50	1373	50.9	42.2
	100	100	1323	51.3	42.2
	100	150	1273	51.7	42.2
	100	200	1223	52.2	42.2
	150	0	1373	45.0	42.2
	150	50	1323	45.2	42.2
	150	100	1273	45.3	42.2
	150	150	1223	45.5	42.2
	150	200	1173	45.7	42.2

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI

MY: 2015 Model: Heritage F-150 3.5L GTDI HD 4 X 4 Cab Type: Super Cab Wheelbase: 163.0 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
FLOOR COVERINGS				
Carpet Floor Covering	add	3	add	1
Floor Mats - Carpet	add	4	add	2
Floor Mats - Rubber	add	3	add	1
CONSOLE				
Mini Overhead Console	add	2	add	0
Overhead Console	add	7	add	1
Standalone Floor Console	sub	25	sub	14
Flow Through Floor Console	sub	17	sub	9
GLASS				
Sliding Rear Window	add	2	add	2
Power Sliding Rear Window	add	4	add	3
COMFORT/CONVENIENCE				
Tubular Cab Steps - Black	add	25	add	28
Tubular Cab Steps - Bright	add	20	add	23
Platform Style Running Boards	add	13	add	19
Chrome Running Boards	add	11	add	13
Box Access Steps	add	14	add	46
Power Mirrors	add	4	add	0
Power/Heated/Signal Mirrors	add	4	add	1
Manual Trailer Tow Mirrors	add	7	add	6
Power Trailer Tow Mirrors	add	11	add	7
Speed Control	add	1	add	0
Keyless Entry	add	2	add	2
6-Way Power Driver Seat	add	7	add	6
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Power Windows/Locks	add	2	add	1
Moonroof	add	23	add	21
PACKAGES				
Trailer Tow	sub	10	add	50
TRIM VERSIONS				
XLT Trim	add	2	add	2
Tutone Paint	add	1	add	1
4x4 OPTIONS				
Skid Plates	add	21	add	13
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
4050	0	0	1515	64.0	42.2
	0	50	1465	64.8	42.2
	0	100	1415	65.6	42.2
	0	150	1365	66.5	42.2
	0	200	1315	67.5	42.2
	50	0	1465	59.2	42.2
	50	50	1415	59.9	42.2
	50	100	1365	60.6	42.2
	50	150	1315	61.3	42.2
	50	200	1265	62.1	42.2
	100	0	1415	54.1	42.2
	100	50	1365	54.6	42.2
	100	100	1315	55.1	42.2
	100	150	1265	55.7	42.2
	100	200	1215	56.3	42.2
	150	0	1365	48.6	42.2
	150	50	1315	48.9	42.2
	150	100	1265	49.2	42.2
	150	150	1215	49.6	42.2
	150	200	1165	49.9	42.2

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI

MY: 2015 Model: Heritage F-150 5.0L HD 4 X 4 Cab Type: SuperCrew Cab Wheelbase: 156.5 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
Navigation Radio	add	6	add	2
Subwoofer	add	11	add	11
FLOOR COVERINGS				
Carpet Floor Covering	add	0	add	0
Floor Mats - Carpet	add	0	add	0
Floor Mats - Rubber	add	3	add	1
CONSOLE				
Mini Overhead Console	sub	5	sub	1
Overhead Console	add	0	add	0
Standalone Floor Console	sub	25	sub	14
Flow Through Floor Console	sub	17	sub	9
GLASS				
Sliding Rear Window	add	2	add	2
Power Sliding Rear Window	add	4	add	3
COMFORT/CONVENIENCE				
Tubular Cab Steps - Black	add	29	add	30
Tubular Cab Steps - Bright	add	23	add	24
Platform Style Running Boards	add	19	add	19
Chrome Running Boards	add	13	add	12
Angular Step Bars	add	18	add	19
Box Access Steps	add	16	add	49
Power Mirrors	add	0	add	0
Power/Heated/Signal Mirrors	add	1	add	0
Power/Heated/Signal/Folding Mirrors	add	1	add	1
Power Trailer Tow Mirrors	add	7	add	7
Speed Control	add	0	add	0
Keyless Entry	add	0	add	0
6-Way Power Driver Seat	add	7	add	6
10-Way Power Driver & Passenger Seats	add	16	add	12
Heated Seats or Heated/Cooled Seats	add	4	add	0
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Power Windows/Locks	add	0	add	0
Moonroof	add	23	add	21
PACKAGES				
Trailer Tow	sub	10	add	50
TRIM VERSIONS				
XLT Trim	add	0	add	0
Lariat Trim	add	15	add	12
Tutone Paint	add	1	add	1
Wheel Lip Molding	add	3	add	2
4x4 OPTIONS				
Skid Plates	add	21	add	13
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
4050	0	0	1455	67.5	42.2
	0	50	1405	68.5	42.2
	0	100	1355	69.5	42.2
	0	150	1305	70.7	42.2
	0	200	1255	71.9	42.2
	50	0	1405	62.9	42.2
	50	50	1355	63.8	42.2
	50	100	1305	64.7	42.2
	50	150	1255	65.6	42.2
	50	200	1205	66.7	42.2
	100	0	1355	58.0	42.2
	100	50	1305	58.7	42.2
	100	100	1255	59.4	42.2
	100	150	1205	60.2	42.2
	100	200	1155	61.0	42.2
	150	0	1305	52.7	42.2
	150	50	1255	53.1	42.2
	150	100	1205	53.7	42.2
	150	150	1155	54.2	42.2
	150	200	1105	54.9	42.2

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI

MY: 2015 Model: Heritage F-150 3.5L GTDI HD 4 X 4 Cab Type: SuperCrew Cab Wheelbase: 156.5 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
LIGHTS				
Fog Lamps	add	2	add	0
RADIOS				
AM/FM/CD Changer	add	1	add	0
Navigation Radio	add	6	add	2
Subwoofer	add	11	add	11
FLOOR COVERINGS				
Carpet Floor Covering	add	0	add	0
Floor Mats - Carpet	add	0	add	0
Floor Mats - Rubber	add	3	add	1
CONSOLE				
Mini Overhead Console	sub	5	sub	1
Overhead Console	add	0	add	0
Standalone Floor Console	sub	25	sub	14
Flow Through Floor Console	sub	17	sub	9
GLASS				
Sliding Rear Window	add	2	add	2
Power Sliding Rear Window	add	4	add	3
COMFORT/CONVENIENCE				
Tubular Cab Steps - Black	add	29	add	30
Tubular Cab Steps - Bright	add	23	add	24
Platform Style Running Boards	add	19	add	19
Chrome Running Boards	add	13	add	12
Angular Step Bars	add	18	add	19
Box Access Steps	add	16	add	49
Power Mirrors	add	0	add	0
Power/Heated/Signal Mirrors	add	1	add	0
Power/Heated/Signal/Folding Mirrors	add	1	add	1
Power Trailer Tow Mirrors	add	7	add	7
Speed Control	add	0	add	0
Keyless Entry	add	0	add	0
6-Way Power Driver Seat	add	7	add	6
10-Way Power Driver & Passenger Seats	add	16	add	12
Heated Seats or Heated/Cooled Seats	add	4	add	0
FUNCTIONAL				
Engine Block Heater	add	2	add	0
Power Adjustable Pedals	add	1	add	1
Power Windows/Locks	add	0	add	0
Moonroof	add	23	add	21
PACKAGES				
Trailer Tow	sub	10	add	50
TRIM VERSIONS				
XLT Trim	add	0	add	0
Lariat Trim	add	15	add	12
Tutone Paint	add	1	add	1
Wheel Lip Molding	add	3	add	2
4x4 OPTIONS				
Skid Plates	add	21	add	13
WHEELS				
Aluminum Wheels	sub	21	sub	14
Total Option Weight				

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
4050	0	0	1440	66.2	42.2
	0	50	1390	67.1	42.2
	0	100	1340	68.1	42.2
	0	150	1290	69.2	42.2
	0	200	1240	70.3	42.2
	50	0	1390	61.5	42.2
	50	50	1340	62.3	42.2
	50	100	1290	63.1	42.2
	50	150	1240	64.0	42.2
	50	200	1190	65.0	42.2
	100	0	1340	56.4	42.2
	100	50	1290	57.0	42.2
	100	100	1240	57.7	42.2
	100	150	1190	58.4	42.2
	100	200	1140	59.2	42.2
	150	0	1290	51.0	42.2
	150	50	1240	51.4	42.2
	150	100	1190	51.9	42.2
	150	150	1140	52.4	42.2
	150	200	1090	52.9	42.2

VEHICLE LOADING DATA 8200 LBS. (3721 Kg) GVWR					
	OPTION WEIGHT		CARGO	CENTER OF GRAVITY ZONE LIMITS	
FRONT GAWR (LBS)	FRONT FRONT (LBS)	REAR REAR (LBS)	WEIGHT RATING (LBS)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI

MY: 2015 Model: F-150 5.0L 4x2 Cab Type: Regular Cab Wheelbase: 141.1 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
XLT Trim	add	2	add	2
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	49
Power Equipment	add	1	add	1
Supplemental Floor Mats	add	2	add	1
Power Adjustable Pedals	add	1	add	1
Floor Mats - Carpet	add	3	add	1
Color Keyed Carpet	add	2	add	0
Running Boards - Platform - Black	add	16	add	16
Pick-up Box Step Bars	add	14	add	46
Power/Heated/Signal Mirrors	add	1	add	0
Front Seat Center Armrest	add	1	add	0
Power Driver Seat Adjuster	add	8	add	6
Tow Hooks	add	7	add	0
Remote Keyless Entry	add	1	add	1
Tutone Paint	add	1	add	1
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
Extended Range Fuel Tank	add	28	add	54
Navigation Center	add	1	add	1
Mid Audio + CD + SARS	add	1	add	1
Sync II (MGM)	add	2	add	2
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS 7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	2558	65.3	46.1
	0	50	2508	65.8	46.2
	0	100	2458	66.3	46.3
	0	150	2408	66.9	46.5
	0	200	2358	67.4	46.6
	0	250	2308	68.0	46.7
	0	300	2258	68.6	46.8
	50	0	2508	63.0	43.4
	50	50	2458	63.5	43.5
	50	100	2408	63.9	43.5
	50	150	2358	64.4	43.6
	50	200	2308	64.9	43.6
	50	250	2258	65.5	43.7
	50	300	2208	66.0	43.8
	100	0	2458	60.6	42.2
	100	50	2408	61.0	42.2
	100	100	2358	61.4	42.2
	100	150	2308	61.9	42.2
	100	200	2258	62.3	42.2
	100	250	2208	62.8	42.2
	100	300	2158	63.3	42.2
	150	0	2408	58.1	42.2
	150	50	2358	58.4	42.2
	150	100	2308	58.8	42.2
	150	150	2258	59.2	42.2
	150	200	2208	59.6	42.2
	150	250	2158	60.1	42.2
	150	300	2108	60.5	42.2
	200	0	2358	55.5	42.2
	200	50	2308	55.8	42.2
	200	100	2258	56.1	42.2
	200	150	2208	56.4	42.2
	200	200	2158	56.8	42.2
	200	250	2108	57.2	42.2
	200	300	2058	57.6	42.2

VEHICLE LOADING DATA - 18" WHEELS 7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	2585	54.8	42.2
	0	50	2535	55.0	42.2
	0	100	2485	55.3	42.2
	0	150	2435	55.6	42.2
	0	200	2385	55.9	42.2
	0	250	2335	56.3	42.2
	0	300	2285	56.6	42.2
	50	0	2535	52.3	42.2
	50	50	2485	52.5	42.2
	50	100	2435	52.7	42.2
	50	150	2385	53.0	42.2
	50	200	2335	53.2	42.2
	50	250	2285	53.5	42.2
	50	300	2235	53.8	42.2
	100	0	2485	49.7	42.2
	100	50	2435	49.8	42.2
	100	100	2385	50.0	42.2
	100	150	2335	50.2	42.2
	100	200	2285	50.4	42.2
	100	250	2235	50.6	42.2
	100	300	2185	50.9	42.2
	150	0	2435	46.9	42.2
	150	50	2385	47.1	42.2
	150	100	2335	47.2	42.2
	150	150	2285	47.3	42.2
	150	200	2235	47.5	42.2
	150	250	2185	47.6	42.2
	150	300	2135	47.8	42.2
	200	0	2385	44.1	42.2
	200	50	2335	44.2	42.2
	200	100	2285	44.2	42.2
	200	150	2235	44.3	42.2
	200	200	2185	44.4	42.2
	200	250	2135	44.5	42.2
	200	300	2085	44.6	42.2

MY: 2015 Model: F-150 3.5L GTDI 4x2 Cab Type: Regular Cab Wheelbase: 141.1 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
XLT Trim	add	2	add	2
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	49
Power Equipment	add	1	add	1
Supplemental Floor Mats	add	2	add	1
Power Adjustable Pedals	add	1	add	1
Floor Mats - Carpet	add	3	add	1
Color Keyed Carpet	add	2	add	0
Running Boards - Platform - Black	add	16	add	16
Pick-up Box Step Bars	add	14	add	46
Mirrors - Manual Extendable Trailer Tow - Power	add	1	add	1
Front Seat Center Armrest	add	1	add	0
Power Driver Seat Adjuster	add	8	add	6
Tow Hooks	add	7	add	0
Remote Keyless Entry	add	1	add	1
Tutone Paint	add	1	add	1
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
Extended Range Fuel Tank	add	28	add	54
Navigation Center	add	1	add	1
Mid Audio + CD + SARS	add	1	add	1
Sync II (MGM)	add	2	add	2
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS 7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	2548	65.1	45.8
	0	50	2498	65.6	45.9
	0	100	2448	66.1	46.0
	0	150	2398	66.6	46.1
	0	200	2348	67.2	46.2
	0	250	2298	67.7	46.4
	0	300	2248	68.3	46.5
	50	0	2498	62.8	43.1
	50	50	2448	63.2	43.1
	50	100	2398	63.7	43.2
	50	150	2348	64.2	43.2
	50	200	2298	64.7	43.3
	50	250	2248	65.2	43.3
	50	300	2198	65.8	43.4
	100	0	2448	60.3	42.2
	100	50	2398	60.7	42.2
	100	100	2348	61.2	42.2
	100	150	2298	61.6	42.2
	100	200	2248	62.1	42.2
	100	250	2198	62.5	42.2
	100	300	2148	63.1	42.2
	150	0	2398	57.8	42.2
	150	50	2348	58.2	42.2
	150	100	2298	58.5	42.2
	150	150	2248	58.9	42.2
	150	200	2198	59.3	42.2
	150	250	2148	59.8	42.2
	150	300	2098	60.2	42.2
	200	0	2348	55.2	42.2
	200	50	2298	55.5	42.2
	200	100	2248	55.8	42.2
	200	150	2198	56.1	42.2
	200	200	2148	56.5	42.2
	200	250	2098	56.9	42.2
	200	300	2048	57.2	42.2

VEHICLE LOADING DATA - 18" WHEELS 7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	2779	62.9	45.3
	0	50	2729	63.3	45.3
	0	100	2679	63.8	45.4
	0	150	2629	64.2	45.5
	0	200	2579	64.6	45.6
	0	250	2529	65.1	45.7
	0	300	2479	65.6	45.8
	50	0	2729	60.8	42.8
	50	50	2679	61.1	42.8
	50	100	2629	61.5	42.8
	50	150	2579	61.9	42.9
	50	200	2529	62.3	42.9
	50	250	2479	62.8	42.9
	50	300	2429	63.2	43.0
	100	0	2679	58.5	42.2
	100	50	2629	58.8	42.2
	100	100	2579	59.2	42.2
	100	150	2529	59.5	42.2
	100	200	2479	59.9	42.2
	100	250	2429	60.3	42.2
	100	300	2379	60.7	42.2
	150	0	2629	56.1	42.2
	150	50	2579	56.4	42.2
	150	100	2529	56.8	42.2
	150	150	2479	57.1	42.2
	150	200	2429	57.4	42.2
	150	250	2379	57.8	42.2
	150	300	2329	58.1	42.2
	200	0	2579	53.7	42.2
	200	50	2529	54.0	42.2
	200	100	2479	54.2	42.2
	200	150	2429	54.5	42.2
	200	200	2379	54.8	42.2
	200	250	2329	55.1	42.2
	200	300	2279	55.4	42.2

MY: 2015 Model: F-150 5.0L 4x2 Cab Type: Super Cab Wheelbase: 163.7 IN

OPTION TABLE

OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
Lariat Trim	add	6	add	6
Leather Seats	add	5	add	3
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	49
Dual Zone Auto Temp Ctrl	add	2	add	0
Power Equipment	add	2	add	1
Power Sliding Rear Window	add	4	add	3
O/H Console	add	1	add	0
Supplemental Floor Mats	add	5	add	4
Power Adjustable Pedals - Memory	add	1	add	1
Floor Mats - Carpet	add	4	add	2
Color Keyed Carpet	add	3	add	1
Running Boards - Chrome Angular	add	16	add	16
Molding - Wheel Lip	add	3	add	2
Pick-up Box Step Bars	add	14	add	46
Power Extendable Trailer Tow Mirrors	add	4	add	4
Front Seat Center Armrest	add	1	add	0
Rear Under Seat Stow Bin	add	2	add	2
Heated/Cooled Seats	add	2	add	2
Power Driver Seat Adjuster - Memory	add	8	add	6
Power Passenger Seat Adjuster	add	8	add	6
Tow Hooks	add	7	add	0
Remote Tailgate Release	add	1	add	1
Remote Keyless Entry	add	1	add	1
Moonroof	add	23	add	21
Tutone Paint	add	1	add	1
Front Bumper w/ Plastic Ends	add	5	add	0
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
Extended Range Fuel Tank	add	28	add	54
Power Adjustable Steering Column	add	1	add	0
Navigation Center	add	1	add	1
Mid Audio + CD + SARS + HD	add	10	add	10
Sync II (MGM)	add	2	add	2
Front Camera/Rear View Camera	add	1	add	0
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
XLT Trim	add	2	add	2
Console - Center (w/ Bucket Seats)	minus	-25	minus	-14
Power Adjustable Pedals	add	1	add	1
Running Boards - Platform - Black	add	19	add	19
Mirrors - Manual Extendable Trailer Tow - Power	add	1	add	1
Power Driver Seat Adjuster	add	8	add	6
Remote Keyless Entry	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS 7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1759	76.8	42.2
	0	50	1709	77.9	42.2
	0	100	1659	79.0	42.2
	0	150	1609	80.2	42.2
	0	200	1559	81.5	42.2
	0	250	1509	82.9	42.2
	0	300	1459	84.3	42.2
	0	350	1409	85.9	42.2
	50	0	1709	73.1	42.2
	50	50	1659	74.1	42.2
	50	100	1609	75.1	42.2
	50	150	1559	76.3	42.2
	50	200	1509	77.5	42.2
	50	250	1459	78.7	42.2
	50	300	1409	80.1	42.2
	50	350	1359	81.6	42.2
	100	0	1659	69.2	42.2
	100	50	1609	70.1	42.2
	100	100	1559	71.0	42.2
	100	150	1509	72.0	42.2
	100	200	1459	73.1	42.2
	100	250	1409	74.3	42.2
	100	300	1359	75.5	42.2
	100	350	1309	76.9	42.2
	150	0	1609	65.0	42.2
	150	50	1559	65.8	42.2
	150	100	1509	66.6	42.2
	150	150	1459	67.5	42.2
	150	200	1409	68.5	42.2
	150	250	1359	69.5	42.2
	150	300	1309	70.6	42.2
	150	350	1259	71.8	42.2
	200	0	1559	60.5	42.2
	200	50	1509	61.2	42.2
	200	100	1459	61.9	42.2
	200	150	1409	62.7	42.2
	200	200	1359	63.5	42.2
	200	250	1309	64.4	42.2
	200	300	1259	65.3	42.2
	200	350	1209	66.4	42.2

VEHICLE LOADING DATA - 18" WHEELS 7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1991	72.3	42.2
	0	50	1941	73.1	42.2
	0	100	1891	74.0	42.2
	0	150	1841	74.9	42.2
	0	200	1791	75.9	42.2
	0	250	1741	76.9	42.2
	0	300	1691	78.0	42.2
	0	350	1641	79.2	42.2
	50	0	1941	68.9	42.2
	50	50	1891	69.7	42.2
	50	100	1841	70.5	42.2
	50	150	1791	71.3	42.2
	50	200	1741	72.2	42.2
	50	250	1691	73.2	42.2
	50	300	1641	74.2	42.2
	50	350	1591	75.2	42.2
	100	0	1891	65.4	42.2
	100	50	1841	66.0	42.2
	100	100	1791	66.8	42.2
	100	150	1741	67.5	42.2
	100	200	1691	68.3	42.2
	100	250	1641	69.2	42.2
	100	300	1591	70.1	42.2
	100	350	1541	71.1	42.2
	150	0	1841	61.6	42.2
	150	50	1791	62.2	42.2
	150	100	1741	62.8	42.2
	150	150	1691	63.5	42.2
	150	200	1641	64.2	42.2
	150	250	1591	64.9	42.2
	150	300	1541	65.7	42.2
	150	350	1491	66.6	42.2
	200	0	1791	57.6	42.2
	200	50	1741	58.1	42.2
	200	100	1691	58.6	42.2
	200	150	1641	59.2	42.2
	200	200	1591	59.8	42.2
	200	250	1541	60.4	42.2
	200	300	1491	61.1	42.2
	200	350	1441	61.8	42.2

MY: 2015 Model: F-150 3.5L GTDI 4x2 Cab Type: Super Cab Wheelbase: 163.7 IN

OPTION TABLE

OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
Lariat Trim	add	6	add	6
Leather Seats	add	5	add	3
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	49
Dual Zone Auto Temp Ctrl	add	2	add	0
Power Equipment	add	2	add	1
Power Sliding Rear Window	add	4	add	3
O/H Console	add	1	add	0
Supplemental Floor Mats	add	5	add	4
Power Adjustable Pedals - Memory	add	1	add	1
Floor Mats - Carpet	add	4	add	2
Color Keyed Carpet	add	3	add	1
Running Boards - Chrome Angular	add	16	add	16
Molding - Wheel Lip	add	3	add	2
Pick-up Box Step Bars	add	14	add	46
Power Extendable Trailer Tow Mirrors	add	4	add	4
Front Seat Center Armrest	add	1	add	0
Rear Under Seat Stow Bin	add	2	add	2
Heated/Cooled Seats	add	2	add	2
Power Driver Seat Adjuster - Memory	add	8	add	6
Power Passenger Seat Adjuster	add	8	add	6
Tow Hooks	add	7	add	0
Remote Tailgate Release	add	1	add	1
Remote Keyless Entry	add	1	add	1
Moonroof	add	23	add	21
Tutone Paint	add	1	add	1
Front Bumper w/ Plastic Ends	add	5	add	0
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
Extended Range Fuel Tank	add	28	add	54
Power Adjustable Steering Column	add	1	add	0
Navigation Center	add	1	add	1
Mid Audio + CD + SARS + HD	add	10	add	10
Sync II (MGM)	add	2	add	2
Front Camera/Rear View Camera	add	1	add	0
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
XLT Trim	add	2	add	2
Console - Center (w/ Bucket Seats)	minus	-25	minus	-14
Power Adjustable Pedals	add	1	add	1
Running Boards - Platform - Black	add	19	add	19
Mirrors - Manual Extendable Trailer Tow - Power	add	1	add	1
Power Driver Seat Adjuster	add	8	add	6
Remote Keyless Entry	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS 7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1761	76.9	42.2
	0	50	1711	77.9	42.2
	0	100	1661	79.1	42.2
	0	150	1611	80.3	42.2
	0	200	1561	81.6	42.2
	0	250	1511	82.9	42.2
	0	300	1461	84.4	42.2
	0	350	1411	86.0	42.2
	50	0	1711	73.2	42.2
	50	50	1661	74.2	42.2
	50	100	1611	75.2	42.2
	50	150	1561	76.3	42.2
	50	200	1511	77.5	42.2
	50	250	1461	78.8	42.2
	50	300	1411	80.2	42.2
	50	350	1361	81.6	42.2
	100	0	1661	69.2	42.2
	100	50	1611	70.1	42.2
	100	100	1561	71.1	42.2
	100	150	1511	72.1	42.2
	100	200	1461	73.2	42.2
	100	250	1411	74.4	42.2
	100	300	1361	75.6	42.2
	100	350	1311	77.0	42.2
	150	0	1611	65.0	42.2
	150	50	1561	65.8	42.2
	150	100	1511	66.7	42.2
	150	150	1461	67.6	42.2
	150	200	1411	68.6	42.2
	150	250	1361	69.6	42.2
	150	300	1311	70.7	42.2
	150	350	1261	71.9	42.2
	200	0	1561	60.6	42.2
	200	50	1511	61.3	42.2
	200	100	1461	62.0	42.2
	200	150	1411	62.8	42.2
	200	200	1361	63.6	42.2
	200	250	1311	64.5	42.2
	200	300	1261	65.4	42.2
	200	350	1211	66.5	42.2

VEHICLE LOADING DATA - 18" WHEELS 7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1992	72.4	42.2
	0	50	1942	73.2	42.2
	0	100	1892	74.1	42.2
	0	150	1842	75.0	42.2
	0	200	1792	76.0	42.2
	0	250	1742	77.0	42.2
	0	300	1692	78.1	42.2
	0	350	1642	79.2	42.2
	50	0	1942	69.0	42.2
	50	50	1892	69.8	42.2
	50	100	1842	70.6	42.2
	50	150	1792	71.4	42.2
	50	200	1742	72.3	42.2
	50	250	1692	73.2	42.2
	50	300	1642	74.2	42.2
	50	350	1592	75.3	42.2
	100	0	1892	65.4	42.2
	100	50	1842	66.1	42.2
	100	100	1792	66.8	42.2
	100	150	1742	67.6	42.2
	100	200	1692	68.4	42.2
	100	250	1642	69.3	42.2
	100	300	1592	70.2	42.2
	100	350	1542	71.1	42.2
	150	0	1842	61.7	42.2
	150	50	1792	62.3	42.2
	150	100	1742	62.9	42.2
	150	150	1692	63.6	42.2
	150	200	1642	64.3	42.2
	150	250	1592	65.0	42.2
	150	300	1542	65.8	42.2
	150	350	1492	66.7	42.2
	200	0	1792	57.7	42.2
	200	50	1742	58.2	42.2
	200	100	1692	58.7	42.2
	200	150	1642	59.3	42.2
	200	200	1592	59.9	42.2
	200	250	1542	60.5	42.2
	200	300	1492	61.2	42.2
	200	350	1442	61.9	42.2

MY: 2015 Model: F-150 5.0L 4x2 Cab Type: Crew Cab Wheelbase: 156.8 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
Lariat Trim	add	6	add	6
Leather Seats	add	5	add	3
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	40
Dual Zone Auto Temp Ctrl	add	2	add	0
Power Equipment	add	2	add	1
Power Sliding Rear Window	add	4	add	3
O/H Console	add	1	add	0
Supplemental Floor Mats	add	6	add	6
Power Adjustable Pedals - Memory	add	1	add	1
Floor Mats - Carpet	add	4	add	3
Color Keyed Carpet	add	3	add	2
Running Boards - Chrome Angular	add	17	add	17
Molding - Wheel Lip	add	3	add	2
Pick-up Box Step Bars	add	16	add	49
Power/Heated/Signal/Folding Mirrors	add	2	add	1
Front Seat Center Armrest	add	1	add	0
Rear Under Seat Stow Bin	add	2	add	2
Rear Center Armrest	add	1	add	2
Heated/Cooled Seats	add	2	add	2
Power Driver Seat Adjuster - Memory	add	8	add	6
Power Passenger Seat Adjuster	add	8	add	6
Tow Hooks	add	7	add	0
Remote Tailgate Release	add	1	add	1
Remote Keyless Entry	add	1	add	1
Vista Roof	add	32	add	28
Tutone Paint	add	1	add	1
Front Bumper w/ Plastic Ends	add	5	add	0
Inflatable Rear Seat Belts	add	2	add	1
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
Extended Range Fuel Tank	add	28	add	54
Power Adjustable Steering Column	add	1	add	0
Navigation Center	add	1	add	1
Mid Audio + CD + SARS + HD	add	10	add	10
Sync II (MGM)	add	2	add	2
Front Camera/Rear View Camera	add	1	add	0
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
XLT Trim	add	2	add	2
Console - Center (w/ Bucket Seats)	minus	-25	minus	-14
Power Adjustable Pedals	add	1	add	1
Running Boards - Platform - Black	add	22	add	22
Power/Heated/Signal Mirrors	add	1	add	0
Power Driver Seat Adjuster	add	8	add	6
Remote Keyless Entry	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS 7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	1725	50.0	42.2
	0	50	1675	50.3	42.2
	0	100	1625	50.6	42.2
	0	150	1575	50.9	42.2
	0	200	1525	51.3	42.2
	0	250	1475	51.6	42.2
	0	300	1425	52.0	42.2
	0	350	1375	52.5	42.2
	50	0	1675	45.6	42.2
	50	50	1625	45.7	42.2
	50	100	1575	45.9	42.2
	50	150	1525	46.1	42.2
	50	200	1475	46.3	42.2
	50	250	1425	46.5	42.2
	50	300	1375	46.8	42.2
	50	350	1325	47.0	42.2
	100	0	1625	40.9	42.2
	100	50	1575	40.9	42.2
	100	100	1525	41.0	42.2
	100	150	1475	41.0	42.2
	100	200	1425	41.0	42.2
	100	250	1375	41.1	42.2
	100	300	1325	41.1	42.2
	100	350	1275	41.1	42.2
	150	0	1575	36.0	42.2
	150	50	1525	35.8	42.2
	150	100	1475	35.7	42.2
	150	150	1425	35.5	42.2
	150	200	1375	35.4	42.2
	150	250	1325	35.2	42.2
	150	300	1275	35.0	42.2
	150	350	1225	34.8	42.2
	200	0	1525	30.7	42.2
	200	50	1475	30.4	42.2
	200	100	1425	30.0	42.2
	200	150	1375	29.7	42.2
	200	200	1325	29.3	42.2
	200	250	1275	28.8	42.2
	200	300	1225	28.4	42.2
	200	350	1175	27.9	42.2
3750	0	0	1725	81.0	42.2
	0	50	1675	81.0	42.2
	0	100	1625	81.0	42.2
	0	150	1575	81.0	42.2
	0	200	1525	81.0	42.2
	0	250	1475	81.0	42.2
	0	300	1425	81.0	42.2
	0	350	1375	81.0	42.2
	50	0	1675	78.3	42.2
	50	50	1625	79.5	42.2
	50	100	1575	80.8	42.2
	50	150	1525	81.0	42.2
	50	200	1475	81.0	42.2
	50	250	1425	81.0	42.2
	50	300	1375	81.0	42.2
	50	350	1325	81.0	42.2
	100	0	1625	74.7	42.2
	100	50	1575	75.8	42.2
	100	100	1525	77.0	42.2
	100	150	1475	78.2	42.2
	100	200	1425	79.5	42.2
	100	250	1375	81.0	42.2
	100	300	1325	81.0	42.2
	100	350	1275	81.0	42.2
	150	0	1575	70.8	42.2
	150	50	1525	71.8	42.2
	150	100	1475	72.9	42.2
	150	150	1425	74.0	42.2
	150	200	1375	75.3	42.2
	150	250	1325	76.6	42.2
	150	300	1275	78.0	42.2
	150	350	1225	79.6	42.2
	200	0	1525	66.7	42.2
	200	50	1475	67.6	42.2
	200	100	1425	68.5	42.2
	200	150	1375	69.6	42.2
	200	200	1325	70.7	42.2
	200	250	1275	71.9	42.2
	200	300	1225	73.2	42.2
	200	350	1175	74.6	42.2

VEHICLE LOADING DATA - 18" WHEELS 7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	1956	48.6	42.2
	0	50	1906	48.8	42.2
	0	100	1856	49.0	42.2
	0	150	1806	49.3	42.2
	0	200	1756	49.5	42.2
	0	250	1706	49.8	42.2
	0	300	1656	50.1	42.2
	0	350	1606	50.4	42.2
	50	0	1906	44.7	42.2
	50	50	1856	44.8	42.2
	50	100	1806	44.9	42.2
	50	150	1756	45.1	42.2
	50	200	1706	45.2	42.2
	50	250	1656	45.4	42.2
	50	300	1606	45.5	42.2
	50	350	1556	45.7	42.2
	100	0	1856	40.6	42.2
	100	50	1806	40.6	42.2
	100	100	1756	40.6	42.2
	100	150	1706	40.6	42.2
	100	200	1656	40.6	42.2
	100	250	1606	40.6	42.2
	100	300	1556	40.7	42.2
	100	350	1506	40.7	42.2
	150	0	1806	36.2	42.2
	150	50	1756	36.1	42.2
	150	100	1706	36.0	42.2
	150	150	1656	35.9	42.2
	150	200	1606	35.8	42.2
	150	250	1556	35.6	42.2
	150	300	1506	35.5	42.2
	150	350	1456	35.3	42.2
	200	0	1756	31.7	42.2
	200	50	1706	31.4	42.2
	200	100	1656	31.2	42.2
	200	150	1606	30.9	42.2
	200	200	1556	30.6	42.2
	200	250	1506	30.3	42.2
	200	300	1456	29.9	42.2
	200	350	1406	29.6	42.2
3750	0	0	1956	76.6	42.2
	0	50	1906	77.6	42.2
	0	100	1856	78.6	42.2
	0	150	1806	79.7	42.2
	0	200	1756	80.8	42.2
	0	250	1706	81.0	42.2
	0	300	1656	81.0	42.2
	0	350	1606	81.0	42.2
	50	0	1906	73.5	42.2
	50	50	1856	74.4	42.2
	50	100	1806	75.3	42.2
	50	150	1756	76.3	42.2
	50	200	1706	77.4	42.2
	50	250	1656	78.5	42.2
	50	300	1606	79.7	42.2
	50	350	1556	81.0	42.2
	100	0	1856	70.1	42.2
	100	50	1806	71.0	42.2
	100	100	1756	71.8	42.2
	100	150	1706	72.8	42.2
	100	200	1656	73.8	42.2
	100	250	1606	74.8	42.2
	100	300	1556	75.9	42.2
	100	350	1506	77.1	42.2
	150	0	1806	66.6	42.2
	150	50	1756	67.4	42.2
	150	100	1706	68.2	42.2
	150	150	1656	69.0	42.2
	150	200	1606	69.9	42.2
	150	250	1556	70.9	42.2
	150	300	1506	71.9	42.2
	150	350	1456	73.0	42.2
	200	0	1756	62.9	42.2
	200	50	1706	63.6	42.2
	200	100	1656	64.3	42.2
	200	150	1606	65.0	42.2
	200	200	1556	65.8	42.2
	200	250	1506	66.7	42.2
	200	300	1456	67.6	42.2
	200	350	1406	68.6	42.2

MY: 2015 Model: F-150 3.5L GTDI 4x2 Cab Type: Crew Cab Wheelbase: 156.8 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
Lariat Trim	add	6	add	6
Leather Seats	add	5	add	3
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	40
Dual Zone Auto Temp Ctrl	add	2	add	0
Power Equipment	add	2	add	1
Power Sliding Rear Window	add	4	add	3
O/H Console	add	1	add	0
Supplemental Floor Mats	add	6	add	6
Power Adjustable Pedals - Memory	add	1	add	1
Floor Mats - Carpet	add	4	add	3
Color Keyed Carpet	add	3	add	2
Running Boards - Chrome Angular	add	17	add	17
Molding - Wheel Lip	add	3	add	2
Pick-up Box Step Bars	add	16	add	49
Power Extendable Trailer Tow Mirrors	add	4	add	4
Front Seat Center Armrest	add	1	add	0
Rear Under Seat Stow Bin	add	2	add	2
Rear Center Armrest	add	1	add	2
Heated/Cooled Seats	add	2	add	2
Power Driver Seat Adjuster - Memory	add	8	add	6
Power Passenger Seat Adjuster	add	8	add	6
Tow Hooks	add	7	add	0
Remote Tailgate Release	add	1	add	1
Remote Keyless Entry	add	1	add	1
Vista Roof	add	32	add	28
Tutone Paint	add	1	add	1
Front Bumper w/ Plastic Ends	add	5	add	0
Inflatable Rear Seat Belts	add	2	add	1
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
Extended Range Fuel Tank	add	28	add	54
Power Adjustable Steering Column	add	1	add	0
Navigation Center	add	1	add	1
Mid Audio + CD + SARS + HD	add	10	add	10
Sync II (MGM)	add	2	add	2
Front Camera/Rear View Camera	add	1	add	0
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
XLT Trim	add	2	add	2
Console - Center (w/ Bucket Seats)	minus	-25	minus	-14
Power Adjustable Pedals	add	1	add	1
Running Boards - Platform - Black	add	22	add	22
Power/Heated/Signal Mirrors	add	1	add	0
Power Driver Seat Adjuster	add	8	add	6
Remote Keyless Entry	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS 7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	1728	50.1	42.2
	0	50	1678	50.4	42.2
	0	100	1628	50.7	42.2
	0	150	1578	51.1	42.2
	0	200	1528	51.4	42.2
	0	250	1478	51.8	42.2
	0	300	1428	52.2	42.2
	0	350	1378	52.7	42.2
	50	0	1678	45.8	42.2
	50	50	1628	45.9	42.2
	50	100	1578	46.1	42.2
	50	150	1528	46.3	42.2
	50	200	1478	46.5	42.2
	50	250	1428	46.7	42.2
	50	300	1378	47.0	42.2
	50	350	1328	47.2	42.2
	100	0	1628	41.1	42.2
	100	50	1578	41.1	42.2
	100	100	1528	41.2	42.2
	100	150	1478	41.2	42.2
	100	200	1428	41.2	42.2
	100	250	1378	41.3	42.2
	100	300	1328	41.3	42.2
	100	350	1278	41.4	42.2
	150	0	1578	36.2	42.2
	150	50	1528	36.0	42.2
	150	100	1478	35.9	42.2
	150	150	1428	35.8	42.2
	150	200	1378	35.6	42.2
	150	250	1328	35.4	42.2
	150	300	1278	35.2	42.2
	150	350	1228	35.0	42.2
	200	0	1528	30.9	42.2
	200	50	1478	30.6	42.2
	200	100	1428	30.3	42.2
	200	150	1378	29.9	42.2
	200	200	1328	29.5	42.2
	200	250	1278	29.1	42.2
	200	300	1228	28.7	42.2
	200	350	1178	28.2	42.2
3750	0	0	1728	81.0	42.2
	0	50	1678	81.0	42.2
	0	100	1628	81.0	42.2
	0	150	1578	81.0	42.2
	0	200	1528	81.0	42.2
	0	250	1478	81.0	42.2
	0	300	1428	81.0	42.2
	0	350	1378	81.0	42.2
	50	0	1678	78.5	42.2
	50	50	1628	79.6	42.2
	50	100	1578	80.9	42.2
	50	150	1528	81.0	42.2
	50	200	1478	81.0	42.2
	50	250	1428	81.0	42.2
	50	300	1378	81.0	42.2
	50	350	1328	81.0	42.2
	100	0	1628	74.8	42.2
	100	50	1578	75.9	42.2
	100	100	1528	77.1	42.2
	100	150	1478	78.3	42.2
	100	200	1428	79.7	42.2
	100	250	1378	81.0	42.2
	100	300	1328	81.0	42.2
	100	350	1278	81.0	42.2
	150	0	1578	71.0	42.2
	150	50	1528	72.0	42.2
	150	100	1478	73.0	42.2
	150	150	1428	74.2	42.2
	150	200	1378	75.4	42.2
	150	250	1328	76.8	42.2
	150	300	1278	78.2	42.2
	150	350	1228	79.7	42.2
	200	0	1528	66.8	42.2
	200	50	1478	67.7	42.2
	200	100	1428	68.7	42.2
	200	150	1378	69.7	42.2
	200	200	1328	70.8	42.2
	200	250	1278	72.0	42.2
	200	300	1228	73.3	42.2
	200	350	1178	74.8	42.2

VEHICLE LOADING DATA - 18" WHEELS 7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	1959	48.7	42.2
	0	50	1909	48.9	42.2
	0	100	1859	49.2	42.2
	0	150	1809	49.4	42.2
	0	200	1759	49.7	42.2
	0	250	1709	50.0	42.2
	0	300	1659	50.3	42.2
	0	350	1609	50.6	42.2
	50	0	1909	44.8	42.2
	50	50	1859	45.0	42.2
	50	100	1809	45.1	42.2
	50	150	1759	45.2	42.2
	50	200	1709	45.4	42.2
	50	250	1659	45.5	42.2
	50	300	1609	45.7	42.2
	50	350	1559	45.9	42.2
	100	0	1859	40.7	42.2
	100	50	1809	40.8	42.2
	100	100	1759	40.8	42.2
	100	150	1709	40.8	42.2
	100	200	1659	40.8	42.2
	100	250	1609	40.8	42.2
	100	300	1559	40.9	42.2
	100	350	1509	40.9	42.2
	150	0	1809	36.4	42.2
	150	50	1759	36.3	42.2
	150	100	1709	36.2	42.2
	150	150	1659	36.1	42.2
	150	200	1609	36.0	42.2
	150	250	1559	35.8	42.2
	150	300	1509	35.7	42.2
	150	350	1459	35.5	42.2
	200	0	1759	31.9	42.2
	200	50	1709	31.6	42.2
	200	100	1659	31.4	42.2
	200	150	1609	31.1	42.2
	200	200	1559	30.8	42.2
	200	250	1509	30.5	42.2
	200	300	1459	30.2	42.2
	200	350	1409	29.8	42.2
3750	0	0	1959	76.7	42.2
	0	50	1909	77.7	42.2
	0	100	1859	78.7	42.2
	0	150	1809	79.8	42.2
	0	200	1759	80.9	42.2
	0	250	1709	81.0	42.2
	0	300	1659	81.0	42.2
	0	350	1609	81.0	42.2
	50	0	1909	73.6	42.2
	50	50	1859	74.5	42.2
	50	100	1809	75.4	42.2
	50	150	1759	76.4	42.2
	50	200	1709	77.5	42.2
	50	250	1659	78.6	42.2
	50	300	1609	79.8	42.2
	50	350	1559	81.0	42.2
	100	0	1859	70.3	42.2
	100	50	1809	71.1	42.2
	100	100	1759	72.0	42.2
	100	150	1709	72.9	42.2
	100	200	1659	73.9	42.2
	100	250	1609	74.9	42.2
	100	300	1559	76.1	42.2
	100	350	1509	77.2	42.2
	150	0	1809	66.8	42.2
	150	50	1759	67.5	42.2
	150	100	1709	68.3	42.2
	150	150	1659	69.2	42.2
	150	200	1609	70.1	42.2
	150	250	1559	71.0	42.2
	150	300	1509	72.1	42.2
	150	350	1459	73.1	42.2
	200	0	1759	63.1	42.2
	200	50	1709	63.7	42.2
	200	100	1659	64.4	42.2
	200	150	1609	65.2	42.2
	200	200	1559	66.0	42.2
	200	250	1509	66.9	42.2
	200	300	1459	67.8	42.2
	200	350	1409	68.8	42.2

MY: 2015 Model: F-150 5.0L 4x4 Cab Type: Regular Cab Wheelbase: 141.1 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
XLT Trim	add	2	add	2
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	49
Power Equipment	add	1	add	1
Supplemental Floor Mats	add	2	add	1
Power Adjustable Pedals	add	1	add	1
Floor Mats - Carpet	add	3	add	1
Color Keyed Carpet	add	2	add	0
Running Boards - Platform - Black	add	16	add	16
Pick-up Box Step Bars	add	14	add	46
Power/Heated/Signal Mirrors	add	1	add	0
Front Seat Center Armrest	add	1	add	0
Power Driver Seat Adjuster	add	8	add	6
Remote Keyless Entry	add	1	add	1
Tutone Paint	add	1	add	1
Off Road Shocks	add	2	add	2
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
Skid Plates	add	18	add	12
Extended Range Fuel Tank	add	28	add	54
Navigation Center	add	1	add	1
Mid Audio + CD + SARS	add	1	add	1
Sync II (MGM)	add	2	add	2
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS
7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	2335	56.3	42.2
	0	50	2285	56.6	42.2
	0	100	2235	56.9	42.2
	0	150	2185	57.3	42.2
	0	200	2135	57.7	42.2
	0	250	2085	58.1	42.2
	0	300	2035	58.5	42.2
	0	350	1985	59.0	42.2
	50	0	2285	53.5	42.2
	50	50	2235	53.8	42.2
	50	100	2185	54.1	42.2
	50	150	2135	54.4	42.2
	50	200	2085	54.7	42.2
	50	250	2035	55.1	42.2
	50	300	1985	55.4	42.2
	50	350	1935	55.8	42.2
	100	0	2235	50.6	42.2
	100	50	2185	50.9	42.2
	100	100	2135	51.1	42.2
	100	150	2085	51.3	42.2
	100	200	2035	51.6	42.2
	100	250	1985	51.9	42.2
	100	300	1935	52.2	42.2
	100	350	1885	52.5	42.2
	150	0	2185	47.6	42.2
	150	50	2135	47.8	42.2
	150	100	2085	48.0	42.2
	150	150	2035	48.1	42.2
	150	200	1985	48.3	42.2
	150	250	1935	48.5	42.2
	150	300	1885	48.7	42.2
	150	350	1835	48.9	42.2
	200	0	2135	44.5	42.2
	200	50	2085	44.6	42.2
	200	100	2035	44.7	42.2
	200	150	1985	44.8	42.2
	200	200	1935	44.9	42.2
	200	250	1885	45.0	42.2
	200	300	1835	45.1	42.2
	200	350	1785	45.2	42.2

VEHICLE LOADING DATA - 18" WHEELS
7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	2566	54.7	42.2
	0	50	2516	55.0	42.2
	0	100	2466	55.3	42.2
	0	150	2416	55.6	42.2
	0	200	2366	55.9	42.2
	0	250	2316	56.2	42.2
	0	300	2266	56.5	42.2
	0	350	2216	56.9	42.2
	50	0	2516	52.2	42.2
	50	50	2466	52.4	42.2
	50	100	2416	52.6	42.2
	50	150	2366	52.9	42.2
	50	200	2316	53.2	42.2
	50	250	2266	53.4	42.2
	50	300	2216	53.7	42.2
	50	350	2166	54.0	42.2
	100	0	2466	49.5	42.2
	100	50	2416	49.7	42.2
	100	100	2366	49.9	42.2
	100	150	2316	50.1	42.2
	100	200	2266	50.3	42.2
	100	250	2216	50.5	42.2
	100	300	2166	50.8	42.2
	100	350	2116	51.0	42.2
	150	0	2416	46.8	42.2
	150	50	2366	46.9	42.2
	150	100	2316	47.1	42.2
	150	150	2266	47.2	42.2
	150	200	2216	47.3	42.2
	150	250	2166	47.5	42.2
	150	300	2116	47.7	42.2
	150	350	2066	47.8	42.2
	200	0	2366	44.0	42.2
	200	50	2316	44.0	42.2
	200	100	2266	44.1	42.2
	200	150	2216	44.2	42.2
	200	200	2166	44.2	42.2
	200	250	2116	44.3	42.2
	200	300	2066	44.4	42.2
	200	350	2016	44.5	42.2
3750	0	0	2566	74.0	42.2
	0	50	2516	74.6	42.2
	0	100	2466	75.3	42.2
	0	150	2416	76.0	42.2
	0	200	2366	76.8	42.2
	0	250	2316	77.5	42.2
	0	300	2266	78.3	42.2
	0	350	2216	79.2	42.2
	50	0	2516	71.8	42.2
	50	50	2466	72.4	42.2
	50	100	2416	73.1	42.2
	50	150	2366	73.8	42.2
	50	200	2316	74.5	42.2
	50	250	2266	75.2	42.2
	50	300	2216	76.0	42.2
	50	350	2166	76.8	42.2
	100	0	2466	69.6	42.2
	100	50	2416	70.2	42.2
	100	100	2366	70.8	42.2
	100	150	2316	71.4	42.2
	100	200	2266	72.1	42.2
	100	250	2216	72.8	42.2
	100	300	2166	73.6	42.2
	100	350	2116	74.3	42.2
	150	0	2416	67.2	42.2
	150	50	2366	67.8	42.2
	150	100	2316	68.4	42.2
	150	150	2266	69.0	42.2
	150	200	2216	69.6	42.2
	150	250	2166	70.3	42.2
	150	300	2116	71.0	42.2
	150	350	2066	71.7	42.2
	200	0	2366	64.8	42.2
	200	50	2316	65.3	42.2
	200	100	2266	65.9	42.2
	200	150	2216	66.4	42.2
	200	200	2166	67.0	42.2
	200	250	2116	67.7	42.2
	200	300	2066	68.3	42.2
	200	350	2016	69.0	42.2

MY: 2015 Model: F-150 3.5L GTDI 4x4 Cab Type: Regular Cab Wheelbase: 141.1 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
XLT Trim	add	2	add	2
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	49
Power Equipment	add	1	add	1
Supplemental Floor Mats	add	2	add	1
Power Adjustable Pedals	add	1	add	1
Floor Mats - Carpet	add	3	add	1
Color Keyed Carpet	add	2	add	0
Running Boards - Platform - Black	add	16	add	16
Pick-up Box Step Bars	add	14	add	46
Mirrors - Manual Extendable Trailer Tow - Power	add	1	add	1
Front Seat Center Armrest	add	1	add	0
Power Driver Seat Adjuster	add	8	add	6
Remote Keyless Entry	add	1	add	1
Tutone Paint	add	1	add	1
Off Road Shocks	add	2	add	2
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
Skid Plates	add	18	add	12
Extended Range Fuel Tank	add	28	add	54
Navigation Center	add	1	add	1
Mid Audio + CD + SARS	add	1	add	1
Sync II (MGM)	add	2	add	2
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS
7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	2344	56.6	42.2
	0	50	2294	56.9	42.2
	0	100	2244	57.3	42.2
	0	150	2194	57.6	42.2
	0	200	2144	58.0	42.2
	0	250	2094	58.4	42.2
	0	300	2044	58.9	42.2
	50	0	2294	53.8	42.2
	50	50	2244	54.1	42.2
	50	100	2194	54.4	42.2
	50	150	2144	54.7	42.2
	50	200	2094	55.1	42.2
	50	250	2044	55.4	42.2
	50	300	1994	55.8	42.2
	100	0	2244	51.0	42.2
	100	50	2194	51.2	42.2
	100	100	2144	51.4	42.2
	100	150	2094	51.7	42.2
	100	200	2044	52.0	42.2
	100	250	1994	52.2	42.2
	100	300	1944	52.5	42.2
	150	0	2194	48.0	42.2
	150	50	2144	48.2	42.2
	150	100	2094	48.3	42.2
	150	150	2044	48.5	42.2
	150	200	1994	48.7	42.2
	150	250	1944	48.9	42.2
	150	300	1894	49.1	42.2
	200	0	2144	44.9	42.2
	200	50	2094	45.0	42.2
	200	100	2044	45.1	42.2
	200	150	1994	45.2	42.2
	200	200	1944	45.3	42.2
	200	250	1894	45.4	42.2
	200	300	1844	45.5	42.2

VEHICLE LOADING DATA - 18" WHEELS
7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3400	0	0	2576	55.0	42.2
	0	50	2526	55.3	42.2
	0	100	2476	55.6	42.2
	0	150	2426	55.9	42.2
	0	200	2376	56.2	42.2
	0	250	2326	56.5	42.2
	0	300	2276	56.8	42.2
	50	0	2526	52.5	42.2
	50	50	2476	52.7	42.2
	50	100	2426	52.9	42.2
	50	150	2376	53.2	42.2
	50	200	2326	53.5	42.2
	50	250	2276	53.7	42.2
	50	300	2226	54.0	42.2
	100	0	2476	49.9	42.2
	100	50	2426	50.0	42.2
	100	100	2376	50.2	42.2
	100	150	2326	50.4	42.2
	100	200	2276	50.6	42.2
	100	250	2226	50.9	42.2
	100	300	2176	51.1	42.2
	150	0	2426	47.1	42.2
	150	50	2376	47.3	42.2
	150	100	2326	47.4	42.2
	150	150	2276	47.5	42.2
	150	200	2226	47.7	42.2
	150	250	2176	47.9	42.2
	150	300	2126	48.0	42.2
	200	0	2376	44.3	42.2
	200	50	2326	44.4	42.2
	200	100	2276	44.4	42.2
	200	150	2226	44.5	42.2
	200	200	2176	44.6	42.2
	200	250	2126	44.7	42.2
	200	300	2076	44.8	42.2
3750	0	0	2576	74.2	42.2
	0	50	2526	74.8	42.2
	0	100	2476	75.5	42.2
	0	150	2426	76.2	42.2
	0	200	2376	77.0	42.2
	0	250	2326	77.7	42.2
	0	300	2276	78.5	42.2
	50	0	2526	72.0	42.2
	50	50	2476	72.6	42.2
	50	100	2426	73.3	42.2
	50	150	2376	74.0	42.2
	50	200	2326	74.7	42.2
	50	250	2276	75.4	42.2
	50	300	2226	76.2	42.2
	100	0	2476	69.8	42.2
	100	50	2426	70.4	42.2
	100	100	2376	71.0	42.2
	100	150	2326	71.7	42.2
	100	200	2276	72.3	42.2
	100	250	2226	73.1	42.2
	100	300	2176	73.8	42.2
	150	0	2426	67.5	42.2
	150	50	2376	68.0	42.2
	150	100	2326	68.6	42.2
	150	150	2276	69.2	42.2
	150	200	2226	69.9	42.2
	150	250	2176	70.5	42.2
	150	300	2126	71.2	42.2
	200	0	2376	65.1	42.2
	200	50	2326	65.6	42.2
	200	100	2276	66.1	42.2
	200	150	2226	66.7	42.2
	200	200	2176	67.3	42.2
	200	250	2126	67.9	42.2
	200	300	2076	68.6	42.2

MY: 2015 Model: F-150 5.0L 4x4 Cab Type: Super Cab Wheelbase: 163.7 IN

OPTION TABLE

OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
Lariat Trim	add	6	add	6
Leather Seats	add	5	add	3
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	49
Dual Zone Auto Temp Ctrl	add	2	add	0
Power Equipment	add	2	add	1
Power Sliding Rear Window	add	4	add	3
O/H Console	add	1	add	0
Supplemental Floor Mats	add	5	add	4
Power Adjustable Pedals - Memory	add	1	add	1
Floor Mats - Carpet	add	4	add	2
Color Keyed Carpet	add	3	add	1
Running Boards - Chrome Angular	add	16	add	16
Molding - Wheel Lip	add	3	add	2
Pick-up Box Step Bars	add	14	add	46
Power/Heated/Signal/Folding Mirrors	add	2	add	1
Front Seat Center Armrest	add	1	add	0
Rear Under Seat Stow Bin	add	2	add	2
Heated/Cooled Seats	add	2	add	2
Power Driver Seat Adjuster - Memory	add	8	add	6
Power Passenger Seat Adjuster	add	8	add	6
Remote Tailgate Release	add	1	add	1
Remote Keyless Entry	add	1	add	1
Moonroof	add	23	add	21
Tutone Paint	add	1	add	1
Front Bumper w/ Plastic Ends	add	5	add	0
Off Road Shocks	add	2	add	2
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
2-Speed Transfer Case w/TOD	add	4	add	3
Skid Plates	add	18	add	12
Extended Range Fuel Tank	add	28	add	54
Power Adjustable Steering Column	add	1	add	0
Navigation Center	add	1	add	1
Mid Audio + CD + SARS + HD	add	10	add	10
Sync II (MGM)	add	2	add	2
Front Camera/Rear View Camera	add	1	add	0
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
XLT Trim	add	2	add	2
Console - Center (w/ Bucket Seats)	minus	-25	minus	-14
Power Adjustable Pedals	add	1	add	1
Running Boards - Platform - Black	add	19	add	19
Power/Heated/Signal Mirrors	add	1	add	0
Power Driver Seat Adjuster	add	8	add	6
Remote Keyless Entry	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS 7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1524	67.9	42.2
	0	50	1474	68.8	42.2
	0	100	1424	69.8	42.2
	0	150	1374	70.9	42.2
	0	200	1324	72.0	42.2
	0	250	1274	73.3	42.2
	0	300	1224	74.6	42.2
	0	350	1174	76.1	42.2
	50	0	1474	63.2	42.2
	50	50	1424	64.0	42.2
	50	100	1374	64.9	42.2
	50	150	1324	65.8	42.2
	50	200	1274	66.8	42.2
	50	250	1224	67.9	42.2
	50	300	1174	69.1	42.2
	50	350	1124	70.4	42.2
	100	0	1424	58.3	42.2
	100	50	1374	59.0	42.2
	100	100	1324	59.7	42.2
	100	150	1274	60.4	42.2
	100	200	1224	61.2	42.2
	100	250	1174	62.1	42.2
	100	300	1124	63.1	42.2
	100	350	1074	64.2	42.2
	150	0	1374	53.0	42.2
	150	50	1324	53.5	42.2
	150	100	1274	54.0	42.2
	150	150	1224	54.6	42.2
	150	200	1174	55.2	42.2
	150	250	1124	55.8	42.2
	150	300	1074	56.6	42.2
	200	350	974	49.8	42.2
	200	0	1324	47.3	42.2
	200	50	1274	47.6	42.2
	200	100	1224	47.9	42.2
	200	150	1174	48.2	42.2
	200	200	1124	48.6	42.2
	200	250	1074	48.9	42.2
	200	300	1024	49.4	42.2
	200	350	974	49.8	42.2

VEHICLE LOADING DATA - 18" WHEELS 7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1755	63.9	42.2
	0	50	1705	64.6	42.2
	0	100	1655	65.4	42.2
	0	150	1605	66.2	42.2
	0	200	1555	67.0	42.2
	0	250	1505	67.9	42.2
	0	300	1455	68.8	42.2
	0	350	1405	69.8	42.2
	50	0	1705	59.8	42.2
	50	50	1655	60.4	42.2
	50	100	1605	61.1	42.2
	50	150	1555	61.7	42.2
	50	200	1505	62.4	42.2
	50	250	1455	63.2	42.2
	50	300	1405	64.0	42.2
	50	350	1355	64.9	42.2
	100	0	1655	55.5	42.2
	100	50	1605	56.0	42.2
	100	100	1555	56.5	42.2
	100	150	1505	57.0	42.2
	100	200	1455	57.6	42.2
	100	250	1405	58.2	42.2
	100	300	1355	58.9	42.2
	100	350	1305	59.6	42.2
	150	0	1605	50.9	42.2
	150	50	1555	51.2	42.2
	150	100	1505	51.6	42.2
	150	150	1455	52.0	42.2
	150	200	1405	52.4	42.2
	150	250	1355	52.8	42.2
	150	300	1305	53.3	42.2
	200	350	1205	47.6	42.2
	200	0	1555	45.9	42.2
	200	50	1505	46.1	42.2
	200	100	1455	46.3	42.2
	200	150	1405	46.5	42.2
	200	200	1355	46.8	42.2
	200	250	1305	47.0	42.2
	200	300	1255	47.3	42.2
	200	350	1205	47.6	42.2

MY: 2015 Model: F-150 3.5L GTDI 4x4 Cab Type: Super Cab Wheelbase: 163.7 IN

OPTION TABLE

OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
Lariat Trim	add	6	add	6
Leather Seats	add	5	add	3
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	49
Dual Zone Auto Temp Ctrl	add	2	add	0
Power Equipment	add	2	add	1
Power Sliding Rear Window	add	4	add	3
O/H Console	add	1	add	0
Supplemental Floor Mats	add	5	add	4
Power Adjustable Pedals - Memory	add	1	add	1
Floor Mats - Carpet	add	4	add	2
Color Keyed Carpet	add	3	add	1
Running Boards - Chrome Angular	add	16	add	16
Molding - Wheel Lip	add	3	add	2
Pick-up Box Step Bars	add	14	add	46
Power Extendable Trailer Tow Mirrors	add	4	add	4
Front Seat Center Armrest	add	1	add	0
Rear Under Seat Stow Bin	add	2	add	2
Heated/Cooled Seats	add	2	add	2
Power Driver Seat Adjuster - Memory	add	8	add	6
Power Passenger Seat Adjuster	add	8	add	6
Remote Tailgate Release	add	1	add	1
Remote Keyless Entry	add	1	add	1
Moonroof	add	23	add	21
Tutone Paint	add	1	add	1
Front Bumper w/ Plastic Ends	add	5	add	0
Off Road Shocks	add	2	add	2
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
2-Speed Transfer Case w/TOD	add	4	add	3
Skid Plates	add	18	add	12
Extended Range Fuel Tank	add	28	add	54
Power Adjustable Steering Column	add	1	add	0
Navigation Center	add	1	add	1
Mid Audio + CD + SARS + HD	add	10	add	10
Sync II (MGM)	add	2	add	2
Front Camera/Rear View Camera	add	1	add	0
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
XLT Trim	add	2	add	2
Console - Center (w/ Bucket Seats)	minus	-25	minus	-14
Power Adjustable Pedals	add	1	add	1
Running Boards - Platform - Black	add	19	add	19
Mirrors - Manual Extendable Trailer Tow - Power	add	1	add	1
Power Driver Seat Adjuster	add	8	add	6
Remote Keyless Entry	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS 7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1530	68.2	42.2
	0	50	1480	69.1	42.2
	0	100	1430	70.1	42.2
	0	150	1380	71.2	42.2
	0	200	1330	72.4	42.2
	0	250	1280	73.6	42.2
	0	300	1230	75.0	42.2
	0	350	1180	76.5	42.2
	50	0	1480	63.6	42.2
	50	50	1430	64.4	42.2
	50	100	1380	65.3	42.2
	50	150	1330	66.2	42.2
	50	200	1280	67.2	42.2
	50	250	1230	68.3	42.2
	50	300	1180	69.5	42.2
	50	350	1130	70.8	42.2
	100	0	1430	58.7	42.2
	100	50	1380	59.3	42.2
	100	100	1330	60.1	42.2
	100	150	1280	60.8	42.2
	100	200	1230	61.7	42.2
	100	250	1180	62.6	42.2
	100	300	1130	63.6	42.2
	100	350	1080	64.7	42.2
	150	0	1380	53.4	42.2
	150	50	1330	53.9	42.2
	150	100	1280	54.4	42.2
	150	150	1230	55.0	42.2
	150	200	1180	55.6	42.2
	150	250	1130	56.3	42.2
	150	300	1080	57.1	42.2
	150	350	1030	57.9	42.2
	200	0	1330	47.8	42.2
	200	50	1280	48.1	42.2
	200	100	1230	48.4	42.2
	200	150	1180	48.7	42.2
	200	200	1130	49.1	42.2
	200	250	1080	49.5	42.2
	200	300	1030	49.9	42.2
	200	350	980	50.4	42.2

VEHICLE LOADING DATA - 18" WHEELS 7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1762	64.2	42.2
	0	50	1712	64.9	42.2
	0	100	1662	65.7	42.2
	0	150	1612	66.5	42.2
	0	200	1562	67.3	42.2
	0	250	1512	68.2	42.2
	0	300	1462	69.1	42.2
	0	350	1412	70.2	42.2
	50	0	1712	60.1	42.2
	50	50	1662	60.7	42.2
	50	100	1612	61.4	42.2
	50	150	1562	62.0	42.2
	50	200	1512	62.8	42.2
	50	250	1462	63.5	42.2
	50	300	1412	64.4	42.2
	50	350	1362	65.2	42.2
	100	0	1662	55.8	42.2
	100	50	1612	56.3	42.2
	100	100	1562	56.8	42.2
	100	150	1512	57.4	42.2
	100	200	1462	57.9	42.2
	100	250	1412	58.6	42.2
	100	300	1362	59.2	42.2
	100	350	1312	60.0	42.2
	150	0	1612	51.2	42.2
	150	50	1562	51.6	42.2
	150	100	1512	51.9	42.2
	150	150	1462	52.3	42.2
	150	200	1412	52.8	42.2
	150	250	1362	53.2	42.2
	150	300	1312	53.7	42.2
	150	350	1262	54.3	42.2
	200	0	1562	46.3	42.2
	200	50	1512	46.5	42.2
	200	100	1462	46.7	42.2
	200	150	1412	47.0	42.2
	200	200	1362	47.2	42.2
	200	250	1312	47.5	42.2
	200	300	1262	47.8	42.2
	200	350	1212	48.1	42.2

MY: 2015 Model: F-150 5.0L 4x4 Cab Type: Crew Cab Wheelbase: 156.8 IN

OPTION TABLE

OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
Lariat Trim	add	6	add	6
Leather Seats	add	5	add	3
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	40
Dual Zone Auto Temp Ctrl	add	2	add	0
Power Equipment	add	2	add	1
Power Sliding Rear Window	add	4	add	3
O/H Console	add	1	add	0
Supplemental Floor Mats	add	6	add	6
Power Adjustable Pedals - Memory	add	1	add	1
Floor Mats - Carpet	add	4	add	3
Color Keyed Carpet	add	3	add	2
Running Boards - Chrome Angular	add	17	add	17
Molding - Wheel Lip	add	3	add	2
Pick-up Box Step Bars	add	16	add	49
Power/Heated/Signal/Folding Mirrors	add	2	add	1
Front Seat Center Armrest	add	1	add	0
Rear Under Seat Stow Bin	add	2	add	2
Rear Center Armrest	add	1	add	2
Heated/Cooled Seats	add	2	add	2
Power Driver Seat Adjuster - Memory	add	8	add	6
Power Passenger Seat Adjuster	add	8	add	6
Remote Tailgate Release	add	1	add	1
Remote Keyless Entry	add	1	add	1
Vista Roof	add	32	add	28
Tutone Paint	add	1	add	1
Front Bumper w/ Plastic Ends	add	5	add	0
Inflatable Rear Seat Belts	add	2	add	1
Off Road Shocks	add	2	add	2
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
2-Speed Transfer Case w/TOD	add	4	add	3
Skid Plates	add	18	add	12
Extended Range Fuel Tank	add	28	add	54
Power Adjustable Steering Column	add	1	add	0
Navigation Center	add	1	add	1
Mid Audio + CD + SARS + HD	add	10	add	10
Sync II (MGM)	add	2	add	2
Front Camera/Rear View Camera	add	1	add	0
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
XLT Trim	add	2	add	2
Console - Center (w/ Bucket Seats)	minus	-25	minus	-14
Power Adjustable Pedals	add	1	add	1
Running Boards - Platform - Black	add	22	add	22
Power/Heated/Signal Mirrors	add	1	add	0
Power Driver Seat Adjuster	add	8	add	6
Remote Keyless Entry	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS 7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1487	65.9	42.2
	0	50	1437	66.8	42.2
	0	100	1387	67.7	42.2
	0	150	1337	68.8	42.2
	0	200	1287	69.9	42.2
	0	250	1237	71.1	42.2
	0	300	1187	72.4	42.2
	0	350	1137	73.8	42.2
	50	0	1437	61.3	42.2
	50	50	1387	62.1	42.2
	50	100	1337	62.9	42.2
	50	150	1287	63.8	42.2
	50	200	1237	64.7	42.2
	50	250	1187	65.8	42.2
	50	300	1137	66.9	42.2
	50	350	1087	68.1	42.2
	100	0	1387	56.4	42.2
	100	50	1337	57.0	42.2
	100	100	1287	57.7	42.2
	100	150	1237	58.4	42.2
	100	200	1187	59.2	42.2
	100	250	1137	60.0	42.2
	100	300	1087	60.9	42.2
	100	350	1037	61.9	42.2
	150	0	1337	51.2	42.2
	150	50	1287	51.6	42.2
	150	100	1237	52.1	42.2
	150	150	1187	52.6	42.2
	150	200	1137	53.1	42.2
	150	250	1087	53.7	42.2
	150	300	1037	54.4	42.2
	150	350	987	55.1	42.2
	200	0	1287	45.5	42.2
	200	50	1237	45.7	42.2
	200	100	1187	46.0	42.2
	200	150	1137	46.2	42.2
	200	200	1087	46.5	42.2
	200	250	1037	46.8	42.2
	200	300	987	47.1	42.2
	200	350	937	47.5	42.2

VEHICLE LOADING DATA - 18" WHEELS 7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1718	62.1	42.2
	0	50	1668	62.8	42.2
	0	100	1618	63.5	42.2
	0	150	1568	64.3	42.2
	0	200	1518	65.0	42.2
	0	250	1468	65.9	42.2
	0	300	1418	66.8	42.2
	0	350	1368	67.8	42.2
	50	0	1668	58.1	42.2
	50	50	1618	58.7	42.2
	50	100	1568	59.3	42.2
	50	150	1518	59.9	42.2
	50	200	1468	60.6	42.2
	50	250	1418	61.3	42.2
	50	300	1368	62.0	42.2
	50	350	1318	62.9	42.2
	100	0	1618	53.8	42.2
	100	50	1568	54.3	42.2
	100	100	1518	54.7	42.2
	100	150	1468	55.2	42.2
	100	200	1418	55.7	42.2
	100	250	1368	56.3	42.2
	100	300	1318	56.9	42.2
	100	350	1268	57.6	42.2
	150	0	1568	49.3	42.2
	150	50	1518	49.5	42.2
	150	100	1468	49.9	42.2
	150	150	1418	50.2	42.2
	150	200	1368	50.6	42.2
	150	250	1318	51.0	42.2
	150	300	1268	51.4	42.2
	150	350	1218	51.9	42.2
	200	0	1518	44.4	42.2
	200	50	1468	44.5	42.2
	200	100	1418	44.7	42.2
	200	150	1368	44.8	42.2
	200	200	1318	45.0	42.2
	200	250	1268	45.2	42.2
	200	300	1218	45.4	42.2
	200	350	1168	45.7	42.2

MY: 2015 Model: F-150 3.5L GTDI 4x4 Cab Type: Crew Cab Wheelbase: 156.8 IN

OPTION TABLE				
OPTION DESCRIPTION	FRONT (LBS)		REAR (LBS)	
Lariat Trim	add	6	add	6
Leather Seats	add	5	add	3
Stepgate	minus	-5	add	45
Bed Extender	minus	-2	add	22
Hard Plastic Bedliner	add	0	add	40
Dual Zone Auto Temp Ctrl	add	2	add	0
Power Equipment	add	2	add	1
Power Sliding Rear Window	add	4	add	3
O/H Console	add	1	add	0
Supplemental Floor Mats	add	6	add	6
Power Adjustable Pedals - Memory	add	1	add	1
Floor Mats - Carpet	add	4	add	3
Color Keyed Carpet	add	3	add	2
Running Boards - Chrome Angular	add	17	add	17
Molding - Wheel Lip	add	3	add	2
Pick-up Box Step Bars	add	16	add	49
Power Extendable Trailer Tow Mirrors	add	4	add	4
Front Seat Center Armrest	add	1	add	0
Rear Under Seat Stow Bin	add	2	add	2
Rear Center Armrest	add	1	add	2
Heated/Cooled Seats	add	2	add	2
Power Driver Seat Adjuster - Memory	add	8	add	6
Power Passenger Seat Adjuster	add	8	add	6
Tow Hooks	add	7	add	0
Remote Tailgate Release	add	1	add	1
Remote Keyless Entry	add	1	add	1
Vista Roof	add	32	add	28
Tutone Paint	add	1	add	1
Front Bumper w/ Plastic Ends	add	5	add	0
Inflatable Rear Seat Belts	add	2	add	1
Trailer Backing Assist	add	1	add	1
Engine Block Heater	add	2	add	0
Cable Lock	add	0	add	4
Extended Range Fuel Tank	add	28	add	54
Power Adjustable Steering Column	add	1	add	0
Navigation Center	add	1	add	1
Mid Audio + CD + SARS + HD	add	10	add	10
Sync II (MGM)	add	2	add	2
Front Camera/Rear View Camera	add	1	add	0
Fog Lamps	add	8	add	0
Pickup Box Lighting	add	1	add	1
XLT Trim	add	2	add	2
Console - Center (w/ Bucket Seats)	minus	-25	minus	-14
Power Adjustable Pedals	add	1	add	1
Running Boards - Platform - Black	add	22	add	22
Power/Heated/Signal Mirrors	add	1	add	0
Power Driver Seat Adjuster	add	8	add	6
Remote Keyless Entry	add	1	add	1
Sync (MGM)	add	1	add	1
Total Option Weight				

VEHICLE LOADING DATA - 17" WHEELS 7600 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1496	66.2	42.2
	0	50	1446	67.2	42.2
	0	100	1396	68.1	42.2
	0	150	1346	69.2	42.2
	0	200	1296	70.3	42.2
	0	250	1246	71.5	42.2
	0	300	1196	72.8	42.2
	0	350	1146	74.2	42.2
	50	0	1446	61.7	42.2
	50	50	1396	62.5	42.2
	50	100	1346	63.3	42.2
	50	150	1296	64.2	42.2
	50	200	1246	65.2	42.2
	50	250	1196	66.2	42.2
	50	300	1146	67.4	42.2
	50	350	1096	68.6	42.2
	100	0	1396	56.9	42.2
	100	50	1346	57.5	42.2
	100	100	1296	58.2	42.2
	100	150	1246	58.9	42.2
	100	200	1196	59.7	42.2
	100	250	1146	60.5	42.2
	100	300	1096	61.5	42.2
	100	350	1046	62.5	42.2
	150	0	1346	51.7	42.2
	150	50	1296	52.1	42.2
	150	100	1246	52.6	42.2
	150	150	1196	53.1	42.2
	150	200	1146	53.7	42.2
	150	250	1096	54.3	42.2
	150	300	1046	55.0	42.2
	150	350	996	55.7	42.2
	200	0	1296	46.1	42.2
	200	50	1246	46.3	42.2
	200	100	1196	46.6	42.2
	200	150	1146	46.9	42.2
	200	200	1096	47.2	42.2
	200	250	1046	47.5	42.2
	200	300	996	47.9	42.2
	200	350	946	48.3	42.2

VEHICLE LOADING DATA - 18" WHEELS 7850 LBS. (3448 Kg) GVWR

FRONT GAWR (LBS)	OPTION WEIGHT FRONT (LBS)	OPTION WEIGHT REAR (LBS)	CARGO WEIGHT RATING (LBS)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
3750	0	0	1727	62.5	42.2
	0	50	1677	63.2	42.2
	0	100	1627	63.9	42.2
	0	150	1577	64.6	42.2
	0	200	1527	65.4	42.2
	0	250	1477	66.3	42.2
	0	300	1427	67.2	42.2
	0	350	1377	68.2	42.2
	50	0	1677	58.5	42.2
	50	50	1627	59.0	42.2
	50	100	1577	59.6	42.2
	50	150	1527	60.3	42.2
	50	200	1477	61.0	42.2
	50	250	1427	61.7	42.2
	50	300	1377	62.5	42.2
	50	350	1327	63.3	42.2
	100	0	1627	54.2	42.2
	100	50	1577	54.7	42.2
	100	100	1527	55.1	42.2
	100	150	1477	55.6	42.2
	100	200	1427	56.2	42.2
	100	250	1377	56.8	42.2
	100	300	1327	57.4	42.2
	100	350	1277	58.1	42.2
	150	0	1577	49.7	42.2
	150	50	1527	50.0	42.2
	150	100	1477	50.3	42.2
	150	150	1427	50.7	42.2
	150	200	1377	51.1	42.2
	150	250	1327	51.5	42.2
	150	300	1277	51.9	42.2
	150	350	1227	52.4	42.2
	200	0	1527	44.9	42.2
	200	50	1477	45.0	42.2
	200	100	1427	45.2	42.2
	200	150	1377	45.4	42.2
	200	200	1327	45.6	42.2
	200	250	1277	45.8	42.2
	200	300	1227	46.0	42.2
	200	350	1177	46.3	42.2

MY: 2015 Model: F250 4x2 (10,000 GVWR) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add	3950	-50	-50	3684	61.3	52.5	4550	-50	-50	3036	65.0	45.0
XLT Trim (DIESEL)	14	Add	9	Add	3950	-50	0	3634	61.5	52.5	4550	-50	0	2986	65.2	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	3950	-50	50	3584	61.7	52.6	4550	-50	50	2936	65.5	45.0
Immersion Heater - Engine	1	Add	0	Add	3950	-50	100	3534	61.9	52.7	4550	-50	100	2886	65.8	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	3950	0	-50	3634	59.6	50.6	4550	0	-50	2986	62.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	3950	0	0	3584	59.8	50.7	4550	0	0	2936	63.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	3950	0	50	3534	59.9	50.7	4550	0	50	2886	63.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	3950	0	100	3484	60.1	50.8	4550	0	100	2836	63.7	45.0
Brake Controller	1	Add	0	Add	3950	0	150	3434	60.3	50.8	4550	0	150	2786	64.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4100	50	0	3534	63.8	48.8	4550	50	0	2886	61.1	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4100	50	50	3484	64.0	48.8	4550	50	50	2836	61.3	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4100	50	100	3434	64.3	48.8	4550	50	100	2786	61.6	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4100	50	150	3384	64.5	48.8	4550	50	150	2736	61.8	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4100	50	200	3334	64.8	48.8	4550	50	200	2686	62.1	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4100	50	250	3284	65.0	48.8	4550	50	250	2636	62.4	45.0
5th Wheel Hitch	0	Add	96	Add	4100	50	300	3234	65.3	48.9	4550	50	300	2586	62.6	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4100	50	350	3184	65.6	48.9	4550	50	350	2536	62.9	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4100	50	400	3134	65.8	48.9	4550	50	400	2486	63.2	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4100	50	450	3084	66.1	48.9	4550	50	450	2436	63.5	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4100	100	0	3484	62.1	46.8	4700	100	0	2836	66.2	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4100	100	50	3434	62.3	46.8	4700	100	50	2786	66.5	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4100	100	100	3384	62.5	46.8	4700	100	100	2736	66.8	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4100	100	150	3334	62.7	46.8	4700	100	150	2686	67.2	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4100	100	200	3284	62.9	46.8	4700	100	200	2636	67.6	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4100	100	250	3234	63.2	46.7	4700	100	250	2586	67.9	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4100	100	300	3184	63.4	46.7	4700	100	300	2536	68.3	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4100	100	350	3134	63.6	46.7	4700	100	350	2486	68.7	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4100	100	400	3084	63.9	46.7	4700	100	400	2436	69.2	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4100	100	450	3034	64.2	46.7	4700	100	450	2386	69.6	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4100	150	0	3434	60.3	45.0	4700	100	0	2836	66.2	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4100	150	50	3384	60.5	45.0	4700	100	50	2786	66.5	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4100	150	100	3334	60.6	45.0	4700	100	100	2736	66.8	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4100	150	150	3284	60.8	45.0	4700	100	150	2686	67.2	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4100	150	200	3234	61.0	45.0	4700	100	200	2636	67.6	45.0
Pickup Bed Extender	-2	Minus	21	Add	4100	150	250	3184	61.2	45.0	4700	150	250	2536	65.6	45.0
Drop-In Bedliner	2	Add	42	Add	4100	150	300	3134	61.5	45.0	4700	150	300	2486	66.0	45.0
Spray-In Bedliner	1	Add	19	Add	4100	150	350	3084	61.7	45.0	4700	150	350	2436	66.4	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4100	150	400	3034	61.9	45.0	4700	150	400	2386	66.7	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4100	150	450	2984	62.1	45.0	4700	150	450	2336	67.1	45.0
Static Rear Video Camera	0	Add	1	Add	4250	200	0	3384	64.5	45.0	4700	200	0	2736	61.8	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4250	200	50	3334	64.8	45.0	4700	200	50	2686	62.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4250	200	100	3284	65.0	45.0	4700	200	100	2636	62.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4250	200	150	3234	65.3	45.0	4700	200	150	2586	62.6	45.0
Sliding Rear Window	5	Add	2	Add	4250	200	200	3184	65.6	45.0	4700	200	200	2536	62.9	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4250	200	250	3134	65.8	45.0	4700	200	250	2486	63.2	45.0
Foglamps	3	Add	0	Add	4250	200	300	3084	66.1	45.0	4700	200	300	2436	63.5	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4250	200	350	3034	66.4	45.0	4700	200	350	2386	63.9	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4250	200	400	2984	66.7	45.0	4700	200	400	2336	64.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4250	200	450	2934	67.1	45.0	4700	200	450	2286	64.6	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4250	200	0	3384	64.5	45.0	4850	250	0	2686	67.2	45.0
All Weather Floor Mat	4	Add	2	Add	4250	200	50	3334	64.8	45.0	4850	250	50	2636	67.6	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4250	200	100	3284	65.0	45.0	4850	250	100	2586	67.9	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4250	200	150	3234	65.3	45.0	4850	250	150	2536	68.3	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4250	200	200	3184	65.6	45.0	4850	250	200	2486	68.7	45.0
Cruise Control	3	Add	1	Add	4250	200	250	3134	65.8	45.0	4850	250	250	2436	69.2	45.0
Power Equipment Group	12	Add	3	Add	4250	200	300	3084	66.1	45.0	4850	250	300	2386	69.6	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4250	200	350	3034	66.4	45.0	4850	250	350	2336	70.1	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4250	200	400	2984	66.7	45.0	4850	250	400	2286	70.6	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4250	200	450	2934	67.1	45.0	4850	250	450	2236	71.1	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4250	250	0	3334	62.7	45.0	4850	300	0	2636	65.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar	8	Add	4	Add	4250	250	50	3284	62.9	45.0	4850	300	50	2586	65.3	45.0
Cloth Seats	-2	Minus	-1	Minus	4250	250	100	3234	63.2	45.0	4850	300	100	2536	65.6	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4250	250	150	3184	63.4	45.0	4850	300	150	2486	66.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4250	250	200	3134	63.6	45.0	4850	300	200	2436	66.4	45.0
Satellite Digital Broadcast	2	Add	1	Add	4250	250	250	3084	63.9	45.0	4850	300	250	2386	66.7	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4250	250	300	3034	64.2	45.0	4850	300	300	2336	67.1	45.0
SYNC Basic - Gen I	1	Add	0	Add	4250	250	350	2984	64.4	45.0	4850	300	350	2286	67.6	45.0
SYNC Finder - Gen II	1	Add	0	Add	4250	250	400	2934	64.7	45.0	4850	300	400	2236	68.0	45.0
FX4 Off-Road Package	2	Add	2	Add	4250	250	450	2884	65.0	45.0	4850	300	450	2186	68.5	45.0
Tracking System - Crew Chief	3	Add	0	Add	4400	300	0	3284	67.1	45.0	5000	350	0	2586	70.6	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4400	300	50	3234	67.4	45.0	5000	350	50	2536	71.0	45.0
Bed Mat	0	Add	58	Add	4400	300	100	3184	67.7	45.0	5000	350	100	2486	71.5	45.0
Cable/Strap Locks	0	Add	9	Add	4400	300	150	3134	68.0	45.0	5000	350	150	2436	72.0	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4400	300	200	3084	68.3	45.0	5000	350	200	2386	72.5	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4400	300	250	3034	68.7	45.0	5000	350	250	2336	73.0	45.0
Wheel Well Liner - SRW only	0	Add	7	Add	4400	300	300	2984	69.0	45.0	5000	350	300	2286	73.6	45.0
Gooseneck Hitch Kit	0	Add	10	Add	4400	300	350	2934	69.4	45.0	5000	350	350	2236	74.1	45.0
					4400	300	400	2884	69.8	45.0	5000	350	400	2186	74.7	45.0
					4400	300	450	2834	70.2	45.0	5000	350	450	2136	75.4	45.0
					4400	350	0	3234	65.3	45.0	5000	400	0	2536	68.3	45.0
					4400	350	50	3184	65.6	45.0	5000	400	50	2486	68.7	45.0
					4400	350	100	3134	65.8	45.0	5000	400	100	2436	69.2	45.0
					4400	350	150	3084	66.1	45.0	5000	400	150	2386	69.6	45.0
					4400	350	200	3034	66.4	45.0	5000	400	200	2336	70.1	45.0
					4400	350	250	2984	66.7	45.0	5000	400	250	2286	70.6	45.0
					4400	350	300	2934	67.1	45.0	5000	400	300	2236	71.1	45.0
					4400	350	350	2884	67.4	45.0	5000	400	350	2186	71.6	45.0
					4400	350	400	2834	67.7	45.0	5000	400	400	2136	72.2	45.0
					4400	350	450	2784	68.1	45.0	5000	400	450	2086	72.7	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless

F-Series Camper Package is installed.

MY: 2015 Model: F250 4x2 (10,000 GVWR) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4250	-50	-50	2945	65.4	45.0	4850	-50	-50	2268	70.5	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4250	-50	0	2895	65.7	45.0	4850	-50	0	2218	71.1	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4250	-50	50	2845	66.0	45.0	4850	-50	50	2168	71.6	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4250	-50	100	2795	66.3	45.0	4850	-50	100	2118	72.2	45.0
Immersion Heater - Engine	1	Add	0	Add	4250	-50	150	2745	66.6	45.0	4850	-50	150	2068	72.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4250	-50	200	2695	67.0	45.0	4850	-50	200	2018	73.4	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4250	-50	250	2645	67.4	45.0	4850	-50	250	1968	74.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4250	-50	300	2595	67.7	45.0	4850	-50	300	1918	74.7	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4250	-50	350	2545	68.1	45.0	4850	-50	350	1868	75.4	45.0
Brake Controller	1	Add	0	Add	4250	-50	400	2495	68.5	45.0	4850	-50	400	1818	76.2	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4250	0	0	2845	63.5	45.0	4850	0	-50	2218	67.9	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4250	0	50	2795	63.8	45.0	4850	0	0	2168	68.3	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4250	0	100	2745	64.1	45.0	4850	0	50	2118	68.8	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4250	0	150	2695	64.4	45.0	4850	0	100	2068	69.3	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4250	0	200	2645	64.7	45.0	4850	0	150	2018	69.8	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4250	0	250	2595	65.0	45.0	4850	0	200	1968	70.4	45.0
5th Wheel Hitch	0	Add	96	Add	4250	0	300	2545	65.3	45.0	4850	0	250	1918	71.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4250	0	350	2495	65.7	45.0	4850	0	300	1868	71.6	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4250	0	400	2445	66.0	45.0	4850	0	350	1818	72.3	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4250	50	0	2795	61.2	45.0	4850	0	400	1768	73.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4250	50	50	2745	61.5	45.0	4850	50	-50	2168	65.1	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4250	50	100	2695	61.7	45.0	4850	50	0	2118	65.5	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4250	50	150	2645	62.0	45.0	4850	50	50	2068	65.9	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4250	50	200	2595	62.3	45.0	4850	50	100	2018	66.3	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4250	50	250	2545	62.5	45.0	4850	50	150	1968	66.8	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4250	50	300	2495	62.8	45.0	4850	50	200	1918	67.3	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4250	50	350	2445	63.1	45.0	4850	50	250	1868	67.8	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4250	50	400	2395	63.5	45.0	4850	50	300	1818	68.4	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	100	0	2745	66.6	45.0	4850	50	350	1768	68.9	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4400	100	50	2695	67.0	45.0	4850	50	400	1718	69.6	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4400	100	100	2645	67.4	45.0	5000	100	0	2068	72.7	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4400	100	150	2595	67.7	45.0	5000	100	50	2018	73.4	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4400	100	200	2545	68.1	45.0	5000	100	100	1968	74.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4400	100	250	2495	68.5	45.0	5000	100	150	1918	74.7	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4400	100	300	2445	68.9	45.0	5000	100	200	1868	75.4	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4400	100	350	2395	69.4	45.0	5000	100	250	1818	76.2	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4400	100	400	2345	69.8	45.0	5000	100	300	1768	77.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4400	150	0	2695	64.4	45.0	5000	100	350	1718	77.8	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4400	150	50	2645	64.7	45.0	5000	100	400	1668	78.7	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4400	150	100	2595	65.0	45.0	5000	150	0	2018	69.8	45.0
Pickup Bed Extender	-2	Minus	21	Add	4400	150	150	2545	65.3	45.0	5000	150	50	1968	70.4	45.0
Drop-In Bedliner	2	Add	35	Add	4400	150	200	2495	65.7	45.0	5000	150	100	1918	71.0	45.0
Spray-In Bedliner	0	Add	16	Add	4400	150	250	2445	66.0	45.0	5000	150	150	1868	71.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4400	150	300	2395	66.4	45.0	5000	150	200	1818	72.3	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4400	150	350	2345	66.8	45.0	5000	150	250	1768	73.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4400	150	400	2295	67.2	45.0	5000	150	300	1718	73.7	45.0
Lower Bodyside Molding	2	Add	1	Add	4400	200	0	2645	62.0	45.0	5000	150	350	1668	74.5	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4400	200	50	2595	62.3	45.0	5000	150	400	1618	75.3	45.0
Static Rear Video Camera	0	Add	1	Add	4400	200	100	2545	62.5	45.0	5000	200	0	1968	66.8	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4400	200	150	2495	62.8	45.0	5000	200	50	1918	67.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4400	200	200	2445	63.1	45.0	5000	200	100	1868	67.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4400	200	250	2395	63.5	45.0	5000	200	150	1818	68.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4400	200	300	2345	63.8	45.0	5000	200	200	1768	68.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4400	200	350	2295	64.1	45.0	5000	200	250	1718	69.6	45.0
Sliding Rear Window	5	Add	2	Add	4400	200	400	2245	64.5	45.0	5000	200	300	1668	70.2	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	250	0	2595	67.7	45.0	5000	200	350	1618	70.9	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	250	50	2545	68.1	45.0	5000	200	400	1568	71.6	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	250	100	2495	68.5	45.0	5250	250	0	1918	81.0	45.0
Foglamps	3	Add	0	Add	4550	250	150	2445	68.9	45.0	5250	250	50	1868	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4550	250	200	2395	69.4	45.0	5250	250	100	1818	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4550	250	250	2345	69.8	45.0	5250	250	150	1768	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4550	250	300	2295	70.3	45.0	5250	250	200	1718	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4550	250	350	2245	70.8	45.0	5250	250	250	1668	81.0	45.0
All Weather Floor Mat	6	Add	4	Add	4550	250	400	2195	71.4	45.0	5250	250	300	1618	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4550	300	0	2545	65.3	45.0	5250	250	350	1568	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4550	300	50	2495	65.7	45.0	5250	250	400	1518	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4550	300	100	2445	66.0	45.0	5250	300	0	1868	79.2	45.0
Cruise Control	3	Add	1	Add	4550	300	150	2395	66.4	45.0	5250	300	50	1818	80.1	45.0
Power Equipment Group	12	Add	3	Add	4550	300	200	2345	66.8	45.0	5250	300	100	1768	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4550	300	250	2295	67.2	45.0	5250	300	150	1718	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4550	300	300	2245	67.7	45.0	5250	300	200	1668	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4550	300	350	2195	68.1	45.0	5250	300	250	1618	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4550	300	400	2145	68.6	45.0	5250	300	300	1568	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4550	350	0	2495	62.8	45.0	5250	300	350	1518	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4550	350	50	2445	63.1	45.0	5250	300	400	1468	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4550	350	100	2395	63.5	45.0						
Cloth Seats	-2	Minus	-1	Minus	4550	350	150	2345	63.8	45.0						
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4550	350	200	2295	64.1	45.0						
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4550	350	250	2245	64.5	45.0						
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	4550	350	300	2195	64.9	45.0						
Satellite Digital Broadcast	2	Add	1	Add	4550	350	350	2145	65.3	45.0						
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4550	350	400	2095	65.7	45.0						
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x2 (10,000 GVWR) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4400	-50	-50	2733	70.0	45.0	5000	-50	-50	2069	77.7	45.0
XLT Trim (GAS)	13	Add	9	Add	4400	-50	0	2683	70.4	45.0	5000	-50	0	2019	78.4	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	50	2633	70.9	45.0	5000	-50	50	1969	79.2	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	100	2583	71.3	45.0	5000	-50	100	1919	80.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	150	2533	71.8	45.0	5000	-50	150	1869	80.9	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	200	2483	72.2	45.0	5000	-50	200	1819	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	250	2433	72.7	45.0	5000	-50	250	1769	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	300	2383	73.3	45.0	5000	-50	300	1719	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	350	2333	73.8	45.0	5000	-50	350	1669	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	-50	2683	67.5	45.0	5000	0	-50	2019	74.6	45.0
Brake Controller	1	Add	0	Add	4400	0	0	2633	67.9	45.0	5000	0	0	1969	75.2	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	50	2583	68.3	45.0	5000	0	50	1919	76.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	100	2533	68.7	45.0	5000	0	100	1869	76.7	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	150	2483	69.1	45.0	5000	0	150	1819	77.5	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	200	2433	69.5	45.0	5000	0	200	1769	78.3	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	250	2383	70.0	45.0	5000	0	250	1719	79.2	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	300	2333	70.5	45.0	5000	0	300	1669	80.2	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	350	2283	71.0	45.0	5000	0	350	1619	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	-50	2633	73.8	45.0	5000	50	-50	1969	71.3	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	0	2583	74.3	45.0	5000	50	0	1919	71.9	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	50	2533	74.9	45.0	5000	50	50	1869	72.5	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	100	2483	75.4	45.0	5000	50	100	1819	73.2	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	150	2433	76.0	45.0	5000	50	150	1769	73.9	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	200	2383	76.5	45.0	5000	50	200	1719	74.7	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	250	2333	77.2	45.0	5000	50	250	1669	75.5	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	300	2283	67.5	45.0	5000	50	300	1619	76.3	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4400	50	350	2233	68.0	45.0	5000	50	350	1569	77.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	50	350	2233	68.0	45.0	5000	50	350	1569	77.2	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	-50	2583	71.3	45.0	5250	100	-50	1919	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	0	2533	71.8	45.0	5250	100	0	1869	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	50	2483	72.2	45.0	5250	100	50	1819	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	100	2433	72.7	45.0	5250	100	100	1769	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	150	2383	73.3	45.0	5250	100	150	1719	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	200	2333	73.8	45.0	5250	100	200	1669	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	250	2283	74.4	45.0	5250	100	250	1619	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	300	2233	75.0	45.0	5250	100	300	1569	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	4550	100	350	2183	75.6	45.0	5250	100	350	1519	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	4550	150	-50	2533	68.7	45.0	5250	150	-50	1869	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	150	0	2483	69.1	45.0	5250	150	0	1819	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	150	50	2433	69.5	45.0	5250	150	50	1769	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4550	150	100	2383	70.0	45.0	5250	150	100	1719	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	150	150	2333	70.5	45.0	5250	150	150	1669	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	200	2283	71.0	45.0	5250	150	200	1619	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	250	2233	71.5	45.0	5250	150	250	1569	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	300	2183	72.0	45.0	5250	150	300	1519	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	350	2133	72.6	45.0	5250	150	350	1469	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	200	-50	2483	66.0	45.0	5250	200	-50	1819	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	200	0	2433	66.3	45.0	5250	200	0	1769	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	200	50	2383	66.7	45.0	5250	200	50	1719	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL	7	Add	3	Add	4550	200	100	2333	67.1	45.0	5250	200	100	1669	81.0	45.0
Sliding Rear Window	5	Add	2	Add	4550	200	150	2283	67.5	45.0	5250	200	150	1619	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	200	200	2233	68.0	45.0	5250	200	200	1569	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	200	250	2183	68.4	45.0	5250	200	250	1519	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	200	300	2133	68.9	45.0	5250	200	300	1469	81.0	45.0
Foglamps	3	Add	0	Add	4550	200	350	2083	69.4	45.0	5250	200	350	1419	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	250	-50	2433	72.7	45.0	5250	250	-50	1769	78.3	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	250	0	2383	73.3	45.0	5250	250	0	1719	79.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	250	50	2333	73.8	45.0	5250	250	50	1669	80.2	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	250	100	2283	74.4	45.0	5250	250	100	1619	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	250	150	2233	75.0	45.0	5250	250	150	1569	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	4700	250	200	2183	75.6	45.0	5250	250	200	1519	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	250	250	2133	76.2	45.0	5250	250	250	1469	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	250	300	2083	76.9	45.0	5250	250	300	1419	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	250	350	2033	77.6	45.0	5250	250	350	1369	81.0	45.0
Cruise Control	3	Add	1	Add	4700	300	-50	2383	70.0	45.0	5250	300	-50	1719	74.7	45.0
Power Equipment Group	15	Add	6	Add	4700	300	0	2333	70.5	45.0	5250	300	0	1669	75.5	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	300	50	2283	71.0	45.0	5250	300	50	1619	76.3	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	300	100	2233	71.5	45.0	5250	300	100	1569	77.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	300	150	2183	72.0	45.0	5250	300	150	1519	78.2	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	300	200	2133	72.6	45.0	5250	300	200	1469	79.2	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4700	300	250	2083	73.2	45.0	5250	300	250	1419	80.3	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumb	8	Add	4	Add	4700	300	300	2033	73.8	45.0	5250	300	300	1369	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	300	350	1983	74.4	45.0	5250	300	350	1319	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x2 (10,000 GVWR) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4400	-50	-50	2847	68.5	45.0	5000	-50	-50	2105	73.9	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	0	2797	68.9	45.0	5000	-50	0	2055	74.5	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	50	2747	69.3	45.0	5000	-50	50	2005	75.2	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	100	2697	69.7	45.0	5000	-50	100	1955	75.9	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	150	2647	70.1	45.0	5000	-50	150	1905	76.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	200	2597	70.5	45.0	5000	-50	200	1855	77.4	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	250	2547	70.9	45.0	5000	-50	250	1805	78.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	300	2497	71.4	45.0	5000	-50	300	1755	79.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	350	2447	71.9	45.0	5000	-50	350	1705	80.0	45.0
Brake Controller	1	Add	0	Add	4400	-50	400	2397	72.4	45.0	5000	-50	400	1655	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	0	-50	2797	66.1	45.0	5000	0	-50	2055	70.7	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	0	2747	66.4	45.0	5000	0	0	2005	71.3	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	50	2697	66.7	45.0	5000	0	50	1955	71.8	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	100	2647	67.1	45.0	5000	0	100	1905	72.5	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	150	2597	67.5	45.0	5000	0	150	1855	73.1	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4400	0	200	2547	67.8	45.0	5000	0	200	1805	73.8	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	250	2497	68.2	45.0	5000	0	250	1755	74.6	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	300	2447	68.7	45.0	5000	0	300	1705	75.4	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	350	2397	69.1	45.0	5000	0	350	1655	76.2	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	400	2347	69.6	45.0	5000	0	400	1605	77.1	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	-50	2747	72.1	45.0	5000	50	-50	2005	67.3	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	0	2697	72.6	45.0	5000	50	0	1955	67.8	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	50	2647	73.1	45.0	5000	50	50	1905	68.3	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	100	2597	73.5	45.0	5000	50	100	1855	68.9	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	150	2547	74.1	45.0	5000	50	150	1805	69.5	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	200	2497	74.6	45.0	5000	50	200	1755	70.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	250	2447	75.1	45.0	5000	50	250	1705	70.7	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4550	50	300	2397	75.7	45.0	5000	50	300	1655	71.4	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4550	50	350	2347	76.3	45.0	5000	50	350	1605	72.2	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4550	50	400	2297	76.9	45.0	5000	50	400	1555	72.9	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4550	100	-50	2697	69.7	45.0	5250	100	-50	1955	84.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	0	2647	70.1	45.0	5250	100	0	1905	84.9	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	50	2597	70.5	45.0	5250	100	50	1855	85.9	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	100	2547	70.9	45.0	5250	100	100	1805	87.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4550	100	150	2497	71.4	45.0	5250	100	150	1755	88.1	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4550	100	200	2447	71.9	45.0	5250	100	200	1705	89.3	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	250	2397	72.4	45.0	5250	100	250	1655	90.5	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	300	2347	72.9	45.0	5250	100	300	1605	91.8	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	350	2297	73.5	45.0	5250	100	350	1555	93.3	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	400	2247	74.0	45.0	5250	100	400	1505	94.8	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	150	-50	2647	67.1	45.0	5250	150	-50	1905	80.8	45.0
Drop-In Bedliner	2	Add	35	Add	4550	150	0	2597	67.5	45.0	5250	150	0	1855	81.7	45.0
Spray-In Bedliner	1	Add	19	Add	4550	150	50	2547	67.8	45.0	5250	150	50	1805	82.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	150	100	2497	68.2	45.0	5250	150	100	1755	83.6	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	150	150	2447	68.7	45.0	5250	150	150	1705	84.6	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	150	200	2397	69.1	45.0	5250	150	200	1655	85.7	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	250	2347	69.6	45.0	5250	150	250	1605	86.9	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	300	2297	70.0	45.0	5250	150	300	1555	88.2	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	350	2247	70.5	45.0	5250	150	350	1505	89.5	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	400	2197	71.0	45.0	5250	150	400	1455	91.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	200	-50	2597	73.5	45.0	5250	200	-50	1855	77.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	200	0	2547	74.1	45.0	5250	200	0	1805	78.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	200	50	2497	74.6	45.0	5250	200	50	1755	79.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL	7	Add	3	Add	4700	200	100	2447	75.1	45.0	5250	200	100	1705	80.0	45.0
Sliding Rear Window	5	Add	2	Add	4700	200	150	2397	75.7	45.0	5250	200	150	1655	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	200	200	2347	76.3	45.0	5250	200	200	1605	82.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	200	250	2297	76.9	45.0	5250	200	250	1555	83.1	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	300	2247	77.5	45.0	5250	200	300	1505	84.3	45.0
Foglamps	3	Add	0	Add	4700	200	350	2197	78.2	45.0	5250	200	350	1455	85.5	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	400	2147	78.9	45.0	5250	200	400	1405	86.9	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	250	-50	2547	70.9	45.0	5250	250	-50	1805	73.8	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	250	0	2497	71.4	45.0	5250	250	0	1755	74.6	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	250	50	2447	71.9	45.0	5250	250	50	1705	75.4	45.0
All Weather Floor Mat	6	Add	4	Add	4700	250	100	2397	72.4	45.0	5250	250	100	1655	76.2	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	250	150	2347	72.9	45.0	5250	250	150	1605	77.1	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	250	200	2297	73.5	45.0	5250	250	200	1555	78.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	250	250	2247	74.0	45.0	5250	250	250	1505	79.0	45.0
Cruise Control	3	Add	1	Add	4700	250	300	2197	74.6	45.0	5250	250	300	1455	80.1	45.0
Power Equipment Group	12	Add	3	Add	4700	250	350	2147	75.3	45.0	5250	250	350	1405	81.2	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	400	2097	75.9	45.0	5250	250	400	1355	82.5	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	300	-50	2497	68.2	45.0	5250	300	-50	1755	70.1	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	300	0	2447	68.7	45.0	5250	300	0	1705	70.7	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	300	50	2397	69.1	45.0	5250	300	50	1655	71.4	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumb	8	Add	4	Add	4700	300	100	2347	69.6	45.0	5250	300	100	1605	72.2	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	300	150	2297	70.0	45.0	5250	300	150	1555	72.9	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	300	200	2247	70.5	45.0	5250	300	200	1505	73.8	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	300	250	2197	71.0	45.0	5250	300	250	1455	74.7	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	300	300	2147	71.6	45.0	5250	300	300	1405	75.6	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	300	350	2097	72.1	45.0	5250	300	350	1355	76.6	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	4700	300	400	2047	72.7	45.0	5250	300	400	1305	77.7	45.0
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x2 (10,000 GVWR) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4550	-50	-50	2628	73.9	45.0	5250	-50	-50	1896	91.6	45.0
XLT Trim (GAS)	13	Add	9	Add	4550	-50	0	2578	74.4	45.0	5250	-50	0	1846	92.8	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	50	2528	74.9	45.0	5250	-50	50	1796	94.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	150	2428	76.0	45.0	5250	-50	100	1746	95.3	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	200	2378	76.6	45.0	5250	-50	150	1696	96.7	45.0
Immersion Heater - Engine	1	Add	0	Add	4550	-50	250	2328	77.2	45.0	5250	-50	200	1646	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	300	2278	77.8	45.0	5250	-50	250	1596	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	350	2228	78.5	45.0	5250	-50	300	1546	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	400	2178	79.2	45.0	5250	-50	350	1496	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	450	2128	79.9	45.0	5250	-50	400	1446	97.0	45.0
Brake Controller	1	Add	0	Add	4550	-50	500	2078	80.7	45.0	5250	-50	450	1396	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	-50	500	2578	71.0	45.0	5250	-50	500	1346	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	0	2528	71.5	45.0	5250	0	-50	1846	88.1	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	50	2478	71.9	45.0	5250	0	0	1796	89.2	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	150	2378	73.0	45.0	5250	0	50	1746	90.4	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	200	2328	73.5	45.0	5250	0	100	1696	91.7	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	250	2278	74.1	45.0	5250	0	150	1646	93.0	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	300	2228	74.6	45.0	5250	0	200	1596	94.4	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	350	2178	75.3	45.0	5250	0	250	1546	95.9	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	400	2128	75.9	45.0	5250	0	300	1496	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	450	2078	76.6	45.0	5250	0	350	1446	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	500	2028	77.3	45.0	5250	0	400	1396	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	-50	2528	78.3	45.0	5250	0	450	1346	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	0	2478	78.9	45.0	5250	0	500	1296	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	50	2428	79.5	45.0	5250	50	-50	1796	84.4	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4700	50	150	2328	80.9	45.0	5250	50	0	1746	85.5	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Minus	19	Add	4700	50	200	2278	81.6	45.0	5250	50	50	1696	86.6	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4700	50	250	2228	82.4	45.0	5250	50	100	1646	87.8	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4700	50	300	2178	83.2	45.0	5250	50	150	1596	89.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4700	50	350	2128	84.0	45.0	5250	50	200	1546	90.3	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	400	2078	84.9	45.0	5250	50	250	1496	91.7	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	450	2028	85.8	45.0	5250	50	300	1446	93.3	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4700	50	500	1978	86.7	45.0	5250	50	350	1396	94.9	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	4700	100	-50	2478	75.4	45.0	5250	50	400	1346	96.6	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	100	0	2428	76.0	45.0	5250	50	450	1296	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4700	100	50	2378	76.6	45.0	5250	50	500	1246	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4700	100	150	2278	77.8	45.0	5250	100	-50	1746	80.5	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4700	100	200	2228	78.5	45.0	5250	100	0	1696	81.5	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4700	100	250	2178	79.2	45.0	5250	100	50	1646	82.5	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4700	100	300	2128	79.9	45.0	5250	100	100	1596	83.6	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4700	100	350	2078	80.7	45.0	5250	100	150	1546	84.7	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4700	100	400	2028	81.5	45.0	5250	100	200	1496	86.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4700	100	450	1978	82.4	45.0	5250	100	250	1446	87.3	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	100	500	1928	83.3	45.0	5250	100	300	1396	88.7	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	150	-50	2428	72.4	45.0	5250	100	350	1346	90.2	45.0
Drop-In Bedliner	2	Add	42	Add	4700	150	0	2378	73.0	45.0	5250	100	400	1296	91.8	45.0
Spray-In Bedliner	0	Add	20	Add	4700	150	50	2328	73.5	45.0	5250	100	450	1246	93.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4700	150	150	2228	74.6	45.0	5250	100	500	1196	95.5	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	150	200	2178	75.3	45.0	5250	150	-50	1696	76.4	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4700	150	250	2128	75.9	45.0	5250	150	0	1646	77.3	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4700	150	300	2078	76.6	45.0	5250	150	50	1596	78.2	45.0
Lower Bodyside Molding	2	Add	1	Add	4700	150	350	2028	77.3	45.0	5250	150	100	1546	79.2	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4700	150	400	1978	78.0	45.0	5250	150	150	1496	80.2	45.0
Static Rear Video Camera	0	Add	1	Add	4700	150	450	1928	78.8	45.0	5250	150	200	1446	81.3	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	150	500	1878	79.6	45.0	5250	150	250	1396	82.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4850	200	-50	2378	80.2	45.0	5250	150	300	1346	83.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4850	200	0	2328	80.9	45.0	5250	150	350	1296	85.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4850	200	50	2278	81.6	45.0	5250	150	400	1246	86.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4850	200	150	2178	83.2	45.0	5250	150	450	1196	88.3	45.0
Sliding Rear Window	5	Add	2	Add	4850	200	200	2128	84.0	45.0	5250	150	500	1146	90.1	45.0
Power Sliding Rear Window	5	Add	3	Add	4850	200	250	2078	84.9	45.0	5250	200	-50	1646	72.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4850	200	300	2028	85.8	45.0	5250	200	0	1596	72.8	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4850	200	350	1978	86.7	45.0	5250	200	50	1546	73.6	45.0
Foglamps	3	Add	0	Add	4850	200	400	1928	87.7	45.0	5250	200	100	1496	74.5	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4850	200	450	1878	88.8	45.0	5250	200	150	1446	75.4	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4850	200	500	1828	89.9	45.0	5250	200	200	1396	76.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4850	250	-50	2328	77.2	45.0	5250	200	250	1346	77.4	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4850	250	0	2278	77.8	45.0	5250	200	300	1296	78.5	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4850	250	50	2228	78.5	45.0	5250	200	350	1246	79.8	45.0
All Weather Floor Mat	7	Add	4	Add	4850	250	150	2128	79.9	45.0	5250	200	400	1196	81.1	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4850	250	200	2078	80.7	45.0	5250	200	450	1146	82.6	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4850	250	250	2028	81.5	45.0	5250	200	500	1096	84.1	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4850	250	300	1978	82.4	45.0	5250	250	-50	1596	67.4	45.0
Cruise Control	3	Add	1	Add	4850	250	350	1928	83.3	45.0	5250	250	0	1546	68.0	45.0
Power Equipment Group	15	Add	6	Add	4850	250	400	1878	84.2	45.0	5250	250	50	1496	68.7	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4850	250	450	1828	85.2	45.0	5250	250	100	1446	69.4	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4850	250	500	1778	86.2	45.0	5250	250	150	1396	70.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4850	300	-50	2278	74.1	45.0	5250	250	200	1346	71.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	300	0	2228	74.6	45.0	5250	250	250	1296	71.9	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4850	300	50	2178	75.3	45.0	5250	250	300	1246	72.9	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumba	8	Add	4	Add	4850	300	150	2078	76.6	45.0	5250	250	350	1196	73.9	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4850	300	200	2028	77.3	45.0	5250	250	400	1146	75.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4850	300	250	1978	78.0	45.0	5250	250	450	1096	76.3	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4850	300	300	1928	78.8	45.0	5250	250	500	1046	77.6	45.0
Cloth Seats	-2	Minus	-1	Minus	4850	300	350	1878	79.6	45.0	5250	300	-50	1546	62.4	45.0
King Ranch Leather	4	Add	2	Add	4850	300	400	1828	80.5	45.0	5250	300	0	1496	62.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4850	300	450	1778	81.4	45.0	5250	300	50	1446	63.4	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4850	300	500	1728	82.4	45.0	5250	300	100	1396	64.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add							5250	300	150	1346	64.6	45.0
Satellite Digital Broadcast	2	Add	1	Add							5250	300	200	1296	65.2	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add							5250	300	250	1246	65.9	45.0
SYNC Basic - Gen I	1	Add	0	Add							5250	300	300	1196	66.7	45.0
SYNC Finder - Gen II	1	Add	0	Add							5250	300	350	1146	67.5	45.0
FX4 Off-Road Package	2	Add	2	Add							5250	300	400	1096	68.4	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add							5250	300	450	1046	69.4	45.0
Tracking System - Crew Chief	3	Add	0	Add							5250	300	500	996	70.5	45.0
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x4 (10,000 GVWR) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
XLT Trim (GAS)	10	Add	6	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3274	67.1	46.2	5200	-50	-50	2624	83.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3224	67.4	46.2	5200	-50	0	2574	83.7	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3174	67.7	46.2	5200	-50	50	2524	84.4	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	3124	68.0	46.2	5200	-50	100	2474	85.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	150	3074	68.3	46.1	5200	-50	150	2424	85.9	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	200	3024	68.7	46.1	5200	-50	200	2374	86.7	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	250	2974	69.0	46.1	5200	-50	250	2324	87.5	45.0
Brake Controller	1	Add	0	Add	4400	-50	300	2924	69.4	46.0	5200	-50	300	2274	88.4	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	350	2874	69.7	46.0	5200	-50	350	2224	89.3	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4400	-50	400	2824	70.1	46.0	5200	-50	400	2174	90.3	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4400	-50	450	2774	70.5	45.9	5200	-50	450	2124	91.2	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	-50	500	2724	71.0	45.9	5200	-50	500	2074	92.3	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	-50	3224	65.2	45.0	5200	0	-50	2574	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4400	0	0	3174	65.5	45.0	5200	0	0	2524	81.7	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	50	3124	65.8	45.0	5200	0	50	2474	82.3	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	100	3074	66.1	45.0	5200	0	100	2424	83.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	150	3024	66.4	45.0	5200	0	150	2374	83.8	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	200	2974	66.7	45.0	5200	0	200	2324	84.6	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4400	0	250	2924	67.0	45.0	5200	0	250	2274	85.4	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4400	0	300	2874	67.4	45.0	5200	0	300	2224	86.2	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4400	0	350	2824	67.7	45.0	5200	0	350	2174	87.1	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4400	0	400	2774	68.1	45.0	5200	0	400	2124	88.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4400	0	450	2724	68.4	45.0	5200	0	450	2074	89.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	0	500	2674	68.8	45.0	5200	0	500	2024	90.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	50	-50	3174	80.6	45.0	5200	50	-50	2524	78.9	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	50	0	3124	81.2	45.0	5200	50	0	2474	79.6	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	50	50	3074	81.7	45.0	5200	50	50	2424	80.2	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	50	100	3024	82.3	45.0	5200	50	100	2374	80.9	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	50	150	2974	82.8	45.0	5200	50	150	2324	81.6	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4800	50	200	2924	83.4	45.0	5200	50	200	2274	82.4	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4800	50	250	2874	84.0	45.0	5200	50	250	2224	83.1	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	300	2824	84.7	45.0	5200	50	300	2174	84.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	50	350	2774	85.4	45.0	5200	50	350	2124	84.8	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	50	400	2724	86.0	45.0	5200	50	400	2074	85.7	45.0
Drop-In Bedliner	2	Add	42	Add	4800	50	450	2674	86.8	45.0	5200	50	450	2024	86.6	45.0
Spray-In Bedliner	1	Add	19	Add	4800	50	500	2624	87.5	45.0	5200	50	500	1974	87.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	-50	3124	79.0	45.0	5200	100	-50	2474	76.8	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	0	3074	79.5	45.0	5200	100	0	2424	77.4	45.0
Static Rear Video Camera	0	Add	1	Add	4800	100	50	3024	80.0	45.0	5200	100	50	2374	78.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	100	2974	80.5	45.0	5200	100	100	2324	78.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	150	2924	81.1	45.0	5200	100	150	2274	79.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4800	100	200	2874	81.7	45.0	5200	100	200	2224	80.1	45.0
Sliding Rear Window	5	Add	2	Add	4800	100	250	2824	82.3	45.0	5200	100	250	2174	80.8	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	100	300	2774	82.9	45.0	5200	100	300	2124	81.6	45.0
Foglamps	3	Add	0	Add	4800	100	350	2724	83.5	45.0	5200	100	350	2074	82.4	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	100	400	2674	84.2	45.0	5200	100	400	2024	83.2	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	100	450	2624	84.9	45.0	5200	100	450	1974	84.1	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	100	500	2574	85.6	45.0	5200	100	500	1924	85.1	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	-50	3074	77.2	45.0	5200	150	-50	2424	74.6	45.0
All Weather Floor Mat	4	Add	2	Add	4800	150	0	3024	77.7	45.0	5200	150	0	2374	75.1	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	50	2974	78.2	45.0	5200	150	50	2324	75.7	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	100	2924	78.7	45.0	5200	150	100	2274	76.3	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4800	150	150	2874	79.3	45.0	5200	150	150	2224	77.0	45.0
Cruise Control	3	Add	1	Add	4800	150	200	2824	79.8	45.0	5200	150	200	2174	77.7	45.0
Power Equipment Group	12	Add	3	Add	4800	150	250	2774	80.4	45.0	5200	150	250	2124	78.4	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	150	300	2724	81.0	45.0	5200	150	300	2074	79.1	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	150	350	2674	81.6	45.0	5200	150	350	2024	79.9	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	150	400	2624	82.3	45.0	5200	150	400	1974	80.7	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	150	450	2574	82.9	45.0	5200	150	450	1924	81.5	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4800	150	500	2524	83.6	45.0	5200	150	500	1874	82.4	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	200	-50	3024	75.5	45.0	5200	200	-50	2374	72.3	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	0	2974	75.9	45.0	5200	200	0	2324	72.8	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	50	2924	76.4	45.0	5200	200	50	2274	73.3	45.0
Satellite Digital Broadcast	2	Add	1	Add	4800	200	100	2874	76.9	45.0	5200	200	100	2224	73.9	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	150	2824	77.4	45.0	5200	200	150	2174	74.5	45.0
SYNC Basic - Gen I	1	Add	0	Add	4800	200	200	2774	77.9	45.0	5200	200	200	2124	75.1	45.0
SYNC Finder - Gen II	1	Add	0	Add	4800	200	250	2724	78.5	45.0	5200	200	250	2074	75.8	45.0
FX4 Off-Road Package	2	Add	2	Add	4800	200	300	2674	79.1	45.0	5200	200	300	2024	76.5	45.0
Tracking System - Crew Chief	3	Add	0	Add	4800	200	350	2624	79.7	45.0	5200	200	350	1974	77.2	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	200	400	2574	80.3	45.0	5200	200	400	1924	78.0	45.0
Bed Mat	0	Add	58	Add	4800	200	450	2524	80.9	45.0	5200	200	450	1874	78.8	45.0
Cable/Strap Locks	0	Add	9	Add	4800	200	500	2474	81.6	45.0	5200	200	500	1824	79.6	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4800	250	-50	2974	73.6	45.0	5600	250	-50	2324	93.4	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	0	2924	74.1	45.0	5600	250	0	2274	94.4	45.0
Wheel Well Liner - SRW only	0	Add	7	Add	4800	250	50	2874	74.5	45.0	5600	250	50	2224	95.5	45.0
Gooseneck Hitch Kit	0	Add	10	Add	4800	250	100	2824	75.0	45.0	5600	250	100	2174	96.6	45.0
					4800	250	150	2774	75.5	45.0	5600	250	150	2124	97.0	45.0
					4800	250	200	2724	76.0	45.0	5600	250	200	2074	97.0	45.0
					4800	250	250	2674	76.5	45.0	5600	250	250	2024	97.0	45.0
					4800	250	300	2624	77.1	45.0	5600	250	300	1974	97.0	45.0
					4800	250	350	2574	77.6	45.0	5600	250	350	1924	97.0	45.0
					4800	250	400	2524	78.2	45.0	5600	250	400	1874	97.0	45.0
					4800	250	450	2474	78.8	45.0	5600	250	450	1824	97.0	45.0
					4800	250	500	2424	79.5	45.0	5600	250	500	1774	97.0	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x4 (10,000 GVWR) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
Lariat Trim (GAS)	25	Add	17	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2546	80.3	45.0	5200	-50	-50	1921	77.9	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2496	80.9	45.0	5200	-50	0	1871	78.7	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2446	81.0	45.0	5200	-50	50	1821	79.5	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2396	81.0	45.0	5200	-50	100	1771	80.4	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	-50	150	2346	81.0	45.0	5200	-50	150	1721	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	-50	200	2296	81.0	45.0	5200	-50	200	1671	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	-50	250	2246	81.0	45.0	5200	-50	250	1621	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	-50	300	2196	81.0	45.0	5200	-50	300	1571	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	-50	350	2146	81.0	45.0	5200	-50	350	1521	81.0	45.0
Brake Controller	1	Add	0	Add	4800	-50	400	2096	81.0	45.0	5200	-50	400	1471	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	-50	2496	78.1	45.0	5600	0	-50	1871	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	0	2446	78.7	45.0	5600	0	0	1821	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	0	50	2396	79.4	45.0	5600	0	50	1771	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	100	2346	80.0	45.0	5600	0	100	1721	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	150	2296	80.7	45.0	5600	0	150	1671	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	200	2246	81.0	45.0	5600	0	200	1621	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	250	2196	81.0	45.0	5600	0	250	1571	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	300	2146	81.0	45.0	5600	0	300	1521	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	0	350	2096	81.0	45.0	5600	0	350	1471	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	0	400	2046	81.0	45.0	5600	0	400	1421	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	50	-50	2446	75.8	45.0	5600	50	-50	1821	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	50	0	2396	76.4	45.0	5600	50	0	1771	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	50	50	2346	77.0	45.0	5600	50	50	1721	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	50	100	2296	77.6	45.0	5600	50	100	1671	81.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4800	50	150	2246	78.3	45.0	5600	50	150	1621	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	50	200	2196	79.0	45.0	5600	50	200	1571	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	50	250	2146	79.7	45.0	5600	50	250	1521	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4800	50	300	2096	80.5	45.0	5600	50	300	1471	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	50	350	2046	81.0	45.0	5600	50	350	1421	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4800	50	400	1996	81.0	45.0	5600	50	400	1371	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4800	100	-50	2396	73.4	45.0	5600	100	-50	1771	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	100	0	2346	74.0	45.0	5600	100	0	1721	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	100	50	2296	74.5	45.0	5600	100	50	1671	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	100	100	2246	75.1	45.0	5600	100	100	1621	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	100	150	2196	75.8	45.0	5600	100	150	1571	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	100	200	2146	76.4	45.0	5600	100	200	1521	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4800	100	250	2096	77.1	45.0	5600	100	250	1471	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4800	100	300	2046	77.8	45.0	5600	100	300	1421	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	100	350	1996	78.6	45.0	5600	100	350	1371	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	400	1946	79.3	45.0	5600	100	400	1321	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	-50	2346	81.0	45.0	5600	150	-50	1721	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	0	2296	81.0	45.0	5600	150	0	1671	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	50	2246	81.0	45.0	5600	150	50	1621	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	150	100	2196	81.0	45.0	5600	150	100	1571	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	150	150	2146	81.0	45.0	5600	150	150	1521	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	200	2096	81.0	45.0	5600	150	200	1471	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	250	2046	81.0	45.0	5600	150	250	1421	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	300	1996	81.0	45.0	5600	150	300	1371	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	350	1946	81.0	45.0	5600	150	350	1321	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	400	1896	81.0	45.0	5600	150	400	1271	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	-50	2296	81.0	45.0	5600	200	-50	1671	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	0	2246	81.0	45.0	5600	200	0	1621	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	200	50	2196	81.0	45.0	5600	200	50	1571	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	200	100	2146	81.0	45.0	5600	200	100	1521	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	150	2096	81.0	45.0	5600	200	150	1471	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	200	2046	81.0	45.0	5600	200	200	1421	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	250	1996	81.0	45.0	5600	200	250	1371	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	300	1946	81.0	45.0	5600	200	300	1321	81.0	45.0
Foglamps	3	Add	0	Add	5200	200	350	1896	81.0	45.0	5600	200	350	1271	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	400	1846	81.0	45.0	5600	200	400	1221	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	-50	2246	81.0	45.0	5600	250	-50	1621	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	250	0	2196	81.0	45.0	5600	250	0	1571	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	250	50	2146	81.0	45.0	5600	250	50	1521	81.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	250	100	2096	81.0	45.0	5600	250	100	1471	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	250	150	2046	81.0	45.0	5600	250	150	1421	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	250	200	1996	81.0	45.0	5600	250	200	1371	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	250	250	1946	81.0	45.0	5600	250	250	1321	81.0	45.0
Cruise Control	3	Add	1	Add	5200	250	300	1896	81.0	45.0	5600	250	300	1271	81.0	45.0
Power Equipment Group	12	Add	3	Add	5200	250	350	1846	81.0	45.0	5600	250	350	1221	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	400	1796	81.0	45.0	5600	250	400	1171	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	300	-50	2196	81.0	45.0	5600	300	-50	1571	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	300	0	2146	81.0	45.0	5600	300	0	1521	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	300	50	2096	81.0	45.0	5600	300	50	1471	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5200	300	100	2046	81.0	45.0	5600	300	100	1421	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	300	150	1996	81.0	45.0	5600	300	150	1371	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	300	200	1946	81.0	45.0	5600	300	200	1321	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	300	250	1896	81.0	45.0	5600	300	250	1271	81.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	300	300	1846	81.0	45.0	5600	300	300	1221	81.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	300	350	1796	81.0	45.0	5600	300	350	1171	81.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	300	400	1746	81.0	45.0	5600	300	400	1121	81.0	45.0
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x4 (10,000 GVWR) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	2347	77.4	45.0	5600	-50	-50	1713	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	2297	78.0	45.0	5600	-50	0	1663	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2247	78.7	45.0	5600	-50	50	1613	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2197	79.4	45.0	5600	-50	100	1563	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	-50	150	2147	80.1	45.0	5600	-50	150	1513	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	-50	200	2097	80.9	45.0	5600	-50	200	1463	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	-50	250	2047	81.0	45.0	5600	-50	250	1413	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	-50	300	1997	81.0	45.0	5600	-50	300	1363	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	-50	350	1947	81.0	45.0	5600	-50	350	1313	81.0	45.0
Brake Controller	1	Add	0	Add	4800	-50	400	1897	81.0	45.0	5600	-50	400	1263	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	-50	2297	81.0	45.0	5600	0	-50	1663	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	0	2247	81.0	45.0	5600	0	0	1613	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	50	2197	81.0	45.0	5600	0	50	1563	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	100	2147	81.0	45.0	5600	0	100	1513	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	150	2097	81.0	45.0	5600	0	150	1463	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	200	2047	81.0	45.0	5600	0	200	1413	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	250	1997	81.0	45.0	5600	0	250	1363	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	300	1947	81.0	45.0	5600	0	300	1313	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	350	1897	81.0	45.0	5600	0	350	1263	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	400	1847	81.0	45.0	5600	0	400	1213	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	-50	2247	81.0	45.0	5600	50	-50	1613	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	0	2197	81.0	45.0	5600	50	0	1563	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	50	2147	81.0	45.0	5600	50	50	1513	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	100	2097	81.0	45.0	5600	50	100	1463	81.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	150	2047	81.0	45.0	5600	50	150	1413	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5200	50	200	1997	81.0	45.0	5600	50	200	1363	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	250	1947	81.0	45.0	5600	50	250	1313	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	300	1897	81.0	45.0	5600	50	300	1263	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	350	1847	81.0	45.0	5600	50	350	1213	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	400	1797	81.0	45.0	5600	50	400	1163	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD	-2	Minus	4	Add	5200	100	-50	2197	81.0	45.0	5600	100	-50	1563	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	0	2147	81.0	45.0	5600	100	0	1513	81.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel ST	3	Add	9	Add	5200	100	50	2097	81.0	45.0	5600	100	50	1463	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	100	100	2047	81.0	45.0	5600	100	100	1413	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	150	1997	81.0	45.0	5600	100	150	1363	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	100	200	1947	81.0	45.0	5600	100	200	1313	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	250	1897	81.0	45.0	5600	100	250	1263	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	300	1847	81.0	45.0	5600	100	300	1213	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	350	1797	81.0	45.0	5600	100	350	1163	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	400	1747	81.0	45.0	5600	100	400	1113	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	-50	2147	81.0	45.0	5600	150	-50	1513	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	0	2097	81.0	45.0	5600	150	0	1463	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	50	2047	81.0	45.0	5600	150	50	1413	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	100	1997	81.0	45.0	5600	150	100	1363	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	150	1947	81.0	45.0	5600	150	150	1313	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	200	1897	81.0	45.0	5600	150	200	1263	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	250	1847	81.0	45.0	5600	150	250	1213	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	150	300	1797	81.0	45.0	5600	150	300	1163	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	350	1747	81.0	45.0	5600	150	350	1113	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	400	1697	81.0	45.0	5600	150	400	1063	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	-50	2097	81.0	45.0	5600	200	-50	1463	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	0	2047	81.0	45.0	5600	200	0	1413	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	50	1997	81.0	45.0	5600	200	50	1363	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	100	1947	81.0	45.0	5600	200	100	1313	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	150	1897	81.0	45.0	5600	200	150	1263	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	200	200	1847	81.0	45.0	5600	200	200	1213	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	200	250	1797	81.0	45.0	5600	200	250	1163	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	300	1747	81.0	45.0	5600	200	300	1113	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	350	1697	81.0	45.0	5600	200	350	1063	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	400	1647	81.0	45.0	5600	200	400	1013	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	-50	2047	81.0	45.0	6000	250	-50	1413	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	0	1997	81.0	45.0	6000	250	0	1363	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	50	1947	81.0	45.0	6000	250	50	1313	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	100	1897	81.0	45.0	6000	250	100	1263	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	250	150	1847	81.0	45.0	6000	250	150	1213	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	250	200	1797	81.0	45.0	6000	250	200	1163	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	250	250	1747	81.0	45.0	6000	250	250	1113	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	250	300	1697	81.0	45.0	6000	250	300	1063	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	250	350	1647	81.0	45.0	6000	250	350	1013	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	250	400	1597	81.0	45.0	6000	250	400	963	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	300	-50	1997	81.0	45.0	6000	300	-50	1363	81.0	45.0
Cruise Control	3	Add	1	Add	5200	300	0	1947	81.0	45.0	6000	300	0	1313	81.0	45.0
Power Equipment Group	15	Add	6	Add	5200	300	50	1897	81.0	45.0	6000	300	50	1263	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	300	100	1847	81.0	45.0	6000	300	100	1213	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	300	150	1797	81.0	45.0	6000	300	150	1163	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	300	200	1747	81.0	45.0	6000	300	200	1113	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	300	250	1697	81.0	45.0	6000	300	250	1063	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5200	300	300	1647	81.0	45.0	6000	300	300	1013	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5200	300	350	1597	81.0	45.0	6000	300	350	963	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	300	400	1547	81.0	45.0	6000	300	400	913	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add							6000	350	-50	1313	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add							6000	350	0	1263	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus							6000	350	50	1213	81.0	45.0
King Ranch Leather	4	Add	2	Add							6000	350	100	1163	81.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus							6000	350	150	1113	81.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add							6000	350	200	1063	81.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add							6000	350	250	1013	81.0	45.0
Satellite Digital Broadcast	2	Add	1	Add							6000	350	300	963	81.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add							6000	350	350	913	81.0	45.0
SYNC Basic - Gen I	1	Add	0	Add							6000	350	400	863	81.0	45.0
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x4 (10,000 GVWR) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2444	74.8	45.0	5600	-50	-50	1714	97.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2394	75.4	45.0	5600	-50	0	1664	97.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2344	75.9	45.0	5600	-50	50	1614	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2294	76.6	45.0	5600	-50	100	1564	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	-50	150	2244	77.2	45.0	5600	-50	150	1514	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	-50	200	2194	77.9	45.0	5600	-50	200	1464	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	-50	250	2144	78.6	45.0	5600	-50	250	1414	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	-50	300	2094	79.3	45.0	5600	-50	300	1364	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	-50	350	2044	80.1	45.0	5600	-50	350	1314	97.0	45.0
Brake Controller	1	Add	0	Add	4800	-50	400	1994	80.9	45.0	5600	-50	400	1264	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	-50	450	1944	81.7	45.0	5600	-50	450	1214	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4800	-50	500	1894	82.6	45.0	5600	-50	500	1164	97.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	-50	2394	97.0	45.0	5600	0	-50	1664	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	0	2344	97.0	45.0	5600	0	0	1614	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	50	2294	97.0	45.0	5600	0	50	1564	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	100	2244	97.0	45.0	5600	0	100	1514	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	150	2194	97.0	45.0	5600	0	150	1464	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	200	2144	97.0	45.0	5600	0	200	1414	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	250	2094	97.0	45.0	5600	0	250	1364	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	300	2044	97.0	45.0	5600	0	300	1314	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	0	350	1994	97.0	45.0	5600	0	350	1264	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	0	400	1944	97.0	45.0	5600	0	400	1214	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	0	450	1894	97.0	45.0	5600	0	450	1164	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	0	500	1844	97.0	45.0	5600	0	500	1114	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	-50	2344	96.2	45.0	5600	50	-50	1614	95.6	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5200	50	0	2294	97.0	45.0	5600	50	0	1564	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	50	2244	97.0	45.0	5600	50	50	1514	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	100	2194	97.0	45.0	5600	50	100	1464	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	150	2144	97.0	45.0	5600	50	150	1414	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	200	2094	97.0	45.0	5600	50	200	1364	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	50	250	2044	97.0	45.0	5600	50	250	1314	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	50	300	1994	97.0	45.0	5600	50	300	1264	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	50	350	1944	97.0	45.0	5600	50	350	1214	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	50	400	1894	97.0	45.0	5600	50	400	1164	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	50	450	1844	97.0	45.0	5600	50	450	1114	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	50	500	1794	97.0	45.0	5600	50	500	1064	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	-50	2294	93.8	45.0	5600	100	-50	1564	92.1	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	0	2244	94.8	45.0	5600	100	0	1514	93.6	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	50	2194	95.9	45.0	5600	100	50	1464	95.1	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	100	2144	97.0	45.0	5600	100	100	1414	96.8	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	150	2094	97.0	45.0	5600	100	150	1364	97.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	100	200	2044	97.0	45.0	5600	100	200	1314	97.0	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	250	1994	97.0	45.0	5600	100	250	1264	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	300	1944	97.0	45.0	5600	100	300	1214	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	100	350	1894	97.0	45.0	5600	100	350	1164	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	100	400	1844	97.0	45.0	5600	100	400	1114	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	100	450	1794	97.0	45.0	5600	100	450	1064	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	100	500	1744	97.0	45.0	5600	100	500	1014	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	-50	2244	91.3	45.0	6000	150	-50	1514	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	0	2194	92.3	45.0	6000	150	0	1464	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	50	2144	93.3	45.0	6000	150	50	1414	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	100	2094	94.4	45.0	6000	150	100	1364	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	150	2044	95.5	45.0	6000	150	150	1314	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	200	1994	96.7	45.0	6000	150	200	1264	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	250	1944	97.0	45.0	6000	150	250	1214	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	300	1894	97.0	45.0	6000	150	300	1164	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	350	1844	97.0	45.0	6000	150	350	1114	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	150	400	1794	97.0	45.0	6000	150	400	1064	97.0	45.0
Foglamps	3	Add	0	Add	5200	150	450	1744	97.0	45.0	6000	150	450	1014	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	150	500	1694	97.0	45.0	6000	150	500	964	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	-50	2194	88.7	45.0	6000	200	-50	1464	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	0	2144	89.6	45.0	6000	200	0	1414	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	50	2094	90.6	45.0	6000	200	50	1364	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	100	2044	91.7	45.0	6000	200	100	1314	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	150	1994	92.8	45.0	6000	200	150	1264	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	200	1944	93.9	45.0	6000	200	200	1214	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	200	250	1894	95.1	45.0	6000	200	250	1164	97.0	45.0
Cruise Control	3	Add	1	Add	5200	200	300	1844	96.4	45.0	6000	200	300	1114	97.0	45.0
Power Equipment Group	12	Add	3	Add	5200	200	350	1794	97.0	45.0	6000	200	350	1064	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	200	400	1744	97.0	45.0	6000	200	400	1014	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	200	450	1694	97.0	45.0	6000	200	450	964	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	200	500	1644	97.0	45.0	6000	200	500	914	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	-50	2144	85.9	45.0	6000	250	-50	1414	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5200	250	0	2094	86.8	45.0	6000	250	0	1364	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	50	2044	87.8	45.0	6000	250	50	1314	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	100	1994	88.8	45.0	6000	250	100	1264	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	250	150	1944	89.9	45.0	6000	250	150	1214	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	250	200	1894	91.0	45.0	6000	250	200	1164	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	250	250	1844	92.1	45.0	6000	250	250	1114	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	250	300	1794	93.4	45.0	6000	250	300	1064	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5200	250	350	1744	94.7	45.0	6000	250	350	1014	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	250	400	1694	96.1	45.0	6000	250	400	964	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5200	250	450	1644	97.0	45.0	6000	250	450	914	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5200	250	500	1594	97.0	45.0	6000	250	500	864	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	5200	300	-50	2094	83.1	45.0	6000	300	-50	1364	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	5200	300	0	2044	83.9	45.0	6000	300	0	1314	97.0	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5200	300	50	1994	84.8	45.0	6000	300	50	1264	97.0	45.0
Bed Mat	0	Add	58	Add	5200	300	100	1944	85.8	45.0	6000	300	100	1214	97.0	45.0
Cable/Strap Locks	0	Add	9	Add	5200	300	150	1894	86.8	45.0	6000	300	150	1164	97.0	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	5200	300	200	1844	87.8	45.0	6000	300	200	1114	97.0	45.0
Roll-up Tonneau Cover	5	Add	25	Add	5200	300	250	1794	89.0	45.0	6000	300	250	1064	97.0	45.0
Wheel Well Liner - SRW only	0	Add	7	Add	5200	300	300	1744	90.1	45.0	6000	300	300	1014	97.0	45.0
Gooseneck Hitch Kit	0	Add	10	Add	5200	300	350	1694	91.4	45.0	6000	300	350	964	97.0	45.0
					5200	300	400	1644	92.7	45.0	6000	300	400	914	97.0	45.0
					5200	300	450	1594	94.1	45.0	6000	300	450	864	97.0	45.0
					5200	300	500	1544	95.6	45.0	6000	300	500	814	97.0	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x4 (10,000 GVWR) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	2233	97.0	45.0	5600	-50	-50	1507	97.0	45.0
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	2183	97.0	45.0	5600	-50	0	1457	97.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	50	2133	97.0	45.0	5600	-50	50	1407	97.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	100	2083	97.0	45.0	5600	-50	100	1357	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	150	2033	97.0	45.0	5600	-50	150	1307	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	-50	200	1983	97.0	45.0	5600	-50	200	1257	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	-50	250	1933	97.0	45.0	5600	-50	250	1207	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	-50	300	1883	97.0	45.0	5600	-50	300	1157	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	-50	350	1833	97.0	45.0	5600	-50	350	1107	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	-50	400	1783	97.0	45.0	5600	-50	400	1057	97.0	45.0
Brake Controller	1	Add	0	Add	5200	-50	450	1733	97.0	45.0	5600	-50	450	1007	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	-50	500	1683	97.0	45.0	5600	-50	500	957	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	-50	500	1683	97.0	45.0	5600	-50	550	907	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	-50	2183	97.0	45.0	5600	-50	550	907	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	0	2133	97.0	45.0	6000	0	-50	1457	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	50	2083	97.0	45.0	6000	0	0	1407	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	100	2033	97.0	45.0	6000	0	50	1357	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	150	1983	97.0	45.0	6000	0	100	1307	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	200	1933	97.0	45.0	6000	0	150	1257	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	250	1883	97.0	45.0	6000	0	200	1207	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	300	1833	97.0	45.0	6000	0	250	1157	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Add	5200	0	350	1783	97.0	45.0	6000	0	300	1107	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Add	5200	0	400	1733	97.0	45.0	6000	0	350	1057	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Add	5200	0	450	1683	97.0	45.0	6000	0	400	1007	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Add	5200	0	500	1633	97.0	45.0	6000	0	450	957	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	-50	2133	95.2	45.0	6000	0	500	907	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Minus	19	Add	5200	50	0	2083	96.3	45.0	6000	0	550	857	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	50	2033	97.0	45.0	6000	50	-50	1407	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	100	1983	97.0	45.0	6000	50	0	1357	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	150	1933	97.0	45.0	6000	50	50	1307	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	200	1883	97.0	45.0	6000	50	100	1257	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD	-2	Minus	4	Add	5200	50	250	1833	97.0	45.0	6000	50	150	1207	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	50	300	1783	97.0	45.0	6000	50	200	1157	97.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel ST	3	Add	9	Add	5200	50	350	1733	97.0	45.0	6000	50	250	1107	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	50	400	1683	97.0	45.0	6000	50	300	1057	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	50	450	1633	97.0	45.0	6000	50	350	1007	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	50	500	1583	97.0	45.0	6000	50	400	957	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	-50	2083	92.2	45.0	6000	50	450	907	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	0	2033	93.3	45.0	6000	50	500	857	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	50	1983	94.4	45.0	6000	50	550	807	97.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	100	1933	95.6	45.0	6000	100	-50	1357	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	150	1883	96.9	45.0	6000	100	0	1307	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	200	1833	97.0	45.0	6000	100	50	1257	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	250	1783	97.0	45.0	6000	100	100	1207	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	100	300	1733	97.0	45.0	6000	100	150	1157	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	100	350	1683	97.0	45.0	6000	100	200	1107	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	400	1633	97.0	45.0	6000	100	250	1057	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	100	450	1583	97.0	45.0	6000	100	300	1007	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	100	500	1533	97.0	45.0	6000	100	350	957	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	-50	2033	89.0	45.0	6000	100	400	907	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	0	1983	90.1	45.0	6000	100	450	857	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	50	1933	91.1	45.0	6000	100	500	807	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	100	1883	92.3	45.0	6000	100	550	757	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	150	1833	93.5	45.0	6000	150	-50	1307	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	200	1783	94.8	45.0	6000	150	0	1257	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	250	1733	96.1	45.0	6000	150	50	1207	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	300	1683	97.0	45.0	6000	150	100	1157	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	350	1633	97.0	45.0	6000	150	150	1107	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	400	1583	97.0	45.0	6000	150	200	1057	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	450	1533	97.0	45.0	6000	150	250	1007	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	500	1483	97.0	45.0	6000	150	300	957	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	-50	1983	85.7	45.0	6000	150	350	907	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	0	1933	86.7	45.0	6000	150	400	857	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	50	1883	87.7	45.0	6000	150	450	807	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	100	1833	88.8	45.0	6000	150	500	757	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	150	1783	89.9	45.0	6000	150	550	707	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	200	1733	91.2	45.0	6000	200	-50	1257	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	200	250	1683	92.4	45.0	6000	200	0	1207	97.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	200	300	1633	93.8	45.0	6000	200	50	1157	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	350	1583	95.3	45.0	6000	200	100	1107	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	400	1533	96.8	45.0	6000	200	150	1057	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	200	450	1483	97.0	45.0	6000	200	200	1007	97.0	45.0
Cruise Control	3	Add	1	Add	5200	200	500	1433	97.0	45.0	6000	200	250	957	97.0	45.0
Power Equipment Group	15	Add	6	Add	5600	250	-50	1933	97.0	45.0	6000	200	300	907	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	0	1883	97.0	45.0	6000	200	350	857	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	50	1833	97.0	45.0	6000	200	400	807	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	100	1783	97.0	45.0	6000	200	450	757	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	250	150	1733	97.0	45.0	6000	200	500	707	97.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5600	250	200	1683	97.0	45.0	6000	200	550	657	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5600	250	250	1633	97.0	45.0	6000	250	-50	1207	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	250	300	1583	97.0	45.0	6000	250	0	1157	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	250	350	1533	97.0	45.0	6000	250	50	1107	97.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	250	400	1483	97.0	45.0	6000	250	100	1057	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	250	450	1433	97.0	45.0	6000	250	150	1007	97.0	45.0
King Ranch Leather	4	Add	2	Add	5600	250	500	1383	97.0	45.0	6000	250	200	957	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	300	-50	1883	97.0	45.0	6000	250	250	907	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	300	0	1833	97.0	45.0	6000	250	300	857	97.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	300	50	1783	97.0	45.0	6000	250	350	807	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5600	300	100	1733	97.0	45.0	6000	250	400	757	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5600	300	150	1683	97.0	45.0	6000	250	450	707	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5600	300	200	1633	97.0	45.0	6000	250	500	657	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5600	300	250	1583	97.0	45.0	6000	250	550	607	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	5600	300	300	1533	97.0	45.0	6000	300	-50	1157	97.0	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	5600	300	350	1483	97.0	45.0	6000	300	0	1107	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	5600	300	400	1433	97.0	45.0	6000	300	50	1057	97.0	45.0
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add	5600	300	450	1383	97.0	45.0	6000	300	100	1007	97.0	45.0
King Ranch with Chromed Accent Option	6	Add	3	Add	5600	300	500	1333	97.0	45.0	6000	300	150	957	97.0	45.0
Platinum Package	6	Add	3	Add							6000	300	200	907	97.0	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add							6000	300	250	857	97.0	45.0
Bed Mat	0	Add	58	Add							6000	300	300	807	97.0	45.0
Cable/Strap Locks	0	Add	9	Add							6000	300	350	757	97.0	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add							6000	300	400	707	97.0	45.0
Roll-up Tonneau Cover	5	Add	25	Add							6000	300	450	657	97.0	45.0
Wheel Well Liner - SRW only	0	Add	7	Add							6000	300	500	607	97.0	45.0
Gooseneck Hitch Kit	0	Add	10	Add							6000	300	550	557	97.0	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x2 (9,900 GVWR) Cab Type: Regular Cab Wheelbase: 137 *

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)	
XLT Trim (GAS)	10	Add	6	Add
XLT Trim (DIESEL)	14	Add	9	Add
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add
Immersion Heater - Engine	1	Add	0	Add
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add
Brake Controller	1	Add	0	Add
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add
Skid Plates (GAS) 4X4 only	18	Add	22	Add
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add
5th Wheel Hitch	0	Add	96	Add
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add
750 CCA/78 AH Battery	2	Add	0	Add
Manual Air Conditioning (GAS)	30	Add	-1	Minus
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add
Pickup Bed Extender	-2	Minus	21	Add
Drop-In Bedliner	2	Add	42	Add
Spray-In Bedliner	1	Add	19	Add
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add
Reverse Vehicle Sensor System	0	Add	1	Add
Static Rear Video Camera	0	Add	1	Add
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add
Sliding Rear Window	5	Add	2	Add
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add
Foglamps	3	Add	0	Add
Bright Exhaust Pipe Extension	0	Add	3	Add
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add
All Weather Floor Mat	4	Add	2	Add
Electrochromic Rear View Mirror	1	Add	0	Add
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add
Floor Consolette - Stand alone	-25	Minus	-9	Minus
Cruise Control	3	Add	1	Add
Power Equipment Group	12	Add	3	Add
Adj Gas & Brake Pedals	4	Add	3	Add
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add
Cloth Seats	-2	Minus	-1	Minus
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add
Satellite Digital Broadcat	2	Add	1	Add
High Definition & Satellite Digital Broadcast	2	Add	1	Add
SYNC Basic - Gen I	1	Add	0	Add
SYNC Finder - Gen II	1	Add	0	Add
FX4 Off-Road Package	2	Add	2	Add
Tracking System - Crew Chief	3	Add	0	Add
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add
Bed Mat	0	Add	58	Add
Cable/Strap Locks	0	Add	9	Add
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add
Roll-up Tonneau Cover	5	Add	25	Add
Wheel Well Liner - SRW only	0	Add	7	Add
Gooseneck Hitch Kit	0	Add	10	Add
Total Option Weight				

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.2L Gasoline Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
4100	-50	-50	3584	67.4	52.2
4100	-50	0	3534	67.7	52.3
4100	-50	50	3484	68.0	52.3
4100	-50	100	3434	68.3	52.4
4100	-50	150	3384	68.6	52.5
4100	-50	200	3334	68.9	52.5
4100	-50	300	3234	69.5	52.7
4100	-50	350	3184	69.9	52.7
4100	-50	400	3134	70.2	52.8
4100	0	-50	3534	65.7	50.3
4100	0	0	3484	66.0	50.4
4100	0	50	3434	66.3	50.4
4100	0	100	3384	66.5	50.4
4100	0	150	3334	66.8	50.5
4100	0	200	3284	67.1	50.5
4100	0	300	3184	67.7	50.6
4100	0	350	3134	68.0	50.6
4100	0	400	3084	68.3	50.7
4100	50	-50	3484	64.0	48.4
4100	50	0	3434	64.3	48.4
4100	50	50	3384	64.5	48.4
4100	50	100	3334	64.8	48.4
4100	50	150	3284	65.0	48.4
4100	50	200	3234	65.3	48.4
4100	50	300	3134	65.8	48.4
4100	50	350	3084	66.1	48.5
4100	50	400	3034	66.4	48.5
4100	100	-50	3434	62.3	46.4
4100	100	0	3384	62.5	46.4
4100	100	50	3334	62.7	46.4
4100	100	100	3284	62.9	46.3
4100	100	150	3234	63.2	46.3
4100	100	200	3184	63.4	46.3
4100	100	300	3084	63.9	46.2
4100	100	350	3034	64.2	46.2
4100	100	400	2984	64.4	46.2
4100	150	-50	3384	60.5	45.0
4100	150	0	3334	60.6	45.0
4100	150	50	3284	60.8	45.0
4100	150	100	3234	61.0	45.0
4100	150	150	3184	61.2	45.0
4100	150	200	3134	61.5	45.0
4100	150	300	3034	61.9	45.0
4100	150	350	2984	62.1	45.0
4100	150	400	2934	62.4	45.0
4250	200	-50	3334	64.8	45.0
4250	200	0	3284	65.0	45.0
4250	200	50	3234	65.3	45.0
4250	200	100	3184	65.6	45.0
4250	200	150	3134	65.8	45.0
4250	200	200	3084	66.1	45.0
4250	200	300	2984	66.7	45.0
4250	200	350	2934	67.1	45.0
4250	200	400	2884	67.4	45.0
4250	250	-50	3284	62.9	45.0
4250	250	0	3234	63.2	45.0
4250	250	50	3184	63.4	45.0
4250	250	100	3134	63.6	45.0
4250	250	150	3084	63.9	45.0
4250	250	200	3034	64.2	45.0
4250	250	300	2934	64.7	45.0
4250	250	350	2884	65.0	45.0
4250	250	400	2834	65.3	45.0

VEHICLE LOADING DATA
6.7L Diesel Engine 9900 lb (4490 kg) GVWR

FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
4550	-50	-50	2936	65.5	45.0
4550	-50	0	2886	65.8	45.0
4550	-50	50	2836	66.2	45.0
4550	-50	100	2786	66.5	45.0
4550	-50	150	2736	66.8	45.0
4550	-50	200	2686	67.2	45.0
4550	-50	300	2586	67.9	45.0
4550	-50	350	2536	68.3	45.0
4550	-50	400	2486	68.7	45.0
4550	0	-50	2886	63.5	45.0
4550	0	0	2836	63.7	45.0
4550	0	50	2786	64.0	45.0
4550	0	100	2736	64.3	45.0
4550	0	150	2686	64.6	45.0
4550	0	200	2636	65.0	45.0
4550	0	300	2536	65.6	45.0
4550	0	350	2486	66.0	45.0
4550	0	400	2436	66.4	45.0
4550	50	-50	2836	61.3	45.0
4550	50	0	2786	61.6	45.0
4550	50	50	2736	61.8	45.0
4550	50	100	2686	62.1	45.0
4550	50	150	2636	62.4	45.0
4550	50	200	2586	62.6	45.0
4550	50	300	2486	63.2	45.0
4550	50	350	2436	63.5	45.0
4550	50	400	2386	63.9	45.0
4700	100	-50	2786	66.5	45.0
4700	100	0	2736	66.8	45.0
4700	100	50	2686	67.2	45.0
4700	100	100	2636	67.6	45.0
4700	100	150	2586	67.9	45.0
4700	100	200	2536	68.3	45.0
4700	100	300	2436	69.2	45.0
4700	100	350	2386	69.6	45.0
4700	100	400	2336	70.1	45.0
4700	150	-50	2736	64.3	45.0
4700	150	0	2686	64.6	45.0
4700	150	50	2636	65.0	45.0
4700	150	100	2586	65.3	45.0
4700	150	150	2536	65.6	45.0
4700	150	200	2486	66.0	45.0
4700	150	300	2386	66.7	45.0
4700	150	350	2336	67.1	45.0
4700	150	400	2286	67.6	45.0
4700	200	-50	2686	62.1	45.0
4700	200	0	2636	62.4	45.0
4700	200	50	2586	62.6	45.0
4700	200	100	2536	62.9	45.0
4700	200	150	2486	63.2	45.0
4700	200	200	2436	63.5	45.0
4700	200	300	2336	64.2	45.0
4700	200	350	2286	64.6	45.0
4700	200	400	2236	64.9	45.0
4850	250	-50	2636	67.6	45.0
4850	250	0	2586	67.9	45.0
4850	250	50	2536	68.3	45.0
4850	250	100	2486	68.7	45.0
4850	250	150	2436	69.2	45.0
4850	250	200	2386	69.6	45.0
4850	250	300	2286	70.6	45.0
4850	250	350	2236	71.1	45.0
4850	250	400	2186	71.6	45.0

MY: 2015 Model: F250 4x2 (9,900 GVWR) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4250	-50	-50	2845	66.0	45.0	4850	-50	-50	2168	71.6	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4250	-50	0	2795	66.3	45.0	4850	-50	0	2118	72.2	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4250	-50	50	2745	66.6	45.0	4850	-50	50	2068	72.7	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4250	-50	100	2695	67.0	45.0	4850	-50	100	2018	73.4	45.0
Immersion Heater - Engine	1	Add	0	Add	4250	-50	150	2645	67.4	45.0	4850	-50	150	1968	74.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4250	-50	200	2595	67.7	45.0	4850	-50	200	1918	74.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4250	-50	250	2545	68.1	45.0	4850	-50	250	1868	75.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4250	-50	300	2495	68.5	45.0	4850	-50	300	1818	76.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4250	-50	350	2445	68.9	45.0	4850	-50	350	1768	77.0	45.0
Brake Controller	1	Add	0	Add	4250	0	-50	2795	63.8	45.0	4850	0	-50	2118	68.8	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4250	0	0	2745	64.1	45.0	4850	0	0	2068	69.3	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4250	0	50	2695	64.4	45.0	4850	0	50	2018	69.8	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4250	0	100	2645	64.7	45.0	4850	0	100	1968	70.4	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4250	0	150	2595	65.0	45.0	4850	0	150	1918	71.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4250	0	200	2545	65.3	45.0	4850	0	200	1868	71.6	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4250	0	250	2495	65.7	45.0	4850	0	250	1818	72.3	45.0
5th Wheel Hitch	0	Add	96	Add	4250	0	300	2445	66.0	45.0	4850	0	300	1768	73.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4250	0	350	2395	66.4	45.0	4850	0	350	1718	73.7	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	50	-50	2745	69.2	45.0	5000	50	-50	2068	76.2	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	50	0	2695	69.6	45.0	5000	50	0	2018	76.9	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	50	50	2645	70.0	45.0	5000	50	50	1968	77.6	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	50	100	2595	70.5	45.0	5000	50	100	1918	78.4	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4400	50	150	2545	70.9	45.0	5000	50	150	1868	79.2	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4400	50	200	2495	71.4	45.0	5000	50	200	1818	80.1	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4400	50	250	2445	71.9	45.0	5000	50	250	1768	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4400	50	300	2395	72.4	45.0	5000	50	300	1718	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4400	50	350	2345	72.9	45.0	5000	50	350	1668	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4400	100	-50	2695	67.0	45.0	5000	100	-50	2018	73.4	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	100	0	2645	67.4	45.0	5000	100	0	1968	74.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4400	100	50	2595	67.7	45.0	5000	100	50	1918	74.7	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4400	100	100	2545	68.1	45.0	5000	100	100	1868	75.4	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4400	100	150	2495	68.5	45.0	5000	100	150	1818	76.2	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4400	100	200	2445	68.9	45.0	5000	100	200	1768	77.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4400	100	250	2395	69.4	45.0	5000	100	250	1718	77.8	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4400	100	300	2345	69.8	45.0	5000	100	300	1668	78.7	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4400	100	350	2295	70.3	45.0	5000	100	350	1618	79.7	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4400	150	-50	2645	64.7	45.0	5000	150	-50	1968	70.4	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4400	150	0	2595	65.0	45.0	5000	150	0	1918	71.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4400	150	50	2545	65.3	45.0	5000	150	50	1868	71.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4400	150	100	2495	65.7	45.0	5000	150	100	1818	72.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	4400	150	150	2445	66.0	45.0	5000	150	150	1768	73.0	45.0
Drop-In Bedliner	2	Add	35	Add	4400	150	200	2395	66.4	45.0	5000	150	200	1718	73.7	45.0
Spray-In Bedliner	0	Add	16	Add	4400	150	250	2345	66.8	45.0	5000	150	250	1668	74.5	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4400	150	300	2295	67.2	45.0	5000	150	300	1618	75.3	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4400	150	350	2245	67.7	45.0	5000	150	350	1568	76.2	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	200	-50	2595	70.5	45.0	5250	200	-50	1918	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	200	0	2545	70.9	45.0	5250	200	0	1868	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	200	50	2495	71.4	45.0	5250	200	50	1818	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	200	100	2445	71.9	45.0	5250	200	100	1768	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	200	150	2395	72.4	45.0	5250	200	150	1718	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	200	200	2345	72.9	45.0	5250	200	200	1668	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	200	250	2295	73.4	45.0	5250	200	250	1618	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	200	300	2245	74.0	45.0	5250	200	300	1568	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	200	350	2195	74.6	45.0	5250	200	350	1518	81.0	45.0
Sliding Rear Window	5	Add	2	Add	4550	250	-50	2545	68.1	45.0	5250	250	-50	1868	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	250	0	2495	68.5	45.0	5250	250	0	1818	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	250	50	2445	68.9	45.0	5250	250	50	1768	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	250	100	2395	69.4	45.0	5250	250	100	1718	81.0	45.0
Foglamps	3	Add	0	Add	4550	250	150	2345	69.8	45.0	5250	250	150	1668	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4550	250	200	2295	70.3	45.0	5250	250	200	1618	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4550	250	250	2245	70.8	45.0	5250	250	250	1568	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4550	250	300	2195	71.4	45.0	5250	250	300	1518	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4550	250	350	2145	71.9	45.0	5250	250	350	1468	81.0	45.0
All Weather Floor Mat	6	Add	4	Add	4550	300	-50	2495	65.7	45.0	5250	300	-50	1818	80.1	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4550	300	0	2445	66.0	45.0	5250	300	0	1768	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4550	300	50	2395	66.4	45.0	5250	300	50	1718	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4550	300	100	2345	66.8	45.0	5250	300	100	1668	81.0	45.0
Cruise Control	3	Add	1	Add	4550	300	150	2295	67.2	45.0	5250	300	150	1618	81.0	45.0
Power Equipment Group	12	Add	3	Add	4550	300	200	2245	67.7	45.0	5250	300	200	1568	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4550	300	250	2195	68.1	45.0	5250	300	250	1518	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4550	300	300	2145	68.6	45.0	5250	300	300	1468	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4550	300	350	2095	69.1	45.0	5250	300	350	1418	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumba	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x2 (9,900 GVWR) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
	I		I		I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4400	-50	-50	2633	70.9	45.0	5000	-50	-50	1969	79.2	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	0	2583	71.3	45.0	5000	-50	0	1919	80.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	50	2533	71.8	45.0	5000	-50	50	1869	80.9	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	100	2483	72.2	45.0	5000	-50	100	1819	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	150	2433	72.7	45.0	5000	-50	150	1769	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	200	2383	73.3	45.0	5000	-50	200	1719	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	250	2333	73.8	45.0	5000	-50	250	1669	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	300	2283	74.4	45.0	5000	-50	300	1619	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	350	2233	75.0	45.0	5000	-50	350	1569	81.0	45.0
Brake Controller	1	Add	0	Add	4400	0	-50	2583	68.3	45.0	5000	0	-50	1919	76.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	0	2533	68.7	45.0	5000	0	0	1869	76.7	45.0
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	50	2483	69.1	45.0	5000	0	50	1819	77.5	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	100	2433	69.5	45.0	5000	0	100	1769	78.3	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	150	2383	70.0	45.0	5000	0	150	1719	79.2	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	200	2333	70.5	45.0	5000	0	200	1669	80.2	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	250	2283	71.0	45.0	5000	0	250	1619	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	300	2233	71.5	45.0	5000	0	300	1569	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	350	2183	72.0	45.0	5000	0	350	1519	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	-50	2533	74.9	45.0	5000	50	-50	1869	72.5	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	0	2483	75.4	45.0	5000	50	0	1819	73.2	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	50	2433	76.0	45.0	5000	50	50	1769	73.9	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	100	2383	76.5	45.0	5000	50	100	1719	74.7	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	150	2333	77.2	45.0	5000	50	150	1669	75.5	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	200	2283	77.8	45.0	5000	50	200	1619	76.3	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	250	2233	78.5	45.0	5000	50	250	1569	77.2	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4400	50	300	2183	68.4	45.0	5000	50	300	1519	78.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	50	350	2133	68.9	45.0	5000	50	350	1469	79.2	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	-50	2483	72.2	45.0	5250	100	-50	1819	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	0	2433	72.7	45.0	5250	100	0	1769	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	50	2383	73.3	45.0	5250	100	50	1719	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	100	2333	73.8	45.0	5250	100	100	1669	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	150	2283	74.4	45.0	5250	100	150	1619	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	200	2233	75.0	45.0	5250	100	200	1569	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	250	2183	75.6	45.0	5250	100	250	1519	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	300	2133	76.2	45.0	5250	100	300	1469	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	4550	100	350	2083	76.9	45.0	5250	100	350	1419	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	4550	150	-50	2433	69.5	45.0	5250	150	-50	1769	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	150	0	2383	70.0	45.0	5250	150	0	1719	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	150	50	2333	70.5	45.0	5250	150	50	1669	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4550	150	100	2283	71.0	45.0	5250	150	100	1619	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	150	150	2233	71.5	45.0	5250	150	150	1569	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	200	2183	72.0	45.0	5250	150	200	1519	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	250	2133	72.6	45.0	5250	150	250	1469	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	300	2083	73.2	45.0	5250	150	300	1419	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	350	2033	73.8	45.0	5250	150	350	1369	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	200	-50	2383	76.5	45.0	5250	200	-50	1719	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	200	0	2333	77.2	45.0	5250	200	0	1669	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	200	50	2283	77.8	45.0	5250	200	50	1619	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4700	200	100	2233	78.5	45.0	5250	200	100	1569	81.0	45.0
Sliding Rear Window	5	Add	2	Add	4700	200	150	2183	79.2	45.0	5250	200	150	1519	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	200	200	2133	79.9	45.0	5250	200	200	1469	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	200	250	2083	80.7	45.0	5250	200	250	1419	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	300	2033	81.0	45.0	5250	200	300	1369	81.0	45.0
Foglamps	3	Add	0	Add	4700	200	350	1983	81.0	45.0	5250	200	350	1319	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	250	-50	2333	73.8	45.0	5250	250	-50	1669	80.2	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	250	0	2283	74.4	45.0	5250	250	0	1619	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	250	50	2233	75.0	45.0	5250	250	50	1569	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	250	100	2183	75.6	45.0	5250	250	100	1519	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	250	150	2133	76.2	45.0	5250	250	150	1469	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	4700	250	200	2083	76.9	45.0	5250	250	200	1419	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	250	250	2033	77.6	45.0	5250	250	250	1369	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	250	300	1983	78.4	45.0	5250	250	300	1319	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	250	350	1933	79.2	45.0	5250	250	350	1269	81.0	45.0
Cruise Control	3	Add	1	Add	4700	300	-50	2283	71.0	45.0	5250	300	-50	1619	76.3	45.0
Power Equipment Group	15	Add	6	Add	4700	300	0	2233	71.5	45.0	5250	300	0	1569	77.2	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	300	50	2183	72.0	45.0	5250	300	50	1519	78.2	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	300	100	2133	72.6	45.0	5250	300	100	1469	79.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	300	150	2083	73.2	45.0	5250	300	150	1419	80.3	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	300	200	2033	73.8	45.0	5250	300	200	1369	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4700	300	250	1983	74.4	45.0	5250	300	250	1319	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	300	300	1933	75.1	45.0	5250	300	300	1269	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	300	350	1883	75.8	45.0	5250	300	350	1219	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x2 (9,900 GVWR) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4400	-50	-50	2747	69.3	45.0	5000	-50	-50	2005	75.2	45.0
XLT Trim (GAS)	10	Add	7	Add	4400	-50	0	2697	69.7	45.0	5000	-50	0	1955	75.9	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	50	2647	70.1	45.0	5000	-50	50	1905	76.6	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	100	2597	70.5	45.0	5000	-50	100	1855	77.4	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	150	2547	70.9	45.0	5000	-50	150	1805	78.2	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	200	2497	71.4	45.0	5000	-50	200	1755	79.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	250	2447	71.9	45.0	5000	-50	250	1705	80.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	300	2397	72.4	45.0	5000	-50	300	1655	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	350	2347	72.9	45.0	5000	-50	350	1605	82.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	400	2297	73.5	45.0	5000	-50	400	1555	83.1	45.0
Brake Controller	1	Add	0	Add	4400	-50	450	2247	74.0	45.0	5000	-50	450	1505	84.3	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	500	2197	74.6	45.0	5000	-50	500	1455	85.5	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	-50	2697	66.7	45.0	5000	0	-50	1955	71.8	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	0	2647	67.1	45.0	5000	0	0	1905	72.5	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	50	2597	67.5	45.0	5000	0	50	1855	73.1	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	100	2547	67.8	45.0	5000	0	100	1805	73.8	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4400	0	150	2497	68.2	45.0	5000	0	150	1755	74.6	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	200	2447	68.7	45.0	5000	0	200	1705	75.4	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	250	2397	69.1	45.0	5000	0	250	1655	76.2	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	300	2347	69.6	45.0	5000	0	300	1605	77.1	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	350	2297	70.0	45.0	5000	0	350	1555	78.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	0	400	2247	70.5	45.0	5000	0	400	1505	79.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	0	450	2197	71.0	45.0	5000	0	450	1455	80.1	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4400	0	500	2147	71.6	45.0	5000	0	500	1405	81.2	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	-50	2647	73.1	45.0	5000	50	-50	1905	68.3	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	0	2597	73.5	45.0	5000	50	0	1855	68.9	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	50	2547	74.1	45.0	5000	50	50	1805	69.5	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	100	2497	74.6	45.0	5000	50	100	1755	70.1	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4550	50	150	2447	75.1	45.0	5000	50	150	1705	70.7	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4550	50	200	2397	75.7	45.0	5000	50	200	1655	71.4	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4550	50	250	2347	76.3	45.0	5000	50	250	1605	72.2	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4550	50	300	2297	76.9	45.0	5000	50	300	1555	72.9	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	50	350	2247	77.5	45.0	5000	50	350	1505	73.8	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	50	400	2197	78.2	45.0	5000	50	400	1455	74.7	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	50	450	2147	78.9	45.0	5000	50	450	1405	75.6	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4550	50	500	2097	79.7	45.0	5000	50	500	1355	76.6	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4550	100	-50	2597	70.5	45.0	5250	100	-50	1855	85.9	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	0	2547	70.9	45.0	5250	100	0	1805	87.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	50	2497	71.4	45.0	5250	100	50	1755	88.1	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	100	2447	71.9	45.0	5250	100	100	1705	89.3	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	150	2397	72.4	45.0	5250	100	150	1655	90.5	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	200	2347	72.9	45.0	5250	100	200	1605	91.8	45.0
Drop-In Bedliner	2	Add	35	Add	4550	100	250	2297	73.5	45.0	5250	100	250	1555	93.3	45.0
Spray-In Bedliner	1	Add	19	Add	4550	100	300	2247	74.0	45.0	5250	100	300	1505	94.8	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	100	350	2197	74.6	45.0	5250	100	350	1455	96.4	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	100	400	2147	75.3	45.0	5250	100	400	1405	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	100	450	2097	75.9	45.0	5250	100	450	1355	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	100	500	2047	76.6	45.0	5250	100	500	1305	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	-50	2547	67.8	45.0	5250	150	-50	1805	82.6	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	0	2497	68.2	45.0	5250	150	0	1755	83.6	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	50	2447	68.7	45.0	5250	150	50	1705	84.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	100	2397	69.1	45.0	5250	150	100	1655	85.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	150	2347	69.6	45.0	5250	150	150	1605	86.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	200	2297	70.0	45.0	5250	150	200	1555	88.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	150	250	2247	70.5	45.0	5250	150	250	1505	89.5	45.0
Sliding Rear Window	5	Add	2	Add	4550	150	300	2197	71.0	45.0	5250	150	300	1455	91.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	150	350	2147	71.6	45.0	5250	150	350	1405	92.5	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	400	2097	72.1	45.0	5250	150	400	1355	94.1	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	450	2047	72.7	45.0	5250	150	450	1305	95.9	45.0
Foglamps	3	Add	0	Add	4550	150	500	1997	73.4	45.0	5250	150	500	1255	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	-50	2497	74.6	45.0	5250	200	-50	1755	79.1	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	0	2447	75.1	45.0	5250	200	0	1705	80.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	200	50	2397	75.7	45.0	5250	200	50	1655	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	100	2347	76.3	45.0	5250	200	100	1605	82.0	45.0
All Weather Floor Mat	6	Add	4	Add	4700	200	150	2297	76.9	45.0	5250	200	150	1555	83.1	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	200	2247	77.5	45.0	5250	200	200	1505	84.3	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	250	2197	78.2	45.0	5250	200	250	1455	85.5	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	200	300	2147	78.9	45.0	5250	200	300	1405	86.9	45.0
Cruise Control	3	Add	1	Add	4700	200	350	2097	79.7	45.0	5250	200	350	1355	88.3	45.0
Power Equipment Group	12	Add	3	Add	4700	200	400	2047	80.5	45.0	5250	200	400	1305	89.9	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	200	450	1997	81.3	45.0	5250	200	450	1255	91.5	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	200	500	1947	82.1	45.0	5250	200	500	1205	93.3	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	-50	2447	71.9	45.0	5250	250	-50	1705	75.4	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	0	2397	72.4	45.0	5250	250	0	1655	76.2	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	250	50	2347	72.9	45.0	5250	250	50	1605	77.1	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	250	100	2297	73.5	45.0	5250	250	100	1555	78.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	250	150	2247	74.0	45.0	5250	250	150	1505	79.0	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	250	200	2197	74.6	45.0	5250	250	200	1455	80.1	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	250	250	2147	75.3	45.0	5250	250	250	1405	81.2	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	250	300	2097	75.9	45.0	5250	250	300	1355	82.5	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	4700	250	350	2047	76.6	45.0	5250	250	350	1305	83.8	45.0
Satellite Digital Broadcat	2	Add	1	Add	4700	250	400	1997	77.3	45.0	5250	250	400	1255	85.2	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4700	250	450	1947	78.1	45.0	5250	250	450	1205	86.8	45.0
SYNC Basic - Gen I	1	Add	0	Add	4700	250	500	1897	78.9	45.0	5250	250	500	1155	88.5	45.0
SYNC Finder - Gen II	1	Add	0	Add	4700	300	-50	2397	69.1	45.0	5250	300	-50	1655	71.4	45.0
FX4 Off-Road Package	2	Add	2	Add	4700	300	0	2347	69.6	45.0	5250	300	0	1605	72.2	45.0
Tracking System - Crew Chief	3	Add	0	Add	4700	300	50	2297	70.0	45.0	5250	300	50	1555	72.9	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4700	300	100	2247	70.5	45.0	5250	300	100	1505	73.8	45.0
Bed Mat	0	Add	58	Add	4700	300	150	2197	71.0	45.0	5250	300	150	1455	74.7	45.0
Cable/Strap Locks	0	Add	9	Add	4700	300	200	2147	71.6	45.0	5250	300	200	1405	75.6	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4700	300	250	2097	72.1	45.0	5250	300	250	1355	76.6	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4700	300	300	2047	72.7	45.0	5250	300	300	1305	77.7	45.0
Wheel Well Liner - SRW only	0	Add	7	Add	4700	300	350	1997	73.4	45.0	5250	300	350	1255	78.9	45.0
Gooseneck Hitch Kit	0	Add	10	Add	4700	300	400	1947	74.0	45.0	5250	300	400	1205	80.2	45.0
					4700	300	450	1897	74.7	45.0	5250	300	450	1155	81.6	45.0
					4700	300	500	1847	75.4	45.0	5250	300	500	1105	83.2	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x2 (9,900 GVWR) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4550	-50	-50	2528	74.9	45.0	5250	-50	-50	1796	94.0	45.0
XLT Trim (GAS)	13	Add	9	Add	4550	-50	0	2478	75.4	45.0	5250	-50	0	1746	95.3	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	50	2428	76.0	45.0	5250	-50	50	1696	96.7	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	100	2378	76.6	45.0	5250	-50	100	1646	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	150	2328	77.2	45.0	5250	-50	150	1596	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4550	-50	200	2278	77.8	45.0	5250	-50	200	1546	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	250	2228	78.5	45.0	5250	-50	250	1496	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	300	2178	79.2	45.0	5250	-50	300	1446	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	350	2128	79.9	45.0	5250	-50	350	1396	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	400	2078	80.7	45.0	5250	-50	400	1346	97.0	45.0
Brake Controller	1	Add	0	Add	4550	-50	500	1978	82.4	45.0	5250	-50	500	1246	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	0	-50	2478	71.9	45.0	5250	0	-50	1746	90.4	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	0	2428	72.4	45.0	5250	0	0	1696	91.7	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	50	2378	73.0	45.0	5250	0	50	1646	93.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	100	2328	73.5	45.0	5250	0	100	1596	94.4	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	150	2278	74.1	45.0	5250	0	150	1546	95.9	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	200	2228	74.6	45.0	5250	0	200	1496	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	250	2178	75.3	45.0	5250	0	250	1446	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	300	2128	75.9	45.0	5250	0	300	1396	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	350	2078	76.6	45.0	5250	0	350	1346	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	400	2028	77.3	45.0	5250	0	400	1296	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	500	1928	78.8	45.0	5250	0	500	1196	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	-50	2428	79.5	45.0	5250	50	-50	1696	86.6	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	0	2378	80.2	45.0	5250	50	0	1646	87.7	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	50	2328	80.9	45.0	5250	50	50	1596	89.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4700	50	100	2278	81.6	45.0	5250	50	100	1546	90.3	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Minus	19	Add	4700	50	150	2228	82.4	45.0	5250	50	150	1496	91.7	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4700	50	200	2178	83.2	45.0	5250	50	200	1446	93.3	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4700	50	250	2128	84.0	45.0	5250	50	250	1396	94.9	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4700	50	300	2078	84.9	45.0	5250	50	300	1346	96.6	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	350	2028	85.8	45.0	5250	50	350	1296	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	400	1978	86.7	45.0	5250	50	400	1246	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4700	50	500	1878	88.8	45.0	5250	50	500	1146	97.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	4700	100	-50	2378	76.6	45.0	5250	100	-50	1646	82.5	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	100	0	2328	77.2	45.0	5250	100	0	1596	83.6	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4700	100	50	2278	77.8	45.0	5250	100	50	1546	84.7	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4700	100	100	2228	78.5	45.0	5250	100	100	1496	86.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4700	100	150	2178	79.2	45.0	5250	100	150	1446	87.3	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4700	100	200	2128	79.9	45.0	5250	100	200	1396	88.7	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4700	100	250	2078	80.7	45.0	5250	100	250	1346	90.2	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4700	100	300	2028	81.5	45.0	5250	100	300	1296	91.8	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4700	100	350	1978	82.4	45.0	5250	100	350	1246	93.6	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4700	100	400	1928	83.3	45.0	5250	100	400	1196	95.5	45.0
Steppgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	100	500	1828	85.2	45.0	5250	100	500	1096	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	150	-50	2328	73.5	45.0	5250	150	-50	1596	78.2	45.0
Drop-In Bedliner	2	Add	42	Add	4700	150	0	2278	74.1	45.0	5250	150	0	1546	79.2	45.0
Spray-In Bedliner	0	Add	20	Add	4700	150	50	2228	74.6	45.0	5250	150	50	1496	80.2	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4700	150	100	2178	75.3	45.0	5250	150	100	1446	81.3	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	150	150	2128	75.9	45.0	5250	150	150	1396	82.5	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4700	150	200	2078	76.6	45.0	5250	150	200	1346	83.8	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4700	150	250	2028	77.3	45.0	5250	150	250	1296	85.2	45.0
Lower Bodyside Molding	2	Add	1	Add	4700	150	300	1978	78.0	45.0	5250	150	300	1246	86.7	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4700	150	350	1928	78.8	45.0	5250	150	350	1196	88.3	45.0
Static Rear Video Camera	0	Add	1	Add	4700	150	400	1878	79.6	45.0	5250	150	400	1146	90.1	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	150	500	1778	81.4	45.0	5250	150	500	1046	94.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4850	200	-50	2278	81.6	45.0	5250	200	-50	1546	73.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4850	200	0	2228	82.4	45.0	5250	200	0	1496	74.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4850	200	50	2178	83.2	45.0	5250	200	50	1446	75.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4850	200	100	2128	84.0	45.0	5250	200	100	1396	76.4	45.0
Sliding Rear Window	5	Add	2	Add	4850	200	150	2078	84.9	45.0	5250	200	150	1346	77.4	45.0
Power Sliding Rear Window	5	Add	3	Add	4850	200	200	2028	85.8	45.0	5250	200	200	1296	78.5	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4850	200	250	1978	86.7	45.0	5250	200	250	1246	79.8	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4850	200	300	1928	87.7	45.0	5250	200	300	1196	81.1	45.0
Foglamps	3	Add	0	Add	4850	200	350	1878	88.8	45.0	5250	200	350	1146	82.5	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4850	200	400	1828	89.9	45.0	5250	200	400	1096	84.1	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4850	200	500	1728	92.3	45.0	5250	200	500	996	87.8	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4850	250	-50	2228	78.5	45.0	5250	250	-50	1496	68.7	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4850	250	0	2178	79.2	45.0	5250	250	0	1446	69.4	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4850	250	50	2128	79.9	45.0	5250	250	50	1396	70.2	45.0
All Weather Floor Mat	7	Add	4	Add	4850	250	100	2078	80.7	45.0	5250	250	100	1346	71.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4850	250	150	2028	81.5	45.0	5250	250	150	1296	71.9	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4850	250	200	1978	82.4	45.0	5250	250	200	1246	72.9	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4850	250	250	1928	83.3	45.0	5250	250	250	1196	73.9	45.0
Cruise Control	3	Add	1	Add	4850	250	300	1878	84.2	45.0	5250	250	300	1146	75.0	45.0
Power Equipment Group	15	Add	6	Add	4850	250	350	1828	85.2	45.0	5250	250	350	1096	76.3	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4850	250	400	1778	86.2	45.0	5250	250	400	1046	77.6	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4850	250	500	1678	88.5	45.0	5250	250	500	946	80.8	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4850	300	-50	2178	75.3	45.0	5250	300	-50	1446	63.4	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	300	0	2128	75.9	45.0	5250	300	0	1396	64.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4850	300	50	2078	76.6	45.0	5250	300	50	1346	64.6	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4850	300	100	2028	77.3	45.0	5250	300	100	1296	65.2	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4850	300	150	1978	78.0	45.0	5250	300	150	1246	65.9	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4850	300	200	1928	78.8	45.0	5250	300	200	1196	66.7	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4850	300	250	1878	79.6	45.0	5250	300	250	1146	67.5	45.0
Cloth Seats	-2	Minus	-1	Minus	4850	300	300	1828	80.5	45.0	5250	300	300	1096	68.4	45.0
King Ranch Leather	4	Add	2	Add	4850	300	350	1778	81.4	45.0	5250	300	350	1046	69.4	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4850	300	400	1728	82.4	45.0	5250	300	400	996	70.5	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4850	300	500	1628	84.5	45.0	5250	300	500	896	73.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x4 (9,900 GVWR) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
XLT Trim (GAS)	10	Add	6	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3174	67.7	45.0	5200	-50	-50	2524	84.4	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3124	68.0	45.0	5200	-50	0	2474	85.1	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3074	68.3	45.0	5200	-50	50	2424	85.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	3024	68.7	45.0	5200	-50	100	2374	86.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	150	2974	69.0	45.0	5200	-50	150	2324	87.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	200	2924	69.4	45.0	5200	-50	200	2274	88.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	250	2874	69.7	45.0	5200	-50	250	2224	89.3	45.0
Brake Controller	1	Add	0	Add	4400	-50	300	2824	70.1	45.0	5200	-50	300	2174	90.3	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	350	2774	70.5	45.0	5200	-50	350	2124	91.2	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4400	-50	400	2724	71.0	45.0	5200	-50	400	2074	92.3	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4400	-50	450	2674	71.4	45.0	5200	-50	450	2024	93.4	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	-50	500	2624	71.8	45.0	5200	-50	500	1974	94.5	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	-50	3124	65.8	45.0	5200	0	-50	2474	82.3	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4400	0	0	3074	66.1	45.0	5200	0	0	2424	83.1	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	50	3024	66.4	45.0	5200	0	50	2374	83.8	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	100	2974	66.7	45.0	5200	0	100	2324	84.6	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	150	2924	67.0	45.0	5200	0	150	2274	85.4	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	200	2874	67.4	45.0	5200	0	200	2224	86.2	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4400	0	250	2824	67.7	45.0	5200	0	250	2174	87.1	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4400	0	300	2774	68.1	45.0	5200	0	300	2124	88.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4400	0	350	2724	68.4	45.0	5200	0	350	2074	89.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4400	0	400	2674	68.8	45.0	5200	0	400	2024	90.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4400	0	450	2624	69.2	45.0	5200	0	450	1974	91.1	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	0	500	2574	69.6	45.0	5200	0	500	1924	92.2	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	50	-50	3074	81.7	45.0	5200	50	-50	2424	80.2	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	50	0	3024	82.3	45.0	5200	50	0	2374	80.9	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	50	50	2974	82.8	45.0	5200	50	50	2324	81.6	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	50	100	2924	83.4	45.0	5200	50	100	2274	82.4	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	50	150	2874	84.0	45.0	5200	50	150	2224	83.1	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4800	50	200	2824	84.7	45.0	5200	50	200	2174	84.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4800	50	250	2774	85.4	45.0	5200	50	250	2124	84.8	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	300	2724	86.0	45.0	5200	50	300	2074	85.7	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	50	350	2674	86.8	45.0	5200	50	350	2024	86.6	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	50	400	2624	87.5	45.0	5200	50	400	1974	87.6	45.0
Drop-In Bedliner	2	Add	42	Add	4800	50	450	2574	88.3	45.0	5200	50	450	1924	88.6	45.0
Spray-In Bedliner	1	Add	19	Add	4800	50	500	2524	89.1	45.0	5200	50	500	1874	89.7	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	-50	3024	80.0	45.0	5200	100	-50	2374	78.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	0	2974	80.5	45.0	5200	100	0	2324	78.7	45.0
Static Rear Video Camera	0	Add	1	Add	4800	100	50	2924	81.1	45.0	5200	100	50	2274	79.4	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	100	2874	81.7	45.0	5200	100	100	2224	80.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	150	2824	82.3	45.0	5200	100	150	2174	80.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	100	200	2774	82.9	45.0	5200	100	200	2124	81.6	45.0
Sliding Rear Window	5	Add	2	Add	4800	100	250	2724	83.5	45.0	5200	100	250	2074	82.4	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	100	300	2674	84.2	45.0	5200	100	300	2024	83.2	45.0
Foglamps	3	Add	0	Add	4800	100	350	2624	84.9	45.0	5200	100	350	1974	84.1	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	100	400	2574	85.6	45.0	5200	100	400	1924	85.1	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	100	450	2524	86.4	45.0	5200	100	450	1874	86.1	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	100	500	2474	87.1	45.0	5200	100	500	1824	87.1	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	-50	2974	78.2	45.0	5200	150	-50	2324	75.7	45.0
All Weather Floor Mat	4	Add	2	Add	4800	150	0	2924	78.7	45.0	5200	150	0	2274	76.3	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	50	2874	79.3	45.0	5200	150	50	2224	77.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	100	2824	79.8	45.0	5200	150	100	2174	77.7	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4800	150	150	2774	80.4	45.0	5200	150	150	2124	78.4	45.0
Cruise Control	3	Add	1	Add	4800	150	200	2724	81.0	45.0	5200	150	200	2074	79.1	45.0
Power Equipment Group	12	Add	3	Add	4800	150	250	2674	81.6	45.0	5200	150	250	2024	79.9	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	150	300	2624	82.3	45.0	5200	150	300	1974	80.7	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	150	350	2574	82.9	45.0	5200	150	350	1924	81.5	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	150	400	2524	83.6	45.0	5200	150	400	1874	82.4	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	150	450	2474	84.4	45.0	5200	150	450	1824	83.4	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	150	500	2424	85.1	45.0	5200	150	500	1774	84.4	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	200	-50	2924	76.4	45.0	5200	200	-50	2274	73.3	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	0	2874	76.9	45.0	5200	200	0	2224	73.9	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	50	2824	77.4	45.0	5200	200	50	2174	74.5	45.0
Satellite Digital Broadcast	2	Add	1	Add	4800	200	100	2774	77.9	45.0	5200	200	100	2124	75.1	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	150	2724	78.5	45.0	5200	200	150	2074	75.8	45.0
SYNC Basic - Gen I	1	Add	0	Add	4800	200	200	2674	79.1	45.0	5200	200	200	2024	76.5	45.0
SYNC Finder - Gen II	1	Add	0	Add	4800	200	250	2624	79.7	45.0	5200	200	250	1974	77.2	45.0
FX4 Off-Road Package	2	Add	2	Add	4800	200	300	2574	80.3	45.0	5200	200	300	1924	78.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	4800	200	350	2524	80.9	45.0	5200	200	350	1874	78.8	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	200	400	2474	81.6	45.0	5200	200	400	1824	79.6	45.0
Bed Mat	0	Add	58	Add	4800	200	450	2424	82.3	45.0	5200	200	450	1774	80.5	45.0
Cable/Strap Locks	0	Add	9	Add	4800	200	500	2374	83.0	45.0	5200	200	500	1724	81.5	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4800	250	-50	2874	74.5	45.0	5600	250	-50	2224	95.5	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	0	2824	75.0	45.0	5600	250	0	2174	96.6	45.0
Wheel Well Liner - SRW only	0	Add	7	Add	4800	250	50	2774	75.5	45.0	5600	250	50	2124	97.0	45.0
Gooseneck Hitch Kit	0	Add	10	Add	4800	250	100	2724	76.0	45.0	5600	250	100	2074	97.0	45.0
					4800	250	150	2674	76.5	45.0	5600	250	150	2024	97.0	45.0
					4800	250	200	2624	77.1	45.0	5600	250	200	1974	97.0	45.0
					4800	250	250	2574	77.6	45.0	5600	250	250	1924	97.0	45.0
					4800	250	300	2524	78.2	45.0	5600	250	300	1874	97.0	45.0
					4800	250	350	2474	78.8	45.0	5600	250	350	1824	97.0	45.0
					4800	250	400	2424	79.5	45.0	5600	250	400	1774	97.0	45.0
					4800	250	450	2374	80.1	45.0	5600	250	450	1724	97.0	45.0
					4800	250	500	2324	80.8	45.0	5600	250	500	1674	97.0	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x4 (9,900 GVWR) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2446	81.0	45.0	5200	-50	-50	1821	79.5	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2396	81.0	45.0	5200	-50	0	1771	80.4	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2346	81.0	45.0	5200	-50	50	1721	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2296	81.0	45.0	5200	-50	100	1671	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	-50	150	2246	81.0	45.0	5200	-50	150	1621	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	-50	200	2196	81.0	45.0	5200	-50	200	1571	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	-50	250	2146	81.0	45.0	5200	-50	250	1521	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	-50	300	2096	81.0	45.0	5200	-50	300	1471	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	-50	350	2046	81.0	45.0	5200	-50	350	1421	81.0	45.0
Brake Controller	1	Add	0	Add	4800	0	-50	2396	79.4	45.0	5600	0	-50	1771	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	0	2346	80.0	45.0	5600	0	0	1721	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	50	2296	80.7	45.0	5600	0	50	1671	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	0	100	2246	81.0	45.0	5600	0	100	1621	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	150	2196	81.0	45.0	5600	0	150	1571	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	200	2146	81.0	45.0	5600	0	200	1521	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	250	2096	81.0	45.0	5600	0	250	1471	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	300	2046	81.0	45.0	5600	0	300	1421	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	350	1996	81.0	45.0	5600	0	350	1371	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	-50	2346	77.0	45.0	5600	50	-50	1721	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	0	2296	77.6	45.0	5600	50	0	1671	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	50	50	2246	78.3	45.0	5600	50	50	1621	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	50	100	2196	79.0	45.0	5600	50	100	1571	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	50	150	2146	79.7	45.0	5600	50	150	1521	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	50	200	2096	80.5	45.0	5600	50	200	1471	81.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4800	50	250	2046	81.0	45.0	5600	50	250	1421	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	50	300	1996	81.0	45.0	5600	50	300	1371	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	50	350	1946	81.0	45.0	5600	50	350	1321	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4800	100	-50	2296	74.5	45.0	5600	100	-50	1671	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	100	0	2246	75.1	45.0	5600	100	0	1621	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4800	100	50	2196	75.8	45.0	5600	100	50	1571	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4800	100	100	2146	76.4	45.0	5600	100	100	1521	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	100	150	2096	77.1	45.0	5600	100	150	1471	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	100	200	2046	77.8	45.0	5600	100	200	1421	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	100	250	1996	78.6	45.0	5600	100	250	1371	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	100	300	1946	79.3	45.0	5600	100	300	1321	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	100	350	1896	80.2	45.0	5600	100	350	1271	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	150	-50	2246	81.0	45.0	5600	150	-50	1621	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	150	0	2196	81.0	45.0	5600	150	0	1571	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	50	2146	81.0	45.0	5600	150	50	1521	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	100	2096	81.0	45.0	5600	150	100	1471	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	150	2046	81.0	45.0	5600	150	150	1421	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	200	1996	81.0	45.0	5600	150	200	1371	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	250	1946	81.0	45.0	5600	150	250	1321	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	150	300	1896	81.0	45.0	5600	150	300	1271	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	150	350	1846	81.0	45.0	5600	150	350	1221	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	-50	2196	81.0	45.0	5600	200	-50	1571	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	0	2146	81.0	45.0	5600	200	0	1521	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	50	2096	81.0	45.0	5600	200	50	1471	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	100	2046	81.0	45.0	5600	200	100	1421	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	150	1996	81.0	45.0	5600	200	150	1371	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	200	1946	81.0	45.0	5600	200	200	1321	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	250	1896	81.0	45.0	5600	200	250	1271	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	300	1846	81.0	45.0	5600	200	300	1221	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	200	350	1796	81.0	45.0	5600	200	350	1171	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	-50	2146	81.0	45.0	5600	250	-50	1521	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	0	2096	81.0	45.0	5600	250	0	1471	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	50	2046	81.0	45.0	5600	250	50	1421	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	100	1996	81.0	45.0	5600	250	100	1371	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	150	1946	81.0	45.0	5600	250	150	1321	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	200	1896	81.0	45.0	5600	250	200	1271	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	250	1846	81.0	45.0	5600	250	250	1221	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	250	300	1796	81.0	45.0	5600	250	300	1171	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	250	350	1746	81.0	45.0	5600	250	350	1121	81.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	300	-50	2096	81.0	45.0	5600	300	-50	1471	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	0	2046	81.0	45.0	5600	300	0	1421	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	50	1996	81.0	45.0	5600	300	50	1371	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	300	100	1946	81.0	45.0	5600	300	100	1321	81.0	45.0
Cruise Control	3	Add	1	Add	5200	300	150	1896	81.0	45.0	5600	300	150	1271	81.0	45.0
Power Equipment Group	12	Add	3	Add	5200	300	200	1846	81.0	45.0	5600	300	200	1221	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	300	250	1796	81.0	45.0	5600	300	250	1171	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	300	300	1746	81.0	45.0	5600	300	300	1121	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	300	350	1696	81.0	45.0	5600	300	350	1071	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x4 (9,900 GVWR) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	2246.55	78.7	45.0	5600	-50	-50	1612.80	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	2196.55	79.4	45.0	5600	-50	0	1562.80	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2146.55	80.1	45.0	5600	-50	50	1512.80	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2096.55	80.9	45.0	5600	-50	100	1462.80	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	-50	150	2046.55	81.0	45.0	5600	-50	150	1412.80	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	-50	200	1996.55	81.0	45.0	5600	-50	200	1362.80	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	-50	250	1946.55	81.0	45.0	5600	-50	250	1312.80	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	-50	300	1896.55	81.0	45.0	5600	-50	300	1262.80	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	-50	350	1846.55	81.0	45.0	5600	-50	350	1212.80	81.0	45.0
Brake Controller	1	Add	0	Add	4800	-50	400	1796.55	81.0	45.0	5600	-50	400	1162.80	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	-50	2196.55	81.0	45.0	5600	0	-50	1562.80	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	0	2146.55	81.0	45.0	5600	0	0	1512.80	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	50	2096.55	81.0	45.0	5600	0	50	1462.80	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	100	2046.55	81.0	45.0	5600	0	100	1412.80	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	150	1996.55	81.0	45.0	5600	0	150	1362.80	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	200	1946.55	81.0	45.0	5600	0	200	1312.80	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	250	1896.55	81.0	45.0	5600	0	250	1262.80	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	300	1846.55	81.0	45.0	5600	0	300	1212.80	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	350	1796.55	81.0	45.0	5600	0	350	1162.80	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	400	1746.55	81.0	45.0	5600	0	400	1112.80	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	-50	2146.55	81.0	45.0	5600	50	-50	1512.80	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	0	2096.55	81.0	45.0	5600	50	0	1462.80	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	50	2046.55	81.0	45.0	5600	50	50	1412.80	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	100	1996.55	81.0	45.0	5600	50	100	1362.80	81.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	150	1946.55	81.0	45.0	5600	50	150	1312.80	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5200	50	200	1896.55	81.0	45.0	5600	50	200	1262.80	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	250	1846.55	81.0	45.0	5600	50	250	1212.80	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel ST	-14	Minus	-8	Minus	5200	50	300	1796.55	81.0	45.0	5600	50	300	1162.80	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	50	350	1746.55	81.0	45.0	5600	50	350	1112.80	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	400	1696.55	81.0	45.0	5600	50	400	1062.80	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Whee	-2	Minus	4	Add	5200	100	-50	2096.55	81.0	45.0	5600	100	-50	1462.80	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	0	2046.55	81.0	45.0	5600	100	0	1412.80	81.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Whee	3	Add	9	Add	5200	100	50	1996.55	81.0	45.0	5600	100	50	1362.80	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	100	100	1946.55	81.0	45.0	5600	100	100	1312.80	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	150	1896.55	81.0	45.0	5600	100	150	1262.80	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	100	200	1846.55	81.0	45.0	5600	100	200	1212.80	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	250	1796.55	81.0	45.0	5600	100	250	1162.80	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	300	1746.55	81.0	45.0	5600	100	300	1112.80	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	350	1696.55	81.0	45.0	5600	100	350	1062.80	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	400	1646.55	81.0	45.0	5600	100	400	1012.80	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	-50	2046.55	81.0	45.0	5600	150	-50	1412.80	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	0	1996.55	81.0	45.0	5600	150	0	1362.80	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	50	1946.55	81.0	45.0	5600	150	50	1312.80	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	100	1896.55	81.0	45.0	5600	150	100	1262.80	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	150	1846.55	81.0	45.0	5600	150	150	1212.80	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	200	1796.55	81.0	45.0	5600	150	200	1162.80	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	250	1746.55	81.0	45.0	5600	150	250	1112.80	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	150	300	1696.55	81.0	45.0	5600	150	300	1062.80	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	350	1646.55	81.0	45.0	5600	150	350	1012.80	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	400	1596.55	81.0	45.0	5600	150	400	962.80	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	-50	1996.55	81.0	45.0	5600	200	-50	1362.80	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	0	1946.55	81.0	45.0	5600	200	0	1312.80	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	50	1896.55	81.0	45.0	5600	200	50	1262.80	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GA	10	Add	4	Add	5200	200	100	1846.55	81.0	45.0	5600	200	100	1212.80	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (	16	Add	6	Add	5200	200	150	1796.55	81.0	45.0	5600	200	150	1162.80	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DI	1	Add	0	Add	5200	200	200	1746.55	81.0	45.0	5600	200	200	1112.80	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (	7	Add	3	Add	5200	200	250	1696.55	81.0	45.0	5600	200	250	1062.80	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	300	1646.55	81.0	45.0	5600	200	300	1012.80	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	350	1596.55	81.0	45.0	5600	200	350	962.80	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	400	1546.55	81.0	45.0	5600	200	400	912.80	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	-50	1946.55	81.0	45.0	6000	250	-50	1312.80	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	0	1896.55	81.0	45.0	6000	250	0	1262.80	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	50	1846.55	81.0	45.0	6000	250	50	1212.80	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	100	1796.55	81.0	45.0	6000	250	100	1162.80	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	250	150	1746.55	81.0	45.0	6000	250	150	1112.80	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	250	200	1696.55	81.0	45.0	6000	250	200	1062.80	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	250	250	1646.55	81.0	45.0	6000	250	250	1012.80	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	250	300	1596.55	81.0	45.0	6000	250	300	962.80	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	250	350	1546.55	81.0	45.0	6000	250	350	912.80	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	250	400	1496.55	81.0	45.0	6000	250	400	862.80	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	300	-50	1896.55	81.0	45.0	6000	300	-50	1262.80	81.0	45.0
Cruise Control	3	Add	1	Add	5200	300	0	1846.55	81.0	45.0	6000	300	0	1212.80	81.0	45.0
Power Equipment Group	15	Add	6	Add	5200	300	50	1796.55	81.0	45.0	6000	300	50	1162.80	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	300	100	1746.55	81.0	45.0	6000	300	100	1112.80	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	300	150	1696.55	81.0	45.0	6000	300	150	1062.80	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	300	200	1646.55	81.0	45.0	6000	300	200	1012.80	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	300	250	1596.55	81.0	45.0	6000	300	250	962.80	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5200	300	300	1546.55	81.0	45.0	6000	300	300	912.80	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way m	8	Add	4	Add	5200	300	350	1496.55	81.0	45.0	6000	300	350	862.80	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	300	400	1446.55	81.0	45.0	6000	300	400	812.80	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	350	-50	1846.55	81.0	45.0	6000	350	-50	1212.80	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5200	350	0	1796.55	81.0	45.0	6000	350	0	1162.80	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	350	50	1746.55	81.0	45.0	6000	350	50	1112.80	81.0	45.0
King Ranch Leather	4	Add	2	Add	5200	350	100	1696.55	81.0	45.0	6000	350	100	1062.80	81.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	350	150	1646.55	81.0	45.0	6000	350	150	1012.80	81.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	350	200	1596.55	81.0	45.0	6000	350	200	962.80	81.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5200	350	250	1546.55	81.0	45.0	6000	350	250	912.80	81.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5200	350	300	1496.55	81.0	45.0	6000	350	300	862.80	81.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	350	350	1446.55	81.0	45.0	6000	350	350	812.80	81.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5200	350	400	1396.55	81.0	45.0	6000	350	400	762.80	81.0	45.0
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x4 (9,900 GVWR) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	2344	75.9	45.0	5600	-50	-50	1614	97.0	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2294	76.6	45.0	5600	-50	0	1564	97.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	2244	77.2	45.0	5600	-50	50	1514	97.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	2194	77.9	45.0	5600	-50	100	1464	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	150	2144	78.6	45.0	5600	-50	150	1414	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	-50	200	2094	79.3	45.0	5600	-50	200	1364	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.7	2	Add	11	Add	4800	-50	250	2044	80.1	45.0	5600	-50	250	1314	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.3	2	Add	13	Add	4800	-50	300	1994	80.9	45.0	5600	-50	300	1264	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	-50	350	1944	81.7	45.0	5600	-50	350	1214	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	-50	400	1894	82.6	45.0	5600	-50	400	1164	97.0	45.0
Brake Controller	1	Add	0	Add	4800	-50	450	1844	83.6	45.0	5600	-50	450	1114	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	-50	500	1794	84.6	45.0	5600	-50	500	1064	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	-50	2294	97.0	45.0	5600	0	-50	1564	97.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	0	2244	97.0	45.0	5600	0	0	1514	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	50	2194	97.0	45.0	5600	0	50	1464	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	100	2144	97.0	45.0	5600	0	100	1414	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	150	2094	97.0	45.0	5600	0	150	1364	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	200	2044	97.0	45.0	5600	0	200	1314	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	250	1994	97.0	45.0	5600	0	250	1264	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	300	1944	97.0	45.0	5600	0	300	1214	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	350	1894	97.0	45.0	5600	0	350	1164	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	0	400	1844	97.0	45.0	5600	0	400	1114	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	0	450	1794	97.0	45.0	5600	0	450	1064	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	0	500	1744	97.0	45.0	5600	0	500	1014	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	-50	2244	97.0	45.0	5600	50	-50	1514	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	0	2194	97.0	45.0	5600	50	0	1464	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel S	12	Add	19	Add	5200	50	50	2144	97.0	45.0	5600	50	50	1414	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD	-10	Minus	-4	Minus	5200	50	100	2094	97.0	45.0	5600	50	100	1364	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wh	-14	Minus	-8	Minus	5200	50	150	2044	97.0	45.0	5600	50	150	1314	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel	-9	Minus	-3	Minus	5200	50	200	1994	97.0	45.0	5600	50	200	1264	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	250	1944	97.0	45.0	5600	50	250	1214	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel S	1	Add	7	Add	5200	50	300	1894	97.0	45.0	5600	50	300	1164	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	50	350	1844	97.0	45.0	5600	50	350	1114	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	50	400	1794	97.0	45.0	5600	50	400	1064	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	50	450	1744	97.0	45.0	5600	50	450	1014	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	50	500	1694	97.0	45.0	5600	50	500	964	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	-50	2194	95.9	45.0	5600	100	-50	1464	95.1	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	0	2144	97.0	45.0	5600	100	0	1414	96.8	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	50	2094	97.0	45.0	5600	100	50	1364	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	100	2044	97.0	45.0	5600	100	100	1314	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	150	1994	97.0	45.0	5600	100	150	1264	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	200	1944	97.0	45.0	5600	100	200	1214	97.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	100	250	1894	97.0	45.0	5600	100	250	1164	97.0	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	300	1844	97.0	45.0	5600	100	300	1114	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	350	1794	97.0	45.0	5600	100	350	1064	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	100	400	1744	97.0	45.0	5600	100	400	1014	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	100	450	1694	97.0	45.0	5600	100	450	964	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	100	500	1644	97.0	45.0	5600	100	500	914	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	-50	2144	93.3	45.0	5600	150	-50	1414	91.2	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	0	2094	94.4	45.0	6000	150	0	1364	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	50	2044	95.5	45.0	6000	150	50	1314	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopi	10	Add	4	Add	5200	150	100	1994	96.7	45.0	6000	150	100	1264	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telesco	16	Add	6	Add	5200	150	150	1944	97.0	45.0	6000	150	150	1214	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopi	1	Add	0	Add	5200	150	200	1894	97.0	45.0	6000	150	200	1164	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telesco	7	Add	3	Add	5200	150	250	1844	97.0	45.0	6000	150	250	1114	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	300	1794	97.0	45.0	6000	150	300	1064	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	350	1744	97.0	45.0	6000	150	350	1014	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	400	1694	97.0	45.0	6000	150	400	964	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	150	450	1644	97.0	45.0	6000	150	450	914	97.0	45.0
Foglamps	3	Add	0	Add	5200	150	500	1594	97.0	45.0	6000	150	500	864	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	-50	2094	90.6	45.0	6000	200	-50	1364	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	0	2044	91.7	45.0	6000	200	0	1314	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	50	1994	92.8	45.0	6000	200	50	1264	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	100	1944	93.9	45.0	6000	200	100	1214	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	150	1894	95.1	45.0	6000	200	150	1164	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	200	1844	96.4	45.0	6000	200	200	1114	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	250	1794	97.0	45.0	6000	200	250	1064	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	200	300	1744	97.0	45.0	6000	200	300	1014	97.0	45.0
Cruise Control	3	Add	1	Add	5200	200	350	1694	97.0	45.0	6000	200	350	964	97.0	45.0
Power Equipment Group	12	Add	3	Add	5200	200	400	1644	97.0	45.0	6000	200	400	914	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	200	450	1594	97.0	45.0	6000	200	450	864	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12	15	Add	10	Add	5200	200	500	1544	97.0	45.0	6000	200	500	814	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	-50	2044	87.8	45.0	6000	250	-50	1314	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	0	1994	88.8	45.0	6000	250	0	1264	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2	8	Add	4	Add	5200	250	50	1944	89.9	45.0	6000	250	50	1214	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	100	1894	91.0	45.0	6000	250	100	1164	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	150	1844	92.1	45.0	6000	250	150	1114	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	250	200	1794	93.4	45.0	6000	250	200	1064	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	250	250	1744	94.7	45.0	6000	250	250	1014	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	250	300	1694	96.1	45.0	6000	250	300	964	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofe	9	Add	6	Add	5200	250	350	1644	97.0	45.0	6000	250	350	914	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5200	250	400	1594	97.0	45.0	6000	250	400	864	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	250	450	1544	97.0	45.0	6000	250	450	814	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5200	250	500	1494	97.0	45.0	6000	250	500	764	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5200	300	-50	1994	84.8	45.0	6000	300	-50	1264	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	5200	300	0	1944	85.8	45.0	6000	300	0	1214	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	5200	300	50	1894	86.8	45.0	6000	300	50	1164	97.0	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5200	300	100	1844	87.8	45.0	6000	300	100	1114	97.0	45.0
Bed Mat	0	Add	58	Add	5200	300	150	1794	89.0	45.0	6000	300	150	1064	97.0	45.0
Cable/Strap Locks	0	Add	9	Add	5200	300	200	1744	90.1	45.0	6000	300	200	1014	97.0	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	5200	300	250	1694	91.4	45.0	6000	300	250	964	97.0	45.0
Roll-up Tonneau Cover	5	Add	25	Add	5200	300	300	1644	92.7	45.0	6000	300	300	914	97.0	45.0
Wheel Well Liner - SRW only	0	Add	7	Add	5200	300	350	1594	94.1	45.0	6000	300	350	864	97.0	45.0
Gooseneck Hitch Kit	0	Add	10	Add	5200	300	400	1544	95.6	45.0	6000	300	400	814	97.0	45.0
					5200	300	450	1494	97.0	45.0	6000	300	450	764	97.0	45.0
					5200	300	500	1444	97.0	45.0	6000	300	500	714	97.0	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F250 4x4 (9,900 GVWR) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	2133	97.0	45.0	5600	-50	-50	1407	97.0	45.0
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	2083	97.0	45.0	5600	-50	0	1357	97.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	50	2033	97.0	45.0	5600	-50	50	1307	97.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	100	1983	97.0	45.0	5600	-50	100	1257	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	150	1933	97.0	45.0	5600	0	-50	1357	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	-50	200	1883	97.0	45.0	5600	0	0	1307	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.7	2	Add	11	Add	5200	-50	250	1833	97.0	45.0	5600	0	50	1257	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.3	2	Add	13	Add	5200	-50	300	1783	97.0	45.0	5600	0	100	1207	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	-50	350	1733	97.0	45.0	5600	0	150	1157	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	-50	400	1683	97.0	45.0	5600	0	200	1107	97.0	45.0
Brake Controller	1	Add	0	Add	5200	-50	450	1633	97.0	45.0	5600	0	250	1057	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	-50	500	1583	97.0	45.0	5600	0	300	1007	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	-50	550	1533	97.0	45.0	5600	0	350	957	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	-50	2083	97.0	45.0	5600	0	400	907	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	0	2033	97.0	45.0	5600	0	450	857	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	50	1983	97.0	45.0	5600	0	500	807	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	100	1933	97.0	45.0	5600	0	550	757	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	150	1883	97.0	45.0	6000	50	0	1257	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	200	1833	97.0	45.0	6000	50	50	1207	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	250	1783	97.0	45.0	6000	50	100	1157	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	300	1733	97.0	45.0	6000	50	150	1107	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	0	350	1683	97.0	45.0	6000	50	200	1057	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	0	400	1633	97.0	45.0	6000	50	250	1007	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	0	450	1583	97.0	45.0	6000	50	300	957	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	0	500	1533	97.0	45.0	6000	50	350	907	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	0	550	1483	97.0	45.0	6000	50	400	857	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel S	12	Minus	19	Add	5200	50	-50	2033	97.0	45.0	6000	50	450	807	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	0	1983	97.0	45.0	6000	50	500	757	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Whe	-14	Minus	-8	Minus	5200	50	50	1933	97.0	45.0	6000	50	550	707	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel S	-9	Minus	-3	Minus	5200	50	100	1883	97.0	45.0	6000	100	0	1207	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	50	150	1833	97.0	45.0	6000	100	50	1157	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel V	-2	Minus	4	Add	5200	50	200	1783	97.0	45.0	6000	100	100	1107	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel ST	1	Add	7	Add	5200	50	250	1733	97.0	45.0	6000	100	150	1057	97.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel	3	Add	9	Add	5200	50	300	1683	97.0	45.0	6000	100	200	1007	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	50	350	1633	97.0	45.0	6000	100	250	957	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	50	400	1583	97.0	45.0	6000	100	300	907	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	50	450	1533	97.0	45.0	6000	100	350	857	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	50	500	1483	97.0	45.0	6000	100	400	807	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	50	550	1433	97.0	45.0	6000	100	450	757	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	-50	1983	94.4	45.0	6000	100	500	707	97.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	0	1933	95.6	45.0	6000	100	550	657	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	50	1883	96.9	45.0	6000	150	0	1157	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	100	1833	97.0	45.0	6000	150	50	1107	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	150	1783	97.0	45.0	6000	150	100	1057	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	100	200	1733	97.0	45.0	6000	150	150	1007	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	100	250	1683	97.0	45.0	6000	150	200	957	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	300	1633	97.0	45.0	6000	150	250	907	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	100	350	1583	97.0	45.0	6000	150	300	857	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	100	400	1533	97.0	45.0	6000	150	350	807	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	100	450	1483	97.0	45.0	6000	150	400	757	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	100	500	1433	97.0	45.0	6000	150	450	707	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	100	550	1383	97.0	45.0	6000	150	500	657	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	-50	1933	91.1	45.0	6000	150	550	607	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	0	1883	92.3	45.0	6000	200	0	1107	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopir	10	Add	4	Add	5200	150	50	1833	93.5	45.0	6000	200	50	1057	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescop	16	Add	6	Add	5200	150	100	1783	94.8	45.0	6000	200	100	1007	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopir	1	Add	0	Add	5200	150	150	1733	96.1	45.0	6000	200	150	957	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescop	7	Add	3	Add	5200	150	200	1683	97.0	45.0	6000	200	200	907	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	250	1633	97.0	45.0	6000	200	250	857	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	300	1583	97.0	45.0	6000	200	300	807	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	350	1533	97.0	45.0	6000	200	350	757	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	150	400	1483	97.0	45.0	6000	200	400	707	97.0	45.0
Foglamps	3	Add	0	Add	5200	150	450	1433	97.0	45.0	6000	200	450	657	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	150	500	1383	97.0	45.0	6000	200	500	607	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	150	550	1333	97.0	45.0	6000	200	550	557	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	-50	1883	87.7	45.0	6000	250	0	1057	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	0	1833	88.8	45.0	6000	250	50	1007	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	200	50	1783	89.9	45.0	6000	250	100	957	97.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	200	100	1733	91.2	45.0	6000	250	150	907	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	150	1683	92.4	45.0	6000	250	200	857	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	200	1633	93.8	45.0	6000	250	250	807	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	200	250	1583	95.3	45.0	6000	250	300	757	97.0	45.0
Cruise Control	3	Add	1	Add	5200	200	300	1533	96.8	45.0	6000	250	350	707	97.0	45.0
Power Equipment Group	15	Add	6	Add	5200	200	350	1483	97.0	45.0	6000	250	400	657	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	200	400	1433	97.0	45.0	6000	250	450	607	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 s	15	Add	10	Add	5200	200	450	1383	97.0	45.0	6000	250	500	557	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	200	500	1333	97.0	45.0	6000	250	550	507	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	200	550	1283	97.0	45.0	6000	300	0	1007	97.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5200	250	-50	1833	97.0	45.0	6000	300	50	957	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2w	8	Add	4	Add	5600	250	0	1783	97.0	45.0	6000	300	100	907	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	250	50	1733	97.0	45.0	6000	300	150	857	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	250	100	1683	97.0	45.0	6000	300	200	807	97.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	250	150	1633	97.0	45.0	6000	300	250	757	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	250	200	1583	97.0	45.0	6000	300	300	707	97.0	45.0
King Ranch Leather	4	Add	2	Add	5600	250	250	1533	97.0	45.0	6000	300	350	657	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	250	300	1483	97.0	45.0	6000	300	400	607	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	250	350	1433	97.0	45.0	6000	300	450	557	97.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	250	400	1383	97.0	45.0	6000	300	500	507	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5600	250	450	1333	97.0	45.0	6000	300	550	457	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5600	250	500	1283	97.0	45.0						
SYNC Basic - Gen I	1	Add	0	Add	5600	250	550	1233	97.0	45.0						
SYNC Finder - Gen II	1	Add	0	Add	5600	300	-50	1783	97.0	45.0						
FX4 Off-Road Package	2	Add	2	Add	5600	300	0	1733	97.0	45.0						
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	5600	300	50	1683	97.0	45.0						
Tracking System - Crew Chief	3	Add	0	Add	5600	300	100	1633	97.0	45.0						
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add	5600	300	150	1583	97.0	45.0						
King Ranch with Chromed Accent Option	6	Add	3	Add	5600	300	200	1533	97.0	45.0						
Platinum Package	6	Add	3	Add	5600	300	250	1483	97.0	45.0						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5600	300	300	1433	97.0	45.0						
Bed Mat	0	Add	58	Add	5600	300	350	1383	97.0	45.0						
Cable/Strap Locks	0	Add	9	Add	5600	300	400	1333	97.0	45.0						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	5600	300	450	1283	97.0	45.0						
Roll-up Tonneau Cover	5	Add	25	Add	5600	300	500	1233	97.0	45.0						
Wheel Well Liner - SRW only	0	Add	7	Add	5600	300	550	1183	97.0	45.0						
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (10,000 GVWR 17" Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
					I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add	4550	-50	-50	2969	65.4	45.0
XLT Trim (DIESEL)	14	Add	9	Add	4550	-50	0	2919	65.7	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	50	2869	66.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4550	-50	100	2819	66.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	150	2769	66.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	200	2719	67.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	250	2669	67.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	300	2619	67.7	45.0
Brake Controller	1	Add	0	Add	4550	-50	350	2569	68.1	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	-50	400	2519	68.5	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4550	-50	450	2469	68.9	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4550	0	-50	2919	63.3	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	0	2869	63.6	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	50	2819	63.9	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4550	0	100	2769	64.2	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	150	2719	64.5	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	200	2669	64.8	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	250	2619	65.1	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	300	2569	65.4	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4550	0	350	2519	65.8	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4550	0	400	2469	66.2	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	0	450	2419	66.5	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4700	50	-50	2869	68.4	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4700	50	0	2819	68.7	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4700	50	50	2769	69.1	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4700	50	100	2719	69.5	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4700	50	150	2669	69.9	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4700	50	200	2619	70.3	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4700	50	250	2569	70.8	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4700	50	300	2519	71.2	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4700	50	350	2469	71.7	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4700	50	400	2419	72.2	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4700	50	450	2369	72.7	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	100	-50	2819	66.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	100	0	2769	66.6	45.0
Drop-In Bedliner	2	Add	42	Add	4700	100	50	2719	67.0	45.0
Spray-In Bedliner	1	Add	19	Add	4700	100	100	2669	67.4	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4700	100	150	2619	67.7	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4700	100	200	2569	68.1	45.0
Static Rear Video Camera	0	Add	1	Add	4700	100	250	2519	68.5	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	100	300	2469	68.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	100	350	2419	69.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	100	400	2369	69.8	45.0
Sliding Rear Window	5	Add	2	Add	4700	100	450	2319	70.3	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	150	-50	2769	64.2	45.0
Foglamps	3	Add	0	Add	4700	150	0	2719	64.5	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	150	50	2669	64.8	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	150	100	2619	65.1	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4700	150	150	2569	65.4	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4700	150	200	2519	65.8	45.0
All Weather Floor Mat	4	Add	2	Add	4700	150	250	2469	66.2	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	150	300	2419	66.5	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	150	350	2369	66.9	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	150	400	2319	67.3	45.0
Cruise Control	3	Add	1	Add	4700	150	450	2269	67.8	45.0
Power Equipment Group	12	Add	3	Add	4850	200	-50	2719	69.5	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4850	200	0	2669	69.9	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4850	200	50	2619	70.3	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4850	200	100	2569	70.8	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	200	150	2519	71.2	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lun	8	Add	4	Add	4850	200	200	2469	71.7	45.0
Cloth Seats	-2	Minus	-1	Minus	4850	200	250	2419	72.2	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4850	200	300	2369	72.7	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4850	200	350	2319	73.2	45.0
Satellite Digital Broadcat	2	Add	1	Add	4850	200	400	2269	73.8	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4850	200	450	2219	74.4	45.0
SYNC Basic - Gen I	1	Add	0	Add						
SYNC Finder - Gen II	1	Add	0	Add						
FX4 Off-Road Package	2	Add	2	Add						
Tracking System - Crew Chief	3	Add	0	Add						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add						
Bed Mat	0	Add	58	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	5	Add	25	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

OPTION TABLE

VEHICLE LOADING DATA
6.7L Diesel Engine 10000 lb (4535 kg) GVWR

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (10,000 GVWR - 17" Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)	
Lariat Trim (GAS)	25	Add	17	Add
XLT Trim (GAS)	10	Add	7	Add
Lariat Trim (DIESEL)	30	Add	20	Add
XLT Trim (DIESEL)	20	Add	13	Add
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add
Immersion Heater - Engine	1	Add	0	Add
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add
Brake Controller	1	Add	0	Add
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add
Skid Plates (GAS) 4X4 only	20	Add	19	Add
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add
5th Wheel Hitch	0	Add	96	Add
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add
750 CCA/78 AH Battery	2	Add	0	Add
Manual Air Conditioning (GAS)	32	Add	-1	Minus
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add
Pickup Bed Extender	-2	Minus	21	Add
Drop-In Bedliner	2	Add	35	Add
Spray-In Bedliner	0	Add	16	Add
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add
Lower Bodyside Molding	2	Add	1	Add
Reverse Vehicle Sensor System	0	Add	1	Add
Static Rear Video Camera	0	Add	1	Add
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS	10	Add	4	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GA	16	Add	6	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIES	1	Add	0	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DI	7	Add	3	Add
Sliding Rear Window	5	Add	2	Add
Power Sliding Rear Window	5	Add	3	Add
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add
Foglamps	3	Add	0	Add
Bright Exhaust Pipe Extension	0	Add	3	Add
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add
All Weather Floor Mat	6	Add	4	Add
Electrochromic Rear View Mirror	1	Add	0	Add
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add
Floor Consolette - Stand alone	-25	Minus	-9	Minus
Cruise Control	3	Add	1	Add
Power Equipment Group	12	Add	3	Add
Adj Gas & Brake Pedals	4	Add	3	Add
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man	8	Add	4	Add
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add
Cloth Seats	-2	Minus	-1	Minus
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add
Satellite Digital Broadcat	2	Add	1	Add
High Definition & Satellite Digital Broadcast	2	Add	1	Add
SYNC Basic - Gen I	1	Add	0	Add
SYNC Finder - Gen II	1	Add	0	Add
FX4 Off-Road Package	2	Add	2	Add
Tracking System - Crew Chief	3	Add	0	Add
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add
Bed Mat	0	Add	44	Add
Cable/Strap Locks	0	Add	9	Add
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add
Roll-up Tonneau Cover	4	Add	22	Add
Wheel Well Liner - SRW only	0	Add	7	Add
Gooseneck Hitch Kit	0	Add	10	Add
Total Option Weight				

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.7L Diesel Engine 10000 lb (4535 kg) GVWR

FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
4850	-50	-50	2202	71.3	45.0
4850	-50	0	2152	71.8	45.0
4850	-50	50	2102	72.4	45.0
4850	-50	100	2052	73.0	45.0
4850	-50	150	2002	73.6	45.0
4850	-50	200	1952	74.3	45.0
4850	-50	250	1902	75.0	45.0
4850	-50	300	1852	75.7	45.0
4850	-50	350	1802	76.5	45.0
4850	0	-50	2152	68.5	45.0
4850	0	0	2102	69.0	45.0
4850	0	50	2052	69.6	45.0
4850	0	100	2002	70.1	45.0
4850	0	150	1952	70.7	45.0
4850	0	200	1902	71.3	45.0
4850	0	250	1852	71.9	45.0
4850	0	300	1802	72.6	45.0
4850	0	350	1752	73.3	45.0
5000	50	-50	2102	75.8	45.0
5000	50	0	2052	76.5	45.0
5000	50	50	2002	77.2	45.0
5000	50	100	1952	77.9	45.0
5000	50	150	1902	78.7	45.0
5000	50	200	1852	79.6	45.0
5000	50	250	1802	80.4	45.0
5000	50	300	1752	81.0	45.0
5000	50	350	1702	81.0	45.0
5000	100	-50	2052	73.0	45.0
5000	100	0	2002	73.6	45.0
5000	100	50	1952	74.3	45.0
5000	100	100	1902	75.0	45.0
5000	100	150	1852	75.7	45.0
5000	100	200	1802	76.5	45.0
5000	100	250	1752	77.3	45.0
5000	100	300	1702	78.2	45.0
5000	100	350	1652	79.1	45.0
5000	150	-50	2002	70.1	45.0
5000	150	0	1952	70.7	45.0
5000	150	50	1902	71.3	45.0
5000	150	100	1852	71.9	45.0
5000	150	150	1802	72.6	45.0
5000	150	200	1752	73.3	45.0
5000	150	250	1702	74.0	45.0
5000	150	300	1652	74.8	45.0
5000	150	350	1602	75.7	45.0
5250	200	-50	1952	81.0	45.0
5250	200	0	1902	81.0	45.0
5250	200	50	1852	81.0	45.0
5250	200	100	1802	81.0	45.0
5250	200	150	1752	81.0	45.0
5250	200	200	1702	81.0	45.0
5250	200	250	1652	81.0	45.0
5250	200	300	1602	81.0	45.0
5250	200	350	1552	81.0	45.0
5250	250	-50	1902	81.0	45.0
5250	250	0	1852	81.0	45.0
5250	250	50	1802	81.0	45.0
5250	250	100	1752	81.0	45.0
5250	250	150	1702	81.0	45.0
5250	250	200	1652	81.0	45.0
5250	250	250	1602	81.0	45.0
5250	250	300	1552	81.0	45.0
5250	250	350	1502	81.0	45.0
5250	300	-50	1852	79.6	45.0
5250	300	0	1802	80.4	45.0
5250	300	50	1752	81.0	45.0
5250	300	100	1702	81.0	45.0
5250	300	150	1652	81.0	45.0
5250	300	200	1602	81.0	45.0
5250	300	250	1552	81.0	45.0
5250	300	300	1502	81.0	45.0
5250	300	350	1452	81.0	45.0

MY: 2015 Model: F350 4x2 (10,000 GVWR - 17" Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4400	-50	-50	2694	70.3	45.0	5000	-50	-50	2032	78.3	45.0
XLT Trim (GAS)	13	Add	9	Add	4400	-50	0	2644	70.8	45.0	5000	-50	0	1982	79.1	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	50	2594	71.2	45.0	5000	-50	50	1932	79.9	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	100	2544	71.7	45.0	5000	-50	100	1882	80.7	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	150	2494	72.1	45.0	5000	0	-50	1982	75.1	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	200	2444	72.6	45.0	5000	0	0	1932	75.8	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	250	2394	73.1	45.0	5000	0	50	1882	76.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	300	2344	73.7	45.0	5000	0	100	1832	77.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	350	2294	74.2	45.0	5000	0	150	1782	78.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	400	2244	74.8	45.0	5000	0	200	1732	79.1	45.0
Brake Controller	1	Add	0	Add	4400	0	-50	2644	67.8	45.0	5000	0	250	1682	80.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	0	2594	68.2	45.0	5000	0	300	1632	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	50	2544	68.6	45.0	5000	0	350	1582	81.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	100	2494	69.0	45.0	5000	0	400	1532	81.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	150	2444	69.4	45.0	5250	50	0	1882	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	200	2394	69.9	45.0	5250	50	50	1832	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	250	2344	70.4	45.0	5250	50	100	1782	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	300	2294	70.8	45.0	5250	50	150	1732	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	350	2244	71.4	45.0	5250	50	200	1682	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	0	400	2194	71.9	45.0	5250	50	250	1632	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	-50	2594	74.2	45.0	5250	50	300	1582	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	0	2544	74.7	45.0	5250	50	350	1532	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	50	2494	75.3	45.0	5250	50	400	1482	81.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	100	2444	75.8	45.0	5250	100	0	1832	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel ST	12	Add	19	Add	4550	50	150	2394	76.4	45.0	5250	100	50	1782	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	200	2344	77.0	45.0	5250	100	100	1732	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Whe	-14	Minus	-8	Minus	4550	50	250	2294	77.7	45.0	5250	100	150	1682	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel S	-9	Minus	-3	Minus	4550	50	300	2244	78.3	45.0	5250	100	200	1632	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	50	350	2194	79.0	45.0	5250	100	250	1582	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	50	400	2144	79.7	45.0	5250	100	300	1532	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	-50	2544	71.7	45.0	5250	100	350	1482	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	0	2494	72.1	45.0	5250	100	400	1432	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	50	2444	72.6	45.0	5250	150	0	1782	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	100	2394	73.1	45.0	5250	150	50	1732	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	150	2344	73.7	45.0	5250	150	100	1682	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	200	2294	74.2	45.0	5250	150	150	1632	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	4550	100	250	2244	74.8	45.0	5250	150	200	1582	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	4550	100	300	2194	75.4	45.0	5250	150	250	1532	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	100	350	2144	76.1	45.0	5250	150	300	1482	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	100	400	2094	76.8	45.0	5250	150	350	1432	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4550	150	-50	2494	69.0	45.0	5250	150	400	1382	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	150	0	2444	69.4	45.0	5250	200	0	1732	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	50	2394	69.9	45.0	5250	200	50	1682	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	100	2344	70.4	45.0	5250	200	100	1632	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	150	2294	70.8	45.0	5250	200	150	1582	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	200	2244	71.4	45.0	5250	200	200	1532	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopin	10	Add	4	Add	4550	150	250	2194	71.9	45.0	5250	200	250	1482	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescop	16	Add	6	Add	4550	150	300	2144	72.4	45.0	5250	200	300	1432	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopin	1	Add	0	Add	4550	150	350	2094	73.0	45.0	5250	200	350	1382	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescop	7	Add	3	Add	4550	150	400	2044	73.6	45.0	5250	200	400	1332	81.0	45.0
Sliding Rear Window	5	Add	2	Add	4700	200	-50	2444	75.8	45.0	5250	250	50	1632	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	200	0	2394	76.4	45.0	5250	250	100	1582	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	200	50	2344	77.0	45.0	5250	250	150	1532	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	100	2294	77.7	45.0	5250	250	200	1482	81.0	45.0
Foglamps	3	Add	0	Add	4700	200	150	2244	78.3	45.0	5250	250	250	1432	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	200	2194	79.0	45.0	5250	250	300	1382	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	250	2144	79.7	45.0	5250	250	350	1332	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	200	300	2094	80.5	45.0	5250	250	400	1282	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	350	2044	81.0	45.0	5250	300	50	1582	77.1	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	200	400	1994	81.0	45.0	5250	300	100	1532	78.0	45.0
All Weather Floor Mat	7	Add	4	Add	4700	250	-50	2394	73.1	45.0	5250	300	150	1482	79.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	250	0	2344	73.7	45.0	5250	300	200	1432	80.1	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	250	50	2294	74.2	45.0	5250	300	250	1382	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	250	100	2244	74.8	45.0	5250	300	300	1332	81.0	45.0
Cruise Control	3	Add	1	Add	4700	250	150	2194	75.4	45.0	5250	300	350	1282	81.0	45.0
Power Equipment Group	15	Add	6	Add	4700	250	200	2144	76.1	45.0	5250	300	400	1232	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	250	2094	76.8	45.0	5250	300	400	1232	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 sp	15	Add	10	Add	4700	250	300	2044	77.5	45.0	5250	300	400	1232	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	350	1994	78.2	45.0	5250	300	400	1232	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	400	1944	79.0	45.0	5250	300	400	1232	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4700	300	-50	2344	70.4	45.0	5250	300	400	1232	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2w	8	Add	4	Add	4700	300	0	2294	70.8	45.0	5250	300	400	1232	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	300	50	2244	71.4	45.0	5250	300	400	1232	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	300	100	2194	71.9	45.0	5250	300	400	1232	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4700	300	150	2144	72.4	45.0	5250	300	400	1232	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	300	200	2094	73.0	45.0	5250	300	400	1232	81.0	45.0
King Ranch Leather	4	Add	2	Add	4700	300	250	2044	73.6	45.0	5250	300	400	1232	81.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	300	300	1994	74.3	45.0	5250	300	400	1232	81.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	300	350	1944	75.0	45.0	5250	300	400	1232	81.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4700	300	400	1894	75.7	45.0	5250	300	400	1232	81.0	45.0
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (10,000 GVWR - 17" Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4400	-50	-50	2808	68.8	45.0	5000	-50	-50	2069	74.4	45.0
XLT Trim (GAS)	10	Add	7	Add	4400	-50	0	2758	69.2	45.0	5000	-50	0	2019	75.1	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	50	2708	69.6	45.0	5000	-50	50	1969	75.8	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	100	2658	70.0	45.0	5000	-50	100	1919	76.5	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	150	2608	70.4	45.0	5000	-50	150	1869	77.3	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	200	2558	70.8	45.0	5000	-50	200	1819	78.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	250	2508	71.3	45.0	5000	-50	250	1769	78.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	300	2458	71.8	45.0	5000	-50	300	1719	79.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	350	2408	72.3	45.0	5000	-50	350	1669	80.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	400	2358	72.8	45.0	5000	-50	400	1619	81.8	45.0
Brake Controller	1	Add	0	Add	4400	-50	450	2308	73.3	45.0	5000	-50	450	1569	82.9	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	500	2258	73.9	45.0	5000	-50	500	1519	84.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	-50	2758	66.3	45.0	5250	0	-50	2019	90.7	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	0	2708	66.7	45.0	5250	0	0	1969	91.8	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	50	2658	67.0	45.0	5250	0	50	1919	93.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	100	2608	67.4	45.0	5250	0	100	1869	94.2	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4400	0	150	2558	67.8	45.0	5000	0	150	1819	73.7	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	200	2508	68.2	45.0	5000	0	200	1769	74.5	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	250	2458	68.6	45.0	5000	0	250	1719	75.2	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	300	2408	69.0	45.0	5000	0	300	1669	76.1	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	350	2358	69.4	45.0	5000	0	350	1619	76.9	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	0	400	2308	69.9	45.0	5000	0	400	1569	77.9	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	0	450	2258	70.4	45.0	5000	0	450	1519	78.8	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4400	0	500	2208	70.9	45.0	5000	0	500	1469	79.9	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	-50	2708	72.5	45.0	5250	50	-50	1969	87.8	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	0	2658	73.0	45.0	5250	50	0	1919	88.8	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel ST	12	Add	19	Add	4550	50	50	2608	73.4	45.0	5250	50	50	1869	89.9	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	100	2558	73.9	45.0	5250	50	100	1819	91.1	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Whe	-14	Minus	-8	Minus	4550	50	150	2508	74.5	45.0	5250	50	150	1769	92.3	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel S	-9	Minus	-3	Minus	4550	50	200	2458	75.0	45.0	5250	50	200	1719	93.6	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4550	50	250	2408	75.6	45.0	5250	50	250	1669	95.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel ST	1	Add	7	Add	4550	50	300	2358	76.1	45.0	5250	50	300	1619	96.4	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	50	350	2308	76.8	45.0	5250	50	350	1569	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	50	400	2258	77.4	45.0	5250	50	400	1519	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	50	450	2208	78.1	45.0	5250	50	450	1469	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4550	50	500	2158	78.8	45.0	5250	50	500	1419	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4550	100	-50	2658	70.0	45.0	5250	100	-50	1919	84.7	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	0	2608	70.4	45.0	5250	100	0	1869	85.7	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	50	2558	70.8	45.0	5250	100	50	1819	86.8	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	100	2508	71.3	45.0	5250	100	100	1769	87.9	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	150	2458	71.8	45.0	5250	100	150	1719	89.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	200	2408	72.3	45.0	5250	100	200	1669	90.3	45.0
Drop-In Bedliner	2	Add	35	Add	4550	100	250	2358	72.8	45.0	5250	100	250	1619	91.6	45.0
Spray-In Bedliner	1	Add	19	Add	4550	100	300	2308	73.3	45.0	5250	100	300	1569	93.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	100	350	2258	73.9	45.0	5250	100	350	1519	94.4	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	100	400	2208	74.5	45.0	5250	100	400	1469	96.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	100	450	2158	75.1	45.0	5250	100	450	1419	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	100	500	2108	75.8	45.0	5250	100	500	1369	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	-50	2608	67.4	45.0	5250	150	-50	1869	81.5	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	0	2558	67.8	45.0	5250	150	0	1819	82.4	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	50	2508	68.2	45.0	5250	150	50	1769	83.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping	10	Add	4	Add	4550	150	100	2458	68.6	45.0	5250	150	100	1719	84.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescopi	16	Add	6	Add	4550	150	150	2408	69.0	45.0	5250	150	150	1669	85.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping	1	Add	0	Add	4550	150	200	2358	69.4	45.0	5250	150	200	1619	86.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescopi	7	Add	3	Add	4550	150	250	2308	69.9	45.0	5250	150	250	1569	87.9	45.0
Sliding Rear Window	5	Add	2	Add	4550	150	300	2258	70.4	45.0	5250	150	300	1519	89.2	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	150	350	2208	70.9	45.0	5250	150	350	1469	90.7	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	400	2158	71.4	45.0	5250	150	400	1419	92.2	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	450	2108	72.0	45.0	5250	150	450	1369	93.8	45.0
Foglamps	3	Add	0	Add	4550	150	500	2058	72.6	45.0	5250	150	500	1319	95.5	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	-50	2558	73.9	45.0	5250	200	-50	1819	78.1	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	0	2508	74.5	45.0	5250	200	0	1769	78.9	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	200	50	2458	75.0	45.0	5250	200	50	1719	79.8	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	100	2408	75.6	45.0	5250	200	100	1669	80.8	45.0
All Weather Floor Mat	6	Add	4	Add	4700	200	150	2358	76.1	45.0	5250	200	150	1619	81.8	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	200	2308	76.8	45.0	5250	200	200	1569	82.9	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	250	2258	77.4	45.0	5250	200	250	1519	84.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	200	300	2208	78.1	45.0	5250	200	300	1469	85.3	45.0
Cruise Control	3	Add	1	Add	4700	200	350	2158	78.8	45.0	5250	200	350	1419	86.6	45.0
Power Equipment Group	12	Add	3	Add	4700	200	400	2108	79.5	45.0	5250	200	400	1369	88.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	200	450	2058	80.3	45.0	5250	200	450	1319	89.5	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 sp	15	Add	10	Add	4700	200	500	2008	81.1	45.0	5250	200	500	1269	91.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	-50	2508	71.3	45.0	5250	250	-50	1769	74.5	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	0	2458	71.8	45.0	5250	250	0	1719	75.2	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2wa	8	Add	4	Add	4700	250	50	2408	72.3	45.0	5250	250	50	1669	76.1	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	250	100	2358	72.8	45.0	5250	250	100	1619	76.9	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	250	150	2308	73.3	45.0	5250	250	150	1569	77.9	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	250	200	2258	73.9	45.0	5250	250	200	1519	78.8	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	250	250	2208	74.5	45.0	5250	250	250	1469	79.9	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	250	300	2158	75.1	45.0	5250	250	300	1419	81.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	4700	250	350	2108	75.8	45.0	5250	250	350	1369	82.2	45.0
Satellite Digital Broadcat	2	Add	1	Add	4700	250	400	2058	76.4	45.0	5250	250	400	1319	83.5	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4700	250	450	2008	77.1	45.0	5250	250	450	1269	84.9	45.0
SYNC Basic - Gen I	1	Add	0	Add	4700	250	500	1958	77.9	45.0	5250	250	500	1219	86.5	45.0
SYNC Finder - Gen II	1	Add	0	Add	4700	300	-50	2458	68.6	45.0	5250	300	-50	1719	70.6	45.0
FX4 Off-Road Package	2	Add	2	Add	4700	300	0	2408	69.0	45.0	5250	300	0	1669	71.3	45.0
Tracking System - Crew Chief	3	Add	0	Add	4700	300	50	2358	69.4	45.0	5250	300	50	1619	72.1	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4700	300	100	2308	69.9	45.0	5250	300	100	1569	72.8	45.0
Bed Mat	0	Add	58	Add	4700	300	150	2258	70.4	45.0	5250	300	150	1519	73.6	45.0
Cable/Strap Locks	0	Add	9	Add	4700	300	200	2208	70.9	45.0	5250	300	200	1469	74.5	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4700	300	250	2158	71.4	45.0	5250	300	250	1419	75.5	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4700	300	300	2108	72.0	45.0	5250	300	300	1369	76.5	45.0
Wheel Well Liner - SRW only	0	Add	7	Add	4700	300	350	2058	72.6	45.0	5250	300	350	1319	77.6	45.0
Gooseneck Hitch Kit	0	Add	10	Add	4700	300	400	2008	73.2	45.0	5250	300	400	1269	78.7	45.0
					4700	300	450	1958	73.9	45.0	5250	300	450	1219	80.0	45.0
					4700	300	500	1908	74.5	45.0	5250	300	500	1169	81.4	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (10,000 GVWR - 17" Tires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)	FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4550	-50	-50	2560	74.5	45.0	5250	-50	-50	1859	92.5	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	0	2510	75.1	45.0	5250	-50	0	1809	93.7	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	50	2460	75.6	45.0	5250	-50	50	1759	95.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	100	2410	76.2	45.0	5250	-50	100	1709	96.4	45.0
Immersion Heater - Engine	1	Add	0	Add	4550	-50	150	2360	76.8	45.0	5250	-50	150	1659	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	200	2310	77.4	45.0	5250	-50	200	1609	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	250	2260	78.1	45.0	5250	-50	250	1559	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	300	2210	78.8	45.0	5250	-50	300	1509	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	350	2160	79.5	45.0	5250	-50	350	1459	97.0	45.0
Brake Controller	1	Add	0	Add	4550	-50	400	2110	80.2	45.0	5250	-50	400	1409	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	-50	500	2010	81.8	45.0	5250	-50	500	1309	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	0	2460	72.1	45.0	5250	0	0	1759	90.1	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	50	2410	72.6	45.0	5250	0	50	1709	91.3	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	100	2360	73.1	45.0	5250	0	100	1659	92.6	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	150	2310	73.7	45.0	5250	0	150	1609	94.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	200	2260	74.3	45.0	5250	0	200	1559	95.5	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	250	2210	74.9	45.0	5250	0	250	1509	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	300	2160	75.5	45.0	5250	0	300	1459	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	350	2110	76.1	45.0	5250	0	350	1409	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	400	2060	76.8	45.0	5250	0	400	1359	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	500	1960	78.3	45.0	5250	0	500	1259	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	0	2410	79.8	45.0	5250	50	0	1709	86.3	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	50	2360	80.4	45.0	5250	50	50	1659	87.4	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	100	2310	81.2	45.0	5250	50	100	1609	88.7	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4700	50	150	2260	81.9	45.0	5250	50	150	1559	90.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel ST	12	Minus	19	Add	4700	50	200	2210	82.7	45.0	5250	50	200	1509	91.4	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4700	50	250	2160	83.5	45.0	5250	50	250	1459	92.9	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Whee	-14	Minus	-8	Minus	4700	50	300	2110	84.3	45.0	5250	50	300	1409	94.5	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel S	-9	Minus	-3	Minus	4700	50	350	2060	85.2	45.0	5250	50	350	1359	96.2	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	400	2010	86.1	45.0	5250	50	400	1309	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel W	-2	Minus	4	Add	4700	50	500	1910	88.1	45.0	5250	50	500	1209	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel ST	1	Add	7	Add	4700	100	0	2360	76.8	45.0	5250	100	0	1659	82.2	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel \	3	Add	9	Add	4700	100	50	2310	77.4	45.0	5250	100	50	1609	83.3	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	100	100	2260	78.1	45.0	5250	100	100	1559	84.4	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4700	100	150	2210	78.8	45.0	5250	100	150	1509	85.7	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4700	100	200	2160	79.5	45.0	5250	100	200	1459	86.9	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4700	100	250	2110	80.2	45.0	5250	100	250	1409	88.3	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4700	100	300	2060	81.0	45.0	5250	100	300	1359	89.8	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4700	100	350	2010	81.8	45.0	5250	100	350	1309	91.4	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4700	100	400	1960	82.7	45.0	5250	100	400	1259	93.1	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4700	100	500	1860	84.6	45.0	5250	100	500	1159	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4700	150	0	2310	73.7	45.0	5250	150	0	1609	78.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	150	50	2260	74.3	45.0	5250	150	50	1559	78.9	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	150	100	2210	74.9	45.0	5250	150	100	1509	79.9	45.0
Drop-In Bedliner	2	Add	42	Add	4700	150	150	2160	75.5	45.0	5250	150	150	1459	81.0	45.0
Spray-In Bedliner	0	Add	20	Add	4700	150	200	2110	76.1	45.0	5250	150	200	1409	82.2	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4700	150	250	2060	76.8	45.0	5250	150	250	1359	83.5	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	150	300	2010	77.5	45.0	5250	150	300	1309	84.8	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4700	150	350	1960	78.3	45.0	5250	150	350	1259	86.3	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4700	150	400	1910	79.1	45.0	5250	150	400	1209	87.9	45.0
Lower Bodyside Molding	2	Add	1	Add	4700	150	500	1810	80.8	45.0	5250	150	500	1109	91.5	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4850	200	0	2260	81.9	45.0	5250	200	0	1559	73.4	45.0
Static Rear Video Camera	0	Add	1	Add	4850	200	50	2210	82.7	45.0	5250	200	50	1509	74.2	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4850	200	100	2160	83.5	45.0	5250	200	100	1459	75.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping	10	Add	4	Add	4850	200	150	2110	84.3	45.0	5250	200	150	1409	76.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescopi	16	Add	6	Add	4850	200	200	2060	85.2	45.0	5250	200	200	1359	77.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping	1	Add	0	Add	4850	200	250	2010	86.1	45.0	5250	200	250	1309	78.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescopi	7	Add	3	Add	4850	200	300	1960	87.1	45.0	5250	200	300	1259	79.4	45.0
Sliding Rear Window	5	Add	2	Add	4850	200	350	1910	88.1	45.0	5250	200	350	1209	80.8	45.0
Power Sliding Rear Window	5	Add	3	Add	4850	200	400	1860	89.2	45.0	5250	200	400	1159	82.2	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4850	200	500	1760	91.5	45.0	5250	200	500	1059	85.4	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4850	250	0	2210	78.8	45.0	5250	250	0	1509	68.5	45.0
Foglamps	3	Add	0	Add	4850	250	50	2160	79.5	45.0	5250	250	50	1459	69.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4850	250	100	2110	80.2	45.0	5250	250	100	1409	70.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4850	250	150	2060	81.0	45.0	5250	250	150	1359	70.8	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4850	250	200	2010	81.8	45.0	5250	250	200	1309	71.7	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4850	250	250	1960	82.7	45.0	5250	250	250	1259	72.6	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4850	250	300	1910	83.6	45.0	5250	250	300	1209	73.6	45.0
All Weather Floor Mat	7	Add	4	Add	4850	250	350	1860	84.6	45.0	5250	250	350	1159	74.7	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4850	250	400	1810	85.6	45.0	5250	250	400	1109	75.9	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4850	250	500	1710	87.8	45.0	5250	250	500	1009	78.7	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4850	300	0	2160	75.5	45.0	5250	300	0	1459	63.3	45.0
Cruise Control	3	Add	1	Add	4850	300	50	2110	76.1	45.0	5250	300	50	1409	63.9	45.0
Power Equipment Group	15	Add	6	Add	4850	300	100	2060	76.8	45.0	5250	300	100	1359	64.4	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4850	300	150	2010	77.5	45.0	5250	300	150	1309	65.1	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 sp	15	Add	10	Add	4850	300	200	1960	78.3	45.0	5250	300	200	1259	65.8	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4850	300	250	1910	79.1	45.0	5250	300	250	1209	66.5	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	300	300	1860	79.9	45.0	5250	300	300	1159	67.3	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4850	300	350	1810	80.8	45.0	5250	300	350	1109	68.2	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2wa	8	Add	4	Add	4850	300	400	1760	81.7	45.0	5250	300	400	1059	69.1	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4850	300	500	1660	83.8	45.0	5250	300	500	959	71.3	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (10,000 GVWR 18" All-Season Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
					I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add						
XLT Trim (DIESEL)	14	Add	9	Add	4550	-50	-50	2969	65.4	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	0	2919	65.7	45.0
Immersion Heater - Engine	1	Add	0	Add	4550	-50	50	2869	66.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	100	2819	66.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	150	2769	66.6	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	200	2719	67.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	250	2669	67.4	45.0
Brake Controller	1	Add	0	Add	4550	-50	300	2619	67.7	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	-50	350	2569	68.1	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4550	-50	400	2519	68.5	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4550	-50	450	2469	68.9	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	-50	2919	63.3	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	0	2869	63.6	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4550	0	50	2819	63.9	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	100	2769	64.2	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	150	2719	64.5	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	200	2669	64.8	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	250	2619	65.1	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4550	0	300	2569	65.4	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4550	0	350	2519	65.8	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	0	400	2469	66.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	0	450	2419	66.5	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4700	50	-50	2869	68.4	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4700	50	0	2819	68.7	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4700	50	50	2769	69.1	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	50	100	2719	69.5	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	50	150	2669	69.9	45.0
Drop-In Bedliner	2	Add	42	Add	4700	50	200	2619	70.3	45.0
Spray-In Bedliner	1	Add	19	Add	4700	50	250	2569	70.8	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4700	50	300	2519	71.2	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4700	50	350	2469	71.7	45.0
Static Rear Video Camera	0	Add	1	Add	4700	50	400	2419	72.2	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	50	450	2369	72.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	100	-50	2819	66.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	100	0	2769	66.6	45.0
Sliding Rear Window	5	Add	2	Add	4700	100	50	2719	67.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	100	100	2669	67.4	45.0
Foglamps	3	Add	0	Add	4700	100	150	2619	67.7	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	100	200	2569	68.1	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	100	250	2519	68.5	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4700	100	300	2469	68.9	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4700	100	350	2419	69.4	45.0
All Weather Floor Mat	4	Add	2	Add	4700	100	400	2369	69.8	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	100	450	2319	70.3	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	150	-50	2769	64.2	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	150	0	2719	64.5	45.0
Cruise Control	3	Add	1	Add	4700	150	50	2669	64.8	45.0
Power Equipment Group	12	Add	3	Add	4700	150	100	2619	65.1	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	150	150	2569	65.4	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4700	150	200	2519	65.8	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	150	250	2469	66.2	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	150	300	2419	66.5	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	150	350	2369	66.9	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	150	400	2319	67.3	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	150	450	2269	67.8	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4850	200	-50	2719	69.5	45.0
Satellite Digital Broadcast	2	Add	1	Add	4850	200	0	2669	69.9	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4850	200	50	2619	70.3	45.0
SYNC Basic - Gen I	1	Add	0	Add	4850	200	100	2569	70.8	45.0
SYNC Finder - Gen II	1	Add	0	Add	4850	200	150	2519	71.2	45.0
FX4 Off-Road Package	2	Add	2	Add	4850	200	200	2469	71.7	45.0
Tracking System - Crew Chief	3	Add	0	Add	4850	200	250	2419	72.2	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4850	200	300	2369	72.7	45.0
Bed Mat	0	Add	58	Add	4850	200	350	2319	73.2	45.0
Cable/Strap Locks	0	Add	9	Add	4850	200	400	2269	73.8	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4850	200	450	2219	74.4	45.0
Roll-up Tonneau Cover	5	Add	25	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

VEHICLE LOADING DATA
6.7L Diesel Engine 10000 lb (4535 kg) GVWR

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (10,000 GVWR - 18" All-Season Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE

VEHICLE LOADING DATA

6.7L Diesel Engine 10000 lb (4535 kg) GVWR

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)	
Lariat Trim (GAS)	25	Add	17	Add
XLT Trim (GAS)	10	Add	7	Add
Lariat Trim (DIESEL)	30	Add	20	Add
XLT Trim (DIESEL)	20	Add	13	Add
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add
Immersion Heater - Engine	1	Add	0	Add
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add
Brake Controller	1	Add	0	Add
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add
Skid Plates (GAS) 4X4 only	20	Add	19	Add
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add
5th Wheel Hitch	0	Add	96	Add
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add
750 CCA/78 AH Battery	2	Add	0	Add
Manual Air Conditioning (GAS)	32	Add	-1	Minus
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add
Pickup Bed Extender	-2	Minus	21	Add
Drop-In Bedliner	2	Add	35	Add
Spray-In Bedliner	0	Add	16	Add
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add
Lower Bodyside Molding	2	Add	1	Add
Reverse Vehicle Sensor System	0	Add	1	Add
Static Rear Video Camera	0	Add	1	Add
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add
Sliding Rear Window	5	Add	2	Add
Power Sliding Rear Window	5	Add	3	Add
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add
Foglamps	3	Add	0	Add
Bright Exhaust Pipe Extension	0	Add	3	Add
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add
All Weather Floor Mat	6	Add	4	Add
Electrochromic Rear View Mirror	1	Add	0	Add
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add
Floor Consolette - Stand alone	-25	Minus	-9	Minus
Cruise Control	3	Add	1	Add
Power Equipment Group	12	Add	3	Add
Adj Gas & Brake Pedals	4	Add	3	Add
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add
Cloth Seats	-2	Minus	-1	Minus
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add
Satellite Digital Broadcast	2	Add	1	Add
High Definition & Satellite Digital Broadcast	2	Add	1	Add
SYNC Basic - Gen I	1	Add	0	Add
SYNC Finder - Gen II	1	Add	0	Add
FX4 Off-Road Package	2	Add	2	Add
Tracking System - Crew Chief	3	Add	0	Add
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add
Bed Mat	0	Add	44	Add
Cable/Strap Locks	0	Add	9	Add
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add
Roll-up Tonneau Cover	4	Add	22	Add
Wheel Well Liner - SRW only	0	Add	7	Add
Gooseneck Hitch Kit	0	Add	10	Add
Total Option Weight				

FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
4850	-50	-50	2202	71.3	45.0
4850	-50	0	2152	71.8	45.0
4850	-50	50	2102	72.4	45.0
4850	-50	100	2052	73.0	45.0
4850	-50	150	2002	73.6	45.0
4850	-50	200	1952	74.3	45.0
4850	-50	250	1902	75.0	45.0
4850	-50	300	1852	75.7	45.0
4850	-50	350	1802	76.5	45.0
4850	0	-50	2152	68.5	45.0
4850	0	0	2102	69.0	45.0
4850	0	50	2052	69.6	45.0
4850	0	100	2002	70.1	45.0
4850	0	150	1952	70.7	45.0
4850	0	200	1902	71.3	45.0
4850	0	250	1852	71.9	45.0
4850	0	300	1802	72.6	45.0
4850	0	350	1752	73.3	45.0
5000	50	-50	2102	75.8	45.0
5000	50	0	2052	76.5	45.0
5000	50	50	2002	77.2	45.0
5000	50	100	1952	77.9	45.0
5000	50	150	1902	78.7	45.0
5000	50	200	1852	79.6	45.0
5000	50	250	1802	80.4	45.0
5000	50	300	1752	81.0	45.0
5000	50	350	1702	81.0	45.0
5000	100	-50	2052	73.0	45.0
5000	100	0	2002	73.6	45.0
5000	100	50	1952	74.3	45.0
5000	100	100	1902	75.0	45.0
5000	100	150	1852	75.7	45.0
5000	100	200	1802	76.5	45.0
5000	100	250	1752	77.3	45.0
5000	100	300	1702	78.2	45.0
5000	100	350	1652	79.1	45.0
5000	150	-50	2002	70.1	45.0
5000	150	0	1952	70.7	45.0
5000	150	50	1902	71.3	45.0
5000	150	100	1852	71.9	45.0
5000	150	150	1802	72.6	45.0
5000	150	200	1752	73.3	45.0
5000	150	250	1702	74.0	45.0
5000	150	300	1652	74.8	45.0
5000	150	350	1602	75.7	45.0
5250	200	-50	1952	81.0	45.0
5250	200	0	1902	81.0	45.0
5250	200	50	1852	81.0	45.0
5250	200	100	1802	81.0	45.0
5250	200	150	1752	81.0	45.0
5250	200	200	1702	81.0	45.0
5250	200	250	1652	81.0	45.0
5250	200	300	1602	81.0	45.0
5250	200	350	1552	81.0	45.0
5250	250	-50	1902	81.0	45.0
5250	250	0	1852	81.0	45.0
5250	250	50	1802	81.0	45.0
5250	250	100	1752	81.0	45.0
5250	250	150	1702	81.0	45.0
5250	250	200	1652	81.0	45.0
5250	250	250	1602	81.0	45.0
5250	250	300	1552	81.0	45.0
5250	250	350	1502	81.0	45.0
5250	300	-50	1852	79.6	45.0
5250	300	0	1802	80.4	45.0
5250	300	50	1752	81.0	45.0
5250	300	100	1702	81.0	45.0
5250	300	150	1652	81.0	45.0
5250	300	200	1602	81.0	45.0
5250	300	250	1552	81.0	45.0
5250	300	300	1502	81.0	45.0
5250	300	350	1452	81.0	45.0

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (10,000 GVWR - 18" All-Season Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4400	-50	-50	2694	70.3	45.0	5000	-50	-50	2032	78.3	45.0
XLT Trim (GAS)	13	Add	9	Add	4400	-50	0	2644	70.8	45.0	5000	-50	0	1982	79.1	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	50	2594	71.2	45.0	5000	-50	50	1932	79.9	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	100	2544	71.7	45.0	5000	-50	100	1882	80.7	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	150	2494	72.1	45.0	5000	0	-50	1982	75.1	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	200	2444	72.6	45.0	5000	0	0	1932	75.8	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	250	2394	73.1	45.0	5000	0	50	1882	76.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	300	2344	73.7	45.0	5000	0	100	1832	77.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	350	2294	74.2	45.0	5000	0	150	1782	78.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	400	2244	74.8	45.0	5000	0	200	1732	79.1	45.0
Brake Controller	1	Add	0	Add	4400	0	-50	2644	67.8	45.0	5000	0	250	1682	80.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	0	2594	68.2	45.0	5000	0	300	1632	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	50	2544	68.6	45.0	5000	0	350	1582	81.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	100	2494	69.0	45.0	5000	0	400	1532	81.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	150	2444	69.4	45.0	5000	50	0	1882	72.4	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	200	2394	69.9	45.0	5000	50	50	1832	73.1	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	250	2344	70.4	45.0	5000	50	100	1782	73.8	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	300	2294	70.8	45.0	5000	50	150	1732	74.5	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	350	2244	71.4	45.0	5000	50	200	1682	75.3	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	0	400	2194	71.9	45.0	5000	50	250	1632	76.2	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	-50	2594	74.2	45.0	5000	50	300	1582	77.1	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	0	2544	74.7	45.0	5000	50	350	1532	78.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	50	2494	75.3	45.0	5000	50	400	1482	79.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	100	2444	75.8	45.0	5250	100	0	1832	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	150	2394	76.4	45.0	5250	100	50	1782	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	200	2344	77.0	45.0	5250	100	100	1732	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4550	50	250	2294	77.7	45.0	5250	100	150	1682	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4550	50	300	2244	78.3	45.0	5250	100	200	1632	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	50	350	2194	79.0	45.0	5250	100	250	1582	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	50	400	2144	79.7	45.0	5250	100	300	1532	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	-50	2544	71.7	45.0	5250	100	350	1482	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	4550	100	0	2494	72.1	45.0	5250	100	400	1432	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	4550	100	50	2444	72.6	45.0	5250	150	0	1782	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	100	100	2394	73.1	45.0	5250	150	50	1732	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	100	150	2344	73.7	45.0	5250	150	100	1682	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4550	100	200	2294	74.2	45.0	5250	150	150	1632	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	100	250	2244	74.8	45.0	5250	150	200	1582	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	100	300	2194	75.4	45.0	5250	150	250	1532	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	100	350	2144	76.1	45.0	5250	150	300	1482	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	100	400	2094	76.8	45.0	5250	150	350	1432	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	-50	2494	69.0	45.0	5250	150	400	1382	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	0	2444	69.4	45.0	5250	200	0	1732	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	50	2394	69.9	45.0	5250	200	50	1682	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4550	150	100	2344	70.4	45.0	5250	200	100	1632	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	4550	150	150	2294	70.8	45.0	5250	200	150	1582	81.0	45.0
Sliding Rear Window	5	Add	2	Add	4550	150	200	2244	71.4	45.0	5250	200	200	1532	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	150	250	2194	71.9	45.0	5250	200	250	1482	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	300	2144	72.4	45.0	5250	200	300	1432	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	350	2094	73.0	45.0	5250	200	350	1382	81.0	45.0
Foglamps	3	Add	0	Add	4550	150	400	2044	73.6	45.0	5250	200	400	1332	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	-50	2444	75.8	45.0	5250	250	50	1632	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	0	2394	76.4	45.0	5250	250	100	1582	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	200	50	2344	77.0	45.0	5250	250	150	1532	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	100	2294	77.7	45.0	5250	250	200	1482	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	200	150	2244	78.3	45.0	5250	250	250	1432	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	4700	200	200	2194	79.0	45.0	5250	250	300	1382	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	250	2144	79.7	45.0	5250	250	350	1332	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	300	2094	80.5	45.0	5250	250	400	1282	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	200	350	2044	81.0	45.0	5250	300	50	1582	77.1	45.0
Cruise Control	3	Add	1	Add	4700	200	400	1994	81.0	45.0	5250	300	100	1532	78.0	45.0
Power Equipment Group	15	Add	6	Add	4700	250	-50	2394	73.1	45.0	5250	300	150	1482	79.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	0	2344	73.7	45.0	5250	300	200	1432	80.1	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	250	50	2294	74.2	45.0	5250	300	250	1382	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	100	2244	74.8	45.0	5250	300	300	1332	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	150	2194	75.4	45.0	5250	300	350	1282	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4700	250	200	2144	76.1	45.0	5250	300	400	1232	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4700	250	250	2094	76.8	45.0	5250	300	400	1232	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	250	300	2044	77.5	45.0	5250	300	400	1232	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	250	350	1994	78.2	45.0	5250	300	400	1232	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4700	250	400	1944	79.0	45.0	5250	300	400	1232	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	300	-50	2344	70.4	45.0	5250	300	400	1232	81.0	45.0
King Ranch Leather	4	Add	2	Add	4700	300	0	2294	70.8	45.0	5250	300	400	1232	81.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	300	50	2244	71.4	45.0	5250	300	400	1232	81.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	300	100	2194	71.9	45.0	5250	300	400	1232	81.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4700	300	150	2144	72.4	45.0	5250	300	400	1232	81.0	45.0
Satellite Digital Broadcat	2	Add	1	Add	4700	300	200	2094	73.0	45.0	5250	300	400	1232	81.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4700	300	250	2044	73.6	45.0	5250	300	400	1232	81.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	4700	300	300	1994	74.3	45.0	5250	300	400	1232	81.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	4700	300	350	1944	75.0	45.0	5250	300	400	1232	81.0	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	4700	300	400	1894	75.7	45.0	5250	300	400	1232	81.0	45.0
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (10,000 GVWR - 18" All-Season Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4400	-50	-50	2808	68.8	45.0	5000	-50	-50	2069	74.4	45.0
XLT Trim (GAS)	10	Add	7	Add	4400	-50	0	2758	69.2	45.0	5000	-50	0	2019	75.1	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	50	2708	69.6	45.0	5000	-50	50	1969	75.8	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	100	2658	70.0	45.0	5000	-50	100	1919	76.5	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	150	2608	70.4	45.0	5000	-50	150	1869	77.3	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	200	2558	70.8	45.0	5000	-50	200	1819	78.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	250	2508	71.3	45.0	5000	-50	250	1769	78.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	300	2458	71.8	45.0	5000	-50	300	1719	79.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	350	2408	72.3	45.0	5000	-50	350	1669	80.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	400	2358	72.8	45.0	5000	-50	400	1619	81.8	45.0
Brake Controller	1	Add	0	Add	4400	-50	450	2308	73.3	45.0	5000	-50	450	1569	82.9	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	500	2258	73.9	45.0	5000	-50	500	1519	84.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	-50	2758	66.3	45.0	5250	0	-50	2019	90.7	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	0	2708	66.7	45.0	5250	0	0	1969	91.8	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	50	2658	67.0	45.0	5250	0	50	1919	93.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	100	2608	67.4	45.0	5250	0	100	1869	94.2	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4400	0	150	2558	67.8	45.0	5250	0	150	1819	95.4	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	200	2508	68.2	45.0	5250	0	200	1769	96.8	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	250	2458	68.6	45.0	5250	0	250	1719	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	0	300	2408	69.0	45.0	5250	0	300	1669	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	0	350	2358	69.4	45.0	5250	0	350	1619	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	0	400	2308	69.9	45.0	5250	0	400	1569	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	0	450	2258	70.4	45.0	5250	0	450	1519	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4400	0	500	2208	70.9	45.0	5250	0	500	1469	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	-50	2708	72.5	45.0	5250	50	-50	1969	87.8	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	0	2658	73.0	45.0	5250	50	0	1919	88.8	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	50	2608	73.4	45.0	5250	50	50	1869	89.9	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	100	2558	73.9	45.0	5250	50	100	1819	91.1	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4550	50	150	2508	74.5	45.0	5250	50	150	1769	92.3	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4550	50	200	2458	75.0	45.0	5250	50	200	1719	93.6	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	50	250	2408	75.6	45.0	5250	50	250	1669	95.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	50	300	2358	76.1	45.0	5250	50	300	1619	96.4	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	50	350	2308	76.8	45.0	5250	50	350	1569	97.0	45.0
Drop-In Bedliner	2	Add	35	Add	4550	50	400	2258	77.4	45.0	5250	50	400	1519	97.0	45.0
Spray-In Bedliner	1	Add	19	Add	4550	50	450	2208	78.1	45.0	5250	50	450	1469	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	50	500	2158	78.8	45.0	5250	50	500	1419	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	100	-50	2658	70.0	45.0	5250	100	-50	1919	84.7	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	100	0	2608	70.4	45.0	5250	100	0	1869	85.7	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	100	50	2558	70.8	45.0	5250	100	50	1819	86.8	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	100	100	2508	71.3	45.0	5250	100	100	1769	87.9	45.0
Static Rear Video Camera	0	Add	1	Add	4550	100	150	2458	71.8	45.0	5250	100	150	1719	89.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	100	200	2408	72.3	45.0	5250	100	200	1669	90.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	100	250	2358	72.8	45.0	5250	100	250	1619	91.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	100	300	2308	73.3	45.0	5250	100	300	1569	93.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4550	100	350	2258	73.9	45.0	5250	100	350	1519	94.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	4550	100	400	2208	74.5	45.0	5250	100	400	1469	96.0	45.0
Sliding Rear Window	5	Add	2	Add	4550	100	450	2158	75.1	45.0	5250	100	450	1419	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	100	500	2108	75.8	45.0	5250	100	500	1369	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	-50	2608	67.4	45.0	5250	150	-50	1869	81.5	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	0	2558	67.8	45.0	5250	150	0	1819	82.4	45.0
Foglamps	3	Add	0	Add	4550	150	50	2508	68.2	45.0	5250	150	50	1769	83.4	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4550	150	100	2458	68.6	45.0	5250	150	100	1719	84.4	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4550	150	150	2408	69.0	45.0	5250	150	150	1669	85.5	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4550	150	200	2358	69.4	45.0	5250	150	200	1619	86.7	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4550	150	250	2308	69.9	45.0	5250	150	250	1569	87.9	45.0
All Weather Floor Mat	6	Add	4	Add	4550	150	300	2258	70.4	45.0	5250	150	300	1519	89.2	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4550	150	350	2208	70.9	45.0	5250	150	350	1469	90.7	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4550	150	400	2158	71.4	45.0	5250	150	400	1419	92.2	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4550	150	450	2108	72.0	45.0	5250	150	450	1369	93.8	45.0
Cruise Control	3	Add	1	Add	4550	150	500	2058	72.6	45.0	5250	150	500	1319	95.5	45.0
Power Equipment Group	12	Add	3	Add	4700	200	-50	2558	73.9	45.0	5250	200	-50	1819	78.1	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	200	0	2508	74.5	45.0	5250	200	0	1769	78.9	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	200	50	2458	75.0	45.0	5250	200	50	1719	79.8	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	200	100	2408	75.6	45.0	5250	200	100	1669	80.8	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	200	150	2358	76.1	45.0	5250	200	150	1619	81.8	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4700	200	200	2308	76.8	45.0	5250	200	200	1569	82.9	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	200	250	2258	77.4	45.0	5250	200	250	1519	84.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	200	300	2208	78.1	45.0	5250	200	300	1469	85.3	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	200	350	2158	78.8	45.0	5250	200	350	1419	86.6	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	200	400	2108	79.5	45.0	5250	200	400	1369	88.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	200	450	2058	80.3	45.0	5250	200	450	1319	89.5	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	4700	200	500	2008	81.1	45.0	5250	200	500	1269	91.2	45.0
Satellite Digital Broadcast	2	Add	1	Add	4700	250	-50	2508	71.3	45.0	5250	250	-50	1769	74.5	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4700	250	0	2458	71.8	45.0	5250	250	0	1719	75.2	45.0
SYNC Basic - Gen I	1	Add	0	Add	4700	250	50	2408	72.3	45.0	5250	250	50	1669	76.1	45.0
SYNC Finder - Gen II	1	Add	0	Add	4700	250	100	2358	72.8	45.0	5250	250	100	1619	76.9	45.0
FX4 Off-Road Package	2	Add	2	Add	4700	250	150	2308	73.3	45.0	5250	250	150	1569	77.9	45.0
Tracking System - Crew Chief	3	Add	0	Add	4700	250	200	2258	73.9	45.0	5250	250	200	1519	78.8	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4700	250	250	2208	74.5	45.0	5250	250	250	1469	79.9	45.0
Bed Mat	0	Add	58	Add	4700	250	300	2158	75.1	45.0	5250	250	300	1419	81.0	45.0
Cable/Strap Locks	0	Add	9	Add	4700	250	350	2108	75.8	45.0	5250	250	350	1369	82.2	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4700	250	400	2058	76.4	45.0	5250	250	400	1319	83.5	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4700	250	450	2008	77.1	45.0	5250	250	450	1269	84.9	45.0
Wheel Well Liner - SRW only	0	Add	7	Add	4700	250	500	1958	77.9	45.0	5250	250	500	1219	86.5	45.0
Gooseneck Hitch Kit	0	Add	10	Add	4700	300	-50	2458	68.6	45.0	5250	300	-50	1719	70.6	45.0
					4700	300	0	2408	69.0	45.0	5250	300	0	1669	71.3	45.0
					4700	300	50	2358	69.4	45.0	5250	300	50	1619	72.1	45.0
					4700	300	100	2308	69.9	45.0	5250	300	100	1569	72.8	45.0
					4700	300	150	2258	70.4	45.0	5250	300	150	1519	73.6	45.0
					4700	300	200	2208	70.9	45.0	5250	300	200	1469	74.5	45.0
					4700	300	250	2158	71.4	45.0	5250	300	250	1419	75.5	45.0
					4700	300	300	2108	72.0	45.0	5250	300	300	1369	76.5	45.0
					4700	300	350	2058	72.6	45.0	5250	300	350	1319	77.6	45.0
					4700	300	400	2008	73.2	45.0	5250	300	400	1269	78.7	45.0
					4700	300	450	1958	73.9	45.0	5250	300	450	1219	80.0	45.0
					4700	300	500	1908	74.5	45.0	5250	300	500	1169	81.4	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (10,000 GVWR - 18" All-Season Tires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)	FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4550	-50	-50	2560	74.5	45.0	5250	-50	-50	1859	92.5	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	0	2510	75.1	45.0	5250	-50	0	1809	93.7	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	50	2460	75.6	45.0	5250	-50	50	1759	95.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	100	2410	76.2	45.0	5250	-50	100	1709	96.4	45.0
Immersion Heater - Engine	1	Add	0	Add	4550	-50	150	2360	76.8	45.0	5250	-50	150	1659	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	200	2310	77.4	45.0	5250	-50	200	1609	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	250	2260	78.1	45.0	5250	-50	250	1559	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	300	2210	78.8	45.0	5250	-50	300	1509	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	350	2160	79.5	45.0	5250	-50	350	1459	97.0	45.0
Brake Controller	1	Add	0	Add	4550	-50	400	2110	80.2	45.0	5250	-50	400	1409	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	-50	500	2010	81.8	45.0	5250	-50	500	1309	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	0	2460	72.1	45.0	5250	0	0	1759	90.1	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	50	2410	72.6	45.0	5250	0	50	1709	91.3	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	100	2360	73.1	45.0	5250	0	100	1659	92.6	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	150	2310	73.7	45.0	5250	0	150	1609	94.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	200	2260	74.3	45.0	5250	0	200	1559	95.5	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	250	2210	74.9	45.0	5250	0	250	1509	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	300	2160	75.5	45.0	5250	0	300	1459	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	350	2110	76.1	45.0	5250	0	350	1409	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	400	2060	76.8	45.0	5250	0	400	1359	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	500	1960	78.3	45.0	5250	0	500	1259	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	0	2410	79.8	45.0	5250	50	0	1709	86.3	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	50	2360	80.4	45.0	5250	50	50	1659	87.4	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	100	2310	81.2	45.0	5250	50	100	1609	88.7	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	50	150	2260	81.9	45.0	5250	50	150	1559	90.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4700	50	200	2210	82.7	45.0	5250	50	200	1509	91.4	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	50	250	2160	83.5	45.0	5250	50	250	1459	92.9	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4700	50	300	2110	84.3	45.0	5250	50	300	1409	94.5	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4700	50	350	2060	85.2	45.0	5250	50	350	1359	96.2	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4700	50	400	2010	86.1	45.0	5250	50	400	1309	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	50	500	1910	88.1	45.0	5250	50	500	1209	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	100	0	2360	76.8	45.0	5250	100	0	1659	82.2	45.0
Drop-In Bedliner	2	Add	42	Add	4700	100	50	2310	77.4	45.0	5250	100	50	1609	83.3	45.0
Spray-In Bedliner	0	Add	20	Add	4700	100	100	2260	78.1	45.0	5250	100	100	1559	84.4	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4700	100	150	2210	78.8	45.0	5250	100	150	1509	85.7	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	100	200	2160	79.5	45.0	5250	100	200	1459	86.9	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4700	100	250	2110	80.2	45.0	5250	100	250	1409	88.3	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4700	100	300	2060	81.0	45.0	5250	100	300	1359	89.8	45.0
Lower Bodyside Molding	2	Add	1	Add	4700	100	350	2010	81.8	45.0	5250	100	350	1309	91.4	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4700	100	400	1960	82.7	45.0	5250	100	400	1259	93.1	45.0
Static Rear Video Camera	0	Add	1	Add	4700	100	500	1860	84.6	45.0	5250	100	500	1159	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	150	0	2310	73.7	45.0	5250	150	0	1609	78.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	150	50	2260	74.3	45.0	5250	150	50	1559	78.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	150	100	2210	74.9	45.0	5250	150	100	1509	79.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4700	150	150	2160	75.5	45.0	5250	150	150	1459	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	4700	150	200	2110	76.1	45.0	5250	150	200	1409	82.2	45.0
Sliding Rear Window	5	Add	2	Add	4700	150	250	2060	76.8	45.0	5250	150	250	1359	83.5	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	150	300	2010	77.5	45.0	5250	150	300	1309	84.8	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	150	350	1960	78.3	45.0	5250	150	350	1259	86.3	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	150	400	1910	79.1	45.0	5250	150	400	1209	87.9	45.0
Foglamps	3	Add	0	Add	4700	150	500	1810	80.8	45.0	5250	150	500	1109	91.5	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4850	200	0	2260	81.9	45.0	5250	200	0	1559	73.4	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4850	200	50	2210	82.7	45.0	5250	200	50	1509	74.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4850	200	100	2160	83.5	45.0	5250	200	100	1459	75.1	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4850	200	150	2110	84.3	45.0	5250	200	150	1409	76.1	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4850	200	200	2060	85.2	45.0	5250	200	200	1359	77.1	45.0
All Weather Floor Mat	7	Add	4	Add	4850	200	250	2010	86.1	45.0	5250	200	250	1309	78.2	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4850	200	300	1960	87.1	45.0	5250	200	300	1259	79.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4850	200	350	1910	88.1	45.0	5250	200	350	1209	80.8	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4850	200	400	1860	89.2	45.0	5250	200	400	1159	82.2	45.0
Cruise Control	3	Add	1	Add	4850	200	500	1760	91.5	45.0	5250	200	500	1059	85.4	45.0
Power Equipment Group	15	Add	6	Add	4850	250	0	2210	78.8	45.0	5250	250	0	1509	68.5	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4850	250	50	2160	79.5	45.0	5250	250	50	1459	69.2	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4850	250	100	2110	80.2	45.0	5250	250	100	1409	70.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4850	250	150	2060	81.0	45.0	5250	250	150	1359	70.8	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	250	200	2010	81.8	45.0	5250	250	200	1309	71.7	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4850	250	250	1960	82.7	45.0	5250	250	250	1259	72.6	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4850	250	300	1910	83.6	45.0	5250	250	300	1209	73.6	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4850	250	350	1860	84.6	45.0	5250	250	350	1159	74.7	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4850	250	400	1810	85.6	45.0	5250	250	400	1109	75.9	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4850	250	500	1710	87.8	45.0	5250	250	500	1009	78.7	45.0
Cloth Seats	-2	Minus	-1	Minus	4850	300	0	2160	75.5	45.0	5250	300	0	1459	63.3	45.0
King Ranch Leather	4	Add	2	Add	4850	300	50	2110	76.1	45.0	5250	300	50	1409	63.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4850	300	100	2060	76.8	45.0	5250	300	100	1359	64.4	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4850	300	150	2010	77.5	45.0	5250	300	150	1309	65.1	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4850	300	200	1960	78.3	45.0	5250	300	200	1259	65.8	45.0
Satellite Digital Broadcast	2	Add	1	Add	4850	300	250	1910	79.1	45.0	5250	300	250	1209	66.5	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4850	300	300	1860	79.9	45.0	5250	300	300	1159	67.3	45.0
SYNC Basic - Gen I	1	Add	0	Add	4850	300	350	1810	80.8	45.0	5250	300	350	1109	68.2	45.0
SYNC Finder - Gen II	1	Add	0	Add	4850	300	400	1760	81.7	45.0	5250	300	400	1059	69.1	45.0
FX4 Off-Road Package	2	Add	2	Add	4850	300	500	1660	83.8	45.0	5250	300	500	959	71.3	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 17" Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add												
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3202	66.9	45.0	5200	-50	-50	2549	84.1	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3152	67.2	45.0	5200	-50	0	2499	84.8	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3102	67.5	45.0	5200	-50	50	2449	85.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	3052	67.8	45.0	5200	-50	100	2399	86.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	150	3002	68.1	45.0	5200	-50	-50	2549	84.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	200	2952	68.5	45.0	5200	-50	0	2499	84.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	250	2902	68.8	45.0	5200	-50	50	2449	85.6	45.0
Brake Controller	1	Add	0	Add	4400	-50	300	2852	69.2	45.0	5200	-50	100	2399	86.3	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	350	2802	69.6	45.0	5200	-50	200	2299	88.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4400	-50	400	2752	70.0	45.0	5200	-50	250	2249	88.9	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4400	-50	450	2702	70.4	45.0	5200	-50	300	2199	89.8	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	-50	500	2652	70.8	45.0	5200	-50	350	2149	90.8	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	0	3102	82.9	45.0	5200	-50	400	2099	91.8	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	50	3052	83.5	45.0	5200	-50	450	2049	92.9	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	100	3002	84.1	45.0	5200	-50	500	1999	94.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	150	2952	84.7	45.0	5200	0	-50	2499	82.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	0	200	2902	85.4	45.0	5200	0	0	2449	82.8	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	0	250	2852	86.0	45.0	5200	0	50	2399	83.5	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	0	300	2802	86.7	45.0	5200	0	100	2349	84.2	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	0	350	2752	87.4	45.0	5200	0	-50	2499	82.1	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4800	0	400	2702	88.1	45.0	5200	0	0	2449	82.8	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	0	450	2652	88.9	45.0	5200	0	50	2399	83.5	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	0	500	2602	89.7	45.0	5200	0	100	2349	84.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	50	0	3052	81.3	45.0	5200	0	200	2249	85.9	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	50	50	3002	81.8	45.0	5200	0	250	2199	86.7	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	50	100	2952	82.4	45.0	5200	0	300	2149	87.6	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	50	150	2902	83.0	45.0	5200	0	350	2099	88.6	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	50	200	2852	83.6	45.0	5200	0	400	2049	89.6	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	50	250	2802	84.2	45.0	5200	0	450	1999	90.6	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4800	50	300	2752	84.9	45.0	5200	0	500	1949	91.7	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4800	50	350	2702	85.6	45.0	5200	50	-50	2449	80.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	400	2652	86.3	45.0	5200	50	0	2399	80.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	50	450	2602	87.0	45.0	5200	50	50	2349	81.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	50	500	2552	87.8	45.0	5200	50	100	2299	82.1	45.0
Drop-In Bedliner	2	Add	42	Add	4800	100	0	3002	79.5	45.0	5200	50	-50	2449	80.0	45.0
Spray-In Bedliner	1	Add	19	Add	4800	100	50	2952	80.1	45.0	5200	50	0	2399	80.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	100	2902	80.6	45.0	5200	50	50	2349	81.3	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	150	2852	81.2	45.0	5200	50	100	2299	82.1	45.0
Static Rear Video Camera	0	Add	1	Add	4800	100	200	2802	81.8	45.0	5200	50	200	2199	83.6	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	250	2752	82.4	45.0	5200	50	250	2149	84.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	300	2702	83.1	45.0	5200	50	300	2099	85.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4800	100	350	2652	83.7	45.0	5200	50	350	2049	86.2	45.0
Sliding Rear Window	5	Add	2	Add	4800	100	400	2602	84.4	45.0	5200	50	400	1999	87.2	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	100	450	2552	85.1	45.0	5200	50	450	1949	88.2	45.0
Foglamps	3	Add	0	Add	4800	100	500	2502	85.9	45.0	5200	50	500	1899	89.3	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	0	2952	77.8	45.0	5200	100	-50	2399	77.8	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	50	2902	78.3	45.0	5200	100	0	2349	78.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	100	2852	78.8	45.0	5200	100	50	2299	79.1	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	150	2802	79.4	45.0	5200	100	100	2249	79.8	45.0
All Weather Floor Mat	4	Add	2	Add	4800	150	200	2752	79.9	45.0	5200	100	-50	2399	77.8	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	250	2702	80.5	45.0	5200	100	0	2349	78.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	300	2652	81.1	45.0	5200	100	50	2299	79.1	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4800	150	350	2602	81.8	45.0	5200	100	100	2249	79.8	45.0
Cruise Control	3	Add	1	Add	4800	150	400	2552	82.4	45.0	5200	100	200	2149	81.3	45.0
Power Equipment Group	12	Add	3	Add	4800	150	450	2502	83.1	45.0	5200	100	250	2099	82.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	150	500	2452	83.9	45.0	5200	100	300	2049	82.9	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	200	0	2902	75.9	45.0	5200	100	350	1999	83.8	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	50	2852	76.4	45.0	5200	100	400	1949	84.7	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	100	2802	76.9	45.0	5200	100	450	1899	85.6	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lur	8	Add	4	Add	4800	200	150	2752	77.4	45.0	5200	100	500	1849	86.7	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	200	200	2702	78.0	45.0	5200	150	-50	2349	75.5	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	250	2652	78.6	45.0	5200	150	0	2299	76.1	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	300	2602	79.1	45.0	5200	150	50	2249	76.7	45.0
Satellite Digital Broadcat	2	Add	1	Add	4800	200	350	2552	79.8	45.0	5200	150	100	2199	77.4	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	400	2502	80.4	45.0	5200	150	-50	2349	75.5	45.0
SYNC Basic - Gen I	1	Add	0	Add	4800	200	450	2452	81.1	45.0	5200	150	0	2299	76.1	45.0
SYNC Finder - Gen II	1	Add	0	Add	4800	200	500	2402	81.7	45.0	5200	150	50	2249	76.7	45.0
FX4 Off-Road Package	2	Add	2	Add	4800	250	0	2852	74.0	45.0	5200	150	100	2199	77.4	45.0
Tracking System - Crew Chief	3	Add	0	Add	4800	250	50	2802	74.5	45.0	5200	150	200	2099	78.8	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	250	100	2752	74.9	45.0	5200	150	250	2049	79.5	45.0
Bed Mat	0	Add	58	Add	4800	250	150	2702	75.5	45.0	5200	150	300	1999	80.3	45.0
Cable/Strap Locks	0	Add	9	Add	4800	250	200	2652	76.0	45.0	5200	150	350	1949	81.2	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4800	250	250	2602	76.5	45.0	5200	150	400	1899	82.0	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	300	2552	77.1	45.0	5200	150	450	1849	83.0	45.0
Wheel Well Liner - SRW only	0	Add	7	Add	4800	250	350	2502	77.7	45.0	5200	150	500	1799	83.9	45.0
Gooseneck Hitch Kit	0	Add	10	Add	4800	250	400	2452	78.3	45.0	5200	200	-50	2299	73.1	45.0
					4800	250	450	2402	78.9	45.0	5200	200	0	2249	73.7	45.0
					4800	250	500	2352	79.6	45.0	5200	200	50	2199	74.3	45.0
											5200	200	100	2149	74.9	45.0
											5200	200	-50	2299	73.1	45.0
											5200	200	0	2249	73.7	45.0
											5200	200	50	2199	74.3	45.0
											5200	200	100	2149	74.9	45.0
											5200	200	200	2049	76.2	45.0
											5200	200	250	1999	76.9	45.0
											5200	200	300	1949	77.7	45.0
											5200	200	350	1899	78.4	45.0
											5200	200	400	1849	79.3	45.0
											5200	200	450	1799	80.1	45.0
											5200	200	500	1749	81.1	45.0
											5600	250	-50	2249	95.0	45.0
											5600	250	0	2199	96.1	45.0
											5600	250	50	2149	97.0	45.0
											5600	250	100	2099	97.0	45.0
											5600	250	-50	2249	95.0	45.0
											5600	250	0	2199	96.1	45.0
											5600	250	50	2149	97.0	45.0
											5600	250	100	2099	97.0	45.0
											5600	250	200	1999	97.0	45.0
											5600	250	250	1949	97.0	45.0
											5600	250	300	1899	97.0	45.0
											5600	250	350	1849	97.0	45.0
											5600	250	400	1799	97.0	45.0
											5600	250	450	1749	97.0	45.0
											5600	250	500	1699	97.0	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 17" Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
Lariat Trim (GAS)	25	Add	17	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2489	81.0	45.0	5200	-50	-50	1846	79.2	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2439	81.0	45.0	5200	-50	0	1796	80.1	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2389	81.0	45.0	5200	-50	50	1746	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2339	81.0	45.0	5200	-50	100	1696	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	0	-50	2439	78.8	45.0	5600	0	-50	1796	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	0	2389	79.4	45.0	5600	0	0	1746	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	50	2339	80.1	45.0	5600	0	50	1696	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	100	2289	80.8	45.0	5600	0	100	1646	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	150	2239	81.0	45.0	5600	0	150	1596	81.0	45.0
Brake Controller	1	Add	0	Add	4800	0	200	2189	81.0	45.0	5600	0	200	1546	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	250	2139	81.0	45.0	5600	0	250	1496	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	300	2089	81.0	45.0	5600	0	300	1446	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	0	350	2039	81.0	45.0	5600	0	350	1396	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	0	2339	77.1	45.0	5600	50	0	1696	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	50	2289	77.7	45.0	5600	50	50	1646	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	100	2239	78.4	45.0	5600	50	100	1596	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	50	150	2189	79.1	45.0	5600	50	150	1546	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	200	2139	79.8	45.0	5600	50	200	1496	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	250	2089	80.6	45.0	5600	50	250	1446	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	300	2039	81.0	45.0	5600	50	300	1396	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	50	350	1989	81.0	45.0	5600	50	350	1346	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	0	2289	74.6	45.0	5600	100	0	1646	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	50	2239	75.2	45.0	5600	100	50	1596	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	100	2189	75.9	45.0	5600	100	100	1546	81.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4800	100	150	2139	76.5	45.0	5600	100	150	1496	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	100	200	2089	77.2	45.0	5600	100	200	1446	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	100	250	2039	77.9	45.0	5600	100	250	1396	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4800	100	300	1989	78.7	45.0	5600	100	300	1346	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	100	350	1939	79.5	45.0	5600	100	350	1296	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	150	0	2239	81.0	45.0	5600	150	0	1596	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	150	50	2189	81.0	45.0	5600	150	50	1546	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	150	100	2139	81.0	45.0	5600	150	100	1496	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	150	150	2089	81.0	45.0	5600	150	150	1446	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	150	200	2039	81.0	45.0	5600	150	200	1396	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	150	250	1989	81.0	45.0	5600	150	250	1346	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	150	300	1939	81.0	45.0	5600	150	300	1296	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	150	350	1889	81.0	45.0	5600	150	350	1246	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	200	0	2189	81.0	45.0	5600	200	0	1546	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	200	50	2139	81.0	45.0	5600	200	50	1496	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	200	100	2089	81.0	45.0	5600	200	100	1446	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	200	150	2039	81.0	45.0	5600	200	150	1396	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	200	200	1989	81.0	45.0	5600	200	200	1346	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	250	1939	81.0	45.0	5600	200	250	1296	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	300	1889	81.0	45.0	5600	200	300	1246	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	200	350	1839	81.0	45.0	5600	200	350	1196	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	250	0	2139	81.0	45.0	5600	250	0	1496	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	250	50	2089	81.0	45.0	5600	250	50	1446	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	250	100	2039	81.0	45.0	5600	250	100	1396	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	250	150	1989	81.0	45.0	5600	250	150	1346	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	250	200	1939	81.0	45.0	5600	250	200	1296	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	250	1889	81.0	45.0	5600	250	250	1246	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GA	16	Add	6	Add	5200	250	300	1839	81.0	45.0	5600	250	300	1196	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIES	1	Add	0	Add	5200	250	350	1789	81.0	45.0	5600	250	350	1146	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DI	7	Add	3	Add	5200	300	0	2089	81.0	45.0	5600	300	0	1446	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	300	50	2039	81.0	45.0	5600	300	50	1396	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	300	100	1989	81.0	45.0	5600	300	100	1346	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	300	150	1939	81.0	45.0	5600	300	150	1296	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	300	200	1889	81.0	45.0	5600	300	200	1246	81.0	45.0
Foglamps	3	Add	0	Add	5200	300	250	1839	81.0	45.0	5600	300	250	1196	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	300	1789	81.0	45.0	5600	300	300	1146	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	350	1739	81.0	45.0	5600	300	350	1096	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add												
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add												
All Weather Floor Mat	6	Add	4	Add												
Electrochromic Rear View Mirror	1	Add	0	Add												
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add												
Floor Consolette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 17" Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4800	-50	-50	2309	77.8	45.0	5600	-50	-50	1647	81.0	45.0
XLT Trim (GAS)	13	Add	9	Add	4800	-50	0	2259	78.5	45.0	5600	-50	0	1597	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	50	2209	79.2	45.0	5600	-50	50	1547	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	100	2159	79.9	45.0	5600	-50	100	1497	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2259	81.0	45.0	5600	0	-50	1597	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2209	81.0	45.0	5600	0	0	1547	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2159	81.0	45.0	5600	0	50	1497	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	2109	81.0	45.0	5600	0	100	1447	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	2059	81.0	45.0	5600	0	150	1397	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	2009	81.0	45.0	5600	0	200	1347	81.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	1959	81.0	45.0	5600	0	250	1297	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	1909	81.0	45.0	5600	0	300	1247	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	350	1859	81.0	45.0	5600	0	350	1197	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	400	1809	81.0	45.0	5600	0	400	1147	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	50	0	2159	81.0	45.0	5600	50	0	1497	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	50	2109	81.0	45.0	5600	50	50	1447	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	100	2059	81.0	45.0	5600	50	100	1397	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	150	2009	81.0	45.0	5600	50	150	1347	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	200	1959	81.0	45.0	5600	50	200	1297	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	250	1909	81.0	45.0	5600	50	250	1247	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	300	1859	81.0	45.0	5600	50	300	1197	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	350	1809	81.0	45.0	5600	50	350	1147	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	400	1759	81.0	45.0	5600	50	400	1097	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	100	0	2109	81.0	45.0	5600	100	0	1447	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	50	2059	81.0	45.0	5600	100	50	1397	81.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	100	100	2009	81.0	45.0	5600	100	100	1347	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel ST	12	Add	19	Add	5200	100	150	1959	81.0	45.0	5600	100	150	1297	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	100	200	1909	81.0	45.0	5600	100	200	1247	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Whe	-14	Minus	-8	Minus	5200	100	250	1859	81.0	45.0	5600	100	250	1197	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel S	-9	Minus	-3	Minus	5200	100	300	1809	81.0	45.0	5600	100	300	1147	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	350	1759	81.0	45.0	5600	100	350	1097	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel V	-2	Minus	4	Add	5200	100	400	1709	81.0	45.0	5600	100	400	1047	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel ST	1	Add	7	Add	5200	150	0	2059	81.0	45.0	5600	150	0	1397	81.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel	3	Add	9	Add	5200	150	50	2009	81.0	45.0	5600	150	50	1347	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	150	100	1959	81.0	45.0	5600	150	100	1297	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	150	150	1909	81.0	45.0	5600	150	150	1247	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	150	200	1859	81.0	45.0	5600	150	200	1197	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	150	250	1809	81.0	45.0	5600	150	250	1147	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	150	300	1759	81.0	45.0	5600	150	300	1097	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	150	350	1709	81.0	45.0	5600	150	350	1047	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	150	400	1659	81.0	45.0	5600	150	400	997	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	200	0	2009	81.0	45.0	5600	200	0	1347	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	200	50	1959	81.0	45.0	5600	200	50	1297	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	200	100	1909	81.0	45.0	5600	200	100	1247	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	200	150	1859	81.0	45.0	5600	200	150	1197	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	200	1809	81.0	45.0	5600	200	200	1147	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	200	250	1759	81.0	45.0	5600	200	250	1097	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	300	1709	81.0	45.0	5600	200	300	1047	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	200	350	1659	81.0	45.0	5600	200	350	997	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	400	1609	81.0	45.0	5600	200	400	947	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	250	0	1959	81.0	45.0	6000	250	0	1297	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	250	50	1909	81.0	45.0	6000	250	50	1247	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	250	100	1859	81.0	45.0	6000	250	100	1197	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	250	150	1809	81.0	45.0	6000	250	150	1147	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopin	10	Add	4	Add	5200	250	200	1759	81.0	45.0	6000	250	200	1097	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescop	16	Add	6	Add	5200	250	250	1709	81.0	45.0	6000	250	250	1047	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopin	1	Add	0	Add	5200	250	300	1659	81.0	45.0	6000	250	300	997	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescop	7	Add	3	Add	5200	250	350	1609	81.0	45.0	6000	250	350	947	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	400	1559	81.0	45.0	6000	250	400	897	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	300	0	1909	81.0	45.0	6000	300	0	1247	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	300	50	1859	81.0	45.0	6000	300	50	1197	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	300	100	1809	81.0	45.0	6000	300	100	1147	81.0	45.0
Foglamps	3	Add	0	Add	5200	300	150	1759	81.0	45.0	6000	300	150	1097	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	200	1709	81.0	45.0	6000	300	200	1047	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	250	1659	81.0	45.0	6000	300	250	997	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	300	1609	81.0	45.0	6000	300	300	947	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	350	1559	81.0	45.0	6000	300	350	897	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	400	1509	81.0	45.0	6000	300	400	847	81.0	45.0
All Weather Floor Mat	7	Add	4	Add							6000	350	0	1197	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add							6000	350	50	1147	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add							6000	350	100	1097	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus							6000	350	150	1047	81.0	45.0
Cruise Control	3	Add	1	Add							6000	350	200	997	81.0	45.0
Power Equipment Group	15	Add	6	Add							6000	350	250	947	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add							6000	350	300	897	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 s	15	Add	10	Add							6000	350	350	847	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add							6000	350	400	797	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2w	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Flat Splash Guards	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly	0	Add	142	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Rear Wheel Liners	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 17" Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2406	75.2	45.0	5600	-50	-50	1667	97.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2356	75.8	45.0	5600	-50	0	1617	97.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2306	76.4	45.0	5600	-50	50	1567	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as	3	Add	0	Add	4800	-50	100	2256	77.0	45.0	5600	-50	100	1517	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2356	97.0	45.0	5600	0	-50	1617	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXL	2	Add	11	Add	5200	0	0	2306	97.0	45.0	5600	0	0	1567	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXL	2	Add	13	Add	5200	0	50	2256	97.0	45.0	5600	0	50	1517	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE	2	Add	1	Add	5200	0	100	2206	97.0	45.0	5600	0	100	1467	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE	2	Add	1	Add	5200	0	150	2156	97.0	45.0	5600	0	150	1417	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	2106	97.0	45.0	5600	0	200	1367	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	2056	97.0	45.0	5600	0	250	1317	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	2006	97.0	45.0	5600	0	300	1267	97.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	350	1956	97.0	45.0	5600	0	350	1217	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1906	97.0	45.0	5600	0	400	1167	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	1856	97.0	45.0	5600	0	450	1117	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1806	97.0	45.0	5600	0	500	1067	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	-50	2306	97.0	45.0	5600	50	0	1517	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2256	97.0	45.0	5600	50	50	1467	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	2206	97.0	45.0	5600	50	100	1417	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	2156	97.0	45.0	5600	50	150	1367	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	2106	97.0	45.0	5600	50	200	1317	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC	34	Add	-1	Minus	5200	50	200	2056	97.0	45.0	5600	50	250	1267	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	2006	97.0	45.0	5600	50	300	1217	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC	34	Add	-1	Minus	5200	50	300	1956	97.0	45.0	5600	50	350	1167	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	350	1906	97.0	45.0	5600	50	400	1117	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17"	12	Add	19	Add	5200	50	400	1856	97.0	45.0	5600	50	450	1067	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Ste	-10	Minus	-4	Minus	5200	50	450	1806	97.0	45.0	5600	50	500	1017	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w	-14	Minus	-8	Minus	5200	50	500	1756	97.0	45.0	5600	100	0	1467	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17	-9	Minus	-3	Minus	5200	50	-50	2306	97.0	45.0	5600	100	50	1417	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel	-2	Minus	4	Add	5200	100	0	2206	95.6	45.0	5600	100	100	1367	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17"	1	Add	7	Add	5200	100	50	2156	96.7	45.0	5600	100	150	1317	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	100	100	2106	97.0	45.0	5600	100	200	1267	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	150	2056	97.0	45.0	5600	100	250	1217	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	100	200	2006	97.0	45.0	5600	100	300	1167	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17"	26	Add	39	Add	5200	100	250	1956	97.0	45.0	5600	100	350	1117	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17"	24	Add	37	Add	5200	100	300	1906	97.0	45.0	5600	100	400	1067	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	350	1856	97.0	45.0	5600	100	450	1017	97.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW	15	Add	-107	Minus	5200	100	400	1806	97.0	45.0	5600	100	500	967	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	450	1756	97.0	45.0	5600	150	0	1417	93.5	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	500	1706	97.0	45.0	5600	150	50	1367	95.1	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	-50	2206	92.0	45.0	5600	150	100	1317	96.9	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	0	2156	93.0	45.0	5600	150	150	1267	97.0	45.0
Spray-In Bedliner	1	Add	19	Add	5200	150	50	2106	94.1	45.0	5600	150	200	1217	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW o	25	Add	18	Add	5200	150	100	2056	95.2	45.0	5600	150	250	1167	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	150	150	2006	96.4	45.0	5600	150	300	1117	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW o	16	Add	15	Add	5200	150	200	1956	97.0	45.0	5600	150	350	1067	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	250	1906	97.0	45.0	5600	150	400	1017	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	300	1856	97.0	45.0	5600	150	450	967	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	350	1806	97.0	45.0	5600	150	500	917	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mir	9	Add	3	Add	5200	150	400	1756	97.0	45.0	6000	200	0	1367	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, M	10	Add	4	Add	5200	150	450	1706	97.0	45.0	6000	200	50	1317	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, P	16	Add	6	Add	5200	150	500	1656	97.0	45.0	6000	200	100	1267	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, M	1	Add	0	Add	5200	200	-50	2156	89.4	45.0	6000	200	150	1217	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, P	7	Add	3	Add	5200	200	0	2106	90.4	45.0	6000	200	200	1167	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	50	2056	91.4	45.0	6000	200	250	1117	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	100	2006	92.5	45.0	6000	200	300	1067	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC on	1	Add	2	Add	5200	200	150	1956	93.6	45.0	6000	200	350	1017	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	200	1906	94.8	45.0	6000	200	400	967	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	250	1856	96.1	45.0	6000	200	450	917	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	300	1806	97.0	45.0	6000	200	500	867	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag D	-6	Minus	0	Add	5200	200	350	1756	97.0	45.0	6000	250	0	1317	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	400	1706	97.0	45.0	6000	250	50	1267	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	450	1656	97.0	45.0	6000	250	100	1217	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	500	1606	97.0	45.0	6000	250	150	1167	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	250	-50	2106	86.6	45.0	6000	250	200	1117	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	250	0	2056	87.6	45.0	6000	250	250	1067	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	250	50	2006	88.6	45.0	6000	250	300	1017	97.0	45.0
Cruise Control	3	Add	1	Add	5200	250	100	1956	89.6	45.0	6000	250	350	967	97.0	45.0
Power Equipment Group	12	Add	3	Add	5200	250	150	1906	90.7	45.0	6000	250	400	917	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	200	1856	91.8	45.0	6000	250	450	867	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony	15	Add	10	Add	5200	250	250	1806	93.1	45.0	6000	250	500	817	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Sto	1	Add	0	Add	5200	250	300	1756	94.3	45.0	6000	300	0	1267	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	350	1706	95.7	45.0	6000	300	50	1217	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger	8	Add	4	Add	5200	250	400	1656	97.0	45.0	6000	300	100	1167	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	450	1606	97.0	45.0	6000	300	150	1117	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	500	1556	97.0	45.0	6000	300	200	1067	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	300	-50	2056	83.7	45.0	6000	300	250	1017	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	300	0	2006	84.6	45.0	6000	300	350	917	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speak	3	Add	2	Add	5200	300	50	1956	85.6	45.0	6000	300	400	867	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 sp	9	Add	6	Add	5200	300	100	1906	86.5	45.0	6000	300	450	817	97.0	45.0
Satellite Digital Broadcat	2	Add	1	Add	5200	300	150	1856	87.6	45.0	6000	300	500	767	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	300	200	1806	88.7	45.0						
SYNC Basic - Gen I	1	Add	0	Add	5200	300	250	1756	89.8	45.0						
SYNC Finder - Gen II	1	Add	0	Add	5200	300	300	1706	91.1	45.0						
FX4 Off-Road Package	2	Add	2	Add	5200	300	350	1656	92.4	45.0						
Tracking System - Crew Chief	3	Add	0	Add	5200	300	400	1606	93.8	45.0						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5200	300	450	1556	95.2	45.0						
Bed Mat	0	Add	58	Add	5200	300	500	1506	96.8	45.0						
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 17" Tires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	2196	97.0	45.0	5600	-50	-50	1455	97.0	45.0
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	2146	97.0	45.0	5600	-50	0	1405	97.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	50	2096	97.0	45.0	5600	-50	50	1355	97.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	100	2046	97.0	45.0	5600	-50	100	1305	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2146	97.0	45.0	5600	0	-50	1405	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2096	97.0	45.0	5600	0	0	1355	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2046	97.0	45.0	5600	0	50	1305	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	1996	97.0	45.0	5600	0	100	1255	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	1946	97.0	45.0	5600	0	150	1205	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	1896	97.0	45.0	5600	0	200	1155	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	1846	97.0	45.0	5600	0	250	1105	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	1796	97.0	45.0	5600	0	300	1055	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	1746	97.0	45.0	5600	0	350	1005	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	400	1696	97.0	45.0	5600	0	400	955	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	1646	97.0	45.0	5600	0	450	905	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	1596	97.0	45.0	5600	0	500	855	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	550	1546	97.0	45.0	5600	0	550	805	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	2046	97.0	45.0	6000	50	0	1305	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	1996	97.0	45.0	6000	50	50	1255	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	1946	97.0	45.0	6000	50	100	1205	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	1896	97.0	45.0	6000	50	150	1155	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	1846	97.0	45.0	6000	50	200	1105	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	1796	97.0	45.0	6000	50	250	1055	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	1746	97.0	45.0	6000	50	300	1005	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	350	1696	97.0	45.0	6000	50	350	955	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	400	1646	97.0	45.0	6000	50	400	905	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Minus	19	Add	5200	50	450	1596	97.0	45.0	6000	50	450	855	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	500	1546	97.0	45.0	6000	50	500	805	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	550	1496	97.0	45.0	6000	50	550	755	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	100	0	1996	94.1	45.0	6000	100	0	1255	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	50	1946	95.3	45.0	6000	100	50	1205	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	100	1896	96.6	45.0	6000	100	100	1155	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	150	1846	97.0	45.0	6000	100	150	1105	97.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	5200	100	200	1796	97.0	45.0	6000	100	200	1055	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	100	250	1746	97.0	45.0	6000	100	250	1005	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	300	1696	97.0	45.0	6000	100	300	955	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	100	350	1646	97.0	45.0	6000	100	350	905	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	400	1596	97.0	45.0	6000	100	400	855	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	450	1546	97.0	45.0	6000	100	450	805	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	500	1496	97.0	45.0	6000	100	500	755	97.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	550	1446	97.0	45.0	6000	100	550	705	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	0	1946	90.9	45.0	6000	150	0	1205	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	50	1896	92.0	45.0	6000	150	50	1155	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	100	1846	93.2	45.0	6000	150	100	1105	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	150	1796	94.5	45.0	6000	150	150	1055	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	150	200	1746	95.8	45.0	6000	150	200	1005	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	250	1696	97.0	45.0	6000	150	250	955	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	300	1646	97.0	45.0	6000	150	300	905	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	150	350	1596	97.0	45.0	6000	150	350	855	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	400	1546	97.0	45.0	6000	150	400	805	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	450	1496	97.0	45.0	6000	150	450	755	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	500	1446	97.0	45.0	6000	150	500	705	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	550	1396	97.0	45.0	6000	150	550	655	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	0	1896	87.5	45.0	6000	200	0	1155	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	50	1846	88.5	45.0	6000	200	50	1105	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	100	1796	89.7	45.0	6000	200	100	1055	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	150	1746	90.9	45.0	6000	200	150	1005	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL	7	Add	3	Add	5200	200	200	1696	92.1	45.0	6000	200	200	955	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	250	1646	93.5	45.0	6000	200	250	905	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	300	1596	94.9	45.0	6000	200	300	855	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	350	1546	96.4	45.0	6000	200	350	805	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	400	1496	97.0	45.0	6000	200	400	755	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	450	1446	97.0	45.0	6000	200	450	705	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	500	1396	97.0	45.0	6000	200	500	655	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	550	1346	97.0	45.0	6000	200	550	605	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5600	250	0	1846	97.0	45.0	6000	250	0	1105	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5600	250	50	1796	97.0	45.0	6000	250	50	1055	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5600	250	100	1746	97.0	45.0	6000	250	100	1005	97.0	45.0
All Weather Floor Mat	7	Add	4	Add	5600	250	150	1696	97.0	45.0	6000	250	150	955	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5600	250	200	1646	97.0	45.0	6000	250	200	905	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5600	250	250	1596	97.0	45.0	6000	250	250	855	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5600	250	300	1546	97.0	45.0	6000	250	300	805	97.0	45.0
Cruise Control	3	Add	1	Add	5600	250	350	1496	97.0	45.0	6000	250	350	755	97.0	45.0
Power Equipment Group	15	Add	6	Add	5600	250	400	1446	97.0	45.0	6000	250	400	705	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	450	1396	97.0	45.0	6000	250	450	655	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	500	1346	97.0	45.0	6000	250	500	605	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	550	1296	97.0	45.0	6000	250	550	555	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	300	0	1796	97.0	45.0	6000	300	0	1055	97.0	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add	5600	300	50	1746	97.0	45.0	6000	300	50	1005	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumb	8	Add	4	Add	5600	300	100	1696	97.0	45.0	6000	300	100	955	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	300	150	1646	97.0	45.0	6000	300	150	905	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	300	200	1596	97.0	45.0	6000	300	200	855	97.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	300	250	1546	97.0	45.0	6000	300	250	805	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	300	300	1496	97.0	45.0	6000	300	300	755	97.0	45.0
King Ranch Leather	4	Add	2	Add	5600	300	350	1446	97.0	45.0	6000	300	350	705	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	300	400	1396	97.0	45.0	6000	300	400	655	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	300	450	1346	97.0	45.0	6000	300	450	605	97.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	300	500	1296	97.0	45.0	6000	300	500	555	97.0	45.0
Satellite Digital Broadcat	2	Add	1	Add	5600	300	550	1246	97.0	45.0	6000	300	550	505	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 18" All-Season Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add	4400	-50	-50	3202	66.9	45.0	5200	-50	-50	2549	84.1	45.0
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	0	3152	67.2	45.0	5200	-50	0	2499	84.8	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	50	3102	67.5	45.0	5200	-50	50	2449	85.6	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	100	3052	67.8	45.0	5200	-50	100	2399	86.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	150	3002	68.1	45.0	5200	-50	-50	2549	84.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	200	2952	68.5	45.0	5200	-50	0	2499	84.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	250	2902	68.8	45.0	5200	-50	50	2449	85.6	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	300	2852	69.2	45.0	5200	-50	100	2399	86.3	45.0
Brake Controller	1	Add	0	Add	4400	-50	350	2802	69.6	45.0	5200	-50	200	2299	88.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	400	2752	70.0	45.0	5200	-50	250	2249	88.9	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4400	-50	450	2702	70.4	45.0	5200	-50	300	2199	89.8	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4400	-50	500	2652	70.8	45.0	5200	-50	350	2149	90.8	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	0	3102	82.9	45.0	5200	-50	400	2099	91.8	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	50	3052	83.5	45.0	5200	-50	450	2049	92.9	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	100	3002	84.1	45.0	5200	-50	500	1999	94.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	150	2952	84.7	45.0	5200	0	-50	2499	82.1	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	200	2902	85.4	45.0	5200	0	0	2449	82.8	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	0	250	2852	86.0	45.0	5200	0	50	2399	83.5	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	0	300	2802	86.7	45.0	5200	0	100	2349	84.2	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	0	350	2752	87.4	45.0	5200	0	-50	2499	82.1	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	0	400	2702	88.1	45.0	5200	0	0	2449	82.8	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	0	450	2652	88.9	45.0	5200	0	50	2399	83.5	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	0	500	2602	89.7	45.0	5200	0	100	2349	84.2	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	50	0	3052	81.3	45.0	5200	0	200	2249	85.9	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	4800	50	50	3002	81.8	45.0	5200	0	250	2199	86.7	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	4800	50	100	2952	82.4	45.0	5200	0	300	2149	87.6	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4800	50	150	2902	83.0	45.0	5200	0	350	2099	88.6	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4800	50	200	2852	83.6	45.0	5200	0	400	2049	89.6	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	250	2802	84.2	45.0	5200	0	450	1999	90.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	50	300	2752	84.9	45.0	5200	0	500	1949	91.7	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	50	350	2702	85.6	45.0	5200	50	-50	2449	80.0	45.0
Drop-In Bedliner	2	Add	42	Add	4800	50	400	2652	86.3	45.0	5200	50	0	2399	80.6	45.0
Spray-In Bedliner	1	Add	19	Add	4800	50	450	2602	87.0	45.0	5200	50	50	2349	81.3	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	50	500	2552	87.8	45.0	5200	50	100	2299	82.1	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	0	3002	79.5	45.0	5200	50	-50	2449	80.0	45.0
Static Rear Video Camera	0	Add	1	Add	4800	100	50	2952	80.1	45.0	5200	50	0	2399	80.6	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	100	2902	80.6	45.0	5200	50	50	2349	81.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	150	2852	81.2	45.0	5200	50	100	2299	82.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4800	100	200	2802	81.8	45.0	5200	50	200	2199	83.6	45.0
Sliding Rear Window	5	Add	2	Add	4800	100	250	2752	82.4	45.0	5200	50	250	2149	84.4	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	100	300	2702	83.1	45.0	5200	50	300	2099	85.3	45.0
Foglamps	3	Add	0	Add	4800	100	350	2652	83.7	45.0	5200	50	350	2049	86.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	100	400	2602	84.4	45.0	5200	50	400	1999	87.2	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	100	450	2552	85.1	45.0	5200	50	450	1949	88.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	100	500	2502	85.9	45.0	5200	50	500	1899	89.3	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	0	2952	77.8	45.0	5200	100	-50	2399	77.8	45.0
All Weather Floor Mat	4	Add	2	Add	4800	150	50	2902	78.3	45.0	5200	100	0	2349	78.4	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	100	2852	78.8	45.0	5200	100	50	2299	79.1	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	150	2802	79.4	45.0	5200	100	100	2249	79.8	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4800	150	200	2752	79.9	45.0	5200	100	-50	2399	77.8	45.0
Cruise Control	3	Add	1	Add	4800	150	250	2702	80.5	45.0	5200	100	0	2349	78.4	45.0
Power Equipment Group	12	Add	3	Add	4800	150	300	2652	81.1	45.0	5200	100	50	2299	79.1	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	150	350	2602	81.8	45.0	5200	100	100	2249	79.8	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	150	400	2552	82.4	45.0	5200	100	200	2149	81.3	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	150	450	2502	83.1	45.0	5200	100	250	2099	82.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	150	500	2452	83.9	45.0	5200	100	300	2049	82.9	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4800	200	0	2902	75.9	45.0	5200	100	350	1999	83.8	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	200	50	2852	76.4	45.0	5200	100	400	1949	84.7	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	100	2802	76.9	45.0	5200	100	450	1899	85.6	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	150	2752	77.4	45.0	5200	100	500	1849	86.7	45.0
Satellite Digital Broadcast	2	Add	1	Add	4800	200	200	2702	78.0	45.0	5200	150	-50	2349	75.5	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	250	2652	78.6	45.0	5200	150	0	2299	76.1	45.0
SYNC Basic - Gen I	1	Add	0	Add	4800	200	300	2602	79.1	45.0	5200	150	50	2249	76.7	45.0
SYNC Finder - Gen II	1	Add	0	Add	4800	200	350	2552	79.8	45.0	5200	150	100	2199	77.4	45.0
FX4 Off-Road Package	2	Add	2	Add	4800	200	400	2502	80.4	45.0	5200	150	-50	2349	75.5	45.0
Tracking System - Crew Chief	3	Add	0	Add	4800	200	450	2452	81.1	45.0	5200	150	0	2299	76.1	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	200	500	2402	81.7	45.0	5200	150	50	2249	76.7	45.0
Bed Mat	0	Add	58	Add	4800	250	0	2852	74.0	45.0	5200	150	100	2199	77.4	45.0
Cable/Strap Locks	0	Add	9	Add	4800	250	50	2802	74.5	45.0	5200	150	200	2099	78.8	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4800	250	100	2752	74.9	45.0	5200	150	250	2049	79.5	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	150	2702	75.5	45.0	5200	150	300	1999	80.3	45.0
Wheel Well Liner - SRW only	0	Add	7	Add	4800	250	200	2652	76.0	45.0	5200	150	350	1949	81.2	45.0
Gooseneck Hitch Kit	0	Add	10	Add	4800	250	250	2602	76.5	45.0	5200	150	400	1899	82.0	45.0
					4800	250	300	2552	77.1	45.0	5200	150	450	1849	83.0	45.0
					4800	250	350	2502	77.7	45.0	5200	150	500	1799	83.9	45.0
					4800	250	400	2452	78.3	45.0	5200	200	-50	2299	73.1	45.0
					4800	250	450	2402	78.9	45.0	5200	200	0	2249	73.7	45.0
					4800	250	500	2352	79.6	45.0	5200	200	50	2199	74.3	45.0
											5200	200	100	2149	74.9	45.0
											5200	200	-50	2299	73.1	45.0
											5200	200	0	2249	73.7	45.0
											5200	200	50	2199	74.3	45.0
											5200	200	100	2149	74.9	45.0
											5200	200	200	2049	76.2	45.0
											5200	200	250	1999	76.9	45.0
											5200	200	300	1949	77.7	45.0
											5200	200	350	1899	78.4	45.0
											5200	200	400	1849	79.3	45.0
											5200	200	450	1799	80.1	45.0
											5200	200	500	1749	81.1	45.0
											5600	250	-50	2249	95.0	45.0
											5600	250	0	2199	96.1	45.0
											5600	250	50	2149	97.0	45.0
											5600	250	100	2099	97.0	45.0
											5600	250	-50	2249	95.0	45.0
											5600	250	0	2199	96.1	45.0
											5600	250	50	2149	97.0	45.0
											5600	250	100	2099	97.0	45.0
											5600	250	200	1999	97.0	45.0
											5600	250	250	1949	97.0	45.0
											5600	250	300	1899	97.0	45.0
											5600	250	350	1849	97.0	45.0
											5600	250	400	1799	97.0	45.0
											5600	250	450	1749	97.0	45.0
											5600	250	500	1699	97.0	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 18" All-Season Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	2489	81.0	45.0	5200	-50	-50	1846	79.2	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2439	81.0	45.0	5200	-50	0	1796	80.1	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	2389	81.0	45.0	5200	-50	50	1746	81.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	2339	81.0	45.0	5200	-50	100	1696	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	0	-50	2439	78.8	45.0	5600	0	-50	1796	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	0	0	2389	79.4	45.0	5600	0	0	1746	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	50	2339	80.1	45.0	5600	0	50	1696	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	100	2289	80.8	45.0	5600	0	100	1646	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	150	2239	81.0	45.0	5600	0	150	1596	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	200	2189	81.0	45.0	5600	0	200	1546	81.0	45.0
Brake Controller	1	Add	0	Add	4800	0	250	2139	81.0	45.0	5600	0	250	1496	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	300	2089	81.0	45.0	5600	0	300	1446	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	350	2039	81.0	45.0	5600	0	350	1396	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	50	0	2339	77.1	45.0	5600	50	0	1696	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	50	2289	77.7	45.0	5600	50	50	1646	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	100	2239	78.4	45.0	5600	50	100	1596	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	150	2189	79.1	45.0	5600	50	150	1546	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	50	200	2139	79.8	45.0	5600	50	200	1496	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	250	2089	80.6	45.0	5600	50	250	1446	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	300	2039	81.0	45.0	5600	50	300	1396	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	350	1989	81.0	45.0	5600	50	350	1346	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	100	0	2289	74.6	45.0	5600	100	0	1646	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	50	2239	75.2	45.0	5600	100	50	1596	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	100	2189	75.9	45.0	5600	100	100	1546	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	150	2139	76.5	45.0	5600	100	150	1496	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	200	2089	77.2	45.0	5600	100	200	1446	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4800	100	250	2039	77.9	45.0	5600	100	250	1396	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	300	1989	78.7	45.0	5600	100	300	1346	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	4800	100	350	1939	79.5	45.0	5600	100	350	1296	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	150	0	2239	81.0	45.0	5600	150	0	1596	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	150	50	2189	81.0	45.0	5600	150	50	1546	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5200	150	100	2139	81.0	45.0	5600	150	100	1496	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	150	150	2089	81.0	45.0	5600	150	150	1446	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	150	200	2039	81.0	45.0	5600	150	200	1396	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	250	1989	81.0	45.0	5600	150	250	1346	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	300	1939	81.0	45.0	5600	150	300	1296	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	350	1889	81.0	45.0	5600	150	350	1246	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	200	0	2189	81.0	45.0	5600	200	0	1546	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	50	2139	81.0	45.0	5600	200	50	1496	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	100	2089	81.0	45.0	5600	200	100	1446	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	200	150	2039	81.0	45.0	5600	200	150	1396	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	200	1989	81.0	45.0	5600	200	200	1346	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	250	1939	81.0	45.0	5600	200	250	1296	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	300	1889	81.0	45.0	5600	200	300	1246	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	350	1839	81.0	45.0	5600	200	350	1196	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	250	0	2139	81.0	45.0	5600	250	0	1496	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	50	2089	81.0	45.0	5600	250	50	1446	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	100	2039	81.0	45.0	5600	250	100	1396	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	250	150	1989	81.0	45.0	5600	250	150	1346	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	250	200	1939	81.0	45.0	5600	250	200	1296	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	250	1889	81.0	45.0	5600	250	250	1246	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	300	1839	81.0	45.0	5600	250	300	1196	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	350	1789	81.0	45.0	5600	250	350	1146	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	300	0	2089	81.0	45.0	5600	300	0	1446	81.0	45.0
Foglamps	3	Add	0	Add	5200	300	50	2039	81.0	45.0	5600	300	50	1396	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	100	1989	81.0	45.0	5600	300	100	1346	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	150	1939	81.0	45.0	5600	300	150	1296	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	300	200	1889	81.0	45.0	5600	300	200	1246	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	250	1839	81.0	45.0	5600	300	250	1196	81.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	300	300	1789	81.0	45.0	5600	300	300	1146	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	350	1739	81.0	45.0	5600	300	350	1096	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add												
Floor Consolette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 18" All-Season Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	2309	77.8	45.0	5600	-50	-50	1647	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	2259	78.5	45.0	5600	-50	0	1597	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2209	79.2	45.0	5600	-50	50	1547	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2159	79.9	45.0	5600	-50	100	1497	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2259	81.0	45.0	5600	0	-50	1597	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2209	81.0	45.0	5600	0	0	1547	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2159	81.0	45.0	5600	0	50	1497	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2109	81.0	45.0	5600	0	100	1447	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2059	81.0	45.0	5600	0	150	1397	81.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	2009	81.0	45.0	5600	0	200	1347	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1959	81.0	45.0	5600	0	250	1297	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	300	1909	81.0	45.0	5600	0	300	1247	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	350	1859	81.0	45.0	5600	0	350	1197	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1809	81.0	45.0	5600	0	400	1147	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	0	2159	81.0	45.0	5600	50	0	1497	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	50	2109	81.0	45.0	5600	50	50	1447	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	100	2059	81.0	45.0	5600	50	100	1397	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	150	2009	81.0	45.0	5600	50	150	1347	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	200	1959	81.0	45.0	5600	50	200	1297	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	250	1909	81.0	45.0	5600	50	250	1247	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	300	1859	81.0	45.0	5600	50	300	1197	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	350	1809	81.0	45.0	5600	50	350	1147	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	400	1759	81.0	45.0	5600	50	400	1097	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	0	2109	81.0	45.0	5600	100	0	1447	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	50	2059	81.0	45.0	5600	100	50	1397	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	100	2009	81.0	45.0	5600	100	100	1347	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	150	1959	81.0	45.0	5600	100	150	1297	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	200	1909	81.0	45.0	5600	100	200	1247	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD	-15	Minus	-15	Minus	5200	100	250	1859	81.0	45.0	5600	100	250	1197	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	300	1809	81.0	45.0	5600	100	300	1147	81.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel ST	-10	Minus	-10	Minus	5200	100	350	1759	81.0	45.0	5600	100	350	1097	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	400	1709	81.0	45.0	5600	100	400	1047	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5200	150	0	2059	81.0	45.0	5600	150	0	1397	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	150	50	2009	81.0	45.0	5600	150	50	1347	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	150	100	1959	81.0	45.0	5600	150	100	1297	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	150	1909	81.0	45.0	5600	150	150	1247	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	200	1859	81.0	45.0	5600	150	200	1197	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	250	1809	81.0	45.0	5600	150	250	1147	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	300	1759	81.0	45.0	5600	150	300	1097	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	350	1709	81.0	45.0	5600	150	350	1047	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	400	1659	81.0	45.0	5600	150	400	997	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	0	2009	81.0	45.0	5600	200	0	1347	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	200	50	1959	81.0	45.0	5600	200	50	1297	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	100	1909	81.0	45.0	5600	200	100	1247	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	150	1859	81.0	45.0	5600	200	150	1197	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	200	1809	81.0	45.0	5600	200	200	1147	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	250	1759	81.0	45.0	5600	200	250	1097	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	300	1709	81.0	45.0	5600	200	300	1047	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	350	1659	81.0	45.0	5600	200	350	997	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	400	1609	81.0	45.0	5600	200	400	947	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	250	0	1959	81.0	45.0	6000	250	0	1297	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	250	50	1909	81.0	45.0	6000	250	50	1247	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	100	1859	81.0	45.0	6000	250	100	1197	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	150	1809	81.0	45.0	6000	250	150	1147	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	200	1759	81.0	45.0	6000	250	200	1097	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	250	1709	81.0	45.0	6000	250	250	1047	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	300	1659	81.0	45.0	6000	250	300	997	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	350	1609	81.0	45.0	6000	250	350	947	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	400	1559	81.0	45.0	6000	250	400	897	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	0	1909	81.0	45.0	6000	300	0	1247	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	50	1859	81.0	45.0	6000	300	50	1197	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	100	1809	81.0	45.0	6000	300	100	1147	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	300	150	1759	81.0	45.0	6000	300	150	1097	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	200	1709	81.0	45.0	6000	300	200	1047	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	250	1659	81.0	45.0	6000	300	250	997	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	300	300	1609	81.0	45.0	6000	300	300	947	81.0	45.0
Cruise Control	3	Add	1	Add	5200	300	350	1559	81.0	45.0	6000	300	350	897	81.0	45.0
Power Equipment Group	15	Add	6	Add	5200	300	400	1509	81.0	45.0	6000	300	400	847	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add							6000	350	0	1197	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add							6000	350	50	1147	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add							6000	350	100	1097	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus							6000	350	150	1047	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add							6000	350	200	997	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add							6000	350	250	947	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add							6000	350	300	897	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add							6000	350	350	847	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add							6000	350	400	797	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 18" All-Season Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	2406	75.2	45.0	5600	-50	-50	1667	97.0	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2356	75.8	45.0	5600	-50	0	1617	97.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	2306	76.4	45.0	5600	-50	50	1567	97.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	2256	77.0	45.0	5600	-50	100	1517	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2356	97.0	45.0	5600	0	-50	1617	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2306	97.0	45.0	5600	0	0	1567	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2256	97.0	45.0	5600	0	50	1517	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	2206	97.0	45.0	5600	0	100	1467	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	2156	97.0	45.0	5600	0	150	1417	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	2106	97.0	45.0	5600	0	200	1367	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	2056	97.0	45.0	5600	0	250	1317	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	2006	97.0	45.0	5600	0	300	1267	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	1956	97.0	45.0	5600	0	350	1217	97.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	400	1906	97.0	45.0	5600	0	400	1167	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	1856	97.0	45.0	5600	0	450	1117	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	1806	97.0	45.0	5600	0	500	1067	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	-50	2306	97.0	45.0	5600	50	0	1517	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	2256	97.0	45.0	5600	50	50	1467	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	2206	97.0	45.0	5600	50	100	1417	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	2156	97.0	45.0	5600	50	150	1367	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	2106	97.0	45.0	5600	50	200	1317	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	2056	97.0	45.0	5600	50	250	1267	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	2006	97.0	45.0	5600	50	300	1217	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	1956	97.0	45.0	5600	50	350	1167	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	350	1906	97.0	45.0	5600	50	400	1117	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	400	1856	97.0	45.0	5600	50	450	1067	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	450	1806	97.0	45.0	5600	50	500	1017	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	500	1756	97.0	45.0	5600	100	0	1467	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	-50	2306	97.0	45.0	5600	100	50	1417	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	0	2206	95.6	45.0	5600	100	100	1367	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	50	2156	96.7	45.0	5600	100	150	1317	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5200	100	100	2106	97.0	45.0	5600	100	200	1267	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	100	150	2056	97.0	45.0	5600	100	250	1217	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	100	200	2006	97.0	45.0	5600	100	300	1167	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	250	1956	97.0	45.0	5600	100	350	1117	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	300	1906	97.0	45.0	5600	100	400	1067	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	350	1856	97.0	45.0	5600	100	450	1017	97.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	100	400	1806	97.0	45.0	5600	100	500	967	97.0	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	450	1756	97.0	45.0	5600	150	0	1417	93.5	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	500	1706	97.0	45.0	5600	150	50	1367	95.1	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	150	-50	2206	92.0	45.0	5600	150	100	1317	96.9	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	0	2156	93.0	45.0	5600	150	150	1267	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	50	2106	94.1	45.0	5600	150	200	1217	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	100	2056	95.2	45.0	5600	150	250	1167	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	150	2006	96.4	45.0	5600	150	300	1117	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	200	1956	97.0	45.0	5600	150	350	1067	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	250	1906	97.0	45.0	5600	150	400	1017	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	300	1856	97.0	45.0	5600	150	450	967	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	350	1806	97.0	45.0	5600	150	500	917	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	400	1756	97.0	45.0	6000	200	0	1367	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	450	1706	97.0	45.0	6000	200	50	1317	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	500	1656	97.0	45.0	6000	200	100	1267	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	-50	2156	89.4	45.0	6000	200	150	1217	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	0	2106	90.4	45.0	6000	200	200	1167	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	50	2056	91.4	45.0	6000	200	250	1117	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	100	2006	92.5	45.0	6000	200	300	1067	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	150	1956	93.6	45.0	6000	200	350	1017	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	200	1906	94.8	45.0	6000	200	400	967	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	250	1856	96.1	45.0	6000	200	450	917	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	300	1806	97.0	45.0	6000	200	500	867	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	350	1756	97.0	45.0	6000	250	0	1317	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	400	1706	97.0	45.0	6000	250	50	1267	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	200	450	1656	97.0	45.0	6000	250	100	1217	97.0	45.0
Cruise Control	3	Add	1	Add	5200	200	500	1606	97.0	45.0	6000	250	150	1167	97.0	45.0
Power Equipment Group	12	Add	3	Add	5200	250	-50	2106	86.6	45.0	6000	250	200	1117	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	0	2056	87.6	45.0	6000	250	250	1067	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	250	50	2006	88.6	45.0	6000	250	300	1017	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	100	1956	89.6	45.0	6000	250	350	967	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	150	1906	90.7	45.0	6000	250	400	917	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lur	8	Add	4	Add	5200	250	200	1856	91.8	45.0	6000	250	450	867	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	250	1806	93.1	45.0	6000	250	500	817	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	300	1756	94.3	45.0	6000	300	0	1267	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	250	350	1706	95.7	45.0	6000	300	50	1217	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	250	400	1656	97.0	45.0	6000	300	100	1167	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	250	450	1606	97.0	45.0	6000	300	150	1117	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	250	500	1556	97.0	45.0	6000	300	200	1067	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5200	300	-50	2056	83.7	45.0	6000	300	250	1017	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	300	0	2006	84.6	45.0	6000	300	350	917	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5200	300	50	1956	85.6	45.0	6000	300	400	867	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5200	300	100	1906	86.5	45.0	6000	300	450	817	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	5200	300	150	1856	87.6	45.0	6000	300	500	767	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	5200	300	200	1806	88.7	45.0						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5200	300	250	1756	89.8	45.0						
Bed Mat	0	Add	58	Add	5200	300	300	1706	91.1	45.0						
Cable/Strap Locks	0	Add	9	Add	5200	300	350	1656	92.4	45.0						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	5200	300	400	1606	93.8	45.0						
Roll-up Tonneau Cover	5	Add	25	Add	5200	300	450	1556	95.2	45.0						
Wheel Well Liner - SRW only	0	Add	7	Add	5200	300	500	1506	96.8	45.0						
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 18" All-Season Tires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	2196	97.0	45.0	5600	-50	-50	1455	97.0	45.0
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	2146	97.0	45.0	5600	-50	0	1405	97.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	50	2096	97.0	45.0	5600	-50	50	1355	97.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	100	2046	97.0	45.0	5600	-50	100	1305	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2146	97.0	45.0	5600	0	-50	1405	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2096	97.0	45.0	5600	0	0	1355	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2046	97.0	45.0	5600	0	50	1305	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	1996	97.0	45.0	5600	0	100	1255	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	1946	97.0	45.0	5600	0	150	1205	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	1896	97.0	45.0	5600	0	200	1155	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	1846	97.0	45.0	5600	0	250	1105	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	1796	97.0	45.0	5600	0	300	1055	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	1746	97.0	45.0	5600	0	350	1005	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	400	1696	97.0	45.0	5600	0	400	955	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	1646	97.0	45.0	5600	0	450	905	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	1596	97.0	45.0	5600	0	500	855	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	550	1546	97.0	45.0	5600	0	550	805	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	2046	97.0	45.0	6000	50	0	1305	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	1996	97.0	45.0	6000	50	50	1255	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	1946	97.0	45.0	6000	50	100	1205	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	1896	97.0	45.0	6000	50	150	1155	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	1846	97.0	45.0	6000	50	200	1105	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	1796	97.0	45.0	6000	50	250	1055	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	1746	97.0	45.0	6000	50	300	1005	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	350	1696	97.0	45.0	6000	50	350	955	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	400	1646	97.0	45.0	6000	50	400	905	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	450	1596	97.0	45.0	6000	50	450	855	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	500	1546	97.0	45.0	6000	50	500	805	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	550	1496	97.0	45.0	6000	50	550	755	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD	-15	Minus	-15	Minus	5200	100	0	1996	94.1	45.0	6000	100	0	1255	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	50	1946	95.3	45.0	6000	100	50	1205	97.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel ST	-10	Minus	-10	Minus	5200	100	100	1896	96.6	45.0	6000	100	100	1155	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	150	1846	97.0	45.0	6000	100	150	1105	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5200	100	200	1796	97.0	45.0	6000	100	200	1055	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	100	250	1746	97.0	45.0	6000	100	250	1005	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	100	300	1696	97.0	45.0	6000	100	300	955	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	350	1646	97.0	45.0	6000	100	350	905	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	400	1596	97.0	45.0	6000	100	400	855	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	450	1546	97.0	45.0	6000	100	450	805	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	100	500	1496	97.0	45.0	6000	100	500	755	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	100	550	1446	97.0	45.0	6000	100	550	705	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	0	1946	90.9	45.0	6000	150	0	1205	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	50	1896	92.0	45.0	6000	150	50	1155	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	150	100	1846	93.2	45.0	6000	150	100	1105	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	150	1796	94.5	45.0	6000	150	150	1055	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	200	1746	95.8	45.0	6000	150	200	1005	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	250	1696	97.0	45.0	6000	150	250	955	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	300	1646	97.0	45.0	6000	150	300	905	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	350	1596	97.0	45.0	6000	150	350	855	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	400	1546	97.0	45.0	6000	150	400	805	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	450	1496	97.0	45.0	6000	150	450	755	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	500	1446	97.0	45.0	6000	150	500	705	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	550	1396	97.0	45.0	6000	150	550	655	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	0	1896	87.5	45.0	6000	200	0	1155	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	50	1846	88.5	45.0	6000	200	50	1105	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	100	1796	89.7	45.0	6000	200	100	1055	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	150	1746	90.9	45.0	6000	200	150	1005	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	200	1696	92.1	45.0	6000	200	200	955	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	250	1646	93.5	45.0	6000	200	250	905	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	300	1596	94.9	45.0	6000	200	300	855	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	350	1546	96.4	45.0	6000	200	350	805	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	400	1496	97.0	45.0	6000	200	400	755	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	200	450	1446	97.0	45.0	6000	200	450	705	97.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	200	500	1396	97.0	45.0	6000	200	500	655	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	550	1346	97.0	45.0	6000	200	550	605	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5600	250	0	1846	97.0	45.0	6000	250	0	1105	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5600	250	50	1796	97.0	45.0	6000	250	50	1055	97.0	45.0
Cruise Control	3	Add	1	Add	5600	250	100	1746	97.0	45.0	6000	250	100	1005	97.0	45.0
Power Equipment Group	15	Add	6	Add	5600	250	150	1696	97.0	45.0	6000	250	150	955	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	200	1646	97.0	45.0	6000	250	200	905	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	250	1596	97.0	45.0	6000	250	250	855	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	300	1546	97.0	45.0	6000	250	300	805	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	250	350	1496	97.0	45.0	6000	250	350	755	97.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5600	250	400	1446	97.0	45.0	6000	250	400	705	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5600	250	450	1396	97.0	45.0	6000	250	450	655	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	250	500	1346	97.0	45.0	6000	250	500	605	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	250	550	1296	97.0	45.0	6000	250	550	555	97.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	300	0	1796	97.0	45.0	6000	300	0	1055	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	300	50	1746	97.0	45.0	6000	300	50	1005	97.0	45.0
King Ranch Leather	4	Add	2	Add	5600	300	100	1696	97.0	45.0	6000	300	100	955	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	300	150	1646	97.0	45.0	6000	300	150	905	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	300	200	1596	97.0	45.0	6000	300	200	855	97.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	300	250	1546	97.0	45.0	6000	300	250	805	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5600	300	300	1496	97.0	45.0	6000	300	300	755	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5600	300	350	1446	97.0	45.0	6000	300	350	705	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5600	300	400	1396	97.0	45.0	6000	300	400	655	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5600	300	450	1346	97.0	45.0	6000	300	450	605	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	5600	300	500	1296	97.0	45.0	6000	300	500	555	97.0	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	5600	300	550	1246	97.0	45.0	6000	300	550	505	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 18/20" All-Terrain Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add												
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3202	66.9	45.0	5200	-50	-50	2549	84.1	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3152	67.2	45.0	5200	-50	0	2499	84.8	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3102	67.5	45.0	5200	-50	50	2449	85.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	3052	67.8	45.0	5200	-50	100	2399	86.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	-50	150	3002	68.1	45.0	5200	-50	-50	2549	84.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	-50	200	2952	68.5	45.0	5200	-50	0	2499	84.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	-50	250	2902	68.8	45.0	5200	-50	50	2449	85.6	45.0
Brake Controller	1	Add	0	Add	4400	-50	300	2852	69.2	45.0	5200	-50	100	2399	86.3	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	350	2802	69.6	45.0	5200	-50	200	2299	88.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4400	-50	400	2752	70.0	45.0	5200	-50	250	2249	88.9	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4400	-50	450	2702	70.4	45.0	5200	-50	300	2199	89.8	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	-50	500	2652	70.8	45.0	5200	-50	350	2149	90.8	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	0	3102	82.9	45.0	5200	-50	400	2099	91.8	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	50	3052	83.5	45.0	5200	-50	450	2049	92.9	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	100	3002	84.1	45.0	5200	-50	500	1999	94.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	150	2952	84.7	45.0	5200	0	-50	2499	82.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	0	200	2902	85.4	45.0	5200	0	0	2449	82.8	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	0	250	2852	86.0	45.0	5200	0	50	2399	83.5	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	0	300	2802	86.7	45.0	5200	0	100	2349	84.2	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	0	350	2752	87.4	45.0	5200	0	-50	2499	82.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	0	400	2702	88.1	45.0	5200	0	0	2449	82.8	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	0	450	2652	88.9	45.0	5200	0	50	2399	83.5	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	0	500	2602	89.7	45.0	5200	0	100	2349	84.2	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	4800	50	0	3052	81.3	45.0	5200	0	200	2249	85.9	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	4800	50	50	3002	81.8	45.0	5200	0	250	2199	86.7	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	4800	50	100	2952	82.4	45.0	5200	0	300	2149	87.6	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	150	2902	83.0	45.0	5200	0	350	2099	88.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	50	200	2852	83.6	45.0	5200	0	400	2049	89.6	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	50	250	2802	84.2	45.0	5200	0	450	1999	90.6	45.0
Drop-In Bedliner	2	Add	42	Add	4800	50	300	2752	84.9	45.0	5200	0	500	1949	91.7	45.0
Spray-In Bedliner	1	Add	19	Add	4800	50	350	2702	85.6	45.0	5200	50	-50	2449	80.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	50	400	2652	86.3	45.0	5200	50	0	2399	80.6	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	50	450	2602	87.0	45.0	5200	50	50	2349	81.3	45.0
Static Rear Video Camera	0	Add	1	Add	4800	50	500	2552	87.8	45.0	5200	50	100	2299	82.1	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	0	3002	79.5	45.0	5200	50	-50	2449	80.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	50	2952	80.1	45.0	5200	50	0	2399	80.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4800	100	100	2902	80.6	45.0	5200	50	50	2349	81.3	45.0
Sliding Rear Window	5	Add	2	Add	4800	100	150	2852	81.2	45.0	5200	50	100	2299	82.1	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	100	200	2802	81.8	45.0	5200	50	200	2199	83.6	45.0
Foglamps	3	Add	0	Add	4800	100	250	2752	82.4	45.0	5200	50	250	2149	84.4	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	100	300	2702	83.1	45.0	5200	50	300	2099	85.3	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	100	350	2652	83.7	45.0	5200	50	350	2049	86.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	100	400	2602	84.4	45.0	5200	50	400	1999	87.2	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	100	450	2552	85.1	45.0	5200	50	450	1949	88.2	45.0
All Weather Floor Mat	4	Add	2	Add	4800	100	500	2502	85.9	45.0	5200	50	500	1899	89.3	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	0	2952	77.8	45.0	5200	100	-50	2399	77.8	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	50	2902	78.3	45.0	5200	100	0	2349	78.4	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4800	150	100	2852	78.8	45.0	5200	100	50	2299	79.1	45.0
Cruise Control	3	Add	1	Add	4800	150	150	2802	79.4	45.0	5200	100	100	2249	79.8	45.0
Power Equipment Group	12	Add	3	Add	4800	150	200	2752	79.9	45.0	5200	100	-50	2399	77.8	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	150	250	2702	80.5	45.0	5200	100	0	2349	78.4	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	150	300	2652	81.1	45.0	5200	100	50	2299	79.1	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	150	350	2602	81.8	45.0	5200	100	100	2249	79.8	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	150	400	2552	82.4	45.0	5200	100	200	2149	81.3	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4800	150	450	2502	83.1	45.0	5200	100	250	2099	82.0	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	150	500	2452	83.9	45.0	5200	100	300	2049	82.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	0	2902	75.9	45.0	5200	100	350	1999	83.8	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	50	2852	76.4	45.0	5200	100	400	1949	84.7	45.0
Satellite Digital Broadcast	2	Add	1	Add	4800	200	100	2802	76.9	45.0	5200	100	450	1899	85.6	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	150	2752	77.4	45.0	5200	100	500	1849	86.7	45.0
SYNC Basic - Gen I	1	Add	0	Add	4800	200	200	2702	78.0	45.0	5200	150	-50	2349	75.5	45.0
SYNC Finder - Gen II	1	Add	0	Add	4800	200	250	2652	78.6	45.0	5200	150	0	2299	76.1	45.0
FX4 Off-Road Package	2	Add	2	Add	4800	200	300	2602	79.1	45.0	5200	150	50	2249	76.7	45.0
Tracking System - Crew Chief	3	Add	0	Add	4800	200	350	2552	79.8	45.0	5200	150	100	2199	77.4	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	200	400	2502	80.4	45.0	5200	150	-50	2349	75.5	45.0
Bed Mat	0	Add	58	Add	4800	200	450	2452	81.1	45.0	5200	150	0	2299	76.1	45.0
Cable/Strap Locks	0	Add	9	Add	4800	200	500	2402	81.7	45.0	5200	150	50	2249	76.7	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4800	250	0	2852	74.0	45.0	5200	150	100	2199	77.4	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	50	2802	74.5	45.0	5200	150	200	2099	78.8	45.0
Wheel Well Liner - SRW only	0	Add	7	Add	4800	250	100	2752	74.9	45.0	5200	150	250	2049	79.5	45.0
Gooseneck Hitch Kit	0	Add	10	Add	4800	250	150	2702	75.5	45.0	5200	150	300	1999	80.3	45.0
					4800	250	200	2652	76.0	45.0	5200	150	350	1949	81.2	45.0
					4800	250	250	2602	76.5	45.0	5200	150	400	1899	82.0	45.0
					4800	250	300	2552	77.1	45.0	5200	150	450	1849	83.0	45.0
					4800	250	350	2502	77.7	45.0	5200	150	500	1799	83.9	45.0
					4800	250	400	2452	78.3	45.0	5200	200	-50	2299	73.1	45.0
					4800	250	450	2402	78.9	45.0	5200	200	0	2249	73.7	45.0
					4800	250	500	2352	79.6	45.0	5200	200	50	2199	74.3	45.0
											5200	200	100	2149	74.9	45.0
											5200	200	-50	2299	73.1	45.0
											5200	200	0	2249	73.7	45.0
											5200	200	50	2199	74.3	45.0
											5200	200	100	2149	74.9	45.0
											5200	200	200	2049	76.2	45.0
											5200	200	250	1999	76.9	45.0
											5200	200	300	1949	77.7	45.0
											5200	200	350	1899	78.4	45.0
											5200	200	400	1849	79.3	45.0
											5200	200	450	1799	80.1	45.0
											5200	200	500	1749	81.1	45.0
											5600	250	-50	2249	95.0	45.0
											5600	250	0	2199	96.1	45.0
											5600	250	50	2149	97.0	45.0
											5600	250	100	2099	97.0	45.0
											5600	250	-50	2249	95.0	45.0
											5600	250	0	2199	96.1	45.0
											5600	250	50	2149	97.0	45.0
											5600	250	100	2099	97.0	45.0
											5600	250	200	1999	97.0	45.0
											5600	250	250	1949	97.0	45.0
											5600	250	300	1899	97.0	45.0
											5600	250	350	1849	97.0	45.0
											5600	250	400	1799	97.0	45.0
											5600	250	450	1749	97.0	45.0
											5600	250	500	1699	97.0	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 18/20" All-Terrain Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	2489	81.0	45.0	5200	-50	-50	1846	79.2	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2439	81.0	45.0	5200	-50	0	1796	80.1	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	2389	81.0	45.0	5200	-50	50	1746	81.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	2339	81.0	45.0	5200	-50	100	1696	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	0	-50	2439	78.8	45.0	5600	0	-50	1796	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	0	0	2389	79.4	45.0	5600	0	0	1746	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	50	2339	80.1	45.0	5600	0	50	1696	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	100	2289	80.8	45.0	5600	0	100	1646	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	150	2239	81.0	45.0	5600	0	150	1596	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	200	2189	81.0	45.0	5600	0	200	1546	81.0	45.0
Brake Controller	1	Add	0	Add	4800	0	250	2139	81.0	45.0	5600	0	250	1496	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	300	2089	81.0	45.0	5600	0	300	1446	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	350	2039	81.0	45.0	5600	0	350	1396	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	50	0	2339	77.1	45.0	5600	50	0	1696	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	50	2289	77.7	45.0	5600	50	50	1646	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	100	2239	78.4	45.0	5600	50	100	1596	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	150	2189	79.1	45.0	5600	50	150	1546	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	50	200	2139	79.8	45.0	5600	50	200	1496	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	250	2089	80.6	45.0	5600	50	250	1446	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	300	2039	81.0	45.0	5600	50	300	1396	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	350	1989	81.0	45.0	5600	50	350	1346	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	100	0	2289	74.6	45.0	5600	100	0	1646	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	50	2239	75.2	45.0	5600	100	50	1596	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	100	2189	75.9	45.0	5600	100	100	1546	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	150	2139	76.5	45.0	5600	100	150	1496	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	200	2089	77.2	45.0	5600	100	200	1446	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4800	100	250	2039	77.9	45.0	5600	100	250	1396	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	300	1989	78.7	45.0	5600	100	300	1346	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	4800	100	350	1939	79.5	45.0	5600	100	350	1296	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	100	350	1939	79.5	45.0	5600	100	350	1296	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	150	0	2239	81.0	45.0	5600	150	0	1596	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	150	50	2189	81.0	45.0	5600	150	50	1546	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	150	100	2139	81.0	45.0	5600	150	100	1496	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	150	2089	81.0	45.0	5600	150	150	1446	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	200	2039	81.0	45.0	5600	150	200	1396	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	250	1989	81.0	45.0	5600	150	250	1346	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	300	1939	81.0	45.0	5600	150	300	1296	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	350	1889	81.0	45.0	5600	150	350	1246	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	0	2189	81.0	45.0	5600	200	0	1546	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	200	50	2139	81.0	45.0	5600	200	50	1496	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	100	2089	81.0	45.0	5600	200	100	1446	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	150	2039	81.0	45.0	5600	200	150	1396	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	200	1989	81.0	45.0	5600	200	200	1346	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	250	1939	81.0	45.0	5600	200	250	1296	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	300	1889	81.0	45.0	5600	200	300	1246	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	350	1839	81.0	45.0	5600	200	350	1196	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	0	2139	81.0	45.0	5600	250	0	1496	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	250	50	2089	81.0	45.0	5600	250	50	1446	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	250	100	2039	81.0	45.0	5600	250	100	1396	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	150	1989	81.0	45.0	5600	250	150	1346	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	200	1939	81.0	45.0	5600	250	200	1296	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	250	1889	81.0	45.0	5600	250	250	1246	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	300	1839	81.0	45.0	5600	250	300	1196	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	350	1789	81.0	45.0	5600	250	350	1146	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	0	2089	81.0	45.0	5600	300	0	1446	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	50	2039	81.0	45.0	5600	300	50	1396	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	300	100	1989	81.0	45.0	5600	300	100	1346	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	150	1939	81.0	45.0	5600	300	150	1296	81.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	300	200	1889	81.0	45.0	5600	300	200	1246	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	250	1839	81.0	45.0	5600	300	250	1196	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	300	1789	81.0	45.0	5600	300	300	1146	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	300	350	1739	81.0	45.0	5600	300	350	1096	81.0	45.0
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 18/20" All-Terrain Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4800	-50	-50	2309	77.8	45.0	5600	-50	-50	1647	81.0	45.0
XLT Trim (GAS)	13	Add	9	Add	4800	-50	0	2259	78.5	45.0	5600	-50	0	1597	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	50	2209	79.2	45.0	5600	-50	50	1547	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	100	2159	79.9	45.0	5600	-50	100	1497	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2259	81.0	45.0	5600	0	-50	1597	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2209	81.0	45.0	5600	0	0	1547	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2159	81.0	45.0	5600	0	50	1497	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	2109	81.0	45.0	5600	0	100	1447	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	2059	81.0	45.0	5600	0	150	1397	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	2009	81.0	45.0	5600	0	200	1347	81.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	1959	81.0	45.0	5600	0	250	1297	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	1909	81.0	45.0	5600	0	300	1247	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	350	1859	81.0	45.0	5600	0	350	1197	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	400	1809	81.0	45.0	5600	0	400	1147	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	50	0	2159	81.0	45.0	5600	50	0	1497	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	50	2109	81.0	45.0	5600	50	50	1447	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	100	2059	81.0	45.0	5600	50	100	1397	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	150	2009	81.0	45.0	5600	50	150	1347	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	200	1959	81.0	45.0	5600	50	200	1297	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	250	1909	81.0	45.0	5600	50	250	1247	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	300	1859	81.0	45.0	5600	50	300	1197	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	350	1809	81.0	45.0	5600	50	350	1147	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	400	1759	81.0	45.0	5600	50	400	1097	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	100	0	2109	81.0	45.0	5600	100	0	1447	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	50	2059	81.0	45.0	5600	100	50	1397	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	100	2009	81.0	45.0	5600	100	100	1347	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	150	1959	81.0	45.0	5600	100	150	1297	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	200	1909	81.0	45.0	5600	100	200	1247	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	250	1859	81.0	45.0	5600	100	250	1197	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD	-15	Minus	-15	Minus	5200	100	300	1809	81.0	45.0	5600	100	300	1147	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	350	1759	81.0	45.0	5600	100	350	1097	81.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel ST	-10	Minus	-10	Minus	5200	100	400	1709	81.0	45.0	5600	100	400	1047	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	150	0	2059	81.0	45.0	5600	150	0	1397	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	150	50	2009	81.0	45.0	5600	150	50	1347	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	150	100	1959	81.0	45.0	5600	150	100	1297	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	150	1909	81.0	45.0	5600	150	150	1247	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	200	1859	81.0	45.0	5600	150	200	1197	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	250	1809	81.0	45.0	5600	150	250	1147	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	300	1759	81.0	45.0	5600	150	300	1097	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	350	1709	81.0	45.0	5600	150	350	1047	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	400	1659	81.0	45.0	5600	150	400	997	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	0	2009	81.0	45.0	5600	200	0	1347	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	200	50	1959	81.0	45.0	5600	200	50	1297	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	100	1909	81.0	45.0	5600	200	100	1247	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	150	1859	81.0	45.0	5600	200	150	1197	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	200	1809	81.0	45.0	5600	200	200	1147	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	250	1759	81.0	45.0	5600	200	250	1097	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	300	1709	81.0	45.0	5600	200	300	1047	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	350	1659	81.0	45.0	5600	200	350	997	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	400	1609	81.0	45.0	5600	200	400	947	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	250	0	1959	81.0	45.0	6000	250	0	1297	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	250	50	1909	81.0	45.0	6000	250	50	1247	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	100	1859	81.0	45.0	6000	250	100	1197	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	150	1809	81.0	45.0	6000	250	150	1147	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	200	1759	81.0	45.0	6000	250	200	1097	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	250	1709	81.0	45.0	6000	250	250	1047	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	300	1659	81.0	45.0	6000	250	300	997	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	350	1609	81.0	45.0	6000	250	350	947	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	400	1559	81.0	45.0	6000	250	400	897	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	0	1909	81.0	45.0	6000	300	0	1247	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	50	1859	81.0	45.0	6000	300	50	1197	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	100	1809	81.0	45.0	6000	300	100	1147	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	300	150	1759	81.0	45.0	6000	300	150	1097	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	200	1709	81.0	45.0	6000	300	200	1047	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	250	1659	81.0	45.0	6000	300	250	997	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	300	300	1609	81.0	45.0	6000	300	300	947	81.0	45.0
Cruise Control	3	Add	1	Add	5200	300	350	1559	81.0	45.0	6000	300	350	897	81.0	45.0
Power Equipment Group	15	Add	6	Add	5200	300	400	1509	81.0	45.0	6000	300	400	847	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add							6000	350	0	1197	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add							6000	350	50	1147	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add							6000	350	100	1097	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus							6000	350	150	1047	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add							6000	350	200	997	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add							6000	350	250	947	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add							6000	350	300	897	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add							6000	350	350	847	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add							6000	350	400	797	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 18/20" All-Terrain Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	2406	75.2	45.0	5600	-50	-50	1667	97.0	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2356	75.8	45.0	5600	-50	0	1617	97.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	2306	76.4	45.0	5600	-50	50	1567	97.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	2256	77.0	45.0	5600	-50	100	1517	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2356	97.0	45.0	5600	0	-50	1617	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2306	97.0	45.0	5600	0	0	1567	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2256	97.0	45.0	5600	0	50	1517	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	2206	97.0	45.0	5600	0	100	1467	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	2156	97.0	45.0	5600	0	150	1417	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	2106	97.0	45.0	5600	0	200	1367	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	2056	97.0	45.0	5600	0	250	1317	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	2006	97.0	45.0	5600	0	300	1267	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	1956	97.0	45.0	5600	0	350	1217	97.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	400	1906	97.0	45.0	5600	0	400	1167	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	1856	97.0	45.0	5600	0	450	1117	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	1806	97.0	45.0	5600	0	500	1067	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	-50	2306	97.0	45.0	5600	50	0	1517	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	2256	97.0	45.0	5600	50	50	1467	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	2206	97.0	45.0	5600	50	100	1417	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	2156	97.0	45.0	5600	50	150	1367	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	2106	97.0	45.0	5600	50	200	1317	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	2056	97.0	45.0	5600	50	250	1267	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	2006	97.0	45.0	5600	50	300	1217	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	1956	97.0	45.0	5600	50	350	1167	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	350	1906	97.0	45.0	5600	50	400	1117	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	400	1856	97.0	45.0	5600	50	450	1067	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	450	1806	97.0	45.0	5600	50	500	1017	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	500	1756	97.0	45.0	5600	100	0	1467	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	-50	2306	97.0	45.0	5600	100	50	1417	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	0	2206	95.6	45.0	5600	100	100	1367	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	100	50	2156	96.7	45.0	5600	100	150	1317	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	100	100	2106	97.0	45.0	5600	100	200	1267	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	150	2056	97.0	45.0	5600	100	250	1217	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	200	2006	97.0	45.0	5600	100	300	1167	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	250	1956	97.0	45.0	5600	100	350	1117	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	300	1906	97.0	45.0	5600	100	400	1067	97.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	100	350	1856	97.0	45.0	5600	100	450	1017	97.0	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	400	1806	97.0	45.0	5600	100	500	967	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	450	1756	97.0	45.0	5600	150	0	1417	93.5	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	100	500	1706	97.0	45.0	5600	150	50	1367	95.1	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	-50	2206	92.0	45.0	5600	150	100	1317	96.9	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	0	2156	93.0	45.0	5600	150	150	1267	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	50	2106	94.1	45.0	5600	150	200	1217	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	100	2056	95.2	45.0	5600	150	250	1167	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	150	2006	96.4	45.0	5600	150	300	1117	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	200	1956	97.0	45.0	5600	150	350	1067	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	250	1906	97.0	45.0	5600	150	400	1017	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	300	1856	97.0	45.0	5600	150	450	967	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	350	1806	97.0	45.0	5600	150	500	917	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	400	1756	97.0	45.0	6000	200	0	1367	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	450	1706	97.0	45.0	6000	200	50	1317	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	500	1656	97.0	45.0	6000	200	100	1267	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	-50	2156	89.4	45.0	6000	200	150	1217	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	0	2106	90.4	45.0	6000	200	200	1167	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	50	2056	91.4	45.0	6000	200	250	1117	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	100	2006	92.5	45.0	6000	200	300	1067	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	150	1956	93.6	45.0	6000	200	350	1017	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	200	1906	94.8	45.0	6000	200	400	967	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	250	1856	96.1	45.0	6000	200	450	917	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	300	1806	97.0	45.0	6000	200	500	867	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	350	1756	97.0	45.0	6000	250	0	1317	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	200	400	1706	97.0	45.0	6000	250	50	1267	97.0	45.0
Cruise Control	3	Add	1	Add	5200	200	450	1656	97.0	45.0	6000	250	100	1217	97.0	45.0
Power Equipment Group	12	Add	3	Add	5200	200	500	1606	97.0	45.0	6000	250	150	1167	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	-50	2106	86.6	45.0	6000	250	200	1117	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	250	0	2056	87.6	45.0	6000	250	250	1067	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	50	2006	88.6	45.0	6000	250	300	1017	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	100	1956	89.6	45.0	6000	250	350	967	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5200	250	150	1906	90.7	45.0	6000	250	400	917	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	200	1856	91.8	45.0	6000	250	450	867	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	250	1806	93.1	45.0	6000	250	500	817	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	250	300	1756	94.3	45.0	6000	300	0	1267	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	250	350	1706	95.7	45.0	6000	300	50	1217	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	250	400	1656	97.0	45.0	6000	300	100	1167	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	250	450	1606	97.0	45.0	6000	300	150	1117	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5200	250	500	1556	97.0	45.0	6000	300	200	1067	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	300	-50	2056	83.7	45.0	6000	300	250	1017	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5200	300	0	2006	84.6	45.0	6000	300	350	917	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5200	300	50	1956	85.6	45.0	6000	300	400	867	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	5200	300	100	1906	86.5	45.0	6000	300	450	817	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	5200	300	150	1856	87.6	45.0	6000	300	500	767	97.0	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5200	300	200	1806	88.7	45.0						
Bed Mat	0	Add	58	Add	5200	300	250	1756	89.8	45.0						
Cable/Strap Locks	0	Add	9	Add	5200	300	300	1706	91.1	45.0						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	5200	300	350	1656	92.4	45.0						
Roll-up Tonneau Cover	5	Add	25	Add	5200	300	400	1606	93.8	45.0						
Wheel Well Liner - SRW only	0	Add	7	Add	5200	300	450	1556	95.2	45.0						
Gooseneck Hitch Kit	0	Add	10	Add	5200	300	500	1506	96.8	45.0						
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (10,000 GVWR / 18/20" All-TerrainTires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10000 lb (4535 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	2196	97.0	45.0	5600	-50	-50	1455	97.0	45.0
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	2146	97.0	45.0	5600	-50	0	1405	97.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	50	2096	97.0	45.0	5600	-50	50	1355	97.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	100	2046	97.0	45.0	5600	-50	100	1305	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2146	97.0	45.0	5600	0	-50	1405	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2096	97.0	45.0	5600	0	0	1355	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2046	97.0	45.0	5600	0	50	1305	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	1996	97.0	45.0	5600	0	100	1255	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	1946	97.0	45.0	5600	0	150	1205	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	1896	97.0	45.0	5600	0	200	1155	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	1846	97.0	45.0	5600	0	250	1105	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	1796	97.0	45.0	5600	0	300	1055	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	1746	97.0	45.0	5600	0	350	1005	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	400	1696	97.0	45.0	5600	0	400	955	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	1646	97.0	45.0	5600	0	450	905	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	1596	97.0	45.0	5600	0	500	855	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	550	1546	97.0	45.0	5600	0	550	805	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	2046	97.0	45.0	6000	50	0	1305	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	1996	97.0	45.0	6000	50	50	1255	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	1946	97.0	45.0	6000	50	100	1205	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	1896	97.0	45.0	6000	50	150	1155	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	1846	97.0	45.0	6000	50	200	1105	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	1796	97.0	45.0	6000	50	250	1055	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	1746	97.0	45.0	6000	50	300	1005	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	350	1696	97.0	45.0	6000	50	350	955	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	400	1646	97.0	45.0	6000	50	400	905	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	450	1596	97.0	45.0	6000	50	450	855	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	500	1546	97.0	45.0	6000	50	500	805	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	550	1496	97.0	45.0	6000	50	550	755	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD	-15	Minus	-15	Minus	5200	100	0	1996	94.1	45.0	6000	100	0	1255	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	50	1946	95.3	45.0	6000	100	50	1205	97.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel ST	-10	Minus	-10	Minus	5200	100	100	1896	96.6	45.0	6000	100	100	1155	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	100	150	1846	97.0	45.0	6000	100	150	1105	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	100	200	1796	97.0	45.0	6000	100	200	1055	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	250	1746	97.0	45.0	6000	100	250	1005	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	300	1696	97.0	45.0	6000	100	300	955	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	350	1646	97.0	45.0	6000	100	350	905	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	400	1596	97.0	45.0	6000	100	400	855	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	100	450	1546	97.0	45.0	6000	100	450	805	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	100	500	1496	97.0	45.0	6000	100	500	755	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	550	1446	97.0	45.0	6000	100	550	705	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	0	1946	90.9	45.0	6000	150	0	1205	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	150	50	1896	92.0	45.0	6000	150	50	1155	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	100	1846	93.2	45.0	6000	150	100	1105	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	150	1796	94.5	45.0	6000	150	150	1055	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	200	1746	95.8	45.0	6000	150	200	1005	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	250	1696	97.0	45.0	6000	150	250	955	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	300	1646	97.0	45.0	6000	150	300	905	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	350	1596	97.0	45.0	6000	150	350	855	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	400	1546	97.0	45.0	6000	150	400	805	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	450	1496	97.0	45.0	6000	150	450	755	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	500	1446	97.0	45.0	6000	150	500	705	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	550	1396	97.0	45.0	6000	150	550	655	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	0	1896	87.5	45.0	6000	200	0	1155	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	50	1846	88.5	45.0	6000	200	50	1105	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	100	1796	89.7	45.0	6000	200	100	1055	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	150	1746	90.9	45.0	6000	200	150	1005	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	200	1696	92.1	45.0	6000	200	200	955	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	250	1646	93.5	45.0	6000	200	250	905	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	300	1596	94.9	45.0	6000	200	300	855	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	350	1546	96.4	45.0	6000	200	350	805	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	200	400	1496	97.0	45.0	6000	200	400	755	97.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	200	450	1446	97.0	45.0	6000	200	450	705	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	500	1396	97.0	45.0	6000	200	500	655	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	550	1346	97.0	45.0	6000	200	550	605	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5600	250	0	1846	97.0	45.0	6000	250	0	1105	97.0	45.0
Cruise Control	3	Add	1	Add	5600	250	50	1796	97.0	45.0	6000	250	50	1055	97.0	45.0
Power Equipment Group	15	Add	6	Add	5600	250	100	1746	97.0	45.0	6000	250	100	1005	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	150	1696	97.0	45.0	6000	250	150	955	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	200	1646	97.0	45.0	6000	250	200	905	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	250	1596	97.0	45.0	6000	250	250	855	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	250	300	1546	97.0	45.0	6000	250	300	805	97.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5600	250	350	1496	97.0	45.0	6000	250	350	755	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5600	250	400	1446	97.0	45.0	6000	250	400	705	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	250	450	1396	97.0	45.0	6000	250	450	655	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	250	500	1346	97.0	45.0	6000	250	500	605	97.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	250	550	1296	97.0	45.0	6000	250	550	555	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	300	0	1796	97.0	45.0	6000	300	0	1055	97.0	45.0
King Ranch Leather	4	Add	2	Add	5600	300	50	1746	97.0	45.0	6000	300	50	1005	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	300	100	1696	97.0	45.0	6000	300	100	955	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	300	150	1646	97.0	45.0	6000	300	150	905	97.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	300	200	1596	97.0	45.0	6000	300	200	855	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5600	300	250	1546	97.0	45.0	6000	300	250	805	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5600	300	300	1496	97.0	45.0	6000	300	300	755	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5600	300	350	1446	97.0	45.0	6000	300	350	705	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5600	300	400	1396	97.0	45.0	6000	300	400	655	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	5600	300	450	1346	97.0	45.0	6000	300	450	605	97.0	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	5600	300	500	1296	97.0	45.0	6000	300	500	555	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	5600	300	550	1246	97.0	45.0	6000	300	550	505	97.0	45.0
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (9,900 GVWR - 17" Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add	4100	-50	-50	3515	67.8	48.8	4550	-50	-50	2869	66.0	45.0
XLT Trim (DIESEL)	14	Add	9	Add	4100	-50	0	3465	68.0	48.8	4550	-50	0	2819	66.3	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4100	-50	50	3415	68.3	48.8	4550	-50	50	2769	66.6	45.0
Immersion Heater - Engine	1	Add	0	Add	4100	-50	100	3365	68.6	48.8	4550	-50	100	2719	67.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4100	0	-50	3465	66.1	46.8	4550	0	-50	2819	63.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4100	0	0	3415	66.3	46.8	4550	0	0	2769	64.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4100	0	50	3365	66.6	46.8	4550	0	50	2719	64.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4100	0	100	3315	66.9	46.7	4550	0	100	2669	64.8	45.0
Brake Controller	1	Add	0	Add	4100	0	150	3265	67.2	46.7	4550	0	150	2619	65.1	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4250	50	0	3365	70.7	45.0	4550	50	0	2719	62.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4250	50	50	3315	71.0	45.0	4550	50	50	2669	62.2	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4250	50	100	3265	71.4	45.0	4550	50	100	2619	62.5	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4250	50	150	3215	71.8	45.0	4550	50	150	2569	62.8	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4250	50	200	3165	72.1	45.0	4550	50	200	2519	63.1	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4250	50	250	3115	72.5	45.0	4550	50	250	2469	63.4	45.0
5th Wheel Hitch	0	Add	96	Add	4250	50	300	3065	72.9	45.0	4550	50	300	2419	63.7	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4250	50	350	3015	73.3	45.0	4550	50	350	2369	64.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4250	50	400	2965	73.8	45.0	4550	50	400	2319	64.4	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4250	50	450	2915	74.2	45.0	4550	50	450	2269	64.8	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4250	100	0	3315	69.0	45.0	4550	100	0	2669	59.7	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4250	100	50	3265	69.3	45.0	4550	100	50	2619	59.9	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4250	100	100	3215	69.6	45.0	4550	100	100	2569	60.1	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4250	100	150	3165	70.0	45.0	4550	100	150	2519	60.4	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4250	100	200	3115	70.3	45.0	4550	100	200	2469	60.6	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4250	100	250	3065	70.7	45.0	4550	100	250	2419	60.9	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4250	100	300	3015	71.1	45.0	4550	100	300	2369	61.1	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4250	100	350	2965	71.5	45.0	4550	100	350	2319	61.4	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4250	100	400	2915	71.9	45.0	4550	100	400	2269	61.7	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4250	100	450	2865	72.3	45.0	4550	100	450	2219	62.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4250	150	0	3265	67.2	45.0	4550	150	0	2619	57.3	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4250	150	50	3215	67.5	45.0	4550	150	50	2569	57.4	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4250	150	100	3165	67.8	45.0	4550	150	100	2519	57.6	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4250	150	150	3115	68.1	45.0	4550	150	150	2469	57.8	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4250	150	200	3065	68.4	45.0	4550	150	200	2419	58.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4250	150	250	3015	68.8	45.0	4550	150	250	2369	58.3	45.0
Drop-In Bedliner	2	Add	42	Add	4250	150	300	2965	69.1	45.0	4550	150	300	2319	58.5	45.0
Spray-In Bedliner	1	Add	19	Add	4250	150	350	2915	69.5	45.0	4550	150	350	2269	58.7	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4250	150	400	2865	69.9	45.0	4550	150	400	2219	59.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4250	150	450	2815	70.3	45.0	4550	150	450	2169	59.2	45.0
Static Rear Video Camera	0	Add	1	Add	4400	200	0	3215	71.8	45.0	4700	200	0	2569	62.8	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4400	200	50	3165	72.1	45.0	4700	200	50	2519	63.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4400	200	100	3115	72.5	45.0	4700	200	100	2469	63.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4400	200	150	3065	72.9	45.0	4700	200	150	2419	63.7	45.0
Sliding Rear Window	5	Add	2	Add	4400	200	200	3015	73.3	45.0	4700	200	200	2369	64.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4400	200	250	2965	73.8	45.0	4700	200	250	2319	64.4	45.0
Foglamps	3	Add	0	Add	4400	200	300	2915	74.2	45.0	4700	200	300	2269	64.8	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4400	200	350	2865	74.7	45.0	4700	200	350	2219	65.1	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4400	200	400	2815	75.1	45.0	4700	200	400	2169	65.5	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4400	200	450	2765	75.6	45.0	4700	200	450	2119	66.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4400	250	0	3165	70.0	45.0	4700	250	0	2519	60.4	45.0
All Weather Floor Mat	4	Add	2	Add	4400	250	50	3115	70.3	45.0	4700	250	50	2469	60.6	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4400	250	100	3065	70.7	45.0	4700	250	100	2419	60.9	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4400	250	150	3015	71.1	45.0	4700	250	150	2369	61.1	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4400	250	200	2965	71.5	45.0	4700	250	200	2319	61.4	45.0
Cruise Control	3	Add	1	Add	4400	250	250	2915	71.9	45.0	4700	250	250	2269	61.7	45.0
Power Equipment Group	12	Add	3	Add	4400	250	300	2865	72.3	45.0	4700	250	300	2219	62.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4400	250	350	2815	72.7	45.0	4700	250	350	2169	62.4	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4400	250	400	2765	73.2	45.0	4700	250	400	2119	62.7	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4400	250	450	2715	73.6	45.0	4700	250	450	2069	63.1	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lun	8	Add	4	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (9,900 GVWR - 17" Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4250	-50	-50	2777	66.4	45.0	4850	-50	-50	2102	72.4	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4250	-50	0	2727	66.8	45.0	4850	-50	0	2052	73.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4250	-50	50	2677	67.1	45.0	4850	-50	50	2002	73.6	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4250	-50	100	2627	67.5	45.0	4850	-50	100	1952	74.3	45.0
Immersion Heater - Engine	1	Add	0	Add	4250	0	-50	2727	64.2	45.0	4850	0	-50	2052	69.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4250	0	0	2677	64.5	45.0	4850	0	0	2002	70.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4250	0	50	2627	64.8	45.0	4850	0	50	1952	70.7	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4250	0	100	2577	65.1	45.0	4850	0	100	1902	71.3	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4250	0	150	2527	65.5	45.0	4850	0	150	1852	71.9	45.0
Brake Controller	1	Add	0	Add	4400	50	0	2627	70.2	45.0	5000	50	0	1952	77.9	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	50	50	2577	70.6	45.0	5000	50	50	1902	78.7	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4400	50	100	2527	71.1	45.0	5000	50	100	1852	79.6	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4400	50	150	2477	71.5	45.0	5000	50	150	1802	80.4	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	50	200	2427	72.0	45.0	5000	50	200	1752	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	50	250	2377	72.5	45.0	5000	50	250	1702	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4400	50	300	2327	73.1	45.0	5000	50	300	1652	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4400	50	350	2277	73.6	45.0	5000	50	350	1602	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	50	400	2227	74.2	45.0	5000	50	400	1552	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	50	450	2177	74.8	45.0	5000	50	450	1502	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	100	0	2577	67.9	45.0	5000	100	0	1902	75.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	100	50	2527	68.3	45.0	5000	100	50	1852	75.7	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	100	100	2477	68.7	45.0	5000	100	100	1802	76.5	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4400	100	150	2427	69.1	45.0	5000	100	150	1752	77.3	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4400	100	200	2377	69.6	45.0	5000	100	200	1702	78.2	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4400	100	250	2327	70.0	45.0	5000	100	250	1652	79.1	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4400	100	300	2277	70.5	45.0	5000	100	300	1602	80.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4400	100	350	2227	71.0	45.0	5000	100	350	1552	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4400	100	400	2177	71.5	45.0	5000	100	400	1502	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	100	450	2127	72.1	45.0	5000	100	450	1452	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4400	150	0	2527	65.5	45.0	5000	150	0	1852	71.9	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4400	150	50	2477	65.8	45.0	5000	150	50	1802	72.6	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4400	150	100	2427	66.2	45.0	5000	150	100	1752	73.3	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4400	150	150	2377	66.6	45.0	5000	150	150	1702	74.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4400	150	200	2327	67.0	45.0	5000	150	200	1652	74.8	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4400	150	250	2277	67.4	45.0	5000	150	250	1602	75.7	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4400	150	300	2227	67.8	45.0	5000	150	300	1552	76.5	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4400	150	350	2177	68.3	45.0	5000	150	350	1502	77.5	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4400	150	400	2127	68.8	45.0	5000	150	400	1452	78.5	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4400	150	450	2077	69.3	45.0	5000	150	450	1402	79.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	200	0	2477	71.5	45.0	5250	200	0	1802	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	200	50	2427	72.0	45.0	5250	200	50	1752	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	4550	200	100	2377	72.5	45.0	5250	200	100	1702	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	4550	200	150	2327	73.1	45.0	5250	200	150	1652	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	200	200	2277	73.6	45.0	5250	200	200	1602	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	200	250	2227	74.2	45.0	5250	200	250	1552	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	200	300	2177	74.8	45.0	5250	200	300	1502	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	200	350	2127	75.4	45.0	5250	200	350	1452	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	200	400	2077	76.1	45.0	5250	200	400	1402	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	200	450	2027	76.8	45.0	5250	200	450	1352	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	250	0	2427	69.1	45.0	5250	250	0	1752	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS	10	Add	4	Add	4550	250	50	2377	69.6	45.0	5250	250	50	1702	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GA	16	Add	6	Add	4550	250	100	2327	70.0	45.0	5250	250	100	1652	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIES	1	Add	0	Add	4550	250	150	2277	70.5	45.0	5250	250	150	1602	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DI	7	Add	3	Add	4550	250	200	2227	71.0	45.0	5250	250	200	1552	81.0	45.0
Sliding Rear Window	5	Add	2	Add	4550	250	250	2177	71.5	45.0	5250	250	250	1502	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	250	300	2127	72.1	45.0	5250	250	300	1452	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	250	350	2077	72.7	45.0	5250	250	350	1402	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	250	400	2027	73.3	45.0	5250	250	400	1352	81.0	45.0
Foglamps	3	Add	0	Add	4550	250	450	1977	73.9	45.0	5250	250	450	1302	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add												
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add												
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add												
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add												
All Weather Floor Mat	6	Add	4	Add												
Electrochromic Rear View Mirror	1	Add	0	Add												
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add												
Floor Consolette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (9,900 GVWR - 17" Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4400	-50	-50	2594	71.2	45.0	5000	-50	-50	1932	79.9	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	0	2544	71.7	45.0	5000	-50	0	1882	80.7	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	50	2494	72.1	45.0	5000	-50	50	1832	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	100	2444	72.6	45.0	5000	-50	100	1782	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	0	-50	2544	68.6	45.0	5000	0	-50	1882	76.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	0	2494	69.0	45.0	5000	0	0	1832	77.4	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	50	2444	69.4	45.0	5000	0	50	1782	78.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	100	2394	69.9	45.0	5000	0	100	1732	79.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	150	2344	70.4	45.0	5000	0	150	1682	80.0	45.0
Brake Controller	1	Add	0	Add	4400	0	200	2294	70.8	45.0	5000	0	200	1632	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	250	2244	71.4	45.0	5000	0	250	1582	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	300	2194	71.9	45.0	5000	0	300	1532	81.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	350	2144	72.4	45.0	5000	0	350	1482	81.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	400	2094	73.0	45.0	5000	0	400	1432	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	450	2044	73.6	45.0	5000	0	450	1382	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	0	500	1994	74.3	45.0	5000	0	500	1332	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	0	2444	75.8	45.0	5000	50	0	1782	73.8	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	50	2394	76.4	45.0	5000	50	50	1732	74.5	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	100	2344	77.0	45.0	5000	50	100	1682	75.3	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	150	2294	77.7	45.0	5000	50	150	1632	76.2	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	200	2244	78.3	45.0	5000	50	200	1582	77.1	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	250	2194	79.0	45.0	5000	50	250	1532	78.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	300	2144	79.7	45.0	5000	50	300	1482	79.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel ST	12	Add	19	Add	4550	50	350	2094	80.5	45.0	5000	50	350	1432	80.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	400	2044	81.0	45.0	5000	50	400	1382	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Whe	-14	Minus	-8	Minus	4550	50	450	1994	81.0	45.0	5000	50	450	1332	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel S	-9	Minus	-3	Minus	4550	50	500	1944	81.0	45.0	5000	50	500	1282	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	0	2394	73.1	45.0	5250	100	0	1732	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	50	2344	73.7	45.0	5250	100	50	1682	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	100	2294	74.2	45.0	5250	100	100	1632	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	150	2244	74.8	45.0	5250	100	150	1582	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	200	2194	75.4	45.0	5250	100	200	1532	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	250	2144	76.1	45.0	5250	100	250	1482	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	300	2094	76.8	45.0	5250	100	300	1432	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	350	2044	77.5	45.0	5250	100	350	1382	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	4550	100	400	1994	78.2	45.0	5250	100	400	1332	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	4550	100	450	1944	79.0	45.0	5250	100	450	1282	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	100	500	1894	79.8	45.0	5250	100	500	1232	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	150	0	2344	70.4	45.0	5250	150	0	1682	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4550	150	50	2294	70.8	45.0	5250	150	50	1632	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	150	100	2244	71.4	45.0	5250	150	100	1582	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	150	2194	71.9	45.0	5250	150	150	1532	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	200	2144	72.4	45.0	5250	150	200	1482	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	250	2094	73.0	45.0	5250	150	250	1432	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	300	2044	73.6	45.0	5250	150	300	1382	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopin	10	Add	4	Add	4550	150	350	1994	74.3	45.0	5250	150	350	1332	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescop	16	Add	6	Add	4550	150	400	1944	75.0	45.0	5250	150	400	1282	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopin	1	Add	0	Add	4550	150	450	1894	75.7	45.0	5250	150	450	1232	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescop	7	Add	3	Add	4550	150	500	1844	76.4	45.0	5250	150	500	1182	81.0	45.0
Sliding Rear Window	5	Add	2	Add	4700	200	50	2244	78.3	45.0	5250	200	50	1582	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	200	100	2194	79.0	45.0	5250	200	100	1532	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	200	150	2144	79.7	45.0	5250	200	150	1482	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	200	2094	80.5	45.0	5250	200	200	1432	81.0	45.0
Foglamps	3	Add	0	Add	4700	200	250	2044	81.0	45.0	5250	200	250	1382	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	300	1994	81.0	45.0	5250	200	300	1332	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	350	1944	81.0	45.0	5250	200	350	1282	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	200	400	1894	81.0	45.0	5250	200	400	1232	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	450	1844	81.0	45.0	5250	200	450	1182	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	200	500	1794	81.0	45.0	5250	200	500	1132	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	4700	250	50	2194	75.4	45.0	5250	250	50	1532	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	250	100	2144	76.1	45.0	5250	250	100	1482	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	250	150	2094	76.8	45.0	5250	250	150	1432	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	250	200	2044	77.5	45.0	5250	250	200	1382	81.0	45.0
Cruise Control	3	Add	1	Add	4700	250	250	1994	78.2	45.0	5250	250	250	1332	81.0	45.0
Power Equipment Group	15	Add	6	Add	4700	250	300	1944	79.0	45.0	5250	250	300	1282	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	350	1894	79.8	45.0	5250	250	350	1232	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 s	15	Add	10	Add	4700	250	400	1844	80.7	45.0	5250	250	400	1182	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	450	1794	81.0	45.0	5250	250	450	1132	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	500	1744	81.0	45.0	5250	250	500	1082	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4700	300	0	2194	71.9	45.0	5250	300	0	1532	78.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2w	8	Add	4	Add	4700	300	50	2144	72.4	45.0	5250	300	50	1482	79.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	300	100	2094	73.0	45.0	5250	300	100	1432	80.1	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	300	150	2044	73.6	45.0	5250	300	150	1382	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4700	300	200	1994	74.3	45.0	5250	300	200	1332	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	300	250	1944	75.0	45.0	5250	300	250	1282	81.0	45.0
King Ranch Leather	4	Add	2	Add	4700	300	300	1894	75.7	45.0	5250	300	300	1232	81.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	300	350	1844	76.4	45.0	5250	300	350	1182	81.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	300	400	1794	77.2	45.0	5250	300	400	1132	81.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4700	300	450	1744	78.1	45.0	5250	300	450	1082	81.0	45.0
Satellite Digital Broadcat	2	Add	1	Add	4700	300	500	1694	79.0	45.0	5250	300	500	1032	81.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (9,900 GVWR - 17" Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4400	-50	-50	2708	69.6	45.0	5000	-50	-50	1969	75.8	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	0	2658	70.0	45.0	5000	-50	0	1919	76.5	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	50	2608	70.4	45.0	5000	-50	50	1869	77.3	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as	3	Add	0	Add	4400	-50	100	2558	70.8	45.0	5000	-50	100	1819	78.1	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	0	-50	2658	67.0	45.0	5250	0	-50	1919	93.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXI	2	Add	11	Add	4400	0	0	2608	67.4	45.0	5250	0	0	1869	94.2	45.0
Electronic Locking Differential (Gasoline) SRW only. AXI	2	Add	13	Add	4400	0	50	2558	67.8	45.0	5250	0	50	1819	95.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE I	2	Add	1	Add	4400	0	100	2508	68.2	45.0	5250	0	100	1769	96.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE I	2	Add	1	Add	4400	0	150	2458	68.6	45.0	5250	0	150	1719	97.0	45.0
Brake Controller	1	Add	0	Add	4400	0	200	2408	69.0	45.0	5250	0	200	1669	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	0	250	2358	69.4	45.0	5250	0	250	1619	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	300	2308	69.9	45.0	5250	0	300	1569	97.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	350	2258	70.4	45.0	5250	0	350	1519	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	400	2208	70.9	45.0	5250	0	400	1469	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	450	2158	71.4	45.0	5250	0	450	1419	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4400	0	500	2108	72.0	45.0	5250	0	500	1369	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	4550	50	0	2558	73.9	45.0	5250	50	0	1819	91.1	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	50	50	2508	74.5	45.0	5250	50	50	1769	92.3	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	100	2458	75.0	45.0	5250	50	100	1719	93.6	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	150	2408	75.6	45.0	5250	50	150	1669	95.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	200	2358	76.1	45.0	5250	50	200	1619	96.4	45.0
Dual Zone Electronic Automatic Temperature Control AC	34	Add	-1	Minus	4550	50	250	2308	76.8	45.0	5250	50	250	1569	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	300	2258	77.4	45.0	5250	50	300	1519	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC	34	Add	-1	Minus	4550	50	350	2208	78.1	45.0	5250	50	350	1469	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	400	2158	78.8	45.0	5250	50	400	1419	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17"	12	Add	19	Add	4550	50	450	2108	79.5	45.0	5250	50	450	1369	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Ste	-10	Minus	-4	Minus	4550	50	500	2058	80.3	45.0	5250	50	500	1319	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w	-14	Minus	-8	Minus	4550	100	0	2508	71.3	45.0	5250	100	0	1769	87.9	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17	-9	Minus	-3	Minus	4550	100	50	2458	71.8	45.0	5250	100	50	1719	89.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel	-2	Minus	4	Add	4550	100	100	2408	72.3	45.0	5250	100	100	1669	90.3	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17"	1	Add	7	Add	4550	100	150	2358	72.8	45.0	5250	100	150	1619	91.6	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	200	2308	73.3	45.0	5250	100	200	1569	93.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	250	2258	73.9	45.0	5250	100	250	1519	94.4	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	300	2208	74.5	45.0	5250	100	300	1469	96.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17"	26	Add	39	Add	4550	100	350	2158	75.1	45.0	5250	100	350	1419	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17"	24	Add	37	Add	4550	100	400	2108	75.8	45.0	5250	100	400	1369	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	450	2058	76.4	45.0	5250	100	450	1319	97.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW	15	Add	-107	Minus	4550	100	500	2008	77.1	45.0	5250	100	500	1269	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	150	0	2458	68.6	45.0	5250	150	0	1719	84.4	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	150	50	2408	69.0	45.0	5250	150	50	1669	85.5	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	150	100	2358	69.4	45.0	5250	150	100	1619	86.7	45.0
Drop-In Bedliner	2	Add	35	Add	4550	150	150	2308	69.9	45.0	5250	150	150	1569	87.9	45.0
Spray-In Bedliner	1	Add	19	Add	4550	150	200	2258	70.4	45.0	5250	150	200	1519	89.2	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW c	25	Add	18	Add	4550	150	250	2208	70.9	45.0	5250	150	250	1469	90.7	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	150	300	2158	71.4	45.0	5250	150	300	1419	92.2	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW o	16	Add	15	Add	4550	150	350	2108	72.0	45.0	5250	150	350	1369	93.8	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	400	2058	72.6	45.0	5250	150	400	1319	95.5	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	450	2008	73.2	45.0	5250	150	450	1269	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	500	1958	73.9	45.0	5250	150	500	1219	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mir	9	Add	3	Add	4700	200	0	2408	75.6	45.0	5250	200	0	1669	80.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, M	10	Add	4	Add	4700	200	50	2358	76.1	45.0	5250	200	50	1619	81.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, P	16	Add	6	Add	4700	200	100	2308	76.8	45.0	5250	200	100	1569	82.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, M	1	Add	0	Add	4700	200	150	2258	77.4	45.0	5250	200	150	1519	84.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, P	7	Add	3	Add	4700	200	200	2208	78.1	45.0	5250	200	200	1469	85.3	45.0
Sliding Rear Window	5	Add	2	Add	4700	200	250	2158	78.8	45.0	5250	200	250	1419	86.6	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	200	300	2108	79.5	45.0	5250	200	300	1369	88.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC onl	1	Add	2	Add	4700	200	350	2058	80.3	45.0	5250	200	350	1319	89.5	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	400	2008	81.1	45.0	5250	200	400	1269	91.2	45.0
Foglamps	3	Add	0	Add	4700	200	450	1958	81.9	45.0	5250	200	450	1219	93.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	500	1908	82.8	45.0	5250	200	500	1169	94.9	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag D	-6	Minus	0	Add	4700	250	0	2358	72.8	45.0	5250	250	0	1619	76.9	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	250	50	2308	73.3	45.0	5250	250	50	1569	77.9	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	250	100	2258	73.9	45.0	5250	250	100	1519	78.8	45.0
All Weather Floor Mat	6	Add	4	Add	4700	250	150	2208	74.5	45.0	5250	250	150	1469	79.9	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	250	200	2158	75.1	45.0	5250	250	200	1419	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	250	250	2108	75.8	45.0	5250	250	250	1369	82.2	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	250	300	2058	76.4	45.0	5250	250	300	1319	83.5	45.0
Cruise Control	3	Add	1	Add	4700	250	350	2008	77.1	45.0	5250	250	350	1269	84.9	45.0
Power Equipment Group	12	Add	3	Add	4700	250	400	1958	77.9	45.0	5250	250	400	1219	86.5	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	450	1908	78.7	45.0	5250	250	450	1169	88.1	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony	15	Add	10	Add	4700	250	500	1858	79.5	45.0	5250	250	500	1119	89.9	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Sto	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speak	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 sp	9	Add	6	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (9,900 GVWR - 17" Tires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4550	-50	-50	2460	75.6	45.0	5250	-50	-50	1759	95.0	45.0
XLT Trim (GAS)	13	Add	9	Add	4550	-50	0	2410	76.2	45.0	5250	-50	0	1709	96.4	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	50	2360	76.8	45.0	5250	-50	50	1659	97.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	100	2310	77.4	45.0	5250	-50	100	1609	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as	3	Add	0	Add	4550	-50	150	2260	78.1	45.0	5250	0	-50	1709	91.3	45.0
Immersion Heater - Engine	1	Add	0	Add	4550	-50	200	2210	78.8	45.0	5250	0	0	1659	92.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AX	2	Add	11	Add	4550	-50	250	2160	79.5	45.0	5250	0	50	1609	94.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AX	2	Add	13	Add	4550	-50	300	2110	80.2	45.0	5250	0	100	1559	95.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE	2	Add	1	Add	4550	-50	350	2060	81.0	45.0	5250	0	150	1509	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE	2	Add	1	Add	4550	-50	400	2010	81.8	45.0	5250	0	200	1459	97.0	45.0
Brake Controller	1	Add	0	Add	4550	-50	500	1910	83.6	45.0	5250	0	250	1409	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	0	0	2360	73.1	45.0	5250	0	300	1359	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	50	2310	73.7	45.0	5250	0	350	1309	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	100	2260	74.3	45.0	5250	0	400	1259	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	150	2210	74.9	45.0	5250	0	450	1209	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	200	2160	75.5	45.0	5250	0	500	1159	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	250	2110	76.1	45.0	5250	50	0	1609	88.7	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	300	2060	76.8	45.0	5250	50	50	1559	90.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	350	2010	77.5	45.0	5250	50	100	1509	91.4	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	400	1960	78.3	45.0	5250	50	150	1459	92.9	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	500	1860	79.9	45.0	5250	50	200	1409	94.5	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4700	50	0	2310	81.2	45.0	5250	50	250	1359	96.2	45.0
Dual Zone Electronic Automatic Temperature Control AC	34	Add	-1	Minus	4700	50	50	2260	81.9	45.0	5250	50	300	1309	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	100	2210	82.7	45.0	5250	50	350	1259	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC	34	Add	-1	Minus	4700	50	150	2160	83.5	45.0	5250	50	400	1209	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4700	50	200	2110	84.3	45.0	5250	50	450	1159	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17"	12	Minus	19	Add	4700	50	250	2060	85.2	45.0	5250	50	500	1109	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Ste	-10	Minus	-4	Minus	4700	50	300	2010	86.1	45.0	5250	100	0	1559	84.4	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w	-14	Minus	-8	Minus	4700	50	350	1960	87.1	45.0	5250	100	50	1509	85.7	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17	-9	Minus	-3	Minus	4700	50	400	1910	88.1	45.0	5250	100	100	1459	86.9	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel	-2	Minus	4	Add	4700	50	500	1810	90.3	45.0	5250	100	150	1409	88.3	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 on	-2	Minus	4	Add	4700	100	0	2260	78.1	45.0	5250	100	200	1359	89.8	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17"	1	Add	7	Add	4700	100	50	2210	78.8	45.0	5250	100	250	1309	91.4	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 o	3	Add	9	Add	4700	100	100	2160	79.5	45.0	5250	100	300	1259	93.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Ste	-22	Minus	-22	Minus	4700	100	150	2110	80.2	45.0	5250	100	350	1209	95.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4700	100	200	2060	81.0	45.0	5250	100	400	1159	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4700	100	250	2010	81.8	45.0	5250	100	450	1109	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4700	100	300	1960	82.7	45.0	5250	100	500	1059	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17"	26	Add	39	Add	4700	100	350	1910	83.6	45.0	5250	150	0	1509	79.9	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17"	24	Add	37	Add	4700	100	400	1860	84.6	45.0	5250	150	50	1459	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4700	100	500	1760	86.6	45.0	5250	150	100	1409	82.2	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW	15	Add	-107	Minus	4700	150	0	2210	74.9	45.0	5250	150	150	1359	83.5	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4700	150	50	2160	75.5	45.0	5250	150	200	1309	84.8	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	150	100	2110	76.1	45.0	5250	150	250	1259	86.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	150	150	2060	76.8	45.0	5250	150	300	1209	87.9	45.0
Drop-In Bedliner	2	Add	42	Add	4700	150	200	2010	77.5	45.0	5250	150	350	1159	89.6	45.0
Spray-In Bedliner	0	Add	20	Add	4700	150	250	1960	78.3	45.0	5250	150	400	1109	91.5	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW o	28	Add	19	Add	4700	150	300	1910	79.1	45.0	5250	150	450	1059	93.5	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	150	350	1860	79.9	45.0	5250	150	500	1009	95.8	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4700	150	400	1810	80.8	45.0	5250	200	0	1459	75.1	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW o	24	Add	16	Add	4700	150	500	1710	82.7	45.0	5250	200	50	1409	76.1	45.0
Lower Bodyside Molding	2	Add	1	Add	4850	200	0	2160	83.5	45.0	5250	200	100	1359	77.1	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4850	200	50	2110	84.3	45.0	5250	200	150	1309	78.2	45.0
Static Rear Video Camera	0	Add	1	Add	4850	200	100	2060	85.2	45.0	5250	200	200	1259	79.4	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mi	9	Add	3	Add	4850	200	150	2010	86.1	45.0	5250	200	250	1209	80.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, M	10	Add	4	Add	4850	200	200	1960	87.1	45.0	5250	200	300	1159	82.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, P	16	Add	6	Add	4850	200	250	1910	88.1	45.0	5250	200	350	1109	83.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, M	1	Add	0	Add	4850	200	300	1860	89.2	45.0	5250	200	400	1059	85.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, P	7	Add	3	Add	4850	200	350	1810	90.3	45.0	5250	200	450	1009	87.3	45.0
Sliding Rear Window	5	Add	2	Add	4850	200	400	1760	91.5	45.0	5250	200	500	959	89.3	45.0
Power Sliding Rear Window	5	Add	3	Add	4850	200	500	1660	94.2	45.0	5250	250	0	1409	70.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC on	1	Add	2	Add	4850	250	0	2110	80.2	45.0	5250	250	50	1359	70.8	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4850	250	50	2060	81.0	45.0	5250	250	100	1309	71.7	45.0
Foglamps	3	Add	0	Add	4850	250	100	2010	81.8	45.0	5250	250	150	1259	72.6	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4850	250	150	1960	82.7	45.0	5250	250	200	1209	73.6	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag D	-6	Minus	0	Add	4850	250	200	1910	83.6	45.0	5250	250	250	1159	74.7	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4850	250	250	1860	84.6	45.0	5250	250	300	1109	75.9	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4850	250	300	1810	85.6	45.0	5250	250	350	1059	77.3	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC	3	Add	2	Add	4850	250	350	1760	86.6	45.0	5250	250	400	1009	78.7	45.0
All Weather Floor Mat	7	Add	4	Add	4850	250	400	1710	87.8	45.0	5250	250	450	959	80.3	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4850	250	500	1610	90.2	45.0	5250	250	500	909	82.1	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4850	300	0	2060	76.8	45.0	5250	300	0	1359	64.4	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4850	300	50	2010	77.5	45.0	5250	300	50	1309	65.1	45.0
Cruise Control	3	Add	1	Add	4850	300	100	1960	78.3	45.0	5250	300	100	1259	65.8	45.0
Power Equipment Group	15	Add	6	Add	4850	300	150	1910	79.1	45.0	5250	300	150	1209	66.5	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4850	300	200	1860	79.9	45.0	5250	300	200	1159	67.3	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony	15	Add	10	Add	4850	300	250	1810	80.8	45.0	5250	300	250	1109	68.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Sto	1	Add	0	Add	4850	300	300	1760	81.7	45.0	5250	300	300	1059	69.1	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	300	350	1710	82.7	45.0	5250	300	350	1009	70.2	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4850	300	400	1660	83.8	45.0	5250	300	400	959	71.3	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger	8	Add	4	Add	4850	300	500	1560	86.1	45.0	5250	300	450	909	72.6	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add							5250	300	500	859	74.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speak	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (9,900 GVWR - 18" All-Season Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
XLT Trim (GAS)	10	Add	6	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (DIESEL)	14	Add	9	Add	4100	-50	-50	3515	67.8	45.0	4550	-50	-50	2869	66.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4100	-50	0	3465	68.0	45.0	4550	-50	0	2819	66.3	45.0
Immersion Heater - Engine	1	Add	0	Add	4100	-50	50	3415	68.3	45.0	4550	-50	50	2769	66.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4100	-50	100	3365	68.6	45.0	4550	-50	100	2719	67.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4100	0	-50	3465	66.1	45.0	4550	0	-50	2819	63.9	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4100	0	0	3415	66.3	45.0	4550	0	0	2769	64.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4100	0	50	3365	66.6	45.0	4550	0	50	2719	64.5	45.0
Brake Controller	1	Add	0	Add	4100	0	100	3315	66.9	45.0	4550	0	100	2669	64.8	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4100	0	150	3265	67.2	45.0	4550	0	150	2619	65.1	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4250	50	0	3365	70.7	45.0	4550	50	0	2719	62.0	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4250	50	50	3315	71.0	45.0	4550	50	50	2669	62.2	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4250	50	100	3265	71.4	45.0	4550	50	100	2619	62.5	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4250	50	150	3215	71.8	45.0	4550	50	150	2569	62.8	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4250	50	200	3165	72.1	45.0	4550	50	200	2519	63.1	45.0
5th Wheel Hitch	0	Add	96	Add	4250	50	250	3115	72.5	45.0	4550	50	250	2469	63.4	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4250	50	300	3065	72.9	45.0	4550	50	300	2419	63.7	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4250	50	350	3015	73.3	45.0	4550	50	350	2369	64.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4250	50	400	2965	73.8	45.0	4550	50	400	2319	64.4	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4250	50	450	2915	74.2	45.0	4550	50	450	2269	64.8	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4250	100	0	3315	69.0	45.0	4550	100	0	2669	59.7	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4250	100	50	3265	69.3	45.0	4550	100	50	2619	59.9	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4250	100	100	3215	69.6	45.0	4550	100	100	2569	60.1	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4250	100	150	3165	70.0	45.0	4550	100	150	2519	60.4	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4250	100	200	3115	70.3	45.0	4550	100	200	2469	60.6	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4250	100	250	3065	70.7	45.0	4550	100	250	2419	60.9	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4250	100	300	3015	71.1	45.0	4550	100	300	2369	61.1	45.0
Pickup Bed Extender	-2	Minus	21	Add	4250	100	350	2965	71.5	45.0	4550	100	350	2319	61.4	45.0
Drop-In Bedliner	2	Add	42	Add	4250	100	400	2915	71.9	45.0	4550	100	400	2269	61.7	45.0
Spray-In Bedliner	1	Add	19	Add	4250	100	450	2865	72.3	45.0	4550	100	450	2219	62.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4250	150	0	3265	67.2	45.0	4550	150	0	2619	57.3	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4250	150	50	3215	67.5	45.0	4550	150	50	2569	57.4	45.0
Static Rear Video Camera	0	Add	1	Add	4250	150	100	3165	67.8	45.0	4550	150	100	2519	57.6	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4250	150	150	3115	68.1	45.0	4550	150	150	2469	57.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4250	150	200	3065	68.4	45.0	4550	150	200	2419	58.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4250	150	250	3015	68.8	45.0	4550	150	250	2369	58.3	45.0
Sliding Rear Window	5	Add	2	Add	4250	150	300	2965	69.1	45.0	4550	150	300	2319	58.5	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4250	150	350	2915	69.5	45.0	4550	150	350	2269	58.7	45.0
Foglamps	3	Add	0	Add	4250	150	400	2865	69.9	45.0	4550	150	400	2219	59.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4250	150	450	2815	70.3	45.0	4550	150	450	2169	59.2	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4400	200	0	3215	71.8	45.0	4700	200	0	2569	62.8	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4400	200	50	3165	72.1	45.0	4700	200	50	2519	63.1	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4400	200	100	3115	72.5	45.0	4700	200	100	2469	63.4	45.0
All Weather Floor Mat	4	Add	2	Add	4400	200	150	3065	72.9	45.0	4700	200	150	2419	63.7	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4400	200	200	3015	73.3	45.0	4700	200	200	2369	64.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4400	200	250	2965	73.8	45.0	4700	200	250	2319	64.4	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4400	200	300	2915	74.2	45.0	4700	200	300	2269	64.8	45.0
Cruise Control	3	Add	1	Add	4400	200	350	2865	74.7	45.0	4700	200	350	2219	65.1	45.0
Power Equipment Group	12	Add	3	Add	4400	200	400	2815	75.1	45.0	4700	200	400	2169	65.5	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4400	200	450	2765	75.6	45.0	4700	200	450	2119	66.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4400	250	0	3165	70.0	45.0	4700	250	0	2519	60.4	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4400	250	50	3115	70.3	45.0	4700	250	50	2469	60.6	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4400	250	100	3065	70.7	45.0	4700	250	100	2419	60.9	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4400	250	150	3015	71.1	45.0	4700	250	150	2369	61.1	45.0
Cloth Seats	-2	Minus	-1	Minus	4400	250	200	2965	71.5	45.0	4700	250	200	2319	61.4	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4400	250	250	2915	71.9	45.0	4700	250	250	2269	61.7	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4400	250	300	2865	72.3	45.0	4700	250	300	2219	62.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	4400	250	350	2815	72.7	45.0	4700	250	350	2169	62.4	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4400	250	400	2765	73.2	45.0	4700	250	400	2119	62.7	45.0
SYNC Basic - Gen I	1	Add	0	Add	4400	250	450	2715	73.6	45.0	4700	250	450	2069	63.1	45.0
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (9,900 GVWR - 18" All-Season Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4250	-50	-50	2777	66.4	45.0	4850	-50	-50	2102	72.4	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4250	-50	0	2727	66.8	45.0	4850	-50	0	2052	73.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4250	-50	50	2677	67.1	45.0	4850	-50	50	2002	73.6	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4250	-50	100	2627	67.5	45.0	4850	-50	100	1952	74.3	45.0
Immersion Heater - Engine	1	Add	0	Add	4250	0	-50	2727	64.2	45.0	4850	0	-50	2052	69.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4250	0	0	2677	64.5	45.0	4850	0	0	2002	70.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4250	0	50	2627	64.8	45.0	4850	0	50	1952	70.7	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4250	0	100	2577	65.1	45.0	4850	0	100	1902	71.3	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4250	0	150	2527	65.5	45.0	4850	0	150	1852	71.9	45.0
Brake Controller	1	Add	0	Add	4400	50	0	2627	70.2	45.0	5000	50	0	1952	77.9	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	50	50	2577	70.6	45.0	5000	50	50	1902	78.7	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4400	50	100	2527	71.1	45.0	5000	50	100	1852	79.6	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4400	50	150	2477	71.5	45.0	5000	50	150	1802	80.4	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	50	200	2427	72.0	45.0	5000	50	200	1752	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	50	250	2377	72.5	45.0	5000	50	250	1702	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4400	50	300	2327	73.1	45.0	5000	50	300	1652	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4400	50	350	2277	73.6	45.0	5000	50	350	1602	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	50	400	2227	74.2	45.0	5000	50	400	1552	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	50	450	2177	74.8	45.0	5000	50	450	1502	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	100	0	2577	67.9	45.0	5000	100	0	1902	75.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	100	50	2527	68.3	45.0	5000	100	50	1852	75.7	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	100	100	2477	68.7	45.0	5000	100	100	1802	76.5	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4400	100	150	2427	69.1	45.0	5000	100	150	1752	77.3	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4400	100	200	2377	69.6	45.0	5000	100	200	1702	78.2	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4400	100	250	2327	70.0	45.0	5000	100	250	1652	79.1	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4400	100	300	2277	70.5	45.0	5000	100	300	1602	80.1	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4400	100	350	2227	71.0	45.0	5000	100	350	1552	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4400	100	400	2177	71.5	45.0	5000	100	400	1502	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4400	100	450	2127	72.1	45.0	5000	100	450	1452	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4400	150	0	2527	65.5	45.0	5000	150	0	1852	71.9	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4400	150	50	2477	65.8	45.0	5000	150	50	1802	72.6	45.0
Pickup Bed Extender	-2	Minus	21	Add	4400	150	100	2427	66.2	45.0	5000	150	100	1752	73.3	45.0
Drop-In Bedliner	2	Add	35	Add	4400	150	150	2377	66.6	45.0	5000	150	150	1702	74.0	45.0
Spray-In Bedliner	0	Add	16	Add	4400	150	200	2327	67.0	45.0	5000	150	200	1652	74.8	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4400	150	250	2277	67.4	45.0	5000	150	250	1602	75.7	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4400	150	300	2227	67.8	45.0	5000	150	300	1552	76.5	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4400	150	350	2177	68.3	45.0	5000	150	350	1502	77.5	45.0
Lower Bodyside Molding	2	Add	1	Add	4400	150	400	2127	68.8	45.0	5000	150	400	1452	78.5	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4400	150	450	2077	69.3	45.0	5000	150	450	1402	79.6	45.0
Static Rear Video Camera	0	Add	1	Add	4550	200	0	2477	71.5	45.0	5250	200	0	1802	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	200	50	2427	72.0	45.0	5250	200	50	1752	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	200	100	2377	72.5	45.0	5250	200	100	1702	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	200	150	2327	73.1	45.0	5250	200	150	1652	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4550	200	200	2277	73.6	45.0	5250	200	200	1602	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	4550	200	250	2227	74.2	45.0	5250	200	250	1552	81.0	45.0
Sliding Rear Window	5	Add	2	Add	4550	200	300	2177	74.8	45.0	5250	200	300	1502	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	200	350	2127	75.4	45.0	5250	200	350	1452	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	200	400	2077	76.1	45.0	5250	200	400	1402	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	200	450	2027	76.8	45.0	5250	200	450	1352	81.0	45.0
Foglamps	3	Add	0	Add	4550	250	0	2427	69.1	45.0	5250	250	0	1752	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4550	250	50	2377	69.6	45.0	5250	250	50	1702	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4550	250	100	2327	70.0	45.0	5250	250	100	1652	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4550	250	150	2277	70.5	45.0	5250	250	150	1602	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4550	250	200	2227	71.0	45.0	5250	250	200	1552	81.0	45.0
All Weather Floor Mat	6	Add	4	Add	4550	250	250	2177	71.5	45.0	5250	250	250	1502	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4550	250	300	2127	72.1	45.0	5250	250	300	1452	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4550	250	350	2077	72.7	45.0	5250	250	350	1402	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4550	250	400	2027	73.3	45.0	5250	250	400	1352	81.0	45.0
Cruise Control	3	Add	1	Add	4550	250	450	1977	73.9	45.0	5250	250	450	1302	81.0	45.0
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (9,900 GVWR - 18" All-Season Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4400	-50	-50	2594	71.2	45.0	5000	-50	-50	1932	79.9	45.0
XLT Trim (GAS)	13	Add	9	Add	4400	-50	0	2544	71.7	45.0	5000	-50	0	1882	80.7	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	50	2494	72.1	45.0	5000	-50	50	1832	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	100	2444	72.6	45.0	5000	-50	100	1782	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	0	-50	2544	68.6	45.0	5000	0	-50	1882	76.6	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	0	0	2494	69.0	45.0	5000	0	0	1832	77.4	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	50	2444	69.4	45.0	5000	0	50	1782	78.2	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	100	2394	69.9	45.0	5000	0	100	1732	79.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	150	2344	70.4	45.0	5000	0	150	1682	80.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	200	2294	70.8	45.0	5000	0	200	1632	81.0	45.0
Brake Controller	1	Add	0	Add	4400	0	250	2244	71.4	45.0	5000	0	250	1582	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	300	2194	71.9	45.0	5000	0	300	1532	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	350	2144	72.4	45.0	5000	0	350	1482	81.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	400	2094	73.0	45.0	5000	0	400	1432	81.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	450	2044	73.6	45.0	5000	0	450	1382	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	500	1994	74.3	45.0	5000	0	500	1332	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	50	0	2444	75.8	45.0	5000	50	0	1782	73.8	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	50	2394	76.4	45.0	5000	50	50	1732	74.5	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	100	2344	77.0	45.0	5000	50	100	1682	75.3	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	150	2294	77.7	45.0	5000	50	150	1632	76.2	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	200	2244	78.3	45.0	5000	50	200	1582	77.1	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	250	2194	79.0	45.0	5000	50	250	1532	78.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	300	2144	79.7	45.0	5000	50	300	1482	79.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	350	2094	80.5	45.0	5000	50	350	1432	80.1	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	400	2044	81.0	45.0	5000	50	400	1382	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	450	1994	81.0	45.0	5000	50	450	1332	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4550	50	500	1944	81.0	45.0	5000	50	500	1282	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4550	100	0	2394	73.1	45.0	5250	100	0	1732	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	50	2344	73.7	45.0	5250	100	50	1682	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	100	2294	74.2	45.0	5250	100	100	1632	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	150	2244	74.8	45.0	5250	100	150	1582	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	4550	100	200	2194	75.4	45.0	5250	100	200	1532	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	4550	100	250	2144	76.1	45.0	5250	100	250	1482	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	100	300	2094	76.8	45.0	5250	100	300	1432	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	100	350	2044	77.5	45.0	5250	100	350	1382	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4550	100	400	1994	78.2	45.0	5250	100	400	1332	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	100	450	1944	79.0	45.0	5250	100	450	1282	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	100	500	1894	79.8	45.0	5250	100	500	1232	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	0	2344	70.4	45.0	5250	150	0	1682	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	50	2294	70.8	45.0	5250	150	50	1632	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	100	2244	71.4	45.0	5250	150	100	1582	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	150	2194	71.9	45.0	5250	150	150	1532	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	200	2144	72.4	45.0	5250	150	200	1482	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4550	150	250	2094	73.0	45.0	5250	150	250	1432	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	4550	150	300	2044	73.6	45.0	5250	150	300	1382	81.0	45.0
Sliding Rear Window	5	Add	2	Add	4550	150	350	1994	74.3	45.0	5250	150	350	1332	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	150	400	1944	75.0	45.0	5250	150	400	1282	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	450	1894	75.7	45.0	5250	150	450	1232	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	500	1844	76.4	45.0	5250	150	500	1182	81.0	45.0
Foglamps	3	Add	0	Add	4700	200	50	2244	78.3	45.0	5250	200	50	1582	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	100	2194	79.0	45.0	5250	200	100	1532	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	150	2144	79.7	45.0	5250	200	150	1482	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	200	200	2094	80.5	45.0	5250	200	200	1432	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	250	2044	81.0	45.0	5250	200	250	1382	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	200	300	1994	81.0	45.0	5250	200	300	1332	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	4700	200	350	1944	81.0	45.0	5250	200	350	1282	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	400	1894	81.0	45.0	5250	200	400	1232	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	450	1844	81.0	45.0	5250	200	450	1182	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	200	500	1794	81.0	45.0	5250	200	500	1132	81.0	45.0
Cruise Control	3	Add	1	Add	4700	250	50	2194	75.4	45.0	5250	250	50	1532	81.0	45.0
Power Equipment Group	15	Add	6	Add	4700	250	100	2144	76.1	45.0	5250	250	100	1482	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	150	2094	76.8	45.0	5250	250	150	1432	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	250	200	2044	77.5	45.0	5250	250	200	1382	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	250	1994	78.2	45.0	5250	250	250	1332	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	300	1944	79.0	45.0	5250	250	300	1282	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4700	250	350	1894	79.8	45.0	5250	250	350	1232	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4700	250	400	1844	80.7	45.0	5250	250	400	1182	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	250	450	1794	81.0	45.0	5250	250	450	1132	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	250	500	1744	81.0	45.0	5250	250	500	1082	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4700	300	0	2194	71.9	45.0	5250	300	0	1532	78.0	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	300	50	2144	72.4	45.0	5250	300	50	1482	79.0	45.0
King Ranch Leather	4	Add	2	Add	4700	300	100	2094	73.0	45.0	5250	300	100	1432	80.1	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	300	150	2044	73.6	45.0	5250	300	150	1382	81.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	300	200	1994	74.3	45.0	5250	300	200	1332	81.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4700	300	250	1944	75.0	45.0	5250	300	250	1282	81.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	4700	300	300	1894	75.7	45.0	5250	300	300	1232	81.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4700	300	350	1844	76.4	45.0	5250	300	350	1182	81.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	4700	300	400	1794	77.2	45.0	5250	300	400	1132	81.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	4700	300	450	1744	78.1	45.0	5250	300	450	1082	81.0	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	4700	300	500	1694	79.0	45.0	5250	300	500	1032	81.0	45.0
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (9,900 GVWR - 18" All-Season Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4400	-50	-50	2708	69.6	45.0	5000	-50	-50	1969	75.8	45.0
XLT Trim (GAS)	10	Add	7	Add	4400	-50	0	2658	70.0	45.0	5000	-50	0	1919	76.5	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	50	2608	70.4	45.0	5000	-50	50	1869	77.3	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	100	2558	70.8	45.0	5000	-50	100	1819	78.1	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	0	-50	2658	67.0	45.0	5000	0	-50	1919	72.4	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	0	0	2608	67.4	45.0	5000	0	0	1869	73.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	50	2558	67.8	45.0	5000	0	50	1819	73.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	100	2508	68.2	45.0	5000	0	100	1769	74.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	150	2458	68.6	45.0	5000	0	150	1719	75.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	200	2408	69.0	45.0	5000	0	200	1669	76.1	45.0
Brake Controller	1	Add	0	Add	4400	0	250	2358	69.4	45.0	5000	0	250	1619	76.9	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	0	300	2308	69.9	45.0	5000	0	300	1569	77.9	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	350	2258	70.4	45.0	5000	0	350	1519	78.8	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	400	2208	70.9	45.0	5000	0	400	1469	79.9	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	450	2158	71.4	45.0	5000	0	450	1419	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	500	2108	72.0	45.0	5000	0	500	1369	82.2	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	50	0	2558	73.9	45.0	5250	50	0	1819	91.1	45.0
5th Wheel Hitch	0	Add	96	Add	4550	50	50	2508	74.5	45.0	5250	50	50	1769	92.3	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	50	100	2458	75.0	45.0	5250	50	100	1719	93.6	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	150	2408	75.6	45.0	5250	50	150	1669	95.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	200	2358	76.1	45.0	5250	50	200	1619	96.4	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	250	2308	76.8	45.0	5250	50	250	1569	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	300	2258	77.4	45.0	5250	50	300	1519	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	350	2208	78.1	45.0	5250	50	350	1469	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	400	2158	78.8	45.0	5250	50	400	1419	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	450	2108	79.5	45.0	5250	50	450	1369	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	500	2058	80.3	45.0	5250	50	500	1319	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	100	0	2508	71.3	45.0	5250	100	0	1769	87.9	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4550	100	50	2458	71.8	45.0	5250	100	50	1719	89.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4550	100	100	2408	72.3	45.0	5250	100	100	1669	90.3	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	150	2358	72.8	45.0	5250	100	150	1619	91.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	200	2308	73.3	45.0	5250	100	200	1569	93.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	250	2258	73.9	45.0	5250	100	250	1519	94.4	45.0
Drop-In Bedliner	2	Add	35	Add	4550	100	300	2208	74.5	45.0	5250	100	300	1469	96.0	45.0
Spray-In Bedliner	1	Add	19	Add	4550	100	350	2158	75.1	45.0	5250	100	350	1419	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	100	400	2108	75.8	45.0	5250	100	400	1369	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	100	450	2058	76.4	45.0	5250	100	450	1319	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	100	500	2008	77.1	45.0	5250	100	500	1269	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	0	2458	68.6	45.0	5250	150	0	1719	84.4	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	50	2408	69.0	45.0	5250	150	50	1669	85.5	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	100	2358	69.4	45.0	5250	150	100	1619	86.7	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	150	2308	69.9	45.0	5250	150	150	1569	87.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	200	2258	70.4	45.0	5250	150	200	1519	89.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	250	2208	70.9	45.0	5250	150	250	1469	90.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4550	150	300	2158	71.4	45.0	5250	150	300	1419	92.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	4550	150	350	2108	72.0	45.0	5250	150	350	1369	93.8	45.0
Sliding Rear Window	5	Add	2	Add	4550	150	400	2058	72.6	45.0	5250	150	400	1319	95.5	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	150	450	2008	73.2	45.0	5250	150	450	1269	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	500	1958	73.9	45.0	5250	150	500	1219	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	0	2408	75.6	45.0	5250	200	0	1669	80.8	45.0
Foglamps	3	Add	0	Add	4700	200	50	2358	76.1	45.0	5250	200	50	1619	81.8	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	100	2308	76.8	45.0	5250	200	100	1569	82.9	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	150	2258	77.4	45.0	5250	200	150	1519	84.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	200	200	2208	78.1	45.0	5250	200	200	1469	85.3	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	250	2158	78.8	45.0	5250	200	250	1419	86.6	45.0
All Weather Floor Mat	6	Add	4	Add	4700	200	300	2108	79.5	45.0	5250	200	300	1369	88.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	350	2058	80.3	45.0	5250	200	350	1319	89.5	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	400	2008	81.1	45.0	5250	200	400	1269	91.2	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	200	450	1958	81.9	45.0	5250	200	450	1219	93.0	45.0
Cruise Control	3	Add	1	Add	4700	200	500	1908	82.8	45.0	5250	200	500	1169	94.9	45.0
Power Equipment Group	12	Add	3	Add	4700	250	0	2358	72.8	45.0	5250	250	0	1619	76.9	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	50	2308	73.3	45.0	5250	250	50	1569	77.9	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	250	100	2258	73.9	45.0	5250	250	100	1519	78.8	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	150	2208	74.5	45.0	5250	250	150	1469	79.9	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	200	2158	75.1	45.0	5250	250	200	1419	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4700	250	250	2108	75.8	45.0	5250	250	250	1369	82.2	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	250	300	2058	76.4	45.0	5250	250	300	1319	83.5	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	250	350	2008	77.1	45.0	5250	250	350	1269	84.9	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	250	400	1958	77.9	45.0	5250	250	400	1219	86.5	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	250	450	1908	78.7	45.0	5250	250	450	1169	88.1	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	250	500	1858	79.5	45.0	5250	250	500	1119	89.9	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (9,900 GVWR - 18" All-Season Tires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4550	-50	-50	2460	75.6	45.0	5250	-50	-50	1759	95.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	0	2410	76.2	45.0	5250	-50	0	1709	96.4	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	50	2360	76.8	45.0	5250	-50	50	1659	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	100	2310	77.4	45.0	5250	-50	100	1609	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4550	-50	150	2260	78.1	45.0	5250	0	-50	1709	91.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	200	2210	78.8	45.0	5250	0	0	1659	92.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	250	2160	79.5	45.0	5250	0	50	1609	94.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	300	2110	80.2	45.0	5250	0	100	1559	95.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	350	2060	81.0	45.0	5250	0	150	1509	97.0	45.0
Brake Controller	1	Add	0	Add	4550	-50	400	2010	81.8	45.0	5250	0	200	1459	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	-50	500	1910	83.6	45.0	5250	0	250	1409	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	0	2360	73.1	45.0	5250	0	300	1359	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	50	2310	73.7	45.0	5250	0	350	1309	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	100	2260	74.3	45.0	5250	0	400	1259	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	150	2210	74.9	45.0	5250	0	450	1209	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	200	2160	75.5	45.0	5250	0	500	1159	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	250	2110	76.1	45.0	5250	50	0	1609	88.7	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	300	2060	76.8	45.0	5250	50	50	1559	90.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	350	2010	77.5	45.0	5250	50	100	1509	91.4	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	400	1960	78.3	45.0	5250	50	150	1459	92.9	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	500	1860	79.9	45.0	5250	50	200	1409	94.5	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	0	2310	81.2	45.0	5250	50	250	1359	96.2	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	50	2260	81.9	45.0	5250	50	300	1309	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	100	2210	82.7	45.0	5250	50	350	1259	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	50	150	2160	83.5	45.0	5250	50	400	1209	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4700	50	200	2110	84.3	45.0	5250	50	450	1159	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	50	250	2060	85.2	45.0	5250	50	500	1109	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4700	50	300	2010	86.1	45.0	5250	100	0	1559	84.4	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4700	50	350	1960	87.1	45.0	5250	100	50	1509	85.7	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4700	50	400	1910	88.1	45.0	5250	100	100	1459	86.9	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	50	500	1810	90.3	45.0	5250	100	150	1409	88.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	100	0	2260	78.1	45.0	5250	100	200	1359	89.8	45.0
Drop-In Bedliner	2	Add	42	Add	4700	100	50	2210	78.8	45.0	5250	100	250	1309	91.4	45.0
Spray-In Bedliner	0	Add	20	Add	4700	100	100	2160	79.5	45.0	5250	100	300	1259	93.1	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4700	100	150	2110	80.2	45.0	5250	100	350	1209	95.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	100	200	2060	81.0	45.0	5250	100	400	1159	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4700	100	250	2010	81.8	45.0	5250	100	450	1109	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4700	100	300	1960	82.7	45.0	5250	100	500	1059	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	4700	100	350	1910	83.6	45.0	5250	150	0	1509	79.9	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4700	100	400	1860	84.6	45.0	5250	150	50	1459	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	4700	100	500	1760	86.6	45.0	5250	150	100	1409	82.2	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	150	0	2210	74.9	45.0	5250	150	150	1359	83.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	150	50	2160	75.5	45.0	5250	150	200	1309	84.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	150	100	2110	76.1	45.0	5250	150	250	1259	86.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4700	150	150	2060	76.8	45.0	5250	150	300	1209	87.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	4700	150	200	2010	77.5	45.0	5250	150	350	1159	89.6	45.0
Sliding Rear Window	5	Add	2	Add	4700	150	250	1960	78.3	45.0	5250	150	400	1109	91.5	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	150	300	1910	79.1	45.0	5250	150	450	1059	93.5	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	150	350	1860	79.9	45.0	5250	150	500	1009	95.8	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	150	400	1810	80.8	45.0	5250	200	0	1459	75.1	45.0
Foglamps	3	Add	0	Add	4700	150	500	1710	82.7	45.0	5250	200	50	1409	76.1	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4850	200	0	2160	83.5	45.0	5250	200	100	1359	77.1	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4850	200	50	2110	84.3	45.0	5250	200	150	1309	78.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4850	200	100	2060	85.2	45.0	5250	200	200	1259	79.4	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4850	200	150	2010	86.1	45.0	5250	200	250	1209	80.8	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4850	200	200	1960	87.1	45.0	5250	200	300	1159	82.2	45.0
All Weather Floor Mat	7	Add	4	Add	4850	200	250	1910	88.1	45.0	5250	200	350	1109	83.7	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4850	200	300	1860	89.2	45.0	5250	200	400	1059	85.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4850	200	350	1810	90.3	45.0	5250	200	450	1009	87.3	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4850	200	400	1760	91.5	45.0	5250	200	500	959	89.3	45.0
Cruise Control	3	Add	1	Add	4850	200	500	1660	94.2	45.0	5250	250	0	1409	70.0	45.0
Power Equipment Group	15	Add	6	Add	4850	250	0	2110	80.2	45.0	5250	250	50	1359	70.8	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4850	250	50	2060	81.0	45.0	5250	250	100	1309	71.7	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4850	250	100	2010	81.8	45.0	5250	250	150	1259	72.6	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4850	250	150	1960	82.7	45.0	5250	250	200	1209	73.6	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	250	200	1910	83.6	45.0	5250	250	250	1159	74.7	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4850	250	250	1860	84.6	45.0	5250	250	300	1109	75.9	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4850	250	300	1810	85.6	45.0	5250	250	350	1059	77.3	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4850	250	350	1760	86.6	45.0	5250	250	400	1009	78.7	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4850	250	400	1710	87.8	45.0	5250	250	450	959	80.3	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4850	250	500	1610	90.2	45.0	5250	250	500	909	82.1	45.0
Cloth Seats	-2	Minus	-1	Minus	4850	300	0	2060	76.8	45.0	5250	300	0	1359	64.4	45.0
King Ranch Leather	4	Add	2	Add	4850	300	50	2010	77.5	45.0	5250	300	50	1309	65.1	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4850	300	100	1960	78.3	45.0	5250	300	100	1259	65.8	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4850	300	150	1910	79.1	45.0	5250	300	150	1209	66.5	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4850	300	200	1860	79.9	45.0	5250	300	200	1159	67.3	45.0
Satellite Digital Broadcast	2	Add	1	Add	4850	300	250	1810	80.8	45.0	5250	300	250	1109	68.2	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4850	300	300	1760	81.7	45.0	5250	300	300	1059	69.1	45.0
SYNC Basic - Gen I	1	Add	0	Add	4850	300	350	1710	82.7	45.0	5250	300	350	1009	70.2	45.0
SYNC Finder - Gen II	1	Add	0	Add	4850	300	400	1660	83.8	45.0	5250	300	400	959	71.3	45.0
FX4 Off-Road Package	2	Add	2	Add	4850	300	500	1560	86.1	45.0	5250	300	450	909	72.6	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add							5250	300	500	859	74.0	45.0
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 17" Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add	4400	-50	-50	3102	67.5	45.0	5200	-50	-50	2449	85.6	45.0
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	0	3052	67.8	45.0	5200	-50	0	2399	86.3	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	50	3002	68.1	45.0	5200	-50	50	2349	87.2	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	100	2952	68.5	45.0	5200	-50	100	2299	88.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	-50	3052	83.5	45.0	5200	0	-50	2399	83.5	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	0	3002	84.1	45.0	5200	0	0	2349	84.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	50	2952	84.7	45.0	5200	0	50	2299	85.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	100	2902	85.4	45.0	5200	0	100	2249	85.9	45.0
Brake Controller	1	Add	0	Add	4800	0	150	2852	86.0	45.0	5200	0	200	2149	87.6	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	200	2802	86.7	45.0	5200	0	250	2099	88.6	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	250	2752	87.4	45.0	5200	0	300	2049	89.6	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	300	2702	88.1	45.0	5200	0	350	1999	90.6	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	350	2652	88.9	45.0	5200	0	400	1949	91.7	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	400	2602	89.7	45.0	5200	0	450	1899	92.9	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	450	2552	90.5	45.0	5200	0	500	1849	94.1	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	500	2502	91.3	45.0	5200	50	0	2299	82.1	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	0	2952	82.4	45.0	5200	50	50	2249	82.8	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	50	2902	83.0	45.0	5200	50	100	2199	83.6	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	100	2852	83.6	45.0	5200	50	200	2099	85.3	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	150	2802	84.2	45.0	5200	50	250	2049	86.2	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	200	2752	84.9	45.0	5200	50	300	1999	87.2	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4800	50	250	2702	85.6	45.0	5200	50	350	1949	88.2	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	50	300	2652	86.3	45.0	5200	50	400	1899	89.3	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	50	350	2602	87.0	45.0	5200	50	450	1849	90.4	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	50	400	2552	87.8	45.0	5200	50	500	1799	91.6	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	50	450	2502	88.6	45.0	5200	100	0	2249	79.8	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	50	500	2452	89.4	45.0	5200	100	50	2199	80.5	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	100	0	2902	80.6	45.0	5200	100	100	2149	81.3	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	100	50	2852	81.2	45.0	5200	100	200	2049	82.9	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	100	100	2802	81.8	45.0	5200	100	250	1999	83.8	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4800	100	150	2752	82.4	45.0	5200	100	300	1949	84.7	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4800	100	200	2702	83.1	45.0	5200	100	350	1899	85.6	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	100	250	2652	83.7	45.0	5200	100	400	1849	86.7	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	300	2602	84.4	45.0	5200	100	450	1799	87.7	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	100	350	2552	85.1	45.0	5200	100	500	1749	88.9	45.0
Drop-In Bedliner	2	Add	42	Add	4800	100	400	2502	85.9	45.0	5200	150	0	2199	77.4	45.0
Spray-In Bedliner	1	Add	19	Add	4800	100	450	2452	86.6	45.0	5200	150	50	2149	78.1	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	500	2402	87.5	45.0	5200	150	100	2099	78.8	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	150	0	2852	78.8	45.0	5200	150	200	1999	80.3	45.0
Static Rear Video Camera	0	Add	1	Add	4800	150	50	2802	79.4	45.0	5200	150	250	1949	81.2	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	150	100	2752	79.9	45.0	5200	150	300	1899	82.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	150	150	2702	80.5	45.0	5200	150	350	1849	83.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	150	200	2652	81.1	45.0	5200	150	400	1799	83.9	45.0
Sliding Rear Window	5	Add	2	Add	4800	150	250	2602	81.8	45.0	5200	150	450	1749	85.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	300	2552	82.4	45.0	5200	150	500	1699	86.1	45.0
Foglamps	3	Add	0	Add	4800	150	350	2502	83.1	45.0	5200	200	0	2149	74.9	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	400	2452	83.9	45.0	5200	200	50	2099	75.5	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	450	2402	84.6	45.0	5200	200	100	2049	76.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	500	2352	85.4	45.0	5200	200	200	1949	77.7	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	200	0	2802	76.9	45.0	5200	200	250	1899	78.4	45.0
All Weather Floor Mat	4	Add	2	Add	4800	200	50	2752	77.4	45.0	5200	200	300	1849	79.3	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	200	100	2702	78.0	45.0	5200	200	350	1799	80.1	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	200	150	2652	78.6	45.0	5200	200	400	1749	81.1	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4800	200	200	2602	79.1	45.0	5200	200	450	1699	82.0	45.0
Cruise Control	3	Add	1	Add	4800	200	250	2552	79.8	45.0	5200	200	500	1649	83.1	45.0
Power Equipment Group	12	Add	3	Add	4800	200	300	2502	80.4	45.0	5600	250	0	2099	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	350	2452	81.1	45.0	5600	250	50	2049	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	200	400	2402	81.7	45.0	5600	250	100	1999	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	450	2352	82.5	45.0	5600	250	200	1899	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	500	2302	83.2	45.0	5600	250	250	1849	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lun	8	Add	4	Add	4800	250	0	2752	74.9	45.0	5600	250	300	1799	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	250	50	2702	75.5	45.0	5600	250	350	1749	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	250	100	2652	76.0	45.0	5600	250	400	1699	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	250	150	2602	76.5	45.0	5600	250	450	1649	97.0	45.0
Satellite Digital Broadcat	2	Add	1	Add	4800	250	200	2552	77.1	45.0	5600	250	500	1599	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	250	250	2502	77.7	45.0						
SYNC Basic - Gen I	1	Add	0	Add	4800	250	300	2452	78.3	45.0						
SYNC Finder - Gen II	1	Add	0	Add	4800	250	350	2402	78.9	45.0						
FX4 Off-Road Package	2	Add	2	Add	4800	250	400	2352	79.6	45.0						
Tracking System - Crew Chief	3	Add	0	Add	4800	250	450	2302	80.2	45.0						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	250	500	2252	81.0	45.0						
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 17" Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Diesel Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2389	81.0	45.0	5200	-50	-50	1746	81.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2339	81.0	45.0	5200	-50	0	1696	81.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2289	81.0	45.0	5200	-50	50	1646	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2239	81.0	45.0	5200	-50	100	1596	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	0	-50	2339	80.1	45.0	5600	0	-50	1696	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	0	2289	80.8	45.0	5600	0	0	1646	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	50	2239	81.0	45.0	5600	0	50	1596	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	100	2189	81.0	45.0	5600	0	100	1546	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	150	2139	81.0	45.0	5600	0	150	1496	81.0	45.0
Brake Controller	1	Add	0	Add	4800	0	200	2089	81.0	45.0	5600	0	200	1446	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	250	2039	81.0	45.0	5600	0	250	1396	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	300	1989	81.0	45.0	5600	0	300	1346	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	0	350	1939	81.0	45.0	5600	0	350	1296	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	0	2239	78.4	45.0	5600	50	0	1596	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	50	2189	79.1	45.0	5600	50	50	1546	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	100	2139	79.8	45.0	5600	50	100	1496	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	50	150	2089	80.6	45.0	5600	50	150	1446	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	200	2039	81.0	45.0	5600	50	200	1396	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	250	1989	81.0	45.0	5600	50	250	1346	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	300	1939	81.0	45.0	5600	50	300	1296	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	50	350	1889	81.0	45.0	5600	50	350	1246	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	0	2189	75.9	45.0	5600	100	0	1546	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	50	2139	76.5	45.0	5600	100	50	1496	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	100	2089	77.2	45.0	5600	100	100	1446	81.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4800	100	150	2039	77.9	45.0	5600	100	150	1396	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	100	200	1989	78.7	45.0	5600	100	200	1346	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	100	250	1939	79.5	45.0	5600	100	250	1296	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4800	100	300	1889	80.3	45.0	5600	100	300	1246	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	100	350	1839	81.0	45.0	5600	100	350	1196	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	150	0	2139	81.0	45.0	5600	150	0	1496	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	150	50	2089	81.0	45.0	5600	150	50	1446	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	150	100	2039	81.0	45.0	5600	150	100	1396	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	150	150	1989	81.0	45.0	5600	150	150	1346	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	150	200	1939	81.0	45.0	5600	150	200	1296	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	150	250	1889	81.0	45.0	5600	150	250	1246	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	150	300	1839	81.0	45.0	5600	150	300	1196	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	150	350	1789	81.0	45.0	5600	150	350	1146	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	200	0	2089	81.0	45.0	5600	200	0	1446	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	200	50	2039	81.0	45.0	5600	200	50	1396	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	200	100	1989	81.0	45.0	5600	200	100	1346	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	200	150	1939	81.0	45.0	5600	200	150	1296	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	200	200	1889	81.0	45.0	5600	200	200	1246	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	250	1839	81.0	45.0	5600	200	250	1196	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	300	1789	81.0	45.0	5600	200	300	1146	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	200	350	1739	81.0	45.0	5600	200	350	1096	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	250	0	2039	81.0	45.0	5600	250	0	1396	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	250	50	1989	81.0	45.0	5600	250	50	1346	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	250	100	1939	81.0	45.0	5600	250	100	1296	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	250	150	1889	81.0	45.0	5600	250	150	1246	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	250	200	1839	81.0	45.0	5600	250	200	1196	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS	10	Add	4	Add	5200	250	250	1789	81.0	45.0	5600	250	250	1146	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GA	16	Add	6	Add	5200	250	300	1739	81.0	45.0	5600	250	300	1096	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIES	1	Add	0	Add	5200	250	350	1689	81.0	45.0	5600	250	350	1046	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DI	7	Add	3	Add	5200	300	0	1989	81.0	45.0	5600	300	0	1346	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	300	50	1939	81.0	45.0	5600	300	50	1296	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	300	100	1889	81.0	45.0	5600	300	100	1246	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	300	150	1839	81.0	45.0	5600	300	150	1196	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	300	200	1789	81.0	45.0	5600	300	200	1146	81.0	45.0
Foglamps	3	Add	0	Add	5200	300	250	1739	81.0	45.0	5600	300	250	1096	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	300	1689	81.0	45.0	5600	300	300	1046	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	350	1639	81.0	45.0	5600	300	350	996	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add												
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add												
All Weather Floor Mat	6	Add	4	Add												
Electrochromic Rear View Mirror	1	Add	0	Add												
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add												
Floor Consolette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 17" Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4800	-50	-50	2209	79.2	45.0	5600	-50	-50	1547	81.0	45.0
XLT Trim (GAS)	13	Add	9	Add	4800	-50	0	2159	79.9	45.0	5600	-50	0	1497	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	50	2109	80.7	45.0	5600	-50	50	1447	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	100	2059	81.0	45.0	5600	-50	100	1397	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2159	81.0	45.0	5600	0	-50	1497	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2109	81.0	45.0	5600	0	0	1447	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2059	81.0	45.0	5600	0	50	1397	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	2009	81.0	45.0	5600	0	100	1347	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	1959	81.0	45.0	5600	0	150	1297	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	1909	81.0	45.0	5600	0	200	1247	81.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	1859	81.0	45.0	5600	0	250	1197	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	1809	81.0	45.0	5600	0	300	1147	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	350	1759	81.0	45.0	5600	0	350	1097	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	400	1709	81.0	45.0	5600	0	400	1047	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	50	0	2059	81.0	45.0	5600	50	0	1397	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	50	2009	81.0	45.0	5600	50	50	1347	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	100	1959	81.0	45.0	5600	50	100	1297	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	150	1909	81.0	45.0	5600	50	150	1247	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	200	1859	81.0	45.0	5600	50	200	1197	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	250	1809	81.0	45.0	5600	50	250	1147	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	300	1759	81.0	45.0	5600	50	300	1097	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	350	1709	81.0	45.0	5600	50	350	1047	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	400	1659	81.0	45.0	5600	50	400	997	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	100	0	2009	81.0	45.0	5600	100	0	1347	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	50	1959	81.0	45.0	5600	100	50	1297	81.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	100	100	1909	81.0	45.0	5600	100	100	1247	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel ST	12	Add	19	Add	5200	100	150	1859	81.0	45.0	5600	100	150	1197	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	100	200	1809	81.0	45.0	5600	100	200	1147	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Whe	-14	Minus	-8	Minus	5200	100	250	1759	81.0	45.0	5600	100	250	1097	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel S	-9	Minus	-3	Minus	5200	100	300	1709	81.0	45.0	5600	100	300	1047	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	350	1659	81.0	45.0	5600	100	350	997	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel V	-2	Minus	4	Add	5200	100	400	1609	81.0	45.0	5600	100	400	947	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel ST	1	Add	7	Add	5200	150	0	1959	81.0	45.0	5600	150	0	1297	81.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel	3	Add	9	Add	5200	150	50	1909	81.0	45.0	5600	150	50	1247	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	150	100	1859	81.0	45.0	5600	150	100	1197	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	150	150	1809	81.0	45.0	5600	150	150	1147	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	150	200	1759	81.0	45.0	5600	150	200	1097	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	150	250	1709	81.0	45.0	5600	150	250	1047	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	150	300	1659	81.0	45.0	5600	150	300	997	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	150	350	1609	81.0	45.0	5600	150	350	947	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	150	400	1559	81.0	45.0	5600	150	400	897	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	200	0	1909	81.0	45.0	5600	200	0	1247	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	200	50	1859	81.0	45.0	5600	200	50	1197	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	200	100	1809	81.0	45.0	5600	200	100	1147	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	200	150	1759	81.0	45.0	5600	200	150	1097	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	200	1709	81.0	45.0	5600	200	200	1047	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	200	250	1659	81.0	45.0	5600	200	250	997	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	300	1609	81.0	45.0	5600	200	300	947	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	200	350	1559	81.0	45.0	5600	200	350	897	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	400	1509	81.0	45.0	5600	200	400	847	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	250	0	1859	81.0	45.0	6000	250	0	1197	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	250	50	1809	81.0	45.0	6000	250	50	1147	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	250	100	1759	81.0	45.0	6000	250	100	1097	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	250	150	1709	81.0	45.0	6000	250	150	1047	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopin	10	Add	4	Add	5200	250	200	1659	81.0	45.0	6000	250	200	997	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescop	16	Add	6	Add	5200	250	250	1609	81.0	45.0	6000	250	250	947	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescopin	1	Add	0	Add	5200	250	300	1559	81.0	45.0	6000	250	300	897	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescop	7	Add	3	Add	5200	250	350	1509	81.0	45.0	6000	250	350	847	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	400	1459	81.0	45.0	6000	250	400	797	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	300	0	1809	81.0	45.0	6000	300	0	1147	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	300	50	1759	81.0	45.0	6000	300	50	1097	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	300	100	1709	81.0	45.0	6000	300	100	1047	81.0	45.0
Foglamps	3	Add	0	Add	5200	300	150	1659	81.0	45.0	6000	300	150	997	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	200	1609	81.0	45.0	6000	300	200	947	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	250	1559	81.0	45.0	6000	300	250	897	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	300	1509	81.0	45.0	6000	300	300	847	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	350	1459	81.0	45.0	6000	300	350	797	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	400	1409	81.0	45.0	6000	300	400	747	81.0	45.0
All Weather Floor Mat	7	Add	4	Add												
Electrochromic Rear View Mirror	1	Add	0	Add							6000	350	0	1097	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add							6000	350	50	1047	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus							6000	350	100	997	81.0	45.0
Cruise Control	3	Add	1	Add							6000	350	150	947	81.0	45.0
Power Equipment Group	15	Add	6	Add							6000	350	200	897	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add							6000	350	250	847	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 s	15	Add	10	Add							6000	350	300	797	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add							6000	350	350	747	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus							6000	350	400	697	81.0	45.0
Crew cab - Second Row 60/40 w/Under Seat Storage	9	Add	9	Add												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2w	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 17" Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2306	76.4	45.0	5600	-50	-50	1567	97.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2256	77.0	45.0	5600	-50	0	1517	97.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2206	77.7	45.0	5600	-50	50	1467	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2156	78.4	45.0	5600	-50	100	1417	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2256	97.0	45.0	5600	0	-50	1517	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2206	97.0	45.0	5600	0	0	1467	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2156	97.0	45.0	5600	0	50	1417	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2106	97.0	45.0	5600	0	100	1367	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2056	97.0	45.0	5600	0	150	1317	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	2006	97.0	45.0	5600	0	200	1267	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1956	97.0	45.0	5600	0	250	1217	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	1906	97.0	45.0	5600	0	300	1167	97.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	350	1856	97.0	45.0	5600	0	350	1117	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1806	97.0	45.0	5600	0	400	1067	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	1756	97.0	45.0	5600	0	450	1017	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1706	97.0	45.0	5600	0	500	967	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	-50	2206	97.0	45.0	5600	50	0	1417	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2156	97.0	45.0	5600	50	50	1367	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	2106	97.0	45.0	5600	50	100	1317	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	2056	97.0	45.0	5600	50	150	1267	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	2006	97.0	45.0	5600	50	200	1217	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	1956	97.0	45.0	5600	50	250	1167	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	1906	97.0	45.0	5600	50	300	1117	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1856	97.0	45.0	5600	50	350	1067	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	350	1806	97.0	45.0	5600	50	400	1017	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5200	50	400	1756	97.0	45.0	5600	50	450	967	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	450	1706	97.0	45.0	5600	50	500	917	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel	-14	Minus	-8	Minus	5200	50	500	1656	97.0	45.0	5600	100	0	1367	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD	-9	Minus	-3	Minus	5200	100	-50	2156	96.7	45.0	5600	100	50	1317	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	0	2106	97.0	45.0	5600	100	100	1267	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	50	2056	97.0	45.0	5600	100	150	1217	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	100	100	2006	97.0	45.0	5600	100	200	1167	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	150	1956	97.0	45.0	5600	100	250	1117	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	100	200	1906	97.0	45.0	5600	100	300	1067	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	250	1856	97.0	45.0	5600	100	350	1017	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	300	1806	97.0	45.0	5600	100	400	967	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	350	1756	97.0	45.0	5600	100	450	917	97.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	400	1706	97.0	45.0	5600	100	500	867	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	450	1656	97.0	45.0	5600	150	0	1317	96.9	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	500	1606	97.0	45.0	5600	150	50	1267	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	-50	2106	94.1	45.0	5600	150	100	1217	97.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	0	2056	95.2	45.0	5600	150	150	1167	97.0	45.0
Spray-In Bedliner	1	Add	19	Add	5200	150	50	2006	96.4	45.0	5600	150	200	1117	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	150	100	1956	97.0	45.0	5600	150	250	1067	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	150	150	1906	97.0	45.0	5600	150	300	1017	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	200	1856	97.0	45.0	5600	150	350	967	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	250	1806	97.0	45.0	5600	150	400	917	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	300	1756	97.0	45.0	5600	150	450	867	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	350	1706	97.0	45.0	5600	150	500	817	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	400	1656	97.0	45.0	6000	200	0	1267	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (	10	Add	4	Add	5200	150	450	1606	97.0	45.0	6000	200	50	1217	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping	16	Add	6	Add	5200	150	500	1556	97.0	45.0	6000	200	100	1167	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (	1	Add	0	Add	5200	200	-50	2056	91.4	45.0	6000	200	150	1117	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping	7	Add	3	Add	5200	200	0	2006	92.5	45.0	6000	200	200	1067	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	50	1956	93.6	45.0	6000	200	250	1017	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	100	1906	94.8	45.0	6000	200	300	967	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	150	1856	96.1	45.0	6000	200	350	917	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	200	1806	97.0	45.0	6000	200	400	867	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	250	1756	97.0	45.0	6000	200	450	817	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	300	1706	97.0	45.0	6000	200	500	767	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	350	1656	97.0	45.0	6000	250	0	1217	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	400	1606	97.0	45.0	6000	250	50	1167	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	450	1556	97.0	45.0	6000	250	100	1117	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	500	1506	97.0	45.0	6000	250	150	1067	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	250	-50	2006	88.6	45.0	6000	250	200	1017	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	250	0	1956	89.6	45.0	6000	250	250	967	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	250	50	1906	90.7	45.0	6000	250	300	917	97.0	45.0
Cruise Control	3	Add	1	Add	5200	250	100	1856	91.8	45.0	6000	250	350	867	97.0	45.0
Power Equipment Group	12	Add	3	Add	5200	250	150	1806	93.1	45.0	6000	250	400	817	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	200	1756	94.3	45.0	6000	250	450	767	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkr	15	Add	10	Add	5200	250	250	1706	95.7	45.0	6000	250	500	717	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	300	1656	97.0	45.0	6000	300	0	1167	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	350	1606	97.0	45.0	6000	300	50	1117	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way	8	Add	4	Add	5200	250	400	1556	97.0	45.0	6000	300	100	1067	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	450	1506	97.0	45.0	6000	300	150	1017	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	500	1456	97.0	45.0	6000	300	200	967	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	300	-50	1956	85.6	45.0	6000	300	250	917	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	300	0	1906	86.5	45.0	6000	300	350	817	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	300	50	1856	87.6	45.0	6000	300	400	767	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	300	100	1806	88.7	45.0	6000	300	450	717	97.0	45.0
Satellite Digital Broadcat	2	Add	1	Add	5200	300	150	1756	89.8	45.0	6000	300	500	667	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	300	200	1706	91.1	45.0						
SYNC Basic - Gen I	1	Add	0	Add	5200	300	250	1656	92.4	45.0						
SYNC Finder - Gen II	1	Add	0	Add	5200	300	300	1606	93.8	45.0						
FX4 Off-Road Package	2	Add	2	Add	5200	300	350	1556	95.2	45.0						
Tracking System - Crew Chief	3	Add	0	Add	5200	300	400	1506	96.8	45.0						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5200	300	450	1456	97.0	45.0						
Bed Mat	0	Add	58	Add	5200	300	500	1406	97.0	45.0						
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 17" Tires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	5200	-50	-50	2096	97.0	45.0	5600	-50	-50	1355	97.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	0	2046	97.0	45.0	5600	-50	0	1305	97.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	50	1996	97.0	45.0	5600	-50	50	1255	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	100	1946	97.0	45.0	5600	-50	100	1205	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2046	97.0	45.0	5600	0	-50	1305	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	1996	97.0	45.0	5600	0	0	1255	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	1946	97.0	45.0	5600	0	50	1205	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	1896	97.0	45.0	5600	0	100	1155	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	1846	97.0	45.0	5600	0	150	1105	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	1796	97.0	45.0	5600	0	200	1055	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1746	97.0	45.0	5600	0	250	1005	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	1696	97.0	45.0	5600	0	300	955	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	350	1646	97.0	45.0	5600	0	350	905	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1596	97.0	45.0	5600	0	400	855	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	1546	97.0	45.0	5600	0	450	805	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1496	97.0	45.0	5600	0	500	755	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	550	1446	97.0	45.0	5600	0	550	705	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	1946	97.0	45.0	6000	50	0	1205	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	1896	97.0	45.0	6000	50	50	1155	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	1846	97.0	45.0	6000	50	100	1105	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	1796	97.0	45.0	6000	50	150	1055	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	1746	97.0	45.0	6000	50	200	1005	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	1696	97.0	45.0	6000	50	250	955	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1646	97.0	45.0	6000	50	300	905	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	350	1596	97.0	45.0	6000	50	350	855	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Minus	19	Add	5200	50	400	1546	97.0	45.0	6000	50	400	805	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	450	1496	97.0	45.0	6000	50	450	755	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel	-14	Minus	-8	Minus	5200	50	500	1446	97.0	45.0	6000	50	500	705	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD	-9	Minus	-3	Minus	5200	50	550	1396	97.0	45.0	6000	50	550	655	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	0	1896	96.6	45.0	6000	100	0	1155	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wh	-2	Minus	4	Add	5200	100	50	1846	97.0	45.0	6000	100	50	1105	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	100	1796	97.0	45.0	6000	100	100	1055	97.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wh	3	Add	9	Add	5200	100	150	1746	97.0	45.0	6000	100	150	1005	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	100	200	1696	97.0	45.0	6000	100	200	955	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	250	1646	97.0	45.0	6000	100	250	905	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	100	300	1596	97.0	45.0	6000	100	300	855	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	350	1546	97.0	45.0	6000	100	350	805	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	400	1496	97.0	45.0	6000	100	400	755	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	450	1446	97.0	45.0	6000	100	450	705	97.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	500	1396	97.0	45.0	6000	100	500	655	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	550	1346	97.0	45.0	6000	100	550	605	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	0	1846	93.2	45.0	6000	150	0	1105	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	50	1796	94.5	45.0	6000	150	50	1055	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	100	1746	95.8	45.0	6000	150	100	1005	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	150	150	1696	97.0	45.0	6000	150	150	955	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	200	1646	97.0	45.0	6000	150	200	905	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	250	1596	97.0	45.0	6000	150	250	855	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	150	300	1546	97.0	45.0	6000	150	300	805	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	350	1496	97.0	45.0	6000	150	350	755	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	400	1446	97.0	45.0	6000	150	400	705	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	450	1396	97.0	45.0	6000	150	450	655	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	500	1346	97.0	45.0	6000	150	500	605	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	550	1296	97.0	45.0	6000	150	550	555	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (	10	Add	4	Add	5200	200	0	1796	89.7	45.0	6000	200	0	1055	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping	16	Add	6	Add	5200	200	50	1746	90.9	45.0	6000	200	50	1005	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (	1	Add	0	Add	5200	200	100	1696	92.1	45.0	6000	200	100	955	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping	7	Add	3	Add	5200	200	150	1646	93.5	45.0	6000	200	150	905	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	200	1596	94.9	45.0	6000	200	200	855	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	250	1546	96.4	45.0	6000	200	250	805	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	300	1496	97.0	45.0	6000	200	300	755	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	350	1446	97.0	45.0	6000	200	350	705	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	400	1396	97.0	45.0	6000	200	400	655	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	450	1346	97.0	45.0	6000	200	450	605	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	500	1296	97.0	45.0	6000	200	500	555	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	550	1246	97.0	45.0	6000	200	550	505	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5600	250	0	1746	97.0	45.0	6000	250	0	1005	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5600	250	50	1696	97.0	45.0	6000	250	50	955	97.0	45.0
All Weather Floor Mat	7	Add	4	Add	5600	250	100	1646	97.0	45.0	6000	250	100	905	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5600	250	150	1596	97.0	45.0	6000	250	150	855	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5600	250	200	1546	97.0	45.0	6000	250	200	805	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5600	250	250	1496	97.0	45.0	6000	250	250	755	97.0	45.0
Cruise Control	3	Add	1	Add	5600	250	300	1446	97.0	45.0	6000	250	300	705	97.0	45.0
Power Equipment Group	15	Add	6	Add	5600	250	350	1396	97.0	45.0	6000	250	350	655	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	400	1346	97.0	45.0	6000	250	400	605	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkr	15	Add	10	Add	5600	250	450	1296	97.0	45.0	6000	250	450	555	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	500	1246	97.0	45.0	6000	250	500	505	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	250	550	1196	97.0	45.0	6000	250	550	455	97.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5600	300	0	1696	97.0	45.0	6000	300	0	955	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way	8	Add	4	Add	5600	300	50	1646	97.0	45.0	6000	300	50	905	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	300	100	1596	97.0	45.0	6000	300	100	855	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	300	150	1546	97.0	45.0	6000	300	150	805	97.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	300	200	1496	97.0	45.0	6000	300	200	755	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	300	250	1446	97.0	45.0	6000	300	250	705	97.0	45.0
King Ranch Leather	4	Add	2	Add	5600	300	300	1396	97.0	45.0	6000	300	300	655	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	300	350	1346	97.0	45.0	6000	300	350	605	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	300	400	1296	97.0	45.0	6000	300	400	555	97.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	300	450	1246	97.0	45.0	6000	300	450	505	97.0	45.0
Satellite Digital Broadcat	2	Add	1	Add	5600	300	500	1196	97.0	45.0	6000	300	500	455	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5600	300	550	1146	97.0	45.0	6000	300	550	405	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 18" All-Season Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
XLT Trim (GAS)	10	Add	6	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3102	67.5	45.0	5200	-50	-50	2449	85.6	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3052	67.8	45.0	5200	-50	0	2399	86.3	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3002	68.1	45.0	5200	-50	50	2349	87.2	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	2952	68.5	45.0	5200	-50	100	2299	88.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	-50	3052	83.5	45.0	5200	0	-50	2399	83.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	0	3002	84.1	45.0	5200	0	0	2349	84.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	50	2952	84.7	45.0	5200	0	50	2299	85.0	45.0
Brake Controller	1	Add	0	Add	4800	0	100	2902	85.4	45.0	5200	0	100	2249	85.9	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	150	2852	86.0	45.0	5200	0	200	2149	87.6	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	200	2802	86.7	45.0	5200	0	250	2099	88.6	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	250	2752	87.4	45.0	5200	0	300	2049	89.6	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	300	2702	88.1	45.0	5200	0	350	1999	90.6	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	350	2652	88.9	45.0	5200	0	400	1949	91.7	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	400	2602	89.7	45.0	5200	0	450	1899	92.9	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	450	2552	90.5	45.0	5200	0	500	1849	94.1	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	500	2502	91.3	45.0	5200	50	0	2299	82.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	0	2952	82.4	45.0	5200	50	50	2249	82.8	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	50	2902	83.0	45.0	5200	50	100	2199	83.6	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	100	2852	83.6	45.0	5200	50	200	2099	85.3	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	150	2802	84.2	45.0	5200	50	250	2049	86.2	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	200	2752	84.9	45.0	5200	50	300	1999	87.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	250	2702	85.6	45.0	5200	50	350	1949	88.2	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	50	300	2652	86.3	45.0	5200	50	400	1899	89.3	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	4800	50	350	2602	87.0	45.0	5200	50	450	1849	90.4	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	4800	50	400	2552	87.8	45.0	5200	50	500	1799	91.6	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4800	50	450	2502	88.6	45.0	5200	100	0	2249	79.8	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4800	50	500	2452	89.4	45.0	5200	100	50	2199	80.5	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	100	0	2902	80.6	45.0	5200	100	100	2149	81.3	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	50	2852	81.2	45.0	5200	100	200	2049	82.9	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	100	100	2802	81.8	45.0	5200	100	250	1999	83.8	45.0
Drop-In Bedliner	2	Add	42	Add	4800	100	150	2752	82.4	45.0	5200	100	300	1949	84.7	45.0
Spray-In Bedliner	1	Add	19	Add	4800	100	200	2702	83.1	45.0	5200	100	350	1899	85.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	250	2652	83.7	45.0	5200	100	400	1849	86.7	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	300	2602	84.4	45.0	5200	100	450	1799	87.7	45.0
Static Rear Video Camera	0	Add	1	Add	4800	100	350	2552	85.1	45.0	5200	100	500	1749	88.9	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	400	2502	85.9	45.0	5200	150	0	2199	77.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	450	2452	86.6	45.0	5200	150	50	2149	78.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4800	100	500	2402	87.5	45.0	5200	150	100	2099	78.8	45.0
Sliding Rear Window	5	Add	2	Add	4800	150	0	2852	78.8	45.0	5200	150	200	1999	80.3	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	50	2802	79.4	45.0	5200	150	250	1949	81.2	45.0
Foglamps	3	Add	0	Add	4800	150	100	2752	79.9	45.0	5200	150	300	1899	82.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	150	2702	80.5	45.0	5200	150	350	1849	83.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	200	2652	81.1	45.0	5200	150	400	1799	83.9	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	250	2602	81.8	45.0	5200	150	450	1749	85.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	300	2552	82.4	45.0	5200	150	500	1699	86.1	45.0
All Weather Floor Mat	4	Add	2	Add	4800	150	350	2502	83.1	45.0	5200	200	0	2149	74.9	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	400	2452	83.9	45.0	5200	200	50	2099	75.5	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	450	2402	84.6	45.0	5200	200	100	2049	76.2	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4800	150	500	2352	85.4	45.0	5200	200	200	1949	77.7	45.0
Cruise Control	3	Add	1	Add	4800	200	0	2802	76.9	45.0	5200	200	250	1899	78.4	45.0
Power Equipment Group	12	Add	3	Add	4800	200	50	2752	77.4	45.0	5200	200	300	1849	79.3	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	100	2702	78.0	45.0	5200	200	350	1799	80.1	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	200	150	2652	78.6	45.0	5200	200	400	1749	81.1	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	200	2602	79.1	45.0	5200	200	450	1699	82.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	250	2552	79.8	45.0	5200	200	500	1649	83.1	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4800	200	300	2502	80.4	45.0	5600	250	0	2099	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	200	350	2452	81.1	45.0	5600	250	50	2049	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	400	2402	81.7	45.0	5600	250	100	1999	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	450	2352	82.5	45.0	5600	250	200	1899	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	4800	200	500	2302	83.2	45.0	5600	250	250	1849	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	250	0	2752	74.9	45.0	5600	250	300	1799	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	4800	250	50	2702	75.5	45.0	5600	250	350	1749	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	4800	250	100	2652	76.0	45.0	5600	250	400	1699	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	4800	250	150	2602	76.5	45.0	5600	250	450	1649	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	4800	250	200	2552	77.1	45.0	5600	250	500	1599	97.0	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	250	250	2502	77.7	45.0						
Bed Mat	0	Add	58	Add	4800	250	300	2452	78.3	45.0						
Cable/Strap Locks	0	Add	9	Add	4800	250	350	2402	78.9	45.0						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4800	250	400	2352	79.6	45.0						
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	450	2302	80.2	45.0						
Wheel Well Liner - SRW only	0	Add	7	Add	4800	250	500	2252	81.0	45.0						
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 18" All-Season Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Diesel Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	2389	81.0	45.0	5200	-50	-50	1746	81.0	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2339	81.0	45.0	5200	-50	0	1696	81.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	2289	81.0	45.0	5200	-50	50	1646	81.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	2239	81.0	45.0	5200	-50	100	1596	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	0	-50	2339	80.1	45.0	5600	0	-50	1696	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	0	0	2289	80.8	45.0	5600	0	0	1646	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	50	2239	81.0	45.0	5600	0	50	1596	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	100	2189	81.0	45.0	5600	0	100	1546	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	150	2139	81.0	45.0	5600	0	150	1496	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	200	2089	81.0	45.0	5600	0	200	1446	81.0	45.0
Brake Controller	1	Add	0	Add	4800	0	250	2039	81.0	45.0	5600	0	250	1396	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	300	1989	81.0	45.0	5600	0	300	1346	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	350	1939	81.0	45.0	5600	0	350	1296	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	50	0	2239	78.4	45.0	5600	50	0	1596	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	50	2189	79.1	45.0	5600	50	50	1546	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	100	2139	79.8	45.0	5600	50	100	1496	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	150	2089	80.6	45.0	5600	50	150	1446	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	50	200	2039	81.0	45.0	5600	50	200	1396	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	250	1989	81.0	45.0	5600	50	250	1346	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	300	1939	81.0	45.0	5600	50	300	1296	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	350	1889	81.0	45.0	5600	50	350	1246	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	100	0	2189	75.9	45.0	5600	100	0	1546	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	50	2139	76.5	45.0	5600	100	50	1496	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	100	2089	77.2	45.0	5600	100	100	1446	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	150	2039	77.9	45.0	5600	100	150	1396	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	200	1989	78.7	45.0	5600	100	200	1346	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4800	100	250	1939	79.5	45.0	5600	100	250	1296	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	300	1889	80.3	45.0	5600	100	300	1246	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	4800	100	350	1839	81.0	45.0	5600	100	350	1196	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	100	350	1839	81.0	45.0	5600	100	350	1196	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	150	0	2139	81.0	45.0	5600	150	0	1496	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5200	150	50	2089	81.0	45.0	5600	150	50	1446	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	150	100	2039	81.0	45.0	5600	150	100	1396	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	150	150	1989	81.0	45.0	5600	150	150	1346	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	200	1939	81.0	45.0	5600	150	200	1296	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	250	1889	81.0	45.0	5600	150	250	1246	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	300	1839	81.0	45.0	5600	150	300	1196	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	350	1789	81.0	45.0	5600	150	350	1146	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	0	2089	81.0	45.0	5600	200	0	1446	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	50	2039	81.0	45.0	5600	200	50	1396	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	200	100	1989	81.0	45.0	5600	200	100	1346	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	150	1939	81.0	45.0	5600	200	150	1296	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	200	1889	81.0	45.0	5600	200	200	1246	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	250	1839	81.0	45.0	5600	200	250	1196	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	300	1789	81.0	45.0	5600	200	300	1146	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	350	1739	81.0	45.0	5600	200	350	1096	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	0	2039	81.0	45.0	5600	250	0	1396	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	50	1989	81.0	45.0	5600	250	50	1346	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	250	100	1939	81.0	45.0	5600	250	100	1296	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	250	150	1889	81.0	45.0	5600	250	150	1246	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	200	1839	81.0	45.0	5600	250	200	1196	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	250	1789	81.0	45.0	5600	250	250	1146	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	300	1739	81.0	45.0	5600	250	300	1096	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	350	1689	81.0	45.0	5600	250	350	1046	81.0	45.0
Foglamps	3	Add	0	Add	5200	300	0	1989	81.0	45.0	5600	300	0	1346	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	50	1939	81.0	45.0	5600	300	50	1296	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	100	1889	81.0	45.0	5600	300	100	1246	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	300	150	1839	81.0	45.0	5600	300	150	1196	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	200	1789	81.0	45.0	5600	300	200	1146	81.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	300	250	1739	81.0	45.0	5600	300	250	1096	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	300	1689	81.0	45.0	5600	300	300	1046	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	350	1639	81.0	45.0	5600	300	350	996	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 18" All-Season Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
	I		I		I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	5200	0	-50	2159	81.0	45.0	5600	0	-50	1497	81.0	45.0
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	2209	79.2	45.0	5600	-50	-50	1547	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	2159	79.9	45.0	5600	-50	0	1497	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2109	80.7	45.0	5600	-50	50	1447	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2059	81.0	45.0	5600	-50	100	1397	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2159	81.0	45.0	5600	0	-50	1497	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2109	81.0	45.0	5600	0	0	1447	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2059	81.0	45.0	5600	0	50	1397	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2009	81.0	45.0	5600	0	100	1347	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	1959	81.0	45.0	5600	0	150	1297	81.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	1909	81.0	45.0	5600	0	200	1247	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1859	81.0	45.0	5600	0	250	1197	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	300	1809	81.0	45.0	5600	0	300	1147	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	350	1759	81.0	45.0	5600	0	350	1097	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1709	81.0	45.0	5600	0	400	1047	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	0	2059	81.0	45.0	5600	50	0	1397	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	50	2009	81.0	45.0	5600	50	50	1347	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	100	1959	81.0	45.0	5600	50	100	1297	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	150	1909	81.0	45.0	5600	50	150	1247	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	200	1859	81.0	45.0	5600	50	200	1197	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	250	1809	81.0	45.0	5600	50	250	1147	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	300	1759	81.0	45.0	5600	50	300	1097	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	350	1709	81.0	45.0	5600	50	350	1047	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	400	1659	81.0	45.0	5600	50	400	997	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	0	2009	81.0	45.0	5600	100	0	1347	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	50	1959	81.0	45.0	5600	100	50	1297	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	100	1909	81.0	45.0	5600	100	100	1247	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	150	1859	81.0	45.0	5600	100	150	1197	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	200	1809	81.0	45.0	5600	100	200	1147	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD	-15	Minus	-15	Minus	5200	100	250	1759	81.0	45.0	5600	100	250	1097	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	300	1709	81.0	45.0	5600	100	300	1047	81.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel ST	-10	Minus	-10	Minus	5200	100	350	1659	81.0	45.0	5600	100	350	997	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	400	1609	81.0	45.0	5600	100	400	947	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5200	150	0	1959	81.0	45.0	5600	150	0	1297	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	150	50	1909	81.0	45.0	5600	150	50	1247	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	150	100	1859	81.0	45.0	5600	150	100	1197	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	150	1809	81.0	45.0	5600	150	150	1147	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	200	1759	81.0	45.0	5600	150	200	1097	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	250	1709	81.0	45.0	5600	150	250	1047	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	300	1659	81.0	45.0	5600	150	300	997	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	350	1609	81.0	45.0	5600	150	350	947	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	400	1559	81.0	45.0	5600	150	400	897	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	0	1909	81.0	45.0	5600	200	0	1247	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	200	50	1859	81.0	45.0	5600	200	50	1197	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	100	1809	81.0	45.0	5600	200	100	1147	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	150	1759	81.0	45.0	5600	200	150	1097	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	200	1709	81.0	45.0	5600	200	200	1047	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	250	1659	81.0	45.0	5600	200	250	997	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	300	1609	81.0	45.0	5600	200	300	947	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	350	1559	81.0	45.0	5600	200	350	897	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	400	1509	81.0	45.0	5600	200	400	847	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	250	0	1859	81.0	45.0	6000	250	0	1197	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	250	50	1809	81.0	45.0	6000	250	50	1147	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	100	1759	81.0	45.0	6000	250	100	1097	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	150	1709	81.0	45.0	6000	250	150	1047	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	200	1659	81.0	45.0	6000	250	200	997	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	250	1609	81.0	45.0	6000	250	250	947	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	300	1559	81.0	45.0	6000	250	300	897	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	350	1509	81.0	45.0	6000	250	350	847	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	400	1459	81.0	45.0	6000	250	400	797	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	0	1809	81.0	45.0	6000	300	0	1147	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	50	1759	81.0	45.0	6000	300	50	1097	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	100	1709	81.0	45.0	6000	300	100	1047	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	300	150	1659	81.0	45.0	6000	300	150	997	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	200	1609	81.0	45.0	6000	300	200	947	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	250	1559	81.0	45.0	6000	300	250	897	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	300	300	1509	81.0	45.0	6000	300	300	847	81.0	45.0
Cruise Control	3	Add	1	Add	5200	300	350	1459	81.0	45.0	6000	300	350	797	81.0	45.0
Power Equipment Group	15	Add	6	Add	5200	300	400	1409	81.0	45.0	6000	300	400	747	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add							6000	350	0	1097	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add							6000	350	50	1047	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add							6000	350	100	997	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus							6000	350	150	947	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add							6000	350	200	897	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add							6000	350	250	847	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add							6000	350	300	797	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add							6000	350	350	747	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add							6000	350	400	697	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 18" All-Season Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	2306	76.4	45.0	5600	-50	-50	1567	97.0	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2256	77.0	45.0	5600	-50	0	1517	97.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	2206	77.7	45.0	5600	-50	50	1467	97.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	2156	78.4	45.0	5600	-50	100	1417	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2256	97.0	45.0	5600	0	-50	1517	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2206	97.0	45.0	5600	0	0	1467	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2156	97.0	45.0	5600	0	50	1417	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	2106	97.0	45.0	5600	0	100	1367	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	2056	97.0	45.0	5600	0	150	1317	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	2006	97.0	45.0	5600	0	200	1267	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	1956	97.0	45.0	5600	0	250	1217	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	1906	97.0	45.0	5600	0	300	1167	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	1856	97.0	45.0	5600	0	350	1117	97.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	400	1806	97.0	45.0	5600	0	400	1067	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	1756	97.0	45.0	5600	0	450	1017	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	1706	97.0	45.0	5600	0	500	967	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	-50	2206	97.0	45.0	5600	50	0	1417	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	2156	97.0	45.0	5600	50	50	1367	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	2106	97.0	45.0	5600	50	100	1317	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	2056	97.0	45.0	5600	50	150	1267	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	2006	97.0	45.0	5600	50	200	1217	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	1956	97.0	45.0	5600	50	250	1167	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	1906	97.0	45.0	5600	50	300	1117	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	1856	97.0	45.0	5600	50	350	1067	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	350	1806	97.0	45.0	5600	50	400	1017	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	400	1756	97.0	45.0	5600	50	450	967	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	450	1706	97.0	45.0	5600	50	500	917	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	500	1656	97.0	45.0	5600	100	0	1367	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	-50	2156	96.7	45.0	5600	100	50	1317	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	0	2106	97.0	45.0	5600	100	100	1267	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	50	2056	97.0	45.0	5600	100	150	1217	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5200	100	100	2006	97.0	45.0	5600	100	200	1167	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	100	150	1956	97.0	45.0	5600	100	250	1117	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	100	200	1906	97.0	45.0	5600	100	300	1067	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	250	1856	97.0	45.0	5600	100	350	1017	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	300	1806	97.0	45.0	5600	100	400	967	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	350	1756	97.0	45.0	5600	100	450	917	97.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	100	400	1706	97.0	45.0	5600	100	500	867	97.0	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	450	1656	97.0	45.0	5600	150	0	1317	96.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	500	1606	97.0	45.0	5600	150	50	1267	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	150	-50	2106	94.1	45.0	5600	150	100	1217	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	0	2056	95.2	45.0	5600	150	150	1167	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	50	2006	96.4	45.0	5600	150	200	1117	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	100	1956	97.0	45.0	5600	150	250	1067	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	150	1906	97.0	45.0	5600	150	300	1017	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	200	1856	97.0	45.0	5600	150	350	967	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	250	1806	97.0	45.0	5600	150	400	917	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	300	1756	97.0	45.0	5600	150	450	867	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	350	1706	97.0	45.0	5600	150	500	817	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	400	1656	97.0	45.0	6000	200	0	1267	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	450	1606	97.0	45.0	6000	200	50	1217	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	500	1556	97.0	45.0	6000	200	100	1167	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	-50	2056	91.4	45.0	6000	200	150	1117	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	0	2006	92.5	45.0	6000	200	200	1067	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	50	1956	93.6	45.0	6000	200	250	1017	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	100	1906	94.8	45.0	6000	200	300	967	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	150	1856	96.1	45.0	6000	200	350	917	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	200	1806	97.0	45.0	6000	200	400	867	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	250	1756	97.0	45.0	6000	200	450	817	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	300	1706	97.0	45.0	6000	200	500	767	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	350	1656	97.0	45.0	6000	250	0	1217	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	400	1606	97.0	45.0	6000	250	50	1167	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	200	450	1556	97.0	45.0	6000	250	100	1117	97.0	45.0
Cruise Control	3	Add	1	Add	5200	200	500	1506	97.0	45.0	6000	250	150	1067	97.0	45.0
Power Equipment Group	12	Add	3	Add	5200	250	-50	2006	88.6	45.0	6000	250	200	1017	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	0	1956	89.6	45.0	6000	250	250	967	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	250	50	1906	90.7	45.0	6000	250	300	917	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	100	1856	91.8	45.0	6000	250	350	867	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	150	1806	93.1	45.0	6000	250	400	817	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5200	250	200	1756	94.3	45.0	6000	250	450	767	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	250	1706	95.7	45.0	6000	250	500	717	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	300	1656	97.0	45.0	6000	300	0	1167	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	250	350	1606	97.0	45.0	6000	300	50	1117	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	250	400	1556	97.0	45.0	6000	300	100	1067	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	250	450	1506	97.0	45.0	6000	300	150	1017	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	250	500	1456	97.0	45.0	6000	300	200	967	97.0	45.0
Satellite Digital Broadcat	2	Add	1	Add	5200	300	-50	1956	85.6	45.0	6000	300	250	917	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	300	0	1906	86.5	45.0	6000	300	350	817	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5200	300	50	1856	87.6	45.0	6000	300	400	767	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5200	300	100	1806	88.7	45.0	6000	300	450	717	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	5200	300	150	1756	89.8	45.0	6000	300	500	667	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	5200	300	200	1706	91.1	45.0						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5200	300	250	1656	92.4	45.0						
Bed Mat	0	Add	58	Add	5200	300	300	1606	93.8	45.0						
Cable/Strap Locks	0	Add	9	Add	5200	300	350	1556	95.2	45.0						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	5200	300	400	1506	96.8	45.0						
Roll-up Tonneau Cover	5	Add	25	Add	5200	300	450	1456	97.0	45.0						
Wheel Well Liner - SRW only	0	Add	7	Add	5200	300	500	1406	97.0	45.0						
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 18" All-Season Tires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	5200	-50	-50	2096	97.0	45.0	5600	-50	-50	1355	97.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	0	2046	97.0	45.0	5600	-50	0	1305	97.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	50	1996	97.0	45.0	5600	-50	50	1255	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	100	1946	97.0	45.0	5600	-50	100	1205	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	2046	97.0	45.0	5600	0	-50	1305	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	1996	97.0	45.0	5600	0	0	1255	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	1946	97.0	45.0	5600	0	50	1205	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	1896	97.0	45.0	5600	0	100	1155	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	1846	97.0	45.0	5600	0	150	1105	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	1796	97.0	45.0	5600	0	200	1055	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	1746	97.0	45.0	5600	0	250	1005	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	1696	97.0	45.0	5600	0	300	955	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	350	1646	97.0	45.0	5600	0	350	905	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	1596	97.0	45.0	5600	0	400	855	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	1546	97.0	45.0	5600	0	450	805	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	1496	97.0	45.0	5600	0	500	755	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	550	1446	97.0	45.0	5600	0	550	705	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	1946	97.0	45.0	6000	50	0	1205	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	1896	97.0	45.0	6000	50	50	1155	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	1846	97.0	45.0	6000	50	100	1105	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	1796	97.0	45.0	6000	50	150	1055	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	1746	97.0	45.0	6000	50	200	1005	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	1696	97.0	45.0	6000	50	250	955	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	1646	97.0	45.0	6000	50	300	905	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	1596	97.0	45.0	6000	50	350	855	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	400	1546	97.0	45.0	6000	50	400	805	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	450	1496	97.0	45.0	6000	50	450	755	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	500	1446	97.0	45.0	6000	50	500	705	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD	-15	Minus	-15	Minus	5200	50	550	1396	97.0	45.0	6000	50	550	655	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	0	1896	96.6	45.0	6000	100	0	1155	97.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel ST	-10	Minus	-10	Minus	5200	100	50	1846	97.0	45.0	6000	100	50	1105	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	100	1796	97.0	45.0	6000	100	100	1055	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5200	100	150	1746	97.0	45.0	6000	100	150	1005	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	100	200	1696	97.0	45.0	6000	100	200	955	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	100	250	1646	97.0	45.0	6000	100	250	905	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	300	1596	97.0	45.0	6000	100	300	855	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	350	1546	97.0	45.0	6000	100	350	805	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	400	1496	97.0	45.0	6000	100	400	755	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	100	450	1446	97.0	45.0	6000	100	450	705	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	100	500	1396	97.0	45.0	6000	100	500	655	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	550	1346	97.0	45.0	6000	100	550	605	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	0	1846	93.2	45.0	6000	150	0	1105	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	150	50	1796	94.5	45.0	6000	150	50	1055	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	100	1746	95.8	45.0	6000	150	100	1005	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	150	1696	97.0	45.0	6000	150	150	955	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	200	1646	97.0	45.0	6000	150	200	905	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	250	1596	97.0	45.0	6000	150	250	855	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	300	1546	97.0	45.0	6000	150	300	805	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	350	1496	97.0	45.0	6000	150	350	755	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	400	1446	97.0	45.0	6000	150	400	705	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	450	1396	97.0	45.0	6000	150	450	655	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	500	1346	97.0	45.0	6000	150	500	605	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	550	1296	97.0	45.0	6000	150	550	555	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	0	1796	89.7	45.0	6000	200	0	1055	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	50	1746	90.9	45.0	6000	200	50	1005	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	100	1696	92.1	45.0	6000	200	100	955	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	150	1646	93.5	45.0	6000	200	150	905	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	200	1596	94.9	45.0	6000	200	200	855	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	250	1546	96.4	45.0	6000	200	250	805	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	300	1496	97.0	45.0	6000	200	300	755	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	350	1446	97.0	45.0	6000	200	350	705	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	200	400	1396	97.0	45.0	6000	200	400	655	97.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	200	450	1346	97.0	45.0	6000	200	450	605	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	500	1296	97.0	45.0	6000	200	500	555	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	550	1246	97.0	45.0	6000	200	550	505	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5600	250	0	1746	97.0	45.0	6000	250	0	1005	97.0	45.0
Cruise Control	3	Add	1	Add	5600	250	50	1696	97.0	45.0	6000	250	50	955	97.0	45.0
Power Equipment Group	15	Add	6	Add	5600	250	100	1646	97.0	45.0	6000	250	100	905	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	150	1596	97.0	45.0	6000	250	150	855	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	200	1546	97.0	45.0	6000	250	200	805	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	250	1496	97.0	45.0	6000	250	250	755	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	250	300	1446	97.0	45.0	6000	250	300	705	97.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5600	250	350	1396	97.0	45.0	6000	250	350	655	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5600	250	400	1346	97.0	45.0	6000	250	400	605	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	250	450	1296	97.0	45.0	6000	250	450	555	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	250	500	1246	97.0	45.0	6000	250	500	505	97.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	250	550	1196	97.0	45.0	6000	250	550	455	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	300	0	1696	97.0	45.0	6000	300	0	955	97.0	45.0
King Ranch Leather	4	Add	2	Add	5600	300	50	1646	97.0	45.0	6000	300	50	905	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	300	100	1596	97.0	45.0	6000	300	100	855	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	300	150	1546	97.0	45.0	6000	300	150	805	97.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	300	200	1496	97.0	45.0	6000	300	200	755	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5600	300	250	1446	97.0	45.0	6000	300	250	705	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5600	300	300	1396	97.0	45.0	6000	300	300	655	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5600	300	350	1346	97.0	45.0	6000	300	350	605	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5600	300	400	1296	97.0	45.0	6000	300	400	555	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	5600	300	450	1246	97.0	45.0	6000	300	450	505	97.0	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	5600	300	500	1196	97.0	45.0	6000	300	500	455	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	5600	300	550	1146	97.0	45.0	6000	300	550	405	97.0	45.0
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 18/20" All-Terrain Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
XLT Trim (GAS)	10	Add	6	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	3102	67.5	45.0	5200	-50	-50	2449	85.6	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	3052	67.8	45.0	5200	-50	0	2399	86.3	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	3002	68.1	45.0	5200	-50	50	2349	87.2	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	2952	68.5	45.0	5200	-50	100	2299	88.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	-50	3052	83.5	45.0	5200	0	-50	2399	83.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	0	3002	84.1	45.0	5200	0	0	2349	84.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	50	2952	84.7	45.0	5200	0	50	2299	85.0	45.0
Brake Controller	1	Add	0	Add	4800	0	100	2902	85.4	45.0	5200	0	100	2249	85.9	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	150	2852	86.0	45.0	5200	0	200	2149	87.6	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	200	2802	86.7	45.0	5200	0	250	2099	88.6	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	250	2752	87.4	45.0	5200	0	300	2049	89.6	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	300	2702	88.1	45.0	5200	0	350	1999	90.6	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	350	2652	88.9	45.0	5200	0	400	1949	91.7	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	400	2602	89.7	45.0	5200	0	450	1899	92.9	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	450	2552	90.5	45.0	5200	0	500	1849	94.1	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	500	2502	91.3	45.0	5200	50	0	2299	82.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	0	2952	82.4	45.0	5200	50	50	2249	82.8	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	50	2902	83.0	45.0	5200	50	100	2199	83.6	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	100	2852	83.6	45.0	5200	50	200	2099	85.3	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	150	2802	84.2	45.0	5200	50	250	2049	86.2	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	200	2752	84.9	45.0	5200	50	300	1999	87.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	250	2702	85.6	45.0	5200	50	350	1949	88.2	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	50	300	2652	86.3	45.0	5200	50	400	1899	89.3	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	4800	50	350	2602	87.0	45.0	5200	50	450	1849	90.4	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	4800	50	400	2552	87.8	45.0	5200	50	500	1799	91.6	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	4800	50	450	2502	88.6	45.0	5200	100	0	2249	79.8	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	500	2452	89.4	45.0	5200	100	50	2199	80.5	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	0	2902	80.6	45.0	5200	100	100	2149	81.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	100	50	2852	81.2	45.0	5200	100	200	2049	82.9	45.0
Drop-In Bedliner	2	Add	42	Add	4800	100	100	2802	81.8	45.0	5200	100	250	1999	83.8	45.0
Spray-In Bedliner	1	Add	19	Add	4800	100	150	2752	82.4	45.0	5200	100	300	1949	84.7	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	200	2702	83.1	45.0	5200	100	350	1899	85.6	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	250	2652	83.7	45.0	5200	100	400	1849	86.7	45.0
Static Rear Video Camera	0	Add	1	Add	4800	100	300	2602	84.4	45.0	5200	100	450	1799	87.7	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	350	2552	85.1	45.0	5200	100	500	1749	88.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	400	2502	85.9	45.0	5200	150	0	2199	77.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4800	100	450	2452	86.6	45.0	5200	150	50	2149	78.1	45.0
Sliding Rear Window	5	Add	2	Add	4800	100	500	2402	87.5	45.0	5200	150	100	2099	78.8	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	0	2852	78.8	45.0	5200	150	200	1999	80.3	45.0
Foglamps	3	Add	0	Add	4800	150	50	2802	79.4	45.0	5200	150	250	1949	81.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	100	2752	79.9	45.0	5200	150	300	1899	82.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	150	2702	80.5	45.0	5200	150	350	1849	83.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	200	2652	81.1	45.0	5200	150	400	1799	83.9	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	250	2602	81.8	45.0	5200	150	450	1749	85.0	45.0
All Weather Floor Mat	4	Add	2	Add	4800	150	300	2552	82.4	45.0	5200	150	500	1699	86.1	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	350	2502	83.1	45.0	5200	200	0	2149	74.9	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	400	2452	83.9	45.0	5200	200	50	2099	75.5	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4800	150	450	2402	84.6	45.0	5200	200	100	2049	76.2	45.0
Cruise Control	3	Add	1	Add	4800	150	500	2352	85.4	45.0	5200	200	200	1949	77.7	45.0
Power Equipment Group	12	Add	3	Add	4800	200	0	2802	76.9	45.0	5200	200	250	1899	78.4	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	50	2752	77.4	45.0	5200	200	300	1849	79.3	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	200	100	2702	78.0	45.0	5200	200	350	1799	80.1	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	150	2652	78.6	45.0	5200	200	400	1749	81.1	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	200	2602	79.1	45.0	5200	200	450	1699	82.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4800	200	250	2552	79.8	45.0	5200	200	500	1649	83.1	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	200	300	2502	80.4	45.0	5600	250	0	2099	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	350	2452	81.1	45.0	5600	250	50	2049	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	400	2402	81.7	45.0	5600	250	100	1999	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	4800	200	450	2352	82.5	45.0	5600	250	200	1899	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	500	2302	83.2	45.0	5600	250	250	1849	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	4800	250	0	2752	74.9	45.0	5600	250	300	1799	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	4800	250	50	2702	75.5	45.0	5600	250	350	1749	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	4800	250	100	2652	76.0	45.0	5600	250	400	1699	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	4800	250	150	2602	76.5	45.0	5600	250	450	1649	97.0	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	250	200	2552	77.1	45.0	5600	250	500	1599	97.0	45.0
Bed Mat	0	Add	58	Add	4800	250	250	2502	77.7	45.0						
Cable/Strap Locks	0	Add	9	Add	4800	250	300	2452	78.3	45.0						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4800	250	350	2402	78.9	45.0						
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	400	2352	79.6	45.0						
Wheel Well Liner - SRW only	0	Add	7	Add	4800	250	450	2302	80.2	45.0						
Gooseneck Hitch Kit	0	Add	10	Add	4800	250	500	2252	81.0	45.0						
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 18/20" All-Terrain Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Diesel Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	2389	81.0	45.0	5200	-50	-50	1746	81.0	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2339	81.0	45.0	5200	-50	0	1696	81.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	2289	81.0	45.0	5200	-50	50	1646	81.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	2239	81.0	45.0	5200	-50	100	1596	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	0	-50	2339	80.1	45.0	5600	0	-50	1696	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	0	0	2289	80.8	45.0	5600	0	0	1646	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	50	2239	81.0	45.0	5600	0	50	1596	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	100	2189	81.0	45.0	5600	0	100	1546	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	150	2139	81.0	45.0	5600	0	150	1496	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	200	2089	81.0	45.0	5600	0	200	1446	81.0	45.0
Brake Controller	1	Add	0	Add	4800	0	250	2039	81.0	45.0	5600	0	250	1396	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	300	1989	81.0	45.0	5600	0	300	1346	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	350	1939	81.0	45.0	5600	0	350	1296	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	50	0	2239	78.4	45.0	5600	50	0	1596	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	50	2189	79.1	45.0	5600	50	50	1546	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	100	2139	79.8	45.0	5600	50	100	1496	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	150	2089	80.6	45.0	5600	50	150	1446	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	50	200	2039	81.0	45.0	5600	50	200	1396	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	250	1989	81.0	45.0	5600	50	250	1346	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	300	1939	81.0	45.0	5600	50	300	1296	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	350	1889	81.0	45.0	5600	50	350	1246	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	100	0	2189	75.9	45.0	5600	100	0	1546	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	50	2139	76.5	45.0	5600	100	50	1496	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	100	2089	77.2	45.0	5600	100	100	1446	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	150	2039	77.9	45.0	5600	100	150	1396	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	200	1989	78.7	45.0	5600	100	200	1346	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4800	100	250	1939	79.5	45.0	5600	100	250	1296	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	300	1889	80.3	45.0	5600	100	300	1246	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	4800	100	350	1839	81.0	45.0	5600	100	350	1196	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	150	0	2139	81.0	45.0	5600	150	0	1496	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	150	50	2089	81.0	45.0	5600	150	50	1446	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	150	100	2039	81.0	45.0	5600	150	100	1396	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	150	150	1989	81.0	45.0	5600	150	150	1346	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	200	1939	81.0	45.0	5600	150	200	1296	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	250	1889	81.0	45.0	5600	150	250	1246	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	300	1839	81.0	45.0	5600	150	300	1196	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	350	1789	81.0	45.0	5600	150	350	1146	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	0	2089	81.0	45.0	5600	200	0	1446	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	50	2039	81.0	45.0	5600	200	50	1396	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	200	100	1989	81.0	45.0	5600	200	100	1346	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	150	1939	81.0	45.0	5600	200	150	1296	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	200	1889	81.0	45.0	5600	200	200	1246	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	250	1839	81.0	45.0	5600	200	250	1196	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	300	1789	81.0	45.0	5600	200	300	1146	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	350	1739	81.0	45.0	5600	200	350	1096	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	0	2039	81.0	45.0	5600	250	0	1396	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	50	1989	81.0	45.0	5600	250	50	1346	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	250	100	1939	81.0	45.0	5600	250	100	1296	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	250	150	1889	81.0	45.0	5600	250	150	1246	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	200	1839	81.0	45.0	5600	250	200	1196	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	250	1789	81.0	45.0	5600	250	250	1146	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	300	1739	81.0	45.0	5600	250	300	1096	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	350	1689	81.0	45.0	5600	250	350	1046	81.0	45.0
Foglamps	3	Add	0	Add	5200	300	0	1989	81.0	45.0	5600	300	0	1346	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	50	1939	81.0	45.0	5600	300	50	1296	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	100	1889	81.0	45.0	5600	300	100	1246	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	300	150	1839	81.0	45.0	5600	300	150	1196	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	200	1789	81.0	45.0	5600	300	200	1146	81.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	300	250	1739	81.0	45.0	5600	300	250	1096	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	300	1689	81.0	45.0	5600	300	300	1046	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	350	1639	81.0	45.0	5600	300	350	996	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 18/20" All-Terrain Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
	I		I		I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4800	-50	-50	2209	79.2	45.0	5600	-50	-50	1547	81.0	45.0
XLT Trim (GAS)	13	Add	9	Add	4800	-50	0	2159	79.9	45.0	5600	-50	0	1497	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	50	2109	80.7	45.0	5600	-50	50	1447	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	100	2059	81.0	45.0	5600	-50	100	1397	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2159	81.0	45.0	5600	0	-50	1497	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2109	81.0	45.0	5600	0	0	1447	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2059	81.0	45.0	5600	0	50	1397	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	2009	81.0	45.0	5600	0	100	1347	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	1959	81.0	45.0	5600	0	150	1297	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	1909	81.0	45.0	5600	0	200	1247	81.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	1859	81.0	45.0	5600	0	250	1197	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	1809	81.0	45.0	5600	0	300	1147	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	350	1759	81.0	45.0	5600	0	350	1097	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	400	1709	81.0	45.0	5600	0	400	1047	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	50	0	2059	81.0	45.0	5600	50	0	1397	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	50	2009	81.0	45.0	5600	50	50	1347	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	100	1959	81.0	45.0	5600	50	100	1297	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	150	1909	81.0	45.0	5600	50	150	1247	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	200	1859	81.0	45.0	5600	50	200	1197	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	250	1809	81.0	45.0	5600	50	250	1147	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	300	1759	81.0	45.0	5600	50	300	1097	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	350	1709	81.0	45.0	5600	50	350	1047	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	400	1659	81.0	45.0	5600	50	400	997	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	100	0	2009	81.0	45.0	5600	100	0	1347	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	50	1959	81.0	45.0	5600	100	50	1297	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	100	1909	81.0	45.0	5600	100	100	1247	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	150	1859	81.0	45.0	5600	100	150	1197	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	200	1809	81.0	45.0	5600	100	200	1147	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	250	1759	81.0	45.0	5600	100	250	1097	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD	-15	Minus	-15	Minus	5200	100	300	1709	81.0	45.0	5600	100	300	1047	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	350	1659	81.0	45.0	5600	100	350	997	81.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel ST	-10	Minus	-10	Minus	5200	100	400	1609	81.0	45.0	5600	100	400	947	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	150	0	1959	81.0	45.0	5600	150	0	1297	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	150	50	1909	81.0	45.0	5600	150	50	1247	81.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	150	100	1859	81.0	45.0	5600	150	100	1197	81.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	150	1809	81.0	45.0	5600	150	150	1147	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	200	1759	81.0	45.0	5600	150	200	1097	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	250	1709	81.0	45.0	5600	150	250	1047	81.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	300	1659	81.0	45.0	5600	150	300	997	81.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	0	1909	81.0	45.0	5600	200	0	1247	81.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	200	50	1859	81.0	45.0	5600	200	50	1197	81.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	100	1809	81.0	45.0	5600	200	100	1147	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	200	150	1759	81.0	45.0	5600	200	150	1097	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	200	1709	81.0	45.0	5600	200	200	1047	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	250	1659	81.0	45.0	5600	200	250	997	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	300	1609	81.0	45.0	5600	200	300	947	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	350	1559	81.0	45.0	5600	200	350	897	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	400	1509	81.0	45.0	5600	200	400	847	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	0	1859	81.0	45.0	6000	250	0	1197	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	50	1809	81.0	45.0	6000	250	50	1147	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	250	100	1759	81.0	45.0	6000	250	100	1097	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	250	150	1709	81.0	45.0	6000	250	150	1047	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	200	1659	81.0	45.0	6000	250	200	997	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	250	1609	81.0	45.0	6000	250	250	947	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	300	1559	81.0	45.0	6000	250	300	897	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	350	1509	81.0	45.0	6000	250	350	847	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	400	1459	81.0	45.0	6000	250	400	797	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	0	1809	81.0	45.0	6000	300	0	1147	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	50	1759	81.0	45.0	6000	300	50	1097	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	100	1709	81.0	45.0	6000	300	100	1047	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	150	1659	81.0	45.0	6000	300	150	997	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	200	1609	81.0	45.0	6000	300	200	947	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	300	250	1559	81.0	45.0	6000	300	250	897	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	300	1509	81.0	45.0	6000	300	300	847	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	350	1459	81.0	45.0	6000	300	350	797	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	300	400	1409	81.0	45.0	6000	300	400	747	81.0	45.0
Cruise Control	3	Add	1	Add							6000	350	0	1097	81.0	45.0
Power Equipment Group	15	Add	6	Add							6000	350	50	1047	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add							6000	350	100	997	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add							6000	350	150	947	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add							6000	350	200	897	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus							6000	350	250	847	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add							6000	350	300	797	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add							6000	350	350	747	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add							6000	350	400	697	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 18/20" All-Terrain Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	2306	76.4	45.0	5600	-50	-50	1567	97.0	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2256	77.0	45.0	5600	-50	0	1517	97.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	2206	77.7	45.0	5600	-50	50	1467	97.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	2156	78.4	45.0	5600	-50	100	1417	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2256	97.0	45.0	5600	0	-50	1517	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2206	97.0	45.0	5600	0	0	1467	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2156	97.0	45.0	5600	0	50	1417	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	2106	97.0	45.0	5600	0	100	1367	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	2056	97.0	45.0	5600	0	150	1317	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	2006	97.0	45.0	5600	0	200	1267	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	1956	97.0	45.0	5600	0	250	1217	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	1906	97.0	45.0	5600	0	300	1167	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	1856	97.0	45.0	5600	0	350	1117	97.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	400	1806	97.0	45.0	5600	0	400	1067	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	1756	97.0	45.0	5600	0	450	1017	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	1706	97.0	45.0	5600	0	500	967	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	-50	2206	97.0	45.0	5600	50	0	1417	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	2156	97.0	45.0	5600	50	50	1367	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	2106	97.0	45.0	5600	50	100	1317	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	2056	97.0	45.0	5600	50	150	1267	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	2006	97.0	45.0	5600	50	200	1217	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	1956	97.0	45.0	5600	50	250	1167	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	1906	97.0	45.0	5600	50	300	1117	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	1856	97.0	45.0	5600	50	350	1067	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	350	1806	97.0	45.0	5600	50	400	1017	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	400	1756	97.0	45.0	5600	50	450	967	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	450	1706	97.0	45.0	5600	50	500	917	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	500	1656	97.0	45.0	5600	100	0	1367	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	-50	2156	96.7	45.0	5600	100	50	1317	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	0	2106	97.0	45.0	5600	100	100	1267	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	100	50	2056	97.0	45.0	5600	100	150	1217	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	100	100	2006	97.0	45.0	5600	100	200	1167	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	150	1956	97.0	45.0	5600	100	250	1117	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	200	1906	97.0	45.0	5600	100	300	1067	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	250	1856	97.0	45.0	5600	100	350	1017	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	300	1806	97.0	45.0	5600	100	400	967	97.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	100	350	1756	97.0	45.0	5600	100	450	917	97.0	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	400	1706	97.0	45.0	5600	100	500	867	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	450	1656	97.0	45.0	5600	150	0	1317	96.9	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	100	500	1606	97.0	45.0	5600	150	50	1267	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	-50	2106	94.1	45.0	5600	150	100	1217	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	0	2056	95.2	45.0	5600	150	150	1167	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	50	2006	96.4	45.0	5600	150	200	1117	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	100	1956	97.0	45.0	5600	150	250	1067	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	150	1906	97.0	45.0	5600	150	300	1017	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	200	1856	97.0	45.0	5600	150	350	967	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	250	1806	97.0	45.0	5600	150	400	917	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	300	1756	97.0	45.0	5600	150	450	867	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	350	1706	97.0	45.0	5600	150	500	817	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	400	1656	97.0	45.0	6000	200	0	1267	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	450	1606	97.0	45.0	6000	200	50	1217	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	500	1556	97.0	45.0	6000	200	100	1167	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	-50	2056	91.4	45.0	6000	200	150	1117	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	0	2006	92.5	45.0	6000	200	200	1067	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	50	1956	93.6	45.0	6000	200	250	1017	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	100	1906	94.8	45.0	6000	200	300	967	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	150	1856	96.1	45.0	6000	200	350	917	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	200	1806	97.0	45.0	6000	200	400	867	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	250	1756	97.0	45.0	6000	200	450	817	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	300	1706	97.0	45.0	6000	200	500	767	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	350	1656	97.0	45.0	6000	250	0	1217	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	200	400	1606	97.0	45.0	6000	250	50	1167	97.0	45.0
Cruise Control	3	Add	1	Add	5200	200	450	1556	97.0	45.0	6000	250	100	1117	97.0	45.0
Power Equipment Group	12	Add	3	Add	5200	200	500	1506	97.0	45.0	6000	250	150	1067	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	-50	2006	88.6	45.0	6000	250	200	1017	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	250	0	1956	89.6	45.0	6000	250	250	967	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	50	1906	90.7	45.0	6000	250	300	917	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	100	1856	91.8	45.0	6000	250	350	867	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5200	250	150	1806	93.1	45.0	6000	250	400	817	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	200	1756	94.3	45.0	6000	250	450	767	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	250	1706	95.7	45.0	6000	250	500	717	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	250	300	1656	97.0	45.0	6000	300	0	1167	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	250	350	1606	97.0	45.0	6000	300	50	1117	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	250	400	1556	97.0	45.0	6000	300	100	1067	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	250	450	1506	97.0	45.0	6000	300	150	1017	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5200	250	500	1456	97.0	45.0	6000	300	200	967	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	300	-50	1956	85.6	45.0	6000	300	250	917	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5200	300	0	1906	86.5	45.0	6000	300	350	817	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5200	300	50	1856	87.6	45.0	6000	300	400	767	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	5200	300	100	1806	88.7	45.0	6000	300	450	717	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	5200	300	150	1756	89.8	45.0	6000	300	500	667	97.0	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5200	300	200	1706	91.1	45.0						
Bed Mat	0	Add	58	Add	5200	300	250	1656	92.4	45.0						
Cable/Strap Locks	0	Add	9	Add	5200	300	300	1606	93.8	45.0						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	5200	300	350	1556	95.2	45.0						
Roll-up Tonneau Cover	5	Add	25	Add	5200	300	400	1506	96.8	45.0						
Wheel Well Liner - SRW only	0	Add	7	Add	5200	300	450	1456	97.0	45.0						
Gooseneck Hitch Kit	0	Add	10	Add	5200	300	500	1406	97.0	45.0						
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (9,900 GVWR - 18/20" All-Terrain Tires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 9900 lb (4490 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 9900 lb (4490 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	2096	97.0	45.0	5600	-50	-50	1355	97.0	45.0
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	2046	97.0	45.0	5600	-50	0	1305	97.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	50	1996	97.0	45.0	5600	-50	50	1255	97.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	100	1946	97.0	45.0	5600	-50	100	1205	97.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2046	97.0	45.0	5600	0	-50	1305	97.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	1996	97.0	45.0	5600	0	0	1255	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	1946	97.0	45.0	5600	0	50	1205	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	1896	97.0	45.0	5600	0	100	1155	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	1846	97.0	45.0	5600	0	150	1105	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	1796	97.0	45.0	5600	0	200	1055	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	1746	97.0	45.0	5600	0	250	1005	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	1696	97.0	45.0	5600	0	300	955	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	1646	97.0	45.0	5600	0	350	905	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	400	1596	97.0	45.0	5600	0	400	855	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	1546	97.0	45.0	5600	0	450	805	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	1496	97.0	45.0	5600	0	500	755	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	550	1446	97.0	45.0	5600	0	550	705	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	1946	97.0	45.0	6000	50	0	1205	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	1896	97.0	45.0	6000	50	50	1155	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	1846	97.0	45.0	6000	50	100	1105	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	1796	97.0	45.0	6000	50	150	1055	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Add	5200	50	200	1746	97.0	45.0	6000	50	200	1005	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Add	5200	50	250	1696	97.0	45.0	6000	50	250	955	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Add	5200	50	300	1646	97.0	45.0	6000	50	300	905	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Add	5200	50	350	1596	97.0	45.0	6000	50	350	855	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	400	1546	97.0	45.0	6000	50	400	805	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	450	1496	97.0	45.0	6000	50	450	755	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	500	1446	97.0	45.0	6000	50	500	705	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	550	1396	97.0	45.0	6000	50	550	655	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD	-15	Minus	-15	Minus	5200	100	0	1896	96.6	45.0	6000	100	0	1155	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	50	1846	97.0	45.0	6000	100	50	1105	97.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel ST	-10	Minus	-10	Minus	5200	100	100	1796	97.0	45.0	6000	100	100	1055	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	100	150	1746	97.0	45.0	6000	100	150	1005	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	100	200	1696	97.0	45.0	6000	100	200	955	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	250	1646	97.0	45.0	6000	100	250	905	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	300	1596	97.0	45.0	6000	100	300	855	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	350	1546	97.0	45.0	6000	100	350	805	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	400	1496	97.0	45.0	6000	100	400	755	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	100	450	1446	97.0	45.0	6000	100	450	705	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	100	500	1396	97.0	45.0	6000	100	500	655	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	550	1346	97.0	45.0	6000	100	550	605	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	0	1846	93.2	45.0	6000	150	0	1105	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	150	50	1796	94.5	45.0	6000	150	50	1055	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	100	1746	95.8	45.0	6000	150	100	1005	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	150	1696	97.0	45.0	6000	150	150	955	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	200	1646	97.0	45.0	6000	150	200	905	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	250	1596	97.0	45.0	6000	150	250	855	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	300	1546	97.0	45.0	6000	150	300	805	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	350	1496	97.0	45.0	6000	150	350	755	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	400	1446	97.0	45.0	6000	150	400	705	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	450	1396	97.0	45.0	6000	150	450	655	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	500	1346	97.0	45.0	6000	150	500	605	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	550	1296	97.0	45.0	6000	150	550	555	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	0	1796	89.7	45.0	6000	200	0	1055	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	50	1746	90.9	45.0	6000	200	50	1005	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	100	1696	92.1	45.0	6000	200	100	955	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	150	1646	93.5	45.0	6000	200	150	905	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	200	1596	94.9	45.0	6000	200	200	855	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	250	1546	96.4	45.0	6000	200	250	805	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	300	1496	97.0	45.0	6000	200	300	755	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	350	1446	97.0	45.0	6000	200	350	705	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	200	400	1396	97.0	45.0	6000	200	400	655	97.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	200	450	1346	97.0	45.0	6000	200	450	605	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	500	1296	97.0	45.0	6000	200	500	555	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	550	1246	97.0	45.0	6000	200	550	505	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5600	250	0	1746	97.0	45.0	6000	250	0	1005	97.0	45.0
Cruise Control	3	Add	1	Add	5600	250	50	1696	97.0	45.0	6000	250	50	955	97.0	45.0
Power Equipment Group	15	Add	6	Add	5600	250	100	1646	97.0	45.0	6000	250	100	905	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	150	1596	97.0	45.0	6000	250	150	855	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	200	1546	97.0	45.0	6000	250	200	805	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	250	1496	97.0	45.0	6000	250	250	755	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	250	300	1446	97.0	45.0	6000	250	300	705	97.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5600	250	350	1396	97.0	45.0	6000	250	350	655	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5600	250	400	1346	97.0	45.0	6000	250	400	605	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	250	450	1296	97.0	45.0	6000	250	450	555	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	250	500	1246	97.0	45.0	6000	250	500	505	97.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	250	550	1196	97.0	45.0	6000	250	550	455	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	300	0	1696	97.0	45.0	6000	300	0	955	97.0	45.0
King Ranch Leather	4	Add	2	Add	5600	300	50	1646	97.0	45.0	6000	300	50	905	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	300	100	1596	97.0	45.0	6000	300	100	855	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	300	150	1546	97.0	45.0	6000	300	150	805	97.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	300	200	1496	97.0	45.0	6000	300	200	755	97.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	5600	300	250	1446	97.0	45.0	6000	300	250	705	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5600	300	300	1396	97.0	45.0	6000	300	300	655	97.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	5600	300	350	1346	97.0	45.0	6000	300	350	605	97.0	45.0
SYNC Finder - Gen II	1	Add	0	Add	5600	300	400	1296	97.0	45.0	6000	300	400	555	97.0	45.0
FX4 Off-Road Package	2	Add	2	Add	5600	300	450	1246	97.0	45.0	6000	300	450	505	97.0	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	5600	300	500	1196	97.0	45.0	6000	300	500	455	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	5600	300	550	1146	97.0	45.0	6000	300	550	405	97.0	45.0
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (Variable GVWR - 17" Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10500 lb (4762 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add	4100	-50	-50	3615	67.2	52.5	4550	-50	-50	3469	62.9	49.5
XLT Trim (DIESEL)	14	Add	9	Add	4100	-50	0	3565	67.5	52.6	4550	-50	0	3419	63.1	49.6
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4100	-50	50	3515	67.8	52.7	4550	-50	50	3369	63.3	49.6
Immersion Heater - Engine	1	Add	0	Add	4100	-50	100	3465	68.0	52.7	4550	-50	100	3319	63.5	49.6
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4100	0	-50	3565	65.6	50.7	4550	0	-50	3419	61.1	47.5
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4100	0	0	3515	65.8	50.7	4550	0	0	3369	61.3	47.5
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4100	0	50	3465	66.1	50.7	4550	0	50	3319	61.5	47.5
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4100	0	100	3415	66.3	50.8	4550	0	100	3269	61.7	47.5
Brake Controller	1	Add	0	Add	4100	0	150	3365	66.6	50.8	4550	0	150	3219	61.9	47.5
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4250	50	0	3465	70.0	48.8	4700	50	0	3319	65.6	45.5
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4250	50	50	3415	70.4	48.8	4700	50	50	3269	65.9	45.4
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4250	50	100	3365	70.7	48.8	4700	50	100	3219	66.1	45.4
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4250	50	150	3315	71.0	48.8	4700	50	150	3169	66.4	45.4
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4250	50	200	3265	71.4	48.8	4700	50	200	3119	66.7	45.3
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4250	50	250	3215	71.8	48.8	4700	50	250	3069	67.0	45.3
5th Wheel Hitch	0	Add	96	Add	4250	50	300	3165	72.1	48.8	4700	50	300	3019	67.4	45.2
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4250	50	350	3115	72.5	48.9	4700	50	350	2969	67.7	45.2
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4250	50	400	3065	72.9	48.9	4700	50	400	2919	68.0	45.1
750 CCA/78 AH Battery	2	Add	0	Add	4250	50	450	3015	73.3	48.9	4700	50	450	2869	68.4	45.1
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4250	100	0	3415	68.3	46.8	4700	100	0	3269	63.8	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4250	100	50	3365	68.6	46.8	4700	100	50	3219	64.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4250	100	100	3315	69.0	46.7	4700	100	100	3169	64.3	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4250	100	150	3265	69.3	46.7	4700	100	150	3119	64.5	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4250	100	200	3215	69.6	46.7	4700	100	200	3069	64.8	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4250	100	250	3165	70.0	46.7	4700	100	250	3019	65.1	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4250	100	300	3115	70.3	46.7	4700	100	300	2969	65.4	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4250	100	350	3065	70.7	46.6	4700	100	350	2919	65.7	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4250	100	400	3015	71.1	46.6	4700	100	400	2869	66.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4250	100	450	2965	71.5	46.6	4700	100	450	2819	66.3	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4250	150	0	3365	66.6	45.0	4700	150	0	3219	61.9	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4250	150	50	3315	66.9	45.0	4700	150	50	3169	62.1	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4250	150	100	3265	67.2	45.0	4700	150	100	3119	62.3	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4250	150	150	3215	67.5	45.0	4700	150	150	3069	62.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4250	150	200	3165	67.8	45.0	4700	150	200	3019	62.8	45.0
Pickup Bed Extender	-2	Minus	21	Add	4250	150	250	3115	68.1	45.0	4700	150	250	2969	63.1	45.0
Drop-In Bedliner	2	Add	42	Add	4250	150	300	3065	68.4	45.0	4700	150	300	2919	63.3	45.0
Spray-In Bedliner	1	Add	19	Add	4250	150	350	3015	68.8	45.0	4700	150	350	2869	63.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4250	150	400	2965	69.1	45.0	4700	150	400	2819	63.9	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4250	150	450	2915	69.5	45.0	4700	150	450	2769	64.2	45.0
Static Rear Video Camera	0	Add	1	Add	4400	200	0	3315	71.0	45.0	4850	200	0	3169	66.4	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4400	200	50	3265	71.4	45.0	4850	200	50	3119	66.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4400	200	100	3215	71.8	45.0	4850	200	100	3069	67.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4400	200	150	3165	72.1	45.0	4850	200	150	3019	67.4	45.0
Sliding Rear Window	5	Add	2	Add	4400	200	200	3115	72.5	45.0	4850	200	200	2969	67.7	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4400	200	250	3065	72.9	45.0	4850	200	250	2919	68.0	45.0
Foglamps	3	Add	0	Add	4400	200	300	3015	73.3	45.0	4850	200	300	2869	68.4	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4400	200	350	2965	73.8	45.0	4850	200	350	2819	68.7	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4400	200	400	2915	74.2	45.0	4850	200	400	2769	69.1	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4400	200	450	2865	74.7	45.0	4850	200	450	2719	69.5	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4400	250	0	3265	69.3	45.0	4850	250	0	3119	64.5	45.0
All Weather Floor Mat	4	Add	2	Add	4400	250	50	3215	69.6	45.0	4850	250	50	3069	64.8	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4400	250	100	3165	70.0	45.0	4850	250	100	3019	65.1	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4400	250	150	3115	70.3	45.0	4850	250	150	2969	65.4	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4400	250	200	3065	70.7	45.0	4850	250	200	2919	65.7	45.0
Cruise Control	3	Add	1	Add	4400	250	250	3015	71.1	45.0	4850	250	250	2869	66.0	45.0
Power Equipment Group	12	Add	3	Add	4400	250	300	2965	71.5	45.0	4850	250	300	2819	66.3	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4400	250	350	2915	71.9	45.0	4850	250	350	2769	66.6	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4400	250	400	2865	72.3	45.0	4850	250	400	2719	67.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4400	250	450	2815	72.7	45.0	4850	250	450	2669	67.4	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (Variable GVWR - 17" Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10000 lb (4535 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10700 lb (4853 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4250	-50	-50	2877	65.8	45.0	4850	-50	-50	2902	65.6	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4250	-50	0	2827	66.1	45.0	4850	-50	0	2852	66.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4250	-50	50	2777	66.4	45.0	4850	-50	50	2802	66.3	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4250	-50	100	2727	66.8	45.0	4850	-50	100	2752	66.6	45.0
Immersion Heater - Engine	1	Add	0	Add	4250	0	-50	2827	63.6	45.0	4850	0	-50	2852	63.5	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4250	0	0	2777	63.9	45.0	4850	0	0	2802	63.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4250	0	50	2727	64.2	45.0	4850	0	50	2752	64.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4250	0	100	2677	64.5	45.0	4850	0	100	2702	64.3	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4250	0	150	2627	64.8	45.0	4850	0	150	2652	64.6	45.0
Brake Controller	1	Add	0	Add	4400	50	0	2727	69.4	45.0	5000	50	0	2752	69.2	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	50	50	2677	69.8	45.0	5000	50	50	2702	69.6	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4400	50	100	2627	70.2	45.0	5000	50	100	2652	70.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4400	50	150	2577	70.6	45.0	5000	50	150	2602	70.4	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	50	200	2527	71.1	45.0	5000	50	200	2552	70.9	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	50	250	2477	71.5	45.0	5000	50	250	2502	71.3	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4400	50	300	2427	72.0	45.0	5000	50	300	2452	71.8	45.0
5th Wheel Hitch	0	Add	96	Add	4400	50	350	2377	72.5	45.0	5000	50	350	2402	72.3	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4400	100	0	2677	67.1	45.0	5000	100	0	2702	67.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4400	100	50	2627	67.5	45.0	5000	100	50	2652	67.3	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4400	100	100	2577	67.9	45.0	5000	100	100	2602	67.7	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4400	100	150	2527	68.3	45.0	5000	100	150	2552	68.1	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4400	100	200	2477	68.7	45.0	5000	100	200	2502	68.5	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4400	100	250	2427	69.1	45.0	5000	100	250	2452	68.9	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4400	100	300	2377	69.6	45.0	5000	100	300	2402	69.3	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4400	100	350	2327	70.0	45.0	5000	100	350	2352	69.8	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4400	150	0	2627	64.8	45.0	5000	150	0	2652	64.6	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4400	150	50	2577	65.1	45.0	5000	150	50	2602	65.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4400	150	100	2527	65.5	45.0	5000	150	100	2552	65.3	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4400	150	150	2477	65.8	45.0	5000	150	150	2502	65.6	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4400	150	200	2427	66.2	45.0	5000	150	200	2452	66.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4400	150	250	2377	66.6	45.0	5000	150	250	2402	66.4	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4400	150	300	2327	67.0	45.0	5000	150	300	2352	66.8	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4400	150	350	2277	67.4	45.0	5000	150	350	2302	67.2	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	200	0	2577	70.6	45.0	5250	200	0	2602	75.9	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4550	200	50	2527	71.1	45.0	5250	200	50	2552	76.4	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4550	200	100	2477	71.5	45.0	5250	200	100	2502	77.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	200	150	2427	72.0	45.0	5250	200	150	2452	77.6	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	200	200	2377	72.5	45.0	5250	200	200	2402	78.2	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	200	250	2327	73.1	45.0	5250	200	250	2352	78.8	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	200	300	2277	73.6	45.0	5250	200	300	2302	79.5	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	200	350	2227	74.2	45.0	5250	200	350	2252	80.2	45.0
Drop-In Bedliner	2	Add	35	Add	4550	250	0	2527	68.3	45.0	5250	250	0	2552	73.6	45.0
Spray-In Bedliner	0	Add	16	Add	4550	250	50	2477	68.7	45.0	5250	250	50	2502	74.2	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	250	100	2427	69.1	45.0	5250	250	100	2452	74.7	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	250	150	2377	69.6	45.0	5250	250	150	2402	75.2	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	250	200	2327	70.0	45.0	5250	250	200	2352	75.8	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	250	250	2277	70.5	45.0	5250	250	250	2302	76.4	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	250	300	2227	71.0	45.0	5250	250	300	2252	77.1	45.0
Static Rear Video Camera	0	Add	1	Add	4550	250	350	2177	71.5	45.0	5250	250	350	2202	77.7	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add												
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add												
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add												
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add												
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add												
Sliding Rear Window	5	Add	2	Add												
Power Sliding Rear Window	5	Add	3	Add												
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add												
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add												
Foglamps	3	Add	0	Add												
Bright Exhaust Pipe Extension	0	Add	3	Add												
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add												
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add												
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add												
All Weather Floor Mat	6	Add	4	Add												
Electrochromic Rear View Mirror	1	Add	0	Add												
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add												
Floor Consolette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (Variable GVWR - 17" Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10200 lb (4626 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10800 lb (4898 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4400	-50	-50	2894	68.8	45.0	5000	-50	-50	2832	69.7	45.0
XLT Trim (GAS)	13	Add	9	Add	4400	-50	0	2844	69.2	45.0	5000	-50	0	2782	70.1	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	50	2794	69.5	45.0	5000	-50	50	2732	70.5	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	100	2744	69.9	45.0	5000	-50	100	2682	71.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	0	-50	2844	66.4	45.0	5000	0	-50	2782	67.3	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	0	0	2794	66.7	45.0	5000	0	0	2732	67.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	50	2744	67.1	45.0	5000	0	50	2682	68.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	100	2694	67.4	45.0	5000	0	100	2632	68.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	150	2644	67.8	45.0	5000	0	150	2582	68.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	200	2594	68.2	45.0	5000	0	200	2532	69.2	45.0
Brake Controller	1	Add	0	Add	4400	0	250	2544	68.6	45.0	5000	0	250	2482	69.7	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	300	2494	69.0	45.0	5000	0	300	2432	70.1	45.0
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	350	2444	69.4	45.0	5000	0	350	2382	70.6	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	400	2394	69.9	45.0	5250	50	0	2682	79.7	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	450	2344	70.4	45.0	5250	50	50	2632	80.3	45.0
5th Wheel Hitch	0	Add	96	Add	4400	0	500	2294	70.8	45.0	5250	50	100	2582	80.9	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	50	0	2744	72.8	45.0	5250	50	150	2532	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	50	2694	73.2	45.0	5250	50	200	2482	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	100	2644	73.7	45.0	5250	50	250	2432	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	150	2594	74.2	45.0	5250	50	300	2382	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	200	2544	74.7	45.0	5250	50	350	2332	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	250	2494	75.3	45.0	5250	100	0	2632	77.3	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	300	2444	75.8	45.0	5250	100	50	2582	77.9	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	350	2394	76.4	45.0	5250	100	100	2532	78.5	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	400	2344	77.0	45.0	5250	100	150	2482	79.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	450	2294	77.7	45.0	5250	100	200	2432	79.7	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4550	50	500	2244	78.3	45.0	5250	100	250	2382	80.4	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4550	100	0	2694	70.3	45.0	5250	100	300	2332	81.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	50	2644	70.8	45.0	5250	100	350	2282	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	100	2594	71.2	45.0	5250	150	0	2582	74.9	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	150	2544	71.7	45.0	5250	150	50	2532	75.4	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	200	2494	72.1	45.0	5250	150	100	2482	76.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	250	2444	72.6	45.0	5250	150	150	2432	76.5	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	300	2394	73.1	45.0	5250	150	200	2382	77.1	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	350	2344	73.7	45.0	5250	150	250	2332	77.8	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	400	2294	74.2	45.0	5250	150	300	2282	78.4	45.0
Drop-In Bedliner	2	Add	42	Add	4550	100	450	2244	74.8	45.0	5250	150	350	2232	79.1	45.0
Spray-In Bedliner	0	Add	16	Add	4550	100	500	2194	75.4	45.0	5250	200	0	2532	72.3	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	150	0	2644	67.8	45.0	5250	200	50	2482	72.8	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	150	50	2594	68.2	45.0	5250	200	100	2432	73.3	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4550	150	100	2544	68.6	45.0	5250	200	150	2382	73.8	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	150	150	2494	69.0	45.0	5250	200	200	2332	74.4	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	200	2444	69.4	45.0	5250	200	250	2282	75.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	250	2394	69.9	45.0	5250	200	300	2232	75.6	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	300	2344	70.4	45.0	5250	200	350	2182	76.2	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	350	2294	70.8	45.0	5250	250	0	2482	69.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	400	2244	71.4	45.0	5250	250	50	2432	70.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	450	2194	71.9	45.0	5250	250	100	2382	70.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	500	2144	72.4	45.0	5250	250	150	2332	71.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4700	200	50	2544	74.7	45.0	5250	250	200	2282	71.6	45.0
Sliding Rear Window	5	Add	2	Add	4700	200	100	2494	75.3	45.0	5250	250	250	2232	72.1	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	200	150	2444	75.8	45.0	5250	250	300	2182	72.6	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	200	200	2394	76.4	45.0	5250	250	350	2132	73.2	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	250	2344	77.0	45.0	5250	300	0	2432	66.9	45.0
Foglamps	3	Add	0	Add	4700	200	300	2294	77.7	45.0	5250	300	50	2382	67.3	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	350	2244	78.3	45.0	5250	300	100	2332	67.7	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	400	2194	79.0	45.0	5250	300	150	2282	68.1	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	200	450	2144	79.7	45.0	5250	300	200	2232	68.6	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	500	2094	80.5	45.0	5250	300	250	2182	69.1	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	250	50	2494	72.1	45.0	5250	300	300	2132	69.6	45.0
All Weather Floor Mat	7	Add	4	Add	4700	250	100	2444	72.6	45.0	5250	300	350	2082	70.1	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	250	150	2394	73.1	45.0						
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	250	200	2344	73.7	45.0						
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	250	250	2294	74.2	45.0						
Cruise Control	3	Add	1	Add	4700	250	300	2244	74.8	45.0						
Power Equipment Group	15	Add	6	Add	4700	250	350	2194	75.4	45.0						
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	400	2144	76.1	45.0						
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	250	450	2094	76.8	45.0						
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	500	2044	77.5	45.0						
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	300	0	2494	69.0	45.0						
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4700	300	50	2444	69.4	45.0						
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	300	100	2394	69.9	45.0						
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	300	150	2344	70.4	45.0						
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	300	200	2294	70.8	45.0						
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4700	300	250	2244	71.4	45.0						
Cloth Seats	-2	Minus	-1	Minus	4700	300	300	2194	71.9	45.0						
King Ranch Leather	4	Add	2	Add	4700	300	350	2144	72.4	45.0						
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	300	400	2094	73.0	45.0						
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	300	450	2044	73.6	45.0						
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4700	300	500	1994	74.3	45.0						
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (Variable GVWR - 17" Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10200 lb (4626 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10800 lb (4898 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4400	-50	-50	3008	67.4	45.0	5000	-50	-50	2869	67.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	0	2958	67.7	45.0	5000	-50	0	2819	67.4	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	50	2908	68.1	45.0	5000	-50	50	2769	67.7	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	100	2858	68.4	45.0	5000	-50	100	2719	68.1	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	0	-50	2958	65.1	45.0	5000	0	-50	2819	64.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	0	2908	65.4	45.0	5000	0	0	2769	64.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	50	2858	65.7	45.0	5000	0	50	2719	65.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	100	2808	66.0	45.0	5000	0	100	2669	65.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	150	2758	66.3	45.0	5000	0	150	2619	65.8	45.0
Brake Controller	1	Add	0	Add	4400	0	200	2708	66.7	45.0	5000	0	200	2569	66.2	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	0	250	2658	67.0	45.0	5000	0	250	2519	66.5	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	300	2608	67.4	45.0	5000	0	300	2469	66.9	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	350	2558	67.8	45.0	5000	0	350	2419	67.3	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	400	2508	68.2	45.0	5000	0	400	2369	67.7	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	450	2458	68.6	45.0	5000	0	450	2319	68.2	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4400	0	500	2408	69.0	45.0	5000	0	500	2269	68.6	45.0
5th Wheel Hitch	0	Add	96	Add	4550	50	0	2858	71.2	45.0	5000	50	0	2719	62.3	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	50	50	2808	71.6	45.0	5000	50	50	2669	62.5	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	100	2758	72.0	45.0	5000	50	100	2619	62.8	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	150	2708	72.5	45.0	5000	50	150	2569	63.1	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	200	2658	73.0	45.0	5000	50	200	2519	63.4	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	250	2608	73.4	45.0	5000	50	250	2469	63.7	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	300	2558	73.9	45.0	5000	50	300	2419	64.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	350	2508	74.5	45.0	5000	50	350	2369	64.4	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4550	50	400	2458	75.0	45.0	5000	50	400	2319	64.7	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4550	50	450	2408	75.6	45.0	5000	50	450	2269	65.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4550	50	500	2358	76.1	45.0	5000	50	500	2219	65.5	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4550	100	0	2808	68.8	45.0	5000	100	0	2669	59.6	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4550	100	50	2758	69.2	45.0	5000	100	50	2619	59.8	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4550	100	100	2708	69.6	45.0	5000	100	100	2569	60.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4550	100	150	2658	70.0	45.0	5000	100	150	2519	60.3	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4550	100	200	2608	70.4	45.0	5000	100	200	2469	60.5	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4550	100	250	2558	70.8	45.0	5000	100	250	2419	60.8	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4550	100	300	2508	71.3	45.0	5000	100	300	2369	61.1	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4550	100	350	2458	71.8	45.0	5000	100	350	2319	61.3	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4550	100	400	2408	72.3	45.0	5000	100	400	2269	61.6	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4550	100	450	2358	72.8	45.0	5000	100	450	2219	61.9	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4550	100	500	2308	73.3	45.0	5000	100	500	2169	62.3	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	150	0	2758	66.3	45.0	5250	150	0	2619	71.9	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	150	50	2708	66.7	45.0	5250	150	50	2569	72.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	150	100	2658	67.0	45.0	5250	150	100	2519	72.8	45.0
Drop-In Bedliner	2	Add	35	Add	4550	150	150	2608	67.4	45.0	5250	150	150	2469	73.3	45.0
Spray-In Bedliner	1	Add	19	Add	4550	150	200	2558	67.8	45.0	5250	150	200	2419	73.8	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	150	250	2508	68.2	45.0	5250	150	250	2369	74.4	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	150	300	2458	68.6	45.0	5250	150	300	2319	75.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	150	350	2408	69.0	45.0	5250	150	350	2269	75.6	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	400	2358	69.4	45.0	5250	150	400	2219	76.2	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	450	2308	69.9	45.0	5250	150	450	2169	76.8	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	500	2258	70.4	45.0	5250	150	500	2119	77.5	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	200	0	2708	72.5	45.0	5250	200	0	2569	69.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	200	50	2658	73.0	45.0	5250	200	50	2519	69.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	200	100	2608	73.4	45.0	5250	200	100	2469	70.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	200	150	2558	73.9	45.0	5250	200	150	2419	70.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4700	200	200	2508	74.5	45.0	5250	200	200	2369	71.1	45.0
Sliding Rear Window	5	Add	2	Add	4700	200	250	2458	75.0	45.0	5250	200	250	2319	71.6	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	200	300	2408	75.6	45.0	5250	200	300	2269	72.1	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	200	350	2358	76.1	45.0	5250	200	350	2219	72.6	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	400	2308	76.8	45.0	5250	200	400	2169	73.2	45.0
Foglamps	3	Add	0	Add	4700	200	450	2258	77.4	45.0	5250	200	450	2119	73.8	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	500	2208	78.1	45.0	5250	200	500	2069	74.4	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	250	0	2658	70.0	45.0	5250	250	0	2519	66.5	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	250	50	2608	70.4	45.0	5250	250	50	2469	66.9	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	250	100	2558	70.8	45.0	5250	250	100	2419	67.3	45.0
All Weather Floor Mat	6	Add	4	Add	4700	250	150	2508	71.3	45.0	5250	250	150	2369	67.7	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	250	200	2458	71.8	45.0	5250	250	200	2319	68.2	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	250	250	2408	72.3	45.0	5250	250	250	2269	68.6	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	250	300	2358	72.8	45.0	5250	250	300	2219	69.1	45.0
Cruise Control	3	Add	1	Add	4700	250	350	2308	73.3	45.0	5250	250	350	2169	69.6	45.0
Power Equipment Group	12	Add	3	Add	4700	250	400	2258	73.9	45.0	5250	250	400	2119	70.1	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	450	2208	74.5	45.0	5250	250	450	2069	70.6	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	250	500	2158	75.1	45.0	5250	250	500	2019	71.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (Variable GVWR - 17" Tires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10500 lb (4762 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11100 lb (5034 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4550	-50	-50	3060	70.2	51.1	5250	-50	-50	2959	75.9	50.4
XLT Trim (GAS)	13	Add	9	Add	4550	-50	0	3010	70.6	51.2	5250	-50	0	2909	76.4	50.4
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	50	2960	70.9	51.2	5250	-50	50	2859	76.9	50.5
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	100	2910	71.3	51.3	5250	-50	100	2809	77.4	50.5
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	150	2860	71.8	51.4	5250	0	-50	2909	73.4	47.5
Immersion Heater - Engine	1	Add	0	Add	4550	-50	200	2810	72.2	51.4	5250	0	0	2859	73.9	47.4
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	250	2760	72.6	51.5	5250	0	50	2809	74.3	47.4
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	300	2710	73.1	51.5	5250	0	100	2759	74.8	47.4
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	350	2660	73.5	51.6	5250	0	150	2709	75.3	47.4
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	400	2610	74.0	51.7	5250	0	200	2659	75.8	47.4
Brake Controller	1	Add	0	Add	4550	-50	500	2510	75.1	51.8	5250	0	250	2609	76.4	47.4
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	0	0	2960	68.0	48.3	5250	0	300	2559	76.9	47.4
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	50	2910	68.4	48.3	5250	0	350	2509	77.5	47.4
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	100	2860	68.7	48.3	5250	0	400	2459	78.1	47.3
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	150	2810	69.1	48.4	5250	0	450	2409	78.7	47.3
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	200	2760	69.5	48.4	5250	0	500	2359	79.4	47.3
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	250	2710	69.9	48.4	5250	50	0	2809	71.3	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	300	2660	70.3	48.4	5250	50	50	2759	71.7	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	350	2610	70.7	48.4	5250	50	100	2709	72.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	400	2560	71.2	48.4	5250	50	150	2659	72.6	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	500	2460	72.1	48.4	5250	50	200	2609	73.1	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4700	50	0	2910	74.3	45.4	5250	50	250	2559	73.6	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	50	2860	74.8	45.3	5250	50	300	2509	74.1	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	100	2810	75.2	45.3	5250	50	350	2459	74.6	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	150	2760	75.7	45.2	5250	50	400	2409	75.1	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4700	50	200	2710	76.3	45.2	5250	50	450	2359	75.7	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Minus	19	Add	4700	50	250	2660	76.8	45.1	5250	50	500	2309	76.3	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4700	50	300	2610	77.3	45.1	5250	100	0	2759	68.6	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4700	50	350	2560	77.9	45.0	5250	100	50	2709	69.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4700	50	400	2510	78.5	45.0	5250	100	100	2659	69.3	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	50	500	2410	79.8	45.0	5250	100	150	2609	69.8	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	4700	100	0	2860	71.8	45.0	5250	100	200	2559	70.2	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	4700	100	50	2810	72.2	45.0	5250	100	250	2509	70.6	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	3	Add	9	Add	4700	100	100	2760	72.6	45.0	5250	100	300	2459	71.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	100	150	2710	73.1	45.0	5250	100	350	2409	71.6	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4700	100	200	2660	73.5	45.0	5250	100	400	2359	72.1	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4700	100	250	2610	74.0	45.0	5250	100	450	2309	72.6	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4700	100	300	2560	74.5	45.0	5250	100	500	2259	73.1	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4700	100	350	2510	75.1	45.0	5250	150	0	2709	65.8	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4700	100	400	2460	75.6	45.0	5250	150	50	2659	66.1	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4700	100	500	2360	76.8	45.0	5250	150	100	2609	66.5	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4850	150	0	2810	78.3	45.0	5250	150	150	2559	66.8	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4850	150	50	2760	78.9	45.0	5250	150	200	2509	67.2	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4850	150	100	2710	79.4	45.0	5250	150	250	2459	67.6	45.0
Pickup Bed Extender	-2	Minus	21	Add	4850	150	150	2660	80.0	45.0	5250	150	300	2409	68.0	45.0
Drop-In Bedliner	2	Add	42	Add	4850	150	200	2610	80.6	45.0	5250	150	350	2359	68.4	45.0
Spray-In Bedliner	0	Add	20	Add	4850	150	250	2560	81.3	45.0	5250	150	400	2309	68.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4850	150	300	2510	81.9	45.0	5250	150	450	2259	69.3	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4850	150	350	2460	82.6	45.0	5250	150	500	2209	69.8	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4850	150	400	2410	83.4	45.0	5250	200	0	2659	62.9	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4850	150	500	2310	84.9	45.0	5250	200	50	2609	63.1	45.0
Lower Bodyside Molding	2	Add	1	Add	5000	200	0	2760	85.1	45.0	5250	200	100	2559	63.4	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5000	200	50	2710	85.8	45.0	5250	200	150	2509	63.8	45.0
Static Rear Video Camera	0	Add	1	Add	5000	200	100	2660	86.5	45.0	5250	200	200	2459	64.1	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5000	200	150	2610	87.2	45.0	5250	200	250	2409	64.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5000	200	200	2560	88.0	45.0	5250	200	300	2359	64.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5000	200	250	2510	88.8	45.0	5250	200	350	2309	65.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5000	200	300	2460	89.6	45.0	5250	200	400	2259	65.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5000	200	350	2410	90.5	45.0	5250	200	450	2209	65.9	45.0
Sliding Rear Window	5	Add	2	Add	5000	200	400	2360	91.4	45.0	5250	200	500	2159	66.3	45.0
Power Sliding Rear Window	5	Add	3	Add	5000	200	500	2260	93.3	45.0	5250	250	0	2609	59.8	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5000	250	0	2710	82.6	45.0	5250	250	50	2559	60.1	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5000	250	50	2660	83.3	45.0	5250	250	100	2509	60.3	45.0
Foglamps	3	Add	0	Add	5000	250	100	2610	83.9	45.0	5250	250	150	2459	60.6	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5000	250	150	2560	84.6	45.0	5250	250	200	2409	60.8	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5000	250	200	2510	85.4	45.0	5250	250	250	2359	61.1	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5000	250	250	2460	86.1	45.0	5250	250	300	2309	61.4	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5000	250	300	2410	86.9	45.0	5250	250	350	2259	61.7	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5000	250	350	2360	87.8	45.0	5250	250	400	2209	62.0	45.0
All Weather Floor Mat	7	Add	4	Add	5000	250	400	2310	88.6	45.0	5250	250	450	2159	62.3	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5000	250	500	2210	90.5	45.0	5250	250	500	2109	62.7	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5000	300	0	2660	80.0	45.0	5250	300	0	2559	56.7	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5000	300	50	2610	80.6	45.0	5250	300	50	2509	56.9	45.0
Cruise Control	3	Add	1	Add	5000	300	100	2560	81.3	45.0	5250	300	100	2459	57.1	45.0
Power Equipment Group	15	Add	6	Add	5000	300	150	2510	81.9	45.0	5250	300	150	2409	57.3	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5000	300	200	2460	82.6	45.0	5250	300	200	2359	57.5	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5000	300	250	2410	83.4	45.0	5250	300	250	2309	57.7	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5000	300	300	2360	84.1	45.0	5250	300	300	2259	57.9	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5000	300	350	2310	84.9	45.0	5250	300	350	2209	58.1	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5000	300	400	2260	85.7	45.0	5250	300	400	2159	58.3	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5000	300	500	2160	87.4	45.0	5250	300	450	2109	58.6	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add							5250	300	500	2059	58.8	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (Variable GVWR - 17" Tires) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10400 lb (4717 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 10800 lb (4898 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add	4400	-50	-50	3602	64.8	53.8	5200	-50	-50	3349	75.4	47.3
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	0	3552	65.0	53.9	5200	-50	0	3299	75.8	47.3
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	50	3502	65.2	54.0	5200	-50	50	3249	76.3	47.3
Immersion Heater - Engine	1	Add	0	Add	4400	-50	100	3452	65.5	54.1	5200	-50	100	3199	76.7	47.3
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	-50	3552	78.5	52.0	5200	0	-50	3299	73.8	45.2
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	0	3502	78.9	52.0	5200	0	0	3249	74.2	45.2
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	50	3452	79.4	52.1	5200	0	50	3199	74.6	45.1
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	100	3402	79.8	52.2	5200	0	100	3149	75.0	45.1
Brake Controller	1	Add	0	Add	4800	0	150	3352	80.3	52.2	5200	0	200	3049	75.9	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	200	3302	80.8	52.3	5200	0	250	2999	76.4	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	250	3252	81.3	52.3	5200	0	300	2949	76.8	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	300	3202	81.8	52.4	5200	0	350	2899	77.3	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	350	3152	82.4	52.5	5200	0	400	2849	77.9	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	400	3102	82.9	52.6	5200	0	450	2799	78.4	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	450	3052	83.5	52.6	5200	0	500	2749	78.9	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	500	3002	84.1	52.7	5200	50	0	3199	72.4	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	0	3452	77.4	50.1	5200	50	50	3149	72.8	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	50	3402	77.8	50.1	5200	50	100	3099	73.2	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	100	3352	78.3	50.2	5200	50	200	2999	74.1	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	150	3302	78.7	50.2	5200	50	250	2949	74.5	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	200	3252	79.2	50.2	5200	50	300	2899	75.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4800	50	250	3202	79.7	50.3	5200	50	350	2849	75.4	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	50	300	3152	80.2	50.3	5200	50	400	2799	75.9	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	50	350	3102	80.7	50.3	5200	50	450	2749	76.5	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	50	400	3052	81.3	50.4	5200	50	500	2699	77.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	4800	50	450	3002	81.8	50.4	5200	100	0	3149	70.6	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	4800	50	500	2952	82.4	50.5	5200	100	50	3099	71.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	4800	100	0	3402	75.8	48.1	5200	100	100	3049	71.4	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	4800	100	50	3352	76.2	48.1	5200	100	200	2949	72.2	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	4800	100	100	3302	76.7	48.1	5200	100	250	2899	72.6	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	4800	100	150	3252	77.1	48.1	5200	100	300	2849	73.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	4800	100	200	3202	77.6	48.1	5200	100	350	2799	73.5	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	100	250	3152	78.0	48.1	5200	100	400	2749	74.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	300	3102	78.5	48.1	5200	100	450	2699	74.4	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	100	350	3052	79.0	48.1	5200	100	500	2649	74.9	45.0
Drop-In Bedliner	2	Add	42	Add	4800	100	400	3002	79.5	48.1	5200	150	0	3099	68.8	45.0
Spray-In Bedliner	1	Add	19	Add	4800	100	450	2952	80.1	48.2	5200	150	50	3049	69.1	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	500	2902	80.6	48.2	5200	150	100	2999	69.5	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	150	0	3352	74.2	46.1	5200	150	200	2899	70.2	45.0
Static Rear Video Camera	0	Add	1	Add	4800	150	50	3302	74.6	46.1	5200	150	250	2849	70.6	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	150	100	3252	75.0	46.0	5200	150	300	2799	71.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	150	150	3202	75.4	46.0	5200	150	350	2749	71.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4800	150	200	3152	75.9	46.0	5200	150	400	2699	71.9	45.0
Sliding Rear Window	5	Add	2	Add	4800	150	250	3102	76.3	45.9	5200	150	450	2649	72.4	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	300	3052	76.8	45.9	5200	150	500	2599	72.8	45.0
Foglamps	3	Add	0	Add	4800	150	350	3002	77.3	45.9	5200	200	0	3049	66.9	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	400	2952	77.8	45.8	5200	200	50	2999	67.2	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	450	2902	78.3	45.8	5200	200	100	2949	67.5	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	500	2852	78.8	45.8	5200	200	200	2849	68.2	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	200	0	3302	72.5	45.0	5200	200	250	2799	68.6	45.0
All Weather Floor Mat	4	Add	2	Add	4800	200	50	3252	72.9	45.0	5200	200	300	2749	69.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	200	100	3202	73.3	45.0	5200	200	350	2699	69.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	200	150	3152	73.7	45.0	5200	200	400	2649	69.8	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4800	200	200	3102	74.1	45.0	5200	200	450	2599	70.2	45.0
Cruise Control	3	Add	1	Add	4800	200	250	3052	74.5	45.0	5200	200	500	2549	70.6	45.0
Power Equipment Group	12	Add	3	Add	4800	200	300	3002	75.0	45.0	5600	250	0	2999	83.2	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	350	2952	75.4	45.0	5600	250	50	2949	83.8	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	200	400	2902	75.9	45.0	5600	250	100	2899	84.4	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	450	2852	76.4	45.0	5600	250	200	2799	85.7	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	500	2802	76.9	45.0	5600	250	250	2749	86.4	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4800	250	0	3252	70.8	45.0	5600	250	300	2699	87.1	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	250	50	3202	71.1	45.0	5600	250	350	2649	87.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	250	100	3152	71.5	45.0	5600	250	400	2599	88.6	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	250	150	3102	71.9	45.0	5600	250	450	2549	89.4	45.0
Satellite Digital Broadcat	2	Add	1	Add	4800	250	200	3052	72.3	45.0	5600	250	500	2499	90.3	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	250	250	3002	72.7	45.0						
SYNC Basic - Gen I	1	Add	0	Add	4800	250	300	2952	73.1	45.0						
SYNC Finder - Gen II	1	Add	0	Add	4800	250	350	2902	73.5	45.0						
FX4 Off-Road Package	2	Add	2	Add	4800	250	400	2852	74.0	45.0						
Tracking System - Crew Chief	3	Add	0	Add	4800	250	450	2802	74.5	45.0						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	250	500	2752	74.9	45.0						
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (Variable GVWR - 17" Tires) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2LGasoline Engine 10500 lb (4762 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11100 lb (5034 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	2989	75.5	47.6	5200	-50	-50	2946	67.5	48.8
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	2939	75.9	47.6	5200	-50	0	2896	67.8	48.8
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	2889	76.4	47.6	5200	-50	50	2846	68.2	48.8
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2839	76.9	47.6	5200	-50	100	2796	68.5	48.9
Immersion Heater - Engine	1	Add	0	Add	4800	0	-50	2939	73.5	45.2	5600	0	-50	2896	81.0	46.4
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	0	2889	74.0	45.1	5600	0	0	2846	81.0	46.4
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	50	2839	74.4	45.1	5600	0	50	2796	81.0	46.3
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	100	2789	74.9	45.0	5600	0	100	2746	81.0	46.3
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	150	2739	75.4	45.0	5600	0	150	2696	81.0	46.3
Brake Controller	1	Add	0	Add	4800	0	200	2689	75.9	45.0	5600	0	200	2646	81.0	46.2
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	250	2639	76.4	45.0	5600	0	250	2596	81.0	46.2
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	300	2589	77.0	45.0	5600	0	300	2546	81.0	46.2
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	0	350	2539	77.6	45.0	5600	0	350	2496	81.0	46.1
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	0	2839	71.9	45.0	5600	50	0	2796	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	50	2789	72.4	45.0	5600	50	50	2746	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	100	2739	72.8	45.0	5600	50	100	2696	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	50	150	2689	73.3	45.0	5600	50	150	2646	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	200	2639	73.8	45.0	5600	50	200	2596	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	250	2589	74.3	45.0	5600	50	250	2546	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	300	2539	74.8	45.0	5600	50	300	2496	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	50	350	2489	75.3	45.0	5600	50	350	2446	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	0	2789	69.8	45.0	5600	100	0	2746	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	50	2739	70.2	45.0	5600	100	50	2696	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	100	2689	70.6	45.0	5600	100	100	2646	81.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	4800	100	150	2639	71.1	45.0	5600	100	150	2596	81.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	4800	100	200	2589	71.5	45.0	5600	100	200	2546	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	4800	100	250	2539	72.0	45.0	5600	100	250	2496	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	4800	100	300	2489	72.5	45.0	5600	100	300	2446	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	4800	100	350	2439	73.0	45.0	5600	100	350	2396	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	150	0	2739	81.0	45.0	5600	150	0	2696	79.8	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	150	50	2689	81.0	45.0	5600	150	50	2646	80.4	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	150	100	2639	81.0	45.0	5600	150	100	2596	81.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	150	150	2589	81.0	45.0	5600	150	150	2546	81.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	150	200	2539	81.0	45.0	5600	150	200	2496	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	150	250	2489	81.0	45.0	5600	150	250	2446	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	150	300	2439	81.0	45.0	5600	150	300	2396	81.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	150	350	2389	81.0	45.0	5600	150	350	2346	81.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	200	0	2689	81.0	45.0	5600	200	0	2646	77.8	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	200	50	2639	81.0	45.0	5600	200	50	2596	78.3	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	200	100	2589	81.0	45.0	5600	200	100	2546	78.9	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	200	150	2539	81.0	45.0	5600	200	150	2496	79.6	45.0
Drop-In Bedliner	2	Add	35	Add	5200	200	200	2489	81.0	45.0	5600	200	200	2446	80.2	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	250	2439	81.0	45.0	5600	200	250	2396	80.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	300	2389	81.0	45.0	5600	200	300	2346	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	200	350	2339	81.0	45.0	5600	200	350	2296	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	250	0	2639	81.0	45.0	5600	250	0	2596	75.6	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	250	50	2589	81.0	45.0	5600	250	50	2546	76.1	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	250	100	2539	81.0	45.0	5600	250	100	2496	76.7	45.0
Static Rear Video Camera	0	Add	1	Add	5200	250	150	2489	81.0	45.0	5600	250	150	2446	77.3	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	250	200	2439	81.0	45.0	5600	250	200	2396	77.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	250	2389	81.0	45.0	5600	250	250	2346	78.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	300	2339	81.0	45.0	5600	250	300	2296	79.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	250	350	2289	81.0	45.0	5600	250	350	2246	79.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	300	0	2589	81.0	45.0	5600	300	0	2546	73.4	45.0
Sliding Rear Window	5	Add	2	Add	5200	300	50	2539	81.0	45.0	5600	300	50	2496	73.9	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	300	100	2489	81.0	45.0	5600	300	100	2446	74.4	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	300	150	2439	81.0	45.0	5600	300	150	2396	75.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	300	200	2389	81.0	45.0	5600	300	200	2346	75.5	45.0
Foglamps	3	Add	0	Add	5200	300	250	2339	81.0	45.0	5600	300	250	2296	76.1	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	300	2289	81.0	45.0	5600	300	300	2246	76.8	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	350	2239	81.0	45.0	5600	300	350	2196	77.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add												
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add												
All Weather Floor Mat	6	Add	4	Add												
Electrochromic Rear View Mirror	1	Add	0	Add												
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add												
Floor Consolette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (Variable GVWR - 17" Tires) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10600 lb (4807 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4800	-50	-50	2909	71.7	45.5	5600	-50	-50	2847	81.0	46.5
XLT Trim (GAS)	13	Add	9	Add	4800	-50	0	2859	72.1	45.4	5600	-50	0	2797	81.0	46.4
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	50	2809	72.5	45.4	5600	-50	50	2747	81.0	46.4
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	100	2759	73.0	45.3	5600	-50	100	2697	81.0	46.4
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2859	81.0	45.0	5600	0	-50	2797	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2809	81.0	45.0	5600	0	0	2747	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2759	81.0	45.0	5600	0	50	2697	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	2709	81.0	45.0	5600	0	100	2647	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	2659	81.0	45.0	5600	0	150	2597	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	2609	81.0	45.0	5600	0	200	2547	81.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	2559	81.0	45.0	5600	0	250	2497	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	2509	81.0	45.0	5600	0	300	2447	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	350	2459	81.0	45.0	5600	0	350	2397	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	400	2409	81.0	45.0	5600	0	400	2347	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	50	0	2759	81.0	45.0	5600	50	0	2697	80.4	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	50	2709	81.0	45.0	5600	50	50	2647	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	100	2659	81.0	45.0	5600	50	100	2597	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	150	2609	81.0	45.0	5600	50	150	2547	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	200	2559	81.0	45.0	5600	50	200	2497	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	250	2509	81.0	45.0	5600	50	250	2447	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	300	2459	81.0	45.0	5600	50	300	2397	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	350	2409	81.0	45.0	5600	50	350	2347	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	400	2359	81.0	45.0	5600	50	400	2297	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	100	0	2709	81.0	45.0	5600	100	0	2647	78.1	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	50	2659	81.0	45.0	5600	100	50	2597	78.7	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	100	100	2609	81.0	45.0	5600	100	100	2547	79.3	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5200	100	150	2559	81.0	45.0	5600	100	150	2497	79.9	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	100	200	2509	81.0	45.0	5600	100	200	2447	80.6	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	100	250	2459	81.0	45.0	5600	100	250	2397	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	100	300	2409	81.0	45.0	5600	100	300	2347	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	350	2359	81.0	45.0	5600	100	350	2297	81.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD	-2	Minus	4	Add	5200	100	400	2309	81.0	45.0	5600	100	400	2247	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	150	0	2659	81.0	45.0	5600	150	0	2597	75.7	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel ST	3	Add	9	Add	5200	150	50	2609	81.0	45.0	5600	150	50	2547	76.2	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	150	100	2559	81.0	45.0	5600	150	100	2497	76.8	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	150	150	2509	81.0	45.0	5600	150	150	2447	77.4	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	150	200	2459	81.0	45.0	5600	150	200	2397	78.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	150	250	2409	81.0	45.0	5600	150	250	2347	78.6	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	150	300	2359	81.0	45.0	5600	150	300	2297	79.3	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	150	350	2309	81.0	45.0	5600	150	350	2247	80.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	150	400	2259	81.0	45.0	5600	150	400	2197	80.7	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	200	0	2609	81.0	45.0	5600	200	0	2547	73.2	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	200	50	2559	81.0	45.0	5600	200	50	2497	73.7	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	200	100	2509	81.0	45.0	5600	200	100	2447	74.2	45.0
Drop-In Bedliner	2	Add	42	Add	5200	200	150	2459	81.0	45.0	5600	200	150	2397	74.7	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	200	2409	81.0	45.0	5600	200	200	2347	75.3	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	200	250	2359	81.0	45.0	5600	200	250	2297	75.9	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	300	2309	81.0	45.0	5600	200	300	2247	76.5	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	200	350	2259	81.0	45.0	5600	200	350	2197	77.2	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	400	2209	81.0	45.0	5600	200	400	2147	77.9	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	250	0	2559	81.0	45.0	6000	250	0	2497	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	250	50	2509	81.0	45.0	6000	250	50	2447	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	250	100	2459	81.0	45.0	6000	250	100	2397	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	250	150	2409	81.0	45.0	6000	250	150	2347	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	200	2359	81.0	45.0	6000	250	200	2297	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	250	2309	81.0	45.0	6000	250	250	2247	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	250	300	2259	81.0	45.0	6000	250	300	2197	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	250	350	2209	81.0	45.0	6000	250	350	2147	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	400	2159	81.0	45.0	6000	250	400	2097	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	300	0	2509	78.6	45.0	6000	300	0	2447	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	300	50	2459	79.2	45.0	6000	300	50	2397	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	300	100	2409	79.8	45.0	6000	300	100	2347	81.0	45.0
Foglamps	3	Add	0	Add	5200	300	150	2359	80.5	45.0	6000	300	150	2297	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	200	2309	81.0	45.0	6000	300	200	2247	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	250	2259	81.0	45.0	6000	300	250	2197	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	300	2209	81.0	45.0	6000	300	300	2147	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	350	2159	81.0	45.0	6000	300	350	2097	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	400	2109	81.0	45.0	6000	300	400	2047	81.0	45.0
All Weather Floor Mat	7	Add	4	Add							6000	350	0	2397	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add							6000	350	50	2347	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add							6000	350	100	2297	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus							6000	350	150	2247	81.0	45.0
Cruise Control	3	Add	1	Add							6000	350	200	2197	81.0	45.0
Power Equipment Group	15	Add	6	Add							6000	350	250	2147	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add							6000	350	300	2097	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add							6000	350	350	2047	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add							6000	350	400	1997	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (Variable GVWR - 17" Tires) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10700 lb (4853 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add												
XLT Trim (GAS)	10	Add	7	Add	4800	-50	-50	3106	69.1	49.3	5600	-50	-50	2867	81.4	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	0	3056	69.4	49.3	5600	-50	0	2817	82.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	50	3006	69.8	49.4	5600	-50	50	2767	82.6	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2956	70.1	49.4	5600	-50	100	2717	83.3	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	3056	87.5	46.8	5600	0	-50	2817	79.2	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	3006	88.2	46.7	5600	0	0	2767	79.8	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2956	88.8	46.7	5600	0	50	2717	80.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2906	89.5	46.7	5600	0	100	2667	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2856	90.3	46.7	5600	0	150	2617	81.6	45.0
Brake Controller	1	Add	0	Add	5200	0	200	2806	91.0	46.6	5600	0	200	2567	82.3	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	2756	91.8	46.6	5600	0	250	2517	82.9	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	300	2706	92.6	46.6	5600	0	300	2467	83.7	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	350	2656	93.5	46.6	5600	0	350	2417	84.4	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	2606	94.3	46.5	5600	0	400	2367	85.2	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	450	2556	95.2	46.5	5600	0	450	2317	86.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	500	2506	96.2	46.5	5600	0	500	2267	86.8	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	-50	3006	85.5	45.0	5600	50	0	2717	77.4	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	2956	86.2	45.0	5600	50	50	2667	78.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	2906	86.8	45.0	5600	50	100	2617	78.6	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	2856	87.5	45.0	5600	50	150	2567	79.2	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	150	2806	88.2	45.0	5600	50	200	2517	79.8	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	200	2756	88.9	45.0	5600	50	250	2467	80.4	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	250	2706	89.7	45.0	5600	50	300	2417	81.1	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	300	2656	90.5	45.0	5600	50	350	2367	81.8	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	350	2606	91.3	45.0	5600	50	400	2317	82.6	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Add	19	Add	5200	50	400	2556	92.2	45.0	5600	50	450	2267	83.3	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	450	2506	93.0	45.0	5600	50	500	2217	84.1	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	500	2456	94.0	45.0	5600	100	0	2667	75.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	100	0	2906	84.1	45.0	5600	100	50	2617	75.6	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	50	2856	84.7	45.0	5600	100	100	2567	76.1	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	100	2806	85.4	45.0	5600	100	150	2517	76.7	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	100	150	2756	86.1	45.0	5600	100	200	2467	77.2	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	200	2706	86.8	45.0	5600	100	250	2417	77.9	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	100	250	2656	87.5	45.0	5600	100	300	2367	78.5	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	300	2606	88.3	45.0	5600	100	350	2317	79.1	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	350	2556	89.1	45.0	5600	100	400	2267	79.8	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	400	2506	89.9	45.0	5600	100	450	2217	80.6	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	450	2456	90.7	45.0	5600	100	500	2167	81.3	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	500	2406	91.6	45.0	5600	150	0	2617	72.5	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	0	2856	82.0	45.0	5600	150	50	2567	73.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	50	2806	82.6	45.0	5600	150	100	2517	73.5	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	100	2756	83.2	45.0	5600	150	150	2467	74.0	45.0
Spray-In Bedliner	1	Add	19	Add	5200	150	150	2706	83.9	45.0	5600	150	200	2417	74.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	150	200	2656	84.5	45.0	5600	150	250	2367	75.2	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	150	250	2606	85.2	45.0	5600	150	300	2317	75.7	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	300	2556	86.0	45.0	5600	150	350	2267	76.4	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	350	2506	86.7	45.0	5600	150	400	2217	77.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	400	2456	87.5	45.0	5600	150	450	2167	77.7	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	450	2406	88.4	45.0	5600	150	500	2117	78.4	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	500	2356	89.2	45.0	6000	200	0	2567	94.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	0	2806	79.8	45.0	6000	200	50	2517	95.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	50	2756	80.3	45.0	6000	200	100	2467	96.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	200	100	2706	80.9	45.0	6000	200	150	2417	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	200	150	2656	81.6	45.0	6000	200	200	2367	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	200	2606	82.2	45.0	6000	200	250	2317	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	250	2556	82.9	45.0	6000	200	300	2267	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	300	2506	83.6	45.0	6000	200	350	2217	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	350	2456	84.3	45.0	6000	200	400	2167	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	400	2406	85.1	45.0	6000	200	450	2117	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	450	2356	85.9	45.0	6000	200	500	2067	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	500	2306	86.7	45.0	6000	250	0	2517	92.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	250	0	2756	77.5	45.0	6000	250	50	2467	93.3	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	250	50	2706	78.0	45.0	6000	250	100	2417	94.2	45.0
All Weather Floor Mat	6	Add	4	Add	5200	250	100	2656	78.6	45.0	6000	250	150	2367	95.2	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	250	150	2606	79.2	45.0	6000	250	200	2317	96.2	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	250	200	2556	79.8	45.0	6000	250	250	2267	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	250	250	2506	80.4	45.0	6000	250	300	2217	97.0	45.0
Cruise Control	3	Add	1	Add	5200	250	300	2456	81.1	45.0	6000	250	350	2167	97.0	45.0
Power Equipment Group	12	Add	3	Add	5200	250	350	2406	81.8	45.0	6000	250	400	2117	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	400	2356	82.5	45.0	6000	250	450	2067	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	250	450	2306	83.3	45.0	6000	250	500	2017	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	500	2256	84.0	45.0	6000	300	0	2467	90.1	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	300	0	2706	75.1	45.0	6000	300	50	2417	90.9	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5200	300	50	2656	75.6	45.0	6000	300	100	2367	91.8	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	300	100	2606	76.2	45.0	6000	300	150	2317	92.8	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	300	150	2556	76.7	45.0	6000	300	200	2267	93.8	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	300	200	2506	77.3	45.0	6000	300	250	2217	94.8	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	300	300	2406	78.5	45.0	6000	300	350	2117	97.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	300	350	2356	79.2	45.0	6000	300	400	2067	97.0	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	300	400	2306	79.8	45.0	6000	300	450	2017	97.0	45.0
Satellite Digital Broadcat	2	Add	1	Add	5200	300	450	2256	80.5	45.0	6000	300	500	1967	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	300	500	2206	81.3	45.0						
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (Variable GVWR - 17" Tires) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10800 lb (4898 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	2996	87.3	47.7	5600	-50	-50	2655	78.7	45.0
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	2946	88.0	47.7	5600	-50	0	2605	79.3	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	50	2896	88.7	47.7	5600	-50	50	2555	79.9	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	100	2846	89.4	47.7	5600	-50	100	2505	80.6	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	2946	85.1	45.0	5600	0	-50	2605	76.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	2896	85.7	45.0	5600	0	0	2555	76.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	2846	86.4	45.0	5600	0	50	2505	77.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	2796	87.1	45.0	5600	0	100	2455	77.7	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	2746	87.8	45.0	5600	0	150	2405	78.3	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	2696	88.5	45.0	5600	0	200	2355	79.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	2646	89.3	45.0	5600	0	250	2305	79.7	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	2596	90.1	45.0	5600	0	300	2255	80.4	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	2546	90.9	45.0	5600	0	350	2205	81.1	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	400	2496	91.8	45.0	5600	0	400	2155	81.9	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	2446	92.7	45.0	5600	0	450	2105	82.7	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	2396	93.6	45.0	5600	0	500	2055	83.5	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	550	2346	94.6	45.0	5600	0	550	2005	84.4	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	2846	83.4	45.0	6000	50	0	2505	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	2796	84.0	45.0	6000	50	50	2455	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	2746	84.6	45.0	6000	50	100	2405	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	2696	85.3	45.0	6000	50	150	2355	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	2646	86.0	45.0	6000	50	200	2305	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	2596	86.8	45.0	6000	50	250	2255	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	2546	87.5	45.0	6000	50	300	2205	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	350	2496	88.3	45.0	6000	50	350	2155	97.0	45.0
17X7.5" Cast Aluminum Wheel - 5 Spoke (SRW Only)	-20	Minus	-20	Minus	5200	50	400	2446	89.2	45.0	6000	50	400	2105	97.0	45.0
18X8" Steel Drop Center Road Wheel (SRW Only w/17" Steel Wheel STD)	12	Minus	19	Add	5200	50	450	2396	90.0	45.0	6000	50	450	2055	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-10	Minus	-4	Minus	5200	50	500	2346	90.9	45.0	6000	50	500	2005	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/17" Steel Wheel STD)	-14	Minus	-8	Minus	5200	50	550	2296	91.8	45.0	6000	50	550	1955	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/17" Steel Wheel STD)	-9	Minus	-3	Minus	5200	100	0	2796	80.9	45.0	6000	100	0	2455	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/17" Steel Wheel STD)	-2	Minus	4	Add	5200	100	50	2746	81.5	45.0	6000	100	50	2405	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/17" Steel Wheel STD	-2	Minus	4	Add	5200	100	100	2696	82.1	45.0	6000	100	100	2355	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel STD)	1	Add	7	Add	5200	100	150	2646	82.8	45.0	6000	100	150	2305	97.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/17" Steel Wheel ST	3	Add	9	Add	5200	100	200	2596	83.4	45.0	6000	100	200	2255	97.0	45.0
LT 245/75R17E A/T BSW (SRW only)	-2	Minus	-3	Minus	5200	100	250	2546	84.1	45.0	6000	100	250	2205	97.0	45.0
LT 265/70R17E A/T OWL (SRW Only) 17" STD	6	Add	9	Add	5200	100	300	2496	84.9	45.0	6000	100	300	2155	97.0	45.0
LT 275/65R18E A/S BSW (SRW only) 17" STD	10	Add	16	Add	5200	100	350	2446	85.6	45.0	6000	100	350	2105	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 17" STD	26	Add	39	Add	5200	100	400	2396	86.4	45.0	6000	100	400	2055	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 17" STD	24	Add	37	Add	5200	100	450	2346	87.2	45.0	6000	100	450	2005	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 17" STD	27	Add	39	Add	5200	100	500	2296	88.1	45.0	6000	100	500	1955	97.0	45.0
Less Spare Tire (including carrier) - 17" steel STD (SRW only)	15	Add	-107	Minus	5200	100	550	2246	89.0	45.0	6000	100	550	1905	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	0	2746	78.4	45.0	6000	150	0	2405	96.3	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	50	2696	78.9	45.0	6000	150	50	2355	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	100	2646	79.5	45.0	6000	150	100	2305	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	150	2596	80.1	45.0	6000	150	150	2255	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	150	200	2546	80.8	45.0	6000	150	200	2205	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	250	2496	81.4	45.0	6000	150	250	2155	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	300	2446	82.1	45.0	6000	150	300	2105	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	150	350	2396	82.8	45.0	6000	150	350	2055	97.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	400	2346	83.6	45.0	6000	150	400	2005	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	450	2296	84.3	45.0	6000	150	450	1955	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	500	2246	85.1	45.0	6000	150	500	1905	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	550	2196	86.0	45.0	6000	150	550	1855	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	0	2696	75.7	45.0	6000	200	0	2355	93.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	50	2646	76.3	45.0	6000	200	50	2305	94.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	100	2596	76.8	45.0	6000	200	100	2255	95.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	200	150	2546	77.4	45.0	6000	200	150	2205	96.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	200	200	2496	78.0	45.0	6000	200	200	2155	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	250	2446	78.6	45.0	6000	200	250	2105	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	300	2396	79.2	45.0	6000	200	300	2055	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	350	2346	79.9	45.0	6000	200	350	2005	97.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	400	2296	80.6	45.0	6000	200	400	1955	97.0	45.0
Foglamps	3	Add	0	Add	5200	200	450	2246	81.3	45.0	6000	200	450	1905	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	500	2196	82.1	45.0	6000	200	500	1855	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	550	2146	82.9	45.0	6000	200	550	1805	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5600	250	0	2646	97.0	45.0	6000	250	0	2305	90.9	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5600	250	50	2596	97.0	45.0	6000	250	50	2255	91.8	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5600	250	100	2546	97.0	45.0	6000	250	100	2205	92.8	45.0
All Weather Floor Mat	7	Add	4	Add	5600	250	150	2496	97.0	45.0	6000	250	150	2155	93.9	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5600	250	200	2446	97.0	45.0	6000	250	200	2105	95.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5600	250	250	2396	97.0	45.0	6000	250	250	2055	96.1	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5600	250	300	2346	97.0	45.0	6000	250	300	2005	97.0	45.0
Cruise Control	3	Add	1	Add	5600	250	350	2296	97.0	45.0	6000	250	350	1955	97.0	45.0
Power Equipment Group	15	Add	6	Add	5600	250	400	2246	97.0	45.0	6000	250	400	1905	97.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	450	2196	97.0	45.0	6000	250	450	1855	97.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	500	2146	97.0	45.0	6000	250	500	1805	97.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	550	2096	97.0	45.0	6000	250	550	1755	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	300	0	2596	96.7	45.0	6000	300	0	2255	88.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5600	300	50	2546	97.0	45.0	6000	300	50	2205	88.9	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5600	300	100	2496	97.0	45.0	6000	300	100	2155	89.9	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	300	150	2446	97.0	45.0	6000	300	150	2105	90.9	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	300	200	2396	97.0	45.0	6000	300	200	2055	91.9	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	300	250	2346	97.0	45.0	6000	300	250	2005	93.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	300	300	2296	97.0	45.0	6000	300	300	1955	94.2	45.0
King Ranch Leather	4	Add	2	Add	5600	300	350	2246	97.0	45.0	6000	300	350	1905	95.4	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	300	400	2196	97.0	45.0	6000	300	400	1855	96.7	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	300	450	2146	97.0	45.0	6000	300	450	1805	97.0	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	300	500	2096	97.0	45.0	6000	300	500	1755	97.0	45.0
Satellite Digital Broadcat	2	Add	1	Add	5600	300	550	2046	97.0	45.0	6000	300	550	1705	97.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (Variable GVWR - 18" All-Season Tire) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10500 lb (4762 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11000 lb (4989 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
XLT Trim (GAS)	10	Add	6	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (DIESEL)	14	Add	9	Add	4100	-50	-50	4059	64.4	53.3	4550	-50	-50	3914	60.4	50.7
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4100	-50	0	4009	64.6	53.4	4550	-50	0	3864	60.6	50.8
Immersion Heater - Engine	1	Add	0	Add	4100	-50	50	3959	64.8	53.5	4550	-50	50	3814	60.7	50.8
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4100	-50	100	3909	65.0	53.5	4550	-50	100	3764	60.9	50.8
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4250	0	-50	4009	68.0	51.7	4550	0	-50	3864	58.8	49.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4250	0	0	3959	68.2	51.7	4550	0	0	3814	58.9	49.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4250	0	50	3909	68.5	51.8	4550	0	50	3764	59.1	49.0
Brake Controller	1	Add	0	Add	4250	0	100	3859	68.8	51.8	4550	0	100	3714	59.2	49.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4250	0	150	3809	69.0	51.9	4550	0	150	3664	59.4	49.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4250	0	200	3759	69.3	51.9	4550	0	200	3614	59.6	49.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4250	0	250	3709	69.6	52.0	4550	0	250	3564	59.7	49.1
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4250	0	300	3659	69.9	52.0	4550	0	300	3514	59.9	49.1
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4250	0	350	3609	70.2	52.1	4550	0	350	3464	60.1	49.1
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4250	0	450	3509	70.9	52.2	4550	0	400	3414	60.2	49.1
5th Wheel Hitch	0	Add	96	Add	4250	0	500	3459	71.2	52.3	4550	0	450	3364	60.4	49.1
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4250	50	0	3909	66.8	50.0	4550	0	500	3314	60.6	49.1
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4250	50	50	3859	67.0	50.1	4550	0	550	3264	60.8	49.2
750 CCA/78 AH Battery	2	Add	0	Add	4250	50	100	3809	67.2	50.1	4550	0	600	3214	61.0	49.2
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4250	50	150	3759	67.5	50.1	4550	0	650	3164	61.2	49.2
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4250	50	200	3709	67.8	50.1	4550	0	700	3114	61.4	49.2
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4250	50	250	3659	68.0	50.2	4700	50	0	3764	62.7	47.2
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4250	50	300	3609	68.3	50.2	4700	50	50	3714	62.9	47.2
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4250	50	350	3559	68.6	50.2	4700	50	100	3664	63.1	47.2
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4250	50	450	3459	69.2	50.3	4700	50	150	3614	63.4	47.2
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4250	50	500	3409	69.5	50.3	4700	50	200	3564	63.6	47.1
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4250	100	0	3859	65.2	48.3	4700	50	250	3514	63.8	47.1
Pickup Bed Extender	-2	Minus	21	Add	4250	100	50	3809	65.5	48.3	4700	50	300	3464	64.0	47.1
Drop-In Bedliner	2	Add	42	Add	4250	100	100	3759	65.7	48.3	4700	50	350	3414	64.3	47.1
Spray-In Bedliner	1	Add	19	Add	4250	100	150	3709	65.9	48.3	4700	50	400	3364	64.5	47.1
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4250	100	200	3659	66.2	48.3	4700	50	450	3314	64.8	47.1
Reverse Vehicle Sensor System	0	Add	1	Add	4250	100	250	3609	66.4	48.3	4700	50	500	3264	65.0	47.1
Static Rear Video Camera	0	Add	1	Add	4250	100	300	3559	66.7	48.3	4700	50	550	3214	65.3	47.1
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4250	100	350	3509	67.0	48.3	4700	50	600	3164	65.6	47.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4250	100	450	3409	67.5	48.3	4700	50	650	3114	65.8	47.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4250	100	500	3359	67.8	48.3	4700	50	700	3064	66.1	47.0
Sliding Rear Window	5	Add	2	Add	4250	150	0	3809	63.7	46.5	4700	100	0	3714	61.1	45.3
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4250	150	50	3759	63.9	46.5	4700	100	50	3664	61.3	45.3
Foglamps	3	Add	0	Add	4250	150	100	3709	64.1	46.4	4700	100	100	3614	61.5	45.3
Bright Exhaust Pipe Extension	0	Add	3	Add	4250	150	150	3659	64.3	46.4	4700	100	150	3564	61.6	45.2
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4250	150	200	3609	64.5	46.4	4700	100	200	3514	61.8	45.2
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4250	150	250	3559	64.8	46.4	4700	100	250	3464	62.0	45.1
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4250	150	300	3509	65.0	46.4	4700	100	300	3414	62.3	45.1
All Weather Floor Mat	4	Add	2	Add	4250	150	350	3459	65.3	46.3	4700	100	350	3364	62.5	45.1
Electrochromic Rear View Mirror	1	Add	0	Add	4250	150	450	3359	65.8	46.3	4700	100	400	3314	62.7	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4250	150	500	3309	66.0	46.3	4700	100	450	3264	62.9	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4400	200	0	3759	67.5	45.0	4700	100	500	3214	63.2	45.0
Cruise Control	3	Add	1	Add	4400	200	50	3709	67.8	45.0	4700	100	550	3164	63.4	45.0
Power Equipment Group	12	Add	3	Add	4400	200	100	3659	68.0	45.0	4700	100	600	3114	63.6	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4400	200	150	3609	68.3	45.0	4700	100	650	3064	63.9	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4400	200	200	3559	68.6	45.0	4700	100	700	3014	64.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4400	200	250	3509	68.9	45.0	4700	150	0	3664	59.4	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4400	200	300	3459	69.2	45.0	4700	150	50	3614	59.6	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4400	200	350	3409	69.5	45.0	4700	150	100	3564	59.7	45.0
Cloth Seats	-2	Minus	-1	Minus	4400	200	450	3309	70.2	45.0	4700	150	150	3514	59.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4400	200	500	3259	70.5	45.0	4700	150	200	3464	60.1	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4400	250	0	3709	65.9	45.0	4700	150	250	3414	60.2	45.0
Satellite Digital Broadcast	2	Add	1	Add	4400	250	50	3659	66.2	45.0	4700	150	300	3364	60.4	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4400	250	100	3609	66.4	45.0	4700	150	350	3314	60.6	45.0
SYNC Basic - Gen I	1	Add	0	Add	4400	250	150	3559	66.7	45.0	4700	150	400	3264	60.8	45.0
SYNC Finder - Gen II	1	Add	0	Add	4400	250	200	3509	67.0	45.0	4700	150	450	3214	61.0	45.0
FX4 Off-Road Package	2	Add	2	Add	4400	250	250	3459	67.2	45.0	4700	150	500	3164	61.2	45.0
Tracking System - Crew Chief	3	Add	0	Add	4400	250	300	3409	67.5	45.0	4700	150	550	3114	61.4	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4400	250	350	3359	67.8	45.0	4700	150	600	3064	61.7	45.0
Bed Mat	0	Add	58	Add	4400	250	450	3259	68.4	45.0	4700	150	650	3014	61.9	45.0
Cable/Strap Locks	0	Add	9	Add	4400	250	500	3209	68.7	45.0	4700	150	700	2964	62.1	45.0
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add							4850	200	0	3614	63.4	45.0
Roll-up Tonneau Cover	5	Add	25	Add							4850	200	50	3564	63.6	45.0
Wheel Well Liner - SRW only	0	Add	7	Add							4850	200	100	3514	63.8	45.0
Gooseneck Hitch Kit	0	Add	10	Add							4850	200	150	3464	64.0	45.0
											#REF!	200	700	2914	#REF!	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (Variable GVWR - 18" All-Season Tire) Cab Type: Super Cab Wheelbase: 142 *

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)	
Lariat Trim (GAS)	25	Add	17	Add
XLT Trim (GAS)	10	Add	7	Add
Lariat Trim (DIESEL)	30	Add	20	Add
XLT Trim (DIESEL)	20	Add	13	Add
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add
Immersion Heater - Engine	1	Add	0	Add
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add
Brake Controller	1	Add	0	Add
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add
Skid Plates (GAS) 4X4 only	20	Add	19	Add
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add
5th Wheel Hitch	0	Add	96	Add
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add
750 CCA/78 AH Battery	2	Add	0	Add
Manual Air Conditioning (GAS)	32	Add	-1	Minus
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add
Pickup Bed Extender	-2	Minus	21	Add
Drop-In Bedliner	2	Add	35	Add
Spray-In Bedliner	0	Add	16	Add
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add
Lower Bodyside Molding	2	Add	1	Add
Reverse Vehicle Sensor System	0	Add	1	Add
Static Rear Video Camera	0	Add	1	Add
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add
Sliding Rear Window	5	Add	2	Add
Power Sliding Rear Window	5	Add	3	Add
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add
Foglamps	3	Add	0	Add
Bright Exhaust Pipe Extension	0	Add	3	Add
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add
All Weather Floor Mat	6	Add	4	Add
Electrochromic Rear View Mirror	1	Add	0	Add
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add
Floor Consolette - Stand alone	-25	Minus	-9	Minus
Cruise Control	3	Add	1	Add
Power Equipment Group	12	Add	3	Add
Adj Gas & Brake Pedals	4	Add	3	Add
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add
Cloth Seats	-2	Minus	-1	Minus
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add
Satellite Digital Broadcast	2	Add	1	Add
High Definition & Satellite Digital Broadcast	2	Add	1	Add
SYNC Basic - Gen I	1	Add	0	Add
SYNC Finder - Gen II	1	Add	0	Add
FX4 Off-Road Package	2	Add	2	Add
Tracking System - Crew Chief	3	Add	0	Add
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add
Bed Mat	0	Add	44	Add
Cable/Strap Locks	0	Add	9	Add
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add
Roll-up Tonneau Cover	4	Add	22	Add
Wheel Well Liner - SRW only	0	Add	7	Add
Gooseneck Hitch Kit	0	Add	10	Add
Total Option Weight				

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.2L Gasoline Engine 10500 lb (4762 kg) GVWR

FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
4250	-50	-50	3321	62.5	45.0
4250	-50	0	3271	62.7	45.0
4250	-50	50	3221	62.9	45.0
4250	-50	100	3171	63.2	45.0
4400	0	-50	3271	67.0	45.0
4400	0	0	3221	67.3	45.0
4400	0	50	3171	67.6	45.0
4400	0	100	3121	67.9	45.0
4400	0	150	3071	68.3	45.0
4400	0	200	3021	68.6	45.0
4400	0	250	2971	69.0	45.0
4400	0	300	2921	69.3	45.0
4400	0	350	2871	69.7	45.0
4400	50	0	3171	65.4	45.0
4400	50	50	3121	65.7	45.0
4400	50	100	3071	66.0	45.0
4400	50	150	3021	66.3	45.0
4400	50	200	2971	66.6	45.0
4400	50	250	2921	66.9	45.0
4400	50	300	2871	67.2	45.0
4400	50	350	2821	67.6	45.0
4400	100	0	3121	63.4	45.0
4400	100	50	3071	63.7	45.0
4400	100	100	3021	63.9	45.0
4400	100	150	2971	64.2	45.0
4400	100	200	2921	64.5	45.0
4400	100	250	2871	64.8	45.0
4400	100	300	2821	65.1	45.0
4400	100	350	2771	65.4	45.0
4550	150	0	3071	68.3	45.0
4550	150	50	3021	68.6	45.0
4550	150	100	2971	69.0	45.0
4550	150	150	2921	69.3	45.0
4550	150	200	2871	69.7	45.0
4550	150	250	2821	70.1	45.0
4550	150	300	2771	70.5	45.0
4550	150	350	2721	70.9	45.0
4550	200	0	3021	66.3	45.0
4550	200	50	2971	66.6	45.0
4550	200	100	2921	66.9	45.0
4550	200	150	2871	67.2	45.0
4550	200	200	2821	67.6	45.0
4550	200	250	2771	67.9	45.0
4550	200	300	2721	68.3	45.0
4550	200	350	2671	68.7	45.0
4550	250	0	2971	64.2	45.0
4550	250	50	2921	64.5	45.0
4550	250	100	2871	64.8	45.0
4550	250	150	2821	65.1	45.0
4550	250	200	2771	65.4	45.0
4550	250	250	2721	65.7	45.0
4550	250	300	2671	66.0	45.0
4550	250	350	2621	66.4	45.0

VEHICLE LOADING DATA
6.7L Diesel Engine 11000 lb (4989 kg) GVWR

FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
I	II	III	IV	V	VI
4850	-50	-50	3147	63.3	45.0
4850	-50	0	3097	63.6	45.0
4850	-50	50	3047	63.8	45.0
4850	-50	100	2997	64.1	45.0
5000	0	-50	3097	68.1	45.0
5000	0	0	3047	68.5	45.0
5000	0	50	2997	68.8	45.0
5000	0	100	2947	69.2	45.0
5000	0	150	2897	69.5	45.0
5000	0	200	2847	69.9	45.0
5000	0	250	2797	70.3	45.0
5000	0	300	2747	70.7	45.0
5000	0	350	2697	71.1	45.0
5000	50	0	2997	66.4	45.0
5000	50	50	2947	66.8	45.0
5000	50	100	2897	67.1	45.0
5000	50	150	2847	67.4	45.0
5000	50	200	2797	67.8	45.0
5000	50	250	2747	68.1	45.0
5000	50	300	2697	68.5	45.0
5000	50	350	2647	68.9	45.0
5000	100	0	2947	64.4	45.0
5000	100	50	2897	64.6	45.0
5000	100	100	2847	64.9	45.0
5000	100	150	2797	65.2	45.0
5000	100	200	2747	65.6	45.0
5000	100	250	2697	65.9	45.0
5000	100	300	2647	66.2	45.0
5000	100	350	2597	66.6	45.0
5250	150	0	2897	74.4	45.0
5250	150	50	2847	74.9	45.0
5250	150	100	2797	75.4	45.0
5250	150	150	2747	75.9	45.0
5250	150	200	2697	76.4	45.0
5250	150	250	2647	76.9	45.0
5250	150	300	2597	77.5	45.0
5250	150	350	2547	78.1	45.0
5250	200	0	2847	72.4	45.0
5250	200	50	2797	72.8	45.0
5250	200	100	2747	73.3	45.0
5250	200	150	2697	73.8	45.0
5250	200	200	2647	74.3	45.0
5250	200	250	2597	74.8	45.0
5250	200	300	2547	75.3	45.0
5250	200	350	2497	75.9	45.0
5250	250	0	2797	70.3	45.0
5250	250	50	2747	70.7	45.0
5250	250	100	2697	71.1	45.0
5250	250	150	2647	71.6	45.0
5250	250	200	2597	72.0	45.0
5250	250	250	2547	72.5	45.0
5250	250	300	2497	73.0	45.0
5250	250	350	2447	73.5	45.0

MY: 2015 Model: F350 4x2 (Variable GVWR - 18" All-Season Tire) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10700 lb (4853 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4400	-50	-50	3339	65.0	45.0	5000	-50	-50	3376	65.2	50.0
XLT Trim (GAS)	13	Add	9	Add	4400	-50	0	3289	65.3	45.0	5000	-50	0	3326	65.5	50.1
Lariat Trim (DIESEL)	34	Add	23	Add	4400	-50	50	3239	65.5	45.0	5000	-50	50	3276	65.7	50.1
XLT Trim (DIESEL)	24	Add	16	Add	4400	-50	100	3189	65.8	45.0	5000	-50	100	3226	66.0	50.1
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	0	-50	3289	62.9	45.0	5000	0	-50	3326	63.1	47.7
Immersion Heater - Engine	1	Add	0	Add	4400	0	0	3239	63.1	45.0	5000	0	0	3276	63.3	47.7
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	50	3189	63.4	45.0	5000	0	50	3226	63.6	47.7
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	100	3139	63.6	45.0	5000	0	100	3176	63.8	47.7
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	150	3089	63.9	45.0	5000	0	150	3126	64.1	47.7
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	200	3039	64.1	45.0	5000	0	200	3076	64.3	47.7
Brake Controller	1	Add	0	Add	4400	0	250	2989	64.4	45.0	5000	0	250	3026	64.6	47.7
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	300	2939	64.7	45.0	5000	0	300	2976	64.9	47.7
Rear Stabilizer Bar F250/350 SRW 4X2	-1	Minus	18	Add	4400	0	350	2889	65.0	45.0	5000	0	350	2926	65.2	47.7
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4400	0	400	2839	65.3	45.0	5250	50	0	3226	73.3	45.3
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	0	450	2789	65.6	45.0	5250	50	50	3176	73.7	45.2
5th Wheel Hitch	0	Add	96	Add	4400	0	500	2739	65.9	45.0	5250	50	100	3126	74.1	45.2
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	50	0	3189	68.3	45.0	5250	50	150	3076	74.5	45.2
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	50	3139	68.6	45.0	5250	50	200	3026	74.9	45.1
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	100	3089	68.9	45.0	5250	50	250	2976	75.4	45.1
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	150	3039	69.3	45.0	5250	50	300	2926	75.9	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	200	2989	69.6	45.0	5250	50	350	2876	76.4	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	250	2939	70.0	45.0	5250	100	0	3176	71.2	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	300	2889	70.4	45.0	5250	100	50	3126	71.6	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	350	2839	70.8	45.0	5250	100	100	3076	72.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	400	2789	71.2	45.0	5250	100	150	3026	72.4	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	450	2739	71.6	45.0	5250	100	200	2976	72.8	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4550	50	500	2689	72.0	45.0	5250	100	250	2926	73.2	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4550	100	0	3139	66.1	45.0	5250	100	300	2876	73.6	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	50	3089	66.4	45.0	5250	100	350	2826	74.1	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	100	3039	66.7	45.0	5250	150	0	3126	69.1	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	100	150	2989	67.0	45.0	5250	150	50	3076	69.4	45.0
Drop-In Bedliner	2	Add	42	Add	4550	100	200	2939	67.3	45.0	5250	150	100	3026	69.8	45.0
Spray-In Bedliner	0	Add	16	Add	4550	100	250	2889	67.7	45.0	5250	150	150	2976	70.1	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4550	100	300	2839	68.0	45.0	5250	150	200	2926	70.5	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4550	100	350	2789	68.4	45.0	5250	150	250	2876	70.9	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4550	100	400	2739	68.8	45.0	5250	150	300	2826	71.3	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4550	100	450	2689	69.1	45.0	5250	150	350	2776	71.7	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	100	500	2639	69.5	45.0	5250	200	0	3076	66.9	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	0	3089	63.9	45.0	5250	200	50	3026	67.2	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	50	3039	64.1	45.0	5250	200	100	2976	67.5	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	100	2989	64.4	45.0	5250	200	150	2926	67.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	150	2939	64.7	45.0	5250	200	200	2876	68.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	200	2889	65.0	45.0	5250	200	250	2826	68.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	250	2839	65.3	45.0	5250	200	300	2776	68.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	150	300	2789	65.6	45.0	5250	200	350	2726	69.3	45.0
Sliding Rear Window	5	Add	2	Add	4550	150	350	2739	65.9	45.0	5250	250	0	3026	64.6	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	150	400	2689	66.2	45.0	5250	250	50	2976	64.9	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	450	2639	66.6	45.0	5250	250	100	2926	65.2	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4550	150	500	2589	66.9	45.0	5250	250	150	2876	65.5	45.0
Foglamps	3	Add	0	Add	4700	200	50	2989	69.6	45.0	5250	250	200	2826	65.8	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	100	2939	70.0	45.0	5250	250	250	2776	66.1	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	150	2889	70.4	45.0	5250	250	300	2726	66.5	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	200	200	2839	70.8	45.0	5250	250	350	2676	66.8	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	250	2789	71.2	45.0	5250	300	0	2976	62.3	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	200	300	2739	71.6	45.0	5250	300	50	2926	62.5	45.0
All Weather Floor Mat	7	Add	4	Add	4700	200	350	2689	72.0	45.0	5250	300	100	2876	62.8	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	400	2639	72.5	45.0	5250	300	150	2826	63.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	450	2589	73.0	45.0	5250	300	200	2776	63.3	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	200	500	2539	73.5	45.0	5250	300	250	2726	63.6	45.0
Cruise Control	3	Add	1	Add	4700	250	50	2939	67.3	45.0	5250	300	300	2676	63.9	45.0
Power Equipment Group	15	Add	6	Add	4700	250	100	2889	67.7	45.0	5250	300	350	2626	64.2	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	150	2839	68.0	45.0						
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	250	200	2789	68.4	45.0						
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	250	2739	68.8	45.0						
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	300	2689	69.1	45.0						
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4700	250	350	2639	69.5	45.0						
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	250	400	2589	70.0	45.0						
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	250	450	2539	70.4	45.0						
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	250	500	2489	70.8	45.0						
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4700	300	0	2939	64.7	45.0						
Cloth Seats	-2	Minus	-1	Minus	4700	300	50	2889	65.0	45.0						
King Ranch Leather	4	Add	2	Add	4700	300	100	2839	65.3	45.0						
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	300	150	2789	65.6	45.0						
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	300	200	2739	65.9	45.0						
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4700	300	250	2689	66.2	45.0						
Satellite Digital Broadcast	2	Add	1	Add	4700	300	300	2639	66.6	45.0						
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4700	300	350	2589	66.9	45.0						
SYNC Basic - Gen I	1	Add	0	Add	4700	300	400	2539	67.3	45.0						
SYNC Finder - Gen II	1	Add	0	Add	4700	300	450	2489	67.7	45.0						
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	4700	300	500	2439	68.1	45.0						
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (Variable GVWR - 18" All Season Tire) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10900 lb (4943 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4400	-50	-50	3652	63.0	53.2	5000	-50	-50	3513	62.5	52.3
XLT Trim (GAS)	10	Add	7	Add	4400	-50	0	3602	63.2	53.3	5000	-50	0	3463	62.7	52.3
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	50	3552	63.5	53.3	5000	-50	50	3413	62.9	52.4
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	100	3502	63.7	53.4	5000	-50	100	3363	63.2	52.5
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	0	-50	3602	61.0	51.1	5250	0	-50	3463	71.8	50.0
Immersion Heater - Engine	1	Add	0	Add	4400	0	0	3552	61.2	51.1	5250	0	0	3413	72.2	50.1
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	0	50	3502	61.4	51.1	5250	0	50	3363	72.6	50.1
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4400	0	100	3452	61.6	51.2	5250	0	100	3313	72.9	50.1
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4400	0	150	3402	61.8	51.2	5250	0	150	3263	73.3	50.2
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4400	0	200	3352	62.0	51.3	5250	0	200	3213	73.7	50.2
Brake Controller	1	Add	0	Add	4400	0	250	3302	62.2	51.3	5250	0	250	3163	74.1	50.2
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	0	300	3252	62.5	51.4	5250	0	300	3113	74.5	50.3
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4400	0	350	3202	62.7	51.4	5250	0	350	3063	75.0	50.3
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4400	0	400	3152	62.9	51.5	5250	0	400	3013	75.4	50.4
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	0	450	3102	63.2	51.6	5250	0	450	2963	75.9	50.4
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4400	0	500	3052	63.4	51.6	5250	0	500	2913	76.4	50.4
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	50	0	3502	65.9	48.9	5250	50	0	3363	70.2	47.8
5th Wheel Hitch	0	Add	96	Add	4550	50	50	3452	66.2	48.9	5250	50	50	3313	70.5	47.8
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	50	100	3402	66.5	48.9	5250	50	100	3263	70.9	47.8
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	50	150	3352	66.7	48.9	5250	50	150	3213	71.3	47.8
750 CCA/78 AH Battery	2	Add	0	Add	4550	50	200	3302	67.0	48.9	5250	50	200	3163	71.6	47.8
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	50	250	3252	67.3	49.0	5250	50	250	3113	72.0	47.7
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	50	300	3202	67.6	49.0	5250	50	300	3063	72.4	47.7
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	50	350	3152	67.9	49.0	5250	50	350	3013	72.8	47.7
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	50	400	3102	68.3	49.0	5250	50	400	2963	73.2	47.7
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	50	450	3052	68.6	49.0	5250	50	450	2913	73.7	47.7
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4550	50	500	3002	68.9	49.0	5250	50	500	2863	74.1	47.7
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4550	100	0	3452	63.9	46.6	5250	100	0	3313	68.2	45.4
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4550	100	50	3402	64.1	46.6	5250	100	50	3263	68.5	45.3
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4550	100	100	3352	64.4	46.6	5250	100	100	3213	68.8	45.3
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4550	100	150	3302	64.6	46.6	5250	100	150	3163	69.1	45.3
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	100	200	3252	64.9	46.5	5250	100	200	3113	69.5	45.2
Pickup Bed Extender	-2	Minus	21	Add	4550	100	250	3202	65.2	46.5	5250	100	250	3063	69.8	45.2
Drop-In Bedliner	2	Add	35	Add	4550	100	300	3152	65.4	46.5	5250	100	300	3013	70.2	45.1
Spray-In Bedliner	1	Add	19	Add	4550	100	350	3102	65.7	46.5	5250	100	350	2963	70.6	45.1
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	4550	100	400	3052	66.0	46.4	5250	100	400	2913	71.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	4550	100	450	3002	66.3	46.4	5250	100	450	2863	71.4	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	4550	100	500	2952	66.6	46.4	5250	100	500	2813	71.8	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	150	0	3402	61.8	45.0	5250	150	0	3263	66.1	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	150	50	3352	62.0	45.0	5250	150	50	3213	66.3	45.0
Static Rear Video Camera	0	Add	1	Add	4550	150	100	3302	62.2	45.0	5250	150	100	3163	66.6	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	150	150	3252	62.5	45.0	5250	150	150	3113	66.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	150	200	3202	62.7	45.0	5250	150	200	3063	67.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	150	250	3152	62.9	45.0	5250	150	250	3013	67.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4550	150	300	3102	63.2	45.0	5250	150	300	2963	67.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4550	150	350	3052	63.4	45.0	5250	150	350	2913	68.2	45.0
Sliding Rear Window	5	Add	2	Add	4550	150	400	3002	63.7	45.0	5250	150	400	2863	68.6	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	150	450	2952	64.0	45.0	5250	150	450	2813	69.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4550	150	500	2902	64.2	45.0	5250	150	500	2763	69.4	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	200	0	3352	66.7	45.0	5250	200	0	3213	63.9	45.0
Foglamps	3	Add	0	Add	4700	200	50	3302	67.0	45.0	5250	200	50	3163	64.1	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	200	100	3252	67.3	45.0	5250	200	100	3113	64.4	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	200	150	3202	67.6	45.0	5250	200	150	3063	64.7	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	200	200	3152	67.9	45.0	5250	200	200	3013	64.9	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	200	250	3102	68.3	45.0	5250	200	250	2963	65.2	45.0
All Weather Floor Mat	6	Add	4	Add	4700	200	300	3052	68.6	45.0	5250	200	300	2913	65.5	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	200	350	3002	68.9	45.0	5250	200	350	2863	65.8	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	200	400	2952	69.3	45.0	5250	200	400	2813	66.2	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	200	450	2902	69.7	45.0	5250	200	450	2763	66.5	45.0
Cruise Control	3	Add	1	Add	4700	200	500	2852	70.1	45.0	5250	200	500	2713	66.8	45.0
Power Equipment Group	12	Add	3	Add	4700	250	0	3302	64.6	45.0	5250	250	0	3163	61.6	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	250	50	3252	64.9	45.0	5250	250	50	3113	61.9	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	250	100	3202	65.2	45.0	5250	250	100	3063	62.1	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	250	150	3152	65.4	45.0	5250	250	150	3013	62.3	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	250	200	3102	65.7	45.0	5250	250	200	2963	62.6	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4700	250	250	3052	66.0	45.0	5250	250	250	2913	62.8	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	250	300	3002	66.3	45.0	5250	250	300	2863	63.1	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	250	350	2952	66.6	45.0	5250	250	350	2813	63.4	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	250	400	2902	67.0	45.0	5250	250	400	2763	63.6	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	250	450	2852	67.3	45.0	5250	250	450	2713	63.9	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	250	500	2802	67.6	45.0	5250	250	500	2663	64.2	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcast	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x2 (Variable GVWR - 18" All-Season Tire) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 11000 lb (4989 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4550	-50	-50	3505	66.3	52.6	5250	-50	-50	3304	71.9	47.0
XLT Trim (GAS)	13	Add	9	Add	4550	-50	0	3455	66.6	52.7	5250	-50	0	3254	72.3	46.9
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	50	3405	66.9	52.8	5250	-50	50	3204	72.6	46.9
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	100	3355	67.1	52.9	5250	-50	100	3154	73.0	46.9
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	150	3305	67.4	52.9	5250	0	-50	3254	69.6	45.0
Immersion Heater - Engine	1	Add	0	Add	4550	-50	200	3255	67.7	53.0	5250	0	0	3204	70.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4550	-50	250	3205	68.0	53.1	5250	0	50	3154	70.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4550	-50	300	3155	68.4	53.2	5250	0	100	3104	70.7	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4550	-50	350	3105	68.7	53.2	5250	0	150	3054	71.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4550	-50	400	3055	69.0	53.3	5250	0	200	3004	71.4	45.0
Brake Controller	1	Add	0	Add	4550	-50	500	2955	69.7	53.5	5250	0	250	2954	71.8	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4550	0	0	3405	64.3	50.3	5250	0	300	2904	72.2	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4550	0	50	3355	64.6	50.3	5250	0	350	2854	72.7	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	4550	0	100	3305	64.8	50.3	5250	0	400	2804	73.1	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	0	150	3255	65.1	50.4	5250	0	450	2754	73.6	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4550	0	200	3205	65.4	50.4	5250	0	500	2704	74.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	4550	0	250	3155	65.6	50.4	5250	50	0	3154	67.6	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	300	3105	65.9	50.5	5250	50	50	3104	67.9	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	350	3055	66.2	50.5	5250	50	100	3054	68.2	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	400	3005	66.5	50.5	5250	50	150	3004	68.6	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	500	2905	67.2	50.6	5250	50	200	2954	68.9	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4700	50	0	3355	69.7	47.7	5250	50	250	2904	69.3	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	50	50	3305	70.0	47.7	5250	50	300	2854	69.6	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	50	100	3255	70.4	47.7	5250	50	350	2804	70.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	50	150	3205	70.7	47.7	5250	50	400	2754	70.4	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	50	200	3155	71.1	47.7	5250	50	450	2704	70.8	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4700	50	250	3105	71.5	47.7	5250	50	500	2654	71.3	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4700	50	300	3055	71.9	47.7	5250	100	0	3104	65.1	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4700	50	350	3005	72.2	47.7	5250	100	50	3054	65.4	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4700	50	400	2955	72.7	47.7	5250	100	100	3004	65.7	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4700	50	500	2855	73.5	47.7	5250	100	150	2954	66.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	100	0	3305	67.4	45.1	5250	100	200	2904	66.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	100	50	3255	67.7	45.1	5250	100	250	2854	66.6	45.0
Drop-In Bedliner	2	Add	42	Add	4700	100	100	3205	68.0	45.0	5250	100	300	2804	66.9	45.0
Spray-In Bedliner	0	Add	20	Add	4700	100	150	3155	68.4	45.0	5250	100	350	2754	67.3	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	4700	100	200	3105	68.7	45.0	5250	100	400	2704	67.7	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	4700	100	250	3055	69.0	45.0	5250	100	450	2654	68.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	4700	100	300	3005	69.4	45.0	5250	100	500	2604	68.4	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	4700	100	350	2955	69.7	45.0	5250	150	0	3054	62.6	45.0
Lower Bodyside Molding	2	Add	1	Add	4700	100	400	2905	70.1	45.0	5250	150	50	3004	62.8	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4700	100	500	2805	70.9	45.0	5250	150	100	2954	63.1	45.0
Static Rear Video Camera	0	Add	1	Add	4700	150	0	3255	65.1	45.0	5250	150	150	2904	63.3	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	150	50	3205	65.4	45.0	5250	150	200	2854	63.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	150	100	3155	65.6	45.0	5250	150	250	2804	63.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	150	150	3105	65.9	45.0	5250	150	300	2754	64.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4700	150	200	3055	66.2	45.0	5250	150	350	2704	64.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	4700	150	250	3005	66.5	45.0	5250	150	400	2654	64.8	45.0
Sliding Rear Window	5	Add	2	Add	4700	150	300	2955	66.8	45.0	5250	150	450	2604	65.1	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	150	350	2905	67.2	45.0	5250	150	500	2554	65.4	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	150	400	2855	67.5	45.0	5250	200	0	3004	59.9	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4700	150	500	2755	68.2	45.0	5250	200	50	2954	60.1	45.0
Foglamps	3	Add	0	Add	4850	200	0	3205	70.7	45.0	5250	200	100	2904	60.4	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4850	200	50	3155	71.1	45.0	5250	200	150	2854	60.6	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4850	200	100	3105	71.5	45.0	5250	200	200	2804	60.8	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4850	200	150	3055	71.9	45.0	5250	200	250	2754	61.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4850	200	200	3005	72.2	45.0	5250	200	300	2704	61.3	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4850	200	250	2955	72.7	45.0	5250	200	350	2654	61.5	45.0
All Weather Floor Mat	7	Add	4	Add	4850	200	300	2905	73.1	45.0	5250	200	400	2604	61.8	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4850	200	350	2855	73.5	45.0	5250	200	450	2554	62.1	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4850	200	400	2805	74.0	45.0	5250	200	500	2504	62.3	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4850	200	500	2705	74.9	45.0	5250	250	0	2954	57.2	45.0
Cruise Control	3	Add	1	Add	4850	250	0	3155	68.4	45.0	5250	250	50	2904	57.4	45.0
Power Equipment Group	15	Add	6	Add	4850	250	50	3105	68.7	45.0	5250	250	100	2854	57.6	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4850	250	100	3055	69.0	45.0	5250	250	150	2804	57.7	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4850	250	150	3005	69.4	45.0	5250	250	200	2754	57.9	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4850	250	200	2955	69.7	45.0	5250	250	250	2704	58.1	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	250	250	2905	70.1	45.0	5250	250	300	2654	58.3	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4850	250	300	2855	70.5	45.0	5250	250	350	2604	58.5	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4850	250	350	2805	70.9	45.0	5250	250	400	2554	58.7	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4850	250	400	2755	71.3	45.0	5250	250	450	2504	58.9	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4850	250	500	2655	72.2	45.0	5250	250	500	2454	59.1	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4850	300	0	3105	65.9	45.0	5250	300	0	2904	54.4	45.0
Cloth Seats	-2	Minus	-1	Minus	4850	300	50	3055	66.2	45.0	5250	300	50	2854	54.5	45.0
King Ranch Leather	4	Add	2	Add	4850	300	100	3005	66.5	45.0	5250	300	100	2804	54.7	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4850	300	150	2955	66.8	45.0	5250	300	150	2754	54.8	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4850	300	200	2905	67.2	45.0	5250	300	200	2704	54.9	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4850	300	250	2855	67.5	45.0	5250	300	250	2654	55.0	45.0
Satellite Digital Broadcast	2	Add	1	Add	4850	300	300	2805	67.8	45.0	5250	300	300	2604	55.2	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4850	300	350	2755	68.2	45.0	5250	300	350	2554	55.3	45.0
SYNC Basic - Gen I	1	Add	0	Add	4850	300	400	2705	68.6	45.0	5250	300	400	2504	55.5	45.0
SYNC Finder - Gen II	1	Add	0	Add	4850	300	500	2605	69.4	45.0	5250	300	450	2454	55.6	45.0
FX4 Off-Road Package	2	Add	2	Add							5250	300	500	2404	55.8	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Season Tire) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10500 lb (4762 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11000 lb (4989 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add	4400	-50	-50	3642	64.4	45.0	5200	-50	-50	3493	73.4	45.0
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	0	3592	64.7	45.0	5200	-50	0	3443	73.8	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	50	3542	64.9	45.0	5200	-50	50	3393	74.2	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	100	3492	65.2	45.0	5200	-50	100	3343	74.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	-50	3592	78.0	45.0	5200	0	-50	3443	71.8	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	0	3542	78.4	45.0	5200	0	0	3393	72.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	50	3492	78.9	45.0	5200	0	50	3343	72.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	100	3442	79.3	45.0	5200	0	100	3293	72.9	45.0
Brake Controller	1	Add	0	Add	4800	0	150	3392	79.8	45.0	5200	0	200	3193	73.7	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	200	3342	80.3	45.0	5200	0	250	3143	74.1	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	250	3292	80.8	45.0	5200	0	300	3093	74.5	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	300	3242	81.3	45.0	5200	0	350	3043	75.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	350	3192	81.8	45.0	5200	0	400	2993	75.4	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	400	3142	82.3	45.0	5200	0	450	2943	75.9	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	450	3092	82.9	45.0	5200	0	500	2893	76.4	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	500	3042	83.5	45.0	5200	50	0	3343	70.5	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	0	3492	76.9	45.0	5200	50	50	3293	70.8	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	50	3442	77.3	45.0	5200	50	100	3243	71.2	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	100	3392	77.8	45.0	5200	50	200	3143	71.9	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	150	3342	78.2	45.0	5200	50	250	3093	72.3	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	200	3292	78.7	45.0	5200	50	300	3043	72.7	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	250	3242	79.2	45.0	5200	50	350	2993	73.1	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	300	3192	79.7	45.0	5200	50	400	2943	73.5	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	50	350	3142	80.2	45.0	5200	50	450	2893	74.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	4800	50	400	3092	80.7	45.0	5200	50	500	2843	74.4	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	4800	50	450	3042	81.2	45.0	5200	100	0	3293	68.7	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	4800	50	500	2992	81.8	45.0	5200	100	50	3243	69.1	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	4800	100	0	3442	75.4	45.0	5200	100	100	3193	69.4	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	100	50	3392	75.8	45.0	5200	100	200	3093	70.1	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	100	3342	76.2	45.0	5200	100	250	3043	70.4	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	100	150	3292	76.6	45.0	5200	100	300	2993	70.8	45.0
Drop-In Bedliner	2	Add	42	Add	4800	100	200	3242	77.1	45.0	5200	100	350	2943	71.2	45.0
Spray-In Bedliner	1	Add	19	Add	4800	100	250	3192	77.5	45.0	5200	100	400	2893	71.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	300	3142	78.0	45.0	5200	100	450	2843	72.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	350	3092	78.5	45.0	5200	100	500	2793	72.5	45.0
Static Rear Video Camera	0	Add	1	Add	4800	100	400	3042	79.0	45.0	5200	150	0	3243	66.9	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	450	2992	79.5	45.0	5200	150	50	3193	67.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	500	2942	80.0	45.0	5200	150	100	3143	67.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	150	0	3392	73.7	45.0	5200	150	200	3043	68.2	45.0
Sliding Rear Window	5	Add	2	Add	4800	150	50	3342	74.1	45.0	5200	150	250	2993	68.5	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	100	3292	74.5	45.0	5200	150	300	2943	68.9	45.0
Foglamps	3	Add	0	Add	4800	150	150	3242	74.9	45.0	5200	150	350	2893	69.3	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	200	3192	75.4	45.0	5200	150	400	2843	69.6	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	250	3142	75.8	45.0	5200	150	450	2793	70.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	300	3092	76.3	45.0	5200	150	500	2743	70.4	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	350	3042	76.7	45.0	5200	200	0	3193	65.1	45.0
All Weather Floor Mat	4	Add	2	Add	4800	150	400	2992	77.2	45.0	5200	200	50	3143	65.4	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	450	2942	77.7	45.0	5200	200	100	3093	65.7	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	500	2892	78.2	45.0	5200	200	200	2993	66.2	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4800	200	0	3342	72.1	45.0	5200	200	250	2943	66.6	45.0
Cruise Control	3	Add	1	Add	4800	200	50	3292	72.4	45.0	5200	200	300	2893	66.9	45.0
Power Equipment Group	12	Add	3	Add	4800	200	100	3242	72.8	45.0	5200	200	350	2843	67.2	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	150	3192	73.2	45.0	5200	200	400	2793	67.6	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	200	200	3142	73.6	45.0	5200	200	450	2743	67.9	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	250	3092	74.0	45.0	5200	200	500	2693	68.3	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	300	3042	74.5	45.0	5600	250	0	3143	80.6	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	200	350	2992	74.9	45.0	5600	250	50	3093	81.2	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	200	400	2942	75.4	45.0	5600	250	100	3043	81.7	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	450	2892	75.8	45.0	5600	250	200	2943	82.9	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	500	2842	76.3	45.0	5600	250	250	2893	83.5	45.0
Satellite Digital Broadcat	2	Add	1	Add	4800	250	0	3292	70.4	45.0	5600	250	300	2843	84.1	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	250	50	3242	70.7	45.0	5600	250	350	2793	84.7	45.0
SYNC Basic - Gen I	1	Add	0	Add	4800	250	100	3192	71.1	45.0	5600	250	400	2743	85.4	45.0
SYNC Finder - Gen II	1	Add	0	Add	4800	250	150	3142	71.4	45.0	5600	250	450	2693	86.1	45.0
FX4 Off-Road Package	2	Add	2	Add	4800	250	200	3092	71.8	45.0	5600	250	500	2643	86.8	45.0
Tracking System - Crew Chief	3	Add	0	Add	4800	250	250	3042	72.2	45.0						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	250	300	2992	72.6	45.0						
Bed Mat	0	Add	58	Add	4800	250	350	2942	73.0	45.0						
Cable/Strap Locks	0	Add	9	Add	4800	250	400	2892	73.5	45.0						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4800	250	450	2842	73.9	45.0						
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	500	2792	74.4	45.0						
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Season Tire) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10600 lb (4807 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11200 lb (5079 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	3034	74.1	45.0	5600	-50	-50	2990	81.0	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	2984	74.5	45.0	5600	-50	0	2940	81.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	2934	75.0	45.0	5600	-50	50	2890	81.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	2884	75.4	45.0	5600	-50	100	2840	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	0	-50	2984	72.1	45.0	5600	0	-50	2940	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	0	0	2934	72.5	45.0	5600	0	0	2890	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	50	2884	73.0	45.0	5600	0	50	2840	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	100	2834	73.4	45.0	5600	0	100	2790	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	150	2784	73.9	45.0	5600	0	150	2740	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	200	2734	74.4	45.0	5600	0	200	2690	81.0	45.0
Brake Controller	1	Add	0	Add	4800	0	250	2684	74.8	45.0	5600	0	250	2640	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	300	2634	75.4	45.0	5600	0	300	2590	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	350	2584	75.9	45.0	5600	0	350	2540	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	50	0	2884	70.5	45.0	5600	50	0	2840	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	50	2834	70.9	45.0	5600	50	50	2790	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	100	2784	71.3	45.0	5600	50	100	2740	81.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	150	2734	71.8	45.0	5600	50	150	2690	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	50	200	2684	72.2	45.0	5600	50	200	2640	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	250	2634	72.7	45.0	5600	50	250	2590	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	300	2584	73.1	45.0	5600	50	300	2540	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	350	2534	73.6	45.0	5600	50	350	2490	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4800	100	0	2834	68.4	45.0	5600	100	0	2790	80.2	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4800	100	50	2784	68.8	45.0	5600	100	50	2740	80.8	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4800	100	100	2734	69.2	45.0	5600	100	100	2690	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4800	100	150	2684	69.6	45.0	5600	100	150	2640	81.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	200	2634	70.0	45.0	5600	100	200	2590	81.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	4800	100	250	2584	70.4	45.0	5600	100	250	2540	81.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	100	300	2534	70.8	45.0	5600	100	300	2490	81.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	4800	100	350	2484	71.3	45.0	5600	100	350	2440	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	150	0	2784	81.0	45.0	5600	150	0	2740	78.2	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	150	50	2734	81.0	45.0	5600	150	50	2690	78.7	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5200	150	100	2684	81.0	45.0	5600	150	100	2640	79.3	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	150	150	2634	81.0	45.0	5600	150	150	2590	79.9	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	150	200	2584	81.0	45.0	5600	150	200	2540	80.6	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	250	2534	81.0	45.0	5600	150	250	2490	81.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	300	2484	81.0	45.0	5600	150	300	2440	81.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	350	2434	81.0	45.0	5600	150	350	2390	81.0	45.0
Drop-In Bedliner	2	Add	35	Add	5200	200	0	2734	81.0	45.0	5600	200	0	2690	76.1	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	50	2684	81.0	45.0	5600	200	50	2640	76.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	100	2634	81.0	45.0	5600	200	100	2590	77.2	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	200	150	2584	81.0	45.0	5600	200	150	2540	77.8	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	200	2534	81.0	45.0	5600	200	200	2490	78.4	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	250	2484	81.0	45.0	5600	200	250	2440	79.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	300	2434	81.0	45.0	5600	200	300	2390	79.7	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	350	2384	81.0	45.0	5600	200	350	2340	80.3	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	250	0	2684	81.0	45.0	5600	250	0	2640	74.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	50	2634	81.0	45.0	5600	250	50	2590	74.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	100	2584	81.0	45.0	5600	250	100	2540	75.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	250	150	2534	81.0	45.0	5600	250	150	2490	75.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	200	2484	81.0	45.0	5600	250	200	2440	76.1	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	250	2434	81.0	45.0	5600	250	250	2390	76.7	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	300	2384	81.0	45.0	5600	250	300	2340	77.3	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	350	2334	81.0	45.0	5600	250	350	2290	78.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	300	0	2634	80.7	45.0	5600	300	0	2590	71.7	45.0
Foglamps	3	Add	0	Add	5200	300	50	2584	81.0	45.0	5600	300	50	2540	72.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	100	2534	81.0	45.0	5600	300	100	2490	72.7	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	150	2484	81.0	45.0	5600	300	150	2440	73.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	300	200	2434	81.0	45.0	5600	300	200	2390	73.7	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	250	2384	81.0	45.0	5600	300	250	2340	74.3	45.0
All Weather Floor Mat	6	Add	4	Add	5200	300	300	2334	81.0	45.0	5600	300	300	2290	74.9	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	350	2284	81.0	45.0	5600	300	350	2240	75.5	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add												
Floor Consolette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Season Tire) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10800 lb (4898 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11300 lb (5125 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	3053	69.5	45.0	5600	-50	-50	2892	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	3003	69.8	45.0	5600	-50	0	2842	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	2953	70.2	45.0	5600	-50	50	2792	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	2903	70.6	45.0	5600	-50	100	2742	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	3003	81.0	45.0	5600	0	-50	2842	80.4	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	2953	81.0	45.0	5600	0	0	2792	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	2903	81.0	45.0	5600	0	50	2742	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	2853	81.0	45.0	5600	0	100	2692	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	2803	81.0	45.0	5600	0	150	2642	81.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	2753	81.0	45.0	5600	0	200	2592	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	2703	81.0	45.0	5600	0	250	2542	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	300	2653	81.0	45.0	5600	0	300	2492	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	350	2603	81.0	45.0	5600	0	350	2442	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	2553	81.0	45.0	5600	0	400	2392	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	0	2903	81.0	45.0	5600	50	0	2742	78.7	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	50	2853	81.0	45.0	5600	50	50	2692	79.3	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	100	2803	81.0	45.0	5600	50	100	2642	79.9	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	150	2753	81.0	45.0	5600	50	150	2592	80.5	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	200	2703	81.0	45.0	5600	50	200	2542	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	250	2653	81.0	45.0	5600	50	250	2492	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	300	2603	81.0	45.0	5600	50	300	2442	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	350	2553	81.0	45.0	5600	50	350	2392	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	400	2503	81.0	45.0	5600	50	400	2342	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	0	2853	81.0	45.0	5600	100	0	2692	76.4	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	50	2803	81.0	45.0	5600	100	50	2642	76.9	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	100	2753	81.0	45.0	5600	100	100	2592	77.5	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	150	2703	81.0	45.0	5600	100	150	2542	78.1	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	200	2653	81.0	45.0	5600	100	200	2492	78.7	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	250	2603	81.0	45.0	5600	100	250	2442	79.3	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	300	2553	81.0	45.0	5600	100	300	2392	80.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5200	100	350	2503	81.0	45.0	5600	100	350	2342	80.6	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	400	2453	81.0	45.0	5600	100	400	2292	81.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5200	150	0	2803	81.0	45.0	5600	150	0	2642	74.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	150	50	2753	81.0	45.0	5600	150	50	2592	74.5	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	150	100	2703	81.0	45.0	5600	150	100	2542	75.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	150	2653	81.0	45.0	5600	150	150	2492	75.5	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	200	2603	81.0	45.0	5600	150	200	2442	76.1	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	250	2553	81.0	45.0	5600	150	250	2392	76.7	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	300	2503	81.0	45.0	5600	150	300	2342	77.3	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	350	2453	81.0	45.0	5600	150	350	2292	77.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	400	2403	81.0	45.0	5600	150	400	2242	78.6	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	200	0	2753	80.3	45.0	6000	200	0	2592	81.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	200	50	2703	80.9	45.0	6000	200	50	2542	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	100	2653	81.0	45.0	6000	200	100	2492	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	150	2603	81.0	45.0	6000	200	150	2442	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	200	2553	81.0	45.0	6000	200	200	2392	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	250	2503	81.0	45.0	6000	200	250	2342	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	300	2453	81.0	45.0	6000	200	300	2292	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	350	2403	81.0	45.0	6000	200	350	2242	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	400	2353	81.0	45.0	6000	200	400	2192	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	250	0	2703	78.0	45.0	6000	250	0	2542	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	50	2653	78.6	45.0	6000	250	50	2492	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	100	2603	79.2	45.0	6000	250	100	2442	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	150	2553	79.8	45.0	6000	250	150	2392	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	200	2503	80.4	45.0	6000	250	200	2342	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	250	2453	81.0	45.0	6000	250	250	2292	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	300	2403	81.0	45.0	6000	250	300	2242	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	350	2353	81.0	45.0	6000	250	350	2192	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	400	2303	81.0	45.0	6000	250	400	2142	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	300	0	2653	75.6	45.0	6000	300	0	2492	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	50	2603	76.2	45.0	6000	300	50	2442	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	100	2553	76.7	45.0	6000	300	100	2392	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	300	150	2503	77.3	45.0	6000	300	150	2342	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	200	2453	77.9	45.0	6000	300	200	2292	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	250	2403	78.5	45.0	6000	300	250	2242	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	300	300	2353	79.2	45.0	6000	300	300	2192	81.0	45.0
Cruise Control	3	Add	1	Add	5200	300	350	2303	79.8	45.0	6000	300	350	2142	81.0	45.0
Power Equipment Group	15	Add	6	Add	5200	300	400	2253	80.6	45.0	6000	300	400	2092	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add							6000	350	0	2442	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add							6000	350	50	2392	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add							6000	350	100	2342	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus							6000	350	150	2292	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add							6000	350	200	2242	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add							6000	350	250	2192	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add							6000	350	300	2142	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add							6000	350	350	2092	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add							6000	350	400	2042	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus												
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Season Tire) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 10800 lb (4898 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11300 lb (5125 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	5200	-50	-50	3151	87.7	45.0	5600	-50	-50	2912	79.8	45.0
XLT Trim (GAS)	10	Add	7	Add	5200	-50	0	3101	88.4	45.0	5600	-50	0	2862	80.3	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	5200	-50	50	3051	89.0	45.0	5600	-50	50	2812	80.9	45.0
XLT Trim (DIESEL)	20	Add	13	Add	5200	-50	100	3001	89.7	45.0	5600	-50	100	2762	81.5	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	3101	85.8	45.0	5600	0	-50	2862	77.6	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	3051	86.5	45.0	5600	0	0	2812	78.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	3001	87.1	45.0	5600	0	50	2762	78.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	2951	87.8	45.0	5600	0	100	2712	79.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	2901	88.5	45.0	5600	0	150	2662	79.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	2851	89.2	45.0	5600	0	200	2612	80.4	45.0
Brake Controller	1	Add	0	Add	5200	0	250	2801	89.9	45.0	5600	0	250	2562	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	2751	90.7	45.0	5600	0	300	2512	81.7	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	2701	91.5	45.0	5600	0	350	2462	82.4	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	400	2651	92.3	45.0	5600	0	400	2412	83.1	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	2601	93.1	45.0	5600	0	450	2362	83.8	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	2551	94.0	45.0	5600	0	500	2312	84.6	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	-50	3051	83.9	45.0	5600	50	0	2762	75.8	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	3001	84.5	45.0	5600	50	50	2712	76.3	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	2951	85.1	45.0	5600	50	100	2662	76.8	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	2901	85.7	45.0	5600	50	150	2612	77.4	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	2851	86.4	45.0	5600	50	200	2562	77.9	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	2801	87.1	45.0	5600	50	250	2512	78.5	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	2751	87.8	45.0	5600	50	300	2462	79.2	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	2701	88.5	45.0	5600	50	350	2412	79.8	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	350	2651	89.3	45.0	5600	50	400	2362	80.5	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	400	2601	90.1	45.0	5600	50	450	2312	81.2	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	450	2551	90.9	45.0	5600	50	500	2262	81.9	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	500	2501	91.8	45.0	5600	100	0	2712	73.4	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	0	2951	82.4	45.0	5600	100	50	2662	73.8	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	50	2901	83.0	45.0	5600	100	100	2612	74.3	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5200	100	100	2851	83.6	45.0	5600	100	150	2562	74.9	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5200	100	150	2801	84.3	45.0	5600	100	200	2512	75.4	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5200	100	200	2751	84.9	45.0	5600	100	250	2462	76.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5200	100	250	2701	85.6	45.0	5600	100	300	2412	76.5	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	300	2651	86.3	45.0	5600	100	350	2362	77.1	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	350	2601	87.1	45.0	5600	100	400	2312	77.8	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	400	2551	87.8	45.0	5600	100	450	2262	78.4	45.0
Drop-In Bedliner	2	Add	35	Add	5200	100	450	2501	88.6	45.0	5600	100	500	2212	79.1	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	500	2451	89.5	45.0	6000	150	0	2662	94.6	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	150	0	2901	80.3	45.0	6000	150	50	2612	95.5	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	150	50	2851	80.9	45.0	6000	150	100	2562	96.4	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	100	2801	81.4	45.0	6000	150	150	2512	97.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	150	2751	82.1	45.0	6000	150	200	2462	97.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	200	2701	82.7	45.0	6000	150	250	2412	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	250	2651	83.3	45.0	6000	150	300	2362	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	300	2601	84.0	45.0	6000	150	350	2312	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	350	2551	84.7	45.0	6000	150	400	2262	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	400	2501	85.5	45.0	6000	150	450	2212	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	450	2451	86.2	45.0	6000	150	500	2162	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	150	500	2401	87.0	45.0	6000	200	0	2612	92.5	45.0
Sliding Rear Window	5	Add	2	Add	5200	200	0	2851	78.1	45.0	6000	200	50	2562	93.4	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	50	2801	78.6	45.0	6000	200	100	2512	94.3	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	100	2751	79.2	45.0	6000	200	150	2462	95.2	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	150	2701	79.8	45.0	6000	200	200	2412	96.2	45.0
Foglamps	3	Add	0	Add	5200	200	200	2651	80.4	45.0	6000	200	250	2362	97.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	250	2601	81.0	45.0	6000	200	300	2312	97.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	300	2551	81.6	45.0	6000	200	350	2262	97.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	350	2501	82.3	45.0	6000	200	400	2212	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	400	2451	83.0	45.0	6000	200	450	2162	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	450	2401	83.7	45.0	6000	200	500	2112	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	500	2351	84.5	45.0	6000	250	0	2562	90.3	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	250	0	2801	75.8	45.0	6000	250	50	2512	91.1	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	250	50	2751	76.3	45.0	6000	250	100	2462	92.0	45.0
Cruise Control	3	Add	1	Add	5200	250	100	2701	76.8	45.0	6000	250	150	2412	92.9	45.0
Power Equipment Group	12	Add	3	Add	5200	250	150	2651	77.4	45.0	6000	250	200	2362	93.9	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	200	2601	77.9	45.0	6000	250	250	2312	94.9	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	250	250	2551	78.5	45.0	6000	250	300	2262	95.9	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	300	2501	79.2	45.0	6000	250	350	2212	97.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	350	2451	79.8	45.0	6000	250	400	2162	97.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5200	250	400	2401	80.5	45.0	6000	250	450	2112	97.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	450	2351	81.1	45.0	6000	250	500	2062	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	500	2301	81.9	45.0	6000	300	0	2512	88.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	300	0	2751	73.4	45.0	6000	300	50	2462	88.8	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	300	50	2701	73.9	45.0	6000	300	100	2412	89.6	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	300	100	2651	74.4	45.0	6000	300	150	2362	90.5	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	300	150	2601	74.9	45.0	6000	300	200	2312	91.4	45.0
Satellite Digital Broadcat	2	Add	1	Add	5200	300	200	2551	75.4	45.0	6000	300	250	2262	92.4	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	300	300	2451	76.6	45.0	6000	300	350	2162	94.5	45.0
SYNC Basic - Gen I	1	Add	0	Add	5200	300	350	2401	77.2	45.0	6000	300	400	2112	95.6	45.0
SYNC Finder - Gen II	1	Add	0	Add	5200	300	400	2351	77.8	45.0	6000	300	450	2062	96.7	45.0
FX4 Off-Road Package	2	Add	2	Add	5200	300	450	2301	78.4	45.0	6000	300	500	2012	97.0	45.0
Tracking System - Crew Chief	3	Add	0	Add	5200	300	500	2251	79.1	45.0						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Season Tire) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 11000 lb (4989 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11300 lb (5125 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
Lariat Trim (GAS)	29	Add	19	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	13	Add	9	Add	5600	-50	-50	3140	97.0	45.0	5600	-50	-50	2699	76.8	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5600	-50	0	3090	97.0	45.0	5600	-50	0	2649	77.4	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5600	-50	50	3040	97.0	45.0	5600	-50	50	2599	77.9	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5600	-50	100	2990	97.0	45.0	5600	-50	100	2549	78.5	45.0
Immersion Heater - Engine	1	Add	0	Add	5600	0	-50	3090	97.0	45.0	5600	0	-50	2649	74.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5600	0	0	3040	97.0	45.0	5600	0	0	2599	74.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5600	0	50	2990	97.0	45.0	5600	0	50	2549	75.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5600	0	100	2940	97.0	45.0	5600	0	100	2499	75.7	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5600	0	150	2890	97.0	45.0	5600	0	150	2449	76.3	45.0
Brake Controller	1	Add	0	Add	5600	0	200	2840	97.0	45.0	5600	0	200	2399	76.8	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5600	0	250	2790	97.0	45.0	5600	0	250	2349	77.5	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5600	0	300	2740	97.0	45.0	5600	0	300	2299	78.1	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5600	0	350	2690	97.0	45.0	5600	0	350	2249	78.8	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5600	0	400	2640	97.0	45.0	5600	0	400	2199	79.5	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5600	0	450	2590	97.0	45.0	5600	0	450	2149	80.2	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5600	0	500	2540	97.0	45.0	5600	0	500	2099	81.0	45.0
5th Wheel Hitch	0	Add	96	Add	5600	0	550	2490	97.0	45.0	5600	0	550	2049	81.8	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5600	50	0	2990	97.0	45.0	6000	50	0	2549	97.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5600	50	50	2940	97.0	45.0	6000	50	50	2499	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5600	50	100	2890	97.0	45.0	6000	50	100	2449	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5600	50	150	2840	97.0	45.0	6000	50	150	2399	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5600	50	200	2790	97.0	45.0	6000	50	200	2349	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5600	50	250	2740	97.0	45.0	6000	50	250	2299	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5600	50	300	2690	97.0	45.0	6000	50	300	2249	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	50	350	2640	97.0	45.0	6000	50	350	2199	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5600	50	400	2590	97.0	45.0	6000	50	400	2149	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	50	450	2540	97.0	45.0	6000	50	450	2099	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	50	500	2490	97.0	45.0	6000	50	500	2049	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	50	550	2440	97.0	45.0	6000	50	550	1999	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5600	100	0	2940	97.0	45.0	6000	100	0	2499	96.4	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5600	100	50	2890	97.0	45.0	6000	100	50	2449	97.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	14	Add	21	Add	5600	100	100	2840	97.0	45.0	6000	100	100	2399	97.0	45.0
LT 275/70R18E A/T BSW Premium (SRW 4x4 Only) 18' STD	15	Add	23	Add	5600	100	150	2790	97.0	45.0	6000	100	150	2349	97.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5600	100	200	2740	97.0	45.0	6000	100	200	2299	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5600	100	250	2690	97.0	45.0	6000	100	250	2249	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5600	100	300	2640	97.0	45.0	6000	100	300	2199	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5600	100	350	2590	97.0	45.0	6000	100	350	2149	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5600	100	400	2540	97.0	45.0	6000	100	400	2099	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5600	100	450	2490	97.0	45.0	6000	100	450	2049	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5600	100	500	2440	97.0	45.0	6000	100	500	1999	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5600	100	550	2390	97.0	45.0	6000	100	550	1949	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5600	150	0	2890	97.0	45.0	6000	150	0	2449	93.9	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5600	150	50	2840	97.0	45.0	6000	150	50	2399	94.8	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5600	150	100	2790	97.0	45.0	6000	150	100	2349	95.8	45.0
Lower Bodyside Molding	2	Add	1	Add	5600	150	150	2740	97.0	45.0	6000	150	150	2299	96.8	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5600	150	200	2690	97.0	45.0	6000	150	200	2249	97.0	45.0
Static Rear Video Camera	0	Add	1	Add	5600	150	250	2640	97.0	45.0	6000	150	250	2199	97.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5600	150	300	2590	97.0	45.0	6000	150	300	2149	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5600	150	350	2540	97.0	45.0	6000	150	350	2099	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5600	150	400	2490	97.0	45.0	6000	150	400	2049	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5600	150	450	2440	97.0	45.0	6000	150	450	1999	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5600	150	500	2390	97.0	45.0	6000	150	500	1949	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5600	150	550	2340	97.0	45.0	6000	150	550	1899	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5600	200	0	2840	97.0	45.0	6000	200	0	2399	91.2	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5600	200	50	2790	97.0	45.0	6000	200	50	2349	92.1	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5600	200	100	2740	97.0	45.0	6000	200	100	2299	93.1	45.0
Foglamps	3	Add	0	Add	5600	200	150	2690	97.0	45.0	6000	200	150	2249	94.1	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5600	200	200	2640	97.0	45.0	6000	200	200	2199	95.2	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5600	200	250	2590	97.0	45.0	6000	200	250	2149	96.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5600	200	300	2540	97.0	45.0	6000	200	300	2099	97.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5600	200	350	2490	97.0	45.0	6000	200	350	2049	97.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5600	200	400	2440	97.0	45.0	6000	200	400	1999	97.0	45.0
All Weather Floor Mat	7	Add	4	Add	5600	200	450	2390	97.0	45.0	6000	200	450	1949	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5600	200	500	2340	97.0	45.0	6000	200	500	1899	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5600	200	550	2290	97.0	45.0	6000	200	550	1849	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5600	250	0	2790	95.1	45.0	6000	250	0	2349	88.5	45.0
Cruise Control	3	Add	1	Add	5600	250	50	2740	96.0	45.0	6000	250	50	2299	89.3	45.0
Power Equipment Group	15	Add	6	Add	5600	250	100	2690	96.9	45.0	6000	250	100	2249	90.3	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	150	2640	97.0	45.0	6000	250	150	2199	91.2	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	200	2590	97.0	45.0	6000	250	200	2149	92.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	250	2540	97.0	45.0	6000	250	250	2099	93.3	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	250	300	2490	97.0	45.0	6000	250	300	2049	94.4	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5600	250	350	2440	97.0	45.0	6000	250	350	1999	95.6	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5600	250	400	2390	97.0	45.0	6000	250	400	1949	96.8	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	250	450	2340	97.0	45.0	6000	250	450	1899	97.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	250	500	2290	97.0	45.0	6000	250	500	1849	97.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	250	550	2240	97.0	45.0	6000	250	550	1799	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	300	0	2740	92.8	45.0	6000	300	0	2299	85.6	45.0
King Ranch Leather	4	Add	2	Add	5600	300	50	2690	93.6	45.0	6000	300	50	2249	86.4	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	300	100	2640	94.5	45.0	6000	300	100	2199	87.3	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	300	150	2590	95.4	45.0	6000	300	150	2149	88.2	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	300	200	2540	96.3	45.0	6000	300	200	2099	89.2	45.0
Satellite Digital Broadcat	2	Add	1	Add	5600	300	250	2490	97.0	45.0	6000	300	250	2049	90.2	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5600	300	300	2440	97.0	45.0	6000	300	300	1999	91.2	45.0
SYNC Basic - Gen I	1	Add	0	Add	5600	300	350	2390	97.0	45.0	6000	300	350	1949	92.4	45.0
SYNC Finder - Gen II	1	Add	0	Add	5600	300	400	2340	97.0	45.0	6000	300	400	1899	93.5	45.0
FX4 Off-Road Package	2	Add	2	Add	5600	300	450	2290	97.0	45.0	6000	300	450	1849	94.8	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	5600	300	500	2240	97.0	45.0	6000	300	500	1799	96.1	45.0
Tracking System - Crew Chief	3	Add	0	Add	5600	300	550	2190	97.0	45.0	6000	300	550	1749	97.0	45.0
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Terrain Tire) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 11100 lb (5034 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
XLT Trim (GAS)	10	Add	6	Add	I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	-50	4208	61.8	52.1	5200	-50	-50	3960	70.0	45.8
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	0	4158	61.9	52.2	5200	-50	0	3910	70.2	45.8
Immersion Heater - Engine	1	Add	0	Add	4400	-50	50	4108	62.1	52.2	5200	-50	50	3860	70.5	45.8
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4400	-50	100	4058	62.3	52.3	5200	-50	100	3810	70.8	45.8
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	-50	4158	73.5	50.5	5200	0	-50	3910	68.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	0	4108	73.8	50.5	5200	0	0	3860	68.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	50	4058	74.1	50.6	5200	0	50	3810	69.0	45.0
Brake Controller	1	Add	0	Add	4800	0	100	4008	74.4	50.6	5200	0	100	3760	69.3	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	150	3958	74.8	50.6	5200	0	200	3660	69.9	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4800	0	200	3908	75.1	50.7	5200	0	250	3610	70.2	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4800	0	250	3858	75.5	50.7	5200	0	300	3560	70.5	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	300	3808	75.8	50.8	5200	0	350	3510	70.8	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	350	3758	76.2	50.8	5200	0	400	3460	71.2	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	400	3708	76.6	50.8	5200	0	450	3410	71.5	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	450	3658	77.0	50.9	5200	0	500	3360	71.9	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	500	3608	77.4	50.9	5200	50	0	3810	67.2	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	0	4058	72.4	48.9	5200	50	50	3760	67.5	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	50	4008	72.7	48.9	5200	50	100	3710	67.8	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	50	100	3958	73.0	48.9	5200	50	200	3610	68.3	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	50	150	3908	73.4	48.9	5200	50	250	3560	68.6	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	200	3858	73.7	48.9	5200	50	300	3510	68.9	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	4800	50	250	3808	74.0	49.0	5200	50	350	3460	69.2	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	4800	50	300	3758	74.4	49.0	5200	50	400	3410	69.5	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	4800	50	350	3708	74.7	49.0	5200	50	450	3360	69.8	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	4800	50	400	3658	75.1	49.0	5200	50	500	3310	70.2	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	4800	50	450	3608	75.5	49.0	5200	100	0	3760	65.7	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	4800	50	500	3558	75.9	49.0	5200	100	50	3710	65.9	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	100	0	4008	71.0	47.2	5200	100	100	3660	66.2	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	100	50	3958	71.3	47.2	5200	100	200	3560	66.7	45.0
Drop-In Bedliner	2	Add	42	Add	4800	100	100	3908	71.6	47.2	5200	100	250	3510	66.9	45.0
Spray-In Bedliner	1	Add	19	Add	4800	100	150	3858	71.9	47.2	5200	100	300	3460	67.2	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	4800	100	200	3808	72.2	47.2	5200	100	350	3410	67.5	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	100	250	3758	72.6	47.1	5200	100	400	3360	67.8	45.0
Static Rear Video Camera	0	Add	1	Add	4800	100	300	3708	72.9	47.1	5200	100	450	3310	68.1	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	100	350	3658	73.2	47.1	5200	100	500	3260	68.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	100	400	3608	73.6	47.1	5200	150	0	3710	64.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	4800	100	450	3558	74.0	47.1	5200	150	50	3660	64.3	45.0
Sliding Rear Window	5	Add	2	Add	4800	100	500	3508	74.3	47.1	5200	150	100	3610	64.5	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	4800	150	0	3958	69.6	45.5	5200	150	200	3510	65.0	45.0
Foglamps	3	Add	0	Add	4800	150	50	3908	69.9	45.4	5200	150	250	3460	65.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	150	100	3858	70.1	45.4	5200	150	300	3410	65.5	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	150	150	3808	70.4	45.4	5200	150	350	3360	65.8	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	150	200	3758	70.7	45.3	5200	150	400	3310	66.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	150	250	3708	71.0	45.3	5200	150	450	3260	66.3	45.0
All Weather Floor Mat	4	Add	2	Add	4800	150	300	3658	71.4	45.2	5200	150	500	3210	66.6	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	150	350	3608	71.7	45.2	5600	200	0	3660	77.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	150	400	3558	72.0	45.2	5600	200	50	3610	77.8	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4800	150	450	3508	72.4	45.1	5600	200	100	3560	78.2	45.0
Cruise Control	3	Add	1	Add	4800	150	500	3458	72.7	45.1	5600	200	200	3460	79.1	45.0
Power Equipment Group	12	Add	3	Add	4800	200	0	3908	68.1	45.0	5600	200	250	3410	79.6	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	200	50	3858	68.4	45.0	5600	200	300	3360	80.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	200	100	3808	68.6	45.0	5600	200	350	3310	80.5	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4800	200	150	3758	68.9	45.0	5600	200	400	3260	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4800	200	200	3708	69.2	45.0	5600	200	450	3210	81.5	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	4800	200	250	3658	69.5	45.0	5600	200	500	3160	82.1	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	200	300	3608	69.8	45.0	5600	250	0	3610	75.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4800	200	350	3558	70.1	45.0	5600	250	50	3560	76.3	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4800	200	400	3508	70.4	45.0	5600	250	100	3510	76.7	45.0
Satellite Digital Broadcat	2	Add	1	Add	4800	200	450	3458	70.7	45.0	5600	250	200	3410	77.5	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	500	3408	71.1	45.0	5600	250	250	3360	78.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	4800	250	0	3858	66.6	45.0	5600	250	300	3310	78.4	45.0
SYNC Finder - Gen II	1	Add	0	Add	4800	250	50	3808	66.8	45.0	5600	250	350	3260	78.9	45.0
FX4 Off-Road Package	2	Add	2	Add	4800	250	100	3758	67.1	45.0	5600	250	400	3210	79.4	45.0
Tracking System - Crew Chief	3	Add	0	Add	4800	250	150	3708	67.4	45.0	5600	250	450	3160	79.9	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	4800	250	200	3658	67.6	45.0	5600	250	500	3110	80.4	45.0
Bed Mat	0	Add	58	Add	4800	250	250	3608	67.9	45.0						
Cable/Strap Locks	0	Add	9	Add	4800	250	300	3558	68.2	45.0						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add	4800	250	350	3508	68.5	45.0						
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	400	3458	68.8	45.0						
Wheel Well Liner - SRW only	0	Add	7	Add	4800	250	450	3408	69.1	45.0						
Gooseneck Hitch Kit	0	Add	10	Add	4800	250	500	3358	69.4	45.0						
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Terrain Tire) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 11100 lb (5034 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	3500	70.0	45.0	5600	-50	-50	3259	81.0	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	3450	70.4	45.0	5600	-50	0	3209	81.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	3400	70.7	45.0	5600	-50	50	3159	81.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	3350	71.0	45.0	5600	-50	100	3109	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	0	-50	3450	68.3	45.0	5600	0	-50	3209	79.8	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	0	0	3400	68.6	45.0	5600	0	0	3159	80.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	50	3350	68.9	45.0	5600	0	50	3109	80.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	100	3300	69.2	45.0	5600	0	100	3059	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	150	3250	69.6	45.0	5600	0	150	3009	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	200	3200	69.9	45.0	5600	0	200	2959	81.0	45.0
Brake Controller	1	Add	0	Add	4800	0	250	3150	70.3	45.0	5600	0	250	2909	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	300	3100	70.6	45.0	5600	0	300	2859	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	4800	0	350	3050	71.0	45.0	5600	0	350	2809	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	4800	50	0	3350	66.8	45.0	5600	50	0	3109	78.6	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	50	50	3300	67.1	45.0	5600	50	50	3059	79.1	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	50	100	3250	67.4	45.0	5600	50	100	3009	79.6	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	50	150	3200	67.7	45.0	5600	50	150	2959	80.2	45.0
5th Wheel Hitch	0	Add	96	Add	4800	50	200	3150	68.0	45.0	5600	50	200	2909	80.7	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	50	250	3100	68.3	45.0	5600	50	250	2859	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	50	300	3050	68.7	45.0	5600	50	300	2809	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	50	350	3000	69.0	45.0	5600	50	350	2759	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	100	0	3300	81.0	45.0	5600	100	0	3059	76.8	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	100	50	3250	81.0	45.0	5600	100	50	3009	77.3	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	100	100	3200	81.0	45.0	5600	100	100	2959	77.8	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	150	3150	81.0	45.0	5600	100	150	2909	78.3	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	200	3100	81.0	45.0	5600	100	200	2859	78.8	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	250	3050	81.0	45.0	5600	100	250	2809	79.4	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	300	3000	81.0	45.0	5600	100	300	2759	79.9	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	350	2950	81.0	45.0	5600	100	350	2709	80.5	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	150	0	3250	80.5	45.0	5600	150	0	3009	74.9	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	150	50	3200	81.0	45.0	5600	150	50	2959	75.4	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	150	100	3150	81.0	45.0	5600	150	100	2909	75.8	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	150	150	3100	81.0	45.0	5600	150	150	2859	76.3	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	200	3050	81.0	45.0	5600	150	200	2809	76.8	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	250	3000	81.0	45.0	5600	150	250	2759	77.4	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	300	2950	81.0	45.0	5600	150	300	2709	77.9	45.0
Drop-In Bedliner	2	Add	35	Add	5200	150	350	2900	81.0	45.0	5600	150	350	2659	78.5	45.0
Spray-In Bedliner	0	Add	16	Add	5200	200	0	3200	78.8	45.0	5600	200	0	2959	73.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	200	50	3150	79.3	45.0	5600	200	50	2909	73.4	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	200	100	3100	79.8	45.0	5600	200	100	2859	73.8	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	200	150	3050	80.3	45.0	5600	200	150	2809	74.3	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	200	3000	80.8	45.0	5600	200	200	2759	74.8	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	250	2950	81.0	45.0	5600	200	250	2709	75.3	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	300	2900	81.0	45.0	5600	200	300	2659	75.8	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	350	2850	81.0	45.0	5600	200	350	2609	76.3	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	250	0	3150	77.0	45.0	5600	250	0	2909	71.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	250	50	3100	77.5	45.0	5600	250	50	2859	71.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	250	100	3050	78.0	45.0	5600	250	100	2809	71.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	250	150	3000	78.5	45.0	5600	250	150	2759	72.2	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	200	2950	79.0	45.0	5600	250	200	2709	72.7	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	250	2900	79.5	45.0	5600	250	250	2659	73.1	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	300	2850	80.1	45.0	5600	250	300	2609	73.6	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	350	2800	80.7	45.0	5600	250	350	2559	74.1	45.0
Foglamps	3	Add	0	Add	5200	300	0	3100	75.2	45.0	5600	300	0	2859	68.9	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	300	50	3050	75.6	45.0	5600	300	50	2809	69.3	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	300	100	3000	76.1	45.0	5600	300	100	2759	69.6	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	300	150	2950	76.6	45.0	5600	300	150	2709	70.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	200	2900	77.1	45.0	5600	300	200	2659	70.5	45.0
All Weather Floor Mat	6	Add	4	Add	5200	300	250	2850	77.6	45.0	5600	300	250	2609	70.9	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	300	2800	78.1	45.0	5600	300	300	2559	71.3	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	350	2750	78.7	45.0	5600	300	350	2509	71.8	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus												
Cruise Control	3	Add	1	Add												
Power Equipment Group	12	Add	3	Add												
Adj Gas & Brake Pedals	4	Add	3	Add												
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add												
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add												
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus												
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add												
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add												
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add												
Cloth Seats	-2	Minus	-1	Minus												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Tracking System - Crew Chief	3	Add	0	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Terrain Tire) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 11300 lb (5125 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add												
XLT Trim (GAS)	13	Add	9	Add	4800	-50	-50	3520	66.0	45.0	5600	-50	-50	3055	80.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4800	-50	0	3470	66.3	45.0	5600	-50	0	3005	80.5	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4800	-50	50	3420	66.6	45.0	5600	-50	50	2955	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	-50	100	3370	66.8	45.0	5600	-50	100	2905	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	-50	3470	81.0	45.0	5600	0	-50	3005	77.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	0	3420	81.0	45.0	5600	0	0	2955	78.4	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	50	3370	81.0	45.0	5600	0	50	2905	78.9	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	100	3320	81.0	45.0	5600	0	100	2855	79.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	150	3270	81.0	45.0	5600	0	150	2805	80.0	45.0
Brake Controller	1	Add	0	Add	5200	0	200	3220	81.0	45.0	5600	0	200	2755	80.6	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	250	3170	81.0	45.0	5600	0	250	2705	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5200	0	300	3120	81.0	45.0	5600	0	300	2655	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5200	0	350	3070	81.0	45.0	5600	0	350	2605	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	400	3020	81.0	45.0	5600	0	400	2555	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	50	0	3370	80.7	45.0	5600	50	0	2905	76.2	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	50	3320	81.0	45.0	5600	50	50	2855	76.7	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	100	3270	81.0	45.0	5600	50	100	2805	77.2	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	150	3220	81.0	45.0	5600	50	150	2755	77.8	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	200	3170	81.0	45.0	5600	50	200	2705	78.3	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	250	3120	81.0	45.0	5600	50	250	2655	78.9	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	300	3070	81.0	45.0	5600	50	300	2605	79.5	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	350	3020	81.0	45.0	5600	50	350	2555	80.1	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	400	2970	81.0	45.0	5600	50	400	2505	80.7	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	100	0	3320	78.9	45.0	5600	100	0	2855	74.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	50	3270	79.3	45.0	5600	100	50	2805	74.5	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	100	100	3220	79.8	45.0	5600	100	100	2755	74.9	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	100	150	3170	80.3	45.0	5600	100	150	2705	75.4	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	200	3120	80.9	45.0	5600	100	200	2655	76.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	250	3070	81.0	45.0	5600	100	250	2605	76.5	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	300	3020	81.0	45.0	5600	100	300	2555	77.0	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5200	100	350	2970	81.0	45.0	5600	100	350	2505	77.6	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	100	400	2920	81.0	45.0	5600	100	400	2455	78.2	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	150	0	3270	77.0	45.0	5600	150	0	2805	71.7	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	150	50	3220	77.4	45.0	5600	150	50	2755	72.1	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	150	100	3170	77.9	45.0	5600	150	100	2705	72.5	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	150	150	3120	78.4	45.0	5600	150	150	2655	73.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	150	200	3070	78.8	45.0	5600	150	200	2605	73.5	45.0
Drop-In Bedliner	2	Add	42	Add	5200	150	250	3020	79.4	45.0	5600	150	250	2555	74.0	45.0
Spray-In Bedliner	0	Add	16	Add	5200	150	300	2970	79.9	45.0	5600	150	300	2505	74.5	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	150	350	2920	80.4	45.0	5600	150	350	2455	75.1	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	400	2870	81.0	45.0	5600	150	400	2405	75.6	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	200	0	3220	75.0	45.0	6000	200	0	2755	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	200	50	3170	75.4	45.0	6000	200	50	2705	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	200	100	3120	75.9	45.0	6000	200	100	2655	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	200	150	3070	76.3	45.0	6000	200	150	2605	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	5200	200	200	3020	76.8	45.0	6000	200	200	2555	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	200	250	2970	77.3	45.0	6000	200	250	2505	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	200	300	2920	77.8	45.0	6000	200	300	2455	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	200	350	2870	78.3	45.0	6000	200	350	2405	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	200	400	2820	78.8	45.0	6000	200	400	2355	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5200	250	0	3170	72.9	45.0	6000	250	0	2705	81.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	250	50	3120	73.3	45.0	6000	250	50	2655	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	250	100	3070	73.8	45.0	6000	250	100	2605	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	250	150	3020	74.2	45.0	6000	250	150	2555	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	250	200	2970	74.6	45.0	6000	250	200	2505	81.0	45.0
Foglamps	3	Add	0	Add	5200	250	250	2920	75.1	45.0	6000	250	250	2455	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	250	300	2870	75.6	45.0	6000	250	300	2405	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	250	350	2820	76.0	45.0	6000	250	350	2355	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	250	400	2770	76.6	45.0	6000	250	400	2305	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	300	0	3120	70.8	45.0	6000	300	0	2655	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	300	50	3070	71.2	45.0	6000	300	50	2605	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	5200	300	100	3020	71.6	45.0	6000	300	100	2555	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	300	150	2970	72.0	45.0	6000	300	150	2505	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	300	200	2920	72.4	45.0	6000	300	200	2455	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	300	250	2870	72.8	45.0	6000	300	250	2405	81.0	45.0
Cruise Control	3	Add	1	Add	5200	300	300	2820	73.3	45.0	6000	300	300	2355	81.0	45.0
Power Equipment Group	15	Add	6	Add	5200	300	350	2770	73.7	45.0	6000	300	350	2305	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	300	400	2720	74.2	45.0	6000	300	400	2255	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add							6000	350	0	2605	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add							6000	350	50	2555	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus							6000	350	100	2505	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add							6000	350	150	2455	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add							6000	350	200	2405	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add							6000	350	250	2355	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add							6000	350	300	2305	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add							6000	350	350	2255	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus							6000	350	400	2205	81.0	45.0
King Ranch Leather	4	Add	2	Add												
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus												
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add												
Sony Branded Premium Stereo/Single CD	11	Add	8	Add												
Satellite Digital Broadcat	2	Add	1	Add												
High Definition & Satellite Digital Broadcast	2	Add	1	Add												
SYNC Basic - Gen I	1	Add	0	Add												
SYNC Finder - Gen II	1	Add	0	Add												
FX4 Off-Road Package	2	Add	2	Add												
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add												
Tracking System - Crew Chief	3	Add	0	Add												
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	44	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	4	Add	22	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Terrain Tire) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 11000 lb (4989 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4800	-50	-50	3317	70.8	45.0	5600	-50	-50	3080	77.3	45.0
XLT Trim (GAS)	10	Add	7	Add	4800	-50	0	3267	71.2	45.0	5600	-50	0	3030	77.8	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4800	-50	50	3217	71.5	45.0	5600	-50	50	2980	78.3	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4800	-50	100	3167	71.9	45.0	5600	-50	100	2930	78.9	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4800	0	-50	3267	68.8	45.0	5600	0	-50	3030	75.2	45.0
Immersion Heater - Engine	1	Add	0	Add	4800	0	0	3217	69.1	45.0	5600	0	0	2980	75.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	4800	0	50	3167	69.4	45.0	5600	0	50	2930	76.2	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	4800	0	100	3117	69.8	45.0	5600	0	100	2880	76.6	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	4800	0	150	3067	70.1	45.0	5600	0	150	2830	77.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	4800	0	200	3017	70.5	45.0	5600	0	200	2780	77.7	45.0
Brake Controller	1	Add	0	Add	4800	0	250	2967	70.9	45.0	5600	0	250	2730	78.2	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4800	0	300	2917	71.3	45.0	5600	0	300	2680	78.8	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	4800	0	350	2867	71.7	45.0	5600	0	350	2630	79.4	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	4800	0	400	2817	72.1	45.0	5600	0	400	2580	80.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4800	0	450	2767	72.5	45.0	5600	0	450	2530	80.6	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	4800	0	500	2717	73.0	45.0	5600	0	500	2480	81.3	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	50	-50	3217	86.3	45.0	5600	50	0	2930	73.5	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	3167	86.9	45.0	5600	50	50	2880	73.9	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	3117	87.5	45.0	5600	50	100	2830	74.4	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	3067	88.1	45.0	5600	50	150	2780	74.8	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	3017	88.8	45.0	5600	50	200	2730	75.3	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	2967	89.5	45.0	5600	50	250	2680	75.9	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	2917	90.2	45.0	5600	50	300	2630	76.4	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	2867	91.0	45.0	5600	50	350	2580	76.9	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	350	2817	91.7	45.0	5600	50	400	2530	77.5	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	400	2767	92.5	45.0	5600	50	450	2480	78.1	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	450	2717	93.3	45.0	5600	50	500	2430	78.7	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	500	2667	94.2	45.0	5600	100	0	2880	71.2	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	100	0	3117	85.0	45.0	5600	100	50	2830	71.6	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	50	3067	85.6	45.0	5600	100	100	2780	72.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	100	100	3017	86.2	45.0	5600	100	150	2730	72.4	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	100	150	2967	86.8	45.0	5600	100	200	2680	72.9	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	200	2917	87.5	45.0	5600	100	250	2630	73.4	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	250	2867	88.2	45.0	5600	100	300	2580	73.9	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	300	2817	88.9	45.0	5600	100	350	2530	74.4	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	350	2767	89.7	45.0	5600	100	400	2480	74.9	45.0
Drop-In Bedliner	2	Add	35	Add	5200	100	400	2717	90.4	45.0	5600	100	450	2430	75.5	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	450	2667	91.2	45.0	5600	100	500	2380	76.1	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5200	100	500	2617	92.1	45.0	6000	150	0	2830	91.1	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5200	150	0	3067	83.0	45.0	6000	150	50	2780	91.9	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5200	150	50	3017	83.6	45.0	6000	150	100	2730	92.7	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	100	2967	84.2	45.0	6000	150	150	2680	93.5	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	150	2917	84.8	45.0	6000	150	200	2630	94.4	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	200	2867	85.5	45.0	6000	150	250	2580	95.3	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	250	2817	86.1	45.0	6000	150	300	2530	96.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	300	2767	86.8	45.0	6000	150	350	2480	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	350	2717	87.5	45.0	6000	150	400	2430	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	400	2667	88.3	45.0	6000	150	450	2380	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	450	2617	89.0	45.0	6000	150	500	2330	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	500	2567	89.8	45.0	6000	200	0	2780	89.1	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	0	3017	81.0	45.0	6000	200	50	2730	89.8	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	50	2967	81.5	45.0	6000	200	100	2680	90.6	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	100	2917	82.1	45.0	6000	200	150	2630	91.4	45.0
Foglamps	3	Add	0	Add	5200	200	150	2867	82.7	45.0	6000	200	200	2580	92.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	200	2817	83.3	45.0	6000	200	250	2530	93.1	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	250	2767	84.0	45.0	6000	200	300	2480	94.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	200	300	2717	84.6	45.0	6000	200	350	2430	95.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	350	2667	85.3	45.0	6000	200	400	2380	96.0	45.0
All Weather Floor Mat	6	Add	4	Add	5200	200	400	2617	86.0	45.0	6000	200	450	2330	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	450	2567	86.8	45.0	6000	200	500	2280	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	500	2517	87.5	45.0	6000	250	0	2730	86.9	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	250	0	2967	78.9	45.0	6000	250	50	2680	87.6	45.0
Cruise Control	3	Add	1	Add	5200	250	50	2917	79.4	45.0	6000	250	100	2630	88.4	45.0
Power Equipment Group	12	Add	3	Add	5200	250	100	2867	79.9	45.0	6000	250	150	2580	89.2	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	250	150	2817	80.5	45.0	6000	250	200	2530	90.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	250	200	2767	81.1	45.0	6000	250	250	2480	90.8	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	250	250	2717	81.7	45.0	6000	250	300	2430	91.7	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	250	300	2667	82.3	45.0	6000	250	350	2380	92.7	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5200	250	350	2617	83.0	45.0	6000	250	400	2330	93.6	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	250	400	2567	83.7	45.0	6000	250	450	2280	94.6	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	450	2517	84.4	45.0	6000	250	500	2230	95.7	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	250	500	2467	85.1	45.0	6000	300	0	2680	84.7	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	300	0	2917	76.7	45.0	6000	300	50	2630	85.4	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	300	50	2867	77.2	45.0	6000	300	100	2580	86.1	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	300	100	2817	77.7	45.0	6000	300	150	2530	86.9	45.0
Satellite Digital Broadcat	2	Add	1	Add	5200	300	150	2767	78.2	45.0	6000	300	200	2480	87.7	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	300	200	2717	78.8	45.0	6000	300	250	2430	88.5	45.0
SYNC Basic - Gen I	1	Add	0	Add	5200	300	300	2617	80.0	45.0	6000	300	350	2330	90.2	45.0
SYNC Finder - Gen II	1	Add	0	Add	5200	300	350	2567	80.6	45.0	6000	300	400	2280	91.2	45.0
FX4 Off-Road Package	2	Add	2	Add	5200	300	400	2517	81.3	45.0	6000	300	450	2230	92.1	45.0
Tracking System - Crew Chief	3	Add	0	Add	5200	300	450	2467	81.9	45.0	6000	300	500	2180	93.1	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5200	300	500	2417	82.6	45.0						
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Terrain Tire) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 11200 lb (5079 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 11500 lb (5215 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	5200	-50	-50	3307	81.8	45.0	5600	-50	-50	2865	74.4	45.0
XLT Trim (GAS)	13	Add	9	Add	5200	-50	0	3257	82.4	45.0	5600	-50	0	2815	74.8	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5200	-50	50	3207	82.9	45.0	5600	-50	50	2765	75.3	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5200	-50	100	3157	83.4	45.0	5600	-50	100	2715	75.8	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	0	-50	3257	79.7	45.0	6000	0	-50	2815	96.3	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	0	0	3207	80.2	45.0	6000	0	0	2765	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	0	50	3157	80.7	45.0	6000	0	50	2715	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	100	3107	81.2	45.0	6000	0	100	2665	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	150	3057	81.8	45.0	6000	0	150	2615	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	200	3007	82.4	45.0	6000	0	200	2565	97.0	45.0
Brake Controller	1	Add	0	Add	5200	0	250	2957	82.9	45.0	6000	0	250	2515	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	300	2907	83.5	45.0	6000	0	300	2465	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	350	2857	84.2	45.0	6000	0	350	2415	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	5200	0	400	2807	84.8	45.0	6000	0	400	2365	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	450	2757	85.5	45.0	6000	0	450	2315	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	500	2707	86.2	45.0	6000	0	500	2265	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	550	2657	86.9	45.0	6000	0	550	2215	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	5200	50	0	3157	78.0	45.0	6000	50	0	2715	94.9	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	50	3107	78.5	45.0	6000	50	50	2665	95.8	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	100	3057	79.0	45.0	6000	50	100	2615	96.7	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	150	3007	79.5	45.0	6000	50	150	2565	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	50	200	2957	80.0	45.0	6000	50	200	2515	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	50	250	2907	80.6	45.0	6000	50	250	2465	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	50	300	2857	81.1	45.0	6000	50	300	2415	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	350	2807	81.7	45.0	6000	50	350	2365	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	400	2757	82.3	45.0	6000	50	400	2315	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5200	50	450	2707	83.0	45.0	6000	50	450	2265	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	500	2657	83.6	45.0	6000	50	500	2215	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5200	50	550	2607	84.3	45.0	6000	50	550	2165	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD	-15	Minus	-15	Minus	5200	100	0	3107	75.7	45.0	6000	100	0	2665	92.5	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	100	50	3057	76.1	45.0	6000	100	50	2615	93.4	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel ST	-10	Minus	-10	Minus	5200	100	100	3007	76.6	45.0	6000	100	100	2565	94.3	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	100	150	2957	77.1	45.0	6000	100	150	2515	95.2	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	100	200	2907	77.6	45.0	6000	100	200	2465	96.1	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	250	2857	78.1	45.0	6000	100	250	2415	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	300	2807	78.7	45.0	6000	100	300	2365	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	350	2757	79.2	45.0	6000	100	350	2315	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	400	2707	79.8	45.0	6000	100	400	2265	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	5200	100	450	2657	80.4	45.0	6000	100	450	2215	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	5200	100	500	2607	81.0	45.0	6000	100	500	2165	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5200	100	550	2557	81.7	45.0	6000	100	550	2115	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5200	150	0	3057	73.3	45.0	6000	150	0	2615	90.1	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	5200	150	50	3007	73.8	45.0	6000	150	50	2565	90.9	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	5200	150	100	2957	74.2	45.0	6000	150	100	2515	91.7	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	150	150	2907	74.6	45.0	6000	150	150	2465	92.6	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	150	200	2857	75.1	45.0	6000	150	200	2415	93.6	45.0
Static Rear Video Camera	0	Add	1	Add	5200	150	250	2807	75.6	45.0	6000	150	250	2365	94.5	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	150	300	2757	76.1	45.0	6000	150	300	2315	95.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	350	2707	76.6	45.0	6000	150	350	2265	96.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	150	400	2657	77.1	45.0	6000	150	400	2215	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	150	450	2607	77.7	45.0	6000	150	450	2165	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	150	500	2557	78.3	45.0	6000	150	500	2115	97.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	550	2507	78.9	45.0	6000	150	550	2065	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	200	0	3007	70.9	45.0	6000	200	0	2565	87.5	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	200	50	2957	71.3	45.0	6000	200	50	2515	88.3	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	200	100	2907	71.7	45.0	6000	200	100	2465	89.1	45.0
Foglamps	3	Add	0	Add	5200	200	150	2857	72.1	45.0	6000	200	150	2415	90.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	200	200	2807	72.5	45.0	6000	200	200	2365	90.9	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	200	250	2757	73.0	45.0	6000	200	250	2315	91.8	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	5200	200	300	2707	73.4	45.0	6000	200	300	2265	92.8	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	200	350	2657	73.9	45.0	6000	200	350	2215	93.8	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	5200	200	400	2607	74.4	45.0	6000	200	400	2165	94.8	45.0
All Weather Floor Mat	7	Add	4	Add	5200	200	450	2557	74.9	45.0	6000	200	450	2115	96.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	200	500	2507	75.5	45.0	6000	200	500	2065	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	550	2457	76.0	45.0	6000	200	550	2015	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5600	250	0	2957	91.7	45.0	6000	250	0	2515	84.9	45.0
Cruise Control	3	Add	1	Add	5600	250	50	2907	92.4	45.0	6000	250	50	2465	85.6	45.0
Power Equipment Group	15	Add	6	Add	5600	250	100	2857	93.2	45.0	6000	250	100	2415	86.4	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	250	150	2807	94.0	45.0	6000	250	150	2365	87.2	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5600	250	200	2757	94.9	45.0	6000	250	200	2315	88.1	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	250	250	2707	95.7	45.0	6000	250	250	2265	89.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	250	300	2657	96.6	45.0	6000	250	300	2215	89.9	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	5600	250	350	2607	97.0	45.0	6000	250	350	2165	90.9	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5600	250	400	2557	97.0	45.0	6000	250	400	2115	91.9	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5600	250	450	2507	97.0	45.0	6000	250	450	2065	92.9	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5600	250	500	2457	97.0	45.0	6000	250	500	2015	94.1	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	5600	250	550	2407	97.0	45.0	6000	250	550	1965	95.2	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	300	0	2907	89.5	45.0	6000	300	0	2465	82.1	45.0
King Ranch Leather	4	Add	2	Add	5600	300	50	2857	90.2	45.0	6000	300	50	2415	82.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	300	100	2807	90.9	45.0	6000	300	100	2365	83.6	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	300	150	2757	91.7	45.0	6000	300	150	2315	84.4	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	5600	300	200	2707	92.5	45.0	6000	300	200	2265	85.2	45.0
Satellite Digital Broadcat	2	Add	1	Add	5600	300	250	2657	93.4	45.0	6000	300	250	2215	86.0	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5600	300	300	2607	94.2	45.0	6000	300	300	2165	86.9	45.0
SYNC Basic - Gen I	1	Add	0	Add	5600	300	350	2557	95.2	45.0	6000	300	350	2115	87.8	45.0
SYNC Finder - Gen II	1	Add	0	Add	5600	300	400	2507	96.1	45.0	6000	300	400	2065	88.8	45.0
FX4 Off-Road Package	2	Add	2	Add	5600	300	450	2457	97.0	45.0	6000	300	450	2015	89.8	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	5600	300	500	2407	97.0	45.0	6000	300	500	1965	90.8	45.0
Tracking System - Crew Chief	3	Add	0	Add	5600	300	550	2357	97.0	45.0	6000	300	550	1915	92.0	45.0
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add												
King Ranch with Chromed Accent Option	6	Add	3	Add												
Platinum Package	6	Add	3	Add												
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add												
Bed Mat	0	Add	58	Add												
Cable/Strap Locks	0	Add	9	Add												
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add												
Roll-up Tonneau Cover	5	Add	25	Add												
Wheel Well Liner - SRW only	0	Add	7	Add												
Gooseneck Hitch Kit	0	Add	10	Add												
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 SRW 4x2 (Variable GVWR - 18" All Season Tire - California) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
					I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	5000	-50	-50	3413	62.9	45.0
XLT Trim (GAS)	10	Add	7	Add	5000	-50	0	3363	63.2	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	5000	-50	50	3313	63.4	45.0
XLT Trim (DIESEL)	20	Add	13	Add	5000	-50	100	3263	63.6	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5250	0	-50	3363	72.6	45.0
Immersion Heater - Engine	1	Add	0	Add	5250	0	0	3313	72.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5250	0	50	3263	73.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5250	0	100	3213	73.7	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5250	0	150	3163	74.1	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5250	0	200	3113	74.5	45.0
Brake Controller	1	Add	0	Add	5250	0	250	3063	75.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5250	0	300	3013	75.4	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5250	0	350	2963	75.9	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5250	0	400	2913	76.4	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5250	0	450	2863	76.9	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5250	0	500	2813	77.4	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5250	50	0	3263	70.9	45.0
5th Wheel Hitch	0	Add	96	Add	5250	50	50	3213	71.3	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5250	50	100	3163	71.6	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5250	50	150	3113	72.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5250	50	200	3063	72.4	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5250	50	250	3013	72.8	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5250	50	300	2963	73.2	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5250	50	350	2913	73.7	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5250	50	400	2863	74.1	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5250	50	450	2813	74.6	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5250	50	500	2763	75.1	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5250	100	0	3213	68.8	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add	5250	100	50	3163	69.1	45.0
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus	5250	100	100	3113	69.5	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5250	100	150	3063	69.8	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5250	100	200	3013	70.2	45.0
Pickup Bed Extender	-2	Minus	21	Add	5250	100	250	2963	70.6	45.0
Drop-In Bedliner	2	Add	35	Add	5250	100	300	2913	71.0	45.0
Spray-In Bedliner	1	Add	19	Add	5250	100	350	2863	71.4	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5250	100	400	2813	71.8	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5250	100	450	2763	72.2	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5250	100	500	2713	72.7	45.0
Lower Bodyside Molding	2	Add	1	Add	5250	150	0	3163	66.6	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5250	150	50	3113	66.9	45.0
Static Rear Video Camera	0	Add	1	Add	5250	150	100	3063	67.2	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5250	150	150	3013	67.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5250	150	200	2963	67.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5250	150	250	2913	68.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5250	150	300	2863	68.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	5250	150	350	2813	69.0	45.0
Sliding Rear Window	5	Add	2	Add	5250	150	400	2763	69.4	45.0
Power Sliding Rear Window	5	Add	3	Add	5250	150	450	2713	69.7	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5250	150	500	2663	70.2	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5250	200	0	3113	64.4	45.0
Foglamps	3	Add	0	Add	5250	200	50	3063	64.7	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5250	200	100	3013	64.9	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5250	200	150	2963	65.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5250	200	200	2913	65.5	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5250	200	250	2863	65.8	45.0
All Weather Floor Mat	6	Add	4	Add	5250	200	300	2813	66.2	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5250	200	350	2763	66.5	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5250	200	400	2713	66.8	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5250	200	450	2663	67.2	45.0
Cruise Control	3	Add	1	Add	5250	200	500	2613	67.6	45.0
Power Equipment Group	12	Add	3	Add	5250	250	0	3063	62.1	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5250	250	50	3013	62.3	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5250	250	100	2963	62.6	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5250	250	150	2913	62.8	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5250	250	200	2863	63.1	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5250	250	250	2813	63.4	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5250	250	300	2763	63.6	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5250	250	350	2713	63.9	45.0
Cloth Seats	-2	Minus	-1	Minus	5250	250	400	2663	64.2	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5250	250	450	2613	64.5	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5250	250	500	2563	64.9	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add						
Satellite Digital Broadcast	2	Add	1	Add						
High Definition & Satellite Digital Broadcast	2	Add	1	Add						
SYNC Basic - Gen I	1	Add	0	Add						
SYNC Finder - Gen II	1	Add	0	Add						
FX4 Off-Road Package	2	Add	2	Add						
Tracking System - Crew Chief	3	Add	0	Add						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add						
Bed Mat	0	Add	58	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	5	Add	25	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 SRW 4x2 (Variable GVWR - 18" All-Season Tire - California) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)	
Lariat Trim (GAS)	29	Add	19	Add
XLT Trim (GAS)	13	Add	9	Add
Lariat Trim (DIESEL)	34	Add	23	Add
XLT Trim (DIESEL)	24	Add	16	Add
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add
Immersion Heater - Engine	1	Add	0	Add
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add
Brake Controller	1	Add	0	Add
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add
Skid Plates (GAS) 4X4 only	18	Add	21	Add
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add
5th Wheel Hitch	0	Add	96	Add
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add
750 CCA/78 AH Battery	2	Add	0	Add
Manual Air Conditioning (GAS)	32	Add	-1	Minus
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus
LT 275/65R20E A/T OWL (SRW only) 18" STD	17	Add	24	Add
Less Spare Tire (including carrier) - 18" steel STD	17	Add	-120	Minus
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add
Pickup Bed Extender	-2	Minus	21	Add
Drop-In Bedliner	2	Add	42	Add
Spray-In Bedliner	0	Add	20	Add
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add
Lower Bodyside Molding	2	Add	1	Add
Reverse Vehicle Sensor System	0	Add	1	Add
Static Rear Video Camera	0	Add	1	Add
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add
Sliding Rear Window	5	Add	2	Add
Power Sliding Rear Window	5	Add	3	Add
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add
Foglamps	3	Add	0	Add
Bright Exhaust Pipe Extension	0	Add	3	Add
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add
All Weather Floor Mat	7	Add	4	Add
Electrochromic Rear View Mirror	1	Add	0	Add
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add
Floor Consolette - Stand alone	-25	Minus	-9	Minus
Cruise Control	3	Add	1	Add
Power Equipment Group	15	Add	6	Add
Adj Gas & Brake Pedals	4	Add	3	Add
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add
Cloth Seats	-2	Minus	-1	Minus
King Ranch Leather	4	Add	2	Add
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add
Sony Branded Premium Stereo/Single CD	11	Add	8	Add
Satellite Digital Broadcast	2	Add	1	Add
High Definition & Satellite Digital Broadcast	2	Add	1	Add
SYNC Basic - Gen I	1	Add	0	Add
SYNC Finder - Gen II	1	Add	0	Add
FX4 Off-Road Package	2	Add	2	Add
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add
Tracking System - Crew Chief	3	Add	0	Add
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add
King Ranch with Chromed Accent Option	6	Add	3	Add
Platinum Package	6	Add	3	Add
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add
Bed Mat	0	Add	58	Add
Cable/Strap Locks	0	Add	9	Add
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add
Roll-up Tonneau Cover	5	Add	25	Add
Wheel Well Liner - SRW only	0	Add	7	Add
Gooseneck Hitch Kit	0	Add	10	Add
Total Option Weight				

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA

6.7L Diesel Engine 11400 lb (5170 kg) GVWR

FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
5250	-50	-50	3209	72.9	45.0
5250	-50	0	3159	73.3	45.0
5250	-50	50	3109	73.7	45.0
5250	-50	100	3059	74.1	45.0
5250	0	-50	3159	70.5	45.0
5250	0	0	3109	70.9	45.0
5250	0	50	3059	71.3	45.0
5250	0	100	3009	71.7	45.0
5250	0	150	2959	72.1	45.0
5250	0	200	2909	72.5	45.0
5250	0	250	2859	72.9	45.0
5250	0	300	2809	73.4	45.0
5250	0	350	2759	73.8	45.0
5250	0	400	2709	74.3	45.0
5250	0	450	2659	74.8	45.0
5250	0	500	2609	75.3	45.0
5250	50	0	3059	68.5	45.0
5250	50	50	3009	68.8	45.0
5250	50	100	2959	69.2	45.0
5250	50	150	2909	69.5	45.0
5250	50	200	2859	69.9	45.0
5250	50	250	2809	70.3	45.0
5250	50	300	2759	70.7	45.0
5250	50	350	2709	71.1	45.0
5250	50	400	2659	71.6	45.0
5250	50	450	2609	72.0	45.0
5250	50	500	2559	72.5	45.0
5250	100	0	3009	65.9	45.0
5250	100	50	2959	66.2	45.0
5250	100	100	2909	66.6	45.0
5250	100	150	2859	66.9	45.0
5250	100	200	2809	67.2	45.0
5250	100	250	2759	67.6	45.0
5250	100	300	2709	67.9	45.0
5250	100	350	2659	68.3	45.0
5250	100	400	2609	68.7	45.0
5250	100	450	2559	69.1	45.0
5250	100	500	2509	69.5	45.0
5250	150	0	2959	63.3	45.0
5250	150	50	2909	63.6	45.0
5250	150	100	2859	63.9	45.0
5250	150	150	2809	64.2	45.0
5250	150	200	2759	64.4	45.0
5250	150	250	2709	64.8	45.0
5250	150	300	2659	65.1	45.0
5250	150	350	2609	65.4	45.0
5250	150	400	2559	65.7	45.0
5250	150	450	2509	66.1	45.0
5250	150	500	2459	66.5	45.0
5250	200	0	2909	60.6	45.0
5250	200	50	2859	60.9	45.0
5250	200	100	2809	61.1	45.0
5250	200	150	2759	61.3	45.0
5250	200	200	2709	61.6	45.0
5250	200	250	2659	61.8	45.0
5250	200	300	2609	62.1	45.0
5250	200	350	2559	62.4	45.0
5250	200	400	2509	62.7	45.0
5250	200	450	2459	63.0	45.0
5250	200	500	2409	63.3	45.0
5250	250	0	2859	57.8	45.0
5250	250	50	2809	58.0	45.0
5250	250	100	2759	58.2	45.0
5250	250	150	2709	58.4	45.0
5250	250	200	2659	58.6	45.0
5250	250	250	2609	58.8	45.0
5250	250	300	2559	59.0	45.0
5250	250	350	2509	59.2	45.0
5250	250	400	2459	59.4	45.0
5250	250	450	2409	59.7	45.0
5250	250	500	2359	59.9	45.0
5250	300	0	2809	54.9	45.0
5250	300	50	2759	55.1	45.0
5250	300	100	2709	55.2	45.0
5250	300	150	2659	55.3	45.0
5250	300	200	2609	55.5	45.0
5250	300	250	2559	55.6	45.0
5250	300	300	2509	55.8	45.0
5250	300	350	2459	55.9	45.0
5250	300	400	2409	56.1	45.0
5250	300	450	2359	56.3	45.0
5250	300	500	2309	56.5	45.0

MY: 2015 Model: F350 4x4 (18/20" All-Terrain Tire - California) Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
XLT Trim (GAS)	10	Add	6	Add	I	II	III	IV	V	VI
XLT Trim (DIESEL)	14	Add	9	Add	5200	-50	-50	3865	70.7	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	0	3815	71.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	-50	50	3765	71.3	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5200	-50	100	3715	71.6	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5200	0	-50	3815	69.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5200	0	0	3765	69.5	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5200	0	50	3715	69.8	45.0
Brake Controller	1	Add	0	Add	5200	0	100	3665	70.1	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	0	200	3565	70.7	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	5200	0	250	3515	71.0	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	5200	0	300	3465	71.3	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	0	350	3415	71.7	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5200	0	400	3365	72.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	5200	0	450	3315	72.4	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	500	3265	72.8	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	50	0	3715	67.9	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	50	50	3665	68.2	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	50	100	3615	68.5	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	5200	50	200	3515	69.1	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	5200	50	250	3465	69.4	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	300	3415	69.7	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5200	50	350	3365	70.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5200	50	400	3315	70.3	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5200	50	450	3265	70.7	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5200	50	500	3215	71.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5200	100	0	3665	66.3	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5200	100	50	3615	66.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	100	100	3565	66.8	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	100	200	3465	67.4	45.0
Drop-In Bedliner	2	Add	42	Add	5200	100	250	3415	67.7	45.0
Spray-In Bedliner	1	Add	19	Add	5200	100	300	3365	68.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	18	Add	11	Add	5200	100	350	3315	68.3	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	100	400	3265	68.6	45.0
Static Rear Video Camera	0	Add	1	Add	5200	100	450	3215	68.9	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	100	500	3165	69.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	150	0	3615	64.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	5200	150	50	3565	64.9	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	100	3515	65.2	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5200	150	200	3415	65.7	45.0
Foglamps	3	Add	0	Add	5200	150	250	3365	65.9	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	150	300	3315	66.2	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	150	350	3265	66.5	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	5200	150	400	3215	66.8	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	5200	150	450	3165	67.1	45.0
All Weather Floor Mat	4	Add	2	Add	5200	150	500	3115	67.4	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5600	200	0	3565	78.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5600	200	50	3515	78.8	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5600	200	100	3465	79.2	45.0
Cruise Control	3	Add	1	Add	5600	200	200	3365	80.2	45.0
Power Equipment Group	12	Add	3	Add	5600	200	250	3315	80.7	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5600	200	300	3265	81.2	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	5600	200	350	3215	81.7	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5600	200	400	3165	82.2	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5600	200	450	3115	82.8	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	5600	200	500	3065	83.3	45.0
Cloth Seats	-2	Minus	-1	Minus	5600	250	0	3515	76.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5600	250	50	3465	77.3	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5600	250	100	3415	77.7	45.0
Satellite Digital Broadcat	2	Add	1	Add	5600	250	200	3315	78.6	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5600	250	250	3265	79.1	45.0
SYNC Basic - Gen I	1	Add	0	Add	5600	250	300	3215	79.6	45.0
SYNC Finder - Gen II	1	Add	0	Add	5600	250	350	3165	80.1	45.0
FX4 Off-Road Package	2	Add	2	Add	5600	250	400	3115	80.6	45.0
Tracking System - Crew Chief	3	Add	0	Add	5600	250	450	3065	81.1	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	5600	250	500	3015	81.7	45.0
Bed Mat	0	Add	58	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	5	Add	25	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Terrain Tire - California) Cab Type: Super Cab Wheelbase: 142 *

OPTION TABLE					VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
Lariat Trim (GAS)	25	Add	17	Add	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	7	Add	5600	-50	-50	3164	81.0	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	5600	-50	0	3114	81.0	45.0
XLT Trim (DIESEL)	20	Add	13	Add	5600	-50	50	3064	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5600	-50	100	3014	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5600	0	-50	3114	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5600	0	0	3064	81.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5600	0	50	3014	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5600	0	100	2964	81.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5600	0	150	2914	81.0	45.0
Brake Controller	1	Add	0	Add	5600	0	200	2864	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5600	0	250	2814	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5600	0	300	2764	81.0	45.0
Skid Plates (DIESEL) 4X4 only	17	Add	16	Add	5600	0	350	2714	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5600	50	0	3014	79.8	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5600	50	50	2964	80.3	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	5600	50	100	2914	80.9	45.0
5th Wheel Hitch	0	Add	96	Add	5600	50	150	2864	81.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5600	50	200	2814	81.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5600	50	250	2764	81.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5600	50	300	2714	81.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5600	50	350	2664	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5600	100	0	2964	77.9	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5600	100	50	2914	78.5	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5600	100	100	2864	79.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	100	150	2814	79.5	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5600	100	200	2764	80.1	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	100	250	2714	80.7	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	100	300	2664	81.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5600	100	350	2614	81.0	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5600	150	0	2914	76.0	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5600	150	50	2864	76.5	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5600	150	100	2814	77.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5600	150	150	2764	77.6	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5600	150	200	2714	78.1	45.0
Pickup Bed Extender	-2	Minus	21	Add	5600	150	250	2664	78.7	45.0
Drop-In Bedliner	2	Add	35	Add	5600	150	300	2614	79.3	45.0
Spray-In Bedliner	0	Add	16	Add	5600	150	350	2564	79.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5600	200	0	2864	74.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	5600	200	50	2814	74.5	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	5600	200	100	2764	75.0	45.0
Lower Bodyside Molding	2	Add	1	Add	5600	200	150	2714	75.5	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5600	200	200	2664	76.0	45.0
Static Rear Video Camera	0	Add	1	Add	5600	200	250	2614	76.5	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5600	200	300	2564	77.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5600	200	350	2514	77.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5600	250	0	2814	72.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5600	250	50	2764	72.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5600	250	100	2714	72.9	45.0
Sliding Rear Window	5	Add	2	Add	5600	250	150	2664	73.3	45.0
Power Sliding Rear Window	5	Add	3	Add	5600	250	200	2614	73.8	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5600	250	250	2564	74.3	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	5600	250	300	2514	74.9	45.0
Foglamps	3	Add	0	Add	5600	250	350	2464	75.4	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5600	300	0	2764	69.9	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5600	300	50	2714	70.3	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5600	300	100	2664	70.7	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5600	300	150	2614	71.1	45.0
All Weather Floor Mat	6	Add	4	Add	5600	300	200	2564	71.6	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5600	300	250	2514	72.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5600	300	300	2464	72.5	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5600	300	350	2414	73.0	45.0
Cruise Control	3	Add	1	Add						
Power Equipment Group	12	Add	3	Add						
Adj Gas & Brake Pedals	4	Add	3	Add						
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add						
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add						
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus						
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add						
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add						
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add						
Cloth Seats	-2	Minus	-1	Minus						
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus						
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add						
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add						
Satellite Digital Broadcat	2	Add	1	Add						
High Definition & Satellite Digital Broadcast	2	Add	1	Add						
SYNC Basic - Gen I	1	Add	0	Add						
SYNC Finder - Gen II	1	Add	0	Add						
FX4 Off-Road Package	2	Add	2	Add						
Tracking System - Crew Chief	3	Add	0	Add						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add						
Bed Mat	0	Add	44	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	4	Add	22	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Terrain Tire - California) Cab Type: Crew Cab Wheelbase: 156 *

OPTION TABLE					VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add						
XLT Trim (GAS)	13	Add	9	Add	5600	-50	-50	2960	81.0	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5600	-50	0	2910	81.0	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5600	-50	50	2860	81.0	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5600	-50	100	2810	81.0	45.0
Immersion Heater - Engine	1	Add	0	Add	5600	0	-50	2910	79.1	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5600	0	0	2860	79.7	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5600	0	50	2810	80.2	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5600	0	100	2760	80.8	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5600	0	150	2710	81.0	45.0
Brake Controller	1	Add	0	Add	5600	0	200	2660	81.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5600	0	250	2610	81.0	45.0
Skid Plates (GAS) 4X4 only	20	Add	19	Add	5600	0	300	2560	81.0	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	14	Add	5600	0	350	2510	81.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5600	0	400	2460	81.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5600	50	0	2810	77.5	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5600	50	50	2760	78.0	45.0
5th Wheel Hitch	0	Add	96	Add	5600	50	100	2710	78.6	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5600	50	150	2660	79.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5600	50	200	2610	79.7	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5600	50	250	2560	80.3	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5600	50	300	2510	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5600	50	350	2460	81.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5600	50	400	2410	81.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5600	100	0	2760	75.2	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	100	50	2710	75.7	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5600	100	100	2660	76.2	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	100	150	2610	76.7	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	100	200	2560	77.3	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	100	250	2510	77.9	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5600	100	300	2460	78.5	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	5600	100	350	2410	79.1	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5600	100	400	2360	79.8	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5600	150	0	2710	72.8	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5600	150	50	2660	73.3	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5600	150	100	2610	73.7	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5600	150	150	2560	74.2	45.0
Pickup Bed Extender	-2	Minus	21	Add	5600	150	200	2510	74.8	45.0
Drop-In Bedliner	2	Add	42	Add	5600	150	250	2460	75.3	45.0
Spray-In Bedliner	0	Add	16	Add	5600	150	300	2410	75.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	5600	150	350	2360	76.5	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	5600	150	400	2310	77.1	45.0
5" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	6000	200	0	2660	81.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	6000	200	50	2610	81.0	45.0
Lower Bodyside Molding	2	Add	1	Add	6000	200	100	2560	81.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	6000	200	150	2510	81.0	45.0
Static Rear Video Camera	0	Add	1	Add	6000	200	200	2460	81.0	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	6000	200	250	2410	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	6000	200	300	2360	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	6000	200	350	2310	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	6000	200	400	2260	81.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	6000	250	0	2610	81.0	45.0
Sliding Rear Window	5	Add	2	Add	6000	250	50	2560	81.0	45.0
Power Sliding Rear Window	5	Add	3	Add	6000	250	100	2510	81.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	6000	250	150	2460	81.0	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	6000	250	200	2410	81.0	45.0
Foglamps	3	Add	0	Add	6000	250	250	2360	81.0	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	6000	250	300	2310	81.0	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	6000	250	350	2260	81.0	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	6000	250	400	2210	81.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	6000	300	0	2560	81.0	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	6000	300	50	2510	81.0	45.0
All Weather Floor Mat	7	Add	4	Add	6000	300	100	2460	81.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	6000	300	150	2410	81.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	6000	300	200	2360	81.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	6000	300	250	2310	81.0	45.0
Cruise Control	3	Add	1	Add	6000	300	300	2260	81.0	45.0
Power Equipment Group	15	Add	6	Add	6000	300	350	2210	81.0	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	6000	300	400	2160	81.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	6000	350	0	2510	81.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	6000	350	50	2460	81.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	6000	350	100	2410	81.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	6000	350	150	2360	81.0	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	6000	350	200	2310	81.0	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	6000	350	250	2260	81.0	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	6000	350	300	2210	81.0	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	6000	350	350	2160	81.0	45.0
Cloth Seats	-2	Minus	-1	Minus	6000	350	400	2110	81.0	45.0
King Ranch Leather	4	Add	2	Add						
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus						
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add						
Sony Branded Premium Stereo/Single CD	11	Add	8	Add						
Satellite Digital Broadcat	2	Add	1	Add						
High Definition & Satellite Digital Broadcast	2	Add	1	Add						
SYNC Basic - Gen I	1	Add	0	Add						
SYNC Finder - Gen II	1	Add	0	Add						
FX4 Off-Road Package	2	Add	2	Add						
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add						
Tracking System - Crew Chief	3	Add	0	Add						
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add						
King Ranch with Chromed Accent Option	6	Add	3	Add						
Platinum Package	6	Add	3	Add						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add						
Bed Mat	0	Add	44	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	4	Add	22	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Terrain Tire - California) Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
Lariat Trim (GAS)	25	Add	17	Add	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	7	Add	5600	-50	-50	2985	78.6	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	5600	-50	0	2935	79.1	45.0
XLT Trim (DIESEL)	20	Add	13	Add	5600	-50	50	2885	79.6	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5600	-50	100	2835	80.2	45.0
Immersion Heater - Engine	1	Add	0	Add	5600	0	-50	2935	76.4	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	5600	0	0	2885	76.9	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	5600	0	50	2835	77.4	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	5600	0	100	2785	77.9	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	5600	0	150	2735	78.5	45.0
Brake Controller	1	Add	0	Add	5600	0	200	2685	79.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5600	0	250	2635	79.6	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5600	0	300	2585	80.2	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5600	0	350	2535	80.9	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5600	0	400	2485	81.5	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	5600	0	450	2435	82.2	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5600	0	500	2385	83.0	45.0
5th Wheel Hitch	0	Add	96	Add	5600	50	0	2835	74.6	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5600	50	50	2785	75.1	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5600	50	100	2735	75.6	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5600	50	150	2685	76.1	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5600	50	200	2635	76.6	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5600	50	250	2585	77.2	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5600	50	300	2535	77.8	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5600	50	350	2485	78.4	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	50	400	2435	79.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	5600	50	450	2385	79.6	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	5600	50	500	2335	80.3	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	5600	100	0	2785	72.2	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	5600	100	50	2735	72.7	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	5600	100	100	2685	73.2	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	5600	100	150	2635	73.6	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	5600	100	200	2585	74.1	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	5600	100	250	2535	74.7	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5600	100	300	2485	75.2	45.0
Pickup Bed Extender	-2	Minus	21	Add	5600	100	350	2435	75.8	45.0
Drop-In Bedliner	2	Add	35	Add	5600	100	400	2385	76.3	45.0
Spray-In Bedliner	1	Add	19	Add	5600	100	450	2335	76.9	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	25	Add	18	Add	5600	100	500	2285	77.6	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	18	Add	15	Add	6000	150	0	2735	92.9	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	16	Add	15	Add	6000	150	50	2685	93.7	45.0
Lower Bodyside Molding	2	Add	1	Add	6000	150	100	2635	94.6	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	6000	150	150	2585	95.5	45.0
Static Rear Video Camera	0	Add	1	Add	6000	150	200	2535	96.5	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	6000	150	250	2485	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	6000	150	300	2435	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	6000	150	350	2385	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	6000	150	400	2335	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	6000	150	450	2285	97.0	45.0
Sliding Rear Window	5	Add	2	Add	6000	150	500	2235	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	6000	200	0	2685	90.8	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	6000	200	50	2635	91.6	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	6000	200	100	2585	92.5	45.0
Foglamps	3	Add	0	Add	6000	200	150	2535	93.3	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	6000	200	200	2485	94.3	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	6000	200	250	2435	95.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	6000	200	300	2385	96.2	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	6000	200	350	2335	97.0	45.0
All Weather Floor Mat	6	Add	4	Add	6000	200	400	2285	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	6000	200	450	2235	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	6000	200	500	2185	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	6000	250	0	2635	88.6	45.0
Cruise Control	3	Add	1	Add	6000	250	50	2585	89.4	45.0
Power Equipment Group	12	Add	3	Add	6000	250	100	2535	90.2	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	6000	250	150	2485	91.1	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	6000	250	200	2435	92.0	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	6000	250	250	2385	92.9	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	6000	250	300	2335	93.9	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	6000	250	350	2285	94.9	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	6000	250	400	2235	95.9	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	6000	250	450	2185	97.0	45.0
Cloth Seats	-2	Minus	-1	Minus	6000	250	500	2135	97.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	6000	300	0	2585	86.4	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	6000	300	50	2535	87.1	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	6000	300	100	2485	87.9	45.0
Satellite Digital Broadcat	2	Add	1	Add	6000	300	150	2435	88.7	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	6000	300	200	2385	89.6	45.0
SYNC Basic - Gen I	1	Add	0	Add	6000	300	250	2335	90.5	45.0
SYNC Finder - Gen II	1	Add	0	Add	6000	300	350	2235	92.4	45.0
FX4 Off-Road Package	2	Add	2	Add	6000	300	400	2185	93.4	45.0
Tracking System - Crew Chief	3	Add	0	Add	6000	300	450	2135	94.5	45.0
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add	6000	300	500	2085	95.6	45.0
Bed Mat	0	Add	58	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	5	Add	25	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 4x4 (18/20" All-Terrain Tire - California) Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.7L Diesel Engine 11400 lb (5170 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add						
XLT Trim (GAS)	13	Add	9	Add	5600	-50	-50	2770	75.6	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	5600	-50	0	2720	76.1	45.0
XLT Trim (DIESEL)	24	Add	16	Add	5600	-50	50	2670	76.6	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5600	-50	100	2620	77.2	45.0
Immersion Heater - Engine	1	Add	0	Add	6000	0	-50	2720	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 3.73	2	Add	11	Add	6000	0	0	2670	97.0	45.0
Electronic Locking Differential (Gasoline) SRW only. AXLE RATIO: 4.30	2	Add	13	Add	6000	0	50	2620	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.55	2	Add	1	Add	6000	0	100	2570	97.0	45.0
Electronic Locking Differential (Diesel) SRW only. AXLE RATIO: 3.31	2	Add	1	Add	6000	0	150	2520	97.0	45.0
Brake Controller	1	Add	0	Add	6000	0	200	2470	97.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	6000	0	250	2420	97.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	6000	0	300	2370	97.0	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	6000	0	350	2320	97.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	6000	0	400	2270	97.0	45.0
Rear Stabilizer Bar F250/350 SRW 4X4	-1	Minus	12	Add	6000	0	450	2220	97.0	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	6000	0	500	2170	97.0	45.0
5th Wheel Hitch	0	Add	96	Add	6000	0	550	2120	97.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	6000	50	0	2620	96.9	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	6000	50	50	2570	97.0	45.0
750 CCA/78 AH Battery	2	Add	0	Add	6000	50	100	2520	97.0	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	6000	50	150	2470	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	6000	50	200	2420	97.0	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	6000	50	250	2370	97.0	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	6000	50	300	2320	97.0	45.0
18X8" Cast Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	6000	50	350	2270	97.0	45.0
18X8" Chrome Clad Alum Wheel - 5 Spoke (SRW Only w/18" Steel Wheel STD)	-26	Minus	-26	Minus	6000	50	400	2220	97.0	45.0
18X8" Cast Aluminum Wheel - 6 Spoke (SRW Only w/18" Steel Wheel STD)	-22	Minus	-22	Minus	6000	50	450	2170	97.0	45.0
20X8" Cast Aluminum Wheel (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	6000	50	500	2120	97.0	45.0
20X8" Cast Aluminum Wheel - King Ranch (SRW 4x4 only w/18" Steel Wheel STD)	-15	Minus	-15	Minus	6000	50	550	2070	97.0	45.0
20X8" Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-11	Minus	-11	Minus	6000	100	0	2570	94.5	45.0
20X8" Platinum Chrome Clad Alum Wheel - (SRW 4x4 only w/18" Steel Wheel STD)	-10	Minus	-10	Minus	6000	100	50	2520	95.4	45.0
LT 275/70R18E A/T OWL Premium (SRW 4x4 Only) 18" STD	-2	Minus	-2	Minus	6000	100	100	2470	96.4	45.0
LT 275/65R20E A/T OWL (SRW only) 18" STD	2	Add	1	Add	6000	100	150	2420	97.0	45.0
Less Spare Tire (including carrier) - 18" steel STD	18	Add	-128	Minus	6000	100	200	2370	97.0	45.0
Less Jack- 2-Ton (including Tool)	1	Add	-12	Minus	6000	100	250	2320	97.0	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	6000	100	300	2270	97.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	6000	100	350	2220	97.0	45.0
Drop-In Bedliner	2	Add	42	Add	6000	100	400	2170	97.0	45.0
Spray-In Bedliner	0	Add	20	Add	6000	100	450	2120	97.0	45.0
Composite Side Aux. Steps - Platform w/o Lights (SRW only)	28	Add	19	Add	6000	100	500	2070	97.0	45.0
Side Aux Steps - w/Lights (SRW only)	38	Add	26	Add	6000	100	550	2020	97.0	45.0
6" Angular Chrome Step w/o Lights -(SRW only)	24	Add	19	Add	6000	150	0	2520	92.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights (SRW only)	24	Add	16	Add	6000	150	50	2470	92.9	45.0
Lower Bodyside Molding	2	Add	1	Add	6000	150	100	2420	93.8	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	6000	150	150	2370	94.8	45.0
Static Rear Video Camera	0	Add	1	Add	6000	150	200	2320	95.8	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	6000	150	250	2270	96.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	6000	150	300	2220	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	6000	150	350	2170	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	6000	150	400	2120	97.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	6000	150	450	2070	97.0	45.0
Sliding Rear Window	5	Add	2	Add	6000	150	500	2020	97.0	45.0
Power Sliding Rear Window	5	Add	3	Add	6000	150	550	1970	97.0	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	6000	200	0	2470	89.4	45.0
Roof Marker/Clearance Lights - Conv (SRW only)	1	Add	0	Add	6000	200	50	2420	90.3	45.0
Foglamps	3	Add	0	Add	6000	200	100	2370	91.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	6000	200	150	2320	92.1	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	6000	200	200	2270	93.1	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	6000	200	250	2220	94.1	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	6000	200	300	2170	95.1	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	6000	200	350	2120	96.3	45.0
All Weather Floor Mat	7	Add	4	Add	6000	200	400	2070	97.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	6000	200	450	2020	97.0	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	6000	200	500	1970	97.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	6000	200	550	1920	97.0	45.0
Cruise Control	3	Add	1	Add	6000	250	0	2420	86.7	45.0
Power Equipment Group	15	Add	6	Add	6000	250	50	2370	87.5	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	6000	250	100	2320	88.4	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	6000	250	150	2270	89.3	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	6000	250	200	2220	90.2	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	6000	250	250	2170	91.2	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	6000	250	300	2120	92.2	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumba	8	Add	4	Add	6000	250	350	2070	93.3	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	6000	250	400	2020	94.4	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	6000	250	450	1970	95.6	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	6000	250	500	1920	96.8	45.0
Cloth Seats	-2	Minus	-1	Minus	6000	250	550	1870	97.0	45.0
King Ranch Leather	4	Add	2	Add	6000	300	0	2370	83.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	6000	300	50	2320	84.7	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	6000	300	100	2270	85.5	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	6000	300	150	2220	86.3	45.0
Satellite Digital Broadcat	2	Add	1	Add	6000	300	200	2170	87.2	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	6000	300	250	2120	88.1	45.0
SYNC Basic - Gen I	1	Add	0	Add	6000	300	300	2070	89.1	45.0
SYNC Finder - Gen II	1	Add	0	Add	6000	300	350	2020	90.1	45.0
FX4 Off-Road Package	2	Add	2	Add	6000	300	400	1970	91.2	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	6000	300	450	1920	92.3	45.0
Tracking System - Crew Chief	3	Add	0	Add	6000	300	500	1870	93.5	45.0
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add	6000	300	550	1820	94.7	45.0
King Ranch with Chromed Accent Option	6	Add	3	Add						
Platinum Package	6	Add	3	Add						
Flat Splash Guards (SRW) 2 front/2rear	2	Add	2	Add						
Bed Mat	0	Add	58	Add						
Cable/Strap Locks	0	Add	9	Add						
5th Wheel Hitch Assembly - SRW only	0	Add	126	Add						
Roll-up Tonneau Cover	5	Add	25	Add						
Wheel Well Liner - SRW only	0	Add	7	Add						
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 DRW 4x2 Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 13500 lb (6122 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 14000 lb (6349 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add	4100	-50	-50	6692	57.5	52.5	4550	-50	-50	6545	55.0	50.9
XLT Trim (DIESEL)	14	Add	9	Add	4100	-50	0	6642	57.6	52.5	4550	-50	0	6495	55.0	50.9
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4100	-50	50	6592	57.6	52.5	4550	-50	50	6445	55.1	50.9
Immersion Heater - Engine	1	Add	0	Add	4100	-50	100	6542	57.7	52.6	4550	-50	100	6395	55.1	50.9
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add	4100	-50	150	6492	57.8	52.6	4550	-50	150	6345	55.2	51.0
Brake Controller	1	Add	0	Add	4100	-50	200	6442	57.9	52.7	4550	-50	200	6295	55.2	51.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4100	-50	250	6392	58.0	52.7	4550	-50	250	6245	55.3	51.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4100	-50	300	6342	58.0	52.7	4550	-50	300	6195	55.4	51.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4100	-50	350	6292	58.1	52.8	4550	-50	350	6145	55.4	51.1
5th Wheel Hitch	0	Add	96	Add	4100	-50	400	6242	58.2	52.8	4550	-50	400	6095	55.5	51.1
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4100	-50	450	6192	58.3	52.8	4550	-50	450	6045	55.6	51.1
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4250	0	-50	6642	59.6	51.5	4700	0	-50	6495	57.1	49.8
750 CCA/78 AH Battery	2	Add	0	Add	4250	0	0	6592	59.7	51.5	4700	0	0	6445	57.2	49.9
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4250	0	50	6542	59.8	51.5	4700	0	50	6395	57.3	49.9
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4250	0	100	6492	59.9	51.6	4700	0	100	6345	57.3	49.9
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-36	Minus	4250	0	150	6442	60.0	51.6	4700	0	150	6295	57.4	49.9
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus	4250	0	200	6392	60.1	51.6	4700	0	200	6245	57.5	49.9
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus	4250	0	250	6342	60.2	51.6	4700	0	250	6195	57.6	49.9
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	16	Minus	-111	Minus	4250	0	300	6292	60.3	51.7	4700	0	300	6145	57.7	50.0
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus	4250	0	350	6242	60.4	51.7	4700	0	350	6095	57.7	50.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4250	0	400	6192	60.5	51.7	4700	0	400	6045	57.8	50.0
Pickup Bed Extender	-2	Minus	21	Add	4250	0	450	6142	60.6	51.8	4700	0	450	5995	57.9	50.0
Drop-In Bedliner	2	Add	42	Add	4250	50	-50	6592	58.7	50.5	4700	50	-50	6445	56.1	48.8
Spray-In Bedliner	1	Add	19	Add	4250	50	0	6542	58.8	50.5	4700	50	0	6395	56.2	48.8
Reverse Vehicle Sensor System	0	Add	1	Add	4250	50	50	6492	58.8	50.5	4700	50	50	6345	56.3	48.8
Static Rear Video Camera	0	Add	1	Add	4250	50	100	6442	58.9	50.5	4700	50	100	6295	56.3	48.8
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4250	50	150	6392	59.0	50.5	4700	50	150	6245	56.4	48.8
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4250	50	200	6342	59.1	50.6	4700	50	200	6195	56.5	48.8
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4250	50	250	6292	59.2	50.6	4700	50	250	6145	56.5	48.8
Sliding Rear Window	5	Add	2	Add	4250	50	300	6242	59.3	50.6	4700	50	300	6095	56.6	48.8
Foglamps	3	Add	0	Add	4250	50	350	6192	59.4	50.6	4700	50	350	6045	56.7	48.9
Bright Exhaust Pipe Extension	0	Add	3	Add	4250	50	400	6142	59.5	50.7	4700	50	400	5995	56.8	48.9
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4250	50	450	6092	59.6	50.7	4700	50	450	5945	56.8	48.9
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4250	100	-50	6542	57.7	49.4	4700	100	-50	6395	55.1	47.7
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4250	100	0	6492	57.8	49.5	4700	100	0	6345	55.2	47.7
All Weather Floor Mat	4	Add	2	Add	4250	100	50	6442	57.9	49.5	4700	100	50	6295	55.2	47.7
Electrochromic Rear View Mirror	1	Add	0	Add	4250	100	100	6392	58.0	49.5	4700	100	100	6245	55.3	47.7
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4250	100	150	6342	58.0	49.5	4700	100	150	6195	55.4	47.7
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4250	100	200	6292	58.1	49.5	4700	100	200	6145	55.4	47.7
Cruise Control	3	Add	1	Add	4250	100	250	6242	58.2	49.5	4700	100	250	6095	55.5	47.7
Power Equipment Group	12	Add	3	Add	4250	100	300	6192	58.3	49.5	4700	100	300	6045	55.6	47.7
Adj Gas & Brake Pedals	4	Add	3	Add	4250	100	350	6142	58.4	49.5	4700	100	350	5995	55.6	47.7
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4250	100	400	6092	58.4	49.6	4700	100	400	5945	55.7	47.7
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4250	100	450	6042	58.5	49.6	4700	100	450	5895	55.8	47.7
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4400	150	-50	6492	59.9	48.4	4850	150	-50	6345	57.3	46.7
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4400	150	0	6442	60.0	48.4	4850	150	0	6295	57.4	46.6
Cloth Seats	-2	Minus	-1	Minus	4400	150	50	6392	60.1	48.4	4850	150	50	6245	57.5	46.6
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4400	150	100	6342	60.2	48.4	4850	150	100	6195	57.6	46.6
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4400	150	150	6292	60.3	48.4	4850	150	150	6145	57.7	46.6
Satellite Digital Broadcast	2	Add	1	Add	4400	150	200	6242	60.4	48.4	4850	150	200	6095	57.7	46.6
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4400	150	250	6192	60.5	48.4	4850	150	250	6045	57.8	46.6
SYNC Basic - Gen I	1	Add	0	Add	4400	150	300	6142	60.6	48.4	4850	150	300	5995	57.9	46.6
SYNC Finder - Gen II	1	Add	0	Add	4400	150	350	6092	60.7	48.4	4850	150	350	5945	58.0	46.6
Tracking System - Crew Chief	3	Add	0	Add	4400	150	400	6042	60.8	48.4	4850	150	400	5895	58.1	46.6
Flat Splash Guards (DRW) only 2 rear	0	Add	2	Add	4400	150	450	5992	60.9	48.4	4850	150	450	5845	58.2	46.5
Bed Mat	0	Add	58	Add	4400	200	-50	6442	58.9	47.3	4850	200	-50	6295	56.3	45.6
Cable/Strap Locks	0	Add	9	Add	4400	200	0	6392	59.0	47.3	4850	200	0	6245	56.4	45.5
5th Wheel Hitch Assembly - DRW only	0	Add	142	Add	4400	200	50	6342	59.1	47.3	4850	200	50	6195	56.5	45.5
Roll-up Tonneau Cover	5	Add	25	Add	4400	200	100	6292	59.2	47.3	4850	200	100	6145	56.5	45.5
Stainless Steel Simulator Kit - DRW only	9	Add	9	Add	4400	200	150	6242	59.3	47.3	4850	200	150	6095	56.6	45.5
Gooseneck Hitch Kit	0	Add	10	Add	4400	200	200	6192	59.4	47.3	4850	200	200	6045	56.7	45.5
					4400	200	250	6142	59.5	47.3	4850	200	250	5995	56.8	45.4
					4400	200	300	6092	59.6	47.3	4850	200	300	5945	56.8	45.4
					4400	200	350	6042	59.7	47.3	4850	200	350	5895	56.9	45.4
					4400	200	400	5992	59.8	47.3	4850	200	400	5845	57.0	45.4
					4400	200	450	5942	59.9	47.3	4850	200	450	5795	57.1	45.3
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 DRW 4x2 Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 13900 lb (6304 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 14000 lb (6349 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	4400	-50	-50	6244	56.1	52.4	5000	-50	-50	5596	56.3	45.0
XLT Trim (GAS)	10	Add	7	Add	4400	-50	0	6194	56.1	52.4	5000	-50	0	5546	56.4	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	4400	-50	50	6144	56.2	52.4	5000	-50	50	5496	56.5	45.0
XLT Trim (DIESEL)	20	Add	13	Add	4400	-50	100	6094	56.3	52.5	5000	-50	100	5446	56.6	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	150	6044	56.3	52.5	5000	-50	150	5396	56.6	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	200	5994	56.4	52.6	5000	-50	200	5346	56.7	45.0
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add	4400	-50	250	5944	56.5	52.6	5000	-50	250	5296	56.8	45.0
Brake Controller	1	Add	0	Add	4400	-50	300	5894	56.6	52.6	5000	-50	300	5246	56.9	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	-50	350	5844	56.6	52.7	5000	-50	350	5196	57.0	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4400	-50	400	5794	56.7	52.7	5000	-50	400	5146	57.1	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4550	0	-50	6194	58.7	51.1	5250	0	-50	5546	62.1	45.0
5th Wheel Hitch	0	Add	96	Add	4550	0	0	6144	58.8	51.2	5250	0	0	5496	62.2	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4550	0	50	6094	58.9	51.2	5250	0	50	5446	62.4	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4550	0	100	6044	59.0	51.2	5250	0	100	5396	62.5	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4550	0	150	5994	59.0	51.2	5250	0	150	5346	62.6	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4550	0	200	5944	59.1	51.3	5250	0	200	5296	62.8	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4550	0	250	5894	59.2	51.3	5250	0	250	5246	62.9	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4550	0	300	5844	59.3	51.3	5250	0	300	5196	63.1	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4550	0	350	5794	59.4	51.4	5250	0	350	5146	63.2	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-36	Minus	4550	0	400	5744	59.5	51.4	5250	0	400	5096	63.4	45.0
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus	4550	50	-50	6144	57.5	49.9	5250	50	-50	5496	60.8	45.0
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus	4550	50	0	6094	57.6	49.9	5250	50	0	5446	60.9	45.0
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	16	Minus	-111	Minus	4550	50	50	6044	57.6	49.9	5250	50	50	5396	61.0	45.0
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus	4550	50	100	5994	57.7	49.9	5250	50	100	5346	61.1	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4550	50	150	5944	57.8	49.9	5250	50	150	5296	61.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	4550	50	200	5894	57.9	50.0	5250	50	200	5246	61.4	45.0
Drop-In Bedliner	2	Add	35	Add	4550	50	250	5844	58.0	50.0	5250	50	250	5196	61.5	45.0
Spray-In Bedliner	1	Add	19	Add	4550	50	300	5794	58.1	50.0	5250	50	300	5146	61.7	45.0
6" Angular Chrome Step w/o Lights	-6	Minus	-4	Minus	4550	50	350	5744	58.2	50.0	5250	50	350	5096	61.8	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights	-7	Minus	-5	Minus	4550	50	400	5694	58.3	50.0	5250	50	400	5046	61.9	45.0
Lower Bodyside Molding	2	Add	1	Add	4550	100	-50	6094	56.3	48.6	5250	100	-50	5446	59.5	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4550	100	0	6044	56.3	48.6	5250	100	0	5396	59.6	45.0
Static Rear Video Camera	0	Add	1	Add	4550	100	50	5994	56.4	48.6	5250	100	50	5346	59.7	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4550	100	100	5944	56.5	48.6	5250	100	100	5296	59.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4550	100	150	5894	56.6	48.6	5250	100	150	5246	59.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4550	100	200	5844	56.6	48.6	5250	100	200	5196	60.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4550	100	250	5794	56.7	48.6	5250	100	250	5146	60.1	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	4550	100	300	5744	56.8	48.6	5250	100	300	5096	60.3	45.0
Sliding Rear Window	5	Add	2	Add	4550	100	350	5694	56.9	48.6	5250	100	350	5046	60.4	45.0
Power Sliding Rear Window	5	Add	3	Add	4550	100	400	5644	56.9	48.6	5250	100	400	4996	60.5	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	150	-50	6044	59.0	47.3	5250	150	-50	5396	58.1	45.0
Foglamps	3	Add	0	Add	4700	150	0	5994	59.0	47.3	5250	150	0	5346	58.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	150	50	5944	59.1	47.3	5250	150	50	5296	58.3	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	150	100	5894	59.2	47.3	5250	150	100	5246	58.4	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	4700	150	150	5844	59.3	47.3	5250	150	150	5196	58.5	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	150	200	5794	59.4	47.3	5250	150	200	5146	58.6	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	-	-	-	-	4700	150	250	5744	59.5	47.3	5250	150	250	5096	58.7	45.0
All Weather Floor Mat	6	Add	4	Add	4700	150	300	5694	59.6	47.3	5250	150	300	5046	58.8	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4700	150	350	5644	59.7	47.2	5250	150	350	4996	58.9	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4700	150	400	5594	59.8	47.2	5250	150	400	4946	59.0	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4700	200	-50	5994	57.7	46.0	5250	200	-50	5346	56.7	45.0
Cruise Control	3	Add	1	Add	4700	200	0	5944	57.8	46.0	5250	200	0	5296	56.8	45.0
Power Equipment Group	12	Add	3	Add	4700	200	50	5894	57.9	45.9	5250	200	50	5246	56.9	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4700	200	100	5844	58.0	45.9	5250	200	100	5196	57.0	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4700	200	150	5794	58.1	45.9	5250	200	150	5146	57.1	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4700	200	200	5744	58.2	45.9	5250	200	200	5096	57.2	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4700	200	250	5694	58.3	45.9	5250	200	250	5046	57.2	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4700	200	300	5644	58.3	45.8	5250	200	300	4996	57.3	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4700	200	350	5594	58.4	45.8	5250	200	350	4946	57.4	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4700	200	400	5544	58.5	45.8	5250	200	400	4896	57.5	45.0
Cloth Seats	-2	Minus	-1	Minus	4700	250	-50	5944	56.5	45.0	5250	250	-50	5296	55.3	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4700	250	0	5894	56.6	45.0	5250	250	0	5246	55.4	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4700	250	50	5844	56.6	45.0	5250	250	50	5196	55.5	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	4700	250	100	5794	56.7	45.0	5250	250	100	5146	55.5	45.0
Satellite Digital Broadcast	2	Add	1	Add	4700	250	150	5744	56.8	45.0	5250	250	150	5096	55.6	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4700	250	200	5694	56.9	45.0	5250	250	200	5046	55.7	45.0
SYNC Basic - Gen I	1	Add	0	Add	4700	250	250	5644	56.9	45.0	5250	250	250	4996	55.8	45.0
SYNC Finder - Gen II	1	Add	0	Add	4700	250	300	5594	57.0	45.0	5250	250	300	4946	55.8	45.0
Tracking System - Crew Chief	3	Add	0	Add	4700	250	350	5544	57.1	45.0	5250	250	350	4896	55.9	45.0
Flat Splash Guards (DRW) only 2 rear	0	Add	2	Add	4700	250	400	5494	57.2	45.0	5250	250	400	4846	56.0	45.0
Bed Mat	0	Add	58	Add	4850	300	-50	5894	59.2	45.0	5250	300	-50	5246	53.9	45.0
Cable/Strap Locks	0	Add	9	Add	4850	300	0	5844	59.3	45.0	5250	300	0	5196	53.9	45.0
5th Wheel Hitch Assembly - DRW only	0	Add	142	Add	4850	300	50	5794	59.4	45.0	5250	300	50	5146	54.0	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4850	300	100	5744	59.5	45.0	5250	300	100	5096	54.1	45.0
Stainless Steel Simulator Kit - DRW only	9	Add	9	Add	4850	300	150	5694	59.6	45.0	5250	300	150	5046	54.1	45.0
Gooseneck Hitch Kit	0	Add	10	Add	4850	300	200	5644	59.7	45.0	5250	300	200	4996	54.2	45.0
					4850	300	250	5594	59.8	45.0	5250	300	250	4946	54.2	45.0
					4850	300	300	5544	60.0	45.0	5250	300	300	4896	54.3	45.0
					4850	300	350	5494	60.1	45.0	5250	300	350	4846	54.4	45.0
					4850	300	400	5444	60.2	45.0	5250	300	400	4796	54.4	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 DRW 4x2 Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 14000 lb (6349 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 14000 lb (6349 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	29	Add	19	Add	4550	-50	-50	6118	57.4	51.9	5250	-50	-50	5376	61.5	45.0
XLT Trim (GAS)	13	Add	9	Add	4550	-50	0	6068	57.5	51.9	5250	-50	0	5326	61.6	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	4550	-50	50	6018	57.6	52.0	5250	-50	50	5276	61.7	45.0
XLT Trim (DIESEL)	24	Add	16	Add	4550	-50	100	5968	57.7	52.0	5250	-50	100	5226	61.8	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4550	-50	150	5918	57.8	52.0	5250	-50	150	5176	62.0	45.0
Immersion Heater - Engine	1	Add	0	Add	4550	-50	200	5868	57.8	52.1	5250	-50	200	5126	62.1	45.0
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add	4550	-50	250	5818	57.9	52.1	5250	-50	250	5076	62.2	45.0
Brake Controller	1	Add	0	Add	4550	-50	300	5768	58.0	52.1	5250	-50	300	5026	62.4	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4550	-50	350	5718	58.1	52.2	5250	-50	350	4976	62.5	45.0
Rear Auxiliary Spring Package (F250 4x2 Diesel)	0	Add	38	Add	4550	-50	400	5668	58.2	52.2	5250	-50	400	4926	62.7	45.0
Rear Auxiliary Spring Package (F250 4x2 Gas)	0	Add	57	Add	4550	-50	450	5618	58.3	52.2	5250	-50	450	4876	62.8	45.0
5th Wheel Hitch	0	Add	96	Add	4550	-50	500	5568	58.4	52.3	5250	-50	500	4826	63.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4700	0	-50	6068	60.4	50.5	5250	0	-50	5326	60.0	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4700	0	0	6018	60.5	50.5	5250	0	0	5276	60.1	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4700	0	50	5968	60.6	50.6	5250	0	50	5226	60.2	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	4700	0	100	5918	60.7	50.6	5250	0	100	5176	60.3	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	4700	0	150	5868	60.8	50.6	5250	0	150	5126	60.4	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	4700	0	200	5818	60.9	50.6	5250	0	200	5076	60.6	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	4700	0	250	5768	61.0	50.6	5250	0	250	5026	60.7	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-36	Minus	4700	0	300	5718	61.1	50.7	5250	0	300	4976	60.8	45.0
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus	4700	0	350	5668	61.2	50.7	5250	0	350	4926	60.9	45.0
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus	4700	0	400	5618	61.4	50.7	5250	0	400	4876	61.1	45.0
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	16	Minus	-111	Minus	4700	0	450	5568	61.5	50.7	5250	0	450	4826	61.2	45.0
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus	4700	0	500	5518	61.6	50.8	5250	0	500	4776	61.3	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4700	50	-50	6018	59.0	49.1	5250	50	-50	5276	58.4	45.0
Pickup Bed Extender	-2	Minus	21	Add	4700	50	0	5968	59.1	49.1	5250	50	0	5226	58.5	45.0
Drop-In Bedliner	2	Add	42	Add	4700	50	50	5918	59.2	49.1	5250	50	50	5176	58.6	45.0
Spray-In Bedliner	0	Add	20	Add	4700	50	100	5868	59.3	49.1	5250	50	100	5126	58.7	45.0
Side Aux Steps - w/Lights (DRW only)	11	Add	7	Add	4700	50	150	5818	59.4	49.1	5250	50	150	5076	58.9	45.0
6" Angular Chrome Step w/o Lights	-2	Minus	-2	Minus	4700	50	200	5768	59.5	49.1	5250	50	200	5026	59.0	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights	-3	Minus	-3	Minus	4700	50	250	5718	59.6	49.2	5250	50	250	4976	59.1	45.0
Lower Bodyside Molding	2	Add	1	Add	4700	50	300	5668	59.7	49.2	5250	50	300	4926	59.2	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4700	50	350	5618	59.8	49.2	5250	50	350	4876	59.3	45.0
Static Rear Video Camera	0	Add	1	Add	4700	50	400	5568	59.9	49.2	5250	50	400	4826	59.4	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4700	50	450	5518	60.0	49.2	5250	50	450	4776	59.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4700	50	500	5468	60.1	49.2	5250	50	500	4726	59.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	4700	100	-50	5968	57.7	47.7	5250	100	-50	5226	56.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4700	100	0	5918	57.8	47.7	5250	100	0	5176	57.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	4700	100	50	5868	57.8	47.7	5250	100	50	5126	57.1	45.0
Sliding Rear Window	5	Add	2	Add	4700	100	100	5818	57.9	47.7	5250	100	100	5076	57.2	45.0
Power Sliding Rear Window	5	Add	3	Add	4700	100	150	5768	58.0	47.7	5250	100	150	5026	57.2	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	4700	100	200	5718	58.1	47.7	5250	100	200	4976	57.3	45.0
Foglamps	3	Add	0	Add	4700	100	250	5668	58.2	47.6	5250	100	250	4926	57.4	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4700	100	300	5618	58.3	47.6	5250	100	300	4876	57.5	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4700	100	350	5568	58.4	47.6	5250	100	350	4826	57.6	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	4700	100	400	5518	58.5	47.6	5250	100	400	4776	57.7	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	4700	100	450	5468	58.6	47.6	5250	100	450	4726	57.8	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	4700	100	500	5418	58.7	47.6	5250	100	500	4676	57.9	45.0
All Weather Floor Mat	7	Add	4	Add	4850	150	-50	5918	60.7	46.2	5250	150	-50	5176	55.3	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4850	150	0	5868	60.8	46.2	5250	150	0	5126	55.4	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4850	150	50	5818	60.9	46.2	5250	150	50	5076	55.5	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	4850	150	100	5768	61.0	46.2	5250	150	100	5026	55.5	45.0
Cruise Control	3	Add	1	Add	4850	150	150	5718	61.1	46.1	5250	150	150	4976	55.6	45.0
Power Equipment Group	15	Add	6	Add	4850	150	200	5668	61.2	46.1	5250	150	200	4926	55.7	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4850	150	250	5618	61.4	46.1	5250	150	250	4876	55.8	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	4850	150	300	5568	61.5	46.1	5250	150	300	4826	55.8	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	4850	150	350	5518	61.6	46.1	5250	150	350	4776	55.9	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	4850	150	400	5468	61.7	46.1	5250	150	400	4726	56.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	4850	150	450	5418	61.8	46.0	5250	150	450	4676	56.1	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	4850	150	500	5368	62.0	46.0	5250	150	500	4626	56.2	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	4850	200	-50	5868	59.3	45.0	5250	200	-50	5126	53.7	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	4850	200	0	5818	59.4	45.0	5250	200	0	5076	53.8	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	4850	200	50	5768	59.5	45.0	5250	200	50	5026	53.8	45.0
Cloth Seats	-2	Minus	-1	Minus	4850	200	100	5718	59.6	45.0	5250	200	100	4976	53.9	45.0
King Ranch Leather	4	Add	2	Add	4850	200	150	5668	59.7	45.0	5250	200	150	4926	53.9	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	4850	200	200	5618	59.8	45.0	5250	200	200	4876	54.0	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	4850	200	250	5568	59.9	45.0	5250	200	250	4826	54.1	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	4850	200	300	5518	60.0	45.0	5250	200	300	4776	54.1	45.0
Satellite Digital Broadcast	2	Add	1	Add	4850	200	350	5468	60.1	45.0	5250	200	350	4726	54.2	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4850	200	400	5418	60.3	45.0	5250	200	400	4676	54.3	45.0
SYNC Basic - Gen I	1	Add	0	Add	4850	200	450	5368	60.4	45.0	5250	200	450	4626	54.3	45.0
SYNC Finder - Gen II	1	Add	0	Add	4850	200	500	5318	60.5	45.0	5250	200	500	4576	54.4	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	4850	250	-50	5818	57.9	45.0	5250	250	-50	5076	52.1	45.0
Tracking System - Crew Chief	3	Add	0	Add	4850	250	0	5768	58.0	45.0	5250	250	0	5026	52.1	45.0
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add	4850	250	50	5718	58.1	45.0	5250	250	50	4976	52.1	45.0
King Ranch with Chromed Accent Option	6	Add	3	Add	4850	250	100	5668	58.2	45.0	5250	250	100	4926	52.2	45.0
Platinum Package	6	Add	3	Add	4850	250	150	5618	58.3	45.0	5250	250	150	4876	52.2	45.0
Flat Splash Guards (DRW) only 2 rear	0	Add	2	Add	4850	250	200	5568	58.4	45.0	5250	250	200	4826	52.3	45.0
Bed Mat	0	Add	58	Add	4850	250	250	5518	58.5	45.0	5250	250	250	4776	52.3	45.0
Cable/Strap Locks	0	Add	9	Add	4850	250	300	5468	58.6	45.0	5250	250	300	4726	52.4	45.0
5th Wheel Hitch Assembly - DRW only	0	Add	142	Add	4850	250	350	5418	58.7	45.0	5250	250	350	4676	52.4	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4850	250	400	5368	58.8	45.0	5250	250	400	4626	52.5	45.0
Stainless Steel Simulator Kit - DRW only	9	Add	9	Add	4850	250	450	5318	58.9	45.0	5250	250	450	4576	52.5	45.0
Gooseneck Hitch Kit	0	Add	10	Add	4850	250	500	5268	59.0	45.0	5250	250	500	4526	52.6	45.0
					5000	300	-50	5768	61.0	45.0	5250	300	-50	5026	50.4	45.0
					5000	300	0	5718	61.1	45.0	5250	300	0	4976	50.4	45.0
					5000	300	50	5668	61.2	45.0	5250	300	50	4926	50.4	45.0
					5000	300	100	5618	61.4	45.0	5250	300	100	4876	50.5	45.0
					5000	300	150	5568	61.5	45.0	5250	300	150	4826	50.5	45.0
					5000	300	200	5518	61.6	45.0	5250	300	200	4776	50.5	45.0
					5000	300	250	5468	61.7	45.0	5250	300	250	4726	50.5	45.0
					5000	300	300	5418	61.8	45.0	5250	300	300	4676	50.6	45.0
					5000	300	350	5368	62.0	45.0	5250	300	350	4626	50.6	45.0
					5000	300	400	5318	62.1	45.0	5250	300	400	4576	50.6	45.0
					5000	300	450	5268	62.2	45.0	5250	300	450	4526	50.7	45.0
					5000	300	500	5218	62.4	45.0	5250	300	500	4476	50.7	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 DRW 4x4 Cab Type: Regular Cab Wheelbase: 137 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 13800 lb (6259 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 14000 lb (6349 kg) GVWR					
OPTION DESCRIPTION	FRONT	(Lbs.)	REAR	(Lbs.)	FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
XLT Trim (GAS)	10	Add	6	Add	4400	-50	-50	6575	56.7	51.6	5200	-50	-50	6126	62.0	45.0
XLT Trim (DIESEL)	14	Add	9	Add	4400	-50	0	6525	56.7	51.6	5200	-50	0	6076	62.1	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	4400	-50	50	6475	56.8	51.6	5200	-50	50	6026	62.3	45.0
Immersion Heater - Engine	1	Add	0	Add	4400	-50	100	6425	56.9	51.6	5200	-50	100	5976	62.4	45.0
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add	4400	-50	150	6375	56.9	51.7	5200	-50	150	5926	62.5	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	4400	-50	200	6325	57.0	51.7	5200	-50	200	5876	62.6	45.0
Brake Controller	1	Add	0	Add	4400	-50	250	6275	57.1	51.7	5200	-50	250	5826	62.8	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	4400	-50	300	6225	57.2	51.8	5200	-50	300	5776	62.9	45.0
Skid Plates (DIESEL) 4X4 only	16	Add	19	Add	4400	-50	350	6175	57.2	51.8	5200	-50	350	5726	63.0	45.0
Skid Plates (GAS) 4X4 only	18	Add	22	Add	4400	-50	400	6125	57.3	51.8	5200	-50	400	5676	63.2	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	18	Add	4800	0	-50	6525	64.1	50.5	5200	0	-50	6076	61.0	45.0
5th Wheel Hitch	0	Add	96	Add	4800	0	0	6475	64.2	50.6	5200	0	0	6026	61.1	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	4800	0	50	6425	64.3	50.6	5200	0	50	5976	61.2	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	4800	0	100	6375	64.5	50.6	5200	0	100	5926	61.4	45.0
750 CCA/78 AH Battery	2	Add	0	Add	4800	0	150	6325	64.6	50.6	5200	0	150	5876	61.5	45.0
Manual Air Conditioning (GAS)	30	Add	-1	Minus	4800	0	200	6275	64.7	50.6	5200	0	200	5826	61.6	45.0
Manual Air Conditioning (DIESEL)	30	Add	-1	Minus	4800	0	250	6225	64.9	50.7	5200	0	250	5776	61.7	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-36	Minus	4800	0	300	6175	65.0	50.7	5200	0	300	5726	61.8	45.0
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus	4800	0	350	6125	65.1	50.7	5200	0	350	5676	61.9	45.0
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus	4800	0	400	6075	65.3	50.7	5200	0	400	5626	62.1	45.0
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	16	Minus	-111	Minus	4800	50	-50	6475	63.2	49.5	5200	50	-50	6026	60.0	45.0
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus	4800	50	0	6425	63.3	49.5	5200	50	0	5976	60.1	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	4800	50	50	6375	63.4	49.5	5200	50	50	5926	60.2	45.0
Pickup Bed Extender	-2	Minus	21	Add	4800	50	100	6325	63.5	49.5	5200	50	100	5876	60.3	45.0
Drop-In Bedliner	2	Add	42	Add	4800	50	150	6275	63.6	49.5	5200	50	150	5826	60.4	45.0
Spray-In Bedliner	1	Add	19	Add	4800	50	200	6225	63.8	49.6	5200	50	200	5776	60.5	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	4800	50	250	6175	63.9	49.6	5200	50	250	5726	60.6	45.0
Static Rear Video Camera	0	Add	1	Add	4800	50	300	6125	64.0	49.6	5200	50	300	5676	60.7	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	4800	50	350	6075	64.2	49.6	5200	50	350	5626	60.9	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	4800	50	400	6025	64.3	49.6	5200	50	400	5576	61.0	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	4800	100	-50	6425	62.2	48.4	5200	100	-50	5976	58.9	45.0
Sliding Rear Window	5	Add	2	Add	4800	100	0	6375	62.3	48.4	5200	100	0	5926	59.0	45.0
Foglamps	3	Add	0	Add	4800	100	50	6325	62.4	48.5	5200	100	50	5876	59.1	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	4800	100	100	6275	62.5	48.5	5200	100	100	5826	59.2	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	4800	100	150	6225	62.7	48.5	5200	100	150	5776	59.3	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	3	Add	0	Add	4800	100	200	6175	62.8	48.5	5200	100	200	5726	59.4	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	1	Add	4800	100	250	6125	62.9	48.5	5200	100	250	5676	59.5	45.0
All Weather Floor Mat	3.5	Add	2.3	Add	4800	100	300	6075	63.0	48.5	5200	100	300	5626	59.6	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	4800	100	350	6025	63.2	48.5	5200	100	350	5576	59.7	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	4800	100	400	5975	63.3	48.5	5200	100	400	5526	59.9	45.0
Floor Consolette - Stand alone	-25	Minus	-9.1	Minus	4800	150	-50	6375	61.2	47.4	5200	150	-50	5926	57.9	45.0
Cruise Control	3	Add	1	Add	4800	150	0	6325	61.3	47.4	5200	150	0	5876	58.0	45.0
Power Equipment Group	12	Add	3	Add	4800	150	50	6275	61.5	47.4	5200	150	50	5826	58.1	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	4800	150	100	6225	61.6	47.4	5200	150	100	5776	58.1	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	11	Add	5	Add	4800	150	150	6175	61.7	47.4	5200	150	150	5726	58.2	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	0.7	Add	0.3	Add	4800	150	200	6125	61.8	47.3	5200	150	200	5676	58.3	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16.2	Minus	-6.1	Minus	4800	150	250	6075	61.9	47.3	5200	150	250	5626	58.4	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	7.5	Add	4.1	Add	4800	150	300	6025	62.0	47.3	5200	150	300	5576	58.5	45.0
Cloth Seats	-2	Minus	-1	Minus	4800	150	350	5975	62.1	47.3	5200	150	350	5526	58.6	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4.4	Minus	-1	Minus	4800	150	400	5925	62.3	47.3	5200	150	400	5476	58.7	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	1.9	Add	4800	200	-50	6325	60.3	46.3	5600	200	-50	5876	66.1	45.0
Satellite Digital Broadcast	2	Add	1	Add	4800	200	0	6275	60.4	46.3	5600	200	0	5826	66.3	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	4800	200	50	6225	60.5	46.3	5600	200	50	5776	66.4	45.0
SYNC Basic - Gen I	0.7	Add	0	Add	4800	200	100	6175	60.6	46.2	5600	200	100	5726	66.6	45.0
SYNC Finder - Gen II	0.7	Add	0	Add	4800	200	150	6125	60.7	46.2	5600	200	150	5676	66.8	45.0
FX4 Off-Road Package	2	Add	2	Add	4800	200	200	6075	60.8	46.2	5600	200	200	5626	66.9	45.0
Tracking System - Crew Chief	2.6	Add	0	Add	4800	200	250	6025	60.9	46.2	5600	200	250	5576	67.1	45.0
Flat Splash Guards (DRW) only 2 rear	0	Add	2	Add	4800	200	300	5975	61.0	46.2	5600	200	300	5526	67.3	45.0
Bed Mat	0	Add	58	Add	4800	200	350	5925	61.1	46.2	5600	200	350	5476	67.5	45.0
Cable/Strap Locks	0	Add	9	Add	4800	200	400	5875	61.2	46.2	5600	200	400	5426	67.6	45.0
5th Wheel Hitch Assembly - DRW only	0	Add	142	Add	4800	250	-50	6275	59.3	45.2	5600	250	-50	5826	65.1	45.0
Roll-up Tonneau Cover	5	Add	25	Add	4800	250	0	6225	59.4	45.2	5600	250	0	5776	65.3	45.0
Stainless Steel Simulator Kit - DRW only	9	Add	9	Add	4800	250	50	6175	59.5	45.1	5600	250	50	5726	65.4	45.0
Gooseneck Hitch Kit	0	Add	10.06	Add	4800	250	100	6125	59.6	45.1	5600	250	100	5676	65.6	45.0
					4800	250	150	6075	59.6	45.1	5600	250	150	5626	65.7	45.0
					4800	250	200	6025	59.7	45.1	5600	250	200	5576	65.9	45.0
					4800	250	250	5975	59.8	45.0	5600	250	250	5526	66.0	45.0
					4800	250	300	5925	59.9	45.0	5600	250	300	5476	66.2	45.0
					4800	250	350	5875	60.0	45.0	5600	250	350	5426	66.4	45.0
					4800	250	400	5825	60.2	45.0	5600	250	400	5376	66.6	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 DRW 4x4 Cab Type: Super Cab Wheelbase: 158 *

OPTION TABLE					VEHICLE LOADING DATA 6.2L Gasoline Engine 14000 lb (6349 kg) GVWR						VEHICLE LOADING DATA 6.7L Diesel Engine 14000 lb (6349 kg) GVWR					
OPTION DESCRIPTION	FRONT	(Lbs.)	REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)	GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
					I	II	III	IV	V	VI	I	II	III	IV	V	VI
Lariat Trim (GAS)	25	Add	17	Add	5200	-50	-50	5933	68.3	45.8	5600	-50	-50	5192	64.9	45.0
XLT Trim (GAS)	10	Add	7	Add	5200	-50	0	5883	68.5	45.8	5600	-50	0	5142	65.1	45.0
Lariat Trim (DIESEL)	30	Add	20	Add	5200	-50	50	5833	68.7	45.8	5600	-50	50	5092	65.3	45.0
XLT Trim (DIESEL)	20	Add	13	Add	5200	-50	100	5783	68.9	45.8	5600	-50	100	5042	65.4	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	5200	-50	150	5733	69.1	45.7	5600	-50	150	4992	65.6	45.0
Immersion Heater - Engine	1	Add	0	Add	5200	-50	200	5683	69.2	45.7	5600	-50	200	4942	65.8	45.0
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add	5200	-50	250	5633	69.4	45.7	5600	-50	250	4892	66.0	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	5200	-50	300	5583	69.6	45.7	5600	-50	300	4842	66.2	45.0
Brake Controller	1	Add	0	Add	5200	-50	350	5533	69.8	45.7	5600	-50	350	4792	66.3	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	5200	-50	400	5483	70.0	45.6	5600	-50	400	4742	66.5	45.0
Skid Plates (DIESEL) 4X4 only	19	Add	22	Add	5200	0	-50	5883	67.2	45.0	5600	0	-50	5142	63.6	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	5200	0	0	5833	67.3	45.0	5600	0	0	5092	63.7	45.0
Rear Auxiliary Spring Package (F250-F350 4x4)	0	Add	38	Add	5200	0	50	5783	67.5	45.0	5600	0	50	5042	63.9	45.0
5th Wheel Hitch	0	Add	96	Add	5200	0	100	5733	67.7	45.0	5600	0	100	4992	64.0	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	5200	0	150	5683	67.9	45.0	5600	0	150	4942	64.2	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	5200	0	200	5633	68.0	45.0	5600	0	200	4892	64.4	45.0
750 CCA/78 AH Battery	2	Add	0	Add	5200	0	250	5583	68.2	45.0	5600	0	250	4842	64.5	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	5200	0	300	5533	68.4	45.0	5600	0	300	4792	64.7	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	5200	0	350	5483	68.6	45.0	5600	0	350	4742	64.9	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	5200	0	400	5433	68.8	45.0	5600	0	400	4692	65.1	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	5200	50	-50	5833	66.0	45.0	5600	50	-50	5092	62.2	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-36	Minus	5200	50	0	5783	66.1	45.0	5600	50	0	5042	62.3	45.0
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus	5200	50	50	5733	66.3	45.0	5600	50	50	4992	62.4	45.0
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus	5200	50	100	5683	66.5	45.0	5600	50	100	4942	62.6	45.0
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	16	Minus	-111	Minus	5200	50	150	5633	66.6	45.0	5600	50	150	4892	62.7	45.0
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus	5200	50	200	5583	66.8	45.0	5600	50	200	4842	62.9	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	5200	50	250	5533	67.0	45.0	5600	50	250	4792	63.0	45.0
Pickup Bed Extender	-2	Minus	21	Add	5200	50	300	5483	67.1	45.0	5600	50	300	4742	63.2	45.0
Drop-In Bedliner	2	Add	35	Add	5200	50	350	5433	67.3	45.0	5600	50	350	4692	63.4	45.0
Spray-In Bedliner	1		19	Add	5200	50	400	5383	67.5	45.0	5600	50	400	4642	63.5	45.0
6" Angular Chrome Step w/o Lights	-6	Minus	-4	Minus	5200	100	-50	5783	64.8	45.0	5600	100	-50	5042	60.7	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights	-7	Minus	-5	Minus	5200	100	0	5733	64.9	45.0	5600	100	0	4992	60.9	45.0
Lower Bodyside Molding	2	Add	1	Add	5200	100	50	5683	65.1	45.0	5600	100	50	4942	61.0	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	5200	100	100	5633	65.2	45.0	5600	100	100	4892	61.1	45.0
Static Rear Video Camera	0	Add	1	Add	5200	100	150	5583	65.4	45.0	5600	100	150	4842	61.3	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	5200	100	200	5533	65.5	45.0	5600	100	200	4792	61.4	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	5200	100	250	5483	65.7	45.0	5600	100	250	4742	61.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	5200	100	300	5433	65.9	45.0	5600	100	300	4692	61.7	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add	5200	100	350	5383	66.0	45.0	5600	100	350	4642	61.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add	5200	100	400	5333	66.2	45.0	5600	100	400	4592	62.0	45.0
Sliding Rear Window	5	Add	2	Add	5200	150	-50	5733	63.6	45.0	6000	150	-50	4992	71.9	45.0
Power Sliding Rear Window	5	Add	3	Add	5200	150	0	5683	63.7	45.0	6000	150	0	4942	72.2	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	5200	150	50	5633	63.8	45.0	6000	150	50	4892	72.4	45.0
Foglamps	3	Add	0	Add	5200	150	100	5583	64.0	45.0	6000	150	100	4842	72.7	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	5200	150	150	5533	64.1	45.0	6000	150	150	4792	72.9	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	5200	150	200	5483	64.3	45.0	6000	150	200	4742	73.2	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	0	Add	5200	150	250	5433	64.4	45.0	6000	150	250	4692	73.5	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	5200	150	300	5383	64.6	45.0	6000	150	300	4642	73.7	45.0
All Weather Floor Mat	6	Add	4	Add	5200	150	350	5333	64.7	45.0	6000	150	350	4592	74.0	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	5200	150	400	5283	64.9	45.0	6000	150	400	4542	74.3	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	5200	200	-50	5683	62.3	45.0	6000	200	-50	4942	70.6	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	5200	200	0	5633	62.4	45.0	6000	200	0	4892	70.8	45.0
Cruise Control	3	Add	1	Add	5200	200	50	5583	62.6	45.0	6000	200	50	4842	71.0	45.0
Power Equipment Group	12	Add	3	Add	5200	200	100	5533	62.7	45.0	6000	200	100	4792	71.3	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	5200	200	150	5483	62.8	45.0	6000	200	150	4742	71.5	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	5200	200	200	5433	63.0	45.0	6000	200	200	4692	71.8	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	5200	200	250	5383	63.1	45.0	6000	200	250	4642	72.0	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	5200	200	300	5333	63.2	45.0	6000	200	300	4592	72.3	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add	5200	200	350	5283	63.4	45.0	6000	200	350	4542	72.6	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	5200	200	400	5233	63.5	45.0	6000	200	400	4492	72.9	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	5200	250	-50	5633	61.0	45.0	6000	250	-50	4892	69.2	45.0
Cloth Seats	-2	Minus	-1	Minus	5200	250	0	5583	61.1	45.0	6000	250	0	4842	69.4	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	5200	250	50	5533	61.3	45.0	6000	250	50	4792	69.6	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	5200	250	100	5483	61.4	45.0	6000	250	100	4742	69.9	45.0
Electronic Premium Stereo/Single CD w/Audiophile (8 spkrs/subwoofer)	9	Add	6	Add	5200	250	150	5433	61.5	45.0	6000	250	150	4692	70.1	45.0
Satellite Digital Broadcast	2	Add	1	Add	5200	250	200	5383	61.6	45.0	6000	250	200	4642	70.3	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	5200	250	250	5333	61.8	45.0	6000	250	250	4592	70.6	45.0
SYNC Basic - Gen I	1	Add	0	Add	5200	250	300	5283	61.9	45.0	6000	250	300	4542	70.8	45.0
SYNC Finder - Gen II	1	Add	0	Add	5200	250	350	5233	62.0	45.0	6000	250	350	4492	71.1	45.0
FX4 Off-Road Package	2	Add	2	Add	5200	250	400	5183	62.2	45.0	6000	250	400	4442	71.4	45.0
Tracking System - Crew Chief	3	Add	0	Add	5200	300	-50	5583	59.7	45.0	6000	300	-50	4842	67.8	45.0
Flat Splash Guards (DRW) only 2 rear	0	Add	2	Add	5200	300	0	5533	59.8	45.0	6000	300	0	4792	68.0	45.0
Bed Mat	0	Add	58	Add	5200	300	50	5483	59.9	45.0	6000	300	50	4742	68.2	45.0
Cable/Strap Locks	0	Add	9	Add	5200	300	100	5433	60.1	45.0	6000	300	100	4692	68.4	45.0
5th Wheel Hitch Assembly - DRW only	0	Add	142	Add	5200	300	150	5383	60.2	45.0	6000	300	150	4642	68.6	45.0
Roll-up Tonneau Cover	5	Add	25	Add	5200	300	200	5333	60.3	45.0	6000	300	200	4592	68.9	45.0
Stainless Steel Simulator Kit - DRW only	9	Add	9	Add	5200	300	250	5283	60.4	45.0	6000	300	250	4542	69.1	45.0
Gooseneck Hitch Kit	0	Add	10	Add	5200	300	300	5233	60.5	45.0	6000	300	300	4492	69.3	45.0
					5200	300	350	5183	60.6	45.0	6000	300	350	4442	69.6	45.0
					5200	300	400	5133	60.8	45.0	6000	300	400	4392	69.8	45.0
Total Option Weight																

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

MY: 2015 Model: F350 DRW 4x4 Cab Type: Crew Cab Wheelbase: 172 *

OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)	
Lariat Trim (GAS)	29	Add	19	Add
XLT Trim (GAS)	13	Add	9	Add
Lariat Trim (DIESEL)	34	Add	23	Add
XLT Trim (DIESEL)	24	Add	16	Add
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add
Immersion Heater - Engine	1	Add	0	Add
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus
Brake Controller	1	Add	0	Add
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add
Skid Plates (GAS) 4X4 only	18	Add	21	Add
Rear Auxiliary Spring Package (F250-F350 4x4, not avaiable in F450)	0	Add	38	Add
5th Wheel Hitch	0	Add	96	Add
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add
750 CCA/78 AH Battery	2	Add	0	Add
Manual Air Conditioning (GAS)	32	Add	-1	Minus
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-36	Minus
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	16	Minus	-111	Minus
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add
Pickup Bed Extender	-2	Minus	21	Add
Drop-In Bedliner	2	Add	42	Add
Spray-In Bedliner	0	Add	20	Add
Side Aux Steps - w/Lights (DRW only)	11	Add	7	Add
6" Angular Chrome Step w/o Lights	-2	Minus	-2	Minus
5" Tubular Chromed Side Aux. Steps w/o Lights	-3	Minus	-3	Minus
Lower Bodyside Molding	2	Add	1	Add
Reverse Vehicle Sensor System	0	Add	1	Add
Static Rear Video Camera	0	Add	1	Add
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL	1	Add	0	Add
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIES	7	Add	3	Add
Sliding Rear Window	5	Add	2	Add
Power Sliding Rear Window	5	Add	3	Add
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add
Foglamps	3	Add	0	Add
Bright Exhaust Pipe Extension	0	Add	3	Add
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add
All Weather Floor Mat	7	Add	4	Add
Electrochromic Rear View Mirror	1	Add	0	Add
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add
Floor Consolette - Stand alone	-25	Minus	-9	Minus
Cruise Control	3	Add	1	Add
Power Equipment Group	15	Add	6	Add
Adj Gas & Brake Pedals	4	Add	3	Add
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lu	8	Add	4	Add
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add
Cloth Seats	-2	Minus	-1	Minus
King Ranch Leather	4	Add	2	Add
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add
Sony Branded Premium Stereo/Single CD	11	Add	8	Add
Satellite Digital Broadcast	2	Add	1	Add
High Definition & Satellite Digital Broadcast	2	Add	1	Add
SYNC Basic - Gen I	1	Add	0	Add
SYNC Finder - Gen II	1	Add	0	Add
FX4 Off-Road Package	2	Add	2	Add
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add
Tracking System - Crew Chief	3	Add	0	Add
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add
King Ranch with Chromed Accent Option	6	Add	3	Add
Platinum Package	6	Add	3	Add
Flat Splash Guards (DRW) only 2 rear	0	Add	2	Add
Bed Mat	0	Add	58	Add
Cable/Strap Locks	0	Add	9	Add
5th Wheel Hitch Assembly - DRW only	0	Add	142	Add
Roll-up Tonneau Cover	5	Add	25	Add
Stainless Steel Simulator Kit - DRW only	9	Add	9	Add
Gooseneck Hitch Kit	0	Add	10	Add
Total Option Weight				

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

VEHICLE LOADING DATA
6.2L Gasoline Engine 14000 lb (6349 kg) GVWR

FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
5200	-50	-50	5715	66.9	45.0
5200	-50	0	5665	67.0	45.0
5200	-50	50	5615	67.2	45.0
5200	-50	100	5565	67.4	45.0
5200	-50	150	5515	67.5	45.0
5200	-50	200	5465	67.7	45.0
5200	-50	250	5415	67.9	45.0
5200	-50	300	5365	68.1	45.0
5200	-50	350	5315	68.3	45.0
5200	-50	400	5265	68.5	45.0
5200	-50	450	5215	68.7	45.0
5200	-50	500	5165	68.9	45.0
5200	0	-50	5665	65.5	45.0
5200	0	0	5615	65.7	45.0
5200	0	50	5565	65.8	45.0
5200	0	100	5515	66.0	45.0
5200	0	150	5465	66.1	45.0
5200	0	200	5415	66.3	45.0
5200	0	250	5365	66.5	45.0
5200	0	300	5315	66.7	45.0
5200	0	350	5265	66.8	45.0
5200	0	400	5215	67.0	45.0
5200	0	450	5165	67.2	45.0
5200	0	500	5115	67.4	45.0
5200	50	-50	5615	64.1	45.0
5200	50	0	5565	64.3	45.0
5200	50	50	5515	64.4	45.0
5200	50	100	5465	64.6	45.0
5200	50	150	5415	64.7	45.0
5200	50	200	5365	64.9	45.0
5200	50	250	5315	65.0	45.0
5200	50	300	5265	65.2	45.0
5200	50	350	5215	65.4	45.0
5200	50	400	5165	65.5	45.0
5200	50	450	5115	65.7	45.0
5200	50	500	5065	65.9	45.0
5200	100	-50	5565	62.7	45.0
5200	100	0	5515	62.9	45.0
5200	100	50	5465	63.0	45.0
5200	100	100	5415	63.1	45.0
5200	100	150	5365	63.3	45.0
5200	100	200	5315	63.4	45.0
5200	100	250	5265	63.6	45.0
5200	100	300	5215	63.7	45.0
5200	100	350	5165	63.9	45.0
5200	100	400	5115	64.0	45.0
5200	100	450	5065	64.2	45.0
5200	100	500	5015	64.3	45.0
5200	150	-50	5515	61.3	45.0
5200	150	0	5465	61.4	45.0
5200	150	50	5415	61.5	45.0
5200	150	100	5365	61.7	45.0
5200	150	150	5315	61.8	45.0
5200	150	200	5265	61.9	45.0
5200	150	250	5215	62.1	45.0
5200	150	300	5165	62.2	45.0
5200	150	350	5115	62.3	45.0
5200	150	400	5065	62.5	45.0
5200	150	450	5015	62.6	45.0
5200	150	500	4965	62.8	45.0
5600	200	-50	5465	72.5	45.0
5600	200	0	5415	72.7	45.0
5600	200	50	5365	72.9	45.0
5600	200	100	5315	73.1	45.0
5600	200	150	5265	73.4	45.0
5600	200	200	5215	73.6	45.0
5600	200	250	5165	73.9	45.0
5600	200	300	5115	74.1	45.0
5600	200	350	5065	74.4	45.0
5600	200	400	5015	74.7	45.0
5600	200	450	4965	74.9	45.0
5600	200	500	4915	75.2	45.0
5600	250	-50	5415	71.1	45.0
5600	250	0	5365	71.3	45.0
5600	250	50	5315	71.5	45.0
5600	250	100	5265	71.7	45.0
5600	250	150	5215	72.0	45.0
5600	250	200	5165	72.2	45.0
5600	250	250	5115	72.4	45.0
5600	250	300	5065	72.7	45.0
5600	250	350	5015	72.9	45.0
5600	250	400	4965	73.2	45.0
5600	250	450	4915	73.4	45.0
5600	250	500	4865	73.7	45.0

VEHICLE LOADING DATA
6.7L Diesel Engine 14000 lb (6349 kg) GVWR

FRONT GAWR (Lb.)	OPTION WEIGHT FRONT (LB)	OPTION WEIGHT REAR (LB)	CARGO WEIGHT RATING (LB)	CENTER OF GRAVITY ZONE LIMITS FRONT (A) (IN)	CENTER OF GRAVITY ZONE LIMITS REAR (B) (IN)
I	II	III	IV	V	VI
6000	-50	-50	4974	75.3	45.0
6000	-50	0	4924	75.6	45.0
6000	-50	50	4874	75.9	45.0
6000	-50	100	4824	76.2	45.0
6000	-50	150	4774	76.5	45.0
6000	-50	200	4724	76.8	45.0
6000	-50	250	4674	77.1	45.0
6000	-50	300	4624	77.4	45.0
6000	-50	350	4574	77.7	45.0
6000	-50	400	4524	78.1	45.0
6000	-50	450	4474	78.4	45.0
6000	-50	500	4424	78.7	45.0
6000	0	-50	4924	73.9	45.0
6000	0	0	4874	74.1	45.0
6000	0	50	4824	74.4	45.0
6000	0	100	4774	74.7	45.0
6000	50	150	4674	73.4	45.0
6000	50	200	4624	73.7	45.0
6000	50	250	4574	74.0	45.0
6000	50	300	4524	74.2	45.0
6000	50	350	4474	74.5	45.0
6000	50	400	4424	74.8	45.0
6000	50	450	4374	75.1	45.0
6000	50	500	4324	75.5	45.0
6000	50	-50	4874	72.4	45.0
6000	50	0	4824	72.6	45.0
6000	50	50	4774	72.9	45.0
6000	100	100	4674	71.6	45.0
6000	100	150	4624	71.8	45.0
6000	100	200	4574	72.1	45.0
6000	100	250	4524	72.3	45.0
6000	100	300	4474	72.6	45.0
6000	100	350	4424	72.9	45.0
6000	100	400	4374	73.2	45.0
6000	100	450	4324	73.5	45.0
6000	100	500	4274	73.8	45.0
6000	100	-50	4824	70.8	45.0
6000	100	0	4774	71.1	45.0
6000	150	50	4674	69.7	45.0
6000	150	100	4624	69.9	45.0
6000	150	150	4574	70.2	45.0
6000	150	200	4524	70.4	45.0
6000	150	250	4474	70.7	45.0
6000	150	300	4424	70.9	45.0
6000	150	350	4374	71.2	45.0
6000	150	400	4324	71.5	45.0
6000	150	450	4274	71.7	45.0
6000	150	500	4224	72.0	45.0
6000	150	-50	4774	69.3	45.0
6000	200	0	4674	67.9	45.0
6000	200	50	4624	68.1	45.0
6000	200	100	4574	68.3	45.0
6000	200	150	4524	68.5	45.0
6000	200	200	4474	68.8	45.0
6000	200	250	4424	69.0	45.0
6000	200	300	4374	69.2	45.0
6000	200	350	4324	69.5	45.0
6000	200	400	4274	69.7	45.0
6000	200	450	4224	70.0	45.0
6000	200	500	4174	70.3	45.0
6000	250	-50	4674	66.0	45.0
6000	250	0	4624	66.2	45.0
6000	250	50	4574	66.4	45.0
6000	250	100	4524	66.6	45.0
6000	250	150	4474	66.8	45.0
6000	250	200	4424	67.0	45.0
6000	250	250	4374	67.3	45.0
6000	250	300	4324	67.5	45.0
6000	250	350	4274	67.7	45.0
6000	250	400	4224	67.9	45.0
6000	250	450	4174	68.2	45.0
6000	300	500	4074	66.6	45.0
6000	300	-50	4624	64.4	45.0
6000	300	0	4574	64.5	45.0
6000	300	50	4524	64.7	45.0
6000	300	100	4474	64.9	45.0
6000	300	150	4424	65.1	45.0
6000	300	200	4374	65.3	45.0
6000	300	250	4324	65.5	45.0
6000	300	300	4274	65.7	45.0
6000	300	350	4224	65.9	45.0
6000	300	400	4174	66.1	45.0
6000	300	450	4124	66.3	45.0
6000	300	500	4074	66.6	45.0

MY: 2015 Model: F450 DRW 4x4 Cab Type: Crew Cab Wheelbase: 172 *

OPTION TABLE					VEHICLE LOADING DATA 6.7L Diesel Engine 14000 lb (6349 kg) GVWR					
OPTION DESCRIPTION	FRONT (Lbs.)		REAR (Lbs.)		FRONT	OPTION WEIGHT		CARGO WEIGHT	CENTER OF GRAVITY ZONE LIMITS	
					GAWR (Lb.)	FRONT (LB)	REAR (LB)	RATING (LB)	FRONT (A) (IN)	REAR (B) (IN)
Lariat Trim (GAS)	29	Add	19	Add	I	II	III	IV	V	VI
XLT Trim (GAS)	13	Add	9	Add	6000	-50	-50	4564	73.6	45.0
Lariat Trim (DIESEL)	34	Add	23	Add	6000	-50	0	4514	73.8	45.0
XLT Trim (DIESEL)	24	Add	16	Add	6000	-50	50	4464	74.1	45.0
PTC (Positive Thermal Coefficent) Heater / Marketed as Rapid Heat	3	Add	0	Add	6000	-50	100	4414	74.4	45.0
Immersion Heater - Engine	1	Add	0	Add	6000	0	150	4314	73.0	45.0
Limited Slip Rear Axle (350/450 DRW only)	0	Add	11	Add	6000	0	200	4264	73.3	45.0
Less Urea Emission Tank (DSL only)	-97	Minus	-64	Minus	6000	0	250	4214	73.6	45.0
Brake Controller	1	Add	0	Add	6000	0	300	4164	74.0	45.0
ESOF w/Auto-Man Locking Hubs (4X4 only)	3	Add	0	Add	6000	0	350	4114	74.3	45.0
Skid Plates (DIESEL) 4X4 only	23	Add	18	Add	6000	0	400	4064	74.6	45.0
Skid Plates (GAS) 4X4 only	18	Add	21	Add	6000	0	450	4014	74.9	45.0
5th Wheel Hitch	0	Add	96	Add	6000	0	500	3964	75.3	45.0
Dual Heavy Duty Alternators (6.7L DSL only)	16	Add	0	Add	6000	0	-50	4514	71.9	45.0
Extra Heavy Duty Alternator (6.7L DSL & 6.2L GAS)	3	Add	0	Add	6000	0	0	4464	72.2	45.0
750 CCA/78 AH Battery	2	Add	0	Add	6000	0	50	4414	72.5	45.0
Manual Air Conditioning (GAS)	32	Add	-1	Minus	6000	0	100	4364	72.8	45.0
Dual Zone Electronic Automatic Temperature Control AC (GAS)	34	Add	-1	Minus	6000	50	150	4264	71.3	45.0
Manual Air Conditioning (DIESEL)	31	Add	-1	Minus	6000	50	200	4214	71.6	45.0
Dual Zone Electronic Automatic Temperature Control AC (DIESEL)	34	Add	-1	Minus	6000	50	250	4164	71.9	45.0
17X6.5" Forged Aluminum - High Polished Wheel (DRW Only - STD on F450)	-32	Minus	-36	Minus	6000	50	300	4114	72.2	45.0
LT 245/75R17E A/T BSW (DRW only)	-2	Minus	-5	Minus	6000	50	350	4064	72.5	45.0
LT 245/75R17E A/T OWL (DRW only)	-3	Minus	-6	Minus	6000	50	400	4014	72.8	45.0
Less Spare Tire (including carrier) - 17" steel STD (DRW only)	16	Minus	-111	Minus	6000	50	450	3964	73.1	45.0
Less Jack- 4-Ton (including Tool) 350 & 450 DRW only	2	Add	-20	Minus	6000	50	500	3914	73.4	45.0
Stepgate (Upgraded Tailgate)	-8	Minus	41	Add	6000	50	-50	4464	70.3	45.0
Pickup Bed Extender	-2	Minus	21	Add	6000	50	0	4414	70.5	45.0
Drop-In Bedliner	2	Add	42	Add	6000	50	50	4364	70.8	45.0
Spray-In Bedliner	0	Add	20	Add	6000	100	100	4264	69.3	45.0
Side Aux Steps - w/Lights (DRW only)	11	Add	7	Add	6000	100	150	4214	69.6	45.0
6" Angular Chrome Step w/o Lights	-2	Minus	-2	Minus	6000	100	200	4164	69.8	45.0
5" Tubular Chromed Side Aux. Steps w/o Lights	-3	Minus	-3	Minus	6000	100	250	4114	70.1	45.0
Lower Bodyside Molding	2	Add	1	Add	6000	100	300	4064	70.3	45.0
Reverse Vehicle Sensor System	0	Add	1	Add	6000	100	350	4014	70.6	45.0
Static Rear Video Camera	0	Add	1	Add	6000	100	400	3964	70.9	45.0
Dual Sail, Man Adj Glass, Manual Telescoping T/Tow Mirrors (GAS)	9	Add	3	Add	6000	100	450	3914	71.2	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (GAS)	10	Add	4	Add	6000	100	500	3864	71.5	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (GAS)	16	Add	6	Add	6000	100	-50	4414	68.6	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Man Telescoping (DIESEL)	1	Add	0	Add	6000	100	0	4364	68.8	45.0
Dual Sail, Pwr Adj Glass, Heat Glass, Built-in Direction, Power Telescoping (DIESEL)	7	Add	3	Add	6000	150	50	4264	67.3	45.0
Sliding Rear Window	5	Add	2	Add	6000	150	100	4214	67.5	45.0
Power Sliding Rear Window	5	Add	3	Add	6000	150	150	4164	67.7	45.0
Electronic Rear Window (Backglass) Defrost - SC/CC only	1	Add	2	Add	6000	150	200	4114	68.0	45.0
Foglamps	3	Add	0	Add	6000	150	250	4064	68.2	45.0
Bright Exhaust Pipe Extension	0	Add	3	Add	6000	150	300	4014	68.5	45.0
Driver Frontal Air Bag ONLY (Passenger Side Air Bag Delete)	-6	Minus	0	Add	6000	150	350	3964	68.7	45.0
Floor Cover-Carpet Ins-Complete Color Keyed	4	Add	1	Add	6000	150	400	3914	69.0	45.0
XLT Floor Mats less Logo (Color Keyed)	3	Add	2	Add	6000	150	450	3864	69.3	45.0
Floor Mats w/"King Ranch" Logo (Color Keyed luxury) CC only	3	Add	2	Add	6000	150	500	3814	69.6	45.0
All Weather Floor Mat	7	Add	4	Add	6000	150	-50	4364	66.8	45.0
Electrochromic Rear View Mirror	1	Add	0	Add	6000	200	0	4264	65.3	45.0
Electrochromic Rear View Mirror w/Video Display	1	Add	1	Add	6000	200	50	4214	65.5	45.0
Floor Consolette - Stand alone	-25	Minus	-9	Minus	6000	200	100	4164	65.7	45.0
Cruise Control	3	Add	1	Add	6000	200	150	4114	65.9	45.0
Power Equipment Group	15	Add	6	Add	6000	200	200	4064	66.1	45.0
Adj Gas & Brake Pedals	4	Add	3	Add	6000	200	250	4014	66.3	45.0
MyFord Touch - Level III (NA on 6.8L gas) (w/ new Sony Audio - 8, 12 spkrs)	15	Add	10	Add	6000	200	300	3964	66.6	45.0
Front Seat - Individual 40/20/40 w/Center Under Seat Storage	1	Add	0	Add	6000	200	350	3914	66.8	45.0
Front Seat - Individual 40/40 Driver & Passenger	-16	Minus	-6	Minus	6000	200	400	3864	67.0	45.0
Crew cab - Second Row 60/40 wUnder Seat Storage	9	Add	9	Add	6000	200	450	3814	67.3	45.0
6-Way Driver Seat Adjuster w/Manual 2-Way Passenger Adjust (incl. 2way man lumbar)	8	Add	4	Add	6000	200	500	3764	67.6	45.0
10-Way Power Seat Adjuster (Driver/Passenger)	23	Add	9	Add	6000	250	-50	4264	63.2	45.0
Heated/Cooled Seats (Driver and Passenger)	3	Add	1	Add	6000	250	0	4214	63.4	45.0
Heated Rear Seat (Both Dr. & Pass.)	3	Add	1	Add	6000	250	50	4164	63.6	45.0
Cloth Seats	-2	Minus	-1	Minus	6000	250	100	4114	63.8	45.0
King Ranch Leather	4	Add	2	Add	6000	250	150	4064	64.0	45.0
Less Radio Pre-Equipment Pack (Radio Delete)	-4	Minus	-1	Minus	6000	250	200	4014	64.2	45.0
Electronic AM/FM/Stereo/Single CD/Clock/MP3 (4 speakers)	3	Add	2	Add	6000	250	250	3964	64.4	45.0
Sony Branded Premium Stereo/Single CD	11	Add	8	Add	6000	250	300	3914	64.6	45.0
Satellite Digital Broadcast	2	Add	1	Add	6000	250	350	3864	64.8	45.0
High Definition & Satellite Digital Broadcast	2	Add	1	Add	6000	250	400	3814	65.0	45.0
SYNC Basic - Gen I	1	Add	0	Add	6000	250	450	3764	65.3	45.0
SYNC Finder - Gen II	1	Add	0	Add	6000	300	500	3664	63.4	45.0
FX4 Off-Road Package	2	Add	2	Add	6000	300	-50	4214	61.4	45.0
Power Slide Sunroof (Moonroof) CC only	20	Add	16	Add	6000	300	0	4164	61.5	45.0
Tracking System - Crew Chief	3	Add	0	Add	6000	300	50	4114	61.7	45.0
King Ranch Option (leather seats & trim) CC only	6	Add	3	Add	6000	300	100	4064	61.9	45.0
King Ranch with Chromed Accent Option	6	Add	3	Add	6000	300	150	4014	62.0	45.0
Platinum Package	6	Add	3	Add	6000	300	200	3964	62.2	45.0
Flat Splash Guards (DRW) only 2 rear	0	Add	2	Add	6000	300	250	3914	62.4	45.0
Bed Mat	0	Add	58	Add	6000	300	300	3864	62.6	45.0
Cable/Strap Locks	0	Add	9	Add	6000	300	350	3814	62.8	45.0
5th Wheel Hitch Assembly - DRW only	0	Add	142	Add	6000	300	400	3764	63.0	45.0
Roll-up Tonneau Cover	5	Add	25	Add	6000	300	450	3714	63.2	45.0
Stainless Steel Simulator Kit - DRW only	9	Add	9	Add	6000	300	500	3664	63.4	45.0
Gooseneck Hitch Kit	0	Add	10	Add						
Total Option Weight										

* This pickup truck should not be used for carrying a slide-in camper unless F-Series Camper Package is installed.

NOTE: The descriptions and specifications contained in this manual were in effect at the time this manual was approved for printing. Ford Motor Company reserves the right to discontinue models at any time, or change specifications or design without notice and without incurring any obligation.

PUBLICATIONS ORDERING INFORMATION

To obtain information about ordering additional copies of this publication or to order any other Ford or Lincoln publications, call 1-800-782-4356 or visit www.helminc.com. Available publications include workshop manuals, wiring diagrams, PC/ED Manuals and Owner Guides.

In addition, you can obtain a publications order form by writing to: Ford Publications, care of Helm Inc., P.O. Box 07150, Detroit, MI 48207.

All rights reserved. Reproduction by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system or translation in whole or part is not permitted without written authorization from Ford Motor Company.

Copyright© 2011, Ford Motor Company.

Additional copies of this brochure can be obtained at
FMCDealer.com on the Ford intranet.

TECHNICAL
SUPPORT OPERATIONS
Ford Customer Service Division

LITHO IN U.S.A.

FEB-14 FCS-12177-15